


Bahrain: Bahrainis

CONTRIBUTORS

Najat Abulfateh
Dalal Alsalman



20 major cancers, ASR (World) per 100 000

<i>Male</i>		<i>Female</i>	
Prostate	16.2	Breast	67.7
Trachea, bronchus, and lung	16.0	Corpus uteri	10.6
Bladder	13.5	Thyroid	9.7
Colon	10.6	Colon	9.3
Rectum	7.6	Ovary	7.7
Non-Hodgkin lymphoma	7.2	Non-Hodgkin lymphoma	6.1
Liver	6.0	Trachea, bronchus, and lung	5.6
Kidney	4.4	Rectum	5.4
Stomach	4.2	Other and unspecified	4.8
Pancreas	4.1	Liver	3.3
Other and unspecified	3.5	Pancreas	2.9
Brain and nervous system	3.4	Cervix uteri	2.8
Hodgkin lymphoma	3.1	Kidney	2.7
Lymphoid leukaemia	2.8	Stomach	2.7
Thyroid	2.6	Bladder	2.6
Larynx	2.5	Hodgkin lymphoma	2.3
Non-melanoma skin cancer	2.2	Non-melanoma skin cancer	2.2
Myeloid leukaemia	2.1	Brain and nervous system	2.1
Gallbladder etc.	1.7	Uterus unspecified	1.9
Multiple myeloma	1.7	Myeloid leukaemia	1.8
All sites	134.6	All sites	169.7


Bahrain: Bahrainis (2013–2017)

SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	
Lip	2	0.1	0.1	0.2	0.00	0.04	0	0.0	0.0	0.0	0.00	0.00	C00
Tongue	20	1.2	1.2	1.5	0.11	0.14	7	0.3	0.4	0.5	0.05	0.07	C01–02
Mouth	16	1.0	1.0	1.3	0.06	0.18	7	0.3	0.4	0.5	0.04	0.04	C03–06
Salivary glands	5	0.3	0.3	0.3	0.03	0.03	9	0.4	0.6	0.8	0.03	0.11	C07–08
Tonsil	3	0.2	0.2	0.2	0.02	0.02	1	0.0	0.1	0.1	0.00	0.00	C09
Other oropharynx	3	0.2	0.2	0.3	0.01	0.06	3	0.1	0.2	0.2	0.02	0.02	C10
Nasopharynx	15	0.9	0.9	1.0	0.09	0.09	2	0.1	0.1	0.1	0.01	0.01	C11
Hypopharynx	1	0.1	0.1	0.1	0.00	0.00	1	0.0	0.1	0.1	0.01	0.01	C12–13
Pharynx unspecified	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C14
Oesophagus	19	1.1	1.2	1.6	0.05	0.13	9	0.4	0.6	0.8	0.03	0.08	C15
Stomach	52	3.1	3.2	4.2	0.18	0.42	33	1.4	2.1	2.7	0.13	0.31	C16
Small intestine	10	0.6	0.6	0.8	0.04	0.09	6	0.3	0.4	0.4	0.04	0.06	C17
Colon	132	7.9	8.0	10.6	0.55	1.42	126	5.5	7.9	9.3	0.66	1.02	C18
Rectum	93	5.5	5.7	7.6	0.35	0.92	67	2.9	4.2	5.4	0.37	0.71	C19–20
Anus	10	0.6	0.6	0.8	0.03	0.09	5	0.2	0.3	0.3	0.02	0.02	C21
Liver	73	4.4	4.4	6.0	0.26	0.72	40	1.8	2.5	3.3	0.16	0.41	C22
Gallbladder etc.	22	1.3	1.3	1.7	0.09	0.19	19	0.8	1.2	1.6	0.07	0.19	C23–24
Pancreas	48	2.9	2.9	4.1	0.16	0.49	37	1.6	2.3	2.9	0.13	0.33	C25
Nose, sinuses etc.	4	0.2	0.2	0.3	0.01	0.02	3	0.1	0.2	0.3	0.01	0.03	C30–31
Larynx	33	2.0	2.0	2.5	0.18	0.29	3	0.1	0.2	0.2	0.02	0.02	C32
Trachea, bronchus, and lung	188	11.2	11.4	16.0	0.63	1.74	69	3.0	4.3	5.6	0.23	0.51	C33–34
Other thoracic organs	12	0.7	0.7	0.9	0.05	0.12	1	0.0	0.1	0.1	0.01	0.01	C37–38
Bone	18	1.1	1.1	1.2	0.07	0.12	16	0.7	1.0	1.0	0.08	0.08	C40–41
Melanoma of skin	6	0.4	0.4	0.5	0.02	0.02	0	0.0	0.0	0.0	0.00	0.00	C43
Other skin	29	1.7	1.8	2.2	0.12	0.20	28	1.2	1.8	2.2	0.09	0.24	C44
Mesothelioma	7	0.4	0.4	0.6	0.01	0.04	1	0.0	0.1	0.1	0.00	0.03	C45
Kaposi sarcoma	1	0.1	0.1	0.1	0.01	0.01	1	0.0	0.1	0.1	0.00	0.00	C46
Connective and soft tissue	15	0.9	0.9	1.1	0.06	0.14	19	0.8	1.2	1.3	0.08	0.13	C47+C49
Breast	13	0.8	0.8	0.9	0.07	0.10	944	41.3	59.3	67.7	5.34	7.38	C50
Vulva							4	0.2	0.3	0.3	0.02	0.02	C51
Vagina							3	0.1	0.2	0.2	0.02	0.02	C52
Cervix uteri							42	1.8	2.6	2.8	0.23	0.30	C53
Corpus uteri							134	5.9	8.4	10.6	0.69	1.40	C54
Uterus unspecified							25	1.1	1.6	1.9	0.15	0.19	C55
Ovary							107	4.7	6.7	7.7	0.55	0.90	C56
Other female genital organs							8	0.4	0.5	0.6	0.06	0.06	C57
Placenta							2	0.1	0.1	0.1	0.01	0.01	C58
Penis	0	0.0	0.0	0.0	0.00	0.00							C60
Prostate	182	10.9	11.1	16.2	0.53	2.02							C61
Testis	28	1.7	1.7	1.7	0.11	0.13							C62
Other male genital organs	1	0.1	0.1	0.1	0.01	0.01							C63
Kidney	59	3.5	3.6	4.4	0.32	0.57	36	1.6	2.3	2.7	0.16	0.30	C64
Renal pelvis	1	0.1	0.1	0.1	0.01	0.01	0	0.0	0.0	0.0	0.00	0.00	C65
Ureter	3	0.2	0.2	0.3	0.02	0.04	0	0.0	0.0	0.0	0.00	0.00	C66
Bladder	160	9.5	9.7	13.5	0.51	1.30	34	1.5	2.1	2.6	0.12	0.24	C67
Other urinary organs	2	0.1	0.1	0.2	0.00	0.03	0	0.0	0.0	0.0	0.00	0.00	C68
Eye	1	0.1	0.1	0.1	0.00	0.00	2	0.1	0.1	0.1	0.01	0.01	C69
Brain and nervous system	50	3.0	3.0	3.4	0.20	0.34	30	1.3	1.9	2.1	0.14	0.18	C70–72
Thyroid	39	2.3	2.4	2.6	0.17	0.24	148	6.5	9.3	9.7	0.79	0.91	C73
Adrenal gland	4	0.2	0.2	0.3	0.02	0.02	3	0.1	0.2	0.2	0.01	0.03	C74
Other endocrine	0	0.0	0.0	0.0	0.00	0.00	2	0.1	0.1	0.1	0.01	0.01	C75
Hodgkin lymphoma	51	3.0	3.1	3.1	0.22	0.25	36	1.6	2.3	2.3	0.18	0.21	C81
Non-Hodgkin lymphoma	99	5.9	6.0	7.2	0.45	0.80	87	3.8	5.5	6.1	0.37	0.55	C82–86,C96
Immunoproliferative diseases	4	0.2	0.2	0.3	0.02	0.04	1	0.0	0.1	0.1	0.01	0.01	C88
Multiple myeloma	24	1.4	1.5	1.7	0.16	0.18	19	0.8	1.2	1.5	0.07	0.16	C90
Lymphoid leukaemia	43	2.6	2.6	2.8	0.14	0.23	15	0.7	0.9	1.2	0.04	0.14	C91
Myeloid leukaemia	32	1.9	1.9	2.1	0.12	0.19	27	1.2	1.7	1.8	0.12	0.19	C92–94
Leukaemia unspecified	14	0.8	0.9	1.1	0.04	0.13	18	0.8	1.1	1.3	0.06	0.11	C95
Myeloproliferative disorders	7	0.4	0.4	0.5	0.03	0.03	5	0.2	0.3	0.5	0.02	0.05	MPD
Myelodysplastic syndromes	9	0.5	0.5	0.7	0.04	0.05	9	0.4	0.6	0.8	0.03	0.10	MPS
Other and unspecified	43	2.6	2.6	3.5	0.16	0.37	57	2.5	3.6	4.8	0.19	0.53	O&U
All sites	1706		103.8	134.6	6.54	14.81	2311		145.1	169.7	11.67	18.41	C00–96
All sites except C44	1677	100.0	102.1	132.3	6.42	14.61	2283	100.0	143.3	167.5	11.59	18.18	C00–96 exc. C44

Brunei Darussalam

CONTRIBUTORS

Ong Sok King
 Khairulhazman Othman
 Siti Zuhri Kahan
 Khairil Si-Ramlee



NOTES ON THE DATA

†C67 (bladder cancer) includes neoplasms of uncertain or unknown behaviour together with invasive cancers.

20 major cancers, ASR (World) per 100 000

Male		Female	
Trachea, bronchus, and lung	24.0	Breast	47.5
Prostate	18.3	Trachea, bronchus, and lung	19.4
Colon	18.1	Cervix uteri	15.6
Rectum	13.7	Colon	14.7
Liver	12.1	Corpus uteri	12.4
Non-Hodgkin lymphoma	10.7	Ovary	12.2
Non-melanoma skin cancer	7.3	Rectum	9.1
Stomach	7.3	Non-Hodgkin lymphoma	9.0
Nasopharynx	7.1	Thyroid	7.4
Kidney	5.1	Stomach	5.6
Bladder	4.8	Non-melanoma skin cancer	5.4
Myeloid leukaemia	4.0	Liver	5.3
Other and unspecified	2.6	Pancreas	3.9
Pancreas	2.6	Nasopharynx	3.6
Lymphoid leukaemia	2.6	Other and unspecified	3.6
Thyroid	2.4	Myeloid leukaemia	3.0
Brain and nervous system	2.2	Gallbladder etc.	2.1
Testis	2.0	Connective and soft tissue	2.0
Multiple myeloma	2.0	Kidney	1.8
Connective and soft tissue	1.9	Uterus unspecified	1.8
All sites	169.3	All sites	202.9

Brunei Darussalam (2013–2017)


SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	
Lip	0	0.0	0.0	0.0	0.00	0.00	2	0.1	0.2	0.2	0.02	0.02	C00
Tongue	8	0.6	0.7	0.8	0.05	0.08	9	0.5	0.9	0.8	0.07	0.10	C01–02
Mouth	7	0.5	0.7	0.6	0.05	0.05	2	0.1	0.2	0.2	0.02	0.02	C03–06
Salivary glands	16	1.1	1.5	1.7	0.08	0.15	12	0.6	1.2	1.2	0.06	0.17	C07–08
Tonsil	5	0.4	0.5	0.5	0.02	0.04	0	0.0	0.0	0.0	0.00	0.00	C09
Other oropharynx	5	0.4	0.5	0.4	0.04	0.04	2	0.1	0.2	0.2	0.01	0.01	C10
Nasopharynx	68	4.8	6.4	7.1	0.41	0.87	35	1.8	3.5	3.6	0.27	0.40	C11
Hypopharynx	1	0.1	0.1	0.2	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C12–13
Pharynx unspecified	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C14
Oesophagus	12	0.9	1.1	1.4	0.07	0.18	3	0.2	0.3	0.4	0.01	0.03	C15
Stomach	60	4.3	5.6	7.3	0.26	0.87	48	2.5	4.8	5.6	0.24	0.76	C16
Small intestine	5	0.4	0.5	0.6	0.02	0.11	3	0.2	0.3	0.3	0.01	0.05	C17
Colon	158	11.2	14.8	18.1	0.89	2.15	140	7.3	14.0	14.7	0.83	1.67	C18
Rectum	125	8.9	11.7	13.7	0.90	1.52	87	4.6	8.7	9.1	0.65	1.06	C19–20
Anus	3	0.2	0.3	0.3	0.01	0.04	1	0.1	0.1	0.1	0.00	0.02	C21
Liver	102	7.2	9.6	12.1	0.59	1.56	46	2.4	4.6	5.3	0.22	0.51	C22
Gallbladder etc.	15	1.1	1.4	1.7	0.10	0.21	18	0.9	1.8	2.1	0.12	0.25	C23–24
Pancreas	21	1.5	2.0	2.6	0.06	0.27	34	1.8	3.4	3.9	0.18	0.50	C25
Nose, sinuses etc.	2	0.1	0.2	0.2	0.02	0.02	4	0.2	0.4	0.4	0.04	0.04	C30–31
Larynx	9	0.6	0.8	1.0	0.03	0.06	4	0.2	0.4	0.5	0.01	0.05	C32
Trachea, bronchus, and lung	200	14.2	18.7	24.0	0.99	2.72	168	8.8	16.7	19.4	0.84	2.23	C33–34
Other thoracic organs	12	0.9	1.1	1.1	0.04	0.06	7	0.4	0.7	0.9	0.03	0.14	C37–38
Bone	9	0.6	0.8	0.8	0.06	0.06	3	0.2	0.3	0.3	0.02	0.02	C40–41
Melanoma of skin	2	0.1	0.2	0.2	0.01	0.01	5	0.3	0.5	0.5	0.02	0.06	C43
Other skin	65	4.6	6.1	7.3	0.36	0.70	53	2.8	5.3	5.4	0.38	0.54	C44
Mesothelioma	1	0.1	0.1	0.2	0.00	0.04	0	0.0	0.0	0.0	0.00	0.00	C45
Kaposi sarcoma	1	0.1	0.1	0.1	0.01	0.01	0	0.0	0.0	0.0	0.00	0.00	C46
Connective and soft tissue	18	1.3	1.7	1.9	0.10	0.21	19	1.0	1.9	2.0	0.10	0.27	C47+C49
Breast	2	0.1	0.2	0.2	0.01	0.03	481	25.2	48.0	47.5	3.58	5.50	C50
Vulva							7	0.4	0.7	0.8	0.04	0.09	C51
Vagina							3	0.2	0.3	0.5	0.00	0.07	C52
Cervix uteri							179	9.4	17.8	15.6	1.27	1.50	C53
Corpus uteri							126	6.6	12.6	12.4	0.93	1.43	C54
Uterus unspecified							19	1.0	1.9	1.8	0.17	0.19	C55
Ovary							128	6.7	12.8	12.2	0.88	1.28	C56
Other female genital organs							0	0.0	0.0	0.0	0.00	0.00	C57
Placenta							1	0.1	0.1	0.1	0.01	0.01	C58
Penis	6	0.4	0.6	0.6	0.05	0.05							C60
Prostate	134	9.5	12.6	18.3	0.29	2.17							C61
Testis	25	1.8	2.3	2.0	0.13	0.13							C62
Other male genital organs	1	0.1	0.1	0.2	0.00	0.00							C63
Kidney	44	3.1	4.1	5.1	0.23	0.74	16	0.8	1.6	1.8	0.10	0.25	C64
Renal pelvis	2	0.1	0.2	0.2	0.02	0.02	1	0.1	0.1	0.1	0.00	0.02	C65
Ureter	0	0.0	0.0	0.0	0.00	0.00	1	0.1	0.1	0.2	0.00	0.04	C66
†Bladder	38	2.7	3.6	4.8	0.15	0.56	14	0.7	1.4	1.5	0.10	0.15	C67
Other urinary organs	1	0.1	0.1	0.1	0.01	0.01	0	0.0	0.0	0.0	0.00	0.00	C68
Eye	2	0.1	0.2	0.3	0.01	0.01	6	0.3	0.6	0.9	0.04	0.08	C69
Brain and nervous system	21	1.5	2.0	2.2	0.13	0.20	14	0.7	1.4	1.6	0.09	0.13	C70–72
Thyroid	24	1.7	2.2	2.4	0.13	0.31	77	4.0	7.7	7.4	0.51	0.80	C73
Adrenal gland	1	0.1	0.1	0.1	0.01	0.01	0	0.0	0.0	0.0	0.00	0.00	C74
Other endocrine	2	0.1	0.2	0.2	0.02	0.02	0	0.0	0.0	0.0	0.00	0.00	C75
Hodgkin lymphoma	21	1.5	2.0	1.8	0.12	0.18	5	0.3	0.5	0.5	0.04	0.04	C81
Non-Hodgkin lymphoma	98	7.0	9.2	10.7	0.55	1.14	78	4.1	7.8	9.0	0.47	1.12	C82–86,C96
Immunoproliferative diseases	5	0.4	0.5	0.5	0.03	0.05	1	0.1	0.1	0.1	0.01	0.01	C88
Multiple myeloma	16	1.1	1.5	2.0	0.11	0.29	12	0.6	1.2	1.4	0.08	0.20	C90
Lymphoid leukaemia	22	1.6	2.1	2.6	0.14	0.23	11	0.6	1.1	1.3	0.06	0.09	C91
Myeloid leukaemia	37	2.6	3.5	4.0	0.21	0.40	29	1.5	2.9	3.0	0.16	0.27	C92–94
Leukaemia unspecified	10	0.7	0.9	1.3	0.05	0.12	3	0.2	0.3	0.4	0.02	0.02	C95
Myeloproliferative disorders	3	0.2	0.3	0.4	0.02	0.06	8	0.4	0.8	1.0	0.01	0.11	MPD
Myelodysplastic syndromes	9	0.6	0.8	1.0	0.04	0.13	8	0.4	0.8	1.1	0.02	0.11	MPS
Other and unspecified	19	1.3	1.8	2.6	0.05	0.32	32	1.7	3.2	3.6	0.17	0.30	O&U
All sites	1473		138.1	169.3	7.73	19.25	1965		195.9	202.9	12.95	22.75	C00–96
All sites except C44	1408	100.0	132.0	162.0	7.37	18.55	1912	100.0	190.6	197.5	12.56	22.21	C00–96 exc. C44

†See note following population pyramid

China, Anfu County

CONTRIBUTORS

Jian Wang



NOTES ON THE DATA

*Low levels of specificity of leukaemias.

20 major cancers, ASR (World) per 100 000

<i>Male</i>		<i>Female</i>	
Trachea, bronchus, and lung	46.5	Trachea, bronchus, and lung	19.0
Liver	22.9	Breast	17.7
Stomach	21.1	Cervix uteri	14.2
Rectum	10.8	Stomach	10.4
Colon	7.8	Liver	7.7
Nasopharynx	6.3	Rectum	7.1
Oesophagus	5.9	Colon	5.8
Non-Hodgkin lymphoma	5.5	Ovary	4.6
Brain and nervous system	5.0	Non-Hodgkin lymphoma	4.0
Bladder	4.9	Brain and nervous system	3.8
Prostate	4.2	Corpus uteri	3.4
Pancreas	3.0	Pancreas	2.8
Gallbladder etc.	2.7	Gallbladder etc.	2.7
Larynx	2.6	Nasopharynx	2.6
Leukaemia unspecified	2.6	Leukaemia unspecified	2.1
Myeloid leukaemia	1.7	Thyroid	1.9
Kidney	1.7	Non-melanoma skin cancer	1.8
Non-melanoma skin cancer	1.7	Myeloid leukaemia	1.2
Bone	1.6	Kidney	1.1
Lymphoid leukaemia	1.4	Bladder	1.1
All sites	173.2	All sites	124.7

*China, Anfu County (2014–2017)

SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	
Lip	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C00
Tongue	7	0.4	0.9	0.6	0.05	0.07	2	0.2	0.3	0.2	0.00	0.04	C01–02
Mouth	6	0.3	0.7	0.6	0.04	0.09	1	0.1	0.1	0.1	0.01	0.01	C03–06
Salivary glands	5	0.3	0.6	0.7	0.05	0.05	3	0.2	0.4	0.2	0.01	0.01	C07–08
Tonsil	1	0.1	0.1	0.1	0.01	0.01	1	0.1	0.1	0.1	0.01	0.01	C09
Other oropharynx	1	0.1	0.1	0.1	0.01	0.01	0	0.0	0.0	0.0	0.00	0.00	C10
Nasopharynx	68	3.8	8.4	6.3	0.58	0.66	24	1.9	3.1	2.6	0.18	0.25	C11
Hypopharynx	6	0.3	0.7	0.6	0.06	0.08	0	0.0	0.0	0.0	0.00	0.00	C12–13
Pharynx unspecified	7	0.4	0.9	0.8	0.05	0.11	0	0.0	0.0	0.0	0.00	0.00	C14
Oesophagus	58	3.3	7.2	5.9	0.40	0.81	11	0.9	1.4	1.1	0.05	0.15	C15
Stomach	221	12.5	27.4	21.1	1.16	2.61	110	8.6	14.3	10.4	0.78	1.12	C16
Small intestine	8	0.5	1.0	0.8	0.01	0.12	10	0.8	1.3	1.1	0.09	0.14	C17
Colon	82	4.6	10.2	7.8	0.41	0.95	64	5.0	8.3	5.8	0.29	0.66	C18
Rectum	114	6.4	14.1	10.8	0.66	1.19	77	6.0	10.0	7.1	0.44	0.89	C19–20
Anus	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C21
Liver	241	13.6	29.8	22.9	1.45	2.56	83	6.5	10.8	7.7	0.35	0.95	C22
Gallbladder etc.	26	1.5	3.2	2.7	0.16	0.32	28	2.2	3.6	2.7	0.16	0.33	C23–24
Pancreas	32	1.8	4.0	3.0	0.15	0.33	32	2.5	4.2	2.8	0.16	0.26	C25
Nose, sinuses etc.	7	0.4	0.9	0.6	0.02	0.04	4	0.3	0.5	0.4	0.03	0.05	C30–31
Larynx	27	1.5	3.3	2.6	0.15	0.27	2	0.2	0.3	0.2	0.01	0.03	C32
Trachea, bronchus, and lung	480	27.1	59.4	46.5	2.48	5.95	205	16.1	26.7	19.0	0.92	2.35	C33–34
Other thoracic organs	10	0.6	1.2	0.9	0.07	0.09	4	0.3	0.5	0.4	0.03	0.03	C37–38
Bone	12	0.7	1.5	1.6	0.08	0.17	6	0.5	0.8	0.6	0.02	0.07	C40–41
Melanoma of skin	7	0.4	0.9	0.7	0.06	0.08	3	0.2	0.4	0.3	0.03	0.05	C43
Other skin	19	1.1	2.4	1.7	0.10	0.15	19	1.5	2.5	1.8	0.06	0.21	C44
Mesothelioma	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C45
Kaposi sarcoma	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C46
Connective and soft tissue	10	0.6	1.2	1.1	0.05	0.16	3	0.2	0.4	0.2	0.01	0.03	C47+C49
Breast	3	0.2	0.4	0.2	0.02	0.02	184	14.5	23.9	17.7	1.58	1.73	C50
Vulva							2	0.2	0.3	0.2	0.01	0.01	C51
Vagina							2	0.2	0.3	0.2	0.01	0.01	C52
Cervix uteri							148	11.6	19.3	14.2	1.18	1.44	C53
Corpus uteri							33	2.6	4.3	3.4	0.29	0.38	C54
Uterus unspecified							2	0.2	0.3	0.1	0.01	0.01	C55
Ovary							43	3.4	5.6	4.6	0.39	0.45	C56
Other female genital organs							2	0.2	0.3	0.2	0.01	0.03	C57
Placenta							9	0.7	1.2	0.9	0.07	0.07	C58
Penis	5	0.3	0.6	0.5	0.03	0.08							C60
Prostate	46	2.6	5.7	4.2	0.06	0.44							C61
Testis	3	0.2	0.4	0.3	0.03	0.03							C62
Other male genital organs	0	0.0	0.0	0.0	0.00	0.00							C63
Kidney	16	0.9	2.0	1.7	0.11	0.21	12	0.9	1.6	1.1	0.09	0.11	C64
Renal pelvis	4	0.2	0.5	0.4	0.05	0.05	1	0.1	0.1	0.1	0.00	0.02	C65
Ureter	2	0.1	0.2	0.2	0.00	0.04	0	0.0	0.0	0.0	0.00	0.00	C66
Bladder	53	3.0	6.6	4.9	0.28	0.55	13	1.0	1.7	1.1	0.06	0.11	C67
Other urinary organs	1	0.1	0.1	0.1	0.00	0.02	0	0.0	0.0	0.0	0.00	0.00	C68
Eye	4	0.2	0.5	0.4	0.03	0.03	0	0.0	0.0	0.0	0.00	0.00	C69
Brain and nervous system	51	2.9	6.3	5.0	0.31	0.62	36	2.8	4.7	3.8	0.29	0.42	C70–72
Thyroid	7	0.4	0.9	0.6	0.03	0.08	19	1.5	2.5	1.9	0.17	0.19	C73
Adrenal gland	1	0.1	0.1	0.1	0.01	0.01	3	0.2	0.4	0.3	0.01	0.04	C74
Other endocrine	7	0.4	0.9	0.6	0.03	0.08	5	0.4	0.7	0.5	0.03	0.05	C75
Hodgkin lymphoma	5	0.3	0.6	0.4	0.03	0.06	3	0.2	0.4	0.5	0.04	0.04	C81
Non-Hodgkin lymphoma	54	3.0	6.7	5.5	0.37	0.57	39	3.1	5.1	4.0	0.26	0.41	C82–86,C96
Immunoproliferative diseases	0	0.0	0.0	0.0	0.00	0.00	1	0.1	0.1	0.1	0.01	0.01	C88
Multiple myeloma	7	0.4	0.9	0.7	0.04	0.09	6	0.5	0.8	0.6	0.03	0.07	C90
Lymphoid leukaemia	9	0.5	1.1	1.4	0.08	0.13	2	0.2	0.3	0.3	0.01	0.01	C91
Myeloid leukaemia	17	1.0	2.1	1.7	0.11	0.20	10	0.8	1.3	1.2	0.08	0.12	C92–94
Leukaemia unspecified	26	1.5	3.2	2.6	0.15	0.31	17	1.3	2.2	2.1	0.15	0.19	C95
Myeloproliferative disorders	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	MPD
Myelodysplastic syndromes	2	0.1	0.2	0.2	0.01	0.04	1	0.1	0.1	0.1	0.00	0.00	MPS
Other and unspecified	14	0.8	1.7	1.3	0.07	0.23	7	0.5	0.9	0.7	0.05	0.07	O&U
All sites	1792		221.9	173.2	10.12	20.74	1292		168.2	124.7	8.50	13.66	C00–96
All sites except C44	1773	100.0	219.5	171.5	10.01	20.59	1273	100.0	165.7	123.0	8.43	13.44	C00–96 exc. C44


*See note following population pyramid

China, Anguo City

CONTRIBUTORS

Li Hui

Wei Zeyong



NOTES ON THE DATA

*No official mortality data. Low levels of specificity of leukaemias.

20 major cancers, ASR (World) per 100 000

Male		Female	
Trachea, bronchus, and lung	69.4	Breast	44.2
Stomach	40.9	Trachea, bronchus, and lung	37.9
Liver	24.3	Stomach	12.6
Oesophagus	22.3	Cervix uteri	9.3
Rectum	11.1	Rectum	7.8
Colon	5.8	Liver	7.5
Brain and nervous system	5.5	Oesophagus	7.4
Bladder	5.0	Corpus uteri	6.6
Leukaemia unspecified	3.7	Colon	5.4
Other and unspecified	2.5	Brain and nervous system	4.5
Kidney	2.1	Uterus unspecified	3.2
Non-Hodgkin lymphoma	1.9	Leukaemia unspecified	3.2
Pancreas	1.9	Ovary	2.7
Gallbladder etc.	1.8	Thyroid	2.5
Small intestine	1.6	Bone	1.8
Thyroid	1.4	Pancreas	1.5
Bone	1.3	Bladder	1.3
Prostate	1.3	Non-Hodgkin lymphoma	1.3
Myeloid leukaemia	1.1	Other and unspecified	1.2
Nasopharynx	1.1	Small intestine	1.1
All sites	212.2	All sites	170.3

*China, Anguo City (2013–2017)


SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	
Lip	1	0.0	0.1	0.1	0.00	0.01	0	0.0	0.0	0.0	0.00	0.00	C00
Tongue	1	0.0	0.1	0.1	0.00	0.01	0	0.0	0.0	0.0	0.00	0.00	C01–02
Mouth	5	0.2	0.5	0.4	0.02	0.04	6	0.3	0.6	0.4	0.02	0.02	C03–06
Salivary glands	1	0.0	0.1	0.1	0.00	0.01	1	0.0	0.1	0.1	0.01	0.01	C07–08
Tonsil	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C09
Other oropharynx	2	0.1	0.2	0.2	0.01	0.01	2	0.1	0.2	0.2	0.02	0.02	C10
Nasopharynx	15	0.6	1.6	1.1	0.08	0.13	3	0.1	0.3	0.3	0.02	0.02	C11
Hypopharynx	3	0.1	0.3	0.2	0.02	0.03	2	0.1	0.2	0.2	0.00	0.00	C12–13
Pharynx unspecified	1	0.0	0.1	0.1	0.01	0.01	2	0.1	0.2	0.2	0.01	0.02	C14
Oesophagus	280	10.4	29.0	22.3	0.74	2.94	104	4.6	11.1	7.4	0.21	0.95	C15
Stomach	518	19.2	53.7	40.9	1.61	5.84	171	7.5	18.3	12.6	0.48	1.55	C16
Small intestine	21	0.8	2.2	1.6	0.07	0.20	15	0.7	1.6	1.1	0.06	0.14	C17
Colon	75	2.8	7.8	5.8	0.34	0.65	73	3.2	7.8	5.4	0.34	0.64	C18
Rectum	144	5.3	14.9	11.1	0.65	1.26	107	4.7	11.4	7.8	0.41	0.94	C19–20
Anus	7	0.3	0.7	0.5	0.04	0.05	7	0.3	0.7	0.5	0.02	0.07	C21
Liver	324	12.0	33.6	24.3	1.56	2.89	106	4.7	11.3	7.5	0.32	0.93	C22
Gallbladder etc.	22	0.8	2.3	1.8	0.05	0.23	16	0.7	1.7	1.1	0.05	0.08	C23–24
Pancreas	26	1.0	2.7	1.9	0.10	0.21	20	0.9	2.1	1.5	0.05	0.23	C25
Nose, sinuses etc.	1	0.0	0.1	0.1	0.01	0.01	0	0.0	0.0	0.0	0.00	0.00	C30–31
Larynx	12	0.4	1.2	1.0	0.03	0.14	5	0.2	0.5	0.4	0.02	0.06	C32
Trachea, bronchus, and lung	899	33.3	93.2	69.4	3.17	9.00	519	22.9	55.5	37.9	2.00	4.66	C33–34
Other thoracic organs	3	0.1	0.3	0.2	0.01	0.03	9	0.4	1.0	0.8	0.04	0.07	C37–38
Bone	14	0.5	1.5	1.3	0.03	0.16	22	1.0	2.4	1.8	0.11	0.20	C40–41
Melanoma of skin	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C43
Other skin	4	0.1	0.4	0.4	0.00	0.04	6	0.3	0.6	0.4	0.00	0.06	C44
Mesothelioma	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C45
Kaposi sarcoma	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C46
Connective and soft tissue	2	0.1	0.2	0.1	0.01	0.01	1	0.0	0.1	0.1	0.00	0.01	C47+C49
Breast	10	0.4	1.0	0.7	0.04	0.07	583	25.7	62.4	44.2	3.36	5.08	C50
Vulva							1	0.0	0.1	0.1	0.00	0.00	C51
Vagina							0	0.0	0.0	0.0	0.00	0.00	C52
Cervix uteri							125	5.5	13.4	9.3	0.74	1.05	C53
Corpus uteri							87	3.8	9.3	6.6	0.54	0.78	C54
Uterus unspecified							43	1.9	4.6	3.2	0.22	0.40	C55
Ovary							38	1.7	4.1	2.7	0.17	0.34	C56
Other female genital organs							0	0.0	0.0	0.0	0.00	0.00	C57
Placenta							0	0.0	0.0	0.0	0.00	0.00	C58
Penis	9	0.3	0.9	0.7	0.03	0.06							C60
Prostate	16	0.6	1.7	1.3	0.05	0.12							C61
Testis	1	0.0	0.1	0.1	0.01	0.01							C62
Other male genital organs	0	0.0	0.0	0.0	0.00	0.00							C63
Kidney	24	0.9	2.5	2.1	0.10	0.31	12	0.5	1.3	0.9	0.04	0.11	C64
Renal pelvis	1	0.0	0.1	0.1	0.01	0.01	0	0.0	0.0	0.0	0.00	0.00	C65
Ureter	3	0.1	0.3	0.2	0.02	0.04	1	0.0	0.1	0.1	0.00	0.00	C66
Bladder	67	2.5	6.9	5.0	0.29	0.54	18	0.8	1.9	1.3	0.07	0.17	C67
Other urinary organs	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C68
Eye	1	0.0	0.1	0.1	0.01	0.01	1	0.0	0.1	0.2	0.01	0.01	C69
Brain and nervous system	66	2.4	6.8	5.5	0.32	0.65	58	2.6	6.2	4.5	0.26	0.47	C70–72
Thyroid	18	0.7	1.9	1.4	0.08	0.16	31	1.4	3.3	2.5	0.17	0.26	C73
Adrenal gland	1	0.0	0.1	0.1	0.01	0.01	1	0.0	0.1	0.1	0.00	0.01	C74
Other endocrine	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C75
Hodgkin lymphoma	6	0.2	0.6	0.5	0.01	0.06	4	0.2	0.4	0.3	0.03	0.03	C81
Non-Hodgkin lymphoma	24	0.9	2.5	1.9	0.12	0.20	17	0.7	1.8	1.3	0.09	0.16	C82–86,C96
Immunoproliferative diseases	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C88
Multiple myeloma	1	0.0	0.1	0.1	0.00	0.01	0	0.0	0.0	0.0	0.00	0.00	C90
Lymphoid leukaemia	3	0.1	0.3	0.2	0.01	0.03	2	0.1	0.2	0.4	0.01	0.03	C91
Myeloid leukaemia	9	0.3	0.9	1.1	0.06	0.10	5	0.2	0.5	0.5	0.02	0.06	C92–94
Leukaemia unspecified	40	1.5	4.1	3.7	0.20	0.35	37	1.6	4.0	3.2	0.17	0.35	C95
Myeloproliferative disorders	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	MPD
Myelodysplastic syndromes	1	0.0	0.1	0.1	0.01	0.01	0	0.0	0.0	0.0	0.00	0.00	MPS
Other and unspecified	24	0.9	2.5	2.5	0.12	0.22	15	0.7	1.6	1.2	0.07	0.14	O&U
All sites	2706		280.6	212.2	10.02	26.86	2276		243.5	170.3	10.17	20.14	C00–96
All sites except C44	2702	100.0	280.2	211.8	10.02	26.82	2270	100.0	242.9	169.8	10.17	20.08	C00–96 exc. C44

*See note following population pyramid

China, Anshan City

CONTRIBUTORS

Huang Jihong
 Xu Shaohu
 Wang Lijuan
 Yin Ye
 Zhang Weiwei
 Wang Xiaolin
 Lin Liqiang
 Li Feixuan
 Liu Meiling
 Chen Kangjing
 Zhang Ying



NOTES ON THE DATA

*Low levels of specificity of leukaemias.

20 major cancers, ASR (World) per 100 000

<i>Male</i>		<i>Female</i>	
Trachea, bronchus, and lung	59.2	Breast	43.2
Liver	22.8	Trachea, bronchus, and lung	30.5
Rectum	18.2	Cervix uteri	16.0
Stomach	16.7	Colon	10.0
Colon	14.8	Rectum	9.7
Bladder	9.7	Thyroid	8.6
Oesophagus	8.5	Ovary	7.1
Pancreas	6.3	Corpus uteri	7.1
Kidney	6.0	Liver	6.9
Brain and nervous system	5.9	Stomach	6.8
Prostate	4.7	Brain and nervous system	5.3
Non-Hodgkin lymphoma	4.3	Pancreas	4.2
Larynx	3.7	Non-Hodgkin lymphoma	2.7
Gallbladder etc.	3.7	Gallbladder etc.	2.7
Leukaemia unspecified	3.7	Kidney	2.6
Other and unspecified	2.8	Other and unspecified	2.4
Thyroid	2.5	Leukaemia unspecified	2.1
Nasopharynx	2.0	Bladder	2.1
Bone	1.9	Bone	1.6
Non-melanoma skin cancer	1.8	Non-melanoma skin cancer	1.2
All sites	217.7	All sites	186.2

*China, Anshan City (2013–2017)


SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	
Lip	11	0.1	0.3	0.1	0.01	0.01	4	0.0	0.1	0.1	0.00	0.01	C00
Tongue	58	0.4	1.6	0.8	0.06	0.09	24	0.2	0.6	0.3	0.02	0.03	C01–02
Mouth	71	0.4	1.9	1.0	0.08	0.11	33	0.2	0.9	0.4	0.01	0.05	C03–06
Salivary glands	29	0.2	0.8	0.3	0.03	0.03	17	0.1	0.4	0.3	0.02	0.03	C07–08
Tonsil	27	0.2	0.7	0.3	0.03	0.03	13	0.1	0.3	0.2	0.01	0.01	C09
Other oropharynx	31	0.2	0.8	0.4	0.03	0.05	8	0.1	0.2	0.1	0.01	0.01	C10
Nasopharynx	136	0.8	3.7	2.0	0.15	0.22	33	0.2	0.9	0.4	0.03	0.04	C11
Hypopharynx	106	0.6	2.9	1.4	0.10	0.17	5	0.0	0.1	0.0	0.00	0.00	C12–13
Pharynx unspecified	13	0.1	0.4	0.2	0.01	0.02	3	0.0	0.1	0.0	0.00	0.00	C14
Oesophagus	680	4.2	18.3	8.5	0.57	1.03	109	0.7	2.9	1.0	0.03	0.10	C15
Stomach	1309	8.0	35.3	16.7	0.85	2.05	597	4.0	15.7	6.8	0.36	0.77	C16
Small intestine	95	0.6	2.6	1.2	0.07	0.13	62	0.4	1.6	0.8	0.05	0.09	C17
Colon	1153	7.1	31.1	14.8	0.75	1.76	897	6.1	23.6	10.0	0.50	1.21	C18
Rectum	1399	8.6	37.7	18.2	1.03	2.22	844	5.7	22.2	9.7	0.54	1.16	C19–20
Anus	7	0.0	0.2	0.1	0.00	0.01	10	0.1	0.3	0.1	0.01	0.01	C21
Liver	1731	10.6	46.7	22.8	1.56	2.63	616	4.2	16.2	6.9	0.34	0.81	C22
Gallbladder etc.	304	1.9	8.2	3.7	0.16	0.42	262	1.8	6.9	2.7	0.12	0.29	C23–24
Pancreas	491	3.0	13.2	6.3	0.33	0.77	386	2.6	10.1	4.2	0.16	0.53	C25
Nose, sinuses etc.	49	0.3	1.3	0.8	0.05	0.07	14	0.1	0.4	0.2	0.01	0.02	C30–31
Larynx	286	1.8	7.7	3.7	0.21	0.48	49	0.3	1.3	0.5	0.02	0.04	C32
Trachea, bronchus, and lung	4660	28.5	125.6	59.2	2.90	7.27	2850	19.2	74.9	30.5	1.26	3.60	C33–34
Other thoracic organs	95	0.6	2.6	1.5	0.10	0.16	56	0.4	1.5	0.8	0.05	0.08	C37–38
Bone	124	0.8	3.3	1.9	0.11	0.18	105	0.7	2.8	1.6	0.09	0.17	C40–41
Melanoma of skin	24	0.1	0.6	0.3	0.02	0.03	23	0.2	0.6	0.3	0.01	0.05	C43
Other skin	141	0.9	3.8	1.8	0.11	0.19	113	0.8	3.0	1.2	0.06	0.14	C44
Mesothelioma	21	0.1	0.6	0.3	0.02	0.03	8	0.1	0.2	0.1	0.01	0.01	C45
Kaposi sarcoma	2	0.0	0.1	0.1	0.00	0.00	1	0.0	0.0	0.0	0.00	0.00	C46
Connective and soft tissue	46	0.3	1.2	1.0	0.06	0.09	45	0.3	1.2	0.7	0.05	0.07	C47+C49
Breast	40	0.2	1.1	0.6	0.03	0.05	3176	21.4	83.5	43.2	3.55	4.69	C50
Vulva							37	0.2	1.0	0.5	0.03	0.06	C51
Vagina							22	0.1	0.6	0.3	0.02	0.03	C52
Cervix uteri							1146	7.7	30.1	16.0	1.36	1.64	C53
Corpus uteri							548	3.7	14.4	7.1	0.58	0.83	C54
Uterus unspecified							78	0.5	2.1	1.1	0.08	0.12	C55
Ovary							530	3.6	13.9	7.1	0.53	0.81	C56
Other female genital organs							30	0.2	0.8	0.5	0.04	0.05	C57
Placenta							0	0.0	0.0	0.0	0.00	0.00	C58
Penis	54	0.3	1.5	0.7	0.04	0.06							C60
Prostate	411	2.5	11.1	4.7	0.08	0.47							C61
Testis	26	0.2	0.7	0.5	0.04	0.05							C62
Other male genital organs	12	0.1	0.3	0.1	0.01	0.02							C63
Kidney	435	2.7	11.7	6.0	0.40	0.69	208	1.4	5.5	2.6	0.15	0.28	C64
Renal pelvis	43	0.3	1.2	0.6	0.02	0.06	42	0.3	1.1	0.4	0.01	0.06	C65
Ureter	60	0.4	1.6	0.7	0.04	0.09	47	0.3	1.2	0.5	0.01	0.06	C66
Bladder	776	4.8	20.9	9.7	0.47	1.14	195	1.3	5.1	2.1	0.08	0.23	C67
Other urinary organs	9	0.1	0.2	0.1	0.00	0.02	7	0.0	0.2	0.1	0.00	0.01	C68
Eye	5	0.0	0.1	0.3	0.01	0.01	3	0.0	0.1	0.0	0.00	0.00	C69
Brain and nervous system	344	2.1	9.3	5.9	0.36	0.56	359	2.4	9.4	5.3	0.34	0.54	C70–72
Thyroid	148	0.9	4.0	2.5	0.21	0.23	524	3.5	13.8	8.6	0.68	0.83	C73
Adrenal gland	20	0.1	0.5	0.3	0.02	0.04	7	0.0	0.2	0.1	0.00	0.01	C74
Other endocrine	34	0.2	0.9	0.5	0.04	0.05	41	0.3	1.1	0.6	0.05	0.06	C75
Hodgkin lymphoma	22	0.1	0.6	0.3	0.02	0.03	10	0.1	0.3	0.1	0.01	0.01	C81
Non-Hodgkin lymphoma	284	1.7	7.7	4.3	0.25	0.49	204	1.4	5.4	2.7	0.18	0.32	C82–86,C96
Immunoproliferative diseases	2	0.0	0.1	0.0	0.00	0.00	1	0.0	0.0	0.0	0.00	0.00	C88
Multiple myeloma	84	0.5	2.3	1.1	0.05	0.14	66	0.4	1.7	0.8	0.05	0.09	C90
Lymphoid leukaemia	41	0.3	1.1	0.9	0.06	0.08	34	0.2	0.9	0.5	0.03	0.06	C91
Myeloid leukaemia	82	0.5	2.2	1.4	0.09	0.15	58	0.4	1.5	0.9	0.06	0.10	C92–94
Leukaemia unspecified	184	1.1	5.0	3.7	0.21	0.32	131	0.9	3.4	2.1	0.10	0.21	C95
Myeloproliferative disorders	19	0.1	0.5	0.3	0.02	0.03	18	0.1	0.5	0.2	0.01	0.03	MPD
Myelodysplastic syndromes	25	0.2	0.7	0.3	0.02	0.04	22	0.1	0.6	0.2	0.01	0.02	MPS
Other and unspecified	213	1.3	5.7	2.8	0.16	0.30	202	1.4	5.3	2.4	0.14	0.26	O&U
All sites	16472		444.0	217.7	12.02	25.38	14933		392.6	186.2	11.93	20.78	C00–96
All sites except C44	16331	100.0	440.2	215.9	11.90	25.19	14820	100.0	389.6	184.9	11.87	20.64	C00–96 exc. C44

*See note following population pyramid

China, Aohan Banner, Chifeng City

CONTRIBUTORS

Jinyu Liang
Junchang Xue
Haihua Cui
Lei Xie
Lei Yu



NOTES ON THE DATA

*Low levels of specificity of leukaemias.

20 major cancers, ASR (World) per 100 000

Male		Female	
Liver	61.1	Trachea, bronchus, and lung	25.7
Trachea, bronchus, and lung	43.5	Liver	21.3
Oesophagus	28.1	Breast	12.6
Stomach	27.2	Stomach	8.0
Rectum	8.1	Brain and nervous system	5.2
Pancreas	5.6	Rectum	4.5
Colon	5.3	Cervix uteri	4.3
Non-Hodgkin lymphoma	5.1	Corpus uteri	3.4
Bladder	4.5	Ovary	3.2
Brain and nervous system	3.6	Colon	3.0
Leukaemia unspecified	3.3	Thyroid	2.9
Prostate	2.8	Leukaemia unspecified	2.9
Bone	2.6	Pancreas	2.6
Gallbladder etc.	2.0	Non-Hodgkin lymphoma	2.6
Other and unspecified	1.5	Bone	2.2
Kidney	1.4	Oesophagus	2.0
Larynx	1.2	Bladder	1.9
Thyroid	1.1	Other and unspecified	1.4
Nasopharynx	0.8	Kidney	0.8
Hodgkin lymphoma	0.6	Gallbladder etc.	0.7
All sites	213.7	All sites	116.1

*China, Aohan Banner, Chifeng City (2013–2017)


SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	
Lip	4	0.1	0.3	0.2	0.01	0.01	0	0.0	0.0	0.0	0.00	0.00	C00
Tongue	6	0.2	0.4	0.3	0.02	0.04	2	0.1	0.1	0.1	0.01	0.02	C01–02
Mouth	4	0.1	0.3	0.2	0.02	0.02	4	0.2	0.3	0.2	0.01	0.02	C03–06
Salivary glands	1	0.0	0.1	0.0	0.00	0.00	3	0.1	0.2	0.2	0.01	0.02	C07–08
Tonsil	1	0.0	0.1	0.0	0.00	0.00	1	0.0	0.1	0.0	0.00	0.00	C09
Other oropharynx	5	0.1	0.4	0.2	0.02	0.02	1	0.0	0.1	0.1	0.01	0.01	C10
Nasopharynx	16	0.4	1.2	0.8	0.07	0.10	12	0.5	0.9	0.6	0.04	0.08	C11
Hypopharynx	2	0.1	0.1	0.1	0.01	0.01	0	0.0	0.0	0.0	0.00	0.00	C12–13
Pharynx unspecified	5	0.1	0.4	0.3	0.01	0.04	0	0.0	0.0	0.0	0.00	0.00	C14
Oesophagus	498	13.1	36.0	28.1	1.67	3.83	38	1.7	2.8	2.0	0.07	0.25	C15
Stomach	497	13.1	35.9	27.2	1.53	3.38	163	7.4	12.2	8.0	0.44	0.92	C16
Small intestine	5	0.1	0.4	0.2	0.02	0.02	3	0.1	0.2	0.2	0.02	0.02	C17
Colon	95	2.5	6.9	5.3	0.28	0.65	56	2.6	4.2	3.0	0.13	0.36	C18
Rectum	145	3.8	10.5	8.1	0.40	0.95	82	3.7	6.1	4.5	0.25	0.58	C19–20
Anus	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C21
Liver	1098	28.8	79.3	61.1	3.50	7.39	404	18.5	30.2	21.3	1.04	2.43	C22
Gallbladder etc.	35	0.9	2.5	2.0	0.06	0.20	14	0.6	1.0	0.7	0.03	0.11	C23–24
Pancreas	106	2.8	7.7	5.6	0.31	0.64	52	2.4	3.9	2.6	0.12	0.31	C25
Nose, sinuses etc.	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C30–31
Larynx	22	0.6	1.6	1.2	0.07	0.16	4	0.2	0.3	0.3	0.01	0.05	C32
Trachea, bronchus, and lung	778	20.4	56.2	43.5	2.06	5.47	487	22.2	36.3	25.7	1.24	3.04	C33–34
Other thoracic organs	3	0.1	0.2	0.2	0.01	0.01	4	0.2	0.3	0.2	0.01	0.01	C37–38
Bone	48	1.3	3.5	2.6	0.16	0.27	34	1.6	2.5	2.2	0.11	0.21	C40–41
Melanoma of skin	6	0.2	0.4	0.3	0.01	0.04	2	0.1	0.1	0.1	0.00	0.02	C43
Other skin	7	0.2	0.5	0.4	0.02	0.04	7	0.3	0.5	0.3	0.01	0.05	C44
Mesothelioma	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C45
Kaposi sarcoma	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C46
Connective and soft tissue	0	0.0	0.0	0.0	0.00	0.00	2	0.1	0.1	0.1	0.01	0.01	C47+C49
Breast	1	0.0	0.1	0.0	0.00	0.00	254	11.6	19.0	12.6	1.03	1.44	C50
Vulva							0	0.0	0.0	0.0	0.00	0.00	C51
Vagina							0	0.0	0.0	0.0	0.00	0.00	C52
Cervix uteri							85	3.9	6.3	4.3	0.36	0.45	C53
Corpus uteri							68	3.1	5.1	3.4	0.28	0.39	C54
Uterus unspecified							11	0.5	0.8	0.6	0.04	0.06	C55
Ovary							63	2.9	4.7	3.2	0.29	0.37	C56
Other female genital organs							1	0.0	0.1	0.0	0.00	0.00	C57
Placenta							0	0.0	0.0	0.0	0.00	0.00	C58
Penis	0	0.0	0.0	0.0	0.00	0.00							C60
Prostate	42	1.1	3.0	2.8	0.07	0.30							C61
Testis	4	0.1	0.3	0.2	0.01	0.03							C62
Other male genital organs	0	0.0	0.0	0.0	0.00	0.00							C63
Kidney	27	0.7	2.0	1.4	0.10	0.20	15	0.7	1.1	0.8	0.05	0.10	C64
Renal pelvis	3	0.1	0.2	0.1	0.01	0.02	0	0.0	0.0	0.0	0.00	0.00	C65
Ureter	3	0.1	0.2	0.1	0.00	0.01	3	0.1	0.2	0.2	0.00	0.02	C66
Bladder	82	2.2	5.9	4.5	0.16	0.51	41	1.9	3.1	1.9	0.08	0.19	C67
Other urinary organs	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C68
Eye	0	0.0	0.0	0.0	0.00	0.00	2	0.1	0.1	0.2	0.01	0.02	C69
Brain and nervous system	65	1.7	4.7	3.6	0.23	0.35	88	4.0	6.6	5.2	0.33	0.58	C70–72
Thyroid	22	0.6	1.6	1.1	0.09	0.12	54	2.5	4.0	2.9	0.23	0.30	C73
Adrenal gland	2	0.1	0.1	0.2	0.00	0.03	1	0.0	0.1	0.1	0.00	0.00	C74
Other endocrine	0	0.0	0.0	0.0	0.00	0.00	2	0.1	0.1	0.1	0.01	0.01	C75
Hodgkin lymphoma	7	0.2	0.5	0.6	0.04	0.05	2	0.1	0.1	0.1	0.01	0.02	C81
Non-Hodgkin lymphoma	79	2.1	5.7	5.1	0.26	0.64	44	2.0	3.3	2.6	0.16	0.32	C82–86,C96
Immunoproliferative diseases	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C88
Multiple myeloma	4	0.1	0.3	0.2	0.01	0.04	5	0.2	0.4	0.3	0.02	0.03	C90
Lymphoid leukaemia	3	0.1	0.2	0.4	0.02	0.02	3	0.1	0.2	0.3	0.02	0.02	C91
Myeloid leukaemia	4	0.1	0.3	0.4	0.02	0.03	11	0.5	0.8	0.7	0.06	0.07	C92–94
Leukaemia unspecified	53	1.4	3.8	3.3	0.24	0.31	48	2.2	3.6	2.9	0.20	0.27	C95
Myeloproliferative disorders	1	0.0	0.1	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	MPD
Myelodysplastic syndromes	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	MPS
Other and unspecified	26	0.7	1.9	1.5	0.09	0.18	20	0.9	1.5	1.4	0.08	0.12	O&U
All sites	3815		275.6	213.7	11.67	26.14	2196		163.9	116.1	6.84	13.32	C00–96
All sites except C44	3808	100.0	275.1	213.3	11.65	26.10	2189	100.0	163.4	115.8	6.83	13.27	C00–96 exc.C44

*See note following population pyramid

China, Arongqi

CONTRIBUTORS

Tianhua Guo
Zhi Gao
Hongming Lin



NOTES ON THE DATA

*Low levels of specificity of leukaemias. Rates based on low numbers due to small population.

20 major cancers, ASR (World) per 100 000

<i>Male</i>		<i>Female</i>	
Liver	67.1	Trachea, bronchus, and lung	44.9
Trachea, bronchus, and lung	59.4	Breast	30.2
Stomach	30.4	Liver	24.5
Oesophagus	20.3	Thyroid	12.9
Rectum	13.0	Stomach	10.9
Colon	10.9	Rectum	9.6
Bladder	10.1	Cervix uteri	8.5
Pancreas	8.5	Pancreas	8.0
Kidney	4.9	Colon	7.8
Other and unspecified	3.8	Ovary	6.1
Prostate	3.4	Corpus uteri	5.3
Larynx	3.4	Brain and nervous system	5.0
Brain and nervous system	3.2	Kidney	3.5
Leukaemia unspecified	2.9	Bladder	3.3
Bone	2.7	Oesophagus	2.6
Thyroid	2.6	Other and unspecified	2.5
Non-Hodgkin lymphoma	1.7	Leukaemia unspecified	2.2
Tongue	1.6	Bone	2.1
Non-melanoma skin cancer	1.4	Uterus unspecified	1.4
Hypopharynx	1.4	Gallbladder etc.	1.1
All sites	263.0	All sites	201.3

*China, Arongqi (2013–2017)


SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	
Lip	3	0.1	0.4	0.6	0.03	0.06	0	0.0	0.0	0.0	0.00	0.00	C00
Tongue	16	0.7	2.2	1.6	0.15	0.18	2	0.1	0.3	0.3	0.00	0.06	C01–02
Mouth	9	0.4	1.3	1.0	0.07	0.12	5	0.3	0.7	0.6	0.02	0.09	C03–06
Salivary glands	6	0.3	0.8	0.6	0.05	0.07	1	0.1	0.1	0.1	0.01	0.01	C07–08
Tonsil	4	0.2	0.6	0.4	0.04	0.04	2	0.1	0.3	0.6	0.04	0.04	C09
Other oropharynx	7	0.3	1.0	0.8	0.05	0.08	1	0.1	0.1	0.1	0.00	0.00	C10
Nasopharynx	11	0.5	1.5	1.2	0.10	0.13	7	0.4	1.0	0.8	0.06	0.09	C11
Hypopharynx	11	0.5	1.5	1.4	0.07	0.16	2	0.1	0.3	0.2	0.02	0.02	C12–13
Pharynx unspecified	0	0.0	0.0	0.0	0.00	0.00	1	0.1	0.1	0.1	0.02	0.02	C14
Oesophagus	185	8.0	26.0	20.3	1.33	2.55	19	1.1	2.8	2.6	0.10	0.31	C15
Stomach	266	11.5	37.3	30.4	1.58	3.92	88	5.1	12.8	10.9	0.64	1.36	C16
Small intestine	7	0.3	1.0	0.8	0.04	0.10	3	0.2	0.4	0.4	0.03	0.05	C17
Colon	105	4.5	14.7	10.9	0.81	1.31	65	3.8	9.5	7.8	0.43	0.95	C18
Rectum	120	5.2	16.8	13.0	0.84	1.59	82	4.8	12.0	9.6	0.56	1.31	C19–20
Anus	0	0.0	0.0	0.0	0.00	0.00	1	0.1	0.1	0.1	0.01	0.01	C21
Liver	607	26.2	85.2	67.1	4.15	8.18	200	11.7	29.2	24.5	1.20	3.04	C22
Gallbladder etc.	9	0.4	1.3	1.1	0.06	0.18	9	0.5	1.3	1.1	0.07	0.13	C23–24
Pancreas	75	3.2	10.5	8.5	0.45	1.03	64	3.7	9.3	8.0	0.36	1.10	C25
Nose, sinuses etc.	1	0.0	0.1	0.1	0.00	0.02	3	0.2	0.4	0.3	0.04	0.04	C30–31
Larynx	31	1.3	4.4	3.4	0.19	0.45	7	0.4	1.0	0.8	0.06	0.10	C32
Trachea, bronchus, and lung	520	22.4	73.0	59.4	3.24	7.14	361	21.1	52.7	44.9	2.19	5.44	C33–34
Other thoracic organs	7	0.3	1.0	0.7	0.04	0.10	3	0.2	0.4	0.3	0.02	0.02	C37–38
Bone	23	1.0	3.2	2.7	0.13	0.34	15	0.9	2.2	2.1	0.12	0.22	C40–41
Melanoma of skin	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C43
Other skin	11	0.5	1.5	1.4	0.06	0.10	7	0.4	1.0	0.7	0.05	0.08	C44
Mesothelioma	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C45
Kaposi sarcoma	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C46
Connective and soft tissue	3	0.1	0.4	0.6	0.02	0.05	0	0.0	0.0	0.0	0.00	0.00	C47+C49
Breast	0	0.0	0.0	0.0	0.00	0.00	289	16.9	42.2	30.2	2.47	3.22	C50
Vulva							1	0.1	0.1	0.2	0.00	0.03	C51
Vagina							1	0.1	0.1	0.1	0.01	0.01	C52
Cervix uteri							81	4.7	11.8	8.5	0.69	0.88	C53
Corpus uteri							53	3.1	7.7	5.3	0.48	0.57	C54
Uterus unspecified							13	0.8	1.9	1.4	0.09	0.16	C55
Ovary							51	3.0	7.4	6.1	0.43	0.61	C56
Other female genital organs							0	0.0	0.0	0.0	0.00	0.00	C57
Placenta							0	0.0	0.0	0.0	0.00	0.00	C58
Penis	5	0.2	0.7	0.7	0.03	0.08							C60
Prostate	27	1.2	3.8	3.4	0.05	0.52							C61
Testis	2	0.1	0.3	0.2	0.02	0.02							C62
Other male genital organs	0	0.0	0.0	0.0	0.00	0.00							C63
Kidney	43	1.9	6.0	4.9	0.31	0.63	29	1.7	4.2	3.5	0.20	0.36	C64
Renal pelvis	0	0.0	0.0	0.0	0.00	0.00	1	0.1	0.1	0.2	0.00	0.03	C65
Ureter	4	0.2	0.6	0.5	0.03	0.05	3	0.2	0.4	0.4	0.00	0.06	C66
Bladder	87	3.8	12.2	10.1	0.50	1.38	27	1.6	3.9	3.3	0.18	0.32	C67
Other urinary organs	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C68
Eye	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C69
Brain and nervous system	27	1.2	3.8	3.2	0.21	0.40	41	2.4	6.0	5.0	0.31	0.57	C70–72
Thyroid	22	0.9	3.1	2.6	0.20	0.22	122	7.1	17.8	12.8	1.08	1.18	C73
Adrenal gland	0	0.0	0.0	0.0	0.00	0.00	5	0.3	0.7	0.5	0.06	0.06	C74
Other endocrine	1	0.0	0.1	0.1	0.01	0.01	1	0.1	0.1	0.2	0.00	0.03	C75
Hodgkin lymphoma	0	0.0	0.0	0.0	0.00	0.00	2	0.1	0.3	0.3	0.02	0.04	C81
Non-Hodgkin lymphoma	14	0.6	2.0	1.7	0.11	0.17	7	0.4	1.0	1.0	0.08	0.12	C82–86,C96
Immunoproliferative diseases	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C88
Multiple myeloma	2	0.1	0.3	0.3	0.00	0.05	2	0.1	0.3	0.2	0.02	0.02	C90
Lymphoid leukaemia	1	0.0	0.1	0.1	0.01	0.01	2	0.1	0.3	0.2	0.02	0.02	C91
Myeloid leukaemia	3	0.1	0.4	0.3	0.02	0.02	2	0.1	0.3	0.2	0.03	0.03	C92–94
Leukaemia unspecified	23	1.0	3.2	2.9	0.18	0.26	17	1.0	2.5	2.2	0.17	0.19	C95
Myeloproliferative disorders	1	0.0	0.1	0.1	0.01	0.01	0	0.0	0.0	0.0	0.00	0.00	MPD
Myelodysplastic syndromes	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	MPS
Other and unspecified	30	1.3	4.2	3.8	0.24	0.38	22	1.3	3.2	2.5	0.18	0.30	O&U
All sites	2329		326.9	263.0	15.42	32.13	1720		251.0	201.3	12.53	23.28	C00–96
All sites except C44	2318	100.0	325.4	261.6	15.36	32.02	1713	100.0	250.0	200.6	12.48	23.19	C00–96 exc. C44

*See note following population pyramid

China, Baoding City

CONTRIBUTORS

Zhang Yan
 Zhao Fengqin
 Ma Jifei
 Jiao Keran
 Zhang Weijun
 Cao Shuai
 He Lina



NOTES ON THE DATA

*No official mortality data. Low levels of specificity of leukaemias.

20 major cancers, ASR (World) per 100 000

Male		Female	
Trachea, bronchus, and lung	62.7	Breast	44.7
Liver	17.6	Trachea, bronchus, and lung	27.9
Stomach	17.4	Cervix uteri	9.8
Rectum	11.3	Thyroid	9.3
Oesophagus	10.1	Liver	7.6
Colon	9.8	Stomach	6.8
Prostate	9.3	Corpus uteri	6.6
Bladder	7.6	Colon	6.6
Kidney	5.5	Ovary	6.3
Brain and nervous system	4.9	Rectum	5.8
Pancreas	4.3	Brain and nervous system	4.5
Other and unspecified	4.2	Leukaemia unspecified	3.2
Thyroid	3.8	Pancreas	3.2
Leukaemia unspecified	3.7	Other and unspecified	3.1
Non-Hodgkin lymphoma	3.6	Non-Hodgkin lymphoma	3.0
Gallbladder etc.	2.4	Oesophagus	2.9
Myeloid leukaemia	2.3	Uterus unspecified	2.9
Bone	1.9	Kidney	2.2
Larynx	1.6	Bladder	1.5
Multiple myeloma	1.4	Myeloid leukaemia	1.4
All sites	199.4	All sites	170.1

*China, Baoding City (2013–2017)


SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	
Lip	9	0.1	0.3	0.3	0.02	0.04	1	0.0	0.0	0.0	0.00	0.01	C00
Tongue	17	0.2	0.6	0.4	0.04	0.05	10	0.2	0.3	0.3	0.01	0.03	C01–02
Mouth	26	0.4	0.9	0.7	0.05	0.08	15	0.2	0.5	0.3	0.00	0.03	C03–06
Salivary glands	16	0.2	0.5	0.4	0.03	0.05	18	0.3	0.6	0.5	0.04	0.05	C07–08
Tonsil	2	0.0	0.1	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C09
Other oropharynx	27	0.4	0.9	0.8	0.04	0.10	2	0.0	0.1	0.1	0.01	0.01	C10
Nasopharynx	31	0.4	1.1	0.9	0.06	0.10	16	0.2	0.6	0.4	0.03	0.04	C11
Hypopharynx	18	0.3	0.6	0.5	0.03	0.06	1	0.0	0.0	0.0	0.00	0.00	C12–13
Pharynx unspecified	3	0.0	0.1	0.1	0.00	0.02	3	0.0	0.1	0.1	0.00	0.00	C14
Oesophagus	355	5.1	12.1	10.1	0.41	1.06	113	1.7	3.9	2.9	0.09	0.25	C15
Stomach	617	8.8	21.1	17.4	0.75	1.94	266	4.1	9.2	6.8	0.29	0.71	C16
Small intestine	43	0.6	1.5	1.2	0.08	0.15	32	0.5	1.1	0.9	0.05	0.10	C17
Colon	352	5.0	12.0	9.8	0.44	1.04	252	3.9	8.7	6.6	0.29	0.75	C18
Rectum	406	5.8	13.9	11.3	0.55	1.35	229	3.5	7.9	5.8	0.30	0.64	C19–20
Anus	1	0.0	0.0	0.0	0.00	0.00	1	0.0	0.0	0.0	0.00	0.00	C21
Liver	637	9.1	21.8	17.6	1.02	2.03	294	4.5	10.2	7.6	0.28	0.84	C22
Gallbladder etc.	80	1.1	2.7	2.4	0.08	0.30	54	0.8	1.9	1.3	0.06	0.14	C23–24
Pancreas	158	2.2	5.4	4.3	0.21	0.49	128	2.0	4.4	3.2	0.12	0.34	C25
Nose, sinuses etc.	9	0.1	0.3	0.3	0.02	0.03	8	0.1	0.3	0.2	0.02	0.03	C30–31
Larynx	57	0.8	1.9	1.6	0.11	0.18	4	0.1	0.1	0.1	0.00	0.01	C32
Trachea, bronchus, and lung	2233	31.8	76.3	62.7	2.57	7.17	1110	17.1	38.3	27.9	1.09	2.91	C33–34
Other thoracic organs	43	0.6	1.5	1.2	0.08	0.14	26	0.4	0.9	0.7	0.05	0.08	C37–38
Bone	63	0.9	2.2	1.9	0.07	0.18	43	0.7	1.5	1.2	0.06	0.14	C40–41
Melanoma of skin	8	0.1	0.3	0.2	0.01	0.03	10	0.2	0.3	0.3	0.01	0.04	C43
Other skin	34	0.5	1.2	0.9	0.05	0.10	29	0.4	1.0	0.7	0.02	0.06	C44
Mesothelioma	2	0.0	0.1	0.1	0.01	0.01	2	0.0	0.1	0.0	0.00	0.01	C45
Kaposi sarcoma	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C46
Connective and soft tissue	16	0.2	0.5	0.4	0.02	0.04	14	0.2	0.5	0.4	0.02	0.04	C47+C49
Breast	15	0.2	0.5	0.4	0.02	0.04	1701	26.3	58.7	44.7	3.43	4.93	C50
Vulva							6	0.1	0.2	0.2	0.00	0.02	C51
Vagina							8	0.1	0.3	0.2	0.01	0.02	C52
Cervix uteri							367	5.7	12.7	9.8	0.79	0.99	C53
Corpus uteri							252	3.9	8.7	6.6	0.56	0.77	C54
Uterus unspecified							104	1.6	3.6	2.9	0.20	0.35	C55
Ovary							241	3.7	8.3	6.3	0.47	0.74	C56
Other female genital organs							21	0.3	0.7	0.6	0.04	0.05	C57
Placenta							1	0.0	0.0	0.0	0.00	0.00	C58
Penis	20	0.3	0.7	0.6	0.02	0.09							C60
Prostate	322	4.6	11.0	9.3	0.13	0.79							C61
Testis	10	0.1	0.3	0.3	0.02	0.02							C62
Other male genital organs	4	0.1	0.1	0.1	0.01	0.01							C63
Kidney	192	2.7	6.6	5.5	0.34	0.59	78	1.2	2.7	2.2	0.12	0.27	C64
Renal pelvis	14	0.2	0.5	0.4	0.03	0.05	8	0.1	0.3	0.2	0.01	0.02	C65
Ureter	28	0.4	1.0	0.8	0.03	0.12	19	0.3	0.7	0.5	0.02	0.06	C66
Bladder	274	3.9	9.4	7.6	0.32	0.78	58	0.9	2.0	1.5	0.07	0.14	C67
Other urinary organs	6	0.1	0.2	0.2	0.01	0.02	2	0.0	0.1	0.0	0.01	0.01	C68
Eye	5	0.1	0.2	0.3	0.01	0.02	2	0.0	0.1	0.1	0.00	0.01	C69
Brain and nervous system	164	2.3	5.6	4.9	0.26	0.51	165	2.5	5.7	4.5	0.24	0.48	C70–72
Thyroid	141	2.0	4.8	3.8	0.29	0.38	345	5.3	11.9	9.3	0.76	0.89	C73
Adrenal gland	10	0.1	0.3	0.3	0.01	0.03	4	0.1	0.1	0.1	0.00	0.01	C74
Other endocrine	2	0.0	0.1	0.1	0.00	0.00	3	0.0	0.1	0.1	0.00	0.00	C75
Hodgkin lymphoma	18	0.3	0.6	0.5	0.02	0.04	10	0.2	0.3	0.3	0.02	0.03	C81
Non-Hodgkin lymphoma	133	1.9	4.5	3.6	0.20	0.45	114	1.8	3.9	3.0	0.16	0.36	C82–86,C96
Immunoproliferative diseases	1	0.0	0.0	0.0	0.00	0.01	0	0.0	0.0	0.0	0.00	0.00	C88
Multiple myeloma	50	0.7	1.7	1.4	0.07	0.14	16	0.2	0.6	0.4	0.02	0.05	C90
Lymphoid leukaemia	27	0.4	0.9	1.0	0.04	0.08	14	0.2	0.5	0.6	0.03	0.04	C91
Myeloid leukaemia	79	1.1	2.7	2.3	0.13	0.24	51	0.8	1.8	1.4	0.07	0.16	C92–94
Leukaemia unspecified	116	1.7	4.0	3.7	0.21	0.31	110	1.7	3.8	3.2	0.17	0.31	C95
Myeloproliferative disorders	11	0.2	0.4	0.4	0.03	0.04	2	0.0	0.1	0.0	0.00	0.00	MPD
Myelodysplastic syndromes	5	0.1	0.2	0.2	0.01	0.02	2	0.0	0.1	0.0	0.00	0.00	MPS
Other and unspecified	151	2.1	5.2	4.2	0.18	0.43	119	1.8	4.1	3.1	0.14	0.33	O&U
All sites	7061		241.3	199.4	9.17	21.94	6504		224.6	170.1	10.20	18.29	C00–96
All sites except C44	7027	100.0	240.1	198.5	9.13	21.84	6475	100.0	223.6	169.4	10.18	18.23	C00–96 exc. C44

*See note following population pyramid

China, Beijing City

CONTRIBUTORS

Jiafu Ji
 Ning Wang
 Shuo Liu
 Huichao Li
 Lei Yang
 Yangyang Cheng
 Xi Zhang
 Qingyu Li



NOTES ON THE DATA

*No official mortality data.

20 major cancers, ASR (World) per 100 000

Male		Female	
Trachea, bronchus, and lung	38.9	Breast	45.2
Liver	13.8	Thyroid	34.3
Colon	13.8	Trachea, bronchus, and lung	25.6
Thyroid	12.9	Colon	10.9
Stomach	12.4	Corpus uteri	9.9
Prostate	11.8	Ovary	7.5
Rectum	11.4	Rectum	6.8
Kidney	8.7	Cervix uteri	6.1
Bladder	8.5	Stomach	6.0
Oesophagus	5.6	Liver	4.5
Pancreas	5.4	Pancreas	4.1
Non-Hodgkin lymphoma	4.9	Kidney	4.1
Brain and nervous system	3.5	Non-Hodgkin lymphoma	3.8
Gallbladder etc.	3.2	Other and unspecified	2.9
Other and unspecified	2.9	Brain and nervous system	2.9
Myeloid leukaemia	2.7	Bladder	2.8
Lymphoid leukaemia	2.1	Gallbladder etc.	2.8
Larynx	1.9	Myeloid leukaemia	2.2
Non-melanoma skin cancer	1.8	Non-melanoma skin cancer	1.8
Multiple myeloma	1.5	Lymphoid leukaemia	1.4
All sites	184.6	All sites	201.6

*China, Beijing City (2013–2017)


SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	
Lip	35	0.0	0.2	0.1	0.00	0.01	37	0.0	0.2	0.1	0.00	0.01	C00
Tongue	250	0.3	1.2	0.7	0.05	0.08	216	0.3	1.0	0.5	0.03	0.06	C01–02
Mouth	391	0.5	1.9	0.9	0.06	0.11	346	0.4	1.7	0.7	0.03	0.09	C03–06
Salivary glands	170	0.2	0.8	0.5	0.03	0.05	114	0.1	0.5	0.4	0.03	0.03	C07–08
Tonsil	26	0.0	0.1	0.1	0.01	0.01	19	0.0	0.1	0.1	0.00	0.01	C09
Other oropharynx	66	0.1	0.3	0.2	0.01	0.02	14	0.0	0.1	0.0	0.00	0.00	C10
Nasopharynx	265	0.3	1.3	0.8	0.06	0.08	91	0.1	0.4	0.2	0.02	0.02	C11
Hypopharynx	250	0.3	1.2	0.6	0.05	0.07	11	0.0	0.1	0.0	0.00	0.00	C12–13
Pharynx unspecified	47	0.1	0.2	0.1	0.01	0.01	29	0.0	0.1	0.1	0.00	0.01	C14
Oesophagus	2595	3.3	12.4	5.6	0.35	0.67	723	0.9	3.5	1.1	0.03	0.11	C15
Stomach	5798	7.5	27.7	12.4	0.63	1.49	2799	3.5	13.4	6.0	0.34	0.68	C16
Small intestine	439	0.6	2.1	1.0	0.06	0.12	318	0.4	1.5	0.7	0.03	0.08	C17
Colon	6284	8.1	30.1	13.8	0.68	1.67	5505	7.0	26.4	10.9	0.51	1.30	C18
Rectum	4965	6.4	23.8	11.4	0.68	1.41	3192	4.0	15.3	6.8	0.39	0.80	C19–20
Anus	34	0.0	0.2	0.1	0.01	0.01	43	0.1	0.2	0.1	0.01	0.01	C21
Liver	5732	7.4	27.4	13.8	0.95	1.58	2273	2.9	10.9	4.5	0.20	0.50	C22
Gallbladder etc.	1559	2.0	7.5	3.2	0.14	0.38	1540	1.9	7.4	2.8	0.10	0.31	C23–24
Pancreas	2522	3.2	12.1	5.4	0.28	0.65	2174	2.7	10.4	4.1	0.16	0.49	C25
Nose, sinuses etc.	111	0.1	0.5	0.3	0.02	0.03	75	0.1	0.4	0.2	0.02	0.02	C30–31
Larynx	788	1.0	3.8	1.9	0.13	0.24	82	0.1	0.4	0.1	0.00	0.02	C32
Trachea, bronchus, and lung	18083	23.2	86.5	38.9	1.87	4.83	12595	15.9	60.5	25.6	1.31	3.01	C33–34
Other thoracic organs	298	0.4	1.4	0.8	0.06	0.09	207	0.3	1.0	0.6	0.04	0.06	C37–38
Bone	305	0.4	1.5	1.2	0.07	0.10	232	0.3	1.1	0.8	0.05	0.07	C40–41
Melanoma of skin	156	0.2	0.7	0.4	0.02	0.04	183	0.2	0.9	0.5	0.03	0.05	C43
Other skin	836	1.1	4.0	1.8	0.10	0.20	844	1.1	4.1	1.8	0.09	0.21	C44
Mesothelioma	140	0.2	0.7	0.3	0.02	0.04	110	0.1	0.5	0.3	0.01	0.03	C45
Kaposi sarcoma	2	0.0	0.0	0.0	0.00	0.00	2	0.0	0.0	0.0	0.00	0.00	C46
Connective and soft tissue	476	0.6	2.3	1.4	0.09	0.14	319	0.4	1.5	1.0	0.06	0.10	C47+C49
Breast	103	0.1	0.5	0.2	0.01	0.03	16341	20.7	78.5	45.2	3.53	5.02	C50
Vulva							216	0.3	1.0	0.5	0.03	0.06	C51
Vagina							57	0.1	0.3	0.2	0.01	0.02	C52
Cervix uteri							1976	2.5	9.5	6.1	0.52	0.61	C53
Corpus uteri							3626	4.6	17.4	9.9	0.83	1.15	C54
Uterus unspecified							395	0.5	1.9	1.1	0.08	0.12	C55
Ovary							2720	3.4	13.1	7.5	0.56	0.84	C56
Other female genital organs							240	0.3	1.2	0.6	0.05	0.07	C57
Placenta							16	0.0	0.1	0.1	0.00	0.00	C58
Penis	194	0.2	0.9	0.5	0.03	0.05							C60
Prostate	5894	7.6	28.2	11.8	0.32	1.55							C61
Testis	140	0.2	0.7	0.6	0.04	0.05							C62
Other male genital organs	103	0.1	0.5	0.3	0.01	0.03							C63
Kidney	3274	4.2	15.7	8.7	0.61	1.03	1639	2.1	7.9	4.1	0.27	0.47	C64
Renal pelvis	357	0.5	1.7	0.7	0.04	0.08	507	0.6	2.4	0.9	0.03	0.12	C65
Ureter	386	0.5	1.8	0.8	0.03	0.11	515	0.7	2.5	0.9	0.03	0.10	C66
Bladder	4147	5.3	19.8	8.5	0.37	1.00	1445	1.8	6.9	2.8	0.12	0.33	C67
Other urinary organs	92	0.1	0.4	0.2	0.01	0.02	83	0.1	0.4	0.2	0.01	0.02	C68
Eye	40	0.1	0.2	0.3	0.02	0.02	45	0.1	0.2	0.4	0.02	0.02	C69
Brain and nervous system	1075	1.4	5.1	3.5	0.22	0.33	924	1.2	4.4	2.9	0.18	0.27	C70–72
Thyroid	3625	4.7	17.3	12.9	1.05	1.14	9696	12.3	46.6	34.3	2.84	3.13	C73
Adrenal gland	60	0.1	0.3	0.3	0.02	0.02	65	0.1	0.3	0.3	0.02	0.02	C74
Other endocrine	33	0.0	0.2	0.2	0.01	0.01	18	0.0	0.1	0.1	0.00	0.01	C75
Hodgkin lymphoma	149	0.2	0.7	0.5	0.04	0.05	95	0.1	0.5	0.4	0.03	0.03	C81
Non-Hodgkin lymphoma	1959	2.5	9.4	4.9	0.28	0.54	1590	2.0	7.6	3.8	0.23	0.43	C82–86,C96
Immunoproliferative diseases	31	0.0	0.1	0.1	0.00	0.01	20	0.0	0.1	0.0	0.00	0.01	C88
Multiple myeloma	682	0.9	3.3	1.5	0.07	0.20	524	0.7	2.5	1.1	0.06	0.14	C90
Lymphoid leukaemia	422	0.5	2.0	2.1	0.11	0.15	283	0.4	1.4	1.4	0.07	0.10	C91
Myeloid leukaemia	899	1.2	4.3	2.7	0.17	0.27	682	0.9	3.3	2.2	0.13	0.20	C92–94
Leukaemia unspecified	238	0.3	1.1	0.6	0.03	0.05	154	0.2	0.7	0.3	0.01	0.03	C95
Myeloproliferative disorders	271	0.3	1.3	0.6	0.04	0.07	210	0.3	1.0	0.5	0.02	0.06	MPD
Myelodysplastic syndromes	653	0.8	3.1	1.4	0.06	0.15	427	0.5	2.1	1.0	0.04	0.11	MPS
Other and unspecified	1190	1.5	5.7	2.9	0.14	0.27	1312	1.7	6.3	2.9	0.15	0.26	O&U
All sites	78640		376.2	184.6	10.15	21.34	79914		383.7	201.6	13.40	21.82	C00–96
All sites except C44	77804	100.0	372.2	182.8	10.05	21.15	79070	100.0	379.7	199.7	13.31	21.61	C00–96 exc. C44

*See note following population pyramid

China, Binhai County

CONTRIBUTORS

Rui Wang
Wei Cai



NOTES ON THE DATA

*Low levels of specificity of leukaemias.

20 major cancers, ASR (World) per 100 000

<i>Male</i>		<i>Female</i>	
Trachea, bronchus, and lung	41.2	Trachea, bronchus, and lung	19.5
Oesophagus	36.9	Oesophagus	17.9
Stomach	33.2	Cervix uteri	15.7
Liver	22.4	Breast	15.4
Rectum	6.3	Stomach	14.6
Pancreas	4.6	Liver	11.4
Colon	4.5	Rectum	4.6
Brain and nervous system	4.0	Thyroid	4.2
Bladder	3.3	Uterus unspecified	3.7
Leukaemia unspecified	2.8	Ovary	3.7
Non-Hodgkin lymphoma	2.5	Brain and nervous system	3.4
Prostate	2.5	Pancreas	3.4
Bone	2.0	Colon	3.2
Nasopharynx	2.0	Leukaemia unspecified	2.3
Kidney	1.8	Corpus uteri	2.2
Gallbladder etc.	1.7	Gallbladder etc.	2.0
Lymphoid leukaemia	1.0	Non-Hodgkin lymphoma	1.7
Other and unspecified	1.0	Bladder	1.3
Larynx	0.9	Bone	1.1
Small intestine	0.7	Other and unspecified	1.1
All sites	182.4	All sites	140.7

*China, Binhai County (2013–2017)


SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	
Lip	6	0.1	0.2	0.1	0.01	0.01	1	0.0	0.0	0.0	0.00	0.00	C00
Tongue	14	0.2	0.4	0.3	0.02	0.04	9	0.1	0.3	0.2	0.01	0.02	C01–02
Mouth	30	0.3	0.9	0.6	0.04	0.06	34	0.5	1.2	0.7	0.04	0.09	C03–06
Salivary glands	12	0.1	0.4	0.3	0.02	0.03	6	0.1	0.2	0.2	0.01	0.02	C07–08
Tonsil	6	0.1	0.2	0.1	0.01	0.01	1	0.0	0.0	0.0	0.00	0.00	C09
Other oropharynx	10	0.1	0.3	0.2	0.02	0.03	3	0.0	0.1	0.1	0.01	0.01	C10
Nasopharynx	88	1.0	2.8	2.0	0.15	0.20	37	0.6	1.3	0.9	0.06	0.11	C11
Hypopharynx	13	0.2	0.4	0.3	0.01	0.05	7	0.1	0.2	0.2	0.01	0.02	C12–13
Pharynx unspecified	2	0.0	0.1	0.0	0.00	0.01	0	0.0	0.0	0.0	0.00	0.00	C14
Oesophagus	1791	20.8	56.1	36.9	1.77	4.84	883	13.9	30.7	17.9	0.75	2.36	C15
Stomach	1609	18.7	50.4	33.2	1.61	4.20	723	11.4	25.1	14.6	0.77	1.72	C16
Small intestine	33	0.4	1.0	0.7	0.04	0.09	25	0.4	0.9	0.6	0.03	0.08	C17
Colon	210	2.4	6.6	4.5	0.29	0.59	148	2.3	5.1	3.2	0.19	0.38	C18
Rectum	296	3.4	9.3	6.3	0.37	0.74	225	3.6	7.8	4.6	0.26	0.52	C19–20
Anus	9	0.1	0.3	0.2	0.01	0.02	6	0.1	0.2	0.1	0.00	0.02	C21
Liver	1042	12.1	32.6	22.4	1.66	2.58	532	8.4	18.5	11.4	0.69	1.47	C22
Gallbladder etc.	80	0.9	2.5	1.7	0.09	0.22	99	1.6	3.4	2.0	0.13	0.22	C23–24
Pancreas	220	2.6	6.9	4.6	0.22	0.63	169	2.7	5.9	3.4	0.13	0.41	C25
Nose, sinuses etc.	2	0.0	0.1	0.1	0.00	0.00	3	0.0	0.1	0.1	0.01	0.01	C30–31
Larynx	43	0.5	1.3	0.9	0.05	0.12	8	0.1	0.3	0.2	0.00	0.03	C32
Trachea, bronchus, and lung	1993	23.1	62.4	41.2	2.05	5.26	944	14.9	32.8	19.5	1.04	2.44	C33–34
Other thoracic organs	16	0.2	0.5	0.3	0.03	0.05	16	0.3	0.6	0.4	0.02	0.05	C37–38
Bone	89	1.0	2.8	2.0	0.10	0.24	43	0.7	1.5	1.1	0.06	0.12	C40–41
Melanoma of skin	10	0.1	0.3	0.2	0.01	0.02	8	0.1	0.3	0.2	0.01	0.02	C43
Other skin	29	0.3	0.9	0.7	0.03	0.07	28	0.4	1.0	0.6	0.03	0.06	C44
Mesothelioma	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C45
Kaposi sarcoma	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C46
Connective and soft tissue	13	0.2	0.4	0.3	0.02	0.03	16	0.3	0.6	0.4	0.03	0.04	C47+C49
Breast	20	0.2	0.6	0.4	0.04	0.04	631	10.0	21.9	15.4	1.39	1.52	C50
Vulva							3	0.0	0.1	0.1	0.00	0.01	C51
Vagina							2	0.0	0.1	0.1	0.01	0.01	C52
Cervix uteri							648	10.2	22.5	15.7	1.32	1.65	C53
Corpus uteri							94	1.5	3.3	2.2	0.19	0.24	C54
Uterus unspecified							154	2.4	5.4	3.7	0.34	0.38	C55
Ovary							145	2.3	5.0	3.7	0.29	0.39	C56
Other female genital organs							10	0.2	0.3	0.2	0.02	0.02	C57
Placenta							0	0.0	0.0	0.0	0.00	0.00	C58
Penis	18	0.2	0.6	0.4	0.03	0.03							C60
Prostate	126	1.5	3.9	2.5	0.05	0.26							C61
Testis	6	0.1	0.2	0.1	0.01	0.01							C62
Other male genital organs	3	0.0	0.1	0.1	0.00	0.01							C63
Kidney	78	0.9	2.4	1.8	0.12	0.22	42	0.7	1.5	1.0	0.06	0.12	C64
Renal pelvis	13	0.2	0.4	0.3	0.02	0.03	11	0.2	0.4	0.3	0.02	0.03	C65
Ureter	1	0.0	0.0	0.0	0.00	0.01	2	0.0	0.1	0.0	0.00	0.01	C66
Bladder	160	1.9	5.0	3.3	0.16	0.39	61	1.0	2.1	1.3	0.07	0.13	C67
Other urinary organs	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C68
Eye	7	0.1	0.2	0.1	0.01	0.01	2	0.0	0.1	0.0	0.01	0.01	C69
Brain and nervous system	170	2.0	5.3	4.0	0.27	0.43	134	2.1	4.7	3.4	0.26	0.35	C70–72
Thyroid	31	0.4	1.0	0.7	0.06	0.07	166	2.6	5.8	4.2	0.35	0.41	C73
Adrenal gland	6	0.1	0.2	0.1	0.01	0.01	6	0.1	0.2	0.1	0.01	0.01	C74
Other endocrine	5	0.1	0.2	0.1	0.01	0.01	7	0.1	0.2	0.2	0.01	0.02	C75
Hodgkin lymphoma	0	0.0	0.0	0.0	0.00	0.00	3	0.0	0.1	0.1	0.01	0.01	C81
Non-Hodgkin lymphoma	116	1.3	3.6	2.5	0.17	0.27	73	1.2	2.5	1.7	0.13	0.21	C82–86,C96
Immunoproliferative diseases	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C88
Multiple myeloma	24	0.3	0.8	0.5	0.03	0.09	22	0.3	0.8	0.5	0.04	0.06	C90
Lymphoid leukaemia	37	0.4	1.2	1.0	0.06	0.09	31	0.5	1.1	1.0	0.05	0.11	C91
Myeloid leukaemia	18	0.2	0.6	0.4	0.02	0.05	4	0.1	0.1	0.1	0.01	0.01	C92–94
Leukaemia unspecified	105	1.2	3.3	2.8	0.17	0.26	81	1.3	2.8	2.3	0.15	0.21	C95
Myeloproliferative disorders	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	MPD
Myelodysplastic syndromes	0	0.0	0.0	0.0	0.00	0.00	5	0.1	0.2	0.1	0.00	0.01	MPS
Other and unspecified	46	0.5	1.4	1.0	0.06	0.12	48	0.8	1.7	1.1	0.10	0.10	O&U
All sites	8656		271.0	182.4	9.93	22.54	6359		221.1	140.7	9.14	16.23	C00–96
All sites except C44	8627	100.0	270.1	181.8	9.91	22.47	6331	100.0	220.1	140.1	9.10	16.16	C00–96 exc. C44

*See note following population pyramid

China, Cangzhou City

CONTRIBUTORS

Huang Jie
Guo Yanru
Yang Xichen
Lu Wenhui
An Lianqin
Gao Zhemin
Liwenjuan



NOTES ON THE DATA

*No official mortality data. Low levels of specificity of leukaemias.

20 major cancers, ASR (World) per 100 000

<i>Male</i>		<i>Female</i>	
Trachea, bronchus, and lung	48.5	Breast	38.8
Liver	20.1	Trachea, bronchus, and lung	31.6
Stomach	16.6	Thyroid	26.3
Thyroid	10.1	Cervix uteri	8.0
Rectum	9.1	Stomach	7.9
Bladder	7.5	Liver	6.5
Colon	7.3	Ovary	6.4
Oesophagus	7.1	Rectum	5.1
Kidney	6.3	Corpus uteri	5.1
Prostate	6.0	Colon	4.7
Pancreas	5.1	Pancreas	3.4
Non-Hodgkin lymphoma	3.5	Oesophagus	3.4
Brain and nervous system	2.9	Kidney	2.9
Leukaemia unspecified	2.7	Leukaemia unspecified	2.9
Other and unspecified	2.2	Other and unspecified	2.4
Myeloid leukaemia	1.7	Brain and nervous system	2.2
Gallbladder etc.	1.7	Non-Hodgkin lymphoma	2.1
Lymphoid leukaemia	1.4	Bladder	1.7
Bone	1.3	Uterus unspecified	1.7
Nasopharynx	1.3	Gallbladder etc.	1.6
All sites	173.8	All sites	176.6

*China, Cangzhou City (2013–2017)


SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	
Lip	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C00
Tongue	16	0.6	1.2	1.0	0.07	0.10	5	0.2	0.4	0.3	0.03	0.03	C01–02
Mouth	9	0.3	0.7	0.5	0.03	0.04	8	0.3	0.6	0.5	0.02	0.06	C03–06
Salivary glands	4	0.1	0.3	0.2	0.02	0.03	5	0.2	0.4	0.3	0.02	0.04	C07–08
Tonsil	2	0.1	0.2	0.1	0.01	0.01	1	0.0	0.1	0.1	0.00	0.00	C09
Other oropharynx	5	0.2	0.4	0.3	0.02	0.04	2	0.1	0.2	0.1	0.01	0.01	C10
Nasopharynx	21	0.8	1.6	1.3	0.10	0.12	6	0.2	0.5	0.3	0.02	0.02	C11
Hypopharynx	6	0.2	0.5	0.5	0.01	0.05	0	0.0	0.0	0.0	0.00	0.00	C12–13
Pharynx unspecified	4	0.1	0.3	0.2	0.02	0.03	1	0.0	0.1	0.1	0.01	0.01	C14
Oesophagus	116	4.2	9.0	7.1	0.34	0.97	54	1.8	4.2	3.4	0.05	0.44	C15
Stomach	260	9.5	20.3	16.6	0.66	2.13	135	4.5	10.6	7.9	0.39	0.89	C16
Small intestine	8	0.3	0.6	0.6	0.04	0.06	20	0.7	1.6	1.3	0.05	0.14	C17
Colon	115	4.2	9.0	7.3	0.39	0.86	81	2.7	6.3	4.7	0.28	0.53	C18
Rectum	148	5.4	11.5	9.1	0.51	1.03	88	2.9	6.9	5.1	0.30	0.59	C19–20
Anus	2	0.1	0.2	0.1	0.01	0.01	2	0.1	0.2	0.1	0.01	0.01	C21
Liver	328	11.9	25.6	20.1	1.18	2.26	110	3.7	8.6	6.5	0.32	0.71	C22
Gallbladder etc.	27	1.0	2.1	1.7	0.05	0.18	28	0.9	2.2	1.6	0.05	0.18	C23–24
Pancreas	84	3.1	6.5	5.1	0.28	0.48	58	1.9	4.5	3.4	0.14	0.45	C25
Nose, sinuses etc.	4	0.1	0.3	0.2	0.03	0.03	3	0.1	0.2	0.2	0.02	0.02	C30–31
Larynx	15	0.5	1.2	0.9	0.05	0.15	1	0.0	0.1	0.0	0.00	0.00	C32
Trachea, bronchus, and lung	759	27.7	59.2	48.5	2.06	5.68	532	17.8	41.6	31.6	1.44	3.62	C33–34
Other thoracic organs	15	0.5	1.2	1.0	0.07	0.13	11	0.4	0.9	0.6	0.03	0.06	C37–38
Bone	18	0.7	1.4	1.3	0.06	0.12	20	0.7	1.6	1.3	0.05	0.12	C40–41
Melanoma of skin	2	0.1	0.2	0.1	0.01	0.01	2	0.1	0.2	0.1	0.01	0.01	C43
Other skin	13	0.5	1.0	0.8	0.03	0.09	11	0.4	0.9	0.7	0.02	0.07	C44
Mesothelioma	5	0.2	0.4	0.3	0.01	0.05	6	0.2	0.5	0.4	0.01	0.07	C45
Kaposi sarcoma	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C46
Connective and soft tissue	6	0.2	0.5	0.4	0.03	0.03	4	0.1	0.3	0.2	0.01	0.03	C47+C49
Breast	18	0.7	1.4	1.0	0.10	0.10	685	22.9	53.6	38.8	3.16	4.27	C50
Vulva							3	0.1	0.2	0.2	0.01	0.02	C51
Vagina							2	0.1	0.2	0.1	0.00	0.02	C52
Cervix uteri							141	4.7	11.0	8.0	0.65	0.81	C53
Corpus uteri							88	2.9	6.9	5.1	0.43	0.64	C54
Uterus unspecified							29	1.0	2.3	1.7	0.12	0.19	C55
Ovary							113	3.8	8.8	6.4	0.42	0.74	C56
Other female genital organs							6	0.2	0.5	0.4	0.02	0.05	C57
Placenta							1	0.0	0.1	0.1	0.01	0.01	C58
Penis	6	0.2	0.5	0.5	0.01	0.01							C60
Prostate	94	3.4	7.3	6.0	0.10	0.67							C61
Testis	4	0.1	0.3	0.3	0.01	0.03							C62
Other male genital organs	1	0.0	0.1	0.1	0.00	0.01							C63
Kidney	104	3.8	8.1	6.3	0.40	0.72	48	1.6	3.8	2.9	0.20	0.36	C64
Renal pelvis	10	0.4	0.8	0.6	0.03	0.06	5	0.2	0.4	0.3	0.00	0.03	C65
Ureter	8	0.3	0.6	0.6	0.02	0.08	0	0.0	0.0	0.0	0.00	0.00	C66
Bladder	120	4.4	9.4	7.5	0.29	0.89	29	1.0	2.3	1.7	0.07	0.18	C67
Other urinary organs	0	0.0	0.0	0.0	0.00	0.00	3	0.1	0.2	0.2	0.02	0.02	C68
Eye	0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.1	0.1	0.00	0.00	C69
Brain and nervous system	45	1.6	3.5	2.9	0.14	0.28	36	1.2	2.8	2.2	0.14	0.25	C70–72
Thyroid	174	6.3	13.6	10.1	0.90	1.00	461	15.4	36.1	26.3	2.30	2.75	C73
Adrenal gland	2	0.1	0.2	0.2	0.01	0.01	3	0.1	0.2	0.2	0.02	0.02	C74
Other endocrine	5	0.2	0.4	0.3	0.02	0.03	12	0.4	0.9	0.6	0.06	0.07	C75
Hodgkin lymphoma	4	0.1	0.3	0.2	0.01	0.02	1	0.0	0.1	0.1	0.00	0.00	C81
Non-Hodgkin lymphoma	53	1.9	4.1	3.5	0.22	0.32	31	1.0	2.4	2.1	0.14	0.23	C82–86,C96
Immunoproliferative diseases	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C88
Multiple myeloma	5	0.2	0.4	0.3	0.01	0.02	4	0.1	0.3	0.2	0.02	0.03	C90
Lymphoid leukaemia	13	0.5	1.0	1.4	0.07	0.08	11	0.4	0.9	1.3	0.07	0.10	C91
Myeloid leukaemia	23	0.8	1.8	1.7	0.10	0.13	23	0.8	1.8	1.4	0.09	0.15	C92–94
Leukaemia unspecified	40	1.5	3.1	2.7	0.17	0.26	39	1.3	3.1	2.9	0.16	0.26	C95
Myeloproliferative disorders	1	0.0	0.1	0.0	0.01	0.01	1	0.0	0.1	0.1	0.00	0.00	MPD
Myelodysplastic syndromes	3	0.1	0.2	0.2	0.00	0.03	1	0.0	0.1	0.2	0.01	0.01	MPS
Other and unspecified	33	1.2	2.6	2.2	0.13	0.26	36	1.2	2.8	2.4	0.12	0.22	O&U
All sites	2758		215.0	173.8	8.87	19.70	3007		235.4	176.6	11.54	19.52	C00–96
All sites except C44	2745	100.0	214.0	173.0	8.84	19.61	2996	100.0	234.5	175.9	11.52	19.45	C00–96 exc. C44

*See note following population pyramid

China, Changfeng County

CONTRIBUTORS

Wu Haiyan
Chen Chun
Zhou Yanhui



20 major cancers, ASR (World) per 100 000

<i>Male</i>		<i>Female</i>	
Trachea, bronchus, and lung	49.6	Trachea, bronchus, and lung	20.5
Stomach	32.1	Breast	20.0
Oesophagus	31.2	Thyroid	11.9
Liver	19.7	Stomach	11.8
Rectum	10.0	Cervix uteri	10.8
Colon	6.6	Oesophagus	9.0
Other and unspecified	5.7	Rectum	7.0
Non-Hodgkin lymphoma	4.4	Liver	6.3
Prostate	4.2	Other and unspecified	5.2
Brain and nervous system	4.0	Brain and nervous system	5.0
Pancreas	4.0	Ovary	5.0
Bladder	3.7	Corpus uteri	4.0
Kidney	2.9	Colon	3.6
Myeloid leukaemia	2.5	Pancreas	3.0
Larynx	2.1	Gallbladder etc.	2.7
Thyroid	2.0	Non-Hodgkin lymphoma	2.4
Non-melanoma skin cancer	1.8	Leukaemia unspecified	2.0
Lymphoid leukaemia	1.8	Myeloid leukaemia	2.0
Gallbladder etc.	1.8	Lymphoid leukaemia	1.5
Leukaemia unspecified	1.6	Non-melanoma skin cancer	1.5
All sites	203.5	All sites	147.7


China, Changfeng County (2015–2017)

SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	
Lip	2	0.1	0.2	0.1	0.01	0.01	0	0.0	0.0	0.0	0.00	0.00	C00
Tongue	4	0.1	0.3	0.3	0.03	0.03	0	0.0	0.0	0.0	0.00	0.00	C01–02
Mouth	13	0.4	1.1	0.7	0.04	0.09	5	0.2	0.5	0.3	0.01	0.03	C03–06
Salivary glands	7	0.2	0.6	0.5	0.03	0.06	8	0.3	0.7	0.5	0.03	0.05	C07–08
Tonsil	3	0.1	0.3	0.2	0.01	0.02	1	0.0	0.1	0.1	0.00	0.01	C09
Other oropharynx	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C10
Nasopharynx	24	0.7	2.0	1.6	0.15	0.17	8	0.3	0.7	0.6	0.05	0.06	C11
Hypopharynx	9	0.3	0.8	0.6	0.04	0.09	1	0.0	0.1	0.1	0.00	0.01	C12–13
Pharynx unspecified	1	0.0	0.1	0.0	0.00	0.00	2	0.1	0.2	0.1	0.00	0.01	C14
Oesophagus	562	15.7	47.0	31.2	1.49	4.14	179	7.5	16.3	9.0	0.23	1.07	C15
Stomach	598	16.7	50.1	32.1	1.32	4.16	220	9.2	20.0	11.8	0.55	1.46	C16
Small intestine	10	0.3	0.8	0.6	0.03	0.07	19	0.8	1.7	1.2	0.06	0.18	C17
Colon	112	3.1	9.4	6.6	0.41	0.76	61	2.6	5.6	3.6	0.20	0.41	C18
Rectum	176	4.9	14.7	10.0	0.54	1.16	120	5.0	10.9	7.0	0.37	0.93	C19–20
Anus	1	0.0	0.1	0.1	0.00	0.01	1	0.0	0.1	0.1	0.00	0.01	C21
Liver	337	9.4	28.2	19.7	1.29	2.28	111	4.7	10.1	6.3	0.32	0.78	C22
Gallbladder etc.	32	0.9	2.7	1.8	0.10	0.19	51	2.1	4.6	2.7	0.11	0.34	C23–24
Pancreas	74	2.1	6.2	4.0	0.20	0.47	56	2.3	5.1	3.0	0.11	0.37	C25
Nose, sinuses etc.	5	0.1	0.4	0.2	0.02	0.02	5	0.2	0.5	0.3	0.02	0.02	C30–31
Larynx	37	1.0	3.1	2.1	0.14	0.25	1	0.0	0.1	0.1	0.00	0.01	C32
Trachea, bronchus, and lung	929	26.0	77.8	49.6	2.21	6.17	376	15.8	34.3	20.5	1.09	2.38	C33–34
Other thoracic organs	8	0.2	0.7	0.5	0.06	0.06	5	0.2	0.5	0.3	0.03	0.05	C37–38
Bone	17	0.5	1.4	1.1	0.07	0.10	14	0.6	1.3	1.0	0.05	0.08	C40–41
Melanoma of skin	9	0.3	0.8	0.5	0.04	0.05	8	0.3	0.7	0.5	0.04	0.07	C43
Other skin	34	1.0	2.8	1.8	0.10	0.20	31	1.3	2.8	1.5	0.06	0.15	C44
Mesothelioma	1	0.0	0.1	0.1	0.01	0.01	0	0.0	0.0	0.0	0.00	0.00	C45
Kaposi sarcoma	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C46
Connective and soft tissue	10	0.3	0.8	0.6	0.03	0.07	9	0.4	0.8	0.7	0.04	0.07	C47+C49
Breast	10	0.3	0.8	0.6	0.03	0.08	300	12.6	27.3	20.0	1.72	2.05	C50
Vulva							0	0.0	0.0	0.0	0.00	0.00	C51
Vagina							4	0.2	0.4	0.3	0.03	0.03	C52
Cervix uteri							163	6.8	14.8	10.8	0.91	1.10	C53
Corpus uteri							60	2.5	5.5	4.0	0.40	0.40	C54
Uterus unspecified							11	0.5	1.0	0.6	0.05	0.07	C55
Ovary							74	3.1	6.7	5.0	0.42	0.55	C56
Other female genital organs							2	0.1	0.2	0.1	0.01	0.01	C57
Placenta							2	0.1	0.2	0.2	0.01	0.01	C58
Penis	8	0.2	0.7	0.5	0.04	0.05							C60
Prostate	86	2.4	7.2	4.2	0.10	0.41							C61
Testis	4	0.1	0.3	0.2	0.02	0.02							C62
Other male genital organs	1	0.0	0.1	0.1	0.00	0.01							C63
Kidney	44	1.2	3.7	2.9	0.19	0.32	19	0.8	1.7	1.3	0.10	0.16	C64
Renal pelvis	4	0.1	0.3	0.3	0.02	0.04	1	0.0	0.1	0.1	0.00	0.01	C65
Ureter	2	0.1	0.2	0.1	0.00	0.01	2	0.1	0.2	0.1	0.00	0.00	C66
Bladder	70	2.0	5.9	3.7	0.16	0.45	23	1.0	2.1	1.3	0.06	0.16	C67
Other urinary organs	0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.1	0.1	0.01	0.01	C68
Eye	3	0.1	0.3	0.4	0.03	0.03	4	0.2	0.4	0.6	0.02	0.02	C69
Brain and nervous system	57	1.6	4.8	4.0	0.28	0.42	68	2.9	6.2	5.0	0.33	0.52	C70–72
Thyroid	31	0.9	2.6	2.0	0.17	0.18	170	7.1	15.5	11.9	1.00	1.15	C73
Adrenal gland	4	0.1	0.3	0.3	0.01	0.03	1	0.0	0.1	0.0	0.00	0.00	C74
Other endocrine	2	0.1	0.2	0.1	0.01	0.01	2	0.1	0.2	0.2	0.01	0.01	C75
Hodgkin lymphoma	0	0.0	0.0	0.0	0.00	0.00	4	0.2	0.4	0.3	0.02	0.04	C81
Non-Hodgkin lymphoma	65	1.8	5.4	4.4	0.25	0.48	39	1.6	3.6	2.4	0.14	0.26	C82–86,C96
Immunoproliferative diseases	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C88
Multiple myeloma	15	0.4	1.3	1.0	0.09	0.12	17	0.7	1.5	1.1	0.08	0.17	C90
Lymphoid leukaemia	19	0.5	1.6	1.8	0.09	0.12	16	0.7	1.5	1.5	0.09	0.13	C91
Myeloid leukaemia	39	1.1	3.3	2.5	0.13	0.23	25	1.0	2.3	2.0	0.12	0.19	C92–94
Leukaemia unspecified	24	0.7	2.0	1.6	0.08	0.18	22	0.9	2.0	2.0	0.13	0.13	C95
Myeloproliferative disorders	1	0.0	0.1	0.1	0.00	0.00	3	0.1	0.3	0.1	0.01	0.01	MPD
Myelodysplastic syndromes	10	0.3	0.8	0.5	0.03	0.06	7	0.3	0.6	0.4	0.01	0.07	MPS
Other and unspecified	98	2.7	8.2	5.7	0.36	0.66	84	3.5	7.7	5.2	0.33	0.57	O&U
All sites	3612		302.4	203.5	10.46	24.56	2416		220.1	147.7	9.38	16.39	C00–96
All sites except C44	3578	100.0	299.5	201.6	10.36	24.36	2385	100.0	217.3	146.2	9.32	16.23	C00–96 exc. C44

China, Changzhou City

CONTRIBUTORS

Wenshu Luo
Wenchao Xu
Deren Qiang
Hongfei Shi
Shuzhen Zheng
Yanli Cui
Hongxia Xie
Jing Zong
Yi He
Zhenxia Wu



20 major cancers, ASR (World) per 100 000

<i>Male</i>		<i>Female</i>	
Stomach	56.2	Breast	36.9
Trachea, bronchus, and lung	48.6	Trachea, bronchus, and lung	21.7
Liver	25.4	Thyroid	21.7
Oesophagus	23.1	Stomach	20.6
Colon	16.1	Colon	11.4
Prostate	13.1	Cervix uteri	10.2
Rectum	13.0	Liver	7.8
Pancreas	7.9	Rectum	7.4
Bladder	6.6	Oesophagus	7.3
Thyroid	6.5	Pancreas	5.5
Non-Hodgkin lymphoma	5.7	Corpus uteri	5.4
Kidney	4.9	Ovary	4.8
Brain and nervous system	4.1	Non-Hodgkin lymphoma	3.7
Myeloid leukaemia	3.5	Gallbladder etc.	3.0
Other and unspecified	3.0	Brain and nervous system	2.9
Nasopharynx	2.6	Kidney	2.6
Larynx	2.2	Myeloid leukaemia	2.5
Gallbladder etc.	2.1	Other and unspecified	2.2
Non-melanoma skin cancer	1.9	Non-melanoma skin cancer	1.5
Lymphoid leukaemia	1.8	Bladder	1.3
All sites	263.9	All sites	193.0


China, Changzhou City (2013–2017)

SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	
Lip	14	0.1	0.2	0.1	0.00	0.02	19	0.1	0.3	0.2	0.00	0.02	C00
Tongue	53	0.2	0.9	0.5	0.04	0.06	37	0.2	0.6	0.4	0.02	0.05	C01–02
Mouth	122	0.5	2.1	1.2	0.07	0.15	76	0.4	1.3	0.7	0.04	0.08	C03–06
Salivary glands	56	0.2	1.0	0.7	0.04	0.06	35	0.2	0.6	0.4	0.03	0.04	C07–08
Tonsil	8	0.0	0.1	0.1	0.00	0.02	2	0.0	0.0	0.0	0.00	0.00	C09
Other oropharynx	17	0.1	0.3	0.2	0.01	0.02	2	0.0	0.0	0.0	0.00	0.00	C10
Nasopharynx	243	0.9	4.2	2.6	0.18	0.32	83	0.4	1.4	0.9	0.05	0.09	C11
Hypopharynx	54	0.2	0.9	0.5	0.03	0.07	2	0.0	0.0	0.0	0.00	0.00	C12–13
Pharynx unspecified	11	0.0	0.2	0.1	0.01	0.01	6	0.0	0.1	0.0	0.00	0.01	C14
Oesophagus	2325	9.0	40.4	23.1	1.09	3.01	876	4.4	14.7	7.3	0.20	0.92	C15
Stomach	5654	21.8	98.3	56.2	2.49	7.33	2324	11.7	39.0	20.6	0.87	2.52	C16
Small intestine	123	0.5	2.1	1.2	0.05	0.13	112	0.6	1.9	1.0	0.04	0.11	C17
Colon	1617	6.2	28.1	16.1	0.73	1.97	1280	6.4	21.5	11.4	0.55	1.37	C18
Rectum	1292	5.0	22.5	13.0	0.66	1.59	841	4.2	14.1	7.4	0.39	0.84	C19–20
Anus	18	0.1	0.3	0.2	0.01	0.02	18	0.1	0.3	0.2	0.01	0.02	C21
Liver	2493	9.6	43.3	25.4	1.52	3.06	922	4.6	15.5	7.8	0.34	0.89	C22
Gallbladder etc.	212	0.8	3.7	2.1	0.08	0.25	360	1.8	6.0	3.0	0.12	0.35	C23–24
Pancreas	811	3.1	14.1	7.9	0.31	0.96	672	3.4	11.3	5.5	0.19	0.62	C25
Nose, sinuses etc.	36	0.1	0.6	0.4	0.03	0.06	17	0.1	0.3	0.2	0.01	0.02	C30–31
Larynx	214	0.8	3.7	2.2	0.12	0.28	11	0.1	0.2	0.1	0.01	0.01	C32
Trachea, bronchus, and lung	4927	19.0	85.6	48.6	2.09	6.12	2425	12.2	40.7	21.7	1.18	2.58	C33–34
Other thoracic organs	68	0.3	1.2	0.7	0.05	0.08	57	0.3	1.0	0.5	0.04	0.06	C37–38
Bone	112	0.4	1.9	1.3	0.07	0.13	86	0.4	1.4	0.8	0.03	0.09	C40–41
Melanoma of skin	49	0.2	0.9	0.5	0.02	0.06	54	0.3	0.9	0.5	0.03	0.05	C43
Other skin	195	0.8	3.4	1.9	0.09	0.19	167	0.8	2.8	1.5	0.05	0.16	C44
Mesothelioma	9	0.0	0.2	0.1	0.00	0.01	4	0.0	0.1	0.0	0.00	0.00	C45
Kaposi sarcoma	1	0.0	0.0	0.0	0.00	0.00	1	0.0	0.0	0.0	0.00	0.00	C46
Connective and soft tissue	88	0.3	1.5	1.0	0.06	0.10	69	0.3	1.2	0.8	0.05	0.08	C47+C49
Breast	33	0.1	0.6	0.3	0.02	0.03	3588	18.1	60.2	36.9	2.86	4.11	C50
Vulva							31	0.2	0.5	0.3	0.01	0.04	C51
Vagina							19	0.1	0.3	0.2	0.01	0.02	C52
Cervix uteri							963	4.8	16.1	10.2	0.85	1.06	C53
Corpus uteri							528	2.7	8.9	5.4	0.44	0.62	C54
Uterus unspecified							37	0.2	0.6	0.4	0.02	0.04	C55
Ovary							449	2.3	7.5	4.8	0.36	0.52	C56
Other female genital organs							55	0.3	0.9	0.6	0.04	0.07	C57
Placenta							0	0.0	0.0	0.0	0.00	0.00	C58
Penis	81	0.3	1.4	0.8	0.04	0.09							C60
Prostate	1383	5.3	24.0	13.1	0.21	1.51							C61
Testis	34	0.1	0.6	0.5	0.03	0.04							C62
Other male genital organs	25	0.1	0.4	0.3	0.01	0.03							C63
Kidney	465	1.8	8.1	4.9	0.31	0.58	252	1.3	4.2	2.6	0.16	0.30	C64
Renal pelvis	46	0.2	0.8	0.5	0.02	0.06	30	0.2	0.5	0.2	0.00	0.02	C65
Ureter	50	0.2	0.9	0.5	0.02	0.05	40	0.2	0.7	0.4	0.01	0.05	C66
Bladder	671	2.6	11.7	6.6	0.27	0.74	160	0.8	2.7	1.3	0.05	0.14	C67
Other urinary organs	4	0.0	0.1	0.0	0.00	0.01	3	0.0	0.1	0.0	0.00	0.00	C68
Eye	6	0.0	0.1	0.1	0.01	0.01	7	0.0	0.1	0.1	0.00	0.01	C69
Brain and nervous system	338	1.3	5.9	4.1	0.24	0.40	266	1.3	4.5	2.9	0.18	0.32	C70–72
Thyroid	526	2.0	9.1	6.5	0.53	0.61	1857	9.3	31.1	21.7	1.82	2.06	C73
Adrenal gland	16	0.1	0.3	0.2	0.01	0.01	9	0.0	0.2	0.1	0.01	0.01	C74
Other endocrine	7	0.0	0.1	0.1	0.01	0.01	10	0.1	0.2	0.1	0.00	0.01	C75
Hodgkin lymphoma	38	0.1	0.7	0.4	0.03	0.04	13	0.1	0.2	0.2	0.01	0.01	C81
Non-Hodgkin lymphoma	529	2.0	9.2	5.7	0.30	0.67	379	1.9	6.4	3.7	0.20	0.45	C82–86,C96
Immunoproliferative diseases	16	0.1	0.3	0.2	0.01	0.02	5	0.0	0.1	0.0	0.00	0.01	C88
Multiple myeloma	140	0.5	2.4	1.4	0.06	0.17	126	0.6	2.1	1.1	0.06	0.15	C90
Lymphoid leukaemia	127	0.5	2.2	1.8	0.07	0.17	86	0.4	1.4	1.2	0.05	0.11	C91
Myeloid leukaemia	300	1.2	5.2	3.5	0.21	0.35	227	1.1	3.8	2.5	0.16	0.26	C92–94
Leukaemia unspecified	88	0.3	1.5	1.1	0.05	0.10	77	0.4	1.3	0.7	0.03	0.09	C95
Myeloproliferative disorders	24	0.1	0.4	0.2	0.01	0.03	12	0.1	0.2	0.1	0.01	0.02	MPD
Myelodysplastic syndromes	18	0.1	0.3	0.2	0.01	0.02	18	0.1	0.3	0.1	0.00	0.01	MPS
Other and unspecified	291	1.1	5.1	3.0	0.13	0.33	227	1.1	3.8	2.2	0.10	0.22	O&U
All sites	26078		453.3	263.9	12.47	32.19	20032		335.8	193.0	11.71	21.74	C00–96
All sites except C44	25883	100.0	449.9	262.0	12.39	32.00	19865	100.0	333.0	191.5	11.66	21.57	C00–96 exc. C44

China, Chengdu City

CONTRIBUTORS

Wei Yonglan
Qian Wen
He Yan
Cai Peng
Ruan Honghai
Xu Xian



20 major cancers, ASR (World) per 100 000

<i>Male</i>		<i>Female</i>	
Trachea, bronchus, and lung	67.3	Trachea, bronchus, and lung	31.5
Liver	32.6	Breast	29.4
Oesophagus	32.3	Cervix uteri	12.4
Stomach	22.2	Liver	11.3
Rectum	17.3	Rectum	10.3
Colon	13.8	Thyroid	9.8
Prostate	10.5	Colon	9.8
Pancreas	7.8	Stomach	9.5
Bladder	7.6	Ovary	7.7
Other and unspecified	5.5	Corpus uteri	6.4
Nasopharynx	4.6	Oesophagus	4.9
Non-Hodgkin lymphoma	4.6	Pancreas	4.4
Brain and nervous system	4.5	Brain and nervous system	4.3
Thyroid	4.2	Other and unspecified	4.3
Larynx	3.7	Non-Hodgkin lymphoma	3.7
Gallbladder etc.	3.3	Gallbladder etc.	3.6
Leukaemia unspecified	2.6	Bladder	3.0
Myeloid leukaemia	2.5	Non-melanoma skin cancer	2.2
Kidney	2.4	Kidney	2.2
Multiple myeloma	2.2	Nasopharynx	1.9
All sites	271.9	All sites	190.5


China, Chengdu City (2015–2017)

SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	
Lip	10	0.1	0.4	0.3	0.01	0.03	2	0.0	0.1	0.1	0.00	0.01	C00
Tongue	51	0.5	2.0	1.4	0.07	0.19	21	0.3	0.8	0.5	0.02	0.06	C01–02
Mouth	65	0.6	2.5	1.8	0.10	0.20	28	0.4	1.1	0.7	0.03	0.09	C03–06
Salivary glands	18	0.2	0.7	0.5	0.03	0.05	14	0.2	0.5	0.4	0.02	0.04	C07–08
Tonsil	13	0.1	0.5	0.4	0.02	0.04	4	0.1	0.2	0.1	0.01	0.01	C09
Other oropharynx	15	0.1	0.6	0.4	0.04	0.05	4	0.1	0.2	0.1	0.01	0.01	C10
Nasopharynx	171	1.7	6.6	4.6	0.35	0.51	72	1.0	2.7	1.9	0.14	0.21	C11
Hypopharynx	31	0.3	1.2	0.9	0.07	0.10	2	0.0	0.1	0.0	0.00	0.00	C12–13
Pharynx unspecified	16	0.2	0.6	0.4	0.03	0.03	7	0.1	0.3	0.2	0.01	0.01	C14
Oesophagus	1190	11.7	46.1	32.3	1.94	3.94	201	2.8	7.6	4.9	0.16	0.58	C15
Stomach	850	8.3	32.9	22.2	1.10	2.66	384	5.3	14.5	9.5	0.45	1.10	C16
Small intestine	43	0.4	1.7	1.2	0.08	0.13	30	0.4	1.1	0.7	0.03	0.07	C17
Colon	530	5.2	20.5	13.8	0.69	1.56	408	5.6	15.4	9.8	0.41	0.98	C18
Rectum	670	6.6	25.9	17.3	0.82	1.92	425	5.9	16.1	10.3	0.44	1.12	C19–20
Anus	29	0.3	1.1	0.8	0.04	0.11	27	0.4	1.0	0.6	0.03	0.07	C21
Liver	1217	11.9	47.1	32.6	2.08	3.67	448	6.2	16.9	11.3	0.54	1.19	C22
Gallbladder etc.	131	1.3	5.1	3.3	0.12	0.39	143	2.0	5.4	3.6	0.14	0.43	C23–24
Pancreas	300	2.9	11.6	7.8	0.40	0.93	192	2.7	7.3	4.4	0.15	0.45	C25
Nose, sinuses etc.	17	0.2	0.7	0.5	0.03	0.05	13	0.2	0.5	0.3	0.02	0.04	C30–31
Larynx	141	1.4	5.5	3.7	0.21	0.45	15	0.2	0.6	0.5	0.02	0.06	C32
Trachea, bronchus, and lung	2590	25.4	100.3	67.3	3.31	8.00	1290	17.8	48.8	31.5	1.45	3.38	C33–34
Other thoracic organs	26	0.3	1.0	0.7	0.04	0.08	14	0.2	0.5	0.4	0.03	0.04	C37–38
Bone	60	0.6	2.3	1.8	0.09	0.19	35	0.5	1.3	1.1	0.06	0.10	C40–41
Melanoma of skin	20	0.2	0.8	0.5	0.02	0.04	17	0.2	0.6	0.4	0.01	0.04	C43
Other skin	76	0.7	2.9	2.0	0.10	0.18	84	1.2	3.2	2.2	0.10	0.19	C44
Mesothelioma	9	0.1	0.3	0.2	0.02	0.03	5	0.1	0.2	0.1	0.01	0.01	C45
Kaposi sarcoma	1	0.0	0.0	0.0	0.00	0.00	1	0.0	0.0	0.0	0.00	0.00	C46
Connective and soft tissue	28	0.3	1.1	0.8	0.05	0.06	28	0.4	1.1	0.8	0.05	0.08	C47+C49
Breast	20	0.2	0.8	0.5	0.03	0.05	1079	14.9	40.8	29.4	2.30	3.04	C50
Vulva							29	0.4	1.1	0.7	0.05	0.08	C51
Vagina							11	0.2	0.4	0.3	0.02	0.04	C52
Cervix uteri							453	6.3	17.1	12.4	1.00	1.27	C53
Corpus uteri							232	3.2	8.8	6.4	0.51	0.75	C54
Uterus unspecified							20	0.3	0.8	0.5	0.03	0.06	C55
Ovary							283	3.9	10.7	7.7	0.54	0.85	C56
Other female genital organs							25	0.3	0.9	0.7	0.05	0.08	C57
Placenta							0	0.0	0.0	0.0	0.00	0.00	C58
Penis		0.2	0.9	0.6	0.02	0.06							C60
Prostate	445	4.4	17.2	10.5	0.19	1.01							C61
Testis	15	0.1	0.6	0.5	0.04	0.04							C62
Other male genital organs	6	0.1	0.2	0.2	0.00	0.02							C63
Kidney	91	0.9	3.5	2.4	0.16	0.26	81	1.1	3.1	2.2	0.11	0.24	C64
Renal pelvis	8	0.1	0.3	0.2	0.01	0.03	12	0.2	0.5	0.3	0.00	0.01	C65
Ureter	9	0.1	0.3	0.2	0.01	0.02	8	0.1	0.3	0.2	0.01	0.02	C66
Bladder	304	3.0	11.8	7.6	0.29	0.83	126	1.7	4.8	3.0	0.11	0.33	C67
Other urinary organs	1	0.0	0.0	0.0	0.00	0.00	6	0.1	0.2	0.2	0.00	0.02	C68
Eye	5	0.0	0.2	0.2	0.01	0.02	2	0.0	0.1	0.1	0.01	0.01	C69
Brain and nervous system	148	1.4	5.7	4.5	0.25	0.45	146	2.0	5.5	4.3	0.26	0.41	C70–72
Thyroid	149	1.5	5.8	4.2	0.30	0.40	349	4.8	13.2	9.8	0.78	0.94	C73
Adrenal gland	12	0.1	0.5	0.3	0.02	0.04	11	0.2	0.4	0.3	0.02	0.05	C74
Other endocrine	6	0.1	0.2	0.2	0.02	0.02	4	0.1	0.2	0.1	0.01	0.01	C75
Hodgkin lymphoma	22	0.2	0.9	0.6	0.02	0.06	14	0.2	0.5	0.5	0.02	0.06	C81
Non-Hodgkin lymphoma	169	1.7	6.5	4.6	0.29	0.48	140	1.9	5.3	3.7	0.19	0.40	C82–86, C96
Immunoproliferative diseases	2	0.0	0.1	0.0	0.00	0.01	1	0.0	0.0	0.0	0.00	0.00	C88
Multiple myeloma	91	0.9	3.5	2.2	0.10	0.24	66	0.9	2.5	1.6	0.07	0.22	C90
Lymphoid leukaemia	61	0.6	2.4	2.1	0.09	0.17	42	0.6	1.6	1.6	0.08	0.13	C91
Myeloid leukaemia	84	0.8	3.3	2.5	0.12	0.27	61	0.8	2.3	1.8	0.09	0.17	C92–94
Leukaemia unspecified	76	0.7	2.9	2.6	0.13	0.21	45	0.6	1.7	1.8	0.08	0.14	C95
Myeloproliferative disorders	3	0.0	0.1	0.1	0.00	0.02	1	0.0	0.0	0.0	0.00	0.00	MPD
Myelodysplastic syndromes	11	0.1	0.4	0.3	0.01	0.02	1	0.0	0.0	0.0	0.00	0.01	MPS
Other and unspecified	207	2.0	8.0	5.5	0.28	0.60	163	2.3	6.2	4.3	0.22	0.43	O&U
All sites	10287		398.3	271.9	14.22	30.92	7325		277.0	190.5	10.91	20.14	C00–96
All sites except C44	10211	100.0	395.4	269.9	14.13	30.74	7241	100.0	273.8	188.3	10.81	19.95	C00–96 exc. C44

China, Cixian County

CONTRIBUTORS

Guo-Hui Song
 Chao Chen
 Yu-Tong He
 Yan-Wei Gong
 Hogn-Xin Ji
 Jin Zhang
 Xiao-Xue Lu
 Zhi-Guang Gao
 Fan-Shu Meng
 Bao-En Shan
 Wen-Qiang Wei



20 major cancers, ASR (World) per 100 000

<i>Male</i>		<i>Female</i>	
Oesophagus	95.1	Oesophagus	55.9
Stomach	74.3	Stomach	29.8
Trachea, bronchus, and lung	59.8	Trachea, bronchus, and lung	28.6
Liver	26.2	Breast	21.2
Rectum	6.8	Cervix uteri	10.2
Colon	6.6	Liver	10.1
Brain and nervous system	3.4	Colon	6.4
Myeloid leukaemia	3.2	Corpus uteri	5.7
Bladder	2.8	Rectum	4.9
Pancreas	2.8	Ovary	4.6
Non-Hodgkin lymphoma	2.7	Brain and nervous system	4.6
Lymphoid leukaemia	2.6	Thyroid	2.8
Gallbladder etc.	2.4	Gallbladder etc.	2.3
Larynx	2.1	Pancreas	1.7
Kidney	2.0	Myeloid leukaemia	1.6
Bone	1.8	Bone	1.3
Prostate	1.5	Non-Hodgkin lymphoma	1.2
Leukaemia unspecified	1.4	Kidney	1.1
Small intestine	0.8	Bladder	1.1
Thyroid	0.8	Lymphoid leukaemia	1.0
All sites	308.5	All sites	206.8


China, Cixian County (2013–2017)

SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	
Lip	0	0.0	0.0	0.0	0.00	0.00	2	0.1	0.1	0.1	0.00	0.01	C00
Tongue	4	0.1	0.2	0.3	0.02	0.02	7	0.2	0.4	0.4	0.03	0.05	C01–02
Mouth	5	0.1	0.3	0.3	0.02	0.04	15	0.4	0.9	0.8	0.05	0.09	C03–06
Salivary glands	7	0.1	0.4	0.4	0.02	0.06	6	0.2	0.4	0.3	0.02	0.04	C07–08
Tonsil	3	0.1	0.2	0.2	0.00	0.04	0	0.0	0.0	0.0	0.00	0.00	C09
Other oropharynx	5	0.1	0.3	0.3	0.01	0.06	2	0.1	0.1	0.1	0.01	0.01	C10
Nasopharynx	12	0.2	0.7	0.6	0.05	0.06	9	0.2	0.6	0.5	0.02	0.06	C11
Hypopharynx	3	0.1	0.2	0.3	0.00	0.02	5	0.1	0.3	0.3	0.02	0.04	C12–13
Pharynx unspecified	3	0.1	0.2	0.2	0.01	0.04	1	0.0	0.1	0.1	0.00	0.01	C14
Oesophagus	1555	30.7	96.4	95.1	4.50	12.15	1021	26.9	64.4	55.9	2.42	6.78	C15
Stomach	1218	24.0	75.5	74.3	3.67	10.01	544	14.3	34.3	29.8	1.21	3.77	C16
Small intestine	15	0.3	0.9	0.8	0.05	0.12	13	0.3	0.8	0.7	0.05	0.08	C17
Colon	115	2.3	7.1	6.6	0.40	0.77	117	3.1	7.4	6.4	0.34	0.75	C18
Rectum	112	2.2	6.9	6.8	0.31	0.88	93	2.4	5.9	4.9	0.26	0.56	C19–20
Anus	5	0.1	0.3	0.3	0.01	0.04	10	0.3	0.6	0.6	0.02	0.09	C21
Liver	453	8.9	28.1	26.2	1.49	3.15	188	5.0	11.9	10.1	0.54	1.13	C22
Gallbladder etc.	39	0.8	2.4	2.4	0.10	0.28	41	1.1	2.6	2.3	0.11	0.31	C23–24
Pancreas	44	0.9	2.7	2.8	0.14	0.30	31	0.8	2.0	1.7	0.09	0.19	C25
Nose, sinuses etc.	12	0.2	0.7	0.7	0.03	0.06	7	0.2	0.4	0.4	0.02	0.05	C30–31
Larynx	36	0.7	2.2	2.1	0.12	0.25	9	0.2	0.6	0.5	0.02	0.06	C32
Trachea, bronchus, and lung	983	19.4	61.0	59.8	2.88	7.52	526	13.9	33.2	28.6	1.24	3.28	C33–34
Other thoracic organs	8	0.2	0.5	0.5	0.03	0.06	5	0.1	0.3	0.3	0.01	0.05	C37–38
Bone	30	0.6	1.9	1.8	0.09	0.19	23	0.6	1.4	1.3	0.08	0.16	C40–41
Melanoma of skin	9	0.2	0.6	0.6	0.02	0.05	7	0.2	0.4	0.4	0.01	0.06	C43
Other skin	10	0.2	0.6	0.6	0.03	0.08	9	0.2	0.6	0.5	0.02	0.04	C44
Mesothelioma	0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.1	0.1	0.00	0.00	C45
Kaposi sarcoma	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C46
Connective and soft tissue	3	0.1	0.2	0.2	0.01	0.02	4	0.1	0.3	0.2	0.02	0.03	C47+C49
Breast	1	0.0	0.1	0.1	0.01	0.01	408	10.7	25.7	21.2	1.74	2.26	C50
Vulva							10	0.3	0.6	0.5	0.02	0.07	C51
Vagina							5	0.1	0.3	0.3	0.01	0.05	C52
Cervix uteri							193	5.1	12.2	10.2	0.75	1.21	C53
Corpus uteri							110	2.9	6.9	5.7	0.44	0.64	C54
Uterus unspecified							1	0.0	0.1	0.1	0.00	0.00	C55
Ovary							83	2.2	5.2	4.6	0.34	0.52	C56
Other female genital organs							2	0.1	0.1	0.1	0.01	0.02	C57
Placenta							1	0.0	0.1	0.1	0.00	0.00	C58
Penis	7	0.1	0.4	0.4	0.03	0.05							C60
Prostate	25	0.5	1.6	1.5	0.06	0.13							C61
Testis	11	0.2	0.7	0.6	0.04	0.06							C62
Other male genital organs	0	0.0	0.0	0.0	0.00	0.00							C63
Kidney	33	0.7	2.0	2.0	0.14	0.22	21	0.6	1.3	1.1	0.08	0.13	C64
Renal pelvis	1	0.0	0.1	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C65
Ureter	9	0.2	0.6	0.5	0.04	0.07	12	0.3	0.8	0.6	0.05	0.08	C66
Bladder	42	0.8	2.6	2.8	0.12	0.27	20	0.5	1.3	1.1	0.04	0.15	C67
Other urinary organs	1	0.0	0.1	0.0	0.01	0.01	4	0.1	0.3	0.2	0.02	0.03	C68
Eye	3	0.1	0.2	0.3	0.01	0.01	2	0.1	0.1	0.2	0.01	0.01	C69
Brain and nervous system	59	1.2	3.7	3.4	0.22	0.42	83	2.2	5.2	4.6	0.29	0.55	C70–72
Thyroid	14	0.3	0.9	0.8	0.04	0.08	54	1.4	3.4	2.8	0.23	0.29	C73
Adrenal gland	2	0.0	0.1	0.1	0.01	0.01	4	0.1	0.3	0.3	0.01	0.03	C74
Other endocrine	2	0.0	0.1	0.1	0.01	0.02	3	0.1	0.2	0.1	0.01	0.01	C75
Hodgkin lymphoma	8	0.2	0.5	0.5	0.02	0.06	9	0.2	0.6	0.5	0.01	0.06	C81
Non-Hodgkin lymphoma	43	0.8	2.7	2.7	0.15	0.34	23	0.6	1.4	1.2	0.07	0.12	C82–86,C96
Immunoproliferative diseases	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C88
Multiple myeloma	14	0.3	0.9	0.7	0.06	0.08	5	0.1	0.3	0.3	0.01	0.04	C90
Lymphoid leukaemia	31	0.6	1.9	2.6	0.12	0.12	12	0.3	0.8	1.0	0.05	0.07	C91
Myeloid leukaemia	56	1.1	3.5	3.2	0.25	0.29	26	0.7	1.6	1.6	0.12	0.13	C92–94
Leukaemia unspecified	24	0.5	1.5	1.4	0.05	0.17	13	0.3	0.8	0.7	0.05	0.08	C95
Myeloproliferative disorders	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	MPD
Myelodysplastic syndromes	1	0.0	0.1	0.1	0.00	0.01	0	0.0	0.0	0.0	0.00	0.00	MPS
Other and unspecified	6	0.1	0.4	0.4	0.01	0.04	5	0.1	0.3	0.2	0.00	0.02	O&U
All sites	5082		315.1	308.5	15.40	38.77	3805		239.9	206.8	10.96	24.26	C00–96
All sites except C44	5072	100.0	314.5	307.9	15.37	38.69	3796	100.0	239.3	206.3	10.94	24.21	C00–96 exc. C44

China, Cixi City

CONTRIBUTORS

Wu Yiping
Ma Xu
Luo Dan
Luo Yangnu
Liu Qiong
Huang Zhenyu
Xu Zhou
Wang Lijun
Hu Ji
Cen Xin



20 major cancers, ASR (World) per 100 000

<i>Male</i>		<i>Female</i>	
Trachea, bronchus, and lung	61.1	Trachea, bronchus, and lung	32.6
Liver	27.7	Breast	29.8
Stomach	19.6	Thyroid	29.0
Oesophagus	11.8	Cervix uteri	9.5
Rectum	10.5	Stomach	8.8
Prostate	9.9	Liver	8.4
Colon	8.3	Rectum	7.1
Thyroid	7.9	Colon	6.8
Pancreas	6.5	Ovary	4.6
Bladder	6.2	Pancreas	4.1
Non-Hodgkin lymphoma	4.7	Corpus uteri	3.7
Nasopharynx	3.9	Brain and nervous system	3.4
Brain and nervous system	3.6	Gallbladder etc.	3.3
Kidney	3.1	Non-Hodgkin lymphoma	3.0
Myeloid leukaemia	2.3	Myeloid leukaemia	2.0
Larynx	2.3	Nasopharynx	1.7
Gallbladder etc.	2.2	Non-melanoma skin cancer	1.5
Non-melanoma skin cancer	2.0	Kidney	1.4
Lymphoid leukaemia	2.0	Other and unspecified	1.4
Multiple myeloma	1.6	Bladder	1.4
All sites	214.8	All sites	177.2


China, Cixi City (2013–2017)

SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	0–74 (%)	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	0–74 (%)	
Lip	15	0.1	0.6	0.3	0.02	0.04	5	0.1	0.2	0.1	0.00	0.00	C00
Tongue	27	0.3	1.0	0.5	0.04	0.07	12	0.1	0.5	0.2	0.02	0.03	C01–02
Mouth	48	0.4	1.9	0.9	0.04	0.11	25	0.3	0.9	0.4	0.02	0.04	C03–06
Salivary glands	17	0.2	0.7	0.3	0.02	0.03	22	0.3	0.8	0.5	0.02	0.06	C07–08
Tonsil	14	0.1	0.5	0.3	0.03	0.03	2	0.0	0.1	0.0	0.00	0.01	C09
Other oropharynx	20	0.2	0.8	0.4	0.03	0.04	1	0.0	0.0	0.0	0.00	0.00	C10
Nasopharynx	171	1.6	6.6	3.9	0.30	0.41	72	0.8	2.7	1.7	0.12	0.17	C11
Hypopharynx	62	0.6	2.4	1.2	0.09	0.16	1	0.0	0.0	0.0	0.00	0.00	C12–13
Pharynx unspecified	19	0.2	0.7	0.4	0.02	0.06	4	0.0	0.2	0.1	0.00	0.01	C14
Oesophagus	622	5.8	24.2	11.8	0.74	1.49	67	0.8	2.5	1.1	0.03	0.11	C15
Stomach	1037	9.7	40.3	19.6	0.99	2.44	492	5.7	18.5	8.8	0.48	1.00	C16
Small intestine	40	0.4	1.6	0.8	0.04	0.08	41	0.5	1.5	0.7	0.04	0.09	C17
Colon	430	4.0	16.7	8.3	0.46	0.96	378	4.4	14.2	6.8	0.40	0.82	C18
Rectum	546	5.1	21.2	10.5	0.54	1.24	391	4.6	14.7	7.1	0.41	0.85	C19–20
Anus	65	0.6	2.5	1.2	0.07	0.16	38	0.4	1.4	0.6	0.02	0.07	C21
Liver	1342	12.6	52.1	27.7	2.07	3.08	458	5.3	17.2	8.4	0.48	0.96	C22
Gallbladder etc.	123	1.2	4.8	2.2	0.08	0.26	205	2.4	7.7	3.3	0.13	0.36	C23–24
Pancreas	340	3.2	13.2	6.5	0.34	0.80	236	2.8	8.9	4.1	0.17	0.52	C25
Nose, sinuses etc.	10	0.1	0.4	0.2	0.01	0.02	13	0.2	0.5	0.3	0.02	0.04	C30–31
Larynx	116	1.1	4.5	2.3	0.15	0.30	6	0.1	0.2	0.1	0.00	0.01	C32
Trachea, bronchus, and lung	3244	30.4	126.0	61.1	2.96	7.71	1754	20.5	65.9	32.6	1.93	4.03	C33–34
Other thoracic organs	52	0.5	2.0	1.1	0.09	0.12	28	0.3	1.1	0.6	0.04	0.07	C37–38
Bone	35	0.3	1.4	1.0	0.07	0.09	27	0.3	1.0	0.6	0.04	0.06	C40–41
Melanoma of skin	10	0.1	0.4	0.2	0.02	0.02	16	0.2	0.6	0.3	0.01	0.03	C43
Other skin	112	1.0	4.4	2.0	0.06	0.23	100	1.2	3.8	1.5	0.06	0.11	C44
Mesothelioma	16	0.1	0.6	0.3	0.02	0.04	34	0.4	1.3	0.7	0.06	0.08	C45
Kaposi sarcoma	0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.0	0.0	0.00	0.00	C46
Connective and soft tissue	39	0.4	1.5	1.0	0.05	0.10	32	0.4	1.2	0.8	0.05	0.08	C47+C49
Breast	16	0.1	0.6	0.3	0.01	0.03	1379	16.1	51.8	29.8	2.52	3.15	C50
Vulva							8	0.1	0.3	0.2	0.01	0.01	C51
Vagina							6	0.1	0.2	0.2	0.01	0.01	C52
Cervix uteri							420	4.9	15.8	9.5	0.81	0.97	C53
Corpus uteri							177	2.1	6.7	3.7	0.31	0.45	C54
Uterus unspecified							51	0.6	1.9	1.0	0.09	0.12	C55
Ovary							209	2.4	7.9	4.6	0.35	0.51	C56
Other female genital organs							22	0.3	0.8	0.4	0.03	0.06	C57
Placenta							0	0.0	0.0	0.0	0.00	0.00	C58
Penis	42	0.4	1.6	0.7	0.04	0.09							C60
Prostate	567	5.3	22.0	9.9	0.22	1.19							C61
Testis	17	0.2	0.7	0.7	0.05	0.05							C62
Other male genital organs	6	0.1	0.2	0.1	0.00	0.02							C63
Kidney	141	1.3	5.5	3.1	0.21	0.35	66	0.8	2.5	1.4	0.09	0.16	C64
Renal pelvis	21	0.2	0.8	0.4	0.02	0.06	11	0.1	0.4	0.1	0.00	0.01	C65
Ureter	22	0.2	0.9	0.4	0.02	0.06	10	0.1	0.4	0.2	0.01	0.03	C66
Bladder	329	3.1	12.8	6.2	0.28	0.75	78	0.9	2.9	1.4	0.07	0.14	C67
Other urinary organs	6	0.1	0.2	0.1	0.00	0.02	1	0.0	0.0	0.0	0.00	0.00	C68
Eye	3	0.0	0.1	0.2	0.01	0.01	0	0.0	0.0	0.0	0.00	0.00	C69
Brain and nervous system	143	1.3	5.6	3.6	0.23	0.39	137	1.6	5.2	3.4	0.22	0.36	C70–72
Thyroid	295	2.8	11.5	7.9	0.65	0.76	1158	13.5	43.5	29.0	2.48	2.77	C73
Adrenal gland	9	0.1	0.3	0.2	0.01	0.01	4	0.0	0.2	0.1	0.01	0.01	C74
Other endocrine	12	0.1	0.5	0.4	0.02	0.04	9	0.1	0.3	0.2	0.02	0.02	C75
Hodgkin lymphoma	9	0.1	0.3	0.2	0.01	0.02	9	0.1	0.3	0.3	0.02	0.02	C81
Non-Hodgkin lymphoma	217	2.0	8.4	4.7	0.28	0.55	142	1.7	5.3	3.0	0.17	0.35	C82–86,C96
Immunoproliferative diseases	5	0.0	0.2	0.1	0.01	0.01	3	0.0	0.1	0.0	0.00	0.00	C88
Multiple myeloma	82	0.8	3.2	1.6	0.09	0.21	69	0.8	2.6	1.3	0.08	0.18	C90
Lymphoid leukaemia	43	0.4	1.7	2.0	0.10	0.12	39	0.5	1.5	1.2	0.07	0.12	C91
Myeloid leukaemia	89	0.8	3.5	2.3	0.16	0.23	70	0.8	2.6	2.0	0.12	0.17	C92–94
Leukaemia unspecified	49	0.5	1.9	1.3	0.07	0.12	34	0.4	1.3	1.1	0.06	0.10	C95
Myeloproliferative disorders	5	0.0	0.2	0.2	0.01	0.01	2	0.0	0.1	0.0	0.00	0.01	MPD
Myelodysplastic syndromes	25	0.2	1.0	0.5	0.03	0.07	12	0.1	0.5	0.3	0.02	0.03	MPS
Other and unspecified	74	0.7	2.9	1.5	0.08	0.16	76	0.9	2.9	1.4	0.07	0.15	O&U
All sites	10799		419.6	214.8	11.93	25.42	8663		325.7	177.2	12.23	19.52	C00–96
All sites except C44	10687	100.0	415.2	212.9	11.87	25.19	8563	100.0	322.0	175.7	12.17	19.40	C00–96 exc. C44

China, Dafeng District, Yancheng City

CONTRIBUTORS

Xiaoping Gu
Feng Sheng
Xin Gu
Hengkui Zhi



NOTES ON THE DATA

*Low levels of specificity of leukaemias.

20 major cancers, ASR (World) per 100 000

Male		Female	
Trachea, bronchus, and lung	46.7	Breast	29.6
Stomach	33.6	Trachea, bronchus, and lung	25.1
Oesophagus	30.5	Cervix uteri	17.6
Liver	30.0	Stomach	13.0
Rectum	10.5	Oesophagus	12.0
Colon	10.4	Liver	11.1
Pancreas	6.6	Colon	6.6
Prostate	5.7	Rectum	6.3
Bladder	5.6	Thyroid	6.2
Brain and nervous system	5.6	Corpus uteri	5.3
Non-Hodgkin lymphoma	4.2	Brain and nervous system	5.2
Leukaemia unspecified	4.0	Pancreas	5.1
Nasopharynx	3.1	Ovary	5.1
Kidney	2.7	Leukaemia unspecified	3.4
Non-melanoma skin cancer	2.3	Non-Hodgkin lymphoma	3.4
Bone	2.2	Gallbladder etc.	2.3
Gallbladder etc.	2.2	Kidney	2.2
Thyroid	1.8	Bone	1.9
Larynx	1.4	Bladder	1.7
Mouth	1.1	Non-melanoma skin cancer	1.6
All sites	221.7	All sites	176.9

*China, Dafeng District, Yancheng City (2013–2017)


SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	
Lip	5	0.1	0.3	0.1	0.01	0.01	2	0.0	0.1	0.0	0.00	0.01	C00
Tongue	14	0.2	0.8	0.4	0.02	0.05	18	0.3	1.0	0.5	0.03	0.05	C01–02
Mouth	38	0.5	2.1	1.1	0.06	0.14	25	0.4	1.4	0.7	0.04	0.07	C03–06
Salivary glands	12	0.2	0.7	0.3	0.02	0.05	16	0.3	0.9	0.5	0.02	0.05	C07–08
Tonsil	4	0.1	0.2	0.1	0.01	0.01	4	0.1	0.2	0.1	0.01	0.01	C09
Other oropharynx	8	0.1	0.4	0.2	0.01	0.02	2	0.0	0.1	0.1	0.00	0.01	C10
Nasopharynx	94	1.2	5.2	3.1	0.24	0.34	33	0.5	1.8	0.9	0.06	0.11	C11
Hypopharynx	11	0.1	0.6	0.3	0.01	0.03	1	0.0	0.1	0.0	0.00	0.00	C12–13
Pharynx unspecified	7	0.1	0.4	0.2	0.01	0.02	3	0.0	0.2	0.1	0.01	0.01	C14
Oesophagus	1173	14.8	65.3	30.5	1.27	3.55	552	8.7	30.6	12.0	0.33	1.32	C15
Stomach	1257	15.9	69.9	33.6	1.65	3.98	527	8.3	29.3	13.0	0.67	1.49	C16
Small intestine	30	0.4	1.7	0.8	0.04	0.10	22	0.3	1.2	0.7	0.05	0.07	C17
Colon	371	4.7	20.6	10.4	0.62	1.23	265	4.2	14.7	6.6	0.40	0.76	C18
Rectum	380	4.8	21.1	10.5	0.62	1.25	237	3.8	13.2	6.3	0.39	0.70	C19–20
Anus	5	0.1	0.3	0.2	0.01	0.02	2	0.0	0.1	0.0	0.00	0.00	C21
Liver	1032	13.0	57.4	30.0	2.19	3.39	438	6.9	24.3	11.1	0.68	1.23	C22
Gallbladder etc.	80	1.0	4.5	2.2	0.12	0.24	102	1.6	5.7	2.3	0.10	0.24	C23–24
Pancreas	241	3.0	13.4	6.6	0.34	0.77	219	3.5	12.2	5.1	0.24	0.57	C25
Nose, sinuses etc.	17	0.2	0.9	0.5	0.03	0.05	10	0.2	0.6	0.3	0.03	0.03	C30–31
Larynx	49	0.6	2.7	1.4	0.12	0.17	4	0.1	0.2	0.1	0.00	0.00	C32
Trachea, bronchus, and lung	1767	22.3	98.3	46.7	2.15	5.67	1027	16.3	57.0	25.1	1.32	2.91	C33–34
Other thoracic organs	23	0.3	1.3	0.7	0.06	0.07	15	0.2	0.8	0.8	0.05	0.06	C37–38
Bone	68	0.9	3.8	2.2	0.13	0.21	58	0.9	3.2	1.9	0.12	0.19	C40–41
Melanoma of skin	23	0.3	1.3	0.7	0.04	0.06	25	0.4	1.4	0.6	0.04	0.08	C43
Other skin	89	1.1	5.0	2.3	0.12	0.22	68	1.1	3.8	1.6	0.08	0.16	C44
Mesothelioma	4	0.1	0.2	0.1	0.01	0.01	9	0.1	0.5	0.2	0.02	0.02	C45
Kaposi sarcoma	2	0.0	0.1	0.1	0.01	0.01	2	0.0	0.1	0.1	0.01	0.01	C46
Connective and soft tissue	21	0.3	1.2	0.8	0.05	0.08	11	0.2	0.6	0.6	0.03	0.04	C47+C49
Breast	7	0.1	0.4	0.3	0.01	0.03	922	14.6	51.2	29.6	2.56	3.12	C50
Vulva							10	0.2	0.6	0.3	0.01	0.03	C51
Vagina							13	0.2	0.7	0.3	0.02	0.04	C52
Cervix uteri							586	9.3	32.5	17.6	1.40	1.93	C53
Corpus uteri							176	2.8	9.8	5.3	0.45	0.58	C54
Uterus unspecified							24	0.4	1.3	0.7	0.04	0.08	C55
Ovary							162	2.6	9.0	5.1	0.45	0.54	C56
Other female genital organs							10	0.2	0.6	0.3	0.02	0.04	C57
Placenta							2	0.0	0.1	0.1	0.01	0.01	C58
Penis	20	0.3	1.1	0.5	0.03	0.05							C60
Prostate	239	3.0	13.3	5.7	0.08	0.54							C61
Testis	9	0.1	0.5	0.4	0.02	0.04							C62
Other male genital organs	4	0.1	0.2	0.1	0.01	0.01							C63
Kidney	88	1.1	4.9	2.7	0.17	0.30	70	1.1	3.9	2.2	0.15	0.24	C64
Renal pelvis	8	0.1	0.4	0.2	0.02	0.02	3	0.0	0.2	0.1	0.00	0.01	C65
Ureter	6	0.1	0.3	0.2	0.01	0.02	6	0.1	0.3	0.2	0.01	0.02	C66
Bladder	213	2.7	11.8	5.6	0.27	0.61	72	1.1	4.0	1.7	0.08	0.17	C67
Other urinary organs	1	0.0	0.1	0.0	0.00	0.00	1	0.0	0.1	0.0	0.00	0.01	C68
Eye	3	0.0	0.2	0.4	0.02	0.02	6	0.1	0.3	0.8	0.03	0.04	C69
Brain and nervous system	162	2.0	9.0	5.6	0.36	0.52	151	2.4	8.4	5.2	0.37	0.51	C70–72
Thyroid	53	0.7	2.9	1.8	0.14	0.18	176	2.8	9.8	6.2	0.48	0.63	C73
Adrenal gland	1	0.0	0.1	0.0	0.00	0.00	4	0.1	0.2	0.2	0.01	0.02	C74
Other endocrine	8	0.1	0.4	0.3	0.02	0.03	4	0.1	0.2	0.1	0.01	0.01	C75
Hodgkin lymphoma	7	0.1	0.4	0.2	0.01	0.02	2	0.0	0.1	0.2	0.01	0.01	C81
Non-Hodgkin lymphoma	141	1.8	7.8	4.2	0.29	0.47	110	1.7	6.1	3.4	0.23	0.38	C82–86,C96
Immunoproliferative diseases	3	0.0	0.2	0.1	0.01	0.01	1	0.0	0.1	0.0	0.00	0.00	C88
Multiple myeloma	26	0.3	1.4	0.7	0.04	0.11	24	0.4	1.3	0.7	0.04	0.09	C90
Lymphoid leukaemia	23	0.3	1.3	0.7	0.03	0.08	13	0.2	0.7	0.5	0.03	0.04	C91
Myeloid leukaemia	25	0.3	1.4	1.0	0.07	0.09	23	0.4	1.3	0.8	0.06	0.07	C92–94
Leukaemia unspecified	106	1.3	5.9	4.0	0.22	0.36	92	1.5	5.1	3.4	0.20	0.32	C95
Myeloproliferative disorders	0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.1	0.0	0.00	0.00	MPD
Myelodysplastic syndromes	5	0.1	0.3	0.2	0.01	0.02	6	0.1	0.3	0.2	0.02	0.02	MPS
Other and unspecified	25	0.3	1.4	0.7	0.05	0.07	18	0.3	1.0	0.5	0.03	0.06	O&U
All sites	8008		445.5	221.7	11.88	25.38	6385		354.4	176.9	11.47	19.23	C00–96
All sites except C44	7919	100.0	440.6	219.4	11.76	25.15	6317	100.0	350.7	175.2	11.39	19.07	C00–96 exc. C44

*See note following population pyramid

China, Dalian City

CONTRIBUTORS

Yiheng Zhou
Xiaofeng Wang
Xinhui Zang
Jingshu Wang
Hong Lin



20 major cancers, ASR (World) per 100 000

<i>Male</i>		<i>Female</i>	
Trachea, bronchus, and lung	64.0	Breast	50.3
Stomach	27.6	Thyroid	48.0
Liver	25.3	Trachea, bronchus, and lung	44.9
Colon	16.9	Cervix uteri	12.4
Thyroid	16.8	Colon	11.8
Rectum	15.2	Stomach	11.3
Bladder	11.5	Rectum	8.5
Kidney	10.5	Corpus uteri	7.7
Pancreas	8.8	Liver	7.4
Prostate	8.4	Ovary	6.4
Oesophagus	7.8	Pancreas	5.2
Non-Hodgkin lymphoma	4.3	Kidney	4.1
Brain and nervous system	4.0	Non-Hodgkin lymphoma	3.4
Gallbladder etc.	3.6	Brain and nervous system	3.3
Larynx	3.4	Other and unspecified	2.5
Other and unspecified	3.1	Bladder	2.5
Non-melanoma skin cancer	2.7	Non-melanoma skin cancer	2.4
Myeloid leukaemia	2.7	Gallbladder etc.	2.3
Lymphoid leukaemia	2.3	Myeloid leukaemia	2.2
Leukaemia unspecified	1.7	Connective and soft tissue	1.5
All sites	259.7	All sites	251.8


China, Dalian City (2013–2017)

SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	
Lip	24	0.1	0.4	0.2	0.01	0.02	9	0.0	0.2	0.1	0.00	0.00	C00
Tongue	119	0.4	2.0	1.1	0.08	0.13	48	0.2	0.8	0.4	0.03	0.05	C01–02
Mouth	118	0.4	2.0	1.0	0.07	0.11	61	0.2	1.0	0.5	0.02	0.05	C03–06
Salivary glands	58	0.2	1.0	0.5	0.04	0.06	35	0.1	0.6	0.4	0.03	0.04	C07–08
Tonsil	35	0.1	0.6	0.3	0.03	0.04	5	0.0	0.1	0.0	0.00	0.00	C09
Other oropharynx	19	0.1	0.3	0.2	0.01	0.02	4	0.0	0.1	0.0	0.00	0.00	C10
Nasopharynx	115	0.4	2.0	1.3	0.09	0.15	47	0.2	0.8	0.5	0.03	0.05	C11
Hypopharynx	110	0.4	1.9	1.0	0.08	0.12	2	0.0	0.0	0.0	0.00	0.00	C12–13
Pharynx unspecified	26	0.1	0.4	0.2	0.02	0.02	2	0.0	0.0	0.0	0.00	0.00	C14
Oesophagus	909	3.2	15.6	7.8	0.54	0.91	80	0.3	1.3	0.5	0.01	0.03	C15
Stomach	3261	11.3	55.9	27.6	1.40	3.33	1485	5.3	24.8	11.3	0.55	1.25	C16
Small intestine	127	0.4	2.2	1.1	0.06	0.13	122	0.4	2.0	0.9	0.05	0.11	C17
Colon	1998	6.9	34.2	16.9	0.74	1.96	1581	5.7	26.5	11.8	0.52	1.34	C18
Rectum	1719	6.0	29.5	15.2	0.84	1.84	1074	3.8	18.0	8.5	0.48	0.97	C19–20
Anus	19	0.1	0.3	0.2	0.01	0.02	16	0.1	0.3	0.1	0.01	0.01	C21
Liver	2821	9.8	48.4	25.3	1.77	2.95	989	3.5	16.5	7.4	0.36	0.83	C22
Gallbladder etc.	437	1.5	7.5	3.6	0.15	0.42	325	1.2	5.4	2.3	0.08	0.25	C23–24
Pancreas	1026	3.6	17.6	8.8	0.42	1.09	743	2.7	12.4	5.2	0.19	0.58	C25
Nose, sinuses etc.	55	0.2	0.9	0.5	0.03	0.06	22	0.1	0.4	0.2	0.01	0.02	C30–31
Larynx	391	1.4	6.7	3.4	0.23	0.44	22	0.1	0.4	0.2	0.00	0.02	C32
Trachea, bronchus, and lung	7504	26.0	128.6	64.0	3.00	7.79	5580	20.0	93.4	44.9	2.64	5.34	C33–34
Other thoracic organs	77	0.3	1.3	0.8	0.05	0.08	59	0.2	1.0	0.5	0.03	0.05	C37–38
Bone	68	0.2	1.2	0.8	0.05	0.07	62	0.2	1.0	0.6	0.03	0.06	C40–41
Melanoma of skin	52	0.2	0.9	0.5	0.03	0.05	57	0.2	1.0	0.5	0.03	0.06	C43
Other skin	326	1.1	5.6	2.7	0.13	0.31	319	1.1	5.3	2.4	0.11	0.24	C44
Mesothelioma	40	0.1	0.7	0.3	0.01	0.04	16	0.1	0.3	0.1	0.01	0.02	C45
Kaposi sarcoma	1	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C46
Connective and soft tissue	147	0.5	2.5	1.5	0.09	0.17	136	0.5	2.3	1.5	0.09	0.15	C47+C49
Breast	40	0.1	0.7	0.4	0.02	0.04	5272	18.9	88.2	50.3	3.98	5.55	C50
Vulva							56	0.2	0.9	0.4	0.02	0.05	C51
Vagina							21	0.1	0.4	0.2	0.01	0.02	C52
Cervix uteri							1241	4.4	20.8	12.4	1.07	1.27	C53
Corpus uteri							829	3.0	13.9	7.7	0.63	0.87	C54
Uterus unspecified							64	0.2	1.1	0.5	0.03	0.05	C55
Ovary							670	2.4	11.2	6.4	0.47	0.71	C56
Other female genital organs							68	0.2	1.1	0.6	0.05	0.08	C57
Placenta							5	0.0	0.1	0.1	0.00	0.00	C58
Penis	63	0.2	1.1	0.5	0.02	0.07							C60
Prostate	1098	3.8	18.8	8.4	0.15	0.87							C61
Testis	21	0.1	0.4	0.3	0.02	0.02							C62
Other male genital organs	31	0.1	0.5	0.3	0.01	0.04							C63
Kidney	1135	3.9	19.5	10.5	0.72	1.24	471	1.7	7.9	4.1	0.26	0.49	C64
Renal pelvis	109	0.4	1.9	0.9	0.04	0.11	90	0.3	1.5	0.6	0.02	0.06	C65
Ureter	134	0.5	2.3	1.0	0.04	0.10	100	0.4	1.7	0.7	0.02	0.08	C66
Bladder	1380	4.8	23.7	11.5	0.53	1.30	341	1.2	5.7	2.5	0.10	0.28	C67
Other urinary organs	28	0.1	0.5	0.2	0.01	0.02	16	0.1	0.3	0.1	0.00	0.01	C68
Eye	9	0.0	0.2	0.1	0.01	0.01	6	0.0	0.1	0.1	0.00	0.00	C69
Brain and nervous system	371	1.3	6.4	4.0	0.23	0.38	322	1.2	5.4	3.3	0.22	0.33	C70–72
Thyroid	1421	4.9	24.4	16.8	1.38	1.53	4372	15.6	73.2	48.0	4.05	4.68	C73
Adrenal gland	18	0.1	0.3	0.2	0.01	0.02	11	0.0	0.2	0.1	0.01	0.01	C74
Other endocrine	36	0.1	0.6	0.5	0.03	0.05	43	0.2	0.7	0.5	0.04	0.05	C75
Hodgkin lymphoma	37	0.1	0.6	0.5	0.03	0.05	16	0.1	0.3	0.2	0.01	0.02	C81
Non-Hodgkin lymphoma	447	1.5	7.7	4.3	0.25	0.47	394	1.4	6.6	3.4	0.20	0.42	C82–86,C96
Immunoproliferative diseases	7	0.0	0.1	0.1	0.00	0.01	1	0.0	0.0	0.0	0.00	0.00	C88
Multiple myeloma	116	0.4	2.0	1.0	0.05	0.12	89	0.3	1.5	0.7	0.04	0.10	C90
Lymphoid leukaemia	133	0.5	2.3	2.3	0.12	0.17	87	0.3	1.5	1.4	0.07	0.11	C91
Myeloid leukaemia	250	0.9	4.3	2.7	0.16	0.28	213	0.8	3.6	2.2	0.13	0.22	C92–94
Leukaemia unspecified	170	0.6	2.9	1.7	0.08	0.15	121	0.4	2.0	1.3	0.06	0.11	C95
Myeloproliferative disorders	44	0.2	0.8	0.4	0.02	0.04	44	0.2	0.7	0.4	0.02	0.04	MPD
Myelodysplastic syndromes	103	0.4	1.8	0.9	0.05	0.10	62	0.2	1.0	0.5	0.02	0.06	MPS
Other and unspecified	364	1.3	6.2	3.1	0.15	0.31	342	1.2	5.7	2.5	0.11	0.22	O&U
All sites	29167		500.0	259.7	14.09	29.85	28268		473.0	251.8	16.99	27.46	C00–96
All sites except C44	28841	100.0	494.4	256.9	13.96	29.54	27949	100.0	467.7	249.4	16.88	27.22	C00–96 exc. C44

China, Dancheng County

CONTRIBUTORS

Sun Zhong
Guo Deyin
Ma Hui
Li Huizhen



NOTES ON THE DATA

*No official mortality data.

20 major cancers, ASR (World) per 100 000

<i>Male</i>		<i>Female</i>	
Trachea, bronchus, and lung	86.3	Breast	49.4
Oesophagus	45.9	Oesophagus	34.7
Stomach	43.4	Trachea, bronchus, and lung	31.8
Liver	41.7	Stomach	31.4
Rectum	7.6	Liver	26.8
Colon	6.5	Cervix uteri	10.4
Anus	6.2	Rectum	7.7
Leukaemia unspecified	6.0	Ovary	6.6
Brain and nervous system	5.3	Colon	6.3
Larynx	3.4	Brain and nervous system	5.0
Myeloid leukaemia	2.9	Anus	4.1
Pancreas	2.8	Leukaemia unspecified	4.0
Non-melanoma skin cancer	2.7	Uterus unspecified	3.8
Prostate	2.3	Pancreas	2.3
Other and unspecified	2.2	Corpus uteri	2.2
Bladder	2.0	Gallbladder etc.	2.2
Non-Hodgkin lymphoma	1.9	Thyroid	2.2
Lymphoid leukaemia	1.8	Non-melanoma skin cancer	2.1
Gallbladder etc.	1.8	Larynx	2.0
Small intestine	1.8	Other and unspecified	1.9
All sites	293.2	All sites	258.7

*China, Dancheng County (2013–2017)


SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	
Lip	14	0.2	0.4	0.4	0.02	0.07	16	0.2	0.5	0.4	0.03	0.05	C00
Tongue	35	0.4	1.0	1.2	0.04	0.19	43	0.5	1.3	1.4	0.05	0.21	C01–02
Mouth	28	0.3	0.8	0.9	0.02	0.11	36	0.4	1.1	1.2	0.05	0.19	C03–06
Salivary glands	23	0.3	0.7	0.7	0.05	0.06	24	0.3	0.7	0.6	0.04	0.07	C07–08
Tonsil	10	0.1	0.3	0.4	0.01	0.04	12	0.1	0.4	0.4	0.02	0.08	C09
Other oropharynx	26	0.3	0.7	0.8	0.04	0.10	16	0.2	0.5	0.4	0.02	0.07	C10
Nasopharynx	56	0.6	1.6	1.4	0.09	0.15	43	0.5	1.3	1.4	0.07	0.20	C11
Hypopharynx	13	0.1	0.4	0.4	0.02	0.05	9	0.1	0.3	0.3	0.02	0.02	C12–13
Pharynx unspecified	25	0.3	0.7	0.8	0.04	0.11	11	0.1	0.3	0.3	0.02	0.04	C14
Oesophagus	1352	14.8	38.3	45.9	1.22	5.37	1067	12.1	31.2	34.7	0.89	3.95	C15
Stomach	1329	14.5	37.6	43.4	1.25	4.86	1000	11.4	29.3	31.4	1.04	3.49	C16
Small intestine	58	0.6	1.6	1.8	0.06	0.21	54	0.6	1.6	1.6	0.05	0.16	C17
Colon	216	2.4	6.1	6.5	0.29	0.73	217	2.5	6.3	6.3	0.35	0.75	C18
Rectum	253	2.8	7.2	7.6	0.36	0.98	262	3.0	7.7	7.7	0.38	0.94	C19–20
Anus	203	2.2	5.7	6.2	0.28	0.64	154	1.8	4.5	4.1	0.27	0.48	C21
Liver	1347	14.7	38.1	41.7	1.94	4.55	909	10.4	26.6	26.8	1.27	2.93	C22
Gallbladder etc.	55	0.6	1.6	1.8	0.08	0.25	72	0.8	2.1	2.2	0.10	0.26	C23–24
Pancreas	88	1.0	2.5	2.8	0.13	0.39	79	0.9	2.3	2.3	0.12	0.28	C25
Nose, sinuses etc.	37	0.4	1.0	1.1	0.04	0.14	46	0.5	1.3	1.3	0.06	0.15	C30–31
Larynx	103	1.1	2.9	3.4	0.16	0.37	66	0.8	1.9	2.0	0.10	0.22	C32
Trachea, bronchus, and lung	2753	30.1	77.9	86.3	4.17	10.52	1053	12.0	30.8	31.8	1.66	3.63	C33–34
Other thoracic organs	24	0.3	0.7	0.7	0.05	0.07	29	0.3	0.8	0.8	0.05	0.10	C37–38
Bone	39	0.4	1.1	1.2	0.06	0.11	25	0.3	0.7	0.7	0.04	0.09	C40–41
Melanoma of skin	13	0.1	0.4	0.3	0.01	0.02	3	0.0	0.1	0.1	0.00	0.01	C43
Other skin	83	0.9	2.3	2.7	0.09	0.29	69	0.8	2.0	2.1	0.09	0.18	C44
Mesothelioma	1	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C45
Kaposi sarcoma	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C46
Connective and soft tissue	33	0.4	0.9	0.9	0.06	0.11	18	0.2	0.5	0.5	0.03	0.06	C47+C49
Breast	4	0.0	0.1	0.1	0.01	0.02	1857	21.1	54.3	49.4	3.30	5.92	C50
Vulva							6	0.1	0.2	0.2	0.00	0.02	C51
Vagina							6	0.1	0.2	0.2	0.01	0.02	C52
Cervix uteri							425	4.8	12.4	10.4	0.80	1.16	C53
Corpus uteri							88	1.0	2.6	2.2	0.18	0.27	C54
Uterus unspecified							140	1.6	4.1	3.8	0.25	0.41	C55
Ovary							241	2.7	7.1	6.6	0.45	0.78	C56
Other female genital organs							43	0.5	1.3	1.2	0.06	0.11	C57
Placenta							1	0.0	0.0	0.0	0.00	0.00	C58
Penis	19	0.2	0.5	0.5	0.02	0.08							C60
Prostate	66	0.7	1.9	2.3	0.05	0.25							C61
Testis	12	0.1	0.3	0.3	0.01	0.02							C62
Other male genital organs	19	0.2	0.5	0.5	0.03	0.06							C63
Kidney	52	0.6	1.5	1.6	0.10	0.16	34	0.4	1.0	0.9	0.04	0.08	C64
Renal pelvis	8	0.1	0.2	0.2	0.01	0.01	4	0.0	0.1	0.1	0.00	0.01	C65
Ureter	25	0.3	0.7	0.8	0.04	0.08	8	0.1	0.2	0.2	0.01	0.04	C66
Bladder	59	0.6	1.7	2.0	0.08	0.25	40	0.5	1.2	1.2	0.05	0.13	C67
Other urinary organs	3	0.0	0.1	0.1	0.01	0.01	6	0.1	0.2	0.2	0.00	0.03	C68
Eye	5	0.1	0.1	0.2	0.01	0.02	3	0.0	0.1	0.1	0.01	0.01	C69
Brain and nervous system	192	2.1	5.4	5.3	0.33	0.49	169	1.9	4.9	5.0	0.28	0.53	C70–72
Thyroid	50	0.5	1.4	1.3	0.09	0.17	85	1.0	2.5	2.2	0.14	0.22	C73
Adrenal gland	7	0.1	0.2	0.2	0.01	0.02	6	0.1	0.2	0.2	0.01	0.02	C74
Other endocrine	3	0.0	0.1	0.1	0.01	0.01	3	0.0	0.1	0.1	0.00	0.01	C75
Hodgkin lymphoma	10	0.1	0.3	0.3	0.02	0.03	7	0.1	0.2	0.2	0.00	0.02	C81
Non-Hodgkin lymphoma	61	0.7	1.7	1.9	0.08	0.24	33	0.4	1.0	0.9	0.05	0.10	C82–86,C96
Immunoproliferative diseases	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C88
Multiple myeloma	42	0.5	1.2	1.2	0.07	0.14	35	0.4	1.0	1.0	0.04	0.12	C90
Lymphoid leukaemia	58	0.6	1.6	1.8	0.13	0.18	49	0.6	1.4	1.6	0.07	0.18	C91
Myeloid leukaemia	98	1.1	2.8	2.9	0.12	0.24	61	0.7	1.8	1.8	0.09	0.15	C92–94
Leukaemia unspecified	146	1.6	4.1	6.0	0.23	0.33	105	1.2	3.1	4.0	0.17	0.37	C95
Myeloproliferative disorders	1	0.0	0.0	0.0	0.00	0.01	1	0.0	0.0	0.0	0.00	0.00	MPD
Myelodysplastic syndromes	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	MPS
Other and unspecified	82	0.9	2.3	2.2	0.12	0.26	62	0.7	1.8	1.9	0.07	0.22	O&U
All sites	9239		261.5	293.2	12.16	33.58	8851		259.0	258.7	12.96	29.51	C00–96
All sites except C44	9156	100.0	259.1	290.5	12.07	33.28	8782	100.0	257.0	256.6	12.87	29.32	C00–96 exc. C44

*See note following population pyramid

China, Dangtu County

CONTRIBUTORS

Wei Xu
Weixia Bo
Daiping Li
Daoming Qi



20 major cancers, ASR (World) per 100 000

<i>Male</i>		<i>Female</i>	
Trachea, bronchus, and lung	50.9	Breast	24.4
Stomach	47.2	Stomach	18.7
Liver	20.0	Trachea, bronchus, and lung	16.3
Oesophagus	15.4	Cervix uteri	11.8
Colon	12.3	Colon	10.7
Rectum	11.8	Thyroid	10.1
Prostate	6.1	Liver	9.3
Pancreas	5.9	Ovary	5.9
Bladder	5.0	Rectum	5.7
Non-Hodgkin lymphoma	4.4	Brain and nervous system	4.7
Nasopharynx	3.5	Corpus uteri	4.1
Brain and nervous system	3.4	Oesophagus	4.1
Gallbladder etc.	3.1	Pancreas	3.8
Lymphoid leukaemia	2.4	Gallbladder etc.	2.6
Kidney	2.4	Non-Hodgkin lymphoma	2.5
Myeloid leukaemia	2.3	Kidney	2.1
Non-melanoma skin cancer	2.0	Myeloid leukaemia	1.6
Thyroid	1.7	Multiple myeloma	1.6
Bone	1.6	Other and unspecified	1.5
Larynx	1.5	Melanoma of skin	1.5
All sites	215.4	All sites	155.2


China, Dangtu County (2015–2017)

SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	
Lip	2	0.1	0.3	0.2	0.01	0.01	4	0.2	0.6	0.2	0.00	0.02	C00
Tongue	6	0.2	0.8	0.5	0.04	0.04	6	0.3	0.9	0.7	0.05	0.08	C01–02
Mouth	8	0.3	1.1	0.7	0.05	0.08	1	0.1	0.1	0.1	0.01	0.01	C03–06
Salivary glands	6	0.2	0.8	0.6	0.04	0.04	3	0.2	0.4	0.3	0.03	0.05	C07–08
Tonsil	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C09
Other oropharynx	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C10
Nasopharynx	39	1.4	5.3	3.5	0.30	0.43	16	0.9	2.3	1.3	0.08	0.14	C11
Hypopharynx	6	0.2	0.8	0.5	0.04	0.06	0	0.0	0.0	0.0	0.00	0.00	C12–13
Pharynx unspecified	1	0.0	0.1	0.1	0.01	0.01	0	0.0	0.0	0.0	0.00	0.00	C14
Oesophagus	205	7.6	28.0	15.4	0.75	2.08	60	3.4	8.6	4.1	0.11	0.50	C15
Stomach	615	22.7	84.0	47.2	2.56	5.69	239	13.4	34.4	18.7	1.10	2.15	C16
Small intestine	13	0.5	1.8	1.1	0.08	0.16	7	0.4	1.0	0.7	0.06	0.08	C17
Colon	145	5.4	19.8	12.3	0.85	1.52	134	7.5	19.3	10.7	0.65	1.30	C18
Rectum	144	5.3	19.7	11.8	0.77	1.38	66	3.7	9.5	5.7	0.38	0.69	C19–20
Anus	1	0.0	0.1	0.1	0.00	0.01	2	0.1	0.3	0.1	0.01	0.01	C21
Liver	250	9.2	34.2	20.0	1.31	2.41	121	6.8	17.4	9.3	0.53	0.98	C22
Gallbladder etc.	43	1.6	5.9	3.1	0.10	0.44	32	1.8	4.6	2.6	0.16	0.33	C23–24
Pancreas	79	2.9	10.8	5.9	0.28	0.80	54	3.0	7.8	3.8	0.15	0.40	C25
Nose, sinuses etc.	4	0.1	0.5	0.3	0.03	0.05	3	0.2	0.4	0.2	0.02	0.02	C30–31
Larynx	21	0.8	2.9	1.5	0.07	0.17	2	0.1	0.3	0.1	0.01	0.01	C32
Trachea, bronchus, and lung	682	25.2	93.2	50.9	2.28	6.44	218	12.2	31.4	16.3	0.85	1.80	C33–34
Other thoracic organs	8	0.3	1.1	0.6	0.03	0.03	3	0.2	0.4	0.4	0.03	0.03	C37–38
Bone	14	0.5	1.9	1.6	0.11	0.19	9	0.5	1.3	1.1	0.06	0.08	C40–41
Melanoma of skin	12	0.4	1.6	0.9	0.06	0.12	11	0.6	1.6	1.5	0.07	0.14	C43
Other skin	26	1.0	3.6	2.0	0.11	0.22	17	1.0	2.4	1.2	0.06	0.14	C44
Mesothelioma	1	0.0	0.1	0.1	0.01	0.01	0	0.0	0.0	0.0	0.00	0.00	C45
Kaposi sarcoma	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C46
Connective and soft tissue	8	0.3	1.1	1.2	0.06	0.06	6	0.3	0.9	0.5	0.03	0.08	C47+C49
Breast	2	0.1	0.3	0.2	0.01	0.01	258	14.5	37.1	24.4	2.12	2.46	C50
Vulva							2	0.1	0.3	0.2	0.00	0.03	C51
Vagina							2	0.1	0.3	0.2	0.01	0.02	C52
Cervix uteri							128	7.2	18.4	11.8	0.98	1.19	C53
Corpus uteri							46	2.6	6.6	4.1	0.39	0.44	C54
Uterus unspecified							6	0.3	0.9	0.6	0.04	0.08	C55
Ovary							61	3.4	8.8	5.9	0.46	0.62	C56
Other female genital organs							4	0.2	0.6	0.4	0.04	0.05	C57
Placenta							0	0.0	0.0	0.0	0.00	0.00	C58
Penis	10	0.4	1.4	0.8	0.06	0.11							C60
Prostate	85	3.1	11.6	6.1	0.17	0.71							C61
Testis	0	0.0	0.0	0.0	0.00	0.00							C62
Other male genital organs	0	0.0	0.0	0.0	0.00	0.00							C63
Kidney	27	1.0	3.7	2.4	0.16	0.26	25	1.4	3.6	2.1	0.13	0.25	C64
Renal pelvis	3	0.1	0.4	0.3	0.02	0.04	3	0.2	0.4	0.3	0.03	0.03	C65
Ureter	5	0.2	0.7	0.4	0.01	0.06	2	0.1	0.3	0.1	0.01	0.01	C66
Bladder	63	2.3	8.6	5.0	0.27	0.62	6	0.3	0.9	0.4	0.00	0.04	C67
Other urinary organs	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C68
Eye	2	0.1	0.3	0.2	0.01	0.03	2	0.1	0.3	0.4	0.02	0.02	C69
Brain and nervous system	37	1.4	5.1	3.4	0.23	0.36	46	2.6	6.6	4.7	0.32	0.51	C70–72
Thyroid	17	0.6	2.3	1.7	0.15	0.17	92	5.2	13.2	10.1	0.81	0.91	C73
Adrenal gland	3	0.1	0.4	0.2	0.01	0.01	1	0.1	0.1	0.1	0.01	0.01	C74
Other endocrine	1	0.0	0.1	0.1	0.01	0.01	1	0.1	0.1	0.1	0.01	0.01	C75
Hodgkin lymphoma	1	0.0	0.1	0.1	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C81
Non-Hodgkin lymphoma	51	1.9	7.0	4.4	0.32	0.47	26	1.5	3.7	2.5	0.17	0.30	C82–86,C96
Immunoproliferative diseases	1	0.0	0.1	0.1	0.00	0.01	2	0.1	0.3	0.2	0.01	0.02	C88
Multiple myeloma	14	0.5	1.9	1.1	0.08	0.12	17	1.0	2.4	1.6	0.13	0.21	C90
Lymphoid leukaemia	22	0.8	3.0	2.4	0.16	0.24	7	0.4	1.0	0.6	0.03	0.07	C91
Myeloid leukaemia	24	0.9	3.3	2.3	0.17	0.22	15	0.8	2.2	1.6	0.14	0.16	C92–94
Leukaemia unspecified	9	0.3	1.2	0.7	0.04	0.05	14	0.8	2.0	1.4	0.08	0.13	C95
Myeloproliferative disorders	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	MPD
Myelodysplastic syndromes	5	0.2	0.7	0.4	0.01	0.04	2	0.1	0.3	0.2	0.02	0.02	MPS
Other and unspecified	14	0.5	1.9	0.9	0.03	0.11	20	1.1	2.9	1.5	0.07	0.15	O&U
All sites	2735		373.6	215.4	11.89	26.14	1802		259.3	155.2	10.46	16.78	C00–96
All sites except C44	2709	100.0	370.1	213.4	11.78	25.91	1785	100.0	256.9	154.0	10.40	16.64	C00–96 exc. C44

China, Danyang City

CONTRIBUTORS

Lili Chen
Jiahui Hu
Jiaye Wang
Junxia Chen



NOTES ON THE DATA

*No questionnaire.

20 major cancers, ASR (World) per 100 000

<i>Male</i>		<i>Female</i>	
Stomach	81.4	Stomach	33.4
Trachea, bronchus, and lung	48.1	Breast	23.3
Oesophagus	46.4	Oesophagus	20.0
Liver	27.1	Trachea, bronchus, and lung	19.1
Rectum	11.0	Liver	10.3
Colon	10.4	Cervix uteri	9.8
Pancreas	7.7	Colon	7.9
Prostate	6.3	Rectum	6.7
Bladder	5.5	Pancreas	5.4
Brain and nervous system	4.5	Thyroid	5.2
Non-Hodgkin lymphoma	3.2	Ovary	4.5
Other and unspecified	3.1	Corpus uteri	3.6
Nasopharynx	2.6	Brain and nervous system	3.4
Leukaemia unspecified	2.4	Gallbladder etc.	3.3
Bone	2.2	Non-Hodgkin lymphoma	1.9
Gallbladder etc.	2.1	Other and unspecified	1.8
Lymphoid leukaemia	1.9	Bone	1.6
Myeloid leukaemia	1.6	Leukaemia unspecified	1.4
Larynx	1.6	Lymphoid leukaemia	1.2
Kidney	1.4	Myeloid leukaemia	1.1
All sites	282.0	All sites	174.9

*China, Danyang City (2013–2017)


SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	
Lip	5	0.0	0.2	0.1	0.01	0.01	4	0.1	0.2	0.1	0.00	0.01	C00
Tongue	16	0.2	0.8	0.4	0.02	0.07	13	0.2	0.6	0.3	0.02	0.04	C01–02
Mouth	21	0.2	1.0	0.5	0.02	0.06	12	0.2	0.6	0.3	0.01	0.04	C03–06
Salivary glands	5	0.0	0.2	0.2	0.01	0.02	9	0.1	0.4	0.3	0.02	0.02	C07–08
Tonsil	4	0.0	0.2	0.1	0.01	0.02	1	0.0	0.0	0.0	0.00	0.00	C09
Other oropharynx	7	0.1	0.3	0.2	0.01	0.03	1	0.0	0.0	0.0	0.00	0.00	C10
Nasopharynx	89	0.9	4.4	2.6	0.16	0.29	42	0.6	2.0	1.1	0.07	0.11	C11
Hypopharynx	10	0.1	0.5	0.3	0.02	0.03	2	0.0	0.1	0.1	0.01	0.01	C12–13
Pharynx unspecified	15	0.1	0.7	0.4	0.01	0.04	8	0.1	0.4	0.2	0.01	0.02	C14
Oesophagus	1733	16.8	85.2	46.4	2.17	5.63	890	12.8	43.0	20.0	0.65	2.24	C15
Stomach	3063	29.7	150.5	81.4	3.92	10.14	1415	20.4	68.4	33.4	1.38	3.72	C16
Small intestine	51	0.5	2.5	1.4	0.07	0.13	27	0.4	1.3	0.7	0.04	0.07	C17
Colon	375	3.6	18.4	10.4	0.43	1.07	327	4.7	15.8	7.9	0.39	0.83	C18
Rectum	396	3.8	19.5	11.0	0.53	1.26	269	3.9	13.0	6.7	0.31	0.77	C19–20
Anus	20	0.2	1.0	0.5	0.02	0.07	16	0.2	0.8	0.4	0.01	0.04	C21
Liver	975	9.4	47.9	27.1	1.60	3.04	433	6.2	20.9	10.3	0.47	1.15	C22
Gallbladder etc.	80	0.8	3.9	2.1	0.06	0.20	141	2.0	6.8	3.3	0.16	0.35	C23–24
Pancreas	282	2.7	13.9	7.7	0.36	0.78	240	3.5	11.6	5.4	0.23	0.60	C25
Nose, sinuses etc.	9	0.1	0.4	0.2	0.01	0.03	5	0.1	0.2	0.1	0.00	0.01	C30–31
Larynx	59	0.6	2.9	1.6	0.09	0.17	5	0.1	0.2	0.1	0.00	0.00	C32
Trachea, bronchus, and lung	1805	17.5	88.7	48.1	1.97	5.41	801	11.6	38.7	19.1	0.99	2.10	C33–34
Other thoracic organs	20	0.2	1.0	0.6	0.03	0.06	19	0.3	0.9	0.4	0.02	0.06	C37–38
Bone	73	0.7	3.6	2.2	0.11	0.23	55	0.8	2.7	1.6	0.08	0.13	C40–41
Melanoma of skin	10	0.1	0.5	0.3	0.01	0.04	10	0.1	0.5	0.3	0.02	0.03	C43
Other skin	46	0.4	2.3	1.3	0.05	0.10	43	0.6	2.1	1.0	0.04	0.07	C44
Mesothelioma	1	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C45
Kaposi sarcoma	0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.0	0.0	0.00	0.00	C46
Connective and soft tissue	12	0.1	0.6	0.5	0.03	0.04	3	0.0	0.1	0.1	0.01	0.01	C47+C49
Breast	4	0.0	0.2	0.1	0.00	0.01	826	11.9	39.9	23.3	2.02	2.42	C50
Vulva							5	0.1	0.2	0.1	0.01	0.01	C51
Vagina							5	0.1	0.2	0.1	0.00	0.02	C52
Cervix uteri							343	4.9	16.6	9.8	0.80	1.00	C53
Corpus uteri							134	1.9	6.5	3.6	0.27	0.43	C54
Uterus unspecified							11	0.2	0.5	0.3	0.02	0.02	C55
Ovary							157	2.3	7.6	4.5	0.31	0.49	C56
Other female genital organs							8	0.1	0.4	0.2	0.01	0.03	C57
Placenta							0	0.0	0.0	0.0	0.00	0.00	C58
Penis	18	0.2	0.9	0.5	0.02	0.04							C60
Prostate	239	2.3	11.7	6.3	0.10	0.56							C61
Testis	5	0.0	0.2	0.2	0.01	0.01							C62
Other male genital organs	0	0.0	0.0	0.0	0.00	0.00							C63
Kidney	51	0.5	2.5	1.4	0.07	0.16	35	0.5	1.7	1.0	0.05	0.12	C64
Renal pelvis	10	0.1	0.5	0.3	0.01	0.04	6	0.1	0.3	0.1	0.00	0.01	C65
Ureter	10	0.1	0.5	0.2	0.00	0.03	1	0.0	0.0	0.0	0.00	0.00	C66
Bladder	205	2.0	10.1	5.5	0.24	0.54	46	0.7	2.2	1.1	0.03	0.11	C67
Other urinary organs	4	0.0	0.2	0.1	0.00	0.00	2	0.0	0.1	0.1	0.00	0.00	C68
Eye	3	0.0	0.1	0.1	0.00	0.01	6	0.1	0.3	0.1	0.00	0.00	C69
Brain and nervous system	157	1.5	7.7	4.5	0.25	0.46	120	1.7	5.8	3.4	0.21	0.39	C70–72
Thyroid	29	0.3	1.4	1.0	0.08	0.10	162	2.3	7.8	5.2	0.42	0.50	C73
Adrenal gland	11	0.1	0.5	0.3	0.02	0.03	11	0.2	0.5	0.3	0.01	0.04	C74
Other endocrine	1	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C75
Hodgkin lymphoma	8	0.1	0.4	0.2	0.01	0.03	6	0.1	0.3	0.2	0.01	0.01	C81
Non-Hodgkin lymphoma	112	1.1	5.5	3.2	0.18	0.37	76	1.1	3.7	1.9	0.12	0.22	C82–86,C96
Immunoproliferative diseases	2	0.0	0.1	0.1	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C88
Multiple myeloma	39	0.4	1.9	1.1	0.04	0.13	32	0.5	1.5	0.8	0.06	0.09	C90
Lymphoid leukaemia	48	0.5	2.4	1.9	0.11	0.16	43	0.6	2.1	1.2	0.07	0.11	C91
Myeloid leukaemia	55	0.5	2.7	1.6	0.10	0.18	34	0.5	1.6	1.1	0.08	0.12	C92–94
Leukaemia unspecified	66	0.6	3.2	2.4	0.14	0.22	44	0.6	2.1	1.4	0.08	0.12	C95
Myeloproliferative disorders	3	0.0	0.1	0.1	0.00	0.01	4	0.1	0.2	0.1	0.00	0.01	MPD
Myelodysplastic syndromes	2	0.0	0.1	0.1	0.00	0.00	1	0.0	0.0	0.0	0.00	0.00	MPS
Other and unspecified	108	1.0	5.3	3.1	0.16	0.33	68	1.0	3.3	1.8	0.09	0.20	O&U
All sites	10372		509.7	282.0	13.31	32.41	6978		337.2	174.9	9.61	18.91	C00–96
All sites except C44	10326	100.0	507.4	280.7	13.26	32.31	6935	100.0	335.1	173.9	9.57	18.84	C00–96 exc.C44

*See note following population pyramid

China, Dawukou District, Shizuishan City

CONTRIBUTORS

Yongjun Wu
Yue Zhang
Jie Ma
Pingwen Zhang
Ying Liu
Zuxun Qiu



NOTES ON THE DATA

*No official mortality data. Low levels of specificity of leukaemias. Rates based on low numbers due to small population.

20 major cancers, ASR (World) per 100 000

<i>Male</i>		<i>Female</i>	
Trachea, bronchus, and lung	41.5	Breast	26.0
Stomach	29.7	Trachea, bronchus, and lung	21.0
Liver	24.7	Thyroid	11.0
Oesophagus	9.9	Liver	10.7
Colon	9.0	Cervix uteri	9.9
Rectum	8.7	Stomach	9.0
Prostate	6.0	Colon	6.7
Pancreas	5.6	Rectum	5.9
Bladder	5.3	Ovary	4.6
Non-Hodgkin lymphoma	4.5	Corpus uteri	4.2
Thyroid	3.7	Oesophagus	3.8
Kidney	3.6	Pancreas	3.4
Brain and nervous system	3.5	Kidney	3.0
Other and unspecified	3.5	Brain and nervous system	2.7
Leukaemia unspecified	2.8	Non-Hodgkin lymphoma	2.6
Non-melanoma skin cancer	2.2	Gallbladder etc.	2.2
Gallbladder etc.	1.6	Leukaemia unspecified	2.1
Larynx	1.5	Other and unspecified	2.1
Myeloid leukaemia	1.2	Bladder	2.1
Bone	1.0	Non-melanoma skin cancer	1.9
All sites	178.3	All sites	144.0

*China, Dawukou District, Shizuishan City (2013–2017)


SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	
Lip	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C00
Tongue	2	0.1	0.3	0.2	0.02	0.04	1	0.1	0.2	0.1	0.01	0.01	C01–02
Mouth	0	0.0	0.0	0.0	0.00	0.00	1	0.1	0.2	0.1	0.01	0.01	C03–06
Salivary glands	2	0.1	0.3	0.2	0.03	0.03	0	0.0	0.0	0.0	0.00	0.00	C07–08
Tonsil	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C09
Other oropharynx	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C10
Nasopharynx	6	0.3	0.9	0.7	0.03	0.07	3	0.2	0.5	0.3	0.02	0.04	C11
Hypopharynx	1	0.1	0.2	0.1	0.02	0.02	0	0.0	0.0	0.0	0.00	0.00	C12–13
Pharynx unspecified	4	0.2	0.6	0.4	0.02	0.02	0	0.0	0.0	0.0	0.00	0.00	C14
Oesophagus	103	5.6	15.5	9.9	0.39	1.26	42	2.8	6.4	3.8	0.14	0.45	C15
Stomach	309	16.9	46.5	29.7	1.56	3.77	99	6.7	15.0	9.0	0.43	1.04	C16
Small intestine	10	0.5	1.5	1.0	0.03	0.10	9	0.6	1.4	0.8	0.02	0.10	C17
Colon	93	5.1	14.0	9.0	0.45	1.16	70	4.7	10.6	6.7	0.34	0.81	C18
Rectum	93	5.1	14.0	8.7	0.40	1.11	62	4.2	9.4	5.9	0.35	0.70	C19–20
Anus	1	0.1	0.2	0.1	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C21
Liver	247	13.5	37.2	24.7	1.83	2.70	116	7.8	17.5	10.7	0.55	1.38	C22
Gallbladder etc.	22	1.2	3.3	1.6	0.04	0.16	24	1.6	3.6	2.2	0.10	0.24	C23–24
Pancreas	59	3.2	8.9	5.6	0.25	0.83	39	2.6	5.9	3.4	0.17	0.41	C25
Nose, sinuses etc.	6	0.3	0.9	0.8	0.02	0.09	2	0.1	0.3	0.2	0.02	0.02	C30–31
Larynx	17	0.9	2.6	1.5	0.05	0.17	3	0.2	0.5	0.3	0.01	0.03	C32
Trachea, bronchus, and lung	449	24.6	67.6	41.5	1.62	5.14	235	15.8	35.5	21.0	0.80	2.42	C33–34
Other thoracic organs	5	0.3	0.8	0.5	0.04	0.06	3	0.2	0.5	0.3	0.02	0.04	C37–38
Bone	8	0.4	1.2	1.0	0.08	0.08	9	0.6	1.4	1.4	0.08	0.10	C40–41
Melanoma of skin	3	0.2	0.5	0.3	0.03	0.03	4	0.3	0.6	0.4	0.02	0.06	C43
Other skin	24	1.3	3.6	2.2	0.11	0.25	19	1.3	2.9	1.9	0.03	0.23	C44
Mesothelioma	2	0.1	0.3	0.2	0.01	0.03	2	0.1	0.3	0.3	0.00	0.02	C45
Kaposi sarcoma	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C46
Connective and soft tissue	5	0.3	0.8	0.5	0.04	0.06	6	0.4	0.9	0.6	0.05	0.05	C47+C49
Breast	4	0.2	0.6	0.4	0.02	0.04	270	18.2	40.8	26.0	2.09	2.80	C50
Vulva							1	0.1	0.2	0.1	0.00	0.00	C51
Vagina							2	0.1	0.3	0.1	0.01	0.01	C52
Cervix uteri							99	6.7	15.0	9.9	0.77	1.04	C53
Corpus uteri							42	2.8	6.4	4.2	0.36	0.48	C54
Uterus unspecified							11	0.7	1.7	0.9	0.06	0.08	C55
Ovary							46	3.1	7.0	4.6	0.38	0.50	C56
Other female genital organs							1	0.1	0.2	0.1	0.01	0.01	C57
Placenta							0	0.0	0.0	0.0	0.00	0.00	C58
Penis	5	0.3	0.8	0.4	0.01	0.03							C60
Prostate	69	3.8	10.4	6.0	0.10	0.71							C61
Testis	2	0.1	0.3	0.3	0.02	0.02							C62
Other male genital organs	1	0.1	0.2	0.1	0.00	0.00							C63
Kidney	36	2.0	5.4	3.6	0.24	0.47	31	2.1	4.7	3.0	0.20	0.34	C64
Renal pelvis	4	0.2	0.6	0.3	0.02	0.02	4	0.3	0.6	0.3	0.02	0.02	C65
Ureter	9	0.5	1.4	0.8	0.02	0.11	5	0.3	0.8	0.4	0.00	0.08	C66
Bladder	59	3.2	8.9	5.3	0.17	0.67	21	1.4	3.2	2.1	0.11	0.25	C67
Other urinary organs	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C68
Eye	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C69
Brain and nervous system	29	1.6	4.4	3.5	0.21	0.30	24	1.6	3.6	2.7	0.15	0.29	C70–72
Thyroid	37	2.0	5.6	3.7	0.31	0.41	110	7.4	16.6	11.0	0.90	1.20	C73
Adrenal gland	1	0.1	0.2	0.1	0.00	0.00	2	0.1	0.3	0.2	0.02	0.02	C74
Other endocrine	2	0.1	0.3	0.2	0.01	0.01	3	0.2	0.5	0.3	0.03	0.03	C75
Hodgkin lymphoma	2	0.1	0.3	0.2	0.01	0.01	1	0.1	0.2	0.1	0.01	0.01	C81
Non-Hodgkin lymphoma	38	2.1	5.7	4.5	0.25	0.43	26	1.8	3.9	2.6	0.14	0.32	C82–86,C96
Immunoproliferative diseases	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C88
Multiple myeloma	12	0.7	1.8	1.0	0.06	0.11	6	0.4	0.9	0.6	0.04	0.06	C90
Lymphoid leukaemia	3	0.2	0.5	0.2	0.00	0.05	5	0.3	0.8	1.1	0.06	0.08	C91
Myeloid leukaemia	10	0.5	1.5	1.2	0.09	0.09	4	0.3	0.6	0.4	0.04	0.06	C92–94
Leukaemia unspecified	20	1.1	3.0	2.8	0.17	0.26	14	0.9	2.1	2.1	0.11	0.14	C95
Myeloproliferative disorders	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	MPD
Myelodysplastic syndromes	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	MPS
Other and unspecified	37	2.0	5.6	3.5	0.16	0.43	26	1.8	3.9	2.1	0.05	0.30	O&U
All sites	1851		278.8	178.3	8.94	21.36	1503		227.3	144.0	8.73	16.27	C00–96
All sites except C44	1827	100.0	275.2	176.1	8.83	21.11	1484	100.0	224.4	142.1	8.69	16.04	C00–96 exc. C44

*See note following population pyramid

China, Dehui City

CONTRIBUTORS

Zhifang Cheng
Wei Jiang
Mingxin Ling



NOTES ON THE DATA

*Low levels of specificity of leukaemias. No questionnaire.

20 major cancers, ASR (World) per 100 000

<i>Male</i>		<i>Female</i>	
Trachea, bronchus, and lung	52.6	Trachea, bronchus, and lung	38.3
Liver	30.7	Thyroid	25.6
Stomach	23.5	Breast	25.3
Rectum	7.1	Liver	12.0
Bladder	6.3	Stomach	10.7
Colon	5.5	Cervix uteri	7.9
Brain and nervous system	5.0	Brain and nervous system	6.8
Pancreas	4.9	Corpus uteri	4.9
Oesophagus	4.3	Ovary	4.9
Thyroid	4.3	Colon	4.5
Larynx	3.6	Rectum	4.4
Leukaemia unspecified	3.0	Pancreas	3.6
Non-Hodgkin lymphoma	2.2	Leukaemia unspecified	2.7
Prostate	1.9	Bladder	2.5
Kidney	1.9	Larynx	1.9
Nasopharynx	1.8	Kidney	1.7
Bone	1.7	Myeloid leukaemia	1.6
Other and unspecified	1.4	Bone	1.5
Lymphoid leukaemia	1.2	Other and unspecified	1.3
Myeloid leukaemia	1.0	Non-Hodgkin lymphoma	1.2
All sites	169.9	All sites	172.4

*China, Dehui City (2013–2017)


SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	
Lip	5	0.1	0.2	0.2	0.01	0.02	0	0.0	0.0	0.0	0.00	0.00	C00
Tongue	15	0.3	0.6	0.5	0.04	0.05	2	0.0	0.1	0.1	0.00	0.01	C01–02
Mouth	13	0.3	0.6	0.4	0.02	0.05	7	0.1	0.3	0.2	0.01	0.03	C03–06
Salivary glands	9	0.2	0.4	0.3	0.02	0.04	10	0.2	0.4	0.3	0.02	0.03	C07–08
Tonsil	1	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C09
Other oropharynx	5	0.1	0.2	0.1	0.01	0.01	3	0.1	0.1	0.1	0.00	0.01	C10
Nasopharynx	55	1.1	2.3	1.8	0.14	0.19	35	0.7	1.5	1.1	0.07	0.14	C11
Hypopharynx	6	0.1	0.3	0.2	0.02	0.02	1	0.0	0.0	0.0	0.00	0.00	C12–13
Pharynx unspecified	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C14
Oesophagus	132	2.6	5.6	4.3	0.30	0.53	15	0.3	0.7	0.5	0.02	0.04	C15
Stomach	702	13.8	29.8	23.5	1.24	3.04	316	6.0	13.8	10.7	0.58	1.40	C16
Small intestine	10	0.2	0.4	0.3	0.02	0.04	6	0.1	0.3	0.2	0.01	0.02	C17
Colon	167	3.3	7.1	5.5	0.31	0.64	133	2.5	5.8	4.5	0.25	0.57	C18
Rectum	214	4.2	9.1	7.1	0.42	0.88	132	2.5	5.8	4.4	0.21	0.56	C19–20
Anus	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C21
Liver	958	18.9	40.6	30.7	2.10	3.62	355	6.8	15.5	12.0	0.58	1.51	C22
Gallbladder etc.	8	0.2	0.3	0.3	0.01	0.03	8	0.2	0.3	0.3	0.01	0.04	C23–24
Pancreas	145	2.9	6.1	4.9	0.25	0.56	105	2.0	4.6	3.6	0.16	0.43	C25
Nose, sinuses etc.	3	0.1	0.1	0.1	0.01	0.01	3	0.1	0.1	0.1	0.01	0.01	C30–31
Larynx	111	2.2	4.7	3.6	0.20	0.48	54	1.0	2.4	1.9	0.08	0.26	C32
Trachea, bronchus, and lung	1564	30.8	66.3	52.6	2.79	6.60	1142	21.8	49.9	38.3	1.83	4.81	C33–34
Other thoracic organs	7	0.1	0.3	0.2	0.02	0.02	10	0.2	0.4	0.3	0.03	0.04	C37–38
Bone	46	0.9	2.0	1.7	0.10	0.16	40	0.8	1.7	1.5	0.07	0.21	C40–41
Melanoma of skin	5	0.1	0.2	0.2	0.01	0.02	4	0.1	0.2	0.1	0.01	0.02	C43
Other skin	13	0.3	0.6	0.4	0.03	0.04	22	0.4	1.0	0.7	0.05	0.06	C44
Mesothelioma	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C45
Kaposi sarcoma	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C46
Connective and soft tissue	1	0.0	0.0	0.0	0.00	0.00	2	0.0	0.1	0.1	0.00	0.01	C47+C49
Breast	7	0.1	0.3	0.2	0.02	0.02	820	15.6	35.8	25.3	2.11	2.66	C50
Vulva							9	0.2	0.4	0.3	0.02	0.04	C51
Vagina							0	0.0	0.0	0.0	0.00	0.00	C52
Cervix uteri							257	4.9	11.2	7.9	0.64	0.87	C53
Corpus uteri							159	3.0	6.9	4.9	0.43	0.56	C54
Uterus unspecified							15	0.3	0.7	0.5	0.04	0.05	C55
Ovary							151	2.9	6.6	4.9	0.35	0.54	C56
Other female genital organs							6	0.1	0.3	0.2	0.01	0.03	C57
Placenta							7	0.1	0.3	0.3	0.02	0.02	C58
Penis	9	0.2	0.4	0.3	0.01	0.03							C60
Prostate	54	1.1	2.3	1.9	0.04	0.23							C61
Testis	4	0.1	0.2	0.1	0.01	0.01							C62
Other male genital organs	1	0.0	0.0	0.0	0.00	0.00							C63
Kidney	55	1.1	2.3	1.9	0.12	0.23	51	1.0	2.2	1.7	0.11	0.23	C64
Renal pelvis	5	0.1	0.2	0.2	0.01	0.02	3	0.1	0.1	0.1	0.00	0.02	C65
Ureter	5	0.1	0.2	0.2	0.01	0.01	5	0.1	0.2	0.2	0.00	0.02	C66
Bladder	187	3.7	7.9	6.3	0.31	0.75	72	1.4	3.1	2.5	0.11	0.31	C67
Other urinary organs	1	0.0	0.0	0.0	0.00	0.00	1	0.0	0.0	0.0	0.00	0.00	C68
Eye	1	0.0	0.0	0.1	0.00	0.00	4	0.1	0.2	0.1	0.01	0.02	C69
Brain and nervous system	148	2.9	6.3	5.0	0.37	0.49	204	3.9	8.9	6.8	0.48	0.78	C70–72
Thyroid	138	2.7	5.9	4.3	0.35	0.42	823	15.7	36.0	25.6	2.19	2.36	C73
Adrenal gland	4	0.1	0.2	0.1	0.01	0.01	2	0.0	0.1	0.1	0.00	0.01	C74
Other endocrine	14	0.3	0.6	0.4	0.04	0.04	24	0.5	1.0	0.9	0.07	0.09	C75
Hodgkin lymphoma	4	0.1	0.2	0.2	0.01	0.02	2	0.0	0.1	0.1	0.00	0.01	C81
Non-Hodgkin lymphoma	62	1.2	2.6	2.2	0.15	0.25	33	0.6	1.4	1.2	0.07	0.16	C82–86,C96
Immunoproliferative diseases	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C88
Multiple myeloma	16	0.3	0.7	0.5	0.03	0.07	21	0.4	0.9	0.7	0.05	0.08	C90
Lymphoid leukaemia	20	0.4	0.8	1.2	0.05	0.09	21	0.4	0.9	1.2	0.07	0.09	C91
Myeloid leukaemia	29	0.6	1.2	1.0	0.07	0.09	35	0.7	1.5	1.6	0.11	0.12	C92–94
Leukaemia unspecified	78	1.5	3.3	3.0	0.20	0.28	79	1.5	3.5	2.7	0.19	0.29	C95
Myeloproliferative disorders	5	0.1	0.2	0.2	0.02	0.02	3	0.1	0.1	0.1	0.01	0.01	MPD
Myelodysplastic syndromes	5	0.1	0.2	0.2	0.02	0.02	9	0.2	0.4	0.3	0.03	0.03	MPS
Other and unspecified	37	0.7	1.6	1.4	0.06	0.16	43	0.8	1.9	1.3	0.10	0.16	O&U
All sites	5084		215.6	169.9	10.01	20.36	5264		230.0	172.4	11.26	19.75	C00–96
All sites except C44	5071	100.0	215.1	169.5	9.98	20.33	5242	100.0	229.1	171.7	11.21	19.70	C00–96 exc. C44

*See note following population pyramid

China, Donggang County

CONTRIBUTORS

Zhang Wuwu
Cheng Dijia
Lu Hui



NOTES ON THE DATA

*No official mortality data. Low MV%. Low levels of specificity of leukaemias.

†C67 (bladder cancer) includes neoplasms of uncertain or unknown behaviour together with invasive cancers.

20 major cancers, ASR (World) per 100 000

<i>Male</i>		<i>Female</i>	
Trachea, bronchus, and lung	50.7	Trachea, bronchus, and lung	33.2
Liver	38.8	Breast	25.6
Stomach	30.7	Liver	15.7
Rectum	10.5	Stomach	12.4
Colon	9.6	Cervix uteri	9.8
Bladder	7.1	Colon	8.0
Pancreas	6.7	Rectum	7.6
Brain and nervous system	5.7	Thyroid	6.1
Leukaemia unspecified	5.4	Brain and nervous system	5.3
Oesophagus	5.0	Pancreas	4.8
Other and unspecified	3.3	Ovary	4.8
Kidney	3.0	Leukaemia unspecified	4.4
Thyroid	2.7	Corpus uteri	3.3
Prostate	2.7	Kidney	2.8
Bone	2.0	Other and unspecified	2.7
Nasopharynx	1.7	Bladder	2.1
Gallbladder etc.	1.2	Bone	1.5
Non-melanoma skin cancer	1.2	Uterus unspecified	1.5
Non-Hodgkin lymphoma	1.0	Non-melanoma skin cancer	1.1
Other thoracic organs	0.7	Gallbladder etc.	1.1
All sites	197.1	All sites	162.5

*China, Donggang County (2013–2017)


SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	
Lip	3	0.1	0.2	0.1	0.01	0.01	1	0.0	0.1	0.0	0.00	0.01	C00
Tongue	7	0.1	0.5	0.3	0.03	0.03	4	0.1	0.3	0.1	0.01	0.01	C01–02
Mouth	13	0.2	0.9	0.5	0.03	0.04	7	0.2	0.5	0.2	0.00	0.02	C03–06
Salivary glands	5	0.1	0.3	0.3	0.01	0.03	5	0.1	0.3	0.2	0.01	0.02	C07–08
Tonsil	0	0.0	0.0	0.0	0.00	0.00	2	0.0	0.1	0.1	0.00	0.01	C09
Other oropharynx	6	0.1	0.4	0.2	0.02	0.03	2	0.0	0.1	0.1	0.00	0.01	C10
Nasopharynx	46	0.8	3.0	1.7	0.14	0.21	21	0.5	1.4	0.8	0.06	0.09	C11
Hypopharynx	2	0.0	0.1	0.1	0.00	0.00	1	0.0	0.1	0.0	0.00	0.00	C12–13
Pharynx unspecified	2	0.0	0.1	0.1	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C14
Oesophagus	149	2.6	9.8	5.0	0.26	0.60	29	0.6	1.9	1.0	0.05	0.12	C15
Stomach	911	16.1	60.0	30.7	1.61	3.69	369	8.1	24.5	12.4	0.67	1.50	C16
Small intestine	20	0.4	1.3	0.7	0.07	0.08	14	0.3	0.9	0.5	0.02	0.07	C17
Colon	284	5.0	18.7	9.6	0.45	1.18	237	5.2	15.7	8.0	0.35	0.94	C18
Rectum	305	5.4	20.1	10.5	0.54	1.31	223	4.9	14.8	7.6	0.36	0.93	C19–20
Anus	1	0.0	0.1	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C21
Liver	1108	19.6	73.0	38.8	2.62	4.50	475	10.5	31.6	15.7	0.72	1.86	C22
Gallbladder etc.	37	0.7	2.4	1.2	0.04	0.13	32	0.7	2.1	1.1	0.06	0.14	C23–24
Pancreas	204	3.6	13.4	6.7	0.36	0.79	149	3.3	9.9	4.8	0.23	0.59	C25
Nose, sinuses etc.	1	0.0	0.1	0.0	0.00	0.00	4	0.1	0.3	0.1	0.00	0.01	C30–31
Larynx	18	0.3	1.2	0.6	0.04	0.08	1	0.0	0.1	0.0	0.00	0.01	C32
Trachea, bronchus, and lung	1498	26.6	98.7	50.7	2.70	6.10	1011	22.3	67.2	33.2	1.60	3.98	C33–34
Other thoracic organs	18	0.3	1.2	0.7	0.03	0.10	20	0.4	1.3	0.7	0.06	0.08	C37–38
Bone	48	0.9	3.2	2.0	0.10	0.20	40	0.9	2.7	1.5	0.10	0.19	C40–41
Melanoma of skin	2	0.0	0.1	0.1	0.01	0.01	5	0.1	0.3	0.2	0.01	0.03	C43
Other skin	35	0.6	2.3	1.2	0.06	0.14	32	0.7	2.1	1.1	0.04	0.13	C44
Mesothelioma	0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.1	0.0	0.00	0.00	C45
Kaposi sarcoma	1	0.0	0.1	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C46
Connective and soft tissue	14	0.2	0.9	0.5	0.03	0.05	16	0.4	1.1	0.8	0.05	0.07	C47+C49
Breast	15	0.3	1.0	0.6	0.04	0.06	684	15.1	45.4	25.6	2.06	2.72	C50
Vulva							2	0.0	0.1	0.1	0.01	0.01	C51
Vagina							1	0.0	0.1	0.0	0.00	0.00	C52
Cervix uteri							264	5.8	17.5	9.8	0.79	1.04	C53
Corpus uteri							93	2.1	6.2	3.3	0.29	0.40	C54
Uterus unspecified							42	0.9	2.8	1.5	0.09	0.19	C55
Ovary							128	2.8	8.5	4.8	0.34	0.52	C56
Other female genital organs							6	0.1	0.4	0.3	0.02	0.02	C57
Placenta							2	0.0	0.1	0.1	0.01	0.01	C58
Penis	14	0.2	0.9	0.5	0.02	0.05							C60
Prostate	86	1.5	5.7	2.7	0.07	0.30							C61
Testis	5	0.1	0.3	0.2	0.01	0.02							C62
Other male genital organs	2	0.0	0.1	0.1	0.00	0.01							C63
Kidney	88	1.6	5.8	3.0	0.19	0.35	60	1.3	4.0	2.8	0.15	0.30	C64
Renal pelvis	14	0.2	0.9	0.5	0.02	0.07	5	0.1	0.3	0.2	0.01	0.01	C65
Ureter	20	0.4	1.3	0.6	0.03	0.07	18	0.4	1.2	0.6	0.03	0.09	C66
†Bladder	214	3.8	14.1	7.1	0.35	0.74	64	1.4	4.3	2.1	0.09	0.25	C67
Other urinary organs	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C68
Eye	2	0.0	0.1	0.1	0.00	0.01	1	0.0	0.1	0.0	0.00	0.01	C69
Brain and nervous system	147	2.6	9.7	5.7	0.35	0.57	139	3.1	9.2	5.3	0.34	0.60	C70–72
Thyroid	66	1.2	4.3	2.7	0.20	0.26	143	3.2	9.5	6.1	0.49	0.60	C73
Adrenal gland	0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.1	0.3	0.01	0.01	C74
Other endocrine	4	0.1	0.3	0.1	0.01	0.02	4	0.1	0.3	0.1	0.01	0.02	C75
Hodgkin lymphoma	16	0.3	1.1	0.7	0.04	0.07	18	0.4	1.2	0.7	0.05	0.07	C81
Non-Hodgkin lymphoma	21	0.4	1.4	1.0	0.08	0.09	20	0.4	1.3	0.8	0.06	0.08	C82–86,C96
Immunoproliferative diseases	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C88
Multiple myeloma	1	0.0	0.1	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C90
Lymphoid leukaemia	3	0.1	0.2	0.1	0.00	0.02	2	0.0	0.1	0.1	0.00	0.01	C91
Myeloid leukaemia	7	0.1	0.5	0.2	0.01	0.02	3	0.1	0.2	0.1	0.01	0.01	C92–94
Leukaemia unspecified	119	2.1	7.8	5.4	0.27	0.57	89	2.0	5.9	4.4	0.24	0.44	C95
Myeloproliferative disorders	2	0.0	0.1	0.1	0.00	0.02	1	0.0	0.1	0.1	0.00	0.00	MPD
Myelodysplastic syndromes	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	MPS
Other and unspecified	93	1.6	6.1	3.3	0.17	0.38	70	1.5	4.7	2.7	0.16	0.27	O&U
All sites	5677		374.0	197.1	11.05	23.01	4561		303.0	162.5	9.70	18.50	C00–96
All sites except C44	5642	100.0	371.7	195.9	10.99	22.87	4529	100.0	300.9	161.3	9.65	18.36	C00–96 exc. C44

*†See note following population pyramid

China, Dongguan City

CONTRIBUTORS

Jieying Zhong
Miaochang Chen
Yaqing Huang
Xufang Yao
Jiankun Wei
Yinlei Yin
Yifei Zhong



NOTES ON THE DATA

*No official mortality data.

20 major cancers, ASR (World) per 100 000

<i>Male</i>		<i>Female</i>	
Trachea, bronchus, and lung	44.0	Breast	34.3
Liver	34.7	Trachea, bronchus, and lung	21.9
Colon	18.4	Thyroid	19.8
Nasopharynx	15.5	Colon	15.5
Rectum	11.6	Cervix uteri	11.3
Prostate	9.8	Corpus uteri	9.0
Stomach	9.6	Liver	7.3
Thyroid	7.0	Rectum	7.3
Non-Hodgkin lymphoma	6.2	Nasopharynx	5.8
Bladder	5.8	Stomach	5.8
Kidney	4.5	Ovary	5.5
Oesophagus	3.9	Non-Hodgkin lymphoma	4.4
Non-melanoma skin cancer	3.9	Non-melanoma skin cancer	3.3
Pancreas	3.8	Other and unspecified	3.3
Brain and nervous system	3.5	Pancreas	2.8
Other and unspecified	3.1	Brain and nervous system	2.5
Larynx	3.0	Lymphoid leukaemia	2.5
Myeloid leukaemia	2.9	Myeloid leukaemia	2.3
Lymphoid leukaemia	2.5	Kidney	2.1
Gallbladder etc.	1.9	Gallbladder etc.	1.8
All sites	214.4	All sites	181.7

*China, Dongguan City (2015–2017)


SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	
Lip	5	0.1	0.2	0.1	0.01	0.01	3	0.0	0.1	0.1	0.00	0.00	C00
Tongue	50	0.6	1.6	1.2	0.08	0.14	36	0.5	1.2	0.8	0.05	0.08	C01–02
Mouth	45	0.5	1.5	1.2	0.09	0.15	25	0.3	0.8	0.6	0.04	0.07	C03–06
Salivary glands	30	0.4	1.0	0.8	0.06	0.07	17	0.2	0.6	0.4	0.03	0.03	C07–08
Tonsil	10	0.1	0.3	0.3	0.01	0.03	3	0.0	0.1	0.1	0.01	0.01	C09
Other oropharynx	7	0.1	0.2	0.2	0.01	0.02	1	0.0	0.0	0.0	0.00	0.01	C10
Nasopharynx	610	7.3	19.9	15.5	1.21	1.73	245	3.1	8.1	5.8	0.46	0.61	C11
Hypopharynx	24	0.3	0.8	0.6	0.05	0.07	0	0.0	0.0	0.0	0.00	0.00	C12–13
Pharynx unspecified	7	0.1	0.2	0.2	0.01	0.03	2	0.0	0.1	0.0	0.00	0.01	C14
Oesophagus	162	1.9	5.3	3.9	0.24	0.46	44	0.6	1.5	0.7	0.02	0.06	C15
Stomach	394	4.7	12.9	9.6	0.51	1.12	272	3.4	9.0	5.8	0.33	0.68	C16
Small intestine	42	0.5	1.4	1.0	0.06	0.11	39	0.5	1.3	0.8	0.06	0.08	C17
Colon	759	9.0	24.8	18.4	1.02	2.20	731	9.3	24.3	15.5	0.90	1.87	C18
Rectum	467	5.6	15.2	11.6	0.69	1.40	355	4.5	11.8	7.3	0.41	0.80	C19–20
Anus	8	0.1	0.3	0.2	0.01	0.02	6	0.1	0.2	0.1	0.00	0.01	C21
Liver	1375	16.3	44.9	34.7	2.55	4.03	358	4.5	11.9	7.3	0.38	0.81	C22
Gallbladder etc.	78	0.9	2.5	1.9	0.11	0.21	98	1.2	3.3	1.8	0.09	0.20	C23–24
Pancreas	157	1.9	5.1	3.8	0.16	0.49	143	1.8	4.8	2.8	0.11	0.36	C25
Nose, sinuses etc.	14	0.2	0.5	0.4	0.02	0.04	9	0.1	0.3	0.2	0.02	0.02	C30–31
Larynx	119	1.4	3.9	3.0	0.16	0.40	7	0.1	0.2	0.1	0.01	0.01	C32
Trachea, bronchus, and lung	1808	21.5	59.0	44.0	2.24	5.38	1073	13.6	35.7	21.9	1.17	2.60	C33–34
Other thoracic organs	35	0.4	1.1	1.0	0.08	0.10	19	0.2	0.6	0.4	0.03	0.05	C37–38
Bone	34	0.4	1.1	1.0	0.05	0.08	25	0.3	0.8	0.7	0.04	0.06	C40–41
Melanoma of skin	26	0.3	0.8	0.6	0.04	0.06	17	0.2	0.6	0.3	0.02	0.03	C43
Other skin	172	2.0	5.6	3.9	0.16	0.39	184	2.3	6.1	3.3	0.12	0.34	C44
Mesothelioma	10	0.1	0.3	0.2	0.01	0.03	7	0.1	0.2	0.1	0.01	0.01	C45
Kaposi sarcoma	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C46
Connective and soft tissue	61	0.7	2.0	1.5	0.10	0.15	57	0.7	1.9	1.5	0.10	0.13	C47+C49
Breast	9	0.1	0.3	0.2	0.01	0.02	1450	18.4	48.2	34.3	2.94	3.61	C50
Vulva							25	0.3	0.8	0.5	0.02	0.06	C51
Vagina							10	0.1	0.3	0.2	0.02	0.02	C52
Cervix uteri							484	6.1	16.1	11.3	0.93	1.27	C53
Corpus uteri							380	4.8	12.6	9.0	0.82	0.95	C54
Uterus unspecified							9	0.1	0.3	0.2	0.01	0.02	C55
Ovary							226	2.9	7.5	5.5	0.40	0.61	C56
Other female genital organs							10	0.1	0.3	0.2	0.02	0.02	C57
Placenta							1	0.0	0.0	0.0	0.00	0.00	C58
Penis	31	0.4	1.0	0.7	0.05	0.07							C60
Prostate	431	5.1	14.1	9.8	0.23	1.11							C61
Testis	34	0.4	1.1	1.1	0.07	0.07							C62
Other male genital organs	6	0.1	0.2	0.2	0.01	0.02							C63
Kidney	173	2.1	5.6	4.5	0.28	0.48	89	1.1	3.0	2.1	0.14	0.24	C64
Renal pelvis	22	0.3	0.7	0.5	0.01	0.06	13	0.2	0.4	0.2	0.01	0.02	C65
Ureter	13	0.2	0.4	0.3	0.02	0.05	3	0.0	0.1	0.1	0.00	0.01	C66
Bladder	245	2.9	8.0	5.8	0.24	0.62	64	0.8	2.1	1.3	0.06	0.15	C67
Other urinary organs	6	0.1	0.2	0.1	0.00	0.01	6	0.1	0.2	0.1	0.00	0.01	C68
Eye	5	0.1	0.2	0.3	0.01	0.01	2	0.0	0.1	0.2	0.01	0.01	C69
Brain and nervous system	116	1.4	3.8	3.5	0.19	0.33	98	1.2	3.3	2.5	0.16	0.21	C70–72
Thyroid	271	3.2	8.8	7.0	0.58	0.70	797	10.1	26.5	19.8	1.59	1.90	C73
Adrenal gland	8	0.1	0.3	0.2	0.02	0.02	9	0.1	0.3	0.3	0.02	0.02	C74
Other endocrine	10	0.1	0.3	0.4	0.02	0.03	8	0.1	0.3	0.2	0.02	0.02	C75
Hodgkin lymphoma	12	0.1	0.4	0.4	0.02	0.04	13	0.2	0.4	0.3	0.03	0.03	C81
Non-Hodgkin lymphoma	238	2.8	7.8	6.2	0.37	0.71	184	2.3	6.1	4.4	0.30	0.47	C82–86,C96
Immunoproliferative diseases	1	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C88
Multiple myeloma	70	0.8	2.3	1.8	0.08	0.24	55	0.7	1.8	1.2	0.06	0.15	C90
Lymphoid leukaemia	62	0.7	2.0	2.5	0.12	0.17	55	0.7	1.8	2.5	0.12	0.16	C91
Myeloid leukaemia	106	1.3	3.5	2.9	0.20	0.31	90	1.1	3.0	2.3	0.17	0.22	C92–94
Leukaemia unspecified	38	0.5	1.2	1.0	0.06	0.09	30	0.4	1.0	0.7	0.03	0.06	C95
Myeloproliferative disorders	32	0.4	1.0	0.9	0.07	0.08	25	0.3	0.8	0.5	0.02	0.06	MPD
Myelodysplastic syndromes	4	0.0	0.1	0.1	0.00	0.01	3	0.0	0.1	0.1	0.00	0.00	MPS
Other and unspecified	132	1.6	4.3	3.1	0.15	0.29	157	2.0	5.2	3.3	0.18	0.33	O&U
All sites	8584		280.1	214.4	12.57	24.47	8072		268.4	181.7	12.48	19.60	C00–96
All sites except C44	8412	100.0	274.5	210.5	12.40	24.08	7888	100.0	262.3	178.4	12.37	19.26	C00–96 exc. C44

*See note following population pyramid

China, Donghai County

CONTRIBUTORS

Jin Zhong
Yong Wang
Tonghao Wu
Jin Ma
Xiao Chen
Shijie Chen
Qiqi Peng
Lei Chen
Yuanyuan Ji



20 major cancers, ASR (World) per 100 000

<i>Male</i>		<i>Female</i>	
Trachea, bronchus, and lung	47.6	Trachea, bronchus, and lung	26.9
Liver	24.4	Breast	23.6
Stomach	18.5	Liver	10.5
Oesophagus	17.1	Cervix uteri	9.8
Rectum	7.1	Stomach	8.2
Bladder	4.7	Oesophagus	5.2
Colon	4.4	Rectum	4.5
Pancreas	3.9	Corpus uteri	4.2
Non-Hodgkin lymphoma	3.7	Thyroid	3.7
Brain and nervous system	3.1	Ovary	3.4
Gallbladder etc.	2.9	Brain and nervous system	3.2
Prostate	2.4	Colon	3.1
Myeloid leukaemia	2.3	Pancreas	2.8
Nasopharynx	2.3	Non-Hodgkin lymphoma	2.5
Leukaemia unspecified	2.0	Gallbladder etc.	2.1
Bone	1.9	Myeloid leukaemia	1.9
Kidney	1.8	Uterus unspecified	1.8
Non-melanoma skin cancer	1.6	Other and unspecified	1.7
Larynx	1.6	Leukaemia unspecified	1.4
Lymphoid leukaemia	1.4	Bone	1.4
All sites	163.2	All sites	132.3


China, Donghai County (2013–2017)

SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	
Lip	7	0.1	0.2	0.1	0.00	0.01	5	0.1	0.2	0.1	0.00	0.01	C00
Tongue	15	0.2	0.5	0.3	0.01	0.04	8	0.2	0.3	0.2	0.02	0.02	C01–02
Mouth	15	0.2	0.5	0.3	0.02	0.04	11	0.2	0.4	0.2	0.01	0.03	C03–06
Salivary glands	12	0.2	0.4	0.3	0.02	0.04	4	0.1	0.1	0.1	0.01	0.01	C07–08
Tonsil	6	0.1	0.2	0.1	0.01	0.02	4	0.1	0.1	0.1	0.01	0.01	C09
Other oropharynx	1	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C10
Nasopharynx	87	1.2	2.7	2.3	0.15	0.29	42	0.8	1.4	1.1	0.08	0.13	C11
Hypopharynx	4	0.1	0.1	0.1	0.00	0.02	0	0.0	0.0	0.0	0.00	0.00	C12–13
Pharynx unspecified	10	0.1	0.3	0.2	0.02	0.02	0	0.0	0.0	0.0	0.00	0.00	C14
Oesophagus	766	11.0	24.0	17.1	0.63	2.15	235	4.6	8.0	5.2	0.15	0.58	C15
Stomach	819	11.7	25.7	18.5	0.88	2.24	363	7.0	12.4	8.2	0.39	0.83	C16
Small intestine	24	0.3	0.8	0.6	0.02	0.07	15	0.3	0.5	0.4	0.03	0.05	C17
Colon	191	2.7	6.0	4.4	0.22	0.55	127	2.5	4.3	3.1	0.16	0.38	C18
Rectum	302	4.3	9.5	7.1	0.37	0.91	183	3.5	6.2	4.5	0.20	0.57	C19–20
Anus	2	0.0	0.1	0.0	0.00	0.00	1	0.0	0.0	0.0	0.00	0.00	C21
Liver	1037	14.8	32.5	24.4	1.56	2.86	428	8.3	14.6	10.5	0.58	1.24	C22
Gallbladder etc.	129	1.8	4.0	2.9	0.12	0.36	93	1.8	3.2	2.1	0.08	0.23	C23–24
Pancreas	162	2.3	5.1	3.9	0.20	0.51	116	2.2	4.0	2.8	0.10	0.34	C25
Nose, sinuses etc.	9	0.1	0.3	0.2	0.01	0.03	11	0.2	0.4	0.3	0.02	0.04	C30–31
Larynx	67	1.0	2.1	1.6	0.10	0.20	3	0.1	0.1	0.1	0.00	0.00	C32
Trachea, bronchus, and lung	2125	30.4	66.6	47.6	2.18	5.80	1139	22.1	38.8	26.9	1.33	3.10	C33–34
Other thoracic organs	14	0.2	0.4	0.3	0.03	0.03	6	0.1	0.2	0.1	0.01	0.01	C37–38
Bone	79	1.1	2.5	1.9	0.10	0.20	53	1.0	1.8	1.4	0.06	0.18	C40–41
Melanoma of skin	13	0.2	0.4	0.3	0.02	0.04	12	0.2	0.4	0.3	0.03	0.04	C43
Other skin	72	1.0	2.3	1.6	0.07	0.17	61	1.2	2.1	1.4	0.05	0.13	C44
Mesothelioma	2	0.0	0.1	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C45
Kaposi sarcoma	1	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C46
Connective and soft tissue	13	0.2	0.4	0.3	0.02	0.03	12	0.2	0.4	0.4	0.03	0.03	C47+C49
Breast	8	0.1	0.3	0.2	0.01	0.03	868	16.8	29.6	23.6	1.97	2.46	C50
Vulva							16	0.3	0.5	0.4	0.02	0.04	C51
Vagina							5	0.1	0.2	0.1	0.00	0.01	C52
Cervix uteri							362	7.0	12.3	9.8	0.77	1.07	C53
Corpus uteri							159	3.1	5.4	4.2	0.39	0.47	C54
Uterus unspecified							71	1.4	2.4	1.8	0.13	0.20	C55
Ovary							124	2.4	4.2	3.4	0.25	0.39	C56
Other female genital organs							1	0.0	0.0	0.0	0.00	0.00	C57
Placenta							5	0.1	0.2	0.2	0.01	0.01	C58
Penis													C60
Prostate	119	1.7	3.7	2.4	0.04	0.22							C61
Testis	5	0.1	0.2	0.1	0.01	0.01							C62
Other male genital organs	2	0.0	0.1	0.0	0.01	0.01							C63
Kidney	70	1.0	2.2	1.8	0.12	0.20	31	0.6	1.1	0.9	0.06	0.08	C64
Renal pelvis	4	0.1	0.1	0.1	0.00	0.01	0	0.0	0.0	0.0	0.00	0.00	C65
Ureter	2	0.0	0.1	0.0	0.00	0.01	5	0.1	0.2	0.1	0.00	0.02	C66
Bladder	215	3.1	6.7	4.7	0.19	0.54	35	0.7	1.2	0.9	0.07	0.10	C67
Other urinary organs	1	0.0	0.0	0.0	0.00	0.01	0	0.0	0.0	0.0	0.00	0.00	C68
Eye	4	0.1	0.1	0.1	0.01	0.01	2	0.0	0.1	0.0	0.00	0.00	C69
Brain and nervous system	114	1.6	3.6	3.1	0.23	0.32	115	2.2	3.9	3.2	0.19	0.36	C70–72
Thyroid	43	0.6	1.3	1.1	0.08	0.12	130	2.5	4.4	3.7	0.30	0.38	C73
Adrenal gland	5	0.1	0.2	0.2	0.01	0.02	2	0.0	0.1	0.1	0.01	0.01	C74
Other endocrine	4	0.1	0.1	0.1	0.01	0.01	1	0.0	0.0	0.0	0.00	0.00	C75
Hodgkin lymphoma	3	0.0	0.1	0.1	0.00	0.00	3	0.1	0.1	0.1	0.01	0.01	C81
Non-Hodgkin lymphoma	151	2.2	4.7	3.7	0.21	0.41	95	1.8	3.2	2.5	0.14	0.27	C82–86,C96
Immunoproliferative diseases	1	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C88
Multiple myeloma	30	0.4	0.9	0.7	0.05	0.09	30	0.6	1.0	0.9	0.06	0.12	C90
Lymphoid leukaemia	47	0.7	1.5	1.4	0.08	0.12	28	0.5	1.0	0.9	0.05	0.06	C91
Myeloid leukaemia	87	1.2	2.7	2.3	0.14	0.25	69	1.3	2.4	1.9	0.13	0.18	C92–94
Leukaemia unspecified	70	1.0	2.2	2.0	0.11	0.19	43	0.8	1.5	1.4	0.07	0.13	C95
Myeloproliferative disorders	1	0.0	0.0	0.0	0.00	0.00	5	0.1	0.2	0.1	0.01	0.01	MPD
Myelodysplastic syndromes	15	0.2	0.5	0.3	0.03	0.04	22	0.4	0.7	0.6	0.04	0.04	MPS
Other and unspecified	50	0.7	1.6	1.3	0.08	0.14	63	1.2	2.1	1.7	0.12	0.18	O&U
All sites	7056		221.2	163.2	8.23	19.47	5222		178.0	132.3	8.14	14.61	C00–96
All sites except C44	6984	100.0	219.0	161.5	8.16	19.29	5161	100.0	175.9	130.9	8.09	14.48	C00–96 exc. C44

China, Dongtai City

CONTRIBUTORS

Chunlan Shi
Jianhua Zhao
Haijian Ding



NOTES ON THE DATA

*No official mortality data. Low levels of specificity of leukaemias.

20 major cancers, ASR (World) per 100 000

<i>Male</i>		<i>Female</i>	
Trachea, bronchus, and lung	35.7	Breast	23.4
Oesophagus	32.7	Trachea, bronchus, and lung	19.7
Stomach	28.6	Oesophagus	14.2
Liver	25.5	Stomach	11.7
Pancreas	6.5	Liver	9.9
Rectum	5.6	Cervix uteri	9.2
Colon	4.5	Pancreas	5.1
Brain and nervous system	4.3	Uterus unspecified	4.6
Other and unspecified	3.8	Rectum	4.5
Prostate	3.4	Ovary	3.8
Bladder	3.0	Other and unspecified	3.3
Gallbladder etc.	2.5	Brain and nervous system	3.0
Leukaemia unspecified	2.3	Colon	2.9
Bone	2.2	Thyroid	2.2
Non-Hodgkin lymphoma	2.1	Leukaemia unspecified	1.9
Nasopharynx	1.8	Gallbladder etc.	1.8
Kidney	1.3	Bone	1.5
Myeloid leukaemia	1.1	Non-Hodgkin lymphoma	1.3
Larynx	1.0	Corpus uteri	1.3
Lymphoid leukaemia	0.9	Bladder	1.0
All sites	176.6	All sites	135.5

*China, Dongtai City (2014–2017)


SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	
Lip	5	0.1	0.2	0.1	0.00	0.01	2	0.0	0.1	0.0	0.00	0.00	C00
Tongue	18	0.2	0.8	0.4	0.03	0.04	17	0.2	0.8	0.5	0.03	0.04	C01–02
Mouth	40	0.4	1.8	0.7	0.04	0.09	31	0.5	1.4	0.6	0.06	0.07	C03–06
Salivary glands	14	0.2	0.6	0.3	0.02	0.04	4	0.1	0.2	0.2	0.01	0.01	C07–08
Tonsil	3	0.0	0.1	0.1	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C09
Other oropharynx	2	0.0	0.1	0.0	0.00	0.00	3	0.0	0.1	0.0	0.00	0.00	C10
Nasopharynx	80	0.9	3.5	1.8	0.12	0.22	24	0.4	1.1	0.5	0.04	0.07	C11
Hypopharynx	12	0.1	0.5	0.2	0.02	0.03	0	0.0	0.0	0.0	0.00	0.00	C12–13
Pharynx unspecified	16	0.2	0.7	0.3	0.02	0.05	6	0.1	0.3	0.1	0.01	0.02	C14
Oesophagus	1835	20.0	81.0	32.7	1.36	4.16	938	13.8	42.1	14.2	0.41	1.79	C15
Stomach	1565	17.1	69.1	28.6	1.25	3.70	663	9.7	29.8	11.7	0.58	1.47	C16
Small intestine	9	0.1	0.4	0.2	0.01	0.02	16	0.2	0.7	0.3	0.02	0.04	C17
Colon	217	2.4	9.6	4.5	0.27	0.55	148	2.2	6.6	2.9	0.15	0.38	C18
Rectum	293	3.2	12.9	5.6	0.32	0.63	239	3.5	10.7	4.5	0.29	0.50	C19–20
Anus	4	0.0	0.2	0.1	0.00	0.01	1	0.0	0.0	0.1	0.00	0.00	C21
Liver	1213	13.2	53.5	25.5	1.77	2.91	527	7.7	23.7	9.9	0.56	1.11	C22
Gallbladder etc.	133	1.5	5.9	2.5	0.09	0.31	112	1.6	5.0	1.8	0.09	0.18	C23–24
Pancreas	352	3.8	15.5	6.5	0.30	0.84	296	4.3	13.3	5.1	0.24	0.63	C25
Nose, sinuses etc.	16	0.2	0.7	0.3	0.02	0.04	5	0.1	0.2	0.1	0.01	0.01	C30–31
Larynx	51	0.6	2.3	1.0	0.04	0.12	3	0.0	0.1	0.1	0.00	0.01	C32
Trachea, bronchus, and lung	1913	20.9	84.4	35.7	1.61	4.62	1111	16.3	49.9	19.7	0.98	2.47	C33–34
Other thoracic organs	16	0.2	0.7	0.4	0.03	0.05	11	0.2	0.5	0.2	0.02	0.02	C37–38
Bone	114	1.2	5.0	2.2	0.11	0.27	78	1.1	3.5	1.5	0.10	0.17	C40–41
Melanoma of skin	13	0.1	0.6	0.3	0.03	0.03	11	0.2	0.5	0.2	0.01	0.02	C43
Other skin	41	0.4	1.8	0.7	0.04	0.08	43	0.6	1.9	0.6	0.02	0.07	C44
Mesothelioma	6	0.1	0.3	0.1	0.01	0.02	8	0.1	0.4	0.2	0.01	0.02	C45
Kaposi sarcoma	1	0.0	0.0	0.0	0.00	0.00	1	0.0	0.0	0.0	0.00	0.00	C46
Connective and soft tissue	18	0.2	0.8	0.6	0.04	0.05	12	0.2	0.5	0.4	0.02	0.03	C47+C49
Breast	11	0.1	0.5	0.3	0.02	0.03	935	13.7	42.0	23.4	1.97	2.48	C50
Vulva							13	0.2	0.6	0.3	0.01	0.03	C51
Vagina							11	0.2	0.5	0.6	0.04	0.04	C52
Cervix uteri							416	6.1	18.7	9.2	0.73	1.00	C53
Corpus uteri							57	0.8	2.6	1.3	0.11	0.16	C54
Uterus unspecified							210	3.1	9.4	4.6	0.34	0.51	C55
Ovary							153	2.2	6.9	3.8	0.29	0.43	C56
Other female genital organs							8	0.1	0.4	0.2	0.01	0.02	C57
Placenta							0	0.0	0.0	0.0	0.00	0.00	C58
Penis	22	0.2	1.0	0.4	0.02	0.04							C60
Prostate	211	2.3	9.3	3.4	0.06	0.38							C61
Testis	10	0.1	0.4	0.4	0.02	0.04							C62
Other male genital organs	1	0.0	0.0	0.0	0.00	0.00							C63
Kidney	66	0.7	2.9	1.3	0.09	0.17	44	0.6	2.0	0.9	0.06	0.09	C64
Renal pelvis	4	0.0	0.2	0.1	0.00	0.01	2	0.0	0.1	0.0	0.00	0.00	C65
Ureter	9	0.1	0.4	0.2	0.01	0.03	4	0.1	0.2	0.1	0.00	0.01	C66
Bladder	169	1.8	7.5	3.0	0.12	0.36	66	1.0	3.0	1.0	0.04	0.13	C67
Other urinary organs	2	0.0	0.1	0.0	0.00	0.00	2	0.0	0.1	0.1	0.01	0.01	C68
Eye	3	0.0	0.1	0.1	0.00	0.01	1	0.0	0.0	0.0	0.00	0.00	C69
Brain and nervous system	167	1.8	7.4	4.3	0.27	0.46	138	2.0	6.2	3.0	0.21	0.35	C70–72
Thyroid	19	0.2	0.8	0.4	0.03	0.05	86	1.3	3.9	2.2	0.17	0.23	C73
Adrenal gland	2	0.0	0.1	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C74
Other endocrine	6	0.1	0.3	0.2	0.01	0.02	4	0.1	0.2	0.1	0.01	0.01	C75
Hodgkin lymphoma	12	0.1	0.5	0.2	0.01	0.03	5	0.1	0.2	0.1	0.01	0.01	C81
Non-Hodgkin lymphoma	103	1.1	4.5	2.1	0.11	0.28	70	1.0	3.1	1.3	0.07	0.15	C82–86,C96
Immunoproliferative diseases	0	0.0	0.0	0.0	0.00	0.00	3	0.0	0.1	0.1	0.01	0.01	C88
Multiple myeloma	37	0.4	1.6	0.8	0.04	0.10	34	0.5	1.5	0.7	0.04	0.10	C90
Lymphoid leukaemia	28	0.3	1.2	0.9	0.05	0.08	20	0.3	0.9	1.0	0.06	0.07	C91
Myeloid leukaemia	42	0.5	1.9	1.1	0.07	0.11	28	0.4	1.3	1.0	0.06	0.09	C92–94
Leukaemia unspecified	86	0.9	3.8	2.3	0.12	0.23	58	0.9	2.6	1.9	0.11	0.16	C95
Myeloproliferative disorders	0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.0	0.0	0.00	0.00	MPD
Myelodysplastic syndromes	3	0.0	0.1	0.2	0.01	0.01	2	0.0	0.1	0.0	0.00	0.01	MPS
Other and unspecified	198	2.2	8.7	3.8	0.20	0.41	180	2.6	8.1	3.3	0.20	0.37	O&U
All sites	9211		406.5	176.6	8.84	21.74	6861		308.1	135.5	8.25	15.63	C00–96
All sites except C44	9170	100.0	404.7	175.9	8.80	21.66	6818	100.0	306.1	134.8	8.22	15.57	C00–96 exc. C44

*See note following population pyramid

China, Duanzhou District, Zhaoqing City

CONTRIBUTORS

Suying Lu
Yijuan Fang
Guojia Xian
Guohua Huang
Guodong Liang
Dayan Liang



20 major cancers, ASR (World) per 100 000

<i>Male</i>		<i>Female</i>	
Trachea, bronchus, and lung	50.4	Breast	42.5
Liver	36.8	Trachea, bronchus, and lung	24.7
Colon	16.8	Colon	14.3
Nasopharynx	16.3	Liver	10.9
Rectum	12.8	Thyroid	9.8
Prostate	8.2	Cervix uteri	8.5
Stomach	7.8	Rectum	7.7
Oesophagus	7.0	Corpus uteri	6.8
Other and unspecified	5.6	Ovary	6.4
Thyroid	4.5	Stomach	5.1
Bladder	4.4	Nasopharynx	4.6
Brain and nervous system	4.4	Pancreas	4.4
Pancreas	3.7	Other and unspecified	4.4
Leukaemia unspecified	3.7	Non-Hodgkin lymphoma	3.6
Non-Hodgkin lymphoma	3.0	Non-melanoma skin cancer	3.4
Kidney	2.6	Brain and nervous system	3.2
Myeloid leukaemia	2.5	Myeloid leukaemia	2.3
Larynx	2.4	Leukaemia unspecified	2.1
Gallbladder etc.	2.0	Gallbladder etc.	1.9
Non-melanoma skin cancer	1.9	Tongue	1.6
All sites	218.8	All sites	182.7


China, Duanzhou District, Zhaoqing City (2014–2017)

SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	
Lip	1	0.0	0.1	0.1	0.01	0.01	0	0.0	0.0	0.0	0.00	0.00	C00
Tongue	20	0.8	2.6	1.6	0.11	0.17	19	0.9	2.5	1.6	0.13	0.16	C01–02
Mouth	17	0.6	2.2	1.5	0.09	0.18	10	0.5	1.3	0.8	0.05	0.08	C03–06
Salivary glands	3	0.1	0.4	0.2	0.02	0.02	5	0.2	0.7	0.3	0.03	0.03	C07–08
Tonsil	7	0.3	0.9	0.6	0.03	0.09	1	0.0	0.1	0.1	0.01	0.01	C09
Other oropharynx	10	0.4	1.3	0.8	0.06	0.09	1	0.0	0.1	0.1	0.01	0.01	C10
Nasopharynx	182	6.9	23.4	16.3	1.36	1.69	55	2.5	7.2	4.6	0.40	0.47	C11
Hypopharynx	7	0.3	0.9	0.6	0.06	0.10	2	0.1	0.3	0.1	0.01	0.01	C12–13
Pharynx unspecified	4	0.2	0.5	0.3	0.02	0.03	0	0.0	0.0	0.0	0.00	0.00	C14
Oesophagus	83	3.1	10.7	7.0	0.52	0.87	12	0.6	1.6	1.0	0.06	0.14	C15
Stomach	100	3.8	12.9	7.8	0.46	0.90	63	2.9	8.3	5.1	0.32	0.63	C16
Small intestine	17	0.6	2.2	1.3	0.08	0.14	9	0.4	1.2	0.8	0.05	0.10	C17
Colon	222	8.4	28.6	16.8	0.90	1.99	185	8.6	24.3	14.3	0.79	1.72	C18
Rectum	157	5.9	20.2	12.8	0.74	1.73	98	4.5	12.9	7.7	0.38	0.93	C19–20
Anus	5	0.2	0.6	0.3	0.01	0.01	4	0.2	0.5	0.4	0.00	0.06	C21
Liver	434	16.4	55.8	36.8	2.76	4.41	134	6.2	17.6	10.9	0.48	1.27	C22
Gallbladder etc.	29	1.1	3.7	2.0	0.06	0.20	23	1.1	3.0	1.9	0.10	0.25	C23–24
Pancreas	48	1.8	6.2	3.7	0.18	0.48	57	2.6	7.5	4.4	0.17	0.54	C25
Nose, sinuses etc.	8	0.3	1.0	0.7	0.06	0.08	5	0.2	0.7	1.1	0.05	0.05	C30–31
Larynx	29	1.1	3.7	2.4	0.13	0.28	2	0.1	0.3	0.1	0.01	0.01	C32
Trachea, bronchus, and lung	655	24.7	84.3	50.4	2.64	6.05	329	15.2	43.2	24.7	1.32	2.71	C33–34
Other thoracic organs	8	0.3	1.0	0.7	0.03	0.06	5	0.2	0.7	0.5	0.02	0.04	C37–38
Bone	16	0.6	2.1	1.7	0.11	0.20	11	0.5	1.4	0.9	0.05	0.10	C40–41
Melanoma of skin	2	0.1	0.3	0.1	0.01	0.01	3	0.1	0.4	0.4	0.02	0.03	C43
Other skin	27	1.0	3.5	1.9	0.10	0.20	41	1.9	5.4	3.4	0.12	0.45	C44
Mesothelioma	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C45
Kaposi sarcoma	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C46
Connective and soft tissue	18	0.7	2.3	1.6	0.12	0.13	9	0.4	1.2	0.9	0.07	0.11	C47+C49
Breast	6	0.2	0.8	0.4	0.01	0.07	508	23.5	66.7	42.5	3.58	4.59	C50
Vulva	1	0.0	0.1	0.1	0.01	0.01	1	0.0	0.1	0.1	0.01	0.01	C51
Vagina	1	0.0	0.1	0.3	0.01	0.01	1	0.0	0.1	0.3	0.01	0.01	C52
Cervix uteri	101	4.7	13.3	8.5	0.76	0.94	80	3.7	10.5	6.8	0.63	0.77	C53
Corpus uteri	80	3.7	10.5	6.8	0.63	0.77	11	0.5	1.4	0.9	0.06	0.10	C54
Uterus unspecified	11	0.5	1.4	0.9	0.06	0.10	74	3.4	9.7	6.4	0.52	0.71	C55
Ovary	8	0.4	1.1	0.7	0.06	0.09	8	0.4	1.1	0.7	0.06	0.09	C56
Other female genital organs	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C57
Placenta	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C58
Penis	1	0.0	0.1	0.1	0.00	0.02							C60
Prostate	127	4.8	16.3	8.2	0.14	0.86							C61
Testis	5	0.2	0.6	0.7	0.04	0.04							C62
Other male genital organs	2	0.1	0.3	0.3	0.02	0.02							C63
Kidney	32	1.2	4.1	2.6	0.16	0.28	14	0.6	1.8	1.1	0.09	0.13	C64
Renal pelvis	6	0.2	0.8	0.5	0.01	0.05	5	0.2	0.7	0.4	0.00	0.06	C65
Ureter	6	0.2	0.8	0.4	0.03	0.03	4	0.2	0.5	0.3	0.01	0.05	C66
Bladder	60	2.3	7.7	4.4	0.17	0.44	15	0.7	2.0	1.2	0.07	0.14	C67
Other urinary organs	2	0.1	0.3	0.2	0.02	0.02	1	0.0	0.1	0.1	0.00	0.00	C68
Eye	5	0.2	0.6	1.4	0.06	0.06	2	0.1	0.3	0.1	0.00	0.02	C69
Brain and nervous system	43	1.6	5.5	4.4	0.26	0.47	37	1.7	4.9	3.2	0.26	0.32	C70–72
Thyroid	43	1.6	5.5	4.5	0.35	0.44	100	4.6	13.1	9.8	0.78	0.83	C73
Adrenal gland	3	0.1	0.4	0.2	0.02	0.02	1	0.0	0.1	0.1	0.01	0.01	C74
Other endocrine	2	0.1	0.3	0.3	0.02	0.02	1	0.0	0.1	0.1	0.01	0.01	C75
Hodgkin lymphoma	3	0.1	0.4	0.3	0.02	0.04	3	0.1	0.4	0.4	0.03	0.03	C81
Non-Hodgkin lymphoma	39	1.5	5.0	3.0	0.20	0.32	37	1.7	4.9	3.6	0.18	0.38	C82–86,C96
Immunoproliferative diseases	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C88
Multiple myeloma	15	0.6	1.9	1.1	0.07	0.12	8	0.4	1.1	0.6	0.04	0.08	C90
Lymphoid leukaemia	11	0.4	1.4	1.6	0.10	0.10	3	0.1	0.4	0.2	0.02	0.02	C91
Myeloid leukaemia	23	0.9	3.0	2.5	0.17	0.22	22	1.0	2.9	2.3	0.14	0.21	C92–94
Leukaemia unspecified	34	1.3	4.4	3.7	0.20	0.29	19	0.9	2.5	2.1	0.07	0.22	C95
Myeloproliferative disorders	6	0.2	0.8	0.5	0.05	0.05	7	0.3	0.9	0.5	0.01	0.04	MPD
Myelodysplastic syndromes	20	0.8	2.6	1.7	0.07	0.22	3	0.1	0.4	0.1	0.00	0.00	MPS
Other and unspecified	72	2.7	9.3	5.6	0.26	0.66	51	2.4	6.7	4.4	0.21	0.57	O&U
All sites	2675		344.2	218.8	13.12	24.98	2200		288.8	182.7	12.22	20.25	C00–96
All sites except C44	2648	100.0	340.7	216.9	13.02	24.78	2159	100.0	283.5	179.4	12.10	19.81	C00–96 exc. C44

China, Evenki Autonomous Banner

CONTRIBUTORS

Zhangyijie



NOTES ON THE DATA

*Rates based on low numbers due to small population.

20 major cancers, ASR (World) per 100 000

Male		Female	
Trachea, bronchus, and lung	63.7	Breast	34.9
Liver	29.8	Trachea, bronchus, and lung	33.1
Oesophagus	21.2	Thyroid	21.1
Stomach	20.6	Cervix uteri	15.8
Colon	18.0	Liver	12.2
Rectum	16.3	Ovary	9.3
Pancreas	8.5	Brain and nervous system	8.6
Larynx	7.2	Stomach	8.5
Bladder	5.1	Rectum	7.4
Kidney	5.0	Pancreas	7.0
Brain and nervous system	4.4	Colon	6.9
Thyroid	4.2	Kidney	4.3
Prostate	3.8	Oesophagus	3.3
Bone	3.5	Bladder	3.2
Non-Hodgkin lymphoma	2.9	Other and unspecified	2.7
Hypopharynx	2.2	Non-Hodgkin lymphoma	1.9
Lymphoid leukaemia	2.0	Corpus uteri	1.6
Other thoracic organs	1.9	Bone	1.4
Testis	1.9	Myeloid leukaemia	1.3
Leukaemia unspecified	1.8	Anus	1.2
All sites	237.9	All sites	195.5

*China, Evenki Autonomous Banner (2015–2017)


SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	
Lip	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C00
Tongue	4	0.6	1.9	1.4	0.07	0.18	1	0.2	0.5	0.2	0.03	0.03	C01–02
Mouth	2	0.3	1.0	0.6	0.08	0.08	0	0.0	0.0	0.0	0.00	0.00	C03–06
Salivary glands	2	0.3	1.0	0.5	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C07–08
Tonsil	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C09
Other oropharynx	2	0.3	1.0	0.4	0.05	0.05	1	0.2	0.5	0.3	0.00	0.08	C10
Nasopharynx	3	0.5	1.4	0.9	0.05	0.15	2	0.3	1.0	0.6	0.00	0.08	C11
Hypopharynx	7	1.1	3.4	2.2	0.14	0.25	0	0.0	0.0	0.0	0.00	0.00	C12–13
Pharynx unspecified	0	0.0	0.0	0.0	0.00	0.00	1	0.2	0.5	0.4	0.00	0.07	C14
Oesophagus	65	10.0	31.4	21.2	1.78	2.41	9	1.4	4.6	3.3	0.05	0.44	C15
Stomach	57	8.8	27.5	20.6	1.16	2.07	28	4.5	14.2	8.5	0.50	1.06	C16
Small intestine	1	0.2	0.5	0.3	0.03	0.03	0	0.0	0.0	0.0	0.00	0.00	C17
Colon	43	6.6	20.7	18.0	0.78	2.39	23	3.7	11.7	6.9	0.35	0.83	C18
Rectum	39	6.0	18.8	16.3	0.68	2.15	24	3.9	12.2	7.4	0.72	0.88	C19–20
Anus	0	0.0	0.0	0.0	0.00	0.00	3	0.5	1.5	1.2	0.05	0.05	C21
Liver	88	13.6	42.4	29.8	1.91	3.58	37	5.9	18.8	12.2	0.53	1.23	C22
Gallbladder etc.	4	0.6	1.9	1.1	0.12	0.12	3	0.5	1.5	1.0	0.05	0.13	C23–24
Pancreas	22	3.4	10.6	8.5	0.34	1.35	21	3.4	10.7	7.0	0.28	0.92	C25
Nose, sinuses etc.	2	0.3	1.0	0.6	0.07	0.07	0	0.0	0.0	0.0	0.00	0.00	C30–31
Larynx	19	2.9	9.2	7.2	0.32	0.87	2	0.3	1.0	0.7	0.00	0.16	C32
Trachea, bronchus, and lung	167	25.8	80.5	63.7	3.05	6.93	101	16.2	51.3	33.1	1.46	4.16	C33–34
Other thoracic organs	7	1.1	3.4	1.9	0.21	0.21	1	0.2	0.5	0.2	0.03	0.03	C37–38
Bone	8	1.2	3.9	3.5	0.18	0.29	4	0.6	2.0	1.4	0.03	0.18	C40–41
Melanoma of skin	0	0.0	0.0	0.0	0.00	0.00	1	0.2	0.5	0.3	0.03	0.03	C43
Other skin	3	0.5	1.4	0.9	0.03	0.12	1	0.2	0.5	0.2	0.03	0.03	C44
Mesothelioma	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C45
Kaposi sarcoma	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C46
Connective and soft tissue	3	0.5	1.4	0.9	0.04	0.14	0	0.0	0.0	0.0	0.00	0.00	C47+C49
Breast	0	0.0	0.0	0.0	0.00	0.00	119	19.1	60.5	34.9	3.05	3.90	C50
Vulva							0	0.0	0.0	0.0	0.00	0.00	C51
Vagina							2	0.3	1.0	0.8	0.00	0.16	C52
Cervix uteri							53	8.5	26.9	15.8	1.21	1.77	C53
Corpus uteri							5	0.8	2.5	1.6	0.11	0.11	C54
Uterus unspecified							0	0.0	0.0	0.0	0.00	0.00	C55
Ovary							27	4.3	13.7	9.3	0.63	1.01	C56
Other female genital organs							2	0.3	1.0	0.5	0.03	0.03	C57
Placenta							0	0.0	0.0	0.0	0.00	0.00	C58
Penis	3	0.5	1.4	0.8	0.04	0.04							C60
Prostate	10	1.5	4.8	3.8	0.05	0.16							C61
Testis	5	0.8	2.4	1.9	0.08	0.20							C62
Other male genital organs	0	0.0	0.0	0.0	0.00	0.00							C63
Kidney	15	2.3	7.2	5.0	0.33	0.44	14	2.2	7.1	4.3	0.30	0.37	C64
Renal pelvis	4	0.6	1.9	1.3	0.12	0.12	1	0.2	0.5	0.2	0.03	0.03	C65
Ureter	2	0.3	1.0	0.5	0.02	0.02	1	0.2	0.5	0.2	0.02	0.02	C66
Bladder	16	2.5	7.7	5.1	0.34	0.55	9	1.4	4.6	3.2	0.10	0.33	C67
Other urinary organs	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C68
Eye	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C69
Brain and nervous system	8	1.2	3.9	4.4	0.17	0.39	29	4.7	14.7	8.6	0.68	0.91	C70–72
Thyroid	14	2.2	6.8	4.2	0.35	0.35	73	11.7	37.1	21.1	1.80	2.11	C73
Adrenal gland	0	0.0	0.0	0.0	0.00	0.00	1	0.2	0.5	0.3	0.03	0.03	C74
Other endocrine	3	0.5	1.4	1.1	0.10	0.10	1	0.2	0.5	0.6	0.04	0.04	C75
Hodgkin lymphoma	0	0.0	0.0	0.0	0.00	0.00	1	0.2	0.5	0.3	0.03	0.03	C81
Non-Hodgkin lymphoma	6	0.9	2.9	2.9	0.16	0.16	6	1.0	3.0	1.9	0.07	0.30	C82–86,C96
Immunoproliferative diseases	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C88
Multiple myeloma	0	0.0	0.0	0.0	0.00	0.00	1	0.2	0.5	0.3	0.00	0.08	C90
Lymphoid leukaemia	4	0.6	1.9	2.0	0.02	0.13	2	0.3	1.0	0.7	0.07	0.07	C91
Myeloid leukaemia	4	0.6	1.9	1.6	0.14	0.14	4	0.6	2.0	1.3	0.08	0.24	C92–94
Leukaemia unspecified	4	0.6	1.9	1.8	0.11	0.22	3	0.5	1.5	1.0	0.13	0.13	C95
Myeloproliferative disorders	1	0.2	0.5	0.4	0.05	0.05	2	0.3	1.0	0.5	0.04	0.04	MPD
Myelodysplastic syndromes	0	0.0	0.0	0.0	0.00	0.00	1	0.2	0.5	0.3	0.00	0.08	MPS
Other and unspecified	3	0.5	1.4	0.8	0.08	0.08	4	0.6	2.0	2.7	0.13	0.27	O&U
All sites	650		313.5	237.9	13.22	26.55	624		317.1	195.5	12.69	22.46	C00–96
All sites except C44	647	100.0	312.1	237.0	13.19	26.43	623	100.0	316.6	195.3	12.67	22.43	C00–96 exc. C44

*See note following population pyramid

China, Faku County

CONTRIBUTORS

Yingjuan Xing
Haiyang Cao
Henan Bai
Yunli Ma
Mingyuan Wu



NOTES ON THE DATA

*No official mortality data. Low levels of specificity of leukaemias.

20 major cancers, ASR (World) per 100 000

<i>Male</i>		<i>Female</i>	
Trachea, bronchus, and lung	56.0	Trachea, bronchus, and lung	40.1
Oesophagus	25.6	Breast	25.6
Liver	23.2	Cervix uteri	9.4
Stomach	16.3	Liver	6.9
Rectum	10.0	Stomach	6.0
Brain and nervous system	8.3	Rectum	5.9
Bladder	5.6	Brain and nervous system	5.1
Pancreas	5.0	Ovary	4.7
Colon	4.9	Corpus uteri	4.5
Larynx	4.0	Thyroid	3.9
Leukaemia unspecified	3.4	Colon	3.9
Other and unspecified	3.1	Pancreas	3.6
Kidney	2.8	Other and unspecified	2.5
Gallbladder etc.	2.6	Bone	2.2
Bone	2.5	Oesophagus	2.1
Prostate	2.3	Bladder	2.0
Non-Hodgkin lymphoma	2.1	Leukaemia unspecified	2.0
Thyroid	1.7	Non-Hodgkin lymphoma	1.9
Myeloid leukaemia	1.4	Uterus unspecified	1.5
Hypopharynx	1.3	Gallbladder etc.	1.4
All sites	193.4	All sites	145.4

*China, Faku County (2013–2017)


SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	
Lip	1	0.0	0.1	0.0	0.00	0.00	3	0.1	0.3	0.2	0.01	0.04	C00
Tongue	12	0.3	1.1	0.7	0.04	0.09	4	0.1	0.4	0.2	0.01	0.01	C01–02
Mouth	14	0.4	1.2	0.7	0.06	0.10	14	0.5	1.3	0.8	0.06	0.09	C03–06
Salivary glands	4	0.1	0.4	0.2	0.00	0.03	2	0.1	0.2	0.1	0.01	0.01	C07–08
Tonsil	3	0.1	0.3	0.2	0.01	0.02	0	0.0	0.0	0.0	0.00	0.00	C09
Other oropharynx	9	0.2	0.8	0.4	0.03	0.05	3	0.1	0.3	0.1	0.00	0.02	C10
Nasopharynx	16	0.4	1.4	1.2	0.09	0.10	7	0.2	0.6	0.3	0.03	0.03	C11
Hypopharynx	26	0.7	2.3	1.3	0.09	0.17	4	0.1	0.4	0.2	0.02	0.02	C12–13
Pharynx unspecified	8	0.2	0.7	0.4	0.02	0.07	1	0.0	0.1	0.0	0.01	0.01	C14
Oesophagus	533	13.9	46.7	25.6	1.68	3.19	49	1.7	4.5	2.1	0.10	0.25	C15
Stomach	335	8.7	29.4	16.3	0.84	2.06	133	4.6	12.2	6.0	0.28	0.71	C16
Small intestine	7	0.2	0.6	0.4	0.01	0.06	6	0.2	0.5	0.3	0.03	0.04	C17
Colon	102	2.7	8.9	4.9	0.27	0.64	81	2.8	7.4	3.9	0.22	0.45	C18
Rectum	206	5.4	18.1	10.0	0.51	1.35	125	4.3	11.4	5.9	0.30	0.75	C19–20
Anus	1	0.0	0.1	0.1	0.00	0.01	4	0.1	0.4	0.2	0.00	0.03	C21
Liver	475	12.4	41.6	23.2	1.49	2.67	150	5.2	13.7	6.9	0.38	0.73	C22
Gallbladder etc.	54	1.4	4.7	2.6	0.19	0.35	28	1.0	2.6	1.4	0.06	0.23	C23–24
Pancreas	103	2.7	9.0	5.0	0.29	0.67	75	2.6	6.9	3.6	0.15	0.49	C25
Nose, sinuses etc.	5	0.1	0.4	0.3	0.02	0.03	3	0.1	0.3	0.3	0.02	0.02	C30–31
Larynx	81	2.1	7.1	4.0	0.25	0.53	22	0.8	2.0	1.1	0.04	0.15	C32
Trachea, bronchus, and lung	1175	30.6	103.0	56.0	3.04	6.92	864	30.0	79.1	40.1	1.97	4.96	C33–34
Other thoracic organs	12	0.3	1.1	0.7	0.05	0.09	4	0.1	0.4	0.4	0.02	0.03	C37–38
Bone	46	1.2	4.0	2.5	0.18	0.30	34	1.2	3.1	2.2	0.14	0.22	C40–41
Melanoma of skin	5	0.1	0.4	0.3	0.03	0.03	5	0.2	0.5	0.3	0.03	0.03	C43
Other skin	18	0.5	1.6	1.0	0.04	0.12	11	0.4	1.0	0.6	0.03	0.07	C44
Mesothelioma	1	0.0	0.1	0.1	0.00	0.01	2	0.1	0.2	0.1	0.01	0.01	C45
Kaposi sarcoma	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C46
Connective and soft tissue	8	0.2	0.7	0.5	0.04	0.05	14	0.5	1.3	0.7	0.07	0.09	C47+C49
Breast	3	0.1	0.3	0.1	0.00	0.00	477	16.6	43.7	25.6	2.23	2.69	C50
Vulva							6	0.2	0.5	0.3	0.02	0.04	C51
Vagina							3	0.1	0.3	0.2	0.01	0.02	C52
Cervix uteri							166	5.8	15.2	9.4	0.77	0.95	C53
Corpus uteri							88	3.1	8.1	4.5	0.42	0.52	C54
Uterus unspecified							29	1.0	2.7	1.5	0.14	0.14	C55
Ovary							88	3.1	8.1	4.7	0.37	0.50	C56
Other female genital organs							6	0.2	0.5	0.3	0.02	0.03	C57
Placenta							1	0.0	0.1	0.1	0.00	0.00	C58
Penis	7	0.2	0.6	0.3	0.02	0.05							C60
Prostate	52	1.4	4.6	2.3	0.06	0.25							C61
Testis	7	0.2	0.6	0.5	0.04	0.04							C62
Other male genital organs	0	0.0	0.0	0.0	0.00	0.00							C63
Kidney	55	1.4	4.8	2.8	0.19	0.32	27	0.9	2.5	1.3	0.08	0.15	C64
Renal pelvis	6	0.2	0.5	0.3	0.02	0.02	1	0.0	0.1	0.1	0.00	0.01	C65
Ureter	5	0.1	0.4	0.3	0.01	0.05	4	0.1	0.4	0.2	0.01	0.03	C66
Bladder	116	3.0	10.2	5.6	0.29	0.67	42	1.5	3.8	2.0	0.09	0.31	C67
Other urinary organs	0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.1	0.1	0.00	0.01	C68
Eye	3	0.1	0.3	0.7	0.03	0.03	2	0.1	0.2	0.1	0.00	0.01	C69
Brain and nervous system	145	3.8	12.7	8.3	0.49	0.85	103	3.6	9.4	5.1	0.30	0.61	C70–72
Thyroid	26	0.7	2.3	1.7	0.13	0.17	66	2.3	6.0	3.9	0.33	0.37	C73
Adrenal gland	1	0.0	0.1	0.0	0.01	0.01	1	0.0	0.1	0.1	0.01	0.01	C74
Other endocrine	0	0.0	0.0	0.0	0.00	0.00	2	0.1	0.2	0.1	0.00	0.01	C75
Hodgkin lymphoma	2	0.1	0.2	0.2	0.01	0.01	4	0.1	0.4	0.3	0.02	0.02	C81
Non-Hodgkin lymphoma	40	1.0	3.5	2.1	0.14	0.24	27	0.9	2.5	1.9	0.11	0.17	C82–86,C96
Immunoproliferative diseases	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C88
Multiple myeloma	6	0.2	0.5	0.3	0.02	0.03	4	0.1	0.4	0.2	0.01	0.03	C90
Lymphoid leukaemia	7	0.2	0.6	0.9	0.04	0.05	1	0.0	0.1	0.1	0.01	0.01	C91
Myeloid leukaemia	12	0.3	1.1	1.4	0.07	0.11	13	0.5	1.2	0.9	0.06	0.10	C92–94
Leukaemia unspecified	47	1.2	4.1	3.4	0.22	0.30	36	1.2	3.3	2.0	0.14	0.18	C95
Myeloproliferative disorders	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	MPD
Myelodysplastic syndromes	5	0.1	0.4	0.3	0.03	0.03	2	0.1	0.2	0.1	0.01	0.01	MPS
Other and unspecified	56	1.5	4.9	3.1	0.19	0.38	45	1.6	4.1	2.5	0.18	0.28	O&U
All sites	3861		338.4	193.4	11.30	23.36	2893		264.8	145.4	9.33	16.73	C00–96
All sites except C44	3843	100.0	336.8	192.5	11.26	23.25	2882	100.0	263.8	144.8	9.30	16.66	C00–96 exc. C44

*See note following population pyramid

China, Fangcheng County

CONTRIBUTORS

Jianmin Ma
Jingying Ma
Cehngjie Tong
Xiangyang Tian
Linjing Ni
Juan Zhang



NOTES ON THE DATA

*Low levels of specificity of leukaemias.

20 major cancers, ASR (World) per 100 000

<i>Male</i>		<i>Female</i>	
Stomach	41.5	Breast	33.9
Trachea, bronchus, and lung	40.4	Trachea, bronchus, and lung	21.2
Liver	23.3	Cervix uteri	17.3
Oesophagus	21.3	Stomach	16.0
Other and unspecified	10.9	Other and unspecified	10.9
Rectum	6.7	Corpus uteri	10.3
Brain and nervous system	5.6	Liver	10.2
Pancreas	3.8	Oesophagus	9.3
Bladder	3.4	Ovary	8.5
Colon	3.2	Brain and nervous system	6.4
Anus	3.0	Rectum	6.3
Bone	3.0	Thyroid	4.5
Leukaemia unspecified	3.0	Pancreas	3.1
Prostate	2.1	Bone	2.6
Larynx	2.0	Colon	2.5
Thyroid	1.5	Leukaemia unspecified	2.5
Gallbladder etc.	1.3	Gallbladder etc.	2.0
Kidney	1.2	Uterus unspecified	2.0
Multiple myeloma	1.2	Bladder	1.4
Lymphoid leukaemia	1.2	Connective and soft tissue	1.3
All sites	192.9	All sites	186.8

*China, Fangcheng County (2015–2017)


SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	
Lip	1	0.0	0.1	0.0	0.00	0.01	2	0.1	0.1	0.1	0.00	0.00	C00
Tongue	4	0.1	0.2	0.2	0.02	0.02	8	0.2	0.5	0.3	0.02	0.02	C01–02
Mouth	8	0.2	0.4	0.4	0.03	0.04	7	0.2	0.4	0.3	0.04	0.04	C03–06
Salivary glands	11	0.2	0.6	0.5	0.04	0.07	7	0.2	0.4	0.3	0.02	0.03	C07–08
Tonsil	3	0.1	0.2	0.1	0.01	0.01	0	0.0	0.0	0.0	0.00	0.00	C09
Other oropharynx	13	0.3	0.7	0.6	0.01	0.08	4	0.1	0.2	0.2	0.02	0.03	C10
Nasopharynx	24	0.5	1.3	1.0	0.09	0.10	7	0.2	0.4	0.3	0.03	0.03	C11
Hypopharynx	10	0.2	0.6	0.4	0.03	0.05	6	0.2	0.4	0.3	0.01	0.03	C12–13
Pharynx unspecified	5	0.1	0.3	0.2	0.01	0.02	2	0.1	0.1	0.1	0.01	0.02	C14
Oesophagus	520	11.6	28.6	21.3	1.00	2.61	203	5.3	12.4	9.3	0.42	1.09	C15
Stomach	975	21.7	53.6	41.5	2.27	5.35	343	8.9	21.0	16.0	0.78	1.98	C16
Small intestine	25	0.6	1.4	1.1	0.05	0.17	20	0.5	1.2	1.0	0.05	0.11	C17
Colon	75	1.7	4.1	3.2	0.19	0.41	54	1.4	3.3	2.5	0.13	0.29	C18
Rectum	156	3.5	8.6	6.7	0.39	0.88	132	3.4	8.1	6.3	0.43	0.74	C19–20
Anus	77	1.7	4.2	3.0	0.14	0.32	26	0.7	1.6	1.2	0.05	0.14	C21
Liver	548	12.2	30.2	23.3	1.47	2.53	221	5.8	13.5	10.2	0.51	1.07	C22
Gallbladder etc.	33	0.7	1.8	1.3	0.06	0.14	44	1.1	2.7	2.0	0.07	0.24	C23–24
Pancreas	91	2.0	5.0	3.8	0.25	0.45	64	1.7	3.9	3.1	0.15	0.38	C25
Nose, sinuses etc.	11	0.2	0.6	0.6	0.05	0.06	6	0.2	0.4	0.3	0.03	0.03	C30–31
Larynx	49	1.1	2.7	2.0	0.10	0.18	14	0.4	0.9	0.7	0.03	0.09	C32
Trachea, bronchus, and lung	970	21.6	53.4	40.4	2.05	4.91	461	12.0	28.2	21.2	1.06	2.51	C33–34
Other thoracic organs	16	0.4	0.9	0.8	0.05	0.08	14	0.4	0.9	0.8	0.05	0.08	C37–38
Bone	63	1.4	3.5	3.0	0.20	0.32	46	1.2	2.8	2.6	0.15	0.24	C40–41
Melanoma of skin	2	0.0	0.1	0.1	0.00	0.01	0	0.0	0.0	0.0	0.00	0.00	C43
Other skin	11	0.2	0.6	0.5	0.03	0.06	25	0.7	1.5	1.2	0.05	0.09	C44
Mesothelioma	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C45
Kaposi sarcoma	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C46
Connective and soft tissue	15	0.3	0.8	0.9	0.06	0.09	23	0.6	1.4	1.3	0.08	0.12	C47+C49
Breast	12	0.3	0.7	0.5	0.05	0.06	692	18.0	42.3	33.9	2.64	3.60	C50
Vulva							4	0.1	0.2	0.2	0.01	0.03	C51
Vagina							6	0.2	0.4	0.3	0.03	0.03	C52
Cervix uteri							364	9.5	22.3	17.3	1.40	1.74	C53
Corpus uteri							209	5.5	12.8	10.3	0.85	1.14	C54
Uterus unspecified							41	1.1	2.5	2.0	0.16	0.21	C55
Ovary							164	4.3	10.0	8.5	0.61	0.83	C56
Other female genital organs							8	0.2	0.5	0.4	0.03	0.03	C57
Placenta							1	0.0	0.1	0.0	0.00	0.00	C58
Penis	16	0.4	0.9	0.8	0.05	0.07							C60
Prostate	54	1.2	3.0	2.1	0.06	0.30							C61
Testis	10	0.2	0.6	0.5	0.03	0.06							C62
Other male genital organs	0	0.0	0.0	0.0	0.00	0.00							C63
Kidney	28	0.6	1.5	1.2	0.07	0.13	23	0.6	1.4	1.2	0.06	0.14	C64
Renal pelvis	3	0.1	0.2	0.1	0.01	0.01	0	0.0	0.0	0.0	0.00	0.00	C65
Ureter	4	0.1	0.2	0.1	0.01	0.01	5	0.1	0.3	0.3	0.01	0.04	C66
Bladder	80	1.8	4.4	3.4	0.20	0.38	29	0.8	1.8	1.4	0.05	0.18	C67
Other urinary organs	3	0.1	0.2	0.1	0.02	0.02	1	0.0	0.1	0.1	0.00	0.01	C68
Eye	4	0.1	0.2	0.2	0.00	0.02	3	0.1	0.2	0.2	0.01	0.01	C69
Brain and nervous system	121	2.7	6.7	5.6	0.33	0.58	122	3.2	7.5	6.4	0.41	0.66	C70–72
Thyroid	35	0.8	1.9	1.5	0.10	0.19	90	2.3	5.5	4.5	0.33	0.46	C73
Adrenal gland	12	0.3	0.7	0.5	0.03	0.06	9	0.2	0.6	0.5	0.04	0.04	C74
Other endocrine	5	0.1	0.3	0.2	0.02	0.02	10	0.3	0.6	0.6	0.05	0.05	C75
Hodgkin lymphoma	10	0.2	0.6	0.5	0.03	0.06	16	0.4	1.0	0.8	0.04	0.08	C81
Non-Hodgkin lymphoma	21	0.5	1.2	0.9	0.06	0.09	18	0.5	1.1	0.8	0.04	0.10	C82–86,C96
Immunoproliferative diseases	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C88
Multiple myeloma	23	0.5	1.3	1.2	0.08	0.10	16	0.4	1.0	0.9	0.05	0.09	C90
Lymphoid leukaemia	25	0.6	1.4	1.2	0.07	0.10	13	0.3	0.8	0.6	0.05	0.05	C91
Myeloid leukaemia	22	0.5	1.2	1.0	0.07	0.09	10	0.3	0.6	0.5	0.03	0.05	C92–94
Leukaemia unspecified	58	1.3	3.2	3.0	0.20	0.25	44	1.1	2.7	2.5	0.14	0.23	C95
Myeloproliferative disorders	2	0.0	0.1	0.1	0.01	0.01	2	0.1	0.1	0.2	0.01	0.01	MPD
Myelodysplastic syndromes	2	0.0	0.1	0.1	0.01	0.01	1	0.0	0.1	0.1	0.00	0.01	MPS
Other and unspecified	238	5.3	13.1	10.9	0.59	1.15	219	5.7	13.4	10.9	0.70	1.11	O&U
All sites	4504		247.8	192.9	10.69	22.73	3859		236.2	186.8	11.97	20.31	C00–96
All sites except C44	4493	100.0	247.2	192.4	10.65	22.67	3834	100.0	234.6	185.5	11.92	20.22	C00–96 exc. C44

*See note following population pyramid

China, Feicheng City

CONTRIBUTORS

Li Yanyan
Wu Liangliang
Yin Xiaoyan
Jiang Min
Zheng Chunjuan
Zhang Tingting
Wang Qing



NOTES ON THE DATA

*Low levels of specificity of leukaemias.

20 major cancers, ASR (World) per 100 000

<i>Male</i>		<i>Female</i>	
Oesophagus	66.8	Breast	29.1
Trachea, bronchus, and lung	57.8	Oesophagus	26.3
Stomach	54.1	Trachea, bronchus, and lung	23.7
Liver	24.1	Stomach	16.1
Rectum	10.4	Thyroid	9.0
Colon	7.4	Liver	7.0
Bladder	6.1	Ovary	6.5
Brain and nervous system	4.4	Rectum	6.3
Prostate	4.2	Cervix uteri	5.2
Kidney	4.1	Colon	5.2
Other and unspecified	3.6	Corpus uteri	4.0
Pancreas	3.6	Brain and nervous system	3.8
Leukaemia unspecified	3.4	Other and unspecified	3.6
Larynx	2.5	Leukaemia unspecified	2.7
Non-Hodgkin lymphoma	2.3	Kidney	2.3
Gallbladder etc.	2.2	Pancreas	2.2
Thyroid	1.9	Bladder	1.4
Hypopharynx	1.8	Uterus unspecified	1.3
Bone	1.6	Bone	1.3
Non-melanoma skin cancer	1.6	Lymphoid leukaemia	1.2
All sites	277.6	All sites	169.0

*China, Feicheng City (2013–2017)


SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	
Lip	2	0.0	0.1	0.1	0.00	0.01	1	0.0	0.0	0.0	0.00	0.00	C00
Tongue	23	0.2	0.9	0.6	0.04	0.07	10	0.1	0.4	0.2	0.02	0.03	C01–02
Mouth	46	0.4	1.8	1.2	0.08	0.15	19	0.3	0.8	0.4	0.02	0.04	C03–06
Salivary glands	28	0.3	1.1	0.8	0.05	0.08	15	0.2	0.6	0.4	0.02	0.04	C07–08
Tonsil	7	0.1	0.3	0.2	0.01	0.02	0	0.0	0.0	0.0	0.00	0.00	C09
Other oropharynx	14	0.1	0.6	0.3	0.03	0.04	2	0.0	0.1	0.0	0.00	0.00	C10
Nasopharynx	34	0.3	1.4	0.9	0.07	0.10	8	0.1	0.3	0.2	0.02	0.02	C11
Hypopharynx	76	0.7	3.1	1.8	0.13	0.24	2	0.0	0.1	0.0	0.00	0.00	C12–13
Pharynx unspecified	13	0.1	0.5	0.3	0.02	0.03	3	0.0	0.1	0.1	0.01	0.01	C14
Oesophagus	2705	24.7	108.6	66.8	3.82	8.25	1259	17.6	51.2	26.3	1.10	3.17	C15
Stomach	2177	19.9	87.4	54.1	2.87	6.83	750	10.5	30.5	16.1	0.83	1.88	C16
Small intestine	33	0.3	1.3	0.8	0.05	0.08	20	0.3	0.8	0.5	0.03	0.05	C17
Colon	291	2.7	11.7	7.4	0.40	0.85	231	3.2	9.4	5.2	0.26	0.58	C18
Rectum	418	3.8	16.8	10.4	0.55	1.28	276	3.9	11.2	6.3	0.35	0.70	C19–20
Anus	5	0.0	0.2	0.1	0.01	0.01	1	0.0	0.0	0.0	0.00	0.00	C21
Liver	969	8.8	38.9	24.1	1.63	2.74	319	4.5	13.0	7.0	0.38	0.78	C22
Gallbladder etc.	88	0.8	3.5	2.2	0.08	0.26	58	0.8	2.4	1.2	0.04	0.17	C23–24
Pancreas	146	1.3	5.9	3.6	0.20	0.44	101	1.4	4.1	2.2	0.12	0.24	C25
Nose, sinuses etc.	19	0.2	0.8	0.5	0.04	0.06	9	0.1	0.4	0.2	0.01	0.02	C30–31
Larynx	99	0.9	4.0	2.5	0.13	0.28	13	0.2	0.5	0.3	0.02	0.03	C32
Trachea, bronchus, and lung	2323	21.2	93.2	57.8	2.86	7.20	1091	15.3	44.4	23.7	1.21	2.75	C33–34
Other thoracic organs	20	0.2	0.8	0.5	0.02	0.06	9	0.1	0.4	0.2	0.01	0.02	C37–38
Bone	57	0.5	2.3	1.6	0.08	0.17	52	0.7	2.1	1.3	0.07	0.14	C40–41
Melanoma of skin	8	0.1	0.3	0.2	0.02	0.03	9	0.1	0.4	0.2	0.00	0.03	C43
Other skin	55	0.5	2.2	1.6	0.07	0.15	47	0.7	1.9	1.0	0.04	0.11	C44
Mesothelioma	7	0.1	0.3	0.2	0.01	0.02	1	0.0	0.0	0.0	0.00	0.00	C45
Kaposi sarcoma	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C46
Connective and soft tissue	26	0.2	1.0	0.8	0.05	0.09	25	0.3	1.0	0.8	0.05	0.08	C47+C49
Breast	15	0.1	0.6	0.4	0.03	0.06	1133	15.9	46.1	29.1	2.38	3.06	C50
Vulva							15	0.2	0.6	0.4	0.02	0.04	C51
Vagina							5	0.1	0.2	0.1	0.00	0.01	C52
Cervix uteri							192	2.7	7.8	5.2	0.41	0.53	C53
Corpus uteri							159	2.2	6.5	4.0	0.33	0.46	C54
Uterus unspecified							55	0.8	2.2	1.3	0.11	0.16	C55
Ovary							255	3.6	10.4	6.5	0.48	0.70	C56
Other female genital organs							7	0.1	0.3	0.2	0.02	0.02	C57
Placenta							2	0.0	0.1	0.1	0.00	0.00	C58
Penis	15	0.1	0.6	0.4	0.02	0.05							C60
Prostate	165	1.5	6.6	4.2	0.10	0.39							C61
Testis	4	0.0	0.2	0.1	0.01	0.01							C62
Other male genital organs	2	0.0	0.1	0.1	0.00	0.00							C63
Kidney	162	1.5	6.5	4.1	0.27	0.47	92	1.3	3.7	2.3	0.15	0.28	C64
Renal pelvis	12	0.1	0.5	0.3	0.02	0.03	7	0.1	0.3	0.2	0.01	0.02	C65
Ureter	14	0.1	0.6	0.4	0.01	0.06	12	0.2	0.5	0.3	0.01	0.05	C66
Bladder	231	2.1	9.3	6.1	0.24	0.66	63	0.9	2.6	1.4	0.06	0.16	C67
Other urinary organs	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C68
Eye	5	0.0	0.2	0.3	0.01	0.02	3	0.0	0.1	0.2	0.01	0.01	C69
Brain and nervous system	151	1.4	6.1	4.4	0.29	0.41	152	2.1	6.2	3.8	0.25	0.40	C70–72
Thyroid	74	0.7	3.0	1.9	0.15	0.20	313	4.4	12.7	9.0	0.75	0.86	C73
Adrenal gland	5	0.0	0.2	0.1	0.01	0.01	6	0.1	0.2	0.1	0.00	0.02	C74
Other endocrine	6	0.1	0.2	0.2	0.01	0.02	10	0.1	0.4	0.3	0.02	0.03	C75
Hodgkin lymphoma	7	0.1	0.3	0.2	0.02	0.02	2	0.0	0.1	0.1	0.01	0.01	C81
Non-Hodgkin lymphoma	82	0.7	3.3	2.3	0.16	0.24	44	0.6	1.8	1.1	0.07	0.12	C82–86,C96
Immunoproliferative diseases	2	0.0	0.1	0.0	0.01	0.01	1	0.0	0.0	0.0	0.00	0.00	C88
Multiple myeloma	35	0.3	1.4	0.9	0.05	0.14	35	0.5	1.4	0.9	0.05	0.11	C90
Lymphoid leukaemia	27	0.2	1.1	1.2	0.06	0.09	27	0.4	1.1	1.2	0.07	0.08	C91
Myeloid leukaemia	47	0.4	1.9	1.5	0.11	0.15	30	0.4	1.2	0.9	0.06	0.08	C92–94
Leukaemia unspecified	112	1.0	4.5	3.4	0.20	0.35	79	1.1	3.2	2.7	0.14	0.24	C95
Myeloproliferative disorders	1	0.0	0.0	0.0	0.00	0.00	2	0.0	0.1	0.1	0.01	0.01	MPD
Myelodysplastic syndromes	9	0.1	0.4	0.2	0.01	0.04	4	0.1	0.2	0.1	0.01	0.01	MPS
Other and unspecified	141	1.3	5.7	3.6	0.20	0.46	157	2.2	6.4	3.6	0.24	0.39	O&U
All sites	11013		442.0	277.6	15.33	33.44	7193		292.7	169.0	10.31	18.78	C00–96
All sites except C44	10958	100.0	439.8	276.0	15.26	33.28	7146	100.0	290.8	168.0	10.27	18.68	C00–96 exc. C44

*See note following population pyramid

China, Feixi County

CONTRIBUTORS

Jinhua Wang
Jiudan Wei



20 major cancers, ASR (World) per 100 000

<i>Male</i>		<i>Female</i>	
Stomach	53.6	Trachea, bronchus, and lung	21.9
Trachea, bronchus, and lung	52.3	Breast	21.4
Oesophagus	36.9	Stomach	20.7
Liver	22.8	Cervix uteri	17.4
Rectum	11.0	Oesophagus	11.1
Colon	8.2	Thyroid	10.2
Pancreas	6.6	Liver	7.4
Prostate	6.2	Other and unspecified	7.0
Other and unspecified	5.7	Rectum	6.6
Brain and nervous system	4.9	Ovary	6.1
Bladder	4.7	Colon	6.1
Non-Hodgkin lymphoma	4.7	Corpus uteri	5.4
Kidney	3.9	Brain and nervous system	4.5
Myeloid leukaemia	2.7	Pancreas	3.8
Thyroid	2.6	Non-Hodgkin lymphoma	3.4
Bone	2.6	Gallbladder etc.	2.9
Nasopharynx	2.6	Kidney	2.9
Non-melanoma skin cancer	2.5	Non-melanoma skin cancer	2.6
Gallbladder etc.	2.5	Myeloid leukaemia	2.0
Leukaemia unspecified	2.5	Leukaemia unspecified	1.8
All sites	255.2	All sites	180.7


China, Feixi County (2013–2017)

SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	
Lip	6	0.1	0.2	0.1	0.01	0.02	2	0.0	0.1	0.1	0.00	0.01	C00
Tongue	17	0.2	0.6	0.4	0.02	0.07	16	0.2	0.6	0.5	0.04	0.05	C01–02
Mouth	14	0.1	0.5	0.4	0.03	0.05	18	0.2	0.7	0.4	0.02	0.06	C03–06
Salivary glands	21	0.2	0.8	0.5	0.03	0.04	22	0.3	0.9	0.6	0.04	0.07	C07–08
Tonsil	1	0.0	0.0	0.0	0.00	0.00	3	0.0	0.1	0.1	0.01	0.01	C09
Other oropharynx	10	0.1	0.4	0.2	0.01	0.01	9	0.1	0.4	0.2	0.00	0.01	C10
Nasopharynx	98	0.9	3.5	2.6	0.21	0.26	51	0.7	2.0	1.5	0.09	0.18	C11
Hypopharynx	11	0.1	0.4	0.3	0.02	0.04	1	0.0	0.0	0.0	0.00	0.00	C12–13
Pharynx unspecified	3	0.0	0.1	0.1	0.00	0.02	2	0.0	0.1	0.1	0.01	0.01	C14
Oesophagus	1603	14.9	57.3	36.9	1.61	4.65	553	7.7	22.0	11.1	0.42	1.31	C15
Stomach	2346	21.9	83.8	53.6	2.49	6.57	952	13.2	37.8	20.7	0.93	2.48	C16
Small intestine	55	0.5	2.0	1.3	0.07	0.16	43	0.6	1.7	1.0	0.04	0.13	C17
Colon	348	3.2	12.4	8.2	0.43	0.97	258	3.6	10.2	6.1	0.36	0.71	C18
Rectum	475	4.4	17.0	11.0	0.58	1.32	288	4.0	11.4	6.6	0.36	0.76	C19–20
Anus	3	0.0	0.1	0.1	0.00	0.01	2	0.0	0.1	0.0	0.00	0.00	C21
Liver	932	8.7	33.3	22.8	1.45	2.62	329	4.6	13.1	7.4	0.37	0.83	C22
Gallbladder etc.	111	1.0	4.0	2.5	0.09	0.30	147	2.0	5.8	2.9	0.12	0.32	C23–24
Pancreas	283	2.6	10.1	6.6	0.33	0.79	171	2.4	6.8	3.8	0.16	0.47	C25
Nose, sinuses etc.	15	0.1	0.5	0.4	0.02	0.04	7	0.1	0.3	0.2	0.01	0.03	C30–31
Larynx	81	0.8	2.9	2.0	0.13	0.23	8	0.1	0.3	0.2	0.01	0.01	C32
Trachea, bronchus, and lung	2344	21.9	83.8	52.3	2.17	6.28	978	13.6	38.8	21.9	1.19	2.63	C33–34
Other thoracic organs	28	0.3	1.0	0.8	0.05	0.08	20	0.3	0.8	0.6	0.05	0.07	C37–38
Bone	90	0.8	3.2	2.6	0.15	0.25	63	0.9	2.5	1.7	0.10	0.16	C40–41
Melanoma of skin	23	0.2	0.8	0.6	0.04	0.07	20	0.3	0.8	0.5	0.03	0.07	C43
Other skin	112	1.0	4.0	2.5	0.10	0.28	117	1.6	4.6	2.6	0.13	0.28	C44
Mesothelioma	1	0.0	0.0	0.0	0.00	0.01	3	0.0	0.1	0.1	0.01	0.01	C45
Kaposi sarcoma	1	0.0	0.0	0.0	0.00	0.00	1	0.0	0.0	0.0	0.00	0.00	C46
Connective and soft tissue	37	0.3	1.3	1.0	0.08	0.10	36	0.5	1.4	1.2	0.08	0.10	C47+C49
Breast	22	0.2	0.8	0.6	0.04	0.06	774	10.7	30.7	21.4	1.80	2.22	C50
Vulva							20	0.3	0.8	0.6	0.03	0.08	C51
Vagina							11	0.2	0.4	0.3	0.03	0.04	C52
Cervix uteri							630	8.7	25.0	17.4	1.45	1.69	C53
Corpus uteri							200	2.8	7.9	5.4	0.47	0.57	C54
Uterus unspecified							24	0.3	1.0	0.5	0.03	0.05	C55
Ovary							209	2.9	8.3	6.1	0.49	0.65	C56
Other female genital organs							11	0.2	0.4	0.3	0.02	0.03	C57
Placenta							7	0.1	0.3	0.2	0.02	0.02	C58
Penis	32	0.3	1.1	0.8	0.06	0.07							C60
Prostate	296	2.8	10.6	6.2	0.16	0.65							C61
Testis	12	0.1	0.4	0.4	0.02	0.03							C62
Other male genital organs	5	0.0	0.2	0.1	0.01	0.02							C63
Kidney	151	1.4	5.4	3.9	0.25	0.42	107	1.5	4.2	2.9	0.18	0.31	C64
Renal pelvis	8	0.1	0.3	0.2	0.01	0.02	5	0.1	0.2	0.1	0.00	0.02	C65
Ureter	4	0.0	0.1	0.1	0.01	0.01	7	0.1	0.3	0.1	0.00	0.02	C66
Bladder	216	2.0	7.7	4.7	0.19	0.52	41	0.6	1.6	0.9	0.06	0.08	C67
Other urinary organs	3	0.0	0.1	0.1	0.01	0.01	4	0.1	0.2	0.1	0.00	0.02	C68
Eye	4	0.0	0.1	0.2	0.01	0.01	3	0.0	0.1	0.2	0.01	0.01	C69
Brain and nervous system	171	1.6	6.1	4.9	0.28	0.48	163	2.3	6.5	4.5	0.28	0.45	C70–72
Thyroid	95	0.9	3.4	2.6	0.21	0.24	345	4.8	13.7	10.2	0.84	0.99	C73
Adrenal gland	6	0.1	0.2	0.2	0.01	0.02	9	0.1	0.4	0.2	0.02	0.02	C74
Other endocrine	8	0.1	0.3	0.2	0.02	0.02	17	0.2	0.7	0.5	0.04	0.05	C75
Hodgkin lymphoma	15	0.1	0.5	0.4	0.02	0.05	10	0.1	0.4	0.2	0.01	0.03	C81
Non-Hodgkin lymphoma	187	1.7	6.7	4.7	0.23	0.55	134	1.9	5.3	3.4	0.19	0.37	C82–86,C96
Immunoproliferative diseases	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C88
Multiple myeloma	49	0.5	1.8	1.2	0.08	0.16	29	0.4	1.2	0.7	0.04	0.09	C90
Lymphoid leukaemia	56	0.5	2.0	2.3	0.12	0.16	30	0.4	1.2	1.1	0.06	0.09	C91
Myeloid leukaemia	83	0.8	3.0	2.7	0.18	0.22	69	1.0	2.7	2.0	0.15	0.19	C92–94
Leukaemia unspecified	80	0.7	2.9	2.5	0.12	0.23	65	0.9	2.6	1.8	0.12	0.17	C95
Myeloproliferative disorders	5	0.0	0.2	0.1	0.00	0.01	7	0.1	0.3	0.2	0.01	0.02	MPD
Myelodysplastic syndromes	25	0.2	0.9	0.6	0.03	0.09	16	0.2	0.6	0.4	0.02	0.05	MPS
Other and unspecified	235	2.2	8.4	5.7	0.28	0.58	257	3.6	10.2	7.0	0.46	0.67	O&U
All sites	10837		387.3	255.2	12.48	29.84	7324		290.9	180.7	11.41	19.77	C00–96
All sites except C44	10725	100.0	383.3	252.7	12.38	29.57	7207	100.0	286.2	178.1	11.28	19.49	C00–96 exc. C44

China, Fuqing City

CONTRIBUTORS

He Daofeng
 Zhong Nvjuan
 Wang Xiaoyang
 Huang Qiaofeng
 Weng Yuyao



20 major cancers, ASR (World) per 100 000

<i>Male</i>		<i>Female</i>	
Liver	49.5	Thyroid	40.4
Trachea, bronchus, and lung	45.3	Trachea, bronchus, and lung	25.6
Stomach	32.4	Breast	22.1
Oesophagus	16.1	Cervix uteri	16.5
Thyroid	12.6	Liver	13.5
Rectum	9.4	Stomach	13.0
Nasopharynx	6.9	Oesophagus	10.2
Brain and nervous system	6.5	Brain and nervous system	7.1
Colon	5.7	Rectum	6.3
Prostate	4.8	Corpus uteri	5.3
Other and unspecified	4.5	Colon	5.2
Non-Hodgkin lymphoma	3.8	Other and unspecified	4.3
Leukaemia unspecified	3.4	Ovary	3.4
Bladder	3.4	Nasopharynx	3.1
Kidney	2.6	Non-Hodgkin lymphoma	2.3
Pancreas	2.6	Bone	2.2
Lymphoid leukaemia	2.1	Pancreas	2.0
Bone	1.8	Leukaemia unspecified	1.9
Non-melanoma skin cancer	1.7	Kidney	1.6
Myeloid leukaemia	1.6	Lymphoid leukaemia	1.3
All sites	229.2	All sites	200.6


China, Fuqing City (2015–2017)

SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	
Lip	2	0.0	0.1	0.1	0.01	0.01	3	0.1	0.2	0.1	0.00	0.02	C00
Tongue	31	0.5	1.5	1.1	0.06	0.13	21	0.4	1.1	0.6	0.03	0.04	C01–02
Mouth	34	0.5	1.6	1.3	0.07	0.14	23	0.4	1.2	0.7	0.04	0.09	C03–06
Salivary glands	26	0.4	1.2	1.0	0.07	0.11	25	0.5	1.3	1.0	0.08	0.11	C07–08
Tonsil	5	0.1	0.2	0.2	0.02	0.02	0	0.0	0.0	0.0	0.00	0.00	C09
Other oropharynx	5	0.1	0.2	0.2	0.01	0.01	2	0.0	0.1	0.1	0.00	0.02	C10
Nasopharynx	187	3.0	8.9	6.9	0.56	0.76	82	1.5	4.2	3.1	0.22	0.35	C11
Hypopharynx	1	0.0	0.0	0.0	0.00	0.01	2	0.0	0.1	0.1	0.01	0.01	C12–13
Pharynx unspecified	0	0.0	0.0	0.0	0.00	0.00	4	0.1	0.2	0.1	0.01	0.02	C14
Oesophagus	475	7.5	22.7	16.1	0.66	2.06	304	5.7	15.5	10.2	0.39	1.29	C15
Stomach	939	14.9	44.9	32.4	1.42	4.01	377	7.1	19.2	13.0	0.69	1.45	C16
Small intestine	20	0.3	1.0	0.7	0.03	0.09	10	0.2	0.5	0.4	0.02	0.05	C17
Colon	162	2.6	7.7	5.7	0.31	0.64	149	2.8	7.6	5.2	0.36	0.58	C18
Rectum	264	4.2	12.6	9.4	0.55	1.18	178	3.3	9.1	6.3	0.35	0.78	C19–20
Anus	3	0.0	0.1	0.1	0.00	0.02	1	0.0	0.1	0.0	0.00	0.00	C21
Liver	1348	21.4	64.4	49.3	3.35	5.90	370	6.9	18.9	13.5	0.80	1.64	C22
Gallbladder etc.	39	0.6	1.9	1.4	0.05	0.18	30	0.6	1.5	1.0	0.07	0.10	C23–24
Pancreas	74	1.2	3.5	2.6	0.16	0.32	58	1.1	3.0	2.0	0.07	0.25	C25
Nose, sinuses etc.	6	0.1	0.3	0.3	0.01	0.02	3	0.1	0.2	0.1	0.01	0.01	C30–31
Larynx	35	0.6	1.7	1.3	0.06	0.20	6	0.1	0.3	0.3	0.02	0.03	C32
Trachea, bronchus, and lung	1279	20.3	61.1	45.3	2.38	5.69	715	13.4	36.4	25.6	1.54	3.08	C33–34
Other thoracic organs	18	0.3	0.9	0.7	0.05	0.09	7	0.1	0.4	0.3	0.03	0.03	C37–38
Bone	45	0.7	2.2	1.8	0.10	0.19	53	1.0	2.7	2.2	0.16	0.24	C40–41
Melanoma of skin	6	0.1	0.3	0.2	0.01	0.01	7	0.1	0.4	0.3	0.02	0.04	C43
Other skin	48	0.8	2.3	1.7	0.08	0.15	36	0.7	1.8	1.2	0.06	0.14	C44
Mesothelioma	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C45
Kaposi sarcoma	1	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C46
Connective and soft tissue	32	0.5	1.5	1.3	0.09	0.13	25	0.5	1.3	1.0	0.08	0.09	C47+C49
Breast	6	0.1	0.3	0.2	0.02	0.02	578	10.8	29.5	22.1	1.90	2.31	C50
Vulva							3	0.1	0.2	0.1	0.01	0.01	C51
Vagina							9	0.2	0.5	0.4	0.02	0.04	C52
Cervix uteri							431	8.1	22.0	16.5	1.40	1.77	C53
Corpus uteri							140	2.6	7.1	5.3	0.47	0.55	C54
Uterus unspecified							27	0.5	1.4	1.0	0.06	0.14	C55
Ovary							90	1.7	4.6	3.4	0.28	0.34	C56
Other female genital organs							8	0.1	0.4	0.5	0.03	0.03	C57
Placenta							12	0.2	0.6	0.6	0.04	0.04	C58
Penis	11	0.2	0.5	0.3	0.00	0.04							C60
Prostate	147	2.3	7.0	4.8	0.13	0.56							C61
Testis	8	0.1	0.4	0.4	0.02	0.03							C62
Other male genital organs	1	0.0	0.0	0.0	0.00	0.01							C63
Kidney	70	1.1	3.3	2.6	0.15	0.31	39	0.7	2.0	1.6	0.11	0.16	C64
Renal pelvis	5	0.1	0.2	0.2	0.01	0.03	2	0.0	0.1	0.1	0.00	0.01	C65
Ureter	3	0.0	0.1	0.1	0.01	0.01	5	0.1	0.3	0.2	0.01	0.02	C66
Bladder	104	1.7	5.0	3.4	0.16	0.36	23	0.4	1.2	0.7	0.04	0.06	C67
Other urinary organs	0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.1	0.0	0.00	0.00	C68
Eye	1	0.0	0.0	0.0	0.00	0.00	2	0.0	0.1	0.1	0.00	0.01	C69
Brain and nervous system	164	2.6	7.8	6.5	0.42	0.68	175	3.3	8.9	7.1	0.47	0.71	C70–72
Thyroid	327	5.2	15.6	12.6	1.04	1.25	1039	19.5	52.9	40.4	3.46	4.06	C73
Adrenal gland	8	0.1	0.4	0.3	0.02	0.02	10	0.2	0.5	0.4	0.03	0.04	C74
Other endocrine	6	0.1	0.3	0.2	0.01	0.03	8	0.1	0.4	0.4	0.03	0.03	C75
Hodgkin lymphoma	8	0.1	0.4	0.3	0.01	0.02	4	0.1	0.2	0.1	0.01	0.01	C81
Non-Hodgkin lymphoma	101	1.6	4.8	3.8	0.23	0.40	61	1.1	3.1	2.3	0.19	0.26	C82–86,C96
Immunoproliferative diseases	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C88
Multiple myeloma	19	0.3	0.9	0.7	0.03	0.10	10	0.2	0.5	0.4	0.03	0.04	C90
Lymphoid leukaemia	35	0.6	1.7	2.1	0.09	0.14	18	0.3	0.9	1.3	0.07	0.08	C91
Myeloid leukaemia	38	0.6	1.8	1.6	0.10	0.14	30	0.6	1.5	1.2	0.08	0.14	C92–94
Leukaemia unspecified	77	1.2	3.7	3.4	0.18	0.34	37	0.7	1.9	1.9	0.09	0.20	C95
Myeloproliferative disorders	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	MPD
Myelodysplastic syndromes	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	MPS
Other and unspecified	121	1.9	5.8	4.5	0.28	0.50	118	2.2	6.0	4.3	0.28	0.46	O&U
All sites	6345		303.3	229.2	13.03	27.04	5371		273.7	200.6	14.16	21.98	C00–96
All sites except C44	6297	100.0	301.0	227.6	12.95	26.90	5335	100.0	271.9	199.4	14.10	21.84	C00–96 exc. C44

China, Ganyu District, Lianyungang City

CONTRIBUTORS

Jinbo Xu
Xiaofeng Zhang
Feng Jin
Jiaxue Li
Xin Wang
Shaosheng Gu
Guiyun Li
Haibo Zhu
Zhenqing Pan



NOTES ON THE DATA

*Low levels of specificity of leukaemias.

20 major cancers, ASR (World) per 100 000

<i>Male</i>		<i>Female</i>	
Trachea, bronchus, and lung	46.0	Breast	27.8
Oesophagus	36.8	Trachea, bronchus, and lung	25.3
Liver	22.8	Cervix uteri	9.4
Stomach	21.4	Stomach	7.9
Rectum	8.5	Liver	6.9
Bladder	5.3	Oesophagus	6.5
Colon	4.4	Rectum	5.8
Pancreas	4.3	Thyroid	5.4
Brain and nervous system	3.6	Ovary	3.9
Non-Hodgkin lymphoma	3.5	Corpus uteri	3.0
Leukaemia unspecified	2.7	Brain and nervous system	2.8
Kidney	2.3	Colon	2.8
Gallbladder etc.	2.2	Uterus unspecified	2.4
Prostate	2.0	Pancreas	2.4
Larynx	1.8	Non-Hodgkin lymphoma	1.9
Bone	1.6	Leukaemia unspecified	1.8
Myeloid leukaemia	1.5	Bone	1.3
Nasopharynx	1.4	Kidney	1.3
Other and unspecified	1.3	Gallbladder etc.	1.1
Thyroid	1.1	Lymphoid leukaemia	1.0
All sites	183.6	All sites	128.3

*China, Ganyu District, Lianyungang City (2013–2017)


SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	
Lip	7	0.1	0.2	0.1	0.01	0.01	7	0.1	0.2	0.1	0.01	0.02	C00
Tongue	22	0.3	0.7	0.5	0.04	0.06	7	0.1	0.2	0.2	0.02	0.02	C01–02
Mouth	21	0.3	0.7	0.5	0.03	0.07	12	0.2	0.4	0.3	0.02	0.02	C03–06
Salivary glands	19	0.2	0.6	0.4	0.03	0.04	14	0.3	0.5	0.4	0.03	0.03	C07–08
Tonsil	1	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C09
Other oropharynx	3	0.0	0.1	0.1	0.01	0.01	3	0.1	0.1	0.1	0.00	0.00	C10
Nasopharynx	53	0.7	1.7	1.4	0.11	0.16	22	0.4	0.8	0.6	0.04	0.07	C11
Hypopharynx	17	0.2	0.5	0.4	0.03	0.04	2	0.0	0.1	0.0	0.00	0.00	C12–13
Pharynx unspecified	12	0.1	0.4	0.3	0.03	0.04	1	0.0	0.0	0.0	0.00	0.00	C14
Oesophagus	1719	21.2	54.4	36.8	1.84	4.60	326	6.1	11.5	6.5	0.26	0.80	C15
Stomach	969	11.9	30.7	21.4	1.20	2.69	380	7.1	13.4	7.9	0.40	0.96	C16
Small intestine	15	0.2	0.5	0.3	0.02	0.04	10	0.2	0.4	0.2	0.01	0.03	C17
Colon	192	2.4	6.1	4.4	0.26	0.51	127	2.4	4.5	2.8	0.18	0.34	C18
Rectum	396	4.9	12.5	8.5	0.45	1.05	267	5.0	9.4	5.8	0.36	0.67	C19–20
Anus	2	0.0	0.1	0.1	0.01	0.01	0	0.0	0.0	0.0	0.00	0.00	C21
Liver	967	11.9	30.6	22.8	1.60	2.81	313	5.9	11.0	6.9	0.43	0.81	C22
Gallbladder etc.	93	1.1	2.9	2.2	0.15	0.28	56	1.0	2.0	1.1	0.05	0.14	C23–24
Pancreas	198	2.4	6.3	4.3	0.25	0.55	109	2.0	3.8	2.4	0.12	0.29	C25
Nose, sinuses etc.	12	0.1	0.4	0.3	0.02	0.04	2	0.0	0.1	0.0	0.00	0.00	C30–31
Larynx	76	0.9	2.4	1.8	0.12	0.25	9	0.2	0.3	0.2	0.01	0.03	C32
Trachea, bronchus, and lung	2076	25.6	65.7	46.0	2.54	5.85	1182	22.1	41.6	25.3	1.43	3.02	C33–34
Other thoracic organs	14	0.2	0.4	0.3	0.02	0.04	6	0.1	0.2	0.2	0.01	0.02	C37–38
Bone	62	0.8	2.0	1.6	0.10	0.18	56	1.0	2.0	1.3	0.09	0.15	C40–41
Melanoma of skin	7	0.1	0.2	0.2	0.01	0.02	9	0.2	0.3	0.2	0.02	0.02	C43
Other skin	43	0.5	1.4	0.9	0.05	0.10	31	0.6	1.1	0.6	0.02	0.06	C44
Mesothelioma	1	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C45
Kaposi sarcoma	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C46
Connective and soft tissue	12	0.1	0.4	0.3	0.02	0.04	10	0.2	0.4	0.2	0.01	0.03	C47+C49
Breast	17	0.2	0.5	0.4	0.04	0.04	1017	19.0	35.8	27.8	2.32	2.95	C50
Vulva							8	0.1	0.3	0.2	0.02	0.03	C51
Vagina							2	0.0	0.1	0.0	0.00	0.00	C52
Cervix uteri							348	6.5	12.3	9.4	0.81	0.96	C53
Corpus uteri							118	2.2	4.2	3.0	0.27	0.32	C54
Uterus unspecified							93	1.7	3.3	2.4	0.21	0.25	C55
Ovary							152	2.8	5.4	3.9	0.29	0.43	C56
Other female genital organs							5	0.1	0.2	0.2	0.01	0.01	C57
Placenta							6	0.1	0.2	0.3	0.02	0.02	C58
Penis	29	0.4	0.9	0.7	0.04	0.08							C60
Prostate	107	1.3	3.4	2.0	0.05	0.22							C61
Testis	9	0.1	0.3	0.3	0.02	0.02							C62
Other male genital organs	5	0.1	0.2	0.1	0.01	0.01							C63
Kidney	96	1.2	3.0	2.3	0.17	0.27	47	0.9	1.7	1.3	0.09	0.13	C64
Renal pelvis	10	0.1	0.3	0.2	0.01	0.03	3	0.1	0.1	0.1	0.00	0.01	C65
Ureter	8	0.1	0.3	0.2	0.01	0.03	2	0.0	0.1	0.0	0.00	0.00	C66
Bladder	250	3.1	7.9	5.3	0.27	0.60	45	0.8	1.6	0.9	0.05	0.10	C67
Other urinary organs	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C68
Eye	4	0.0	0.1	0.1	0.01	0.01	1	0.0	0.0	0.0	0.00	0.00	C69
Brain and nervous system	141	1.7	4.5	3.6	0.25	0.38	113	2.1	4.0	2.8	0.19	0.34	C70–72
Thyroid	45	0.6	1.4	1.1	0.09	0.11	190	3.6	6.7	5.4	0.46	0.50	C73
Adrenal gland	5	0.1	0.2	0.2	0.01	0.01	2	0.0	0.1	0.0	0.00	0.00	C74
Other endocrine	3	0.0	0.1	0.1	0.01	0.01	1	0.0	0.0	0.0	0.00	0.00	C75
Hodgkin lymphoma	2	0.0	0.1	0.1	0.00	0.00	1	0.0	0.0	0.0	0.00	0.00	C81
Non-Hodgkin lymphoma	143	1.8	4.5	3.5	0.21	0.38	77	1.4	2.7	1.9	0.13	0.23	C82–86,C96
Immunoproliferative diseases	4	0.0	0.1	0.1	0.00	0.01	1	0.0	0.0	0.0	0.00	0.01	C88
Multiple myeloma	20	0.2	0.6	0.5	0.03	0.06	16	0.3	0.6	0.4	0.03	0.05	C90
Lymphoid leukaemia	33	0.4	1.0	1.1	0.07	0.08	29	0.5	1.0	1.0	0.06	0.07	C91
Myeloid leukaemia	58	0.7	1.8	1.5	0.10	0.16	28	0.5	1.0	0.9	0.06	0.07	C92–94
Leukaemia unspecified	96	1.2	3.0	2.7	0.17	0.28	60	1.1	2.1	1.8	0.11	0.17	C95
Myeloproliferative disorders	5	0.1	0.2	0.1	0.01	0.01	1	0.0	0.0	0.0	0.00	0.00	MPD
Myelodysplastic syndromes	11	0.1	0.3	0.3	0.01	0.03	3	0.1	0.1	0.1	0.01	0.01	MPS
Other and unspecified	51	0.6	1.6	1.3	0.08	0.13	42	0.8	1.5	1.0	0.06	0.12	O&U
All sites	8161		258.4	183.6	10.60	22.47	5372		189.2	128.3	8.71	14.34	C00–96
All sites except C44	8118	100.0	257.0	182.7	10.55	22.37	5341	100.0	188.1	127.7	8.69	14.28	C00–96 exc. C44

*See note following population pyramid

China, Ganzhou District, Zhangye City

CONTRIBUTORS

Qing Wang
Senqiao Zhang
Jing Xie
Kebo Zhang



NOTES ON THE DATA

*Low levels of specificity of leukaemias. No questionnaire.

20 major cancers, ASR (World) per 100 000

<i>Male</i>		<i>Female</i>	
Stomach	109.3	Stomach	31.6
Oesophagus	43.5	Breast	26.0
Trachea, bronchus, and lung	39.3	Oesophagus	20.6
Liver	35.4	Trachea, bronchus, and lung	16.4
Rectum	11.4	Liver	15.0
Brain and nervous system	9.0	Cervix uteri	12.6
Colon	7.0	Rectum	10.5
Bladder	6.0	Brain and nervous system	6.8
Pancreas	5.7	Corpus uteri	6.7
Prostate	5.0	Ovary	5.7
Bone	4.3	Colon	5.5
Other and unspecified	3.7	Thyroid	4.5
Non-melanoma skin cancer	3.3	Other and unspecified	4.0
Gallbladder etc.	2.5	Pancreas	3.4
Leukaemia unspecified	2.2	Gallbladder etc.	3.1
Kidney	2.0	Bone	2.3
Non-Hodgkin lymphoma	1.6	Non-melanoma skin cancer	2.1
Salivary glands	1.1	Leukaemia unspecified	2.0
Small intestine	1.0	Kidney	1.8
Other thoracic organs	0.9	Nasopharynx	1.7
All sites	304.6	All sites	196.3

*China, Ganzhou District, Zhangye City (2015–2017)


SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	
Lip	2	0.1	0.3	0.2	0.00	0.03	2	0.1	0.3	0.2	0.01	0.01	C00
Tongue	2	0.1	0.3	0.3	0.02	0.04	2	0.1	0.3	0.1	0.01	0.01	C01–02
Mouth	4	0.1	0.5	0.4	0.04	0.05	2	0.1	0.3	0.3	0.03	0.03	C03–06
Salivary glands	10	0.4	1.3	1.1	0.06	0.11	5	0.3	0.7	1.0	0.08	0.08	C07–08
Tonsil	0	0.0	0.0	0.0	0.00	0.00	1	0.1	0.1	0.1	0.01	0.01	C09
Other oropharynx	4	0.1	0.5	0.4	0.01	0.05	1	0.1	0.1	0.1	0.00	0.02	C10
Nasopharynx	5	0.2	0.6	0.5	0.03	0.07	16	0.9	2.1	1.7	0.12	0.20	C11
Hypopharynx	5	0.2	0.6	0.5	0.01	0.09	1	0.1	0.1	0.1	0.00	0.02	C12–13
Pharynx unspecified	4	0.1	0.5	0.4	0.03	0.05	1	0.1	0.1	0.1	0.01	0.01	C14
Oesophagus	407	14.7	51.3	43.5	1.79	6.18	169	9.9	22.2	20.6	0.73	2.69	C15
Stomach	1016	36.8	128.1	109.3	6.28	14.31	282	16.5	37.1	31.6	1.78	4.26	C16
Small intestine	6	0.2	0.8	1.0	0.03	0.07	2	0.1	0.3	0.2	0.00	0.05	C17
Colon	66	2.4	8.3	7.0	0.37	0.80	54	3.2	7.1	5.5	0.28	0.69	C18
Rectum	107	3.9	13.5	11.4	0.64	1.52	83	4.9	10.9	10.5	0.58	1.37	C19–20
Anus	6	0.2	0.8	0.6	0.01	0.13	6	0.4	0.8	0.8	0.07	0.10	C21
Liver	335	12.1	42.2	35.4	2.27	4.46	135	7.9	17.7	15.0	0.77	1.88	C22
Gallbladder etc.	25	0.9	3.2	2.5	0.15	0.34	28	1.6	3.7	3.1	0.15	0.37	C23–24
Pancreas	50	1.8	6.3	5.7	0.32	0.57	29	1.7	3.8	3.4	0.20	0.40	C25
Nose, sinuses etc.	6	0.2	0.8	0.6	0.04	0.09	0	0.0	0.0	0.0	0.00	0.00	C30–31
Larynx	6	0.2	0.8	0.6	0.04	0.10	4	0.2	0.5	0.7	0.03	0.06	C32
Trachea, bronchus, and lung	344	12.5	43.4	39.3	1.71	4.89	150	8.8	19.7	16.4	0.92	2.08	C33–34
Other thoracic organs	8	0.3	1.0	0.9	0.06	0.12	6	0.4	0.8	1.1	0.05	0.08	C37–38
Bone	37	1.3	4.7	4.3	0.28	0.49	21	1.2	2.8	2.3	0.15	0.24	C40–41
Melanoma of skin	3	0.1	0.4	0.2	0.01	0.04	4	0.2	0.5	0.4	0.01	0.05	C43
Other skin	27	1.0	3.4	3.3	0.20	0.39	16	0.9	2.1	2.1	0.14	0.30	C44
Mesothelioma	1	0.0	0.1	0.1	0.00	0.00	1	0.1	0.1	0.1	0.01	0.01	C45
Kaposi sarcoma	1	0.0	0.1	0.1	0.01	0.01	0	0.0	0.0	0.0	0.00	0.00	C46
Connective and soft tissue	8	0.3	1.0	0.6	0.05	0.06	11	0.6	1.4	1.2	0.06	0.18	C47+C49
Breast	8	0.3	1.0	0.8	0.05	0.09	251	14.7	33.0	26.0	2.20	2.64	C50
Vulva							0	0.0	0.0	0.0	0.00	0.00	C51
Vagina							1	0.1	0.1	0.1	0.00	0.02	C52
Cervix uteri							113	6.6	14.9	12.6	1.05	1.45	C53
Corpus uteri							60	3.5	7.9	6.7	0.48	0.76	C54
Uterus unspecified							11	0.6	1.4	1.3	0.13	0.13	C55
Ovary							50	2.9	6.6	5.7	0.38	0.64	C56
Other female genital organs							3	0.2	0.4	0.3	0.03	0.03	C57
Placenta							0	0.0	0.0	0.0	0.00	0.00	C58
Penis	6	0.2	0.8	0.6	0.04	0.10							C60
Prostate	40	1.4	5.0	5.0	0.08	0.51							C61
Testis	3	0.1	0.4	0.4	0.03	0.06							C62
Other male genital organs	0	0.0	0.0	0.0	0.00	0.00							C63
Kidney	18	0.7	2.3	2.0	0.16	0.26	13	0.8	1.7	1.8	0.09	0.15	C64
Renal pelvis	1	0.0	0.1	0.1	0.00	0.03	2	0.1	0.3	0.2	0.00	0.05	C65
Ureter	2	0.1	0.3	0.2	0.01	0.03	4	0.2	0.5	0.5	0.01	0.05	C66
Bladder	47	1.7	5.9	6.0	0.24	0.57	11	0.6	1.4	1.5	0.06	0.14	C67
Other urinary organs	3	0.1	0.4	0.3	0.01	0.04	1	0.1	0.1	0.1	0.00	0.03	C68
Eye	1	0.0	0.1	0.3	0.01	0.01	1	0.1	0.1	0.2	0.02	0.02	C69
Brain and nervous system	75	2.7	9.5	9.0	0.71	0.98	54	3.2	7.1	6.8	0.51	0.75	C70–72
Thyroid	5	0.2	0.6	0.5	0.03	0.06	42	2.5	5.5	4.5	0.38	0.43	C73
Adrenal gland	1	0.0	0.1	0.1	0.01	0.01	3	0.2	0.4	0.3	0.01	0.03	C74
Other endocrine	0	0.0	0.0	0.0	0.00	0.00	1	0.1	0.1	0.2	0.01	0.01	C75
Hodgkin lymphoma	3	0.1	0.4	0.3	0.02	0.03	1	0.1	0.1	0.1	0.01	0.01	C81
Non-Hodgkin lymphoma	15	0.5	1.9	1.6	0.12	0.16	8	0.5	1.1	0.7	0.05	0.09	C82–86,C96
Immunoproliferative diseases	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C88
Multiple myeloma	2	0.1	0.3	0.3	0.03	0.03	4	0.2	0.5	0.3	0.03	0.03	C90
Lymphoid leukaemia	0	0.0	0.0	0.0	0.00	0.00	2	0.1	0.3	0.5	0.03	0.03	C91
Myeloid leukaemia	8	0.3	1.0	0.7	0.06	0.06	5	0.3	0.7	0.9	0.05	0.07	C92–94
Leukaemia unspecified	18	0.7	2.3	2.2	0.14	0.24	11	0.6	1.4	2.0	0.09	0.16	C95
Myeloproliferative disorders	1	0.0	0.1	0.1	0.01	0.01	0	0.0	0.0	0.0	0.00	0.00	MPD
Myelodysplastic syndromes	1	0.0	0.1	0.2	0.02	0.02	0	0.0	0.0	0.0	0.00	0.00	MPS
Other and unspecified	34	1.2	4.3	3.7	0.22	0.43	37	2.2	4.9	4.0	0.23	0.51	O&U
All sites	2787		351.5	304.6	16.49	38.78	1721		226.2	196.3	12.05	23.44	C00–96
All sites except C44	2760	100.0	348.1	301.3	16.29	38.40	1705	100.0	224.1	194.2	11.91	23.14	C00–96 exc. C44

*See note following population pyramid

China, Gaocheng City

CONTRIBUTORS

Wang Liming
Han Yunfeng
Tian Mige
Gan Lichong



NOTES ON THE DATA

*No official mortality data.

†C67 (bladder cancer) includes neoplasms of uncertain or unknown behaviour together with invasive cancers.

20 major cancers, ASR (World) per 100 000

<i>Male</i>		<i>Female</i>	
Trachea, bronchus, and lung	41.1	Breast	22.5
Stomach	39.8	Trachea, bronchus, and lung	15.7
Liver	24.2	Stomach	12.2
Oesophagus	13.8	Oesophagus	6.6
Other and unspecified	13.0	Thyroid	6.4
Rectum	5.5	Cervix uteri	6.4
Colon	4.7	Liver	6.1
Non-Hodgkin lymphoma	3.4	Other and unspecified	5.8
Bladder	3.1	Corpus uteri	5.3
Pancreas	2.8	Ovary	3.7
Kidney	2.7	Rectum	3.4
Brain and nervous system	2.3	Colon	2.9
Thyroid	1.9	Lymphoid leukaemia	2.8
Leukaemia unspecified	1.8	Non-Hodgkin lymphoma	2.4
Prostate	1.8	Brain and nervous system	2.0
Lymphoid leukaemia	1.7	Pancreas	1.7
Gallbladder etc.	1.5	Kidney	1.5
Larynx	1.4	Myeloid leukaemia	1.3
Multiple myeloma	1.0	Leukaemia unspecified	1.2
Non-melanoma skin cancer	1.0	Gallbladder etc.	1.0
All sites	176.9	All sites	118.2

*China, Gaocheng City (2014–2017)


SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	
Lip	6	0.1	0.4	0.3	0.02	0.03	3	0.1	0.2	0.1	0.01	0.01	C00
Tongue	9	0.2	0.5	0.5	0.03	0.04	3	0.1	0.2	0.1	0.01	0.01	C01–02
Mouth	16	0.4	1.0	0.7	0.04	0.11	12	0.4	0.7	0.6	0.04	0.04	C03–06
Salivary glands	7	0.2	0.4	0.4	0.02	0.04	7	0.2	0.4	0.3	0.02	0.02	C07–08
Tonsil	1	0.0	0.1	0.0	0.00	0.01	1	0.0	0.1	0.0	0.00	0.00	C09
Other oropharynx	1	0.0	0.1	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C10
Nasopharynx	2	0.0	0.1	0.1	0.01	0.01	4	0.1	0.2	0.2	0.02	0.02	C11
Hypopharynx	9	0.2	0.5	0.4	0.01	0.06	5	0.2	0.3	0.2	0.02	0.02	C12–13
Pharynx unspecified	4	0.1	0.2	0.2	0.02	0.02	0	0.0	0.0	0.0	0.00	0.00	C14
Oesophagus	321	8.0	19.1	13.8	0.59	1.78	185	6.5	11.0	6.6	0.32	0.77	C15
Stomach	922	22.9	54.8	39.8	1.97	5.14	328	11.5	19.5	12.2	0.50	1.49	C16
Small intestine	12	0.3	0.7	0.5	0.03	0.07	6	0.2	0.4	0.2	0.01	0.02	C17
Colon	108	2.7	6.4	4.7	0.28	0.54	74	2.6	4.4	2.9	0.17	0.37	C18
Rectum	126	3.1	7.5	5.5	0.32	0.72	84	2.9	5.0	3.4	0.22	0.43	C19–20
Anus	4	0.1	0.2	0.2	0.01	0.02	3	0.1	0.2	0.1	0.00	0.00	C21
Liver	555	13.8	33.0	24.2	1.64	2.82	160	5.6	9.5	6.1	0.39	0.69	C22
Gallbladder etc.	34	0.8	2.0	1.5	0.09	0.20	28	1.0	1.7	1.0	0.04	0.11	C23–24
Pancreas	65	1.6	3.9	2.8	0.12	0.35	49	1.7	2.9	1.7	0.09	0.21	C25
Nose, sinuses etc.	3	0.1	0.2	0.1	0.01	0.01	5	0.2	0.3	0.2	0.02	0.02	C30–31
Larynx	33	0.8	2.0	1.4	0.07	0.13	3	0.1	0.2	0.1	0.00	0.01	C32
Trachea, bronchus, and lung	961	23.9	57.1	41.1	2.26	5.46	413	14.5	24.5	15.7	0.85	1.90	C33–34
Other thoracic organs	13	0.3	0.8	0.6	0.04	0.06	5	0.2	0.3	0.2	0.02	0.02	C37–38
Bone	18	0.4	1.1	0.9	0.05	0.11	16	0.6	0.9	0.8	0.06	0.08	C40–41
Melanoma of skin	2	0.0	0.1	0.1	0.00	0.00	4	0.1	0.2	0.2	0.01	0.02	C43
Other skin	24	0.6	1.4	1.0	0.04	0.10	16	0.6	0.9	0.6	0.03	0.05	C44
Mesothelioma	1	0.0	0.1	0.0	0.00	0.01	2	0.1	0.1	0.1	0.01	0.01	C45
Kaposi sarcoma	1	0.0	0.1	0.0	0.00	0.01	0	0.0	0.0	0.0	0.00	0.00	C46
Connective and soft tissue	14	0.3	0.8	0.6	0.04	0.07	5	0.2	0.3	0.3	0.02	0.02	C47+C49
Breast	4	0.1	0.2	0.2	0.01	0.01	517	18.1	30.7	22.5	1.91	2.46	C50
Vulva							9	0.3	0.5	0.3	0.02	0.04	C51
Vagina							1	0.0	0.1	0.1	0.00	0.00	C52
Cervix uteri							150	5.3	8.9	6.4	0.54	0.66	C53
Corpus uteri							126	4.4	7.5	5.3	0.50	0.58	C54
Uterus unspecified							11	0.4	0.7	0.4	0.03	0.06	C55
Ovary							87	3.1	5.2	3.7	0.32	0.40	C56
Other female genital organs							5	0.2	0.3	0.2	0.02	0.02	C57
Placenta							1	0.0	0.1	0.0	0.00	0.00	C58
Penis	4	0.1	0.2	0.2	0.00	0.02							C60
Prostate	41	1.0	2.4	1.8	0.03	0.18							C61
Testis	5	0.1	0.3	0.2	0.01	0.02							C62
Other male genital organs	1	0.0	0.1	0.0	0.00	0.00							C63
Kidney	60	1.5	3.6	2.7	0.20	0.32	29	1.0	1.7	1.5	0.09	0.12	C64
Renal pelvis	1	0.0	0.1	0.0	0.00	0.00	4	0.1	0.2	0.1	0.00	0.01	C65
Ureter	6	0.1	0.4	0.2	0.01	0.03	3	0.1	0.2	0.1	0.00	0.01	C66
†Bladder	71	1.8	4.2	3.1	0.13	0.36	25	0.9	1.5	0.9	0.05	0.09	C67
Other urinary organs	1	0.0	0.1	0.1	0.00	0.00	1	0.0	0.1	0.0	0.00	0.01	C68
Eye	3	0.1	0.2	0.2	0.01	0.01	2	0.1	0.1	0.1	0.00	0.01	C69
Brain and nervous system	51	1.3	3.0	2.3	0.17	0.23	45	1.6	2.7	2.0	0.17	0.20	C70–72
Thyroid	40	1.0	2.4	1.9	0.15	0.19	136	4.8	8.1	6.4	0.52	0.62	C73
Adrenal gland	3	0.1	0.2	0.2	0.01	0.01	0	0.0	0.0	0.0	0.00	0.00	C74
Other endocrine	3	0.1	0.2	0.1	0.01	0.02	1	0.0	0.1	0.0	0.00	0.00	C75
Hodgkin lymphoma	5	0.1	0.3	0.2	0.02	0.02	4	0.1	0.2	0.2	0.01	0.02	C81
Non-Hodgkin lymphoma	72	1.8	4.3	3.4	0.22	0.36	49	1.7	2.9	2.4	0.16	0.25	C82–86,C96
Immunoproliferative diseases	2	0.0	0.1	0.1	0.00	0.01	2	0.1	0.1	0.1	0.00	0.01	C88
Multiple myeloma	23	0.6	1.4	1.0	0.05	0.14	13	0.5	0.8	0.5	0.05	0.06	C90
Lymphoid leukaemia	25	0.6	1.5	1.7	0.08	0.09	35	1.2	2.1	2.8	0.14	0.15	C91
Myeloid leukaemia	17	0.4	1.0	0.9	0.07	0.07	19	0.7	1.1	1.3	0.08	0.10	C92–94
Leukaemia unspecified	38	0.9	2.3	1.8	0.13	0.20	25	0.9	1.5	1.2	0.08	0.09	C95
Myeloproliferative disorders	1	0.0	0.1	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	MPD
Myelodysplastic syndromes	1	0.0	0.1	0.0	0.00	0.00	1	0.0	0.1	0.0	0.00	0.00	MPS
Other and unspecified	300	7.5	17.8	13.0	0.73	1.44	146	5.1	8.7	5.8	0.32	0.67	O&U
All sites	4050		240.8	176.9	9.80	21.67	2868		170.1	118.2	7.91	13.04	C00–96
All sites except C44	4026	100.0	239.4	175.9	9.77	21.57	2852	100.0	169.2	117.6	7.89	12.99	C00–96 exc. C44

*†See note following population pyramid

China, Gaomi City

CONTRIBUTORS

Huang Yifeng
Leng Guanqun



20 major cancers, ASR (World) per 100 000

<i>Male</i>		<i>Female</i>	
Trachea, bronchus, and lung	62.3	Breast	29.5
Stomach	33.4	Trachea, bronchus, and lung	27.4
Liver	29.9	Stomach	11.9
Oesophagus	14.0	Cervix uteri	10.9
Rectum	11.6	Liver	9.0
Bladder	6.4	Rectum	6.2
Colon	5.7	Corpus uteri	5.6
Gallbladder etc.	5.4	Ovary	4.7
Prostate	4.1	Thyroid	4.4
Non-Hodgkin lymphoma	3.7	Colon	4.1
Pancreas	3.3	Pancreas	3.3
Brain and nervous system	2.7	Gallbladder etc.	2.8
Leukaemia unspecified	2.5	Brain and nervous system	2.4
Nasopharynx	2.3	Non-Hodgkin lymphoma	1.8
Myeloid leukaemia	2.0	Myeloid leukaemia	1.7
Larynx	1.9	Lymphoid leukaemia	1.5
Kidney	1.6	Kidney	1.4
Lymphoid leukaemia	1.3	Leukaemia unspecified	1.3
Bone	1.3	Oesophagus	1.3
Thyroid	1.2	Bladder	1.2
All sites	205.7	All sites	142.0


China, Gaomi City (2014–2017)

SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	
Lip	0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.1	0.0	0.00	0.00	C00
Tongue	11	0.2	0.6	0.4	0.03	0.05	6	0.1	0.3	0.1	0.00	0.01	C01–02
Mouth	19	0.3	1.1	0.6	0.05	0.07	9	0.2	0.5	0.3	0.02	0.04	C03–06
Salivary glands	10	0.2	0.6	0.4	0.03	0.05	13	0.3	0.7	0.4	0.04	0.06	C07–08
Tonsil	3	0.0	0.2	0.1	0.01	0.01	1	0.0	0.1	0.0	0.00	0.01	C09
Other oropharynx	1	0.0	0.1	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C10
Nasopharynx	63	1.0	3.5	2.3	0.17	0.25	18	0.4	1.0	0.6	0.04	0.07	C11
Hypopharynx	9	0.1	0.5	0.3	0.02	0.03	0	0.0	0.0	0.0	0.00	0.00	C12–13
Pharynx unspecified	9	0.1	0.5	0.3	0.02	0.02	0	0.0	0.0	0.0	0.00	0.00	C14
Oesophagus	437	6.9	24.4	14.0	0.81	1.61	53	1.2	3.0	1.3	0.05	0.14	C15
Stomach	1033	16.3	57.8	33.4	1.79	4.10	419	9.4	23.5	11.9	0.62	1.28	C16
Small intestine	18	0.3	1.0	0.5	0.05	0.05	5	0.1	0.3	0.1	0.01	0.01	C17
Colon	177	2.8	9.9	5.7	0.31	0.66	148	3.3	8.3	4.1	0.20	0.49	C18
Rectum	363	5.7	20.3	11.6	0.61	1.40	206	4.6	11.5	6.2	0.37	0.72	C19–20
Anus	1	0.0	0.1	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C21
Liver	904	14.3	50.6	29.9	2.07	3.51	316	7.1	17.7	9.0	0.43	1.06	C22
Gallbladder etc.	175	2.8	9.8	5.4	0.23	0.66	103	2.3	5.8	2.8	0.09	0.34	C23–24
Pancreas	103	1.6	5.8	3.3	0.18	0.38	110	2.5	6.2	3.3	0.17	0.44	C25
Nose, sinuses etc.	8	0.1	0.4	0.4	0.01	0.04	5	0.1	0.3	0.2	0.01	0.01	C30–31
Larynx	58	0.9	3.2	1.9	0.13	0.22	7	0.2	0.4	0.2	0.00	0.01	C32
Trachea, bronchus, and lung	1973	31.2	110.3	62.3	3.28	7.64	977	22.0	54.8	27.4	1.43	3.13	C33–34
Other thoracic organs	17	0.3	1.0	0.6	0.03	0.07	10	0.2	0.6	0.4	0.03	0.04	C37–38
Bone	38	0.6	2.1	1.3	0.07	0.16	32	0.7	1.8	1.0	0.04	0.09	C40–41
Melanoma of skin	8	0.1	0.4	0.3	0.02	0.03	10	0.2	0.6	0.3	0.03	0.03	C43
Other skin	27	0.4	1.5	0.8	0.05	0.10	38	0.9	2.1	1.0	0.04	0.07	C44
Mesothelioma	0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.1	0.0	0.00	0.00	C45
Kaposi sarcoma	1	0.0	0.1	0.0	0.00	0.00	3	0.1	0.2	0.1	0.01	0.01	C46
Connective and soft tissue	9	0.1	0.5	0.3	0.02	0.04	18	0.4	1.0	0.7	0.05	0.06	C47+C49
Breast	10	0.2	0.6	0.3	0.03	0.04	823	18.5	46.1	29.5	2.49	3.04	C50
Vulva							3	0.1	0.2	0.1	0.01	0.01	C51
Vagina							1	0.0	0.1	0.0	0.00	0.01	C52
Cervix uteri							301	6.8	16.9	10.9	0.94	1.07	C53
Corpus uteri							164	3.7	9.2	5.6	0.47	0.65	C54
Uterus unspecified							30	0.7	1.7	0.8	0.04	0.09	C55
Ovary							137	3.1	7.7	4.7	0.38	0.52	C56
Other female genital organs							1	0.0	0.1	0.0	0.00	0.01	C57
Placenta							1	0.0	0.1	0.0	0.00	0.00	C58
Penis		0.1	0.5	0.3	0.02	0.04							C60
Prostate	145	2.3	8.1	4.1	0.09	0.42							C61
Testis	6	0.1	0.3	0.2	0.02	0.03							C62
Other male genital organs	1	0.0	0.1	0.0	0.00	0.00							C63
Kidney	48	0.8	2.7	1.6	0.08	0.21	43	1.0	2.4	1.4	0.10	0.16	C64
Renal pelvis	4	0.1	0.2	0.1	0.01	0.01	4	0.1	0.2	0.1	0.01	0.01	C65
Ureter	8	0.1	0.4	0.2	0.01	0.02	7	0.2	0.4	0.2	0.01	0.01	C66
Bladder	213	3.4	11.9	6.4	0.28	0.67	48	1.1	2.7	1.2	0.03	0.11	C67
Other urinary organs	0	0.0	0.0	0.0	0.00	0.00	2	0.0	0.1	0.1	0.00	0.01	C68
Eye	0	0.0	0.0	0.0	0.00	0.00	2	0.0	0.1	0.3	0.01	0.01	C69
Brain and nervous system	70	1.1	3.9	2.7	0.18	0.29	66	1.5	3.7	2.4	0.16	0.25	C70–72
Thyroid	34	0.5	1.9	1.2	0.11	0.12	111	2.5	6.2	4.4	0.34	0.41	C73
Adrenal gland	4	0.1	0.2	0.1	0.00	0.01	2	0.0	0.1	0.1	0.00	0.01	C74
Other endocrine	1	0.0	0.1	0.0	0.00	0.00	2	0.0	0.1	0.1	0.01	0.01	C75
Hodgkin lymphoma	14	0.2	0.8	0.6	0.04	0.06	8	0.2	0.4	0.3	0.01	0.04	C81
Non-Hodgkin lymphoma	100	1.6	5.6	3.7	0.22	0.41	52	1.2	2.9	1.8	0.11	0.18	C82–86,C96
Immunoproliferative diseases	1	0.0	0.1	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C88
Multiple myeloma	29	0.5	1.6	0.9	0.06	0.10	21	0.5	1.2	0.7	0.04	0.08	C90
Lymphoid leukaemia	28	0.4	1.6	1.3	0.08	0.13	25	0.6	1.4	1.5	0.08	0.12	C91
Myeloid leukaemia	49	0.8	2.7	2.0	0.11	0.23	49	1.1	2.7	1.7	0.14	0.17	C92–94
Leukaemia unspecified	53	0.8	3.0	2.5	0.15	0.22	24	0.5	1.3	1.3	0.06	0.09	C95
Myeloproliferative disorders	0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.1	0.1	0.00	0.00	MPD
Myelodysplastic syndromes	30	0.5	1.7	1.0	0.05	0.12	27	0.6	1.5	0.9	0.05	0.08	MPS
Other and unspecified	17	0.3	1.0	0.5	0.02	0.06	20	0.4	1.1	0.5	0.01	0.05	O&U
All sites	6349		355.0	205.7	11.54	24.32	4484		251.3	142.0	9.20	15.30	C00–96
All sites except C44	6322	100.0	353.5	204.9	11.49	24.22	4446	100.0	249.2	141.1	9.16	15.23	C00–96 exc. C44

China, Gong'an County

CONTRIBUTORS

Wenliangjun
Hong Jie
Shenli Qiong
Zhangdan
Xiaoyao
Huchanggui



20 major cancers, ASR (World) per 100 000

<i>Male</i>		<i>Female</i>	
Trachea, bronchus, and lung	74.0	Trachea, bronchus, and lung	25.6
Liver	32.0	Breast	24.0
Oesophagus	14.3	Cervix uteri	23.4
Stomach	12.5	Thyroid	11.0
Rectum	8.6	Liver	10.6
Colon	8.4	Ovary	7.2
Bladder	7.4	Brain and nervous system	6.8
Non-Hodgkin lymphoma	6.2	Rectum	6.2
Brain and nervous system	6.1	Colon	6.1
Nasopharynx	5.3	Stomach	5.5
Prostate	5.1	Corpus uteri	4.7
Pancreas	4.8	Non-Hodgkin lymphoma	3.7
Myeloid leukaemia	3.1	Pancreas	3.1
Larynx	2.8	Myeloid leukaemia	2.6
Thyroid	2.6	Nasopharynx	2.1
Non-melanoma skin cancer	2.4	Gallbladder etc.	1.9
Kidney	2.2	Kidney	1.9
Multiple myeloma	1.9	Bladder	1.9
Leukaemia unspecified	1.9	Non-melanoma skin cancer	1.6
Gallbladder etc.	1.3	Bone	1.4
All sites	217.9	All sites	164.6


China, Gong'an County (2013–2017)

SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	
Lip	7	0.1	0.3	0.2	0.02	0.02	3	0.1	0.1	0.1	0.01	0.01	C00
Tongue	28	0.4	1.3	0.8	0.06	0.11	13	0.2	0.6	0.4	0.02	0.05	C01–02
Mouth	30	0.4	1.4	0.9	0.06	0.13	12	0.2	0.5	0.4	0.03	0.03	C03–06
Salivary glands	20	0.3	0.9	0.8	0.04	0.10	17	0.3	0.8	0.5	0.04	0.04	C07–08
Tonsil	3	0.0	0.1	0.1	0.01	0.01	1	0.0	0.0	0.0	0.00	0.01	C09
Other oropharynx	16	0.2	0.7	0.5	0.03	0.06	2	0.0	0.1	0.0	0.00	0.01	C10
Nasopharynx	175	2.4	8.0	5.3	0.41	0.60	72	1.3	3.3	2.1	0.18	0.22	C11
Hypopharynx	18	0.3	0.8	0.5	0.04	0.07	3	0.1	0.1	0.1	0.01	0.01	C12–13
Pharynx unspecified	8	0.1	0.4	0.2	0.01	0.03	2	0.0	0.1	0.0	0.00	0.01	C14
Oesophagus	490	6.8	22.3	14.3	0.82	1.87	50	0.9	2.3	1.2	0.05	0.13	C15
Stomach	430	6.0	19.6	12.5	0.74	1.64	197	3.5	8.9	5.5	0.29	0.68	C16
Small intestine	29	0.4	1.3	0.9	0.05	0.10	22	0.4	1.0	0.6	0.03	0.06	C17
Colon	289	4.0	13.2	8.4	0.54	1.01	212	3.8	9.6	6.1	0.36	0.74	C18
Rectum	294	4.1	13.4	8.6	0.53	1.11	223	4.0	10.1	6.2	0.36	0.71	C19–20
Anus	2	0.0	0.1	0.1	0.00	0.01	5	0.1	0.2	0.1	0.01	0.01	C21
Liver	1086	15.1	49.5	32.0	2.04	3.93	380	6.8	17.2	10.6	0.59	1.35	C22
Gallbladder etc.	43	0.6	2.0	1.3	0.08	0.17	68	1.2	3.1	1.9	0.10	0.25	C23–24
Pancreas	157	2.2	7.2	4.8	0.21	0.68	110	2.0	5.0	3.1	0.17	0.37	C25
Nose, sinuses etc.	19	0.3	0.9	0.6	0.05	0.07	13	0.2	0.6	0.4	0.02	0.04	C30–31
Larynx	95	1.3	4.3	2.8	0.19	0.36	9	0.2	0.4	0.3	0.02	0.02	C32
Trachea, bronchus, and lung	2500	34.7	114.0	74.0	3.44	10.06	941	16.8	42.5	25.6	1.32	3.21	C33–34
Other thoracic organs	30	0.4	1.4	0.9	0.07	0.09	20	0.4	0.9	0.6	0.04	0.07	C37–38
Bone	37	0.5	1.7	1.2	0.06	0.14	40	0.7	1.8	1.4	0.09	0.15	C40–41
Melanoma of skin	16	0.2	0.7	0.5	0.02	0.07	9	0.2	0.4	0.3	0.02	0.03	C43
Other skin	84	1.2	3.8	2.4	0.14	0.29	64	1.1	2.9	1.6	0.10	0.18	C44
Mesothelioma	0	0.0	0.0	0.0	0.00	0.00	3	0.1	0.1	0.1	0.01	0.01	C45
Kaposi sarcoma	1	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C46
Connective and soft tissue	26	0.4	1.2	1.0	0.07	0.10	19	0.3	0.9	0.7	0.05	0.05	C47+C49
Breast	20	0.3	0.9	0.6	0.04	0.06	832	14.9	37.6	24.0	2.07	2.51	C50
Vulva							6	0.1	0.3	0.2	0.01	0.03	C51
Vagina							15	0.3	0.7	0.4	0.03	0.05	C52
Cervix uteri							808	14.4	36.5	23.4	1.87	2.53	C53
Corpus uteri							164	2.9	7.4	4.7	0.41	0.55	C54
Uterus unspecified							12	0.2	0.5	0.3	0.02	0.04	C55
Ovary							233	4.2	10.5	7.2	0.54	0.78	C56
Other female genital organs							18	0.3	0.8	0.5	0.04	0.06	C57
Placenta							7	0.1	0.3	0.3	0.02	0.02	C58
Penis		0.4	1.3	0.9	0.05	0.15							C60
Prostate	177	2.5	8.1	5.1	0.11	0.65							C61
Testis	7	0.1	0.3	0.2	0.01	0.03							C62
Other male genital organs	2	0.0	0.1	0.0	0.00	0.00							C63
Kidney	76	1.1	3.5	2.2	0.15	0.27	61	1.1	2.8	1.9	0.13	0.23	C64
Renal pelvis	5	0.1	0.2	0.2	0.02	0.02	2	0.0	0.1	0.1	0.00	0.01	C65
Ureter	6	0.1	0.3	0.2	0.01	0.02	5	0.1	0.2	0.1	0.01	0.02	C66
Bladder	253	3.5	11.5	7.4	0.29	0.91	73	1.3	3.3	1.9	0.10	0.21	C67
Other urinary organs	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C68
Eye	6	0.1	0.3	0.3	0.01	0.03	4	0.1	0.2	0.1	0.00	0.01	C69
Brain and nervous system	190	2.6	8.7	6.1	0.43	0.67	211	3.8	9.5	6.8	0.49	0.75	C70–72
Thyroid	79	1.1	3.6	2.6	0.20	0.27	358	6.4	16.2	11.0	0.92	1.10	C73
Adrenal gland	9	0.1	0.4	0.3	0.02	0.04	2	0.0	0.1	0.0	0.00	0.00	C74
Other endocrine	23	0.3	1.0	0.8	0.06	0.07	21	0.4	0.9	0.6	0.05	0.07	C75
Hodgkin lymphoma	7	0.1	0.3	0.2	0.01	0.03	2	0.0	0.1	0.1	0.01	0.01	C81
Non-Hodgkin lymphoma	193	2.7	8.8	6.2	0.38	0.68	118	2.1	5.3	3.7	0.22	0.44	C82–86,C96
Immunoproliferative diseases	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C88
Multiple myeloma	60	0.8	2.7	1.9	0.11	0.25	43	0.8	1.9	1.3	0.07	0.18	C90
Lymphoid leukaemia	25	0.3	1.1	1.2	0.07	0.08	18	0.3	0.8	0.8	0.05	0.06	C91
Myeloid leukaemia	87	1.2	4.0	3.1	0.23	0.31	71	1.3	3.2	2.6	0.16	0.26	C92–94
Leukaemia unspecified	57	0.8	2.6	1.9	0.11	0.21	33	0.6	1.5	1.3	0.07	0.14	C95
Myeloproliferative disorders	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	MPD
Myelodysplastic syndromes	3	0.0	0.1	0.1	0.01	0.01	2	0.0	0.1	0.1	0.00	0.01	MPS
Other and unspecified	36	0.5	1.6	1.1	0.04	0.14	31	0.6	1.4	1.1	0.06	0.11	O&U
All sites	7283		332.0	217.9	12.07	27.71	5660		255.9	164.6	11.26	18.63	C00–96
All sites except C44	7199	100.0	328.2	215.5	11.93	27.42	5596	100.0	253.0	162.9	11.16	18.45	C00–96 exc. C44

China, Guang'an District, Guang'an City

CONTRIBUTORS

Liguohui
Su Zhongting
Lirongchuan
Duchengbing



NOTES ON THE DATA

*Low levels of specificity of leukaemias.

20 major cancers, ASR (World) per 100 000

Male		Female	
Trachea, bronchus, and lung	81.4	Trachea, bronchus, and lung	29.3
Liver	47.5	Breast	14.7
Stomach	34.6	Stomach	14.4
Oesophagus	32.9	Liver	11.9
Rectum	13.0	Oesophagus	10.9
Nasopharynx	6.2	Cervix uteri	8.0
Pancreas	5.1	Rectum	7.8
Colon	5.1	Ovary	3.3
Brain and nervous system	5.0	Colon	3.2
Prostate	3.4	Nasopharynx	3.1
Leukaemia unspecified	3.4	Pancreas	3.0
Non-Hodgkin lymphoma	3.2	Leukaemia unspecified	2.8
Bladder	2.5	Non-Hodgkin lymphoma	2.6
Other and unspecified	2.3	Corpus uteri	2.3
Bone	1.9	Brain and nervous system	2.2
Larynx	1.7	Uterus unspecified	1.7
Breast	1.3	Bone	1.7
Non-melanoma skin cancer	1.2	Thyroid	1.4
Gallbladder etc.	1.0	Other and unspecified	1.3
Kidney	0.9	Bladder	0.9
All sites	263.6	All sites	135.3

*China, Guang'an District, Guang'an City (2015–2017)


SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	
Lip	1	0.0	0.1	0.0	0.00	0.00	1	0.0	0.1	0.0	0.00	0.00	C00
Tongue	14	0.3	1.0	0.7	0.05	0.08	2	0.1	0.2	0.1	0.01	0.01	C01–02
Mouth	11	0.2	0.8	0.5	0.03	0.06	9	0.3	0.7	0.5	0.02	0.09	C03–06
Salivary glands	10	0.2	0.7	0.5	0.04	0.07	1	0.0	0.1	0.1	0.00	0.01	C07–08
Tonsil	6	0.1	0.4	0.3	0.02	0.03	2	0.1	0.2	0.1	0.01	0.01	C09
Other oropharynx	9	0.2	0.6	0.5	0.03	0.07	2	0.1	0.2	0.1	0.00	0.00	C10
Nasopharynx	115	2.3	8.2	6.2	0.45	0.72	56	2.2	4.3	3.1	0.24	0.29	C11
Hypopharynx	8	0.2	0.6	0.4	0.02	0.07	2	0.1	0.2	0.1	0.01	0.01	C12–13
Pharynx unspecified	14	0.3	1.0	0.7	0.02	0.05	5	0.2	0.4	0.2	0.01	0.01	C14
Oesophagus	647	12.7	46.4	32.9	1.69	4.28	219	8.4	16.8	10.9	0.58	1.33	C15
Stomach	685	13.4	49.1	34.6	1.78	4.38	302	11.6	23.2	14.4	0.60	1.72	C16
Small intestine	10	0.2	0.7	0.6	0.04	0.06	17	0.7	1.3	0.9	0.06	0.10	C17
Colon	98	1.9	7.0	5.1	0.29	0.62	60	2.3	4.6	3.2	0.23	0.38	C18
Rectum	254	5.0	18.2	13.0	0.59	1.51	158	6.1	12.1	7.8	0.43	0.85	C19–20
Anus	5	0.1	0.4	0.2	0.01	0.02	9	0.3	0.7	0.4	0.02	0.04	C21
Liver	913	17.9	65.5	47.5	3.41	5.38	234	9.0	18.0	11.9	0.67	1.34	C22
Gallbladder etc.	21	0.4	1.5	1.0	0.06	0.09	18	0.7	1.4	0.9	0.06	0.11	C23–24
Pancreas	103	2.0	7.4	5.1	0.26	0.65	60	2.3	4.6	3.0	0.16	0.34	C25
Nose, sinuses etc.	9	0.2	0.6	0.5	0.04	0.06	7	0.3	0.5	0.3	0.01	0.01	C30–31
Larynx	33	0.6	2.4	1.7	0.11	0.22	5	0.2	0.4	0.3	0.01	0.04	C32
Trachea, bronchus, and lung	1599	31.3	114.6	81.4	4.53	10.11	586	22.5	45.0	29.3	1.58	3.36	C33–34
Other thoracic organs	8	0.2	0.6	0.5	0.04	0.04	5	0.2	0.4	0.3	0.02	0.04	C37–38
Bone	37	0.7	2.7	1.9	0.10	0.25	35	1.3	2.7	1.7	0.09	0.21	C40–41
Melanoma of skin	6	0.1	0.4	0.3	0.01	0.02	2	0.1	0.2	0.1	0.00	0.02	C43
Other skin	23	0.5	1.6	1.2	0.06	0.18	18	0.7	1.4	0.8	0.02	0.09	C44
Mesothelioma	2	0.0	0.1	0.1	0.01	0.01	1	0.0	0.1	0.1	0.01	0.01	C45
Kaposi sarcoma	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C46
Connective and soft tissue	6	0.1	0.4	0.3	0.02	0.02	4	0.2	0.3	0.2	0.02	0.03	C47+C49
Breast	24	0.5	1.7	1.3	0.05	0.13	262	10.1	20.1	14.7	1.22	1.53	C50
Vulva							1	0.0	0.1	0.1	0.00	0.00	C51
Vagina							3	0.1	0.2	0.2	0.01	0.02	C52
Cervix uteri							148	5.7	11.4	8.0	0.60	0.90	C53
Corpus uteri							42	1.6	3.2	2.3	0.20	0.24	C54
Uterus unspecified							29	1.1	2.2	1.7	0.15	0.19	C55
Ovary							60	2.3	4.6	3.3	0.24	0.39	C56
Other female genital organs							4	0.2	0.3	0.2	0.01	0.03	C57
Placenta							0	0.0	0.0	0.0	0.00	0.00	C58
Penis	6	0.1	0.4	0.3	0.02	0.03							C60
Prostate	73	1.4	5.2	3.4	0.10	0.40							C61
Testis	6	0.1	0.4	0.3	0.03	0.03							C62
Other male genital organs	0	0.0	0.0	0.0	0.00	0.00							C63
Kidney	15	0.3	1.1	0.9	0.06	0.11	12	0.5	0.9	0.7	0.04	0.07	C64
Renal pelvis	4	0.1	0.3	0.2	0.02	0.02	1	0.0	0.1	0.1	0.00	0.00	C65
Ureter	3	0.1	0.2	0.1	0.01	0.02	2	0.1	0.2	0.1	0.00	0.02	C66
Bladder	50	1.0	3.6	2.5	0.09	0.29	22	0.8	1.7	0.9	0.03	0.08	C67
Other urinary organs	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C68
Eye	0	0.0	0.0	0.0	0.00	0.00	6	0.2	0.5	0.5	0.04	0.04	C69
Brain and nervous system	94	1.8	6.7	5.0	0.32	0.55	42	1.6	3.2	2.2	0.13	0.26	C70–72
Thyroid	10	0.2	0.7	0.5	0.03	0.05	24	0.9	1.8	1.4	0.12	0.12	C73
Adrenal gland	4	0.1	0.3	0.2	0.01	0.02	0	0.0	0.0	0.0	0.00	0.00	C74
Other endocrine	3	0.1	0.2	0.1	0.01	0.02	3	0.1	0.2	0.2	0.02	0.02	C75
Hodgkin lymphoma	2	0.0	0.1	0.1	0.01	0.01	0	0.0	0.0	0.0	0.00	0.00	C81
Non-Hodgkin lymphoma	60	1.2	4.3	3.2	0.23	0.39	50	1.9	3.8	2.6	0.16	0.29	C82–86,C96
Immunoproliferative diseases	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C88
Multiple myeloma	11	0.2	0.8	0.8	0.05	0.07	5	0.2	0.4	0.2	0.00	0.02	C90
Lymphoid leukaemia	9	0.2	0.6	0.5	0.02	0.07	11	0.4	0.8	0.6	0.03	0.07	C91
Myeloid leukaemia	12	0.2	0.9	0.6	0.02	0.05	7	0.3	0.5	0.4	0.02	0.04	C92–94
Leukaemia unspecified	58	1.1	4.2	3.4	0.20	0.34	45	1.7	3.5	2.8	0.18	0.32	C95
Myeloproliferative disorders	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	MPD
Myelodysplastic syndromes	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	MPS
Other and unspecified	39	0.8	2.8	2.3	0.13	0.26	22	0.8	1.7	1.3	0.08	0.12	O&U
All sites	5130		367.8	263.6	15.12	31.92	2621		201.4	135.3	8.17	15.25	C00–96
All sites except C44	5107	100.0	366.1	262.4	15.05	31.73	2603	100.0	200.0	134.4	8.14	15.17	C00–96 exc. C44

*See note following population pyramid

China, Guanghan City

CONTRIBUTORS

Liu Dandan
Xiao Changhua
Wang Ling
Lung Siu-Kong



20 major cancers, ASR (World) per 100 000

Male		Female	
Trachea, bronchus, and lung	45.9	Trachea, bronchus, and lung	22.1
Oesophagus	45.2	Breast	17.5
Liver	31.2	Liver	8.3
Stomach	25.7	Stomach	7.8
Rectum	12.5	Cervix uteri	7.5
Colon	7.7	Rectum	6.9
Brain and nervous system	5.9	Colon	5.4
Pancreas	5.6	Corpus uteri	5.3
Bladder	5.4	Ovary	5.1
Prostate	4.7	Oesophagus	3.3
Other and unspecified	3.8	Brain and nervous system	3.1
Nasopharynx	3.8	Thyroid	2.9
Larynx	3.2	Other and unspecified	2.6
Non-Hodgkin lymphoma	2.8	Pancreas	2.4
Mouth	2.5	Gallbladder etc.	1.8
Gallbladder etc.	2.1	Leukaemia unspecified	1.8
Myeloid leukaemia	2.1	Bone	1.7
Bone	2.0	Nasopharynx	1.6
Kidney	1.7	Bladder	1.4
Leukaemia unspecified	1.5	Lymphoid leukaemia	1.2
All sites	227.3	All sites	117.3


China, Guanghan City (2015–2017)

SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	
Lip	9	0.2	1.0	0.5	0.03	0.06	1	0.0	0.1	0.0	0.00	0.00	C00
Tongue	18	0.5	2.0	1.0	0.07	0.14	1	0.0	0.1	0.0	0.00	0.00	C01–02
Mouth	46	1.2	5.2	2.5	0.12	0.30	9	0.4	1.0	0.5	0.03	0.05	C03–06
Salivary glands	4	0.1	0.5	0.3	0.03	0.03	0	0.0	0.0	0.0	0.00	0.00	C07–08
Tonsil	6	0.2	0.7	0.4	0.01	0.06	1	0.0	0.1	0.0	0.00	0.00	C09
Other oropharynx	10	0.3	1.1	0.7	0.05	0.11	1	0.0	0.1	0.1	0.01	0.01	C10
Nasopharynx	65	1.7	7.4	3.8	0.24	0.46	25	1.2	2.8	1.6	0.12	0.20	C11
Hypopharynx	7	0.2	0.8	0.5	0.03	0.07	0	0.0	0.0	0.0	0.00	0.00	C12–13
Pharynx unspecified	6	0.2	0.7	0.3	0.00	0.05	2	0.1	0.2	0.1	0.01	0.01	C14
Oesophagus	769	20.3	87.1	45.2	2.93	5.58	67	3.3	7.4	3.3	0.14	0.37	C15
Stomach	438	11.5	49.6	25.7	1.58	3.25	149	7.3	16.4	7.8	0.44	0.87	C16
Small intestine	6	0.2	0.7	0.3	0.02	0.03	5	0.2	0.6	0.2	0.01	0.05	C17
Colon	134	3.5	15.2	7.7	0.37	0.98	100	4.9	11.0	5.4	0.30	0.70	C18
Rectum	218	5.7	24.7	12.5	0.67	1.50	127	6.2	14.0	6.9	0.39	0.80	C19–20
Anus	2	0.1	0.2	0.1	0.00	0.01	1	0.0	0.1	0.0	0.00	0.00	C21
Liver	517	13.6	58.5	31.2	1.96	3.69	163	7.9	18.0	8.3	0.42	0.98	C22
Gallbladder etc.	38	1.0	4.3	2.1	0.07	0.29	37	1.8	4.1	1.8	0.07	0.24	C23–24
Pancreas	97	2.6	11.0	5.6	0.41	0.65	49	2.4	5.4	2.4	0.10	0.30	C25
Nose, sinuses etc.	8	0.2	0.9	0.5	0.04	0.04	2	0.1	0.2	0.1	0.00	0.01	C30–31
Larynx	57	1.5	6.5	3.2	0.22	0.37	3	0.1	0.3	0.1	0.00	0.00	C32
Trachea, bronchus, and lung	776	20.4	87.8	45.9	2.90	5.65	425	20.7	46.9	22.1	1.28	2.52	C33–34
Other thoracic organs	8	0.2	0.9	0.5	0.04	0.05	7	0.3	0.8	0.4	0.03	0.04	C37–38
Bone	24	0.6	2.7	2.0	0.12	0.21	30	1.5	3.3	1.7	0.13	0.18	C40–41
Melanoma of skin	4	0.1	0.5	0.2	0.02	0.03	4	0.2	0.4	0.2	0.00	0.06	C43
Other skin	11	0.3	1.2	0.6	0.03	0.04	12	0.6	1.3	0.6	0.02	0.05	C44
Mesothelioma	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C45
Kaposi sarcoma	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C46
Connective and soft tissue	3	0.1	0.3	0.1	0.00	0.02	4	0.2	0.4	0.2	0.00	0.04	C47+C49
Breast	7	0.2	0.8	0.4	0.02	0.06	285	13.9	31.4	17.5	1.51	1.88	C50
Vulva							1	0.0	0.1	0.1	0.00	0.00	C51
Vagina							0	0.0	0.0	0.0	0.00	0.00	C52
Cervix uteri							113	5.5	12.5	7.5	0.58	0.72	C53
Corpus uteri							83	4.0	9.2	5.3	0.47	0.64	C54
Uterus unspecified							9	0.4	1.0	0.5	0.02	0.08	C55
Ovary							78	3.8	8.6	5.1	0.42	0.58	C56
Other female genital organs							1	0.0	0.1	0.1	0.01	0.01	C57
Placenta							0	0.0	0.0	0.0	0.00	0.00	C58
Penis	8	0.2	0.9	0.4	0.03	0.05							C60
Prostate	93	2.5	10.5	4.7	0.11	0.52							C61
Testis	5	0.1	0.6	0.4	0.03	0.03							C62
Other male genital organs	0	0.0	0.0	0.0	0.00	0.00							C63
Kidney	30	0.8	3.4	1.7	0.08	0.24	9	0.4	1.0	0.6	0.04	0.04	C64
Renal pelvis	3	0.1	0.3	0.2	0.02	0.03	0	0.0	0.0	0.0	0.00	0.00	C65
Ureter	4	0.1	0.5	0.2	0.00	0.03	4	0.2	0.4	0.1	0.00	0.00	C66
Bladder	97	2.6	11.0	5.4	0.28	0.59	30	1.5	3.3	1.4	0.05	0.17	C67
Other urinary organs	2	0.1	0.2	0.1	0.00	0.02	0	0.0	0.0	0.0	0.00	0.00	C68
Eye	2	0.1	0.2	0.7	0.03	0.03	1	0.0	0.1	0.1	0.00	0.01	C69
Brain and nervous system	74	1.9	8.4	5.9	0.39	0.54	52	2.5	5.7	3.1	0.20	0.34	C70–72
Thyroid	8	0.2	0.9	0.6	0.05	0.05	35	1.7	3.9	2.9	0.20	0.29	C73
Adrenal gland	3	0.1	0.3	0.2	0.00	0.01	2	0.1	0.2	0.1	0.01	0.01	C74
Other endocrine	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C75
Hodgkin lymphoma	2	0.1	0.2	0.2	0.01	0.01	2	0.1	0.2	0.2	0.02	0.02	C81
Non-Hodgkin lymphoma	45	1.2	5.1	2.8	0.17	0.33	20	1.0	2.2	1.1	0.05	0.15	C82–86,C96
Immunoproliferative diseases	3	0.1	0.3	0.2	0.00	0.04	0	0.0	0.0	0.0	0.00	0.00	C88
Multiple myeloma	16	0.4	1.8	0.9	0.06	0.13	9	0.4	1.0	0.5	0.02	0.10	C90
Lymphoid leukaemia	10	0.3	1.1	1.4	0.07	0.11	10	0.5	1.1	1.2	0.08	0.09	C91
Myeloid leukaemia	24	0.6	2.7	2.1	0.13	0.22	21	1.0	2.3	1.2	0.07	0.15	C92–94
Leukaemia unspecified	23	0.6	2.6	1.5	0.11	0.21	30	1.5	3.3	1.8	0.11	0.23	C95
Myeloproliferative disorders	1	0.0	0.1	0.0	0.00	0.00	1	0.0	0.1	0.1	0.00	0.00	MPD
Myelodysplastic syndromes	1	0.0	0.1	0.0	0.00	0.00	1	0.0	0.1	0.1	0.00	0.01	MPS
Other and unspecified	64	1.7	7.2	3.8	0.23	0.42	44	2.1	4.9	2.6	0.18	0.28	O&U
All sites	3806		430.9	227.3	13.78	27.32	2066		227.9	117.3	7.55	13.30	C00–96
All sites except C44	3795	100.0	429.6	226.7	13.75	27.28	2054	100.0	226.6	116.7	7.54	13.25	C00–96 exc. C44

China, Guangzhou City

CONTRIBUTORS

Suixiang Wang
Pengzhe Qin
Boheng Liang



20 major cancers, ASR (World) per 100 000

<i>Male</i>		<i>Female</i>	
Trachea, bronchus, and lung	48.8	Breast	39.1
Liver	32.1	Trachea, bronchus, and lung	22.4
Colon	19.0	Thyroid	20.8
Nasopharynx	12.9	Colon	14.3
Rectum	11.9	Cervix uteri	10.1
Prostate	10.7	Corpus uteri	9.7
Stomach	9.7	Liver	7.1
Thyroid	7.6	Rectum	6.6
Oesophagus	6.5	Ovary	5.5
Non-Hodgkin lymphoma	5.9	Stomach	5.3
Bladder	5.5	Nasopharynx	4.5
Other and unspecified	4.5	Non-Hodgkin lymphoma	4.1
Pancreas	3.7	Other and unspecified	3.2
Kidney	3.5	Pancreas	2.9
Myeloid leukaemia	3.3	Brain and nervous system	2.5
Larynx	3.3	Myeloid leukaemia	2.5
Brain and nervous system	3.1	Non-melanoma skin cancer	2.3
Non-melanoma skin cancer	2.6	Lymphoid leukaemia	1.8
Lymphoid leukaemia	2.3	Gallbladder etc.	1.8
Gallbladder etc.	2.1	Kidney	1.8
All sites	217.5	All sites	182.6


China, Guangzhou City (2013–2017)

SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	
Lip	14	0.0	0.1	0.0	0.00	0.00	16	0.0	0.1	0.0	0.00	0.00	C00
Tongue	474	0.7	2.2	1.5	0.10	0.19	288	0.5	1.3	0.8	0.06	0.10	C01–02
Mouth	415	0.6	1.9	1.3	0.09	0.15	220	0.4	1.0	0.7	0.03	0.08	C03–06
Salivary glands	191	0.3	0.9	0.6	0.04	0.06	151	0.3	0.7	0.5	0.03	0.05	C07–08
Tonsil	92	0.1	0.4	0.3	0.02	0.03	25	0.0	0.1	0.1	0.01	0.01	C09
Other oropharynx	114	0.2	0.5	0.4	0.03	0.05	20	0.0	0.1	0.1	0.01	0.01	C10
Nasopharynx	3859	5.7	17.9	12.9	1.05	1.39	1361	2.3	6.4	4.5	0.35	0.48	C11
Hypopharynx	323	0.5	1.5	1.0	0.08	0.13	15	0.0	0.1	0.1	0.00	0.01	C12–13
Pharynx unspecified	76	0.1	0.4	0.2	0.02	0.03	4	0.0	0.0	0.0	0.00	0.00	C14
Oesophagus	2072	3.1	9.6	6.5	0.44	0.80	352	0.6	1.6	0.9	0.04	0.10	C15
Stomach	3162	4.7	14.7	9.7	0.54	1.14	1867	3.2	8.7	5.3	0.31	0.60	C16
Small intestine	319	0.5	1.5	1.0	0.06	0.12	235	0.4	1.1	0.7	0.04	0.08	C17
Colon	6239	9.2	28.9	19.0	0.93	2.23	5269	8.9	24.7	14.3	0.72	1.63	C18
Rectum	3862	5.7	17.9	11.9	0.65	1.44	2375	4.0	11.1	6.6	0.36	0.78	C19–20
Anus	81	0.1	0.4	0.2	0.01	0.03	59	0.1	0.3	0.2	0.01	0.02	C21
Liver	10023	14.8	46.5	32.1	2.26	3.68	2603	4.4	12.2	7.1	0.35	0.80	C22
Gallbladder etc.	717	1.1	3.3	2.1	0.09	0.23	710	1.2	3.3	1.8	0.08	0.20	C23–24
Pancreas	1192	1.8	5.5	3.7	0.20	0.42	1081	1.8	5.1	2.9	0.14	0.33	C25
Nose, sinuses etc.	175	0.3	0.8	0.6	0.04	0.06	84	0.1	0.4	0.3	0.02	0.02	C30–31
Larynx	1040	1.5	4.8	3.3	0.20	0.41	68	0.1	0.3	0.2	0.01	0.02	C32
Trachea, bronchus, and lung	16012	23.6	74.2	48.8	2.44	5.93	8218	13.9	38.5	22.4	1.21	2.59	C33–34
Other thoracic organs	276	0.4	1.3	1.0	0.07	0.10	157	0.3	0.7	0.5	0.03	0.05	C37–38
Bone	277	0.4	1.3	1.1	0.07	0.09	219	0.4	1.0	0.8	0.05	0.07	C40–41
Melanoma of skin	128	0.2	0.6	0.4	0.02	0.04	114	0.2	0.5	0.3	0.02	0.04	C43
Other skin	851	1.3	3.9	2.6	0.11	0.28	855	1.5	4.0	2.3	0.11	0.23	C44
Mesothelioma	72	0.1	0.3	0.3	0.01	0.04	49	0.1	0.2	0.2	0.01	0.02	C45
Kaposi sarcoma	4	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C46
Connective and soft tissue	421	0.6	2.0	1.5	0.09	0.15	376	0.6	1.8	1.4	0.09	0.12	C47+C49
Breast	90	0.1	0.4	0.3	0.01	0.03	12292	20.8	57.6	39.1	3.20	4.23	C50
Vulva							114	0.2	0.5	0.3	0.02	0.04	C51
Vagina							55	0.1	0.3	0.2	0.01	0.02	C52
Cervix uteri							3110	5.3	14.6	10.1	0.84	1.08	C53
Corpus uteri							3014	5.1	14.1	9.7	0.86	1.07	C54
Uterus unspecified							238	0.4	1.1	0.7	0.05	0.08	C55
Ovary							1679	2.8	7.9	5.5	0.42	0.58	C56
Other female genital organs							131	0.2	0.6	0.4	0.03	0.05	C57
Placenta							18	0.0	0.1	0.1	0.01	0.01	C58
Penis	122	0.2	0.6	0.4	0.02	0.04							C60
Prostate	3861	5.7	17.9	10.7	0.20	1.14							C61
Testis	207	0.3	1.0	0.9	0.06	0.06							C62
Other male genital organs	58	0.1	0.3	0.2	0.01	0.02							C63
Kidney	1043	1.5	4.8	3.5	0.22	0.38	544	0.9	2.5	1.8	0.11	0.18	C64
Renal pelvis	156	0.2	0.7	0.5	0.03	0.05	81	0.1	0.4	0.2	0.01	0.02	C65
Ureter	119	0.2	0.6	0.4	0.02	0.04	87	0.1	0.4	0.2	0.01	0.03	C66
Bladder	1872	2.8	8.7	5.5	0.22	0.60	503	0.9	2.4	1.3	0.05	0.14	C67
Other urinary organs	66	0.1	0.3	0.2	0.01	0.02	24	0.0	0.1	0.1	0.00	0.01	C68
Eye	61	0.1	0.3	0.4	0.02	0.03	50	0.1	0.2	0.3	0.02	0.02	C69
Brain and nervous system	781	1.1	3.6	3.1	0.19	0.29	655	1.1	3.1	2.5	0.16	0.23	C70–72
Thyroid	2145	3.2	9.9	7.6	0.61	0.69	5965	10.1	27.9	20.8	1.69	1.93	C73
Adrenal gland	57	0.1	0.3	0.3	0.02	0.02	59	0.1	0.3	0.3	0.02	0.02	C74
Other endocrine	46	0.1	0.2	0.2	0.01	0.02	25	0.0	0.1	0.1	0.01	0.01	C75
Hodgkin lymphoma	95	0.1	0.4	0.4	0.02	0.03	78	0.1	0.4	0.3	0.02	0.03	C81
Non-Hodgkin lymphoma	1747	2.6	8.1	5.9	0.35	0.64	1317	2.2	6.2	4.1	0.26	0.44	C82–86,C96
Immunoproliferative diseases	25	0.0	0.1	0.1	0.00	0.01	9	0.0	0.0	0.0	0.00	0.00	C88
Multiple myeloma	470	0.7	2.2	1.5	0.08	0.18	410	0.7	1.9	1.2	0.06	0.16	C90
Lymphoid leukaemia	442	0.7	2.0	2.3	0.12	0.17	338	0.6	1.6	1.8	0.10	0.13	C91
Myeloid leukaemia	938	1.4	4.3	3.3	0.19	0.33	712	1.2	3.3	2.5	0.16	0.24	C92–94
Leukaemia unspecified	247	0.4	1.1	0.9	0.04	0.08	172	0.3	0.8	0.6	0.03	0.05	C95
Myeloproliferative disorders	83	0.1	0.4	0.3	0.02	0.03	81	0.1	0.4	0.2	0.01	0.03	MPD
Myelodysplastic syndromes	141	0.2	0.7	0.4	0.02	0.04	94	0.2	0.4	0.3	0.01	0.03	MPS
Other and unspecified	1423	2.1	6.6	4.5	0.22	0.47	1166	2.0	5.5	3.2	0.16	0.33	O&U
All sites	68776		318.8	217.5	12.39	24.67	59812		280.1	182.6	12.39	19.63	C00–96
All sites except C44	67925	100.0	314.8	214.9	12.28	24.39	58957	100.0	276.1	180.3	12.28	19.39	C00–96 exc. C44

China, Guanyun County

CONTRIBUTORS

Zhu Fengdong
Yan Chunhua
Shen Yanqing



NOTES ON THE DATA

*No questionnaire.

20 major cancers, ASR (World) per 100 000

Male		Female	
Trachea, bronchus, and lung	35.5	Breast	22.4
Liver	34.5	Trachea, bronchus, and lung	22.1
Oesophagus	21.7	Liver	12.1
Stomach	19.4	Cervix uteri	9.7
Rectum	5.4	Oesophagus	9.1
Pancreas	5.0	Stomach	8.9
Colon	4.8	Thyroid	6.5
Bladder	4.6	Rectum	4.7
Brain and nervous system	4.3	Brain and nervous system	4.5
Non-Hodgkin lymphoma	3.8	Colon	4.0
Prostate	3.0	Pancreas	3.9
Myeloid leukaemia	2.3	Corpus uteri	3.9
Kidney	2.3	Ovary	3.7
Gallbladder etc.	2.3	Non-Hodgkin lymphoma	2.3
Nasopharynx	1.9	Gallbladder etc.	2.2
Leukaemia unspecified	1.7	Myeloid leukaemia	2.0
Lymphoid leukaemia	1.2	Kidney	1.7
Larynx	1.2	Leukaemia unspecified	1.3
Bone	1.2	Uterus unspecified	1.2
Other and unspecified	1.2	Bladder	1.1
All sites	167.5	All sites	137.3

*China, Guanyun County (2013–2017)


SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	
Lip	11	0.2	0.4	0.3	0.02	0.04	2	0.0	0.1	0.1	0.00	0.01	C00
Tongue	10	0.2	0.4	0.3	0.02	0.03	3	0.1	0.1	0.1	0.01	0.01	C01–02
Mouth	16	0.3	0.6	0.4	0.02	0.05	9	0.2	0.4	0.2	0.01	0.04	C03–06
Salivary glands	15	0.2	0.5	0.4	0.04	0.04	10	0.2	0.4	0.3	0.03	0.03	C07–08
Tonsil	10	0.2	0.4	0.2	0.01	0.01	3	0.1	0.1	0.1	0.00	0.00	C09
Other oropharynx	6	0.1	0.2	0.2	0.00	0.02	1	0.0	0.0	0.0	0.00	0.00	C10
Nasopharynx	64	1.1	2.3	1.9	0.14	0.21	25	0.5	1.0	0.8	0.06	0.09	C11
Hypopharynx	9	0.1	0.3	0.3	0.01	0.04	2	0.0	0.1	0.1	0.01	0.01	C12–13
Pharynx unspecified	4	0.1	0.1	0.1	0.01	0.01	0	0.0	0.0	0.0	0.00	0.00	C14
Oesophagus	832	13.7	30.4	21.7	0.95	2.80	358	7.7	14.5	9.1	0.31	1.04	C15
Stomach	725	11.9	26.4	19.4	1.04	2.41	327	7.1	13.2	8.9	0.41	1.03	C16
Small intestine	36	0.6	1.3	1.0	0.07	0.12	22	0.5	0.9	0.6	0.03	0.09	C17
Colon	171	2.8	6.2	4.8	0.30	0.59	139	3.0	5.6	4.0	0.25	0.47	C18
Rectum	201	3.3	7.3	5.4	0.30	0.60	167	3.6	6.7	4.7	0.27	0.55	C19–20
Anus	4	0.1	0.1	0.1	0.01	0.01	0	0.0	0.0	0.0	0.00	0.00	C21
Liver	1222	20.1	44.6	34.5	2.67	3.94	425	9.2	17.2	12.1	0.73	1.32	C22
Gallbladder etc.	85	1.4	3.1	2.3	0.13	0.29	82	1.8	3.3	2.2	0.12	0.23	C23–24
Pancreas	184	3.0	6.7	5.0	0.28	0.59	140	3.0	5.7	3.9	0.19	0.49	C25
Nose, sinuses etc.	8	0.1	0.3	0.2	0.01	0.04	4	0.1	0.2	0.1	0.01	0.02	C30–31
Larynx	43	0.7	1.6	1.2	0.06	0.17	6	0.1	0.2	0.2	0.01	0.03	C32
Trachea, bronchus, and lung	1330	21.9	48.5	35.5	1.79	4.39	791	17.1	31.9	22.1	1.14	2.58	C33–34
Other thoracic organs	20	0.3	0.7	0.5	0.05	0.06	7	0.2	0.3	0.3	0.02	0.03	C37–38
Bone	39	0.6	1.4	1.2	0.06	0.15	34	0.7	1.4	1.0	0.06	0.10	C40–41
Melanoma of skin	7	0.1	0.3	0.2	0.01	0.02	8	0.2	0.3	0.2	0.01	0.03	C43
Other skin	33	0.5	1.2	0.9	0.03	0.07	37	0.8	1.5	1.0	0.04	0.09	C44
Mesothelioma	4	0.1	0.1	0.1	0.00	0.01	4	0.1	0.2	0.1	0.01	0.01	C45
Kaposi sarcoma	0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.0	0.0	0.00	0.00	C46
Connective and soft tissue	13	0.2	0.5	0.4	0.03	0.04	11	0.2	0.4	0.4	0.02	0.04	C47+C49
Breast	13	0.2	0.5	0.4	0.03	0.05	711	15.4	28.7	22.4	1.86	2.30	C50
Vulva							5	0.1	0.2	0.2	0.01	0.02	C51
Vagina							3	0.1	0.1	0.1	0.00	0.02	C52
Cervix uteri							302	6.5	12.2	9.7	0.80	0.98	C53
Corpus uteri							125	2.7	5.0	3.9	0.35	0.42	C54
Uterus unspecified							41	0.9	1.7	1.2	0.07	0.12	C55
Ovary							119	2.6	4.8	3.7	0.27	0.38	C56
Other female genital organs							4	0.1	0.2	0.1	0.01	0.02	C57
Placenta							2	0.0	0.1	0.1	0.01	0.01	C58
Penis	19	0.3	0.7	0.5	0.03	0.07							C60
Prostate	120	2.0	4.4	3.0	0.03	0.36							C61
Testis	12	0.2	0.4	0.4	0.02	0.03							C62
Other male genital organs	1	0.0	0.0	0.0	0.00	0.00							C63
Kidney	77	1.3	2.8	2.3	0.12	0.25	50	1.1	2.0	1.7	0.10	0.17	C64
Renal pelvis	3	0.0	0.1	0.1	0.00	0.02	7	0.2	0.3	0.2	0.01	0.02	C65
Ureter	9	0.1	0.3	0.3	0.01	0.03	1	0.0	0.0	0.0	0.00	0.00	C66
Bladder	172	2.8	6.3	4.6	0.22	0.51	39	0.8	1.6	1.1	0.06	0.13	C67
Other urinary organs	0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.0	0.0	0.00	0.00	C68
Eye	1	0.0	0.0	0.0	0.00	0.00	4	0.1	0.2	0.3	0.01	0.01	C69
Brain and nervous system	145	2.4	5.3	4.3	0.29	0.45	141	3.0	5.7	4.5	0.25	0.42	C70–72
Thyroid	30	0.5	1.1	0.9	0.07	0.09	204	4.4	8.2	6.5	0.55	0.66	C73
Adrenal gland	7	0.1	0.3	0.3	0.02	0.02	5	0.1	0.2	0.2	0.01	0.02	C74
Other endocrine	16	0.3	0.6	0.4	0.02	0.05	14	0.3	0.6	0.5	0.04	0.04	C75
Hodgkin lymphoma	3	0.0	0.1	0.1	0.01	0.01	0	0.0	0.0	0.0	0.00	0.00	C81
Non-Hodgkin lymphoma	130	2.1	4.7	3.8	0.25	0.40	74	1.6	3.0	2.3	0.14	0.22	C82–86,C96
Immunoproliferative diseases	2	0.0	0.1	0.0	0.00	0.00	2	0.0	0.1	0.1	0.01	0.01	C88
Multiple myeloma	32	0.5	1.2	0.9	0.05	0.13	19	0.4	0.8	0.5	0.02	0.07	C90
Lymphoid leukaemia	33	0.5	1.2	1.2	0.09	0.10	27	0.6	1.1	0.9	0.06	0.08	C91
Myeloid leukaemia	75	1.2	2.7	2.3	0.15	0.20	61	1.3	2.5	2.0	0.14	0.20	C92–94
Leukaemia unspecified	51	0.8	1.9	1.7	0.09	0.15	41	0.9	1.7	1.3	0.07	0.10	C95
Myeloproliferative disorders	7	0.1	0.3	0.2	0.01	0.01	9	0.2	0.4	0.3	0.02	0.04	MPD
Myelodysplastic syndromes	9	0.1	0.3	0.2	0.02	0.03	9	0.2	0.4	0.2	0.01	0.02	MPS
Other and unspecified	42	0.7	1.5	1.2	0.06	0.10	24	0.5	1.0	0.7	0.03	0.05	O&U
All sites	6111		222.9	167.5	9.66	19.84	4662		188.3	137.3	8.66	14.86	C00–96
All sites except C44	6078	100.0	221.7	166.7	9.63	19.76	4625	100.0	186.8	136.3	8.63	14.77	C00–96 exc.C44

*See note following population pyramid

China, Guilin City

CONTRIBUTORS

Zhao Hui Shi
Fu Sheng Jiang
Jie Tang
Ling Huang
Yu Shi



20 major cancers, ASR (World) per 100 000

<i>Male</i>		<i>Female</i>	
Trachea, bronchus, and lung	69.7	Breast	49.6
Liver	36.8	Trachea, bronchus, and lung	24.9
Stomach	21.5	Cervix uteri	15.8
Colon	20.3	Colon	15.3
Rectum	18.6	Thyroid	10.2
Prostate	11.2	Liver	10.0
Nasopharynx	10.3	Rectum	10.0
Oesophagus	8.7	Corpus uteri	9.6
Bladder	7.5	Stomach	9.3
Non-Hodgkin lymphoma	7.4	Ovary	8.1
Pancreas	5.8	Brain and nervous system	5.2
Brain and nervous system	5.1	Non-Hodgkin lymphoma	4.3
Larynx	4.4	Nasopharynx	4.2
Kidney	4.3	Pancreas	3.4
Leukaemia unspecified	4.0	Other and unspecified	3.3
Other and unspecified	3.6	Leukaemia unspecified	2.6
Myeloid leukaemia	2.8	Non-melanoma skin cancer	2.5
Gallbladder etc.	2.6	Gallbladder etc.	2.3
Bone	2.2	Connective and soft tissue	2.0
Thyroid	2.1	Myeloid leukaemia	2.0
All sites	268.5	All sites	210.9


China, Guilin City (2013–2017)

SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	
Lip	2	0.0	0.1	0.1	0.01	0.01	1	0.0	0.1	0.0	0.00	0.00	C00
Tongue	25	0.4	1.3	1.1	0.07	0.12	12	0.2	0.6	0.5	0.04	0.06	C01–02
Mouth	22	0.4	1.1	1.0	0.06	0.11	9	0.2	0.5	0.4	0.02	0.06	C03–06
Salivary glands	20	0.3	1.0	0.9	0.07	0.07	11	0.2	0.6	0.4	0.03	0.03	C07–08
Tonsil	5	0.1	0.3	0.2	0.01	0.03	4	0.1	0.2	0.1	0.01	0.01	C09
Other oropharynx	8	0.1	0.4	0.4	0.02	0.05	2	0.0	0.1	0.1	0.00	0.00	C10
Nasopharynx	240	4.1	12.4	10.3	0.76	1.24	103	2.1	5.3	4.2	0.34	0.46	C11
Hypopharynx	32	0.5	1.7	1.5	0.10	0.18	0	0.0	0.0	0.0	0.00	0.00	C12–13
Pharynx unspecified	9	0.2	0.5	0.4	0.01	0.06	1	0.0	0.1	0.0	0.00	0.00	C14
Oesophagus	193	3.3	10.0	8.7	0.56	0.93	21	0.4	1.1	0.9	0.03	0.13	C15
Stomach	475	8.1	24.5	21.5	1.04	2.59	235	4.7	12.1	9.3	0.44	1.04	C16
Small intestine	22	0.4	1.1	1.0	0.06	0.13	21	0.4	1.1	0.9	0.06	0.10	C17
Colon	448	7.6	23.1	20.3	0.95	2.37	370	7.4	19.0	15.3	0.72	1.77	C18
Rectum	415	7.0	21.4	18.6	0.95	2.18	246	4.9	12.6	10.0	0.57	1.10	C19–20
Anus	11	0.2	0.6	0.5	0.03	0.06	7	0.1	0.4	0.3	0.01	0.03	C21
Liver	841	14.3	43.4	36.8	2.26	4.52	244	4.9	12.5	10.0	0.46	1.15	C22
Gallbladder etc.	56	0.9	2.9	2.6	0.10	0.29	55	1.1	2.8	2.3	0.10	0.27	C23–24
Pancreas	130	2.2	6.7	5.8	0.28	0.65	84	1.7	4.3	3.4	0.19	0.38	C25
Nose, sinuses etc.	11	0.2	0.6	0.5	0.03	0.06	11	0.2	0.6	0.4	0.03	0.03	C30–31
Larynx	99	1.7	5.1	4.4	0.23	0.54	4	0.1	0.2	0.2	0.01	0.02	C32
Trachea, bronchus, and lung	1518	25.7	78.3	69.7	3.24	8.16	608	12.1	31.2	24.9	1.25	2.79	C33–34
Other thoracic organs	21	0.4	1.1	1.0	0.06	0.11	12	0.2	0.6	0.5	0.03	0.06	C37–38
Bone	45	0.8	2.3	2.2	0.09	0.21	29	0.6	1.5	1.4	0.05	0.17	C40–41
Melanoma of skin	9	0.2	0.5	0.4	0.02	0.05	14	0.3	0.7	0.6	0.04	0.07	C43
Other skin	47	0.8	2.4	2.1	0.11	0.22	61	1.2	3.1	2.5	0.10	0.25	C44
Mesothelioma	3	0.1	0.2	0.1	0.00	0.01	4	0.1	0.2	0.2	0.01	0.02	C45
Kaposi sarcoma	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C46
Connective and soft tissue	29	0.5	1.5	1.4	0.08	0.14	41	0.8	2.1	2.0	0.14	0.22	C47+C49
Breast	8	0.1	0.4	0.4	0.03	0.04	1197	23.8	61.5	49.6	3.81	5.61	C50
Vulva							7	0.1	0.4	0.3	0.02	0.03	C51
Vagina							8	0.2	0.4	0.3	0.02	0.04	C52
Cervix uteri							380	7.6	19.5	15.8	1.23	1.72	C53
Corpus uteri							229	4.6	11.8	9.6	0.84	1.05	C54
Uterus unspecified							30	0.6	1.5	1.2	0.08	0.14	C55
Ovary							182	3.6	9.4	8.1	0.57	0.90	C56
Other female genital organs							7	0.1	0.4	0.3	0.03	0.04	C57
Placenta							4	0.1	0.2	0.1	0.01	0.01	C58
Penis	9	0.2	0.5	0.4	0.01	0.03							C60
Prostate	252	4.3	13.0	11.2	0.16	1.10							C61
Testis	13	0.2	0.7	0.5	0.04	0.04							C62
Other male genital organs	7	0.1	0.4	0.3	0.02	0.03							C63
Kidney	96	1.6	5.0	4.3	0.24	0.50	35	0.7	1.8	1.5	0.09	0.15	C64
Renal pelvis	10	0.2	0.5	0.5	0.02	0.06	4	0.1	0.2	0.2	0.01	0.01	C65
Ureter	10	0.2	0.5	0.5	0.02	0.06	11	0.2	0.6	0.4	0.02	0.05	C66
Bladder	166	2.8	8.6	7.5	0.31	0.83	40	0.8	2.1	1.7	0.10	0.18	C67
Other urinary organs	2	0.0	0.1	0.1	0.01	0.01	3	0.1	0.2	0.1	0.00	0.01	C68
Eye	2	0.0	0.1	0.1	0.00	0.01	2	0.0	0.1	0.1	0.01	0.01	C69
Brain and nervous system	105	1.8	5.4	5.1	0.30	0.53	116	2.3	6.0	5.2	0.30	0.59	C70–72
Thyroid	55	0.9	2.8	2.1	0.18	0.22	255	5.1	13.1	10.2	0.85	1.02	C73
Adrenal gland	7	0.1	0.4	0.3	0.02	0.02	3	0.1	0.2	0.1	0.01	0.02	C74
Other endocrine	9	0.2	0.5	0.4	0.02	0.03	12	0.2	0.6	0.5	0.04	0.04	C75
Hodgkin lymphoma	10	0.2	0.5	0.4	0.03	0.04	3	0.1	0.2	0.1	0.00	0.01	C81
Non-Hodgkin lymphoma	160	2.7	8.3	7.4	0.41	0.80	104	2.1	5.3	4.3	0.25	0.49	C82–86,C96
Immunoproliferative diseases	1	0.0	0.1	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C88
Multiple myeloma	34	0.6	1.8	1.6	0.06	0.24	33	0.7	1.7	1.5	0.07	0.18	C90
Lymphoid leukaemia	23	0.4	1.2	1.1	0.06	0.12	21	0.4	1.1	1.0	0.04	0.11	C91
Myeloid leukaemia	57	1.0	2.9	2.8	0.16	0.36	46	0.9	2.4	2.0	0.14	0.21	C92–94
Leukaemia unspecified	80	1.4	4.1	4.0	0.18	0.38	57	1.1	2.9	2.6	0.12	0.35	C95
Myeloproliferative disorders	9	0.2	0.5	0.4	0.03	0.06	3	0.1	0.2	0.1	0.01	0.01	MPD
Myelodysplastic syndromes	4	0.1	0.2	0.2	0.01	0.02	0	0.0	0.0	0.0	0.00	0.00	MPS
Other and unspecified	79	1.3	4.1	3.6	0.17	0.34	81	1.6	4.2	3.3	0.16	0.30	O&U
All sites	5944		306.7	268.5	13.72	30.97	5083		261.3	210.9	13.50	23.49	C00–96
All sites except C44	5897	100.0	304.2	266.4	13.60	30.74	5022	100.0	258.1	208.3	13.40	23.25	C00–96 exc. C44

China, Hai'an City

CONTRIBUTORS

Yun Qian
Guang Ji
Xiaoling Ji
Jinxin Yu
Xiaojian Wang
Jing Sun



NOTES ON THE DATA

*No questionnaire.

20 major cancers, ASR (World) per 100 000

<i>Male</i>		<i>Female</i>	
Oesophagus	38.1	Breast	25.8
Trachea, bronchus, and lung	35.6	Trachea, bronchus, and lung	19.8
Liver	25.3	Oesophagus	19.2
Stomach	24.4	Cervix uteri	13.5
Rectum	9.9	Stomach	10.5
Pancreas	6.1	Liver	8.1
Colon	6.0	Rectum	6.5
Prostate	5.1	Colon	4.8
Bladder	4.8	Ovary	4.5
Non-Hodgkin lymphoma	3.7	Pancreas	4.4
Brain and nervous system	3.5	Corpus uteri	4.4
Gallbladder etc.	2.7	Brain and nervous system	3.7
Myeloid leukaemia	2.3	Non-Hodgkin lymphoma	3.0
Non-melanoma skin cancer	1.7	Thyroid	2.8
Kidney	1.7	Gallbladder etc.	2.7
Nasopharynx	1.6	Myeloid leukaemia	1.9
Leukaemia unspecified	1.2	Non-melanoma skin cancer	1.3
Bone	1.1	Uterus unspecified	1.3
Thyroid	1.0	Bone	1.2
Larynx	1.0	Bladder	1.2
All sites	187.4	All sites	151.5

*China, Hai'an City (2013–2017)


SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	
Lip	2	0.0	0.1	0.0	0.00	0.00	5	0.1	0.2	0.1	0.00	0.00	C00
Tongue	19	0.2	0.8	0.3	0.03	0.04	17	0.2	0.7	0.3	0.02	0.03	C01–02
Mouth	33	0.3	1.4	0.6	0.03	0.08	49	0.6	2.1	0.7	0.04	0.07	C03–06
Salivary glands	18	0.2	0.8	0.5	0.03	0.05	10	0.1	0.4	0.2	0.01	0.03	C07–08
Tonsil	8	0.1	0.3	0.1	0.00	0.02	1	0.0	0.0	0.0	0.00	0.00	C09
Other oropharynx	8	0.1	0.3	0.2	0.01	0.02	1	0.0	0.0	0.0	0.00	0.00	C10
Nasopharynx	71	0.7	3.0	1.6	0.13	0.16	24	0.3	1.0	0.7	0.05	0.06	C11
Hypopharynx	17	0.2	0.7	0.3	0.01	0.02	4	0.0	0.2	0.1	0.00	0.01	C12–13
Pharynx unspecified	4	0.0	0.2	0.1	0.00	0.01	1	0.0	0.0	0.0	0.00	0.00	C14
Oesophagus	2325	22.1	99.8	38.1	1.57	4.80	1305	16.1	55.1	19.2	0.60	2.41	C15
Stomach	1491	14.2	64.0	24.4	1.02	2.98	654	8.1	27.6	10.5	0.47	1.20	C16
Small intestine	52	0.5	2.2	1.0	0.05	0.12	31	0.4	1.3	0.5	0.03	0.07	C17
Colon	324	3.1	13.9	6.0	0.32	0.69	292	3.6	12.3	4.8	0.27	0.53	C18
Rectum	557	5.3	23.9	9.9	0.52	1.18	373	4.6	15.7	6.5	0.34	0.76	C19–20
Anus	8	0.1	0.3	0.1	0.01	0.01	7	0.1	0.3	0.1	0.01	0.01	C21
Liver	1237	11.8	53.1	25.3	1.80	2.85	459	5.7	19.4	8.1	0.49	0.95	C22
Gallbladder etc.	165	1.6	7.1	2.7	0.13	0.29	173	2.1	7.3	2.7	0.12	0.31	C23–24
Pancreas	369	3.5	15.8	6.1	0.24	0.73	284	3.5	12.0	4.4	0.21	0.47	C25
Nose, sinuses etc.	29	0.3	1.2	0.6	0.03	0.07	10	0.1	0.4	0.2	0.01	0.03	C30–31
Larynx	57	0.5	2.4	1.0	0.05	0.13	4	0.0	0.2	0.1	0.00	0.01	C32
Trachea, bronchus, and lung	2092	19.9	89.8	35.6	1.63	4.53	1195	14.8	50.4	19.8	1.03	2.34	C33–34
Other thoracic organs	24	0.2	1.0	0.5	0.03	0.06	12	0.1	0.5	0.3	0.02	0.04	C37–38
Bone	50	0.5	2.1	1.1	0.06	0.10	52	0.6	2.2	1.2	0.06	0.12	C40–41
Melanoma of skin	18	0.2	0.8	0.4	0.02	0.04	18	0.2	0.8	0.3	0.02	0.04	C43
Other skin	89	0.8	3.8	1.7	0.07	0.18	93	1.1	3.9	1.3	0.05	0.14	C44
Mesothelioma	5	0.0	0.2	0.1	0.00	0.01	5	0.1	0.2	0.1	0.01	0.01	C45
Kaposi sarcoma	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C46
Connective and soft tissue	19	0.2	0.8	0.5	0.03	0.04	13	0.2	0.5	0.5	0.03	0.04	C47+C49
Breast	11	0.1	0.5	0.3	0.02	0.03	1133	14.0	47.8	25.8	2.13	2.73	C50
Vulva							14	0.2	0.6	0.2	0.01	0.03	C51
Vagina							13	0.2	0.5	0.3	0.02	0.04	C52
Cervix uteri							619	7.6	26.1	13.5	1.03	1.45	C53
Corpus uteri							205	2.5	8.6	4.4	0.35	0.49	C54
Uterus unspecified							60	0.7	2.5	1.3	0.09	0.13	C55
Ovary							209	2.6	8.8	4.5	0.36	0.51	C56
Other female genital organs							18	0.2	0.8	0.5	0.04	0.04	C57
Placenta							0	0.0	0.0	0.0	0.00	0.00	C58
Penis	49	0.5	2.1	0.9	0.05	0.11							C60
Prostate	359	3.4	15.4	5.1	0.08	0.52							C61
Testis	7	0.1	0.3	0.1	0.01	0.02							C62
Other male genital organs	8	0.1	0.3	0.1	0.00	0.01							C63
Kidney	78	0.7	3.3	1.7	0.11	0.17	44	0.5	1.9	0.9	0.06	0.11	C64
Renal pelvis	11	0.1	0.5	0.2	0.01	0.02	8	0.1	0.3	0.1	0.00	0.02	C65
Ureter	12	0.1	0.5	0.2	0.00	0.02	13	0.2	0.5	0.2	0.01	0.02	C66
Bladder	288	2.7	12.4	4.8	0.23	0.54	75	0.9	3.2	1.2	0.07	0.14	C67
Other urinary organs	0	0.0	0.0	0.0	0.00	0.00	2	0.0	0.1	0.0	0.00	0.00	C68
Eye	2	0.0	0.1	0.0	0.00	0.00	2	0.0	0.1	0.0	0.00	0.00	C69
Brain and nervous system	141	1.3	6.1	3.5	0.19	0.35	143	1.8	6.0	3.7	0.23	0.33	C70–72
Thyroid	36	0.3	1.5	1.0	0.09	0.10	102	1.3	4.3	2.8	0.22	0.27	C73
Adrenal gland	5	0.0	0.2	0.2	0.01	0.02	3	0.0	0.1	0.1	0.00	0.00	C74
Other endocrine	5	0.0	0.2	0.1	0.01	0.01	2	0.0	0.1	0.0	0.00	0.00	C75
Hodgkin lymphoma	10	0.1	0.4	0.2	0.01	0.02	13	0.2	0.5	0.4	0.02	0.04	C81
Non-Hodgkin lymphoma	193	1.8	8.3	3.7	0.19	0.42	159	2.0	6.7	3.0	0.19	0.32	C82–86,C96
Immunoproliferative diseases	3	0.0	0.1	0.0	0.00	0.01	2	0.0	0.1	0.0	0.00	0.00	C88
Multiple myeloma	45	0.4	1.9	0.8	0.05	0.10	44	0.5	1.9	0.8	0.05	0.09	C90
Lymphoid leukaemia	40	0.4	1.7	0.9	0.04	0.09	40	0.5	1.7	0.7	0.04	0.09	C91
Myeloid leukaemia	87	0.8	3.7	2.3	0.14	0.19	80	1.0	3.4	1.9	0.12	0.20	C92–94
Leukaemia unspecified	40	0.4	1.7	1.2	0.07	0.12	38	0.5	1.6	1.1	0.06	0.08	C95
Myeloproliferative disorders	7	0.1	0.3	0.1	0.00	0.02	6	0.1	0.3	0.2	0.01	0.02	MPD
Myelodysplastic syndromes	32	0.3	1.4	0.6	0.03	0.09	16	0.2	0.7	0.3	0.02	0.03	MPS
Other and unspecified	46	0.4	2.0	0.8	0.04	0.10	39	0.5	1.6	0.7	0.05	0.08	O&U
All sites	10606		455.3	187.4	9.21	22.32	8194		345.7	151.5	9.11	16.99	C00–96
All sites except C44	10517	100.0	451.5	185.7	9.14	22.13	8101	100.0	341.7	150.2	9.06	16.84	C00–96 exc. C44

*See note following population pyramid

China, Hailar District, Hulun Buir City

CONTRIBUTORS

Zhou Tong
Kong Chengcheng
Liu Baoxia
Sun Suyuan



20 major cancers, ASR (World) per 100 000

<i>Male</i>		<i>Female</i>	
Trachea, bronchus, and lung	63.6	Breast	33.0
Stomach	28.5	Trachea, bronchus, and lung	31.1
Liver	26.3	Thyroid	15.8
Oesophagus	22.2	Colon	12.8
Colon	17.3	Liver	8.8
Rectum	13.6	Cervix uteri	8.4
Pancreas	9.5	Stomach	8.4
Bladder	9.4	Rectum	8.0
Prostate	9.0	Ovary	6.7
Kidney	7.8	Pancreas	6.2
Thyroid	4.7	Corpus uteri	5.2
Non-Hodgkin lymphoma	4.1	Kidney	4.6
Gallbladder etc.	3.7	Non-Hodgkin lymphoma	2.9
Brain and nervous system	3.7	Brain and nervous system	2.9
Larynx	2.8	Gallbladder etc.	2.2
Hypopharynx	2.1	Bladder	2.0
Myeloid leukaemia	1.9	Oesophagus	2.0
Leukaemia unspecified	1.7	Leukaemia unspecified	1.4
Other and unspecified	1.4	Lymphoid leukaemia	1.2
Connective and soft tissue	1.4	Myeloid leukaemia	1.0
All sites	249.5	All sites	176.3


China, Hailar District, Hulun Buir City (2013–2017)

SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	
Lip	1	0.0	0.1	0.1	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C00
Tongue	10	0.4	1.1	0.9	0.06	0.11	5	0.2	0.6	0.5	0.01	0.07	C01–02
Mouth	14	0.5	1.6	1.1	0.09	0.12	6	0.3	0.7	0.5	0.03	0.03	C03–06
Salivary glands	7	0.3	0.8	0.6	0.06	0.06	3	0.1	0.3	0.3	0.00	0.04	C07–08
Tonsil	5	0.2	0.6	0.3	0.03	0.03	1	0.0	0.1	0.1	0.00	0.02	C09
Other oropharynx	5	0.2	0.6	0.4	0.03	0.05	0	0.0	0.0	0.0	0.00	0.00	C10
Nasopharynx	14	0.5	1.6	1.2	0.11	0.13	5	0.2	0.6	0.5	0.01	0.04	C11
Hypopharynx	27	1.0	3.1	2.1	0.17	0.22	1	0.0	0.1	0.1	0.00	0.00	C12–13
Pharynx unspecified	1	0.0	0.1	0.1	0.00	0.03	0	0.0	0.0	0.0	0.00	0.00	C14
Oesophagus	246	9.1	28.1	22.2	1.44	2.84	24	1.1	2.8	2.0	0.08	0.19	C15
Stomach	303	11.1	34.6	28.5	1.35	3.61	112	5.0	12.9	8.4	0.48	0.86	C16
Small intestine	7	0.3	0.8	0.7	0.04	0.08	13	0.6	1.5	0.9	0.06	0.07	C17
Colon	179	6.6	20.4	17.3	0.79	2.03	151	6.8	17.4	12.8	0.54	1.62	C18
Rectum	152	5.6	17.4	13.6	0.84	1.68	104	4.6	12.0	8.0	0.39	0.90	C19–20
Anus	6	0.2	0.7	0.5	0.04	0.06	2	0.1	0.2	0.2	0.02	0.02	C21
Liver	299	11.0	34.1	26.3	1.64	3.12	111	5.0	12.8	8.8	0.36	0.97	C22
Gallbladder etc.	37	1.4	4.2	3.7	0.12	0.50	30	1.3	3.5	2.2	0.11	0.23	C23–24
Pancreas	106	3.9	12.1	9.5	0.46	1.21	76	3.4	8.8	6.2	0.29	0.76	C25
Nose, sinuses etc.	5	0.2	0.6	0.3	0.02	0.05	3	0.1	0.3	0.2	0.01	0.02	C30–31
Larynx	33	1.2	3.8	2.8	0.16	0.31	8	0.4	0.9	0.5	0.00	0.04	C32
Trachea, bronchus, and lung	686	25.2	78.3	63.6	2.70	7.74	399	17.8	46.0	31.1	1.25	3.38	C33–34
Other thoracic organs	8	0.3	0.9	0.7	0.07	0.07	7	0.3	0.8	0.6	0.04	0.10	C37–38
Bone	11	0.4	1.3	1.3	0.08	0.16	11	0.5	1.3	0.9	0.05	0.09	C40–41
Melanoma of skin	4	0.1	0.5	0.3	0.03	0.03	5	0.2	0.6	0.4	0.03	0.03	C43
Other skin	12	0.4	1.4	1.3	0.07	0.12	12	0.5	1.4	1.0	0.06	0.12	C44
Mesothelioma	4	0.1	0.5	0.4	0.01	0.03	3	0.1	0.3	0.2	0.01	0.03	C45
Kaposi sarcoma	0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.1	0.1	0.01	0.01	C46
Connective and soft tissue	10	0.4	1.1	1.4	0.07	0.12	7	0.3	0.8	0.6	0.02	0.04	C47+C49
Breast	0	0.0	0.0	0.0	0.00	0.00	441	19.7	50.8	33.0	2.66	3.62	C50
Vulva							6	0.3	0.7	0.5	0.01	0.07	C51
Vagina							0	0.0	0.0	0.0	0.00	0.00	C52
Cervix uteri							109	4.9	12.6	8.4	0.70	0.90	C53
Corpus uteri							67	3.0	7.7	5.2	0.40	0.65	C54
Uterus unspecified							3	0.1	0.3	0.2	0.02	0.02	C55
Ovary							87	3.9	10.0	6.7	0.50	0.82	C56
Other female genital organs							1	0.0	0.1	0.1	0.01	0.01	C57
Placenta							2	0.1	0.2	0.1	0.01	0.01	C58
Penis	4	0.1	0.5	0.3	0.02	0.02							C60
Prostate	88	3.2	10.0	9.0	0.14	0.89							C61
Testis	3	0.1	0.3	0.3	0.02	0.02							C62
Other male genital organs	0	0.0	0.0	0.0	0.00	0.00							C63
Kidney	95	3.5	10.8	7.8	0.50	1.01	53	2.4	6.1	4.6	0.21	0.50	C64
Renal pelvis	2	0.1	0.2	0.3	0.00	0.03	3	0.1	0.3	0.2	0.00	0.02	C65
Ureter	7	0.3	0.8	0.7	0.02	0.05	11	0.5	1.3	0.7	0.02	0.05	C66
Bladder	99	3.6	11.3	9.4	0.41	1.01	25	1.1	2.9	2.0	0.08	0.20	C67
Other urinary organs	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C68
Eye	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C69
Brain and nervous system	39	1.4	4.5	3.7	0.23	0.38	35	1.6	4.0	2.9	0.19	0.32	C70–72
Thyroid	63	2.3	7.2	4.7	0.38	0.48	202	9.0	23.3	15.8	1.37	1.61	C73
Adrenal gland	2	0.1	0.2	0.1	0.01	0.01	1	0.0	0.1	0.1	0.00	0.00	C74
Other endocrine	4	0.1	0.5	0.3	0.02	0.02	3	0.1	0.3	0.3	0.01	0.03	C75
Hodgkin lymphoma	4	0.1	0.5	0.4	0.03	0.06	3	0.1	0.3	0.3	0.03	0.03	C81
Non-Hodgkin lymphoma	44	1.6	5.0	4.1	0.18	0.51	37	1.7	4.3	2.9	0.14	0.34	C82–86,C96
Immunoproliferative diseases	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C88
Multiple myeloma	11	0.4	1.3	1.1	0.06	0.14	7	0.3	0.8	0.5	0.01	0.07	C90
Lymphoid leukaemia	9	0.3	1.0	0.7	0.05	0.07	8	0.4	0.9	1.2	0.08	0.10	C91
Myeloid leukaemia	22	0.8	2.5	1.9	0.13	0.23	13	0.6	1.5	1.0	0.08	0.12	C92–94
Leukaemia unspecified	19	0.7	2.2	1.8	0.12	0.17	14	0.6	1.6	1.4	0.09	0.11	C95
Myeloproliferative disorders	4	0.1	0.5	0.4	0.01	0.06	4	0.2	0.5	0.3	0.02	0.04	MPD
Myelodysplastic syndromes	1	0.0	0.1	0.1	0.00	0.02	1	0.0	0.1	0.1	0.01	0.01	MPS
Other and unspecified	18	0.7	2.1	1.4	0.06	0.11	13	0.6	1.5	1.0	0.03	0.07	O&U
All sites	2730		311.7	249.5	12.86	29.82	2249		259.2	176.3	10.56	19.43	C00–96
All sites except C44	2718	100.0	310.3	248.2	12.79	29.70	2237	100.0	257.8	175.4	10.50	19.30	C00–96 exc. C44

China, Haimen District, Nantong City

CONTRIBUTORS

Xin Feng
Pei-Xin Huang
Min Qiu
Zhuo-Jian Ni
Yan-Lei Yang
Jin-Gao Tang



20 major cancers, ASR (World) per 100 000

Male		Female	
Trachea, bronchus, and lung	58.2	Trachea, bronchus, and lung	28.8
Liver	35.9	Breast	25.8
Stomach	25.4	Cervix uteri	14.5
Colon	10.9	Stomach	13.9
Rectum	10.8	Thyroid	13.4
Oesophagus	10.6	Liver	12.4
Prostate	8.9	Colon	7.9
Pancreas	7.3	Rectum	7.1
Bladder	7.1	Pancreas	6.2
Non-Hodgkin lymphoma	5.4	Corpus uteri	5.7
Brain and nervous system	4.6	Ovary	5.4
Thyroid	4.4	Non-Hodgkin lymphoma	4.3
Kidney	3.2	Oesophagus	4.1
Gallbladder etc.	3.0	Brain and nervous system	4.1
Non-melanoma skin cancer	2.9	Gallbladder etc.	3.6
Nasopharynx	2.7	Non-melanoma skin cancer	3.4
Myeloid leukaemia	2.0	Kidney	2.4
Leukaemia unspecified	1.8	Myeloid leukaemia	2.3
Larynx	1.7	Bladder	1.8
Multiple myeloma	1.5	Other and unspecified	1.4
All sites	222.1	All sites	183.6


China, Haimen District, Nantong City (2013–2017)

SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	
Lip	6	0.1	0.2	0.1	0.00	0.01	7	0.1	0.3	0.1	0.01	0.01	C00
Tongue	25	0.2	1.0	0.5	0.03	0.07	20	0.2	0.8	0.4	0.03	0.05	C01–02
Mouth	29	0.3	1.2	0.6	0.03	0.06	27	0.3	1.1	0.5	0.03	0.08	C03–06
Salivary glands	28	0.2	1.1	0.6	0.05	0.07	28	0.3	1.1	0.8	0.05	0.08	C07–08
Tonsil	4	0.0	0.2	0.1	0.01	0.01	2	0.0	0.1	0.0	0.00	0.00	C09
Other oropharynx	8	0.1	0.3	0.2	0.01	0.02	1	0.0	0.0	0.0	0.00	0.00	C10
Nasopharynx	112	1.0	4.5	2.7	0.22	0.28	48	0.5	1.9	1.0	0.07	0.12	C11
Hypopharynx	11	0.1	0.4	0.2	0.02	0.02	3	0.0	0.1	0.1	0.01	0.01	C12–13
Pharynx unspecified	6	0.1	0.2	0.1	0.00	0.01	2	0.0	0.1	0.0	0.00	0.01	C14
Oesophagus	591	5.2	24.0	10.6	0.48	1.29	273	3.0	10.7	4.1	0.11	0.46	C15
Stomach	1370	12.0	55.6	25.4	1.29	3.00	762	8.5	30.0	13.9	0.73	1.62	C16
Small intestine	36	0.3	1.5	0.7	0.03	0.08	30	0.3	1.2	0.6	0.03	0.08	C17
Colon	570	5.0	23.1	10.9	0.59	1.34	461	5.1	18.1	7.9	0.40	0.95	C18
Rectum	568	5.0	23.1	10.8	0.54	1.30	397	4.4	15.6	7.1	0.37	0.86	C19–20
Anus	13	0.1	0.5	0.2	0.01	0.02	5	0.1	0.2	0.1	0.00	0.01	C21
Liver	1633	14.3	66.3	35.9	2.73	4.06	675	7.5	26.5	12.4	0.79	1.42	C22
Gallbladder etc.	167	1.5	6.8	3.0	0.16	0.38	213	2.4	8.4	3.6	0.17	0.42	C23–24
Pancreas	405	3.6	16.4	7.3	0.36	0.82	381	4.2	15.0	6.2	0.21	0.72	C25
Nose, sinuses etc.	21	0.2	0.9	0.4	0.02	0.06	15	0.2	0.6	0.3	0.02	0.03	C30–31
Larynx	80	0.7	3.2	1.7	0.09	0.21	8	0.1	0.3	0.1	0.01	0.01	C32
Trachea, bronchus, and lung	3289	28.9	133.5	58.2	2.41	7.03	1652	18.3	65.0	28.8	1.54	3.38	C33–34
Other thoracic organs	45	0.4	1.8	1.0	0.08	0.12	36	0.4	1.4	0.8	0.05	0.08	C37–38
Bone	56	0.5	2.3	1.3	0.08	0.13	44	0.5	1.7	1.3	0.07	0.11	C40–41
Melanoma of skin	35	0.3	1.4	0.7	0.05	0.08	25	0.3	1.0	0.4	0.02	0.05	C43
Other skin	170	1.5	6.9	2.9	0.09	0.29	230	2.6	9.0	3.4	0.13	0.32	C44
Mesothelioma	8	0.1	0.3	0.1	0.01	0.01	2	0.0	0.1	0.0	0.00	0.00	C45
Kaposi sarcoma	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C46
Connective and soft tissue	37	0.3	1.5	1.0	0.06	0.09	36	0.4	1.4	0.9	0.05	0.10	C47+C49
Breast	11	0.1	0.4	0.2	0.01	0.02	1176	13.0	46.2	25.8	2.06	2.91	C50
Vulva							8	0.1	0.3	0.1	0.00	0.02	C51
Vagina							9	0.1	0.4	0.2	0.01	0.02	C52
Cervix uteri							610	6.8	24.0	14.5	1.22	1.48	C53
Corpus uteri							257	2.9	10.1	5.7	0.48	0.68	C54
Uterus unspecified							27	0.3	1.1	0.5	0.03	0.04	C55
Ovary							232	2.6	9.1	5.4	0.42	0.62	C56
Other female genital organs							29	0.3	1.1	0.6	0.05	0.07	C57
Placenta							0	0.0	0.0	0.0	0.00	0.00	C58
Penis		0.2	0.9	0.4	0.02	0.06							C60
Prostate	567	5.0	23.0	8.9	0.16	0.92							C61
Testis	15	0.1	0.6	0.5	0.03	0.04							C62
Other male genital organs	4	0.0	0.2	0.1	0.01	0.01							C63
Kidney	158	1.4	6.4	3.2	0.19	0.40	115	1.3	4.5	2.4	0.16	0.27	C64
Renal pelvis	11	0.1	0.4	0.2	0.01	0.02	8	0.1	0.3	0.1	0.01	0.02	C65
Ureter	16	0.1	0.6	0.3	0.01	0.04	10	0.1	0.4	0.1	0.01	0.02	C66
Bladder	411	3.6	16.7	7.1	0.28	0.83	107	1.2	4.2	1.8	0.05	0.26	C67
Other urinary organs	0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.0	0.0	0.00	0.00	C68
Eye	5	0.0	0.2	0.1	0.00	0.01	5	0.1	0.2	0.2	0.01	0.02	C69
Brain and nervous system	185	1.6	7.5	4.6	0.29	0.48	175	1.9	6.9	4.1	0.28	0.43	C70–72
Thyroid	146	1.3	5.9	4.4	0.35	0.41	514	5.7	20.2	13.4	1.10	1.33	C73
Adrenal gland	10	0.1	0.4	0.2	0.02	0.02	12	0.1	0.5	0.3	0.02	0.04	C74
Other endocrine	4	0.0	0.2	0.1	0.01	0.01	6	0.1	0.2	0.1	0.01	0.01	C75
Hodgkin lymphoma	4	0.0	0.2	0.1	0.01	0.01	2	0.0	0.1	0.1	0.01	0.01	C81
Non-Hodgkin lymphoma	253	2.2	10.3	5.4	0.28	0.63	209	2.3	8.2	4.3	0.26	0.51	C82–86,C96
Immunoproliferative diseases	7	0.1	0.3	0.1	0.00	0.01	2	0.0	0.1	0.0	0.00	0.00	C88
Multiple myeloma	84	0.7	3.4	1.5	0.06	0.18	64	0.7	2.5	1.3	0.07	0.16	C90
Lymphoid leukaemia	38	0.3	1.5	1.2	0.06	0.10	30	0.3	1.2	1.0	0.05	0.09	C91
Myeloid leukaemia	84	0.7	3.4	2.0	0.11	0.20	85	0.9	3.3	2.3	0.15	0.25	C92–94
Leukaemia unspecified	74	0.6	3.0	1.8	0.09	0.15	42	0.5	1.7	1.3	0.06	0.11	C95
Myeloproliferative disorders	18	0.2	0.7	0.4	0.02	0.03	12	0.1	0.5	0.3	0.02	0.04	MPD
Myelodysplastic syndromes	54	0.5	2.2	0.9	0.04	0.09	47	0.5	1.8	1.0	0.04	0.10	MPS
Other and unspecified	60	0.5	2.4	1.2	0.06	0.14	69	0.8	2.7	1.4	0.07	0.16	O&U
All sites	11565		469.6	222.1	11.62	25.66	9246		363.6	183.6	11.55	20.65	C00–96
All sites except C44	11395	100.0	462.7	219.2	11.53	25.38	9016	100.0	354.5	180.2	11.43	20.33	C00–96 exc. C44

China, Haining City

CONTRIBUTORS

Yun-Feng Zhu
Yue-Gang Tie
Wei-Hua Ma
Xin-Min Chen
Li-Juan Zhu
Jing Yang
Lin Feng
Ping-Jing Shen
Yun-Feng Xu
Xiao-Hua Wang



20 major cancers, ASR (World) per 100 000

<i>Male</i>		<i>Female</i>	
Trachea, bronchus, and lung	51.4	Thyroid	34.6
Liver	16.8	Breast	30.6
Stomach	16.1	Trachea, bronchus, and lung	27.1
Prostate	11.6	Cervix uteri	8.9
Colon	10.7	Stomach	8.3
Thyroid	9.3	Colon	8.1
Rectum	8.7	Liver	6.6
Pancreas	8.1	Pancreas	5.6
Oesophagus	7.4	Rectum	5.4
Non-Hodgkin lymphoma	5.0	Ovary	5.1
Bladder	5.0	Corpus uteri	4.7
Kidney	3.9	Gallbladder etc.	3.5
Brain and nervous system	3.9	Non-Hodgkin lymphoma	3.4
Nasopharynx	3.6	Brain and nervous system	3.1
Gallbladder etc.	2.7	Non-melanoma skin cancer	2.4
Lymphoid leukaemia	2.6	Kidney	2.1
Leukaemia unspecified	2.3	Myeloid leukaemia	1.9
Non-melanoma skin cancer	2.2	Oesophagus	1.9
Multiple myeloma	1.9	Leukaemia unspecified	1.7
Myeloid leukaemia	1.8	Lymphoid leukaemia	1.5
All sites	187.6	All sites	179.2


China, Haining City (2013–2017)

SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	
Lip	3	0.0	0.2	0.1	0.00	0.01	5	0.1	0.3	0.1	0.00	0.02	C00
Tongue	13	0.2	0.8	0.4	0.02	0.05	9	0.2	0.5	0.2	0.01	0.03	C01–02
Mouth	20	0.3	1.2	0.6	0.03	0.07	17	0.3	1.0	0.4	0.02	0.03	C03–06
Salivary glands	10	0.2	0.6	0.4	0.03	0.05	18	0.3	1.0	0.6	0.04	0.08	C07–08
Tonsil	0	0.0	0.0	0.0	0.00	0.00	2	0.0	0.1	0.1	0.00	0.01	C09
Other oropharynx	5	0.1	0.3	0.2	0.01	0.02	3	0.1	0.2	0.1	0.01	0.01	C10
Nasopharynx	105	1.7	6.3	3.6	0.28	0.40	40	0.7	2.3	1.3	0.10	0.13	C11
Hypopharynx	23	0.4	1.4	0.7	0.05	0.08	3	0.1	0.2	0.1	0.01	0.01	C12–13
Pharynx unspecified	5	0.1	0.3	0.1	0.01	0.02	0	0.0	0.0	0.0	0.00	0.00	C14
Oesophagus	275	4.5	16.6	7.4	0.27	0.86	83	1.5	4.8	1.9	0.04	0.21	C15
Stomach	555	9.1	33.4	16.1	0.80	1.95	294	5.3	17.1	8.3	0.43	0.94	C16
Small intestine	31	0.5	1.9	0.9	0.04	0.11	32	0.6	1.9	0.9	0.07	0.09	C17
Colon	358	5.9	21.6	10.7	0.57	1.27	290	5.2	16.8	8.1	0.43	1.00	C18
Rectum	300	4.9	18.1	8.7	0.51	1.02	205	3.7	11.9	5.4	0.29	0.61	C19–20
Anus	4	0.1	0.2	0.1	0.01	0.02	8	0.1	0.5	0.2	0.01	0.02	C21
Liver	546	8.9	32.9	16.8	1.01	1.85	244	4.4	14.2	6.6	0.35	0.78	C22
Gallbladder etc.	101	1.7	6.1	2.7	0.11	0.27	140	2.5	8.1	3.5	0.15	0.37	C23–24
Pancreas	288	4.7	17.4	8.1	0.36	1.02	240	4.3	13.9	5.6	0.20	0.61	C25
Nose, sinuses etc.	4	0.1	0.2	0.1	0.01	0.01	3	0.1	0.2	0.1	0.00	0.00	C30–31
Larynx	49	0.8	3.0	1.4	0.07	0.18	2	0.0	0.1	0.2	0.01	0.01	C32
Trachea, bronchus, and lung	1813	29.7	109.3	51.4	2.19	6.41	983	17.6	57.1	27.1	1.64	3.12	C33–34
Other thoracic organs	20	0.3	1.2	0.8	0.04	0.09	11	0.2	0.6	0.3	0.02	0.05	C37–38
Bone	14	0.2	0.8	0.7	0.05	0.05	19	0.3	1.1	0.5	0.02	0.06	C40–41
Melanoma of skin	11	0.2	0.7	0.4	0.02	0.05	21	0.4	1.2	0.5	0.03	0.06	C43
Other skin	84	1.4	5.1	2.2	0.06	0.22	104	1.9	6.0	2.4	0.08	0.23	C44
Mesothelioma	5	0.1	0.3	0.1	0.00	0.02	4	0.1	0.2	0.1	0.01	0.01	C45
Kaposi sarcoma	1	0.0	0.1	0.0	0.00	0.01	0	0.0	0.0	0.0	0.00	0.00	C46
Connective and soft tissue	15	0.2	0.9	0.6	0.04	0.05	15	0.3	0.9	0.7	0.05	0.06	C47+C49
Breast	10	0.2	0.6	0.3	0.02	0.04	901	16.2	52.3	30.6	2.62	3.18	C50
Vulva							11	0.2	0.6	0.3	0.01	0.04	C51
Vagina							6	0.1	0.3	0.2	0.01	0.01	C52
Cervix uteri							244	4.4	14.2	8.9	0.74	0.88	C53
Corpus uteri							145	2.6	8.4	4.7	0.42	0.52	C54
Uterus unspecified							28	0.5	1.6	0.9	0.07	0.08	C55
Ovary							156	2.8	9.1	5.1	0.41	0.53	C56
Other female genital organs							15	0.3	0.9	0.6	0.05	0.06	C57
Placenta							1	0.0	0.1	0.1	0.00	0.00	C58
Penis	19	0.3	1.1	0.6	0.03	0.09							C60
Prostate	433	7.1	26.1	11.6	0.21	1.41							C61
Testis	10	0.2	0.6	0.6	0.04	0.04							C62
Other male genital organs	9	0.1	0.5	0.3	0.01	0.03							C63
Kidney	120	2.0	7.2	3.9	0.29	0.45	63	1.1	3.7	2.1	0.14	0.23	C64
Renal pelvis	12	0.2	0.7	0.4	0.03	0.05	6	0.1	0.3	0.1	0.00	0.01	C65
Ureter	11	0.2	0.7	0.3	0.01	0.03	4	0.1	0.2	0.1	0.00	0.02	C66
Bladder	176	2.9	10.6	5.0	0.22	0.58	45	0.8	2.6	1.2	0.06	0.14	C67
Other urinary organs	2	0.0	0.1	0.1	0.01	0.01	1	0.0	0.1	0.0	0.00	0.00	C68
Eye	2	0.0	0.1	0.1	0.00	0.01	0	0.0	0.0	0.0	0.00	0.00	C69
Brain and nervous system	94	1.5	5.7	3.9	0.21	0.34	83	1.5	4.8	3.1	0.16	0.29	C70–72
Thyroid	224	3.7	13.5	9.3	0.76	0.89	861	15.4	50.0	34.6	2.94	3.30	C73
Adrenal gland	6	0.1	0.4	0.6	0.03	0.03	7	0.1	0.4	0.3	0.02	0.02	C74
Other endocrine	2	0.0	0.1	0.2	0.01	0.01	1	0.0	0.1	0.0	0.00	0.00	C75
Hodgkin lymphoma	7	0.1	0.4	0.2	0.02	0.02	2	0.0	0.1	0.1	0.01	0.01	C81
Non-Hodgkin lymphoma	151	2.5	9.1	5.0	0.26	0.56	98	1.8	5.7	3.4	0.23	0.35	C82–86,C96
Immunoproliferative diseases	3	0.0	0.2	0.1	0.00	0.01	2	0.0	0.1	0.1	0.01	0.01	C88
Multiple myeloma	68	1.1	4.1	1.9	0.10	0.24	45	0.8	2.6	1.3	0.07	0.19	C90
Lymphoid leukaemia	35	0.6	2.1	2.6	0.14	0.17	22	0.4	1.3	1.5	0.09	0.10	C91
Myeloid leukaemia	44	0.7	2.7	1.8	0.11	0.21	50	0.9	2.9	1.9	0.14	0.21	C92–94
Leukaemia unspecified	60	1.0	3.6	2.3	0.09	0.22	59	1.1	3.4	1.7	0.09	0.20	C95
Myeloproliferative disorders	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	MPD
Myelodysplastic syndromes	10	0.2	0.6	0.4	0.03	0.03	8	0.1	0.5	0.2	0.00	0.03	MPS
Other and unspecified	29	0.5	1.7	0.9	0.04	0.10	21	0.4	1.2	0.6	0.02	0.05	O&U
All sites	6195		373.4	187.6	9.27	21.74	5680		330.0	179.2	12.32	19.03	C00–96
All sites except C44	6111	100.0	368.3	185.3	9.20	21.52	5576	100.0	323.9	176.8	12.25	18.80	C00–96 exc. C44

China, Hangzhou City

CONTRIBUTORS

Gang Zhao
Caixia Jiang
Jue Xu
Kang Qin
Yan Zhang
Lingbin Du
Huizhang Li
YanJun Ren
Kai Song



NOTES ON THE DATA

†C67 (bladder cancer) includes neoplasms of uncertain or unknown behaviour together with invasive cancers.

20 major cancers, ASR (World) per 100 000

<i>Male</i>		<i>Female</i>	
Trachea, bronchus, and lung	48.8	Thyroid	57.0
Stomach	21.5	Breast	34.2
Liver	19.2	Trachea, bronchus, and lung	26.5
Thyroid	18.1	Cervix uteri	12.9
Prostate	13.3	Stomach	9.9
Rectum	12.6	Colon	9.0
Colon	12.0	Rectum	7.4
Oesophagus	10.0	Liver	5.9
Pancreas	6.8	Corpus uteri	5.3
Bladder	5.3	Ovary	5.1
Non-Hodgkin lymphoma	5.2	Pancreas	4.7
Brain and nervous system	4.2	Brain and nervous system	4.1
Kidney	3.9	Non-Hodgkin lymphoma	3.5
Nasopharynx	3.4	Gallbladder etc.	3.1
Myeloid leukaemia	2.8	Non-melanoma skin cancer	2.5
Non-melanoma skin cancer	2.6	Kidney	2.2
Gallbladder etc.	2.4	Myeloid leukaemia	2.0
Lymphoid leukaemia	2.1	Other and unspecified	1.9
Larynx	2.0	Lymphoid leukaemia	1.5
Other and unspecified	1.9	Bladder	1.4
All sites	213.3	All sites	214.2

China, Hangzhou City (2013–2017)


SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	
Lip	30	0.0	0.2	0.1	0.00	0.01	22	0.0	0.1	0.1	0.00	0.00	C00
Tongue	160	0.2	0.9	0.5	0.04	0.06	94	0.1	0.5	0.3	0.01	0.03	C01–02
Mouth	204	0.3	1.1	0.6	0.04	0.07	130	0.2	0.7	0.4	0.02	0.05	C03–06
Salivary glands	172	0.3	1.0	0.6	0.04	0.06	114	0.2	0.6	0.4	0.03	0.04	C07–08
Tonsil	43	0.1	0.2	0.1	0.01	0.02	8	0.0	0.0	0.0	0.00	0.00	C09
Other oropharynx	80	0.1	0.4	0.3	0.02	0.03	22	0.0	0.1	0.1	0.00	0.01	C10
Nasopharynx	976	1.5	5.4	3.4	0.27	0.37	378	0.6	2.1	1.3	0.11	0.14	C11
Hypopharynx	234	0.3	1.3	0.7	0.04	0.10	12	0.0	0.1	0.0	0.00	0.00	C12–13
Pharynx unspecified	69	0.1	0.4	0.2	0.01	0.03	8	0.0	0.0	0.0	0.00	0.00	C14
Oesophagus	3376	5.0	18.8	10.0	0.55	1.28	477	0.8	2.6	1.2	0.03	0.13	C15
Stomach	7235	10.8	40.4	21.5	1.09	2.66	3357	5.3	18.6	9.9	0.56	1.13	C16
Small intestine	378	0.6	2.1	1.1	0.07	0.14	258	0.4	1.4	0.8	0.04	0.10	C17
Colon	4012	6.0	22.4	12.0	0.63	1.39	3164	5.0	17.6	9.0	0.46	1.03	C18
Rectum	4177	6.2	23.3	12.6	0.70	1.55	2499	4.0	13.9	7.4	0.42	0.86	C19–20
Anus	85	0.1	0.5	0.2	0.01	0.03	90	0.1	0.5	0.2	0.01	0.02	C21
Liver	6094	9.1	34.0	19.2	1.23	2.20	2095	3.3	11.6	5.9	0.29	0.67	C22
Gallbladder etc.	846	1.3	4.7	2.4	0.10	0.27	1180	1.9	6.5	3.1	0.13	0.35	C23–24
Pancreas	2343	3.5	13.1	6.8	0.29	0.81	1790	2.8	9.9	4.7	0.17	0.53	C25
Nose, sinuses etc.	119	0.2	0.7	0.4	0.02	0.05	75	0.1	0.4	0.2	0.01	0.02	C30–31
Larynx	670	1.0	3.7	2.0	0.14	0.27	35	0.1	0.2	0.1	0.01	0.01	C32
Trachea, bronchus, and lung	16426	24.5	91.6	48.8	2.38	6.14	8938	14.1	49.6	26.5	1.56	3.14	C33–34
Other thoracic organs	266	0.4	1.5	1.0	0.06	0.10	170	0.3	0.9	0.7	0.04	0.07	C37–38
Bone	262	0.4	1.5	1.0	0.06	0.10	201	0.3	1.1	0.9	0.05	0.07	C40–41
Melanoma of skin	182	0.3	1.0	0.5	0.03	0.07	138	0.2	0.8	0.4	0.02	0.05	C43
Other skin	876	1.3	4.9	2.6	0.11	0.27	948	1.5	5.3	2.5	0.10	0.26	C44
Mesothelioma	35	0.1	0.2	0.1	0.01	0.01	25	0.0	0.1	0.1	0.01	0.01	C45
Kaposi sarcoma	7	0.0	0.0	0.0	0.00	0.00	4	0.0	0.0	0.0	0.00	0.00	C46
Connective and soft tissue	236	0.4	1.3	0.9	0.05	0.09	218	0.3	1.2	0.9	0.05	0.08	C47+C49
Breast	74	0.1	0.4	0.2	0.01	0.03	9907	15.7	55.0	34.2	2.78	3.68	C50
Vulva							100	0.2	0.6	0.3	0.01	0.04	C51
Vagina							60	0.1	0.3	0.2	0.01	0.03	C52
Cervix uteri							3592	5.7	19.9	12.9	1.07	1.32	C53
Corpus uteri							1569	2.5	8.7	5.3	0.44	0.61	C54
Uterus unspecified							299	0.5	1.7	1.0	0.07	0.12	C55
Ovary							1429	2.3	7.9	5.1	0.39	0.54	C56
Other female genital organs							132	0.2	0.7	0.4	0.03	0.06	C57
Placenta							56	0.1	0.3	0.3	0.02	0.02	C58
Penis	142	0.2	0.8	0.4	0.03	0.04							C60
Prostate	4703	7.0	26.2	13.3	0.32	1.71							C61
Testis	106	0.2	0.6	0.5	0.04	0.04							C62
Other male genital organs	65	0.1	0.4	0.2	0.01	0.02							C63
Kidney	1163	1.7	6.5	3.9	0.27	0.45	654	1.0	3.6	2.2	0.15	0.24	C64
Renal pelvis	150	0.2	0.8	0.4	0.02	0.05	101	0.2	0.6	0.3	0.01	0.04	C65
Ureter	114	0.2	0.6	0.3	0.01	0.04	103	0.2	0.6	0.3	0.01	0.04	C66
†Bladder	1889	2.8	10.5	5.3	0.22	0.59	546	0.9	3.0	1.4	0.05	0.15	C67
Other urinary organs	52	0.1	0.3	0.1	0.00	0.01	10	0.0	0.1	0.0	0.00	0.00	C68
Eye	19	0.0	0.1	0.1	0.00	0.01	22	0.0	0.1	0.1	0.00	0.01	C69
Brain and nervous system	1039	1.6	5.8	4.2	0.26	0.40	1132	1.8	6.3	4.1	0.27	0.42	C70–72
Thyroid	4383	6.5	24.5	18.1	1.47	1.66	14682	23.2	81.5	57.0	4.88	5.43	C73
Adrenal gland	48	0.1	0.3	0.3	0.01	0.02	34	0.1	0.2	0.2	0.01	0.01	C74
Other endocrine	34	0.1	0.2	0.2	0.01	0.02	53	0.1	0.3	0.2	0.01	0.02	C75
Hodgkin lymphoma	84	0.1	0.5	0.4	0.02	0.04	53	0.1	0.3	0.2	0.01	0.02	C81
Non-Hodgkin lymphoma	1496	2.2	8.3	5.2	0.30	0.56	1060	1.7	5.9	3.5	0.21	0.38	C82–86,C96
Immunoproliferative diseases	35	0.1	0.2	0.1	0.01	0.02	22	0.0	0.1	0.1	0.00	0.01	C88
Multiple myeloma	516	0.8	2.9	1.5	0.08	0.19	393	0.6	2.2	1.2	0.06	0.15	C90
Lymphoid leukaemia	351	0.5	2.0	2.1	0.12	0.15	235	0.4	1.3	1.5	0.08	0.10	C91
Myeloid leukaemia	698	1.0	3.9	2.8	0.17	0.26	476	0.8	2.6	2.0	0.12	0.18	C92–94
Leukaemia unspecified	190	0.3	1.1	0.7	0.04	0.07	139	0.2	0.8	0.5	0.03	0.05	C95
Myeloproliferative disorders	76	0.1	0.4	0.3	0.02	0.03	57	0.1	0.3	0.2	0.01	0.02	MPD
Myelodysplastic syndromes	238	0.4	1.3	0.7	0.03	0.09	167	0.3	0.9	0.5	0.03	0.06	MPS
Other and unspecified	628	0.9	3.5	1.9	0.09	0.20	614	1.0	3.4	1.9	0.09	0.20	O&U
All sites	67886		378.7	213.3	11.57	24.85	64147		356.0	214.2	15.04	22.75	C00–96
All sites except C44	67010	100.0	373.8	210.7	11.46	24.57	63199	100.0	350.7	211.7	14.94	22.49	C00–96 exc. C44

†See note following population pyramid

China, Hebi City

CONTRIBUTORS

Lina Chao
 Bingbing Wang
 Mengyuan Wang
 Hongqin Ren
 Xueqin Guo
 Fengqin Hu
 Shuying Pei



20 major cancers, ASR (World) per 100 000

<i>Male</i>		<i>Female</i>	
Trachea, bronchus, and lung	49.2	Breast	25.4
Stomach	38.5	Trachea, bronchus, and lung	21.8
Oesophagus	36.8	Oesophagus	19.8
Liver	25.6	Stomach	15.5
Colon	8.5	Cervix uteri	12.4
Rectum	6.4	Liver	11.5
Brain and nervous system	5.5	Thyroid	6.4
Pancreas	4.5	Colon	5.8
Prostate	3.8	Brain and nervous system	5.4
Thyroid	3.6	Rectum	5.0
Gallbladder etc.	3.5	Ovary	4.3
Bladder	3.1	Pancreas	4.1
Leukaemia unspecified	2.9	Gallbladder etc.	4.0
Hodgkin lymphoma	2.8	Corpus uteri	3.5
Kidney	2.7	Leukaemia unspecified	2.3
Bone	2.1	Kidney	2.1
Non-Hodgkin lymphoma	2.0	Lymphoid leukaemia	1.9
Other thoracic organs	1.9	Hodgkin lymphoma	1.5
Lymphoid leukaemia	1.9	Bone	1.5
Small intestine	1.8	Other and unspecified	1.5
All sites	227.1	All sites	174.0


China, Hebi City (2015–2017)

SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	
Lip	0	0.0	0.0	0.0	0.00	0.00	3	0.1	0.3	0.3	0.02	0.02	C00
Tongue	20	0.7	2.0	1.7	0.06	0.14	18	0.8	1.9	1.2	0.07	0.10	C01–02
Mouth	19	0.7	1.9	1.5	0.06	0.21	11	0.5	1.2	0.8	0.05	0.09	C03–06
Salivary glands	16	0.6	1.6	1.4	0.08	0.16	10	0.4	1.1	0.8	0.06	0.09	C07–08
Tonsil	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C09
Other oropharynx	14	0.5	1.4	1.0	0.08	0.08	2	0.1	0.2	0.2	0.00	0.04	C10
Nasopharynx	22	0.8	2.2	1.8	0.10	0.23	10	0.4	1.1	0.8	0.03	0.09	C11
Hypopharynx	14	0.5	1.4	1.2	0.06	0.12	2	0.1	0.2	0.2	0.00	0.03	C12–13
Pharynx unspecified	3	0.1	0.3	0.2	0.01	0.03	0	0.0	0.0	0.0	0.00	0.00	C14
Oesophagus	458	16.2	46.2	36.8	1.80	4.85	268	11.8	28.3	19.8	0.89	2.52	C15
Stomach	488	17.2	49.3	38.5	1.85	4.66	212	9.4	22.4	15.5	0.79	1.85	C16
Small intestine	23	0.8	2.3	1.8	0.11	0.20	15	0.7	1.6	1.1	0.07	0.10	C17
Colon	107	3.8	10.8	8.5	0.44	1.00	80	3.5	8.4	5.8	0.27	0.73	C18
Rectum	83	2.9	8.4	6.4	0.33	0.77	65	2.9	6.9	5.0	0.28	0.64	C19–20
Anus	8	0.3	0.8	0.7	0.03	0.13	3	0.1	0.3	0.2	0.01	0.03	C21
Liver	326	11.5	32.9	25.6	1.51	2.73	160	7.1	16.9	11.5	0.58	1.23	C22
Gallbladder etc.	45	1.6	4.5	3.5	0.15	0.37	56	2.5	5.9	4.0	0.19	0.55	C23–24
Pancreas	58	2.0	5.9	4.5	0.16	0.53	56	2.5	5.9	4.1	0.18	0.53	C25
Nose, sinuses etc.	4	0.1	0.4	0.3	0.03	0.03	1	0.0	0.1	0.1	0.01	0.01	C30–31
Larynx	14	0.5	1.4	1.1	0.06	0.14	3	0.1	0.3	0.2	0.01	0.02	C32
Trachea, bronchus, and lung	619	21.9	62.5	49.2	2.10	5.94	301	13.3	31.7	21.8	1.13	2.54	C33–34
Other thoracic organs	23	0.8	2.3	1.9	0.09	0.30	17	0.8	1.8	1.4	0.12	0.15	C37–38
Bone	24	0.8	2.4	2.1	0.15	0.21	18	0.8	1.9	1.5	0.12	0.17	C40–41
Melanoma of skin	5	0.2	0.5	0.4	0.02	0.04	1	0.0	0.1	0.1	0.01	0.01	C43
Other skin	7	0.2	0.7	0.6	0.03	0.06	14	0.6	1.5	1.0	0.06	0.13	C44
Mesothelioma	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C45
Kaposi sarcoma	3	0.1	0.3	0.2	0.01	0.01	0	0.0	0.0	0.0	0.00	0.00	C46
Connective and soft tissue	8	0.3	0.8	0.5	0.03	0.05	11	0.5	1.2	0.8	0.05	0.07	C47+C49
Breast	0	0.0	0.0	0.0	0.00	0.00	328	14.5	34.6	25.4	2.20	2.81	C50
Vulva							8	0.4	0.8	0.6	0.03	0.06	C51
Vagina							6	0.3	0.6	0.5	0.05	0.07	C52
Cervix uteri							161	7.1	17.0	12.4	0.96	1.47	C53
Corpus uteri							45	2.0	4.7	3.5	0.30	0.40	C54
Uterus unspecified							4	0.2	0.4	0.3	0.02	0.04	C55
Ovary							54	2.4	5.7	4.3	0.31	0.49	C56
Other female genital organs							9	0.4	0.9	0.6	0.05	0.05	C57
Placenta							2	0.1	0.2	0.2	0.01	0.01	C58
Penis	3	0.1	0.3	0.2	0.02	0.03							C60
Prostate	47	1.7	4.7	3.8	0.12	0.42							C61
Testis	11	0.4	1.1	0.9	0.06	0.07							C62
Other male genital organs	3	0.1	0.3	0.2	0.02	0.02							C63
Kidney	33	1.2	3.3	2.7	0.16	0.34	28	1.2	3.0	2.1	0.14	0.26	C64
Renal pelvis	4	0.1	0.4	0.3	0.01	0.03	10	0.4	1.1	0.7	0.05	0.09	C65
Ureter	6	0.2	0.6	0.5	0.03	0.07	8	0.4	0.8	0.7	0.05	0.09	C66
Bladder	40	1.4	4.0	3.1	0.15	0.34	14	0.6	1.5	1.1	0.07	0.14	C67
Other urinary organs	0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.1	0.1	0.00	0.01	C68
Eye	9	0.3	0.9	0.8	0.06	0.07	2	0.1	0.2	0.1	0.02	0.02	C69
Brain and nervous system	64	2.3	6.5	5.5	0.33	0.62	62	2.7	6.5	5.4	0.30	0.64	C70–72
Thyroid	45	1.6	4.5	3.6	0.20	0.46	79	3.5	8.3	6.4	0.49	0.59	C73
Adrenal gland	16	0.6	1.6	1.3	0.06	0.16	0	0.0	0.0	0.0	0.00	0.00	C74
Other endocrine	5	0.2	0.5	0.4	0.02	0.06	9	0.4	0.9	0.6	0.07	0.07	C75
Hodgkin lymphoma	35	1.2	3.5	2.8	0.14	0.30	18	0.8	1.9	1.5	0.10	0.12	C81
Non-Hodgkin lymphoma	22	0.8	2.2	2.0	0.16	0.20	17	0.8	1.8	1.3	0.09	0.13	C82–86,C96
Immunoproliferative diseases	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C88
Multiple myeloma	11	0.4	1.1	0.8	0.06	0.08	7	0.3	0.7	0.5	0.02	0.09	C90
Lymphoid leukaemia	19	0.7	1.9	1.9	0.11	0.15	14	0.6	1.5	1.9	0.09	0.13	C91
Myeloid leukaemia	17	0.6	1.7	1.3	0.11	0.12	12	0.5	1.3	1.4	0.09	0.12	C92–94
Leukaemia unspecified	27	1.0	2.7	2.9	0.14	0.19	21	0.9	2.2	2.3	0.12	0.21	C95
Myeloproliferative disorders	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	MPD
Myelodysplastic syndromes	4	0.1	0.4	0.3	0.03	0.03	2	0.1	0.2	0.2	0.01	0.01	MPS
Other and unspecified	5	0.2	0.5	0.5	0.04	0.04	18	0.8	1.9	1.5	0.12	0.18	O&U
All sites	2837		286.4	227.1	11.35	26.78	2276		239.9	174.0	10.78	20.07	C00–96
All sites except C44	2830	100.0	285.7	226.5	11.31	26.73	2262	100.0	238.5	173.0	10.71	19.94	C00–96 exc. C44

China, Hefei City

CONTRIBUTORS

Xiaoqin Ding
Feng Sun
Xiaopeng Zhang
Jiajia Li
Lun Tang
Xiaoyuan Chen
Shengxiang Yuan
Yan He
Xiaopei Zhu
Xiaodong Yin
Zhiyuan Wang



20 major cancers, ASR (World) per 100 000

<i>Male</i>		<i>Female</i>	
Trachea, bronchus, and lung	58.3	Breast	30.6
Stomach	40.6	Trachea, bronchus, and lung	26.7
Oesophagus	28.1	Stomach	16.7
Liver	19.9	Thyroid	14.8
Colon	14.3	Cervix uteri	13.0
Rectum	12.5	Colon	10.2
Prostate	11.0	Oesophagus	8.2
Pancreas	7.2	Rectum	7.6
Thyroid	5.9	Liver	7.2
Bladder	5.9	Ovary	6.7
Brain and nervous system	5.4	Corpus uteri	5.8
Other and unspecified	5.3	Brain and nervous system	5.6
Kidney	5.0	Other and unspecified	4.8
Non-Hodgkin lymphoma	4.6	Pancreas	4.6
Gallbladder etc.	2.7	Non-Hodgkin lymphoma	3.5
Myeloid leukaemia	2.7	Gallbladder etc.	3.1
Nasopharynx	2.6	Kidney	2.4
Leukaemia unspecified	2.3	Myeloid leukaemia	2.0
Larynx	2.2	Leukaemia unspecified	1.7
Lymphoid leukaemia	2.0	Non-melanoma skin cancer	1.5
All sites	256.4	All sites	193.1


China, Hefei City (2013–2017)

SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	
Lip	6	0.0	0.1	0.1	0.00	0.01	12	0.1	0.2	0.1	0.01	0.01	C00
Tongue	54	0.3	0.8	0.7	0.06	0.08	43	0.3	0.7	0.5	0.03	0.07	C01–02
Mouth	85	0.4	1.3	1.0	0.04	0.10	75	0.5	1.2	0.8	0.04	0.09	C03–06
Salivary glands	43	0.2	0.7	0.6	0.04	0.06	41	0.3	0.7	0.5	0.03	0.05	C07–08
Tonsil	12	0.1	0.2	0.1	0.01	0.02	3	0.0	0.0	0.0	0.00	0.00	C09
Other oropharynx	13	0.1	0.2	0.2	0.01	0.02	7	0.0	0.1	0.1	0.00	0.01	C10
Nasopharynx	215	1.0	3.4	2.6	0.20	0.29	112	0.7	1.8	1.3	0.09	0.14	C11
Hypopharynx	48	0.2	0.8	0.6	0.04	0.08	4	0.0	0.1	0.0	0.00	0.01	C12–13
Pharynx unspecified	10	0.0	0.2	0.1	0.01	0.01	4	0.0	0.1	0.0	0.00	0.00	C14
Oesophagus	2338	10.9	36.8	28.1	1.34	3.65	765	4.7	12.6	8.2	0.27	0.95	C15
Stomach	3446	16.0	54.2	40.6	1.82	5.11	1491	9.2	24.6	16.7	0.80	1.93	C16
Small intestine	118	0.5	1.9	1.4	0.08	0.15	85	0.5	1.4	1.0	0.06	0.12	C17
Colon	1215	5.7	19.1	14.3	0.74	1.67	888	5.5	14.6	10.2	0.56	1.19	C18
Rectum	1048	4.9	16.5	12.5	0.73	1.54	662	4.1	10.9	7.6	0.43	0.89	C19–20
Anus	5	0.0	0.1	0.1	0.00	0.01	10	0.1	0.2	0.1	0.01	0.01	C21
Liver	1691	7.9	26.6	19.9	1.21	2.22	640	4.0	10.6	7.2	0.34	0.83	C22
Gallbladder etc.	240	1.1	3.8	2.7	0.12	0.32	286	1.8	4.7	3.1	0.12	0.37	C23–24
Pancreas	627	2.9	9.9	7.2	0.35	0.83	427	2.6	7.0	4.6	0.21	0.51	C25
Nose, sinuses etc.	34	0.2	0.5	0.4	0.02	0.04	18	0.1	0.3	0.2	0.02	0.02	C30–31
Larynx	183	0.9	2.9	2.2	0.13	0.28	11	0.1	0.2	0.1	0.00	0.01	C32
Trachea, bronchus, and lung	5045	23.5	79.3	58.3	2.55	7.07	2341	14.5	38.6	26.7	1.42	3.13	C33–34
Other thoracic organs	69	0.3	1.1	0.9	0.06	0.09	42	0.3	0.7	0.5	0.04	0.07	C37–38
Bone	135	0.6	2.1	1.8	0.09	0.18	98	0.6	1.6	1.4	0.08	0.14	C40–41
Melanoma of skin	49	0.2	0.8	0.6	0.03	0.07	41	0.3	0.7	0.5	0.03	0.05	C43
Other skin	149	0.7	2.3	1.8	0.08	0.19	139	0.9	2.3	1.5	0.05	0.13	C44
Mesothelioma	3	0.0	0.0	0.0	0.00	0.01	5	0.0	0.1	0.1	0.01	0.01	C45
Kaposi sarcoma	3	0.0	0.0	0.0	0.00	0.00	2	0.0	0.0	0.0	0.00	0.00	C46
Connective and soft tissue	60	0.3	0.9	0.7	0.04	0.06	67	0.4	1.1	0.8	0.06	0.09	C47+C49
Breast	45	0.2	0.7	0.5	0.04	0.06	2505	15.5	41.3	30.6	2.52	3.32	C50
Vulva							20	0.1	0.3	0.3	0.01	0.03	C51
Vagina							26	0.2	0.4	0.3	0.03	0.04	C52
Cervix uteri							1075	6.6	17.7	13.0	1.11	1.33	C53
Corpus uteri							465	2.9	7.7	5.8	0.50	0.65	C54
Uterus unspecified							66	0.4	1.1	0.8	0.06	0.08	C55
Ovary							525	3.2	8.7	6.7	0.54	0.69	C56
Other female genital organs							35	0.2	0.6	0.4	0.04	0.05	C57
Placenta							9	0.1	0.1	0.1	0.01	0.01	C58
Penis	43	0.2	0.7	0.5	0.03	0.05							C60
Prostate	1011	4.7	15.9	11.0	0.26	1.23							C61
Testis	37	0.2	0.6	0.5	0.03	0.04							C62
Other male genital organs	9	0.0	0.1	0.1	0.00	0.02							C63
Kidney	407	1.9	6.4	5.0	0.33	0.56	200	1.2	3.3	2.4	0.15	0.27	C64
Renal pelvis	29	0.1	0.5	0.3	0.02	0.04	21	0.1	0.3	0.2	0.00	0.03	C65
Ureter	46	0.2	0.7	0.5	0.04	0.06	29	0.2	0.5	0.3	0.02	0.05	C66
Bladder	521	2.4	8.2	5.9	0.25	0.62	126	0.8	2.1	1.3	0.07	0.13	C67
Other urinary organs	8	0.0	0.1	0.1	0.00	0.01	7	0.0	0.1	0.1	0.00	0.00	C68
Eye	9	0.0	0.1	0.2	0.01	0.01	11	0.1	0.2	0.2	0.01	0.01	C69
Brain and nervous system	422	2.0	6.6	5.4	0.33	0.55	441	2.7	7.3	5.6	0.37	0.63	C70–72
Thyroid	505	2.3	7.9	5.9	0.45	0.56	1196	7.4	19.7	14.8	1.22	1.42	C73
Adrenal gland	23	0.1	0.4	0.3	0.02	0.03	17	0.1	0.3	0.2	0.01	0.02	C74
Other endocrine	39	0.2	0.6	0.6	0.04	0.05	22	0.1	0.4	0.3	0.02	0.03	C75
Hodgkin lymphoma	29	0.1	0.5	0.4	0.03	0.03	15	0.1	0.2	0.2	0.01	0.02	C81
Non-Hodgkin lymphoma	386	1.8	6.1	4.6	0.24	0.50	298	1.8	4.9	3.5	0.20	0.41	C82–86,C96
Immunoproliferative diseases	4	0.0	0.1	0.0	0.00	0.00	3	0.0	0.0	0.0	0.00	0.00	C88
Multiple myeloma	121	0.6	1.9	1.5	0.07	0.19	77	0.5	1.3	0.9	0.04	0.12	C90
Lymphoid leukaemia	113	0.5	1.8	2.0	0.11	0.14	79	0.5	1.3	1.4	0.08	0.12	C91
Myeloid leukaemia	202	0.9	3.2	2.7	0.17	0.28	156	1.0	2.6	2.0	0.12	0.22	C92–94
Leukaemia unspecified	173	0.8	2.7	2.3	0.12	0.22	125	0.8	2.1	1.7	0.09	0.17	C95
Myeloproliferative disorders	27	0.1	0.4	0.3	0.02	0.04	23	0.1	0.4	0.3	0.02	0.04	MPD
Myelodysplastic syndromes	59	0.3	0.9	0.7	0.03	0.06	45	0.3	0.7	0.6	0.03	0.06	MPS
Other and unspecified	437	2.0	6.9	5.3	0.29	0.60	393	2.4	6.5	4.8	0.32	0.51	O&U
All sites	21649		340.4	256.4	12.73	30.12	16329		269.2	193.1	12.31	21.29	C00–96
All sites except C44	21500	100.0	338.1	254.6	12.66	29.92	16190	100.0	266.9	191.6	12.26	21.16	C00–96 exc. C44

China, Hengdong County

CONTRIBUTORS

Wei Yin
 Jiansheng Shan
 Zaohong Liu
 Jingxian Xiao
 Junhua Li



20 major cancers, ASR (World) per 100 000

<i>Male</i>		<i>Female</i>	
Trachea, bronchus, and lung	48.8	Breast	18.1
Liver	27.7	Trachea, bronchus, and lung	15.9
Stomach	16.5	Cervix uteri	15.5
Rectum	8.5	Stomach	6.8
Colon	7.7	Colon	6.0
Other and unspecified	5.8	Liver	5.8
Nasopharynx	4.7	Thyroid	4.7
Oesophagus	3.7	Corpus uteri	4.6
Brain and nervous system	3.3	Rectum	4.2
Non-Hodgkin lymphoma	3.1	Ovary	4.2
Lymphoid leukaemia	2.7	Other and unspecified	3.5
Bladder	2.5	Non-Hodgkin lymphoma	3.0
Prostate	2.1	Brain and nervous system	2.8
Larynx	2.1	Nasopharynx	2.4
Leukaemia unspecified	2.1	Leukaemia unspecified	2.0
Pancreas	2.0	Gallbladder etc.	1.9
Tongue	1.6	Pancreas	1.6
Bone	1.6	Kidney	1.4
Kidney	1.6	Bone	1.3
Myeloid leukaemia	1.5	Lymphoid leukaemia	1.3
All sites	161.7	All sites	119.1


China, Hengdong County (2015–2017)

SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	
Lip	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C00
Tongue	25	1.0	2.1	1.6	0.14	0.15	5	0.3	0.5	0.3	0.02	0.05	C01–02
Mouth	13	0.5	1.1	0.8	0.07	0.09	5	0.3	0.5	0.3	0.02	0.02	C03–06
Salivary glands	8	0.3	0.7	0.5	0.05	0.05	9	0.5	0.8	0.6	0.05	0.07	C07–08
Tonsil	0	0.0	0.0	0.0	0.00	0.00	1	0.1	0.1	0.1	0.01	0.01	C09
Other oropharynx	0	0.0	0.0	0.0	0.00	0.00	1	0.1	0.1	0.1	0.01	0.01	C10
Nasopharynx	74	2.9	6.3	4.7	0.39	0.50	36	2.0	3.3	2.4	0.17	0.25	C11
Hypopharynx	7	0.3	0.6	0.4	0.05	0.05	2	0.1	0.2	0.1	0.01	0.01	C12–13
Pharynx unspecified	2	0.1	0.2	0.1	0.01	0.01	1	0.1	0.1	0.1	0.01	0.01	C14
Oesophagus	61	2.4	5.2	3.7	0.26	0.53	13	0.7	1.2	0.8	0.03	0.10	C15
Stomach	269	10.4	22.8	16.5	0.84	2.32	115	6.4	10.5	6.8	0.40	0.71	C16
Small intestine	16	0.6	1.4	1.1	0.04	0.14	13	0.7	1.2	0.9	0.06	0.10	C17
Colon	126	4.9	10.7	7.7	0.46	0.93	94	5.2	8.6	6.0	0.42	0.73	C18
Rectum	137	5.3	11.6	8.5	0.52	1.00	68	3.8	6.2	4.2	0.21	0.54	C19–20
Anus	1	0.0	0.1	0.1	0.01	0.01	3	0.2	0.3	0.2	0.01	0.04	C21
Liver	444	17.2	37.7	27.7	2.07	3.22	89	4.9	8.1	5.8	0.31	0.77	C22
Gallbladder etc.	24	0.9	2.0	1.4	0.08	0.15	32	1.8	2.9	1.9	0.09	0.25	C23–24
Pancreas	32	1.2	2.7	2.0	0.09	0.24	26	1.4	2.4	1.6	0.09	0.21	C25
Nose, sinuses etc.	8	0.3	0.7	0.5	0.04	0.06	3	0.2	0.3	0.2	0.02	0.03	C30–31
Larynx	35	1.4	3.0	2.1	0.13	0.27	10	0.6	0.9	0.6	0.04	0.06	C32
Trachea, bronchus, and lung	812	31.5	68.9	48.8	2.88	6.20	253	14.0	23.1	15.9	0.84	2.00	C33–34
Other thoracic organs	2	0.1	0.2	0.1	0.01	0.01	7	0.4	0.6	0.5	0.04	0.04	C37–38
Bone	22	0.9	1.9	1.6	0.10	0.16	21	1.2	1.9	1.3	0.08	0.11	C40–41
Melanoma of skin	5	0.2	0.4	0.3	0.03	0.03	1	0.1	0.1	0.1	0.00	0.01	C43
Other skin	23	0.9	2.0	1.5	0.08	0.17	10	0.6	0.9	0.5	0.03	0.04	C44
Mesothelioma	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C45
Kaposi sarcoma	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C46
Connective and soft tissue	15	0.6	1.3	1.1	0.08	0.10	16	0.9	1.5	1.2	0.09	0.11	C47+C49
Breast	4	0.2	0.3	0.2	0.02	0.03	272	15.1	24.9	18.1	1.56	1.90	C50
Vulva							4	0.2	0.4	0.3	0.03	0.03	C51
Vagina							3	0.2	0.3	0.2	0.02	0.02	C52
Cervix uteri							236	13.1	21.6	15.5	1.25	1.74	C53
Corpus uteri							71	3.9	6.5	4.6	0.41	0.53	C54
Uterus unspecified							19	1.1	1.7	1.2	0.08	0.15	C55
Ovary							62	3.4	5.7	4.2	0.32	0.48	C56
Other female genital organs							7	0.4	0.6	0.5	0.05	0.05	C57
Placenta							5	0.3	0.5	0.5	0.03	0.03	C58
Penis	7	0.3	0.6	0.4	0.03	0.04							C60
Prostate	36	1.4	3.1	2.1	0.06	0.27							C61
Testis	4	0.2	0.3	0.2	0.02	0.02							C62
Other male genital organs	0	0.0	0.0	0.0	0.00	0.00							C63
Kidney	26	1.0	2.2	1.6	0.11	0.20	17	0.9	1.6	1.4	0.09	0.15	C64
Renal pelvis	0	0.0	0.0	0.0	0.00	0.00	3	0.2	0.3	0.3	0.01	0.03	C65
Ureter	4	0.2	0.3	0.2	0.02	0.04	1	0.1	0.1	0.1	0.01	0.01	C66
Bladder	43	1.7	3.6	2.5	0.13	0.30	13	0.7	1.2	0.6	0.02	0.04	C67
Other urinary organs	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C68
Eye	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C69
Brain and nervous system	46	1.8	3.9	3.3	0.25	0.35	41	2.3	3.7	2.8	0.23	0.28	C70–72
Thyroid	16	0.6	1.4	1.0	0.08	0.11	62	3.4	5.7	4.7	0.37	0.42	C73
Adrenal gland	6	0.2	0.5	0.4	0.03	0.03	3	0.2	0.3	0.2	0.01	0.01	C74
Other endocrine	2	0.1	0.2	0.1	0.01	0.01	4	0.2	0.4	0.3	0.03	0.03	C75
Hodgkin lymphoma	3	0.1	0.3	0.2	0.02	0.02	0	0.0	0.0	0.0	0.00	0.00	C81
Non-Hodgkin lymphoma	45	1.7	3.8	3.1	0.18	0.36	44	2.4	4.0	3.0	0.21	0.37	C82–86,C96
Immunoproliferative diseases	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C88
Multiple myeloma	18	0.7	1.5	1.1	0.05	0.15	6	0.3	0.5	0.5	0.01	0.05	C90
Lymphoid leukaemia	32	1.2	2.7	2.7	0.14	0.21	11	0.6	1.0	1.3	0.05	0.10	C91
Myeloid leukaemia	19	0.7	1.6	1.5	0.10	0.12	8	0.4	0.7	0.7	0.05	0.05	C92–94
Leukaemia unspecified	27	1.0	2.3	2.1	0.14	0.17	26	1.4	2.4	2.0	0.13	0.19	C95
Myeloproliferative disorders	1	0.0	0.1	0.2	0.01	0.01	1	0.1	0.1	0.1	0.01	0.01	MPD
Myelodysplastic syndromes	2	0.1	0.2	0.1	0.00	0.01	2	0.1	0.2	0.1	0.01	0.02	MPS
Other and unspecified	96	3.7	8.1	5.8	0.34	0.66	56	3.1	5.1	3.5	0.20	0.40	O&U
All sites	2598		220.5	161.7	10.16	19.49	1811		165.5	119.1	8.26	13.38	C00–96
All sites except C44	2575	100.0	218.5	160.3	10.08	19.32	1801	100.0	164.6	118.6	8.23	13.34	C00–96 exc. C44

China, Hengfeng County

CONTRIBUTORS

Cheng Li Ping
Mao Shu Xia



NOTES ON THE DATA

*Low levels of specificity of leukaemias. Rates based on low numbers due to small population.

20 major cancers, ASR (World) per 100 000

<i>Male</i>		<i>Female</i>	
Trachea, bronchus, and lung	44.5	Cervix uteri	21.6
Liver	34.4	Breast	18.8
Stomach	26.7	Trachea, bronchus, and lung	15.4
Rectum	11.0	Liver	14.7
Oesophagus	8.8	Stomach	12.9
Nasopharynx	6.6	Rectum	10.5
Colon	6.1	Colon	6.5
Brain and nervous system	5.4	Corpus uteri	6.2
Bladder	4.8	Brain and nervous system	5.3
Leukaemia unspecified	4.2	Ovary	4.1
Prostate	3.8	Non-Hodgkin lymphoma	3.1
Non-Hodgkin lymphoma	3.8	Thyroid	2.6
Myeloid leukaemia	2.7	Nasopharynx	2.5
Pancreas	2.5	Leukaemia unspecified	2.3
Bone	2.4	Oesophagus	2.3
Connective and soft tissue	1.6	Pancreas	2.3
Other and unspecified	1.6	Bone	1.8
Non-melanoma skin cancer	1.5	Other and unspecified	1.5
Hodgkin lymphoma	1.4	Small intestine	1.2
Small intestine	1.1	Kidney	1.1
All sites	183.0	All sites	146.3

*China, Hengfeng County (2013–2017)


SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	
Lip	0	0.0	0.0	0.0	0.00	0.00	1	0.1	0.2	0.2	0.02	0.02	C00
Tongue	0	0.0	0.0	0.0	0.00	0.00	1	0.1	0.2	0.2	0.02	0.02	C01–02
Mouth	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C03–06
Salivary glands	2	0.2	0.4	0.3	0.01	0.01	1	0.1	0.2	0.1	0.02	0.02	C07–08
Tonsil	1	0.1	0.2	0.1	0.01	0.01	0	0.0	0.0	0.0	0.00	0.00	C09
Other oropharynx	3	0.3	0.6	0.5	0.02	0.02	1	0.1	0.2	0.2	0.01	0.01	C10
Nasopharynx	41	3.7	8.4	6.6	0.50	0.68	15	1.7	3.3	2.5	0.18	0.24	C11
Hypopharynx	4	0.4	0.8	0.6	0.04	0.07	1	0.1	0.2	0.2	0.01	0.01	C12–13
Pharynx unspecified	1	0.1	0.2	0.2	0.00	0.03	2	0.2	0.4	0.4	0.00	0.00	C14
Oesophagus	56	5.1	11.5	8.8	0.34	0.96	13	1.5	2.9	2.3	0.06	0.29	C15
Stomach	166	15.0	34.2	26.7	1.38	3.23	79	9.2	17.4	12.9	0.69	1.38	C16
Small intestine	7	0.6	1.4	1.1	0.04	0.14	7	0.8	1.5	1.2	0.08	0.11	C17
Colon	37	3.3	7.6	6.1	0.38	0.59	37	4.3	8.1	6.5	0.34	0.83	C18
Rectum	69	6.2	14.2	11.0	0.72	1.31	60	7.0	13.2	10.5	0.55	1.13	C19–20
Anus	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C21
Liver	217	19.6	44.7	34.4	2.37	3.89	90	10.5	19.8	14.7	0.69	1.46	C22
Gallbladder etc.	2	0.2	0.4	0.4	0.03	0.03	4	0.5	0.9	0.6	0.05	0.05	C23–24
Pancreas	15	1.4	3.1	2.5	0.12	0.22	14	1.6	3.1	2.3	0.16	0.25	C25
Nose, sinuses etc.	6	0.5	1.2	1.1	0.08	0.11	3	0.3	0.7	0.5	0.05	0.05	C30–31
Larynx	2	0.2	0.4	0.3	0.04	0.04	0	0.0	0.0	0.0	0.00	0.00	C32
Trachea, bronchus, and lung	277	25.0	57.0	44.5	2.35	5.06	94	11.0	20.7	15.4	0.72	1.77	C33–34
Other thoracic organs	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C37–38
Bone	12	1.1	2.5	2.4	0.16	0.20	10	1.2	2.2	1.8	0.12	0.21	C40–41
Melanoma of skin	1	0.1	0.2	0.1	0.00	0.03	2	0.2	0.4	0.4	0.00	0.03	C43
Other skin	9	0.8	1.9	1.5	0.06	0.12	5	0.6	1.1	0.8	0.05	0.12	C44
Mesothelioma	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C45
Kaposi sarcoma	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C46
Connective and soft tissue	9	0.8	1.9	1.6	0.14	0.14	5	0.6	1.1	0.9	0.09	0.09	C47+C49
Breast	1	0.1	0.2	0.1	0.00	0.03	114	13.3	25.1	18.8	1.59	1.85	C50
Vulva							1	0.1	0.2	0.2	0.00	0.00	C51
Vagina							2	0.2	0.4	0.3	0.02	0.05	C52
Cervix uteri							130	15.2	28.6	21.6	1.61	2.26	C53
Corpus uteri							38	4.4	8.4	6.2	0.51	0.70	C54
Uterus unspecified							5	0.6	1.1	0.8	0.04	0.13	C55
Ovary							19	2.2	4.2	4.1	0.27	0.37	C56
Other female genital organs							0	0.0	0.0	0.0	0.00	0.00	C57
Placenta							0	0.0	0.0	0.0	0.00	0.00	C58
Penis	2	0.2	0.4	0.3	0.03	0.03							C60
Prostate	23	2.1	4.7	3.8	0.00	0.31							C61
Testis	2	0.2	0.4	0.4	0.03	0.03							C62
Other male genital organs	0	0.0	0.0	0.0	0.00	0.00							C63
Kidney	4	0.4	0.8	0.6	0.03	0.10	6	0.7	1.3	1.1	0.06	0.12	C64
Renal pelvis	4	0.4	0.8	0.7	0.04	0.04	3	0.3	0.7	0.5	0.06	0.06	C65
Ureter	0	0.0	0.0	0.0	0.00	0.00	1	0.1	0.2	0.2	0.00	0.03	C66
Bladder	30	2.7	6.2	4.8	0.18	0.43	2	0.2	0.4	0.3	0.02	0.05	C67
Other urinary organs	0	0.0	0.0	0.0	0.00	0.00	1	0.1	0.2	0.1	0.02	0.02	C68
Eye	0	0.0	0.0	0.0	0.00	0.00	1	0.1	0.2	0.2	0.01	0.01	C69
Brain and nervous system	29	2.6	6.0	5.4	0.39	0.42	29	3.4	6.4	5.3	0.39	0.55	C70–72
Thyroid	4	0.4	0.8	0.7	0.07	0.07	14	1.6	3.1	2.6	0.16	0.26	C73
Adrenal gland	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C74
Other endocrine	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C75
Hodgkin lymphoma	7	0.6	1.4	1.4	0.03	0.06	2	0.2	0.4	0.3	0.01	0.01	C81
Non-Hodgkin lymphoma	21	1.9	4.3	3.8	0.24	0.36	17	2.0	3.7	3.1	0.28	0.31	C82–86,C96
Immunoproliferative diseases	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C88
Multiple myeloma	1	0.1	0.2	0.2	0.01	0.01	1	0.1	0.2	0.1	0.02	0.02	C90
Lymphoid leukaemia	3	0.3	0.6	0.6	0.03	0.03	3	0.3	0.7	0.9	0.05	0.08	C91
Myeloid leukaemia	12	1.1	2.5	2.7	0.16	0.16	6	0.7	1.3	1.1	0.06	0.13	C92–94
Leukaemia unspecified	21	1.9	4.3	4.2	0.22	0.31	12	1.4	2.6	2.3	0.12	0.19	C95
Myeloproliferative disorders	1	0.1	0.2	0.1	0.01	0.01	1	0.1	0.2	0.1	0.02	0.02	MPD
Myelodysplastic syndromes	4	0.4	0.8	0.6	0.04	0.07	2	0.2	0.4	0.3	0.01	0.01	MPS
Other and unspecified	10	0.9	2.1	1.6	0.06	0.15	8	0.9	1.8	1.5	0.09	0.19	O&U
All sites	1116		229.8	183.0	10.39	19.52	863		190.0	146.3	9.36	15.53	C00–96
All sites except C44	1107	100.0	228.0	181.5	10.33	19.40	858	100.0	188.9	145.5	9.30	15.42	C00–96 exc. C44

*See note following population pyramid

China, Hepu County

CONTRIBUTORS

Qiang Zhang
Lihua Deng
Fukang Su
Song Cao
Xinzu Chen



NOTES ON THE DATA

*Low MV%. Low levels of specificity of leukaemias. No questionnaire.

20 major cancers, ASR (World) per 100 000

<i>Male</i>		<i>Female</i>	
Trachea, bronchus, and lung	63.9	Trachea, bronchus, and lung	25.4
Liver	59.1	Cervix uteri	22.1
Nasopharynx	15.9	Breast	21.9
Stomach	14.8	Liver	11.5
Rectum	11.4	Stomach	8.0
Colon	11.3	Colon	7.4
Oesophagus	9.8	Rectum	6.2
Leukaemia unspecified	4.9	Nasopharynx	5.9
Prostate	4.5	Thyroid	4.5
Other and unspecified	4.4	Corpus uteri	3.4
Bladder	4.3	Ovary	2.8
Myeloid leukaemia	3.8	Other and unspecified	2.8
Larynx	3.6	Leukaemia unspecified	2.6
Brain and nervous system	3.4	Myeloid leukaemia	2.4
Non-melanoma skin cancer	3.2	Brain and nervous system	2.1
Pancreas	3.0	Non-melanoma skin cancer	1.8
Bone	2.3	Bone	1.7
Non-Hodgkin lymphoma	2.3	Pancreas	1.5
Hypopharynx	2.3	Kidney	1.4
Thyroid	1.8	Non-Hodgkin lymphoma	1.3
All sites	241.3	All sites	145.3

*China, Hepu County (2013–2017)


SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	
Lip	4	0.1	0.2	0.1	0.01	0.02	1	0.0	0.0	0.0	0.00	0.00	C00
Tongue	17	0.2	0.7	0.6	0.04	0.07	7	0.2	0.3	0.2	0.01	0.02	C01–02
Mouth	17	0.2	0.7	0.5	0.03	0.06	4	0.1	0.2	0.1	0.01	0.01	C03–06
Salivary glands	7	0.1	0.3	0.3	0.03	0.03	5	0.1	0.2	0.2	0.01	0.03	C07–08
Tonsil	15	0.2	0.6	0.5	0.04	0.06	0	0.0	0.0	0.0	0.00	0.00	C09
Other oropharynx	1	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C10
Nasopharynx	437	6.1	18.4	15.9	1.24	1.76	153	3.7	7.1	5.9	0.46	0.65	C11
Hypopharynx	61	0.8	2.6	2.3	0.17	0.26	0	0.0	0.0	0.0	0.00	0.00	C12–13
Pharynx unspecified	7	0.1	0.3	0.2	0.02	0.02	2	0.0	0.1	0.1	0.00	0.01	C14
Oesophagus	284	3.9	12.0	9.8	0.71	1.11	32	0.8	1.5	0.8	0.03	0.07	C15
Stomach	466	6.5	19.7	14.8	0.81	1.66	242	5.9	11.2	8.0	0.38	0.93	C16
Small intestine	19	0.3	0.8	0.6	0.03	0.07	16	0.4	0.7	0.5	0.03	0.05	C17
Colon	356	4.9	15.0	11.3	0.64	1.28	229	5.6	10.6	7.4	0.40	0.89	C18
Rectum	356	4.9	15.0	11.4	0.59	1.37	187	4.6	8.6	6.2	0.30	0.76	C19–20
Anus	7	0.1	0.3	0.2	0.01	0.04	8	0.2	0.4	0.3	0.01	0.05	C21
Liver	1701	23.6	71.7	59.1	4.16	6.61	338	8.3	15.6	11.5	0.68	1.42	C22
Gallbladder etc.	39	0.5	1.6	1.2	0.06	0.16	38	0.9	1.8	1.2	0.06	0.14	C23–24
Pancreas	88	1.2	3.7	3.0	0.14	0.39	47	1.1	2.2	1.5	0.07	0.18	C25
Nose, sinuses etc.	10	0.1	0.4	0.3	0.01	0.05	4	0.1	0.2	0.1	0.01	0.01	C30–31
Larynx	105	1.5	4.4	3.6	0.25	0.44	17	0.4	0.8	0.6	0.04	0.05	C32
Trachea, bronchus, and lung	2049	28.5	86.4	63.9	2.91	7.77	787	19.2	36.4	25.4	1.32	3.05	C33–34
Other thoracic organs	31	0.4	1.3	1.1	0.07	0.11	16	0.4	0.7	0.6	0.04	0.05	C37–38
Bone	74	1.0	3.1	2.3	0.10	0.24	47	1.1	2.2	1.7	0.09	0.16	C40–41
Melanoma of skin	5	0.1	0.2	0.2	0.01	0.02	4	0.1	0.2	0.1	0.00	0.01	C43
Other skin	100	1.4	4.2	3.2	0.14	0.33	64	1.6	3.0	1.8	0.07	0.18	C44
Mesothelioma	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C45
Kaposi sarcoma	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C46
Connective and soft tissue	10	0.1	0.4	0.4	0.03	0.03	6	0.1	0.3	0.2	0.02	0.02	C47+C49
Breast	0	0.0	0.0	0.0	0.00	0.00	586	14.3	27.1	21.9	1.86	2.30	C50
Vulva							5	0.1	0.2	0.2	0.01	0.01	C51
Vagina							3	0.1	0.1	0.1	0.00	0.02	C52
Cervix uteri							596	14.6	27.6	22.1	1.75	2.54	C53
Corpus uteri							94	2.3	4.3	3.4	0.30	0.37	C54
Uterus unspecified							22	0.5	1.0	0.7	0.04	0.10	C55
Ovary							73	1.8	3.4	2.8	0.23	0.28	C56
Other female genital organs							2	0.0	0.1	0.1	0.00	0.00	C57
Placenta							0	0.0	0.0	0.0	0.00	0.00	C58
Penis	23	0.3	1.0	0.7	0.05	0.08							C60
Prostate	168	2.3	7.1	4.5	0.12	0.45							C61
Testis	19	0.3	0.8	0.7	0.04	0.04							C62
Other male genital organs	0	0.0	0.0	0.0	0.00	0.00							C63
Kidney	55	0.8	2.3	1.8	0.12	0.20	38	0.9	1.8	1.4	0.09	0.16	C64
Renal pelvis	4	0.1	0.2	0.1	0.00	0.02	6	0.1	0.3	0.2	0.02	0.02	C65
Ureter	8	0.1	0.3	0.2	0.00	0.02	2	0.0	0.1	0.0	0.00	0.00	C66
Bladder	139	1.9	5.9	4.3	0.23	0.48	39	1.0	1.8	1.3	0.07	0.14	C67
Other urinary organs	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C68
Eye	2	0.0	0.1	0.1	0.00	0.00	1	0.0	0.0	0.0	0.00	0.00	C69
Brain and nervous system	94	1.3	4.0	3.4	0.22	0.34	59	1.4	2.7	2.1	0.12	0.22	C70–72
Thyroid	52	0.7	2.2	1.8	0.13	0.19	113	2.8	5.2	4.5	0.35	0.43	C73
Adrenal gland	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C74
Other endocrine	4	0.1	0.2	0.1	0.01	0.01	5	0.1	0.2	0.2	0.01	0.01	C75
Hodgkin lymphoma	5	0.1	0.2	0.2	0.01	0.02	1	0.0	0.0	0.0	0.00	0.00	C81
Non-Hodgkin lymphoma	64	0.9	2.7	2.3	0.14	0.28	36	0.9	1.7	1.3	0.08	0.15	C82–86,C96
Immunoproliferative diseases	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C88
Multiple myeloma	19	0.3	0.8	0.7	0.04	0.10	9	0.2	0.4	0.3	0.03	0.04	C90
Lymphoid leukaemia	8	0.1	0.3	0.3	0.01	0.04	5	0.1	0.2	0.2	0.01	0.01	C91
Myeloid leukaemia	103	1.4	4.3	3.8	0.27	0.38	58	1.4	2.7	2.4	0.17	0.25	C92–94
Leukaemia unspecified	126	1.8	5.3	4.9	0.29	0.44	63	1.5	2.9	2.6	0.15	0.21	C95
Myeloproliferative disorders	3	0.0	0.1	0.1	0.01	0.01	4	0.1	0.2	0.2	0.01	0.02	MPD
Myelodysplastic syndromes	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	MPS
Other and unspecified	136	1.9	5.7	4.4	0.21	0.50	84	2.1	3.9	2.8	0.15	0.32	O&U
All sites	7298		307.8	241.3	14.15	27.61	4158		192.2	145.3	9.50	16.37	C00–96
All sites except C44	7198	100.0	303.6	238.1	14.01	27.27	4094	100.0	189.2	143.5	9.43	16.19	C00–96 exc. C44

*See note following population pyramid

China, Honghu City

CONTRIBUTORS

Liao Tao
Xiang Dai Cheng
Xu Hai Tao
Dai Yu



20 major cancers, ASR (World) per 100 000

<i>Male</i>		<i>Female</i>	
Trachea, bronchus, and lung	59.3	Breast	23.2
Liver	34.5	Trachea, bronchus, and lung	20.0
Stomach	15.8	Thyroid	13.0
Rectum	8.3	Cervix uteri	12.8
Colon	7.5	Liver	11.7
Non-Hodgkin lymphoma	6.2	Stomach	9.3
Bladder	5.7	Ovary	6.0
Nasopharynx	5.2	Rectum	5.8
Brain and nervous system	5.0	Colon	5.2
Pancreas	4.8	Brain and nervous system	4.3
Myeloid leukaemia	4.5	Non-Hodgkin lymphoma	3.6
Oesophagus	4.4	Myeloid leukaemia	3.4
Prostate	4.2	Pancreas	3.2
Kidney	3.0	Gallbladder etc.	2.1
Larynx	2.7	Nasopharynx	1.6
Thyroid	2.5	Bone	1.4
Bone	1.6	Uterus unspecified	1.4
Multiple myeloma	1.4	Kidney	1.3
Gallbladder etc.	1.3	Corpus uteri	1.3
Other thoracic organs	1.3	Multiple myeloma	1.2
All sites	190.0	All sites	143.4


China, Honghu City (2013–2017)

SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	
Lip	5	0.1	0.2	0.2	0.00	0.03	3	0.1	0.2	0.1	0.00	0.02	C00
Tongue	24	0.4	1.1	0.8	0.06	0.08	11	0.3	0.6	0.4	0.03	0.05	C01–02
Mouth	24	0.4	1.1	0.8	0.06	0.09	8	0.2	0.4	0.2	0.01	0.01	C03–06
Salivary glands	8	0.1	0.4	0.3	0.03	0.03	11	0.3	0.6	0.5	0.03	0.04	C07–08
Tonsil	5	0.1	0.2	0.2	0.01	0.02	1	0.0	0.1	0.0	0.01	0.01	C09
Other oropharynx	1	0.0	0.0	0.1	0.00	0.00	1	0.0	0.1	0.0	0.00	0.01	C10
Nasopharynx	152	2.8	7.0	5.2	0.43	0.57	47	1.1	2.4	1.6	0.15	0.18	C11
Hypopharynx	5	0.1	0.2	0.2	0.01	0.02	1	0.0	0.1	0.0	0.00	0.00	C12–13
Pharynx unspecified	2	0.0	0.1	0.1	0.00	0.01	1	0.0	0.1	0.0	0.00	0.00	C14
Oesophagus	129	2.3	5.9	4.4	0.24	0.59	24	0.6	1.2	0.7	0.03	0.06	C15
Stomach	467	8.5	21.5	15.8	0.94	2.02	296	7.0	14.8	9.3	0.55	1.12	C16
Small intestine	22	0.4	1.0	0.8	0.06	0.11	24	0.6	1.2	0.8	0.06	0.11	C17
Colon	219	4.0	10.1	7.5	0.54	0.89	162	3.8	8.1	5.2	0.37	0.60	C18
Rectum	248	4.5	11.4	8.3	0.49	0.98	182	4.3	9.1	5.8	0.35	0.72	C19–20
Anus	2	0.0	0.1	0.1	0.01	0.01	1	0.0	0.1	0.0	0.00	0.00	C21
Liver	1024	18.5	47.1	34.5	2.26	4.05	386	9.1	19.4	11.7	0.67	1.38	C22
Gallbladder etc.	42	0.8	1.9	1.3	0.04	0.18	66	1.6	3.3	2.1	0.12	0.29	C23–24
Pancreas	143	2.6	6.6	4.8	0.28	0.66	102	2.4	5.1	3.2	0.19	0.39	C25
Nose, sinuses etc.	6	0.1	0.3	0.2	0.01	0.03	3	0.1	0.2	0.1	0.01	0.01	C30–31
Larynx	78	1.4	3.6	2.7	0.11	0.37	13	0.3	0.7	0.4	0.01	0.04	C32
Trachea, bronchus, and lung	1766	32.0	81.3	59.3	2.92	7.86	640	15.1	32.1	20.0	1.18	2.44	C33–34
Other thoracic organs	37	0.7	1.7	1.3	0.08	0.15	15	0.4	0.8	0.6	0.05	0.06	C37–38
Bone	42	0.8	1.9	1.6	0.11	0.17	37	0.9	1.9	1.4	0.08	0.15	C40–41
Melanoma of skin	16	0.3	0.7	0.6	0.03	0.07	14	0.3	0.7	0.5	0.03	0.06	C43
Other skin	28	0.5	1.3	1.0	0.04	0.12	27	0.6	1.4	0.9	0.04	0.08	C44
Mesothelioma	5	0.1	0.2	0.2	0.01	0.02	5	0.1	0.3	0.2	0.02	0.02	C45
Kaposi sarcoma	1	0.0	0.0	0.0	0.00	0.00	1	0.0	0.1	0.0	0.00	0.00	C46
Connective and soft tissue	13	0.2	0.6	0.6	0.03	0.04	10	0.2	0.5	0.4	0.04	0.05	C47+C49
Breast	8	0.1	0.4	0.3	0.02	0.03	678	16.0	34.0	23.2	2.06	2.42	C50
Vulva							3	0.1	0.2	0.1	0.00	0.01	C51
Vagina							6	0.1	0.3	0.2	0.02	0.03	C52
Cervix uteri							382	9.0	19.2	12.8	1.13	1.41	C53
Corpus uteri							37	0.9	1.9	1.3	0.12	0.14	C54
Uterus unspecified							42	1.0	2.1	1.4	0.11	0.16	C55
Ovary							161	3.8	8.1	6.0	0.51	0.64	C56
Other female genital organs							8	0.2	0.4	0.3	0.02	0.03	C57
Placenta							20	0.5	1.0	0.9	0.07	0.07	C58
Penis	17	0.3	0.8	0.6	0.05	0.06							C60
Prostate	128	2.3	5.9	4.2	0.11	0.48							C61
Testis	6	0.1	0.3	0.2	0.02	0.02							C62
Other male genital organs	0	0.0	0.0	0.0	0.00	0.00							C63
Kidney	82	1.5	3.8	3.0	0.20	0.36	38	0.9	1.9	1.3	0.09	0.18	C64
Renal pelvis	8	0.1	0.4	0.3	0.02	0.04	6	0.1	0.3	0.2	0.01	0.01	C65
Ureter	6	0.1	0.3	0.3	0.00	0.03	5	0.1	0.3	0.1	0.00	0.02	C66
Bladder	177	3.2	8.1	5.7	0.26	0.67	34	0.8	1.7	1.1	0.07	0.13	C67
Other urinary organs	0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.1	0.0	0.00	0.01	C68
Eye	3	0.1	0.1	0.1	0.01	0.01	2	0.0	0.1	0.2	0.00	0.01	C69
Brain and nervous system	137	2.5	6.3	5.0	0.35	0.49	117	2.8	5.9	4.3	0.33	0.45	C70–72
Thyroid	71	1.3	3.3	2.5	0.23	0.23	354	8.4	17.7	13.0	1.08	1.23	C73
Adrenal gland	6	0.1	0.3	0.2	0.02	0.02	4	0.1	0.2	0.1	0.01	0.02	C74
Other endocrine	6	0.1	0.3	0.4	0.02	0.03	5	0.1	0.3	0.1	0.01	0.01	C75
Hodgkin lymphoma	2	0.0	0.1	0.0	0.00	0.00	3	0.1	0.2	0.1	0.01	0.01	C81
Non-Hodgkin lymphoma	182	3.3	8.4	6.2	0.34	0.74	106	2.5	5.3	3.6	0.20	0.44	C82–86,C96
Immunoproliferative diseases	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C88
Multiple myeloma	38	0.7	1.7	1.4	0.08	0.19	38	0.9	1.9	1.2	0.08	0.17	C90
Lymphoid leukaemia	15	0.3	0.7	0.8	0.04	0.06	10	0.2	0.5	0.6	0.04	0.05	C91
Myeloid leukaemia	105	1.9	4.8	4.5	0.32	0.38	70	1.7	3.5	3.4	0.22	0.29	C92–94
Leukaemia unspecified	8	0.1	0.4	0.3	0.02	0.04	8	0.2	0.4	0.3	0.02	0.05	C95
Myeloproliferative disorders	2	0.0	0.1	0.1	0.00	0.01	0	0.0	0.0	0.0	0.00	0.00	MPD
Myelodysplastic syndromes	13	0.2	0.6	0.6	0.02	0.06	10	0.2	0.5	0.5	0.03	0.04	MPS
Other and unspecified	19	0.3	0.9	0.6	0.05	0.07	24	0.6	1.2	0.8	0.04	0.10	O&U
All sites	5553		255.5	190.0	11.03	23.24	4264		213.8	143.4	10.36	16.04	C00–96
All sites except C44	5525	100.0	254.2	188.9	10.99	23.11	4237	100.0	212.4	142.5	10.32	15.96	C00–96 exc. C44

China, Hongshan District, Chifeng City

CONTRIBUTORS

He Li
Liu Jianfei
An Jianguo
Liu Yan
Yan Kehui
Zhu Wenhui
Zhaoguoyan
Zhao Xuefei
Lv Wenli
Liu Xue Yan
Xin Jiaxuan



20 major cancers, ASR (World) per 100 000

Male		Female	
Trachea, bronchus, and lung	43.1	Breast	25.7
Liver	25.0	Trachea, bronchus, and lung	24.4
Stomach	23.4	Thyroid	15.9
Rectum	15.4	Liver	9.5
Colon	14.0	Colon	9.4
Oesophagus	11.2	Rectum	9.0
Pancreas	8.0	Cervix uteri	6.8
Bladder	7.1	Stomach	6.4
Prostate	5.9	Ovary	5.7
Kidney	5.0	Pancreas	4.4
Thyroid	4.2	Corpus uteri	4.2
Non-Hodgkin lymphoma	3.7	Non-Hodgkin lymphoma	3.4
Brain and nervous system	3.3	Brain and nervous system	3.1
Gallbladder etc.	3.3	Bladder	2.7
Other and unspecified	3.0	Gallbladder etc.	2.1
Lymphoid leukaemia	2.3	Kidney	2.1
Myeloid leukaemia	2.1	Myeloid leukaemia	1.7
Larynx	1.6	Other and unspecified	1.5
Multiple myeloma	1.6	Oesophagus	1.5
Leukaemia unspecified	1.4	Lymphoid leukaemia	1.4
All sites	197.9	All sites	154.7


China, Hongshan District, Chifeng City (2013–2017)

SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	
Lip	2	0.1	0.2	0.1	0.01	0.01	0	0.0	0.0	0.0	0.00	0.00	C00
Tongue	6	0.2	0.6	0.5	0.03	0.06	6	0.3	0.6	0.6	0.06	0.07	C01–02
Mouth	13	0.5	1.2	1.1	0.08	0.14	3	0.1	0.3	0.2	0.01	0.01	C03–06
Salivary glands	6	0.2	0.6	0.4	0.02	0.06	1	0.0	0.1	0.1	0.00	0.01	C07–08
Tonsil	2	0.1	0.2	0.1	0.01	0.01	0	0.0	0.0	0.0	0.00	0.00	C09
Other oropharynx	3	0.1	0.3	0.2	0.01	0.03	0	0.0	0.0	0.0	0.00	0.00	C10
Nasopharynx	16	0.6	1.5	1.0	0.06	0.10	9	0.4	0.8	0.5	0.03	0.05	C11
Hypopharynx	7	0.3	0.6	0.6	0.03	0.08	0	0.0	0.0	0.0	0.00	0.00	C12–13
Pharynx unspecified	4	0.2	0.4	0.4	0.01	0.06	0	0.0	0.0	0.0	0.00	0.00	C14
Oesophagus	141	5.6	13.1	11.2	0.73	1.39	21	0.9	1.9	1.5	0.03	0.12	C15
Stomach	297	11.7	27.6	23.4	1.15	2.90	94	4.1	8.7	6.4	0.30	0.71	C16
Small intestine	13	0.5	1.2	1.0	0.06	0.13	9	0.4	0.8	0.6	0.04	0.06	C17
Colon	181	7.2	16.8	14.0	0.81	1.75	142	6.3	13.1	9.4	0.45	1.05	C18
Rectum	194	7.7	18.0	15.4	1.04	1.93	133	5.9	12.3	9.0	0.63	0.99	C19–20
Anus	0	0.0	0.0	0.0	0.00	0.00	2	0.1	0.2	0.2	0.01	0.02	C21
Liver	330	13.1	30.6	25.0	1.71	2.86	139	6.1	12.8	9.5	0.50	1.07	C22
Gallbladder etc.	42	1.7	3.9	3.3	0.12	0.28	29	1.3	2.7	2.1	0.09	0.27	C23–24
Pancreas	101	4.0	9.4	8.0	0.50	0.93	67	3.0	6.2	4.4	0.19	0.53	C25
Nose, sinuses etc.	2	0.1	0.2	0.1	0.01	0.01	1	0.0	0.1	0.1	0.01	0.01	C30–31
Larynx	21	0.8	1.9	1.6	0.11	0.22	2	0.1	0.2	0.1	0.00	0.01	C32
Trachea, bronchus, and lung	556	22.0	51.6	43.1	1.99	5.02	367	16.2	33.9	24.4	1.28	2.68	C33–34
Other thoracic organs	8	0.3	0.7	0.9	0.03	0.09	6	0.3	0.6	0.4	0.02	0.05	C37–38
Bone	7	0.3	0.6	0.8	0.04	0.08	9	0.4	0.8	0.7	0.04	0.07	C40–41
Melanoma of skin	4	0.2	0.4	0.3	0.03	0.04	4	0.2	0.4	0.5	0.02	0.05	C43
Other skin	15	0.6	1.4	1.4	0.11	0.15	16	0.7	1.5	1.1	0.05	0.14	C44
Mesothelioma	1	0.0	0.1	0.1	0.00	0.02	0	0.0	0.0	0.0	0.00	0.00	C45
Kaposi sarcoma	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C46
Connective and soft tissue	10	0.4	0.9	0.8	0.05	0.10	15	0.7	1.4	0.9	0.06	0.08	C47+C49
Breast	3	0.1	0.3	0.2	0.02	0.02	398	17.5	36.7	25.7	2.12	2.88	C50
Vulva							4	0.2	0.4	0.3	0.02	0.03	C51
Vagina							1	0.0	0.1	0.1	0.00	0.00	C52
Cervix uteri							101	4.5	9.3	6.8	0.61	0.76	C53
Corpus uteri							61	2.7	5.6	4.2	0.30	0.51	C54
Uterus unspecified							8	0.4	0.7	0.6	0.06	0.06	C55
Ovary							83	3.7	7.7	5.7	0.45	0.64	C56
Other female genital organs							6	0.3	0.6	0.5	0.03	0.06	C57
Placenta							1	0.0	0.1	0.1	0.01	0.01	C58
Penis	3	0.1	0.3	0.3	0.00	0.04							C60
Prostate	76	3.0	7.1	5.9	0.12	0.54							C61
Testis	2	0.1	0.2	0.1	0.01	0.02							C62
Other male genital organs	0	0.0	0.0	0.0	0.00	0.00							C63
Kidney	66	2.6	6.1	5.0	0.30	0.58	30	1.3	2.8	2.1	0.10	0.27	C64
Renal pelvis	1	0.0	0.1	0.1	0.00	0.02	11	0.5	1.0	0.8	0.04	0.11	C65
Ureter	11	0.4	1.0	1.0	0.05	0.13	15	0.7	1.4	1.1	0.07	0.14	C66
Bladder	91	3.6	8.4	7.1	0.33	0.71	44	1.9	4.1	2.7	0.17	0.24	C67
Other urinary organs	2	0.1	0.2	0.1	0.00	0.00	5	0.2	0.5	0.3	0.03	0.04	C68
Eye	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C69
Brain and nervous system	46	1.8	4.3	3.3	0.21	0.31	41	1.8	3.8	3.1	0.18	0.28	C70–72
Thyroid	64	2.5	5.9	4.2	0.35	0.39	250	11.0	23.1	15.9	1.36	1.54	C73
Adrenal gland	2	0.1	0.2	0.2	0.02	0.02	1	0.0	0.1	0.2	0.01	0.01	C74
Other endocrine	5	0.2	0.5	0.4	0.03	0.05	6	0.3	0.6	0.4	0.03	0.03	C75
Hodgkin lymphoma	1	0.0	0.1	0.1	0.00	0.00	3	0.1	0.3	0.3	0.01	0.03	C81
Non-Hodgkin lymphoma	55	2.2	5.1	3.7	0.24	0.39	46	2.0	4.2	3.4	0.20	0.39	C82–86,C96
Immunoproliferative diseases	1	0.0	0.1	0.1	0.00	0.02	0	0.0	0.0	0.0	0.00	0.00	C88
Multiple myeloma	20	0.8	1.9	1.6	0.13	0.17	12	0.5	1.1	0.9	0.08	0.11	C90
Lymphoid leukaemia	17	0.7	1.6	2.3	0.10	0.19	14	0.6	1.3	1.4	0.08	0.09	C91
Myeloid leukaemia	28	1.1	2.6	2.1	0.14	0.22	20	0.9	1.8	1.7	0.10	0.17	C92–94
Leukaemia unspecified	12	0.5	1.1	1.4	0.07	0.11	13	0.6	1.2	1.3	0.04	0.13	C95
Myeloproliferative disorders	1	0.0	0.1	0.1	0.01	0.01	1	0.0	0.1	0.1	0.00	0.01	MPD
Myelodysplastic syndromes	15	0.6	1.4	1.0	0.05	0.14	12	0.5	1.1	1.1	0.05	0.11	MPS
Other and unspecified	39	1.5	3.6	3.0	0.16	0.28	22	1.0	2.0	1.5	0.08	0.17	O&U
All sites	2543		236.0	197.9	11.07	22.82	2284		210.8	154.7	10.06	16.89	C00–96
All sites except C44	2528	100.0	234.6	196.5	10.95	22.67	2268	100.0	209.3	153.6	10.00	16.75	C00–96 exc. C44

China, Hongta District, Yuxi City

CONTRIBUTORS

Yuan Qu
Chunhua Du
Rui Liu
Lei Lin
Ying Guan



NOTES ON THE DATA

*No questionnaire.

20 major cancers, ASR (World) per 100 000

<i>Male</i>		<i>Female</i>	
Trachea, bronchus, and lung	42.8	Breast	19.3
Liver	13.9	Cervix uteri	18.2
Rectum	13.2	Trachea, bronchus, and lung	16.9
Stomach	9.1	Thyroid	9.9
Colon	7.8	Rectum	9.6
Prostate	6.8	Liver	7.6
Bladder	6.0	Non-melanoma skin cancer	6.7
Brain and nervous system	5.3	Colon	6.4
Non-melanoma skin cancer	5.2	Brain and nervous system	5.9
Pancreas	4.7	Corpus uteri	5.5
Non-Hodgkin lymphoma	4.3	Ovary	5.3
Oesophagus	3.3	Stomach	4.6
Thyroid	3.1	Gallbladder etc.	4.6
Nasopharynx	2.9	Non-Hodgkin lymphoma	3.6
Gallbladder etc.	2.6	Leukaemia unspecified	3.5
Leukaemia unspecified	2.5	Pancreas	2.9
Lymphoid leukaemia	2.5	Bone	2.2
Other and unspecified	2.2	Myeloid leukaemia	1.7
Bone	1.5	Bladder	1.5
Myeloid leukaemia	1.5	Lymphoid leukaemia	1.5
All sites	155.3	All sites	148.8

*China, Hongta District, Yuxi City (2013–2017)


SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	
Lip	1	0.0	0.1	0.1	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C00
Tongue	6	0.2	0.6	0.5	0.04	0.06	1	0.0	0.1	0.1	0.01	0.01	C01–02
Mouth	7	0.3	0.6	0.4	0.02	0.07	2	0.1	0.2	0.1	0.01	0.01	C03–06
Salivary glands	8	0.3	0.7	0.5	0.04	0.08	7	0.3	0.6	0.5	0.03	0.05	C07–08
Tonsil	1	0.0	0.1	0.1	0.01	0.01	0	0.0	0.0	0.0	0.00	0.00	C09
Other oropharynx	1	0.0	0.1	0.1	0.00	0.01	1	0.0	0.1	0.1	0.00	0.00	C10
Nasopharynx	46	1.8	4.2	2.9	0.22	0.28	11	0.5	1.0	0.6	0.05	0.06	C11
Hypopharynx	12	0.5	1.1	0.9	0.07	0.12	1	0.0	0.1	0.1	0.01	0.01	C12–13
Pharynx unspecified	1	0.0	0.1	0.1	0.00	0.01	0	0.0	0.0	0.0	0.00	0.00	C14
Oesophagus	53	2.1	4.9	3.3	0.24	0.41	9	0.4	0.8	0.5	0.02	0.05	C15
Stomach	150	6.0	13.8	9.1	0.52	1.13	79	3.4	7.1	4.6	0.26	0.51	C16
Small intestine	12	0.5	1.1	0.8	0.05	0.09	7	0.3	0.6	0.5	0.03	0.05	C17
Colon	133	5.3	12.3	7.8	0.43	0.88	113	4.9	10.1	6.4	0.33	0.78	C18
Rectum	226	9.1	20.8	13.2	0.73	1.54	162	7.1	14.5	9.6	0.59	1.16	C19–20
Anus	1	0.0	0.1	0.1	0.01	0.01	2	0.1	0.2	0.1	0.01	0.01	C21
Liver	229	9.2	21.1	13.9	0.89	1.58	135	5.9	12.1	7.6	0.36	0.94	C22
Gallbladder etc.	46	1.8	4.2	2.6	0.11	0.30	85	3.7	7.6	4.6	0.20	0.59	C23–24
Pancreas	81	3.3	7.5	4.7	0.24	0.56	52	2.3	4.6	2.9	0.14	0.35	C25
Nose, sinuses etc.	6	0.2	0.6	0.4	0.03	0.05	8	0.3	0.7	0.4	0.01	0.03	C30–31
Larynx	20	0.8	1.8	1.1	0.07	0.11	3	0.1	0.3	0.2	0.03	0.03	C32
Trachea, bronchus, and lung	744	29.9	68.6	42.8	2.12	5.10	300	13.1	26.8	16.9	0.98	1.98	C33–34
Other thoracic organs	12	0.5	1.1	0.9	0.06	0.10	11	0.5	1.0	0.8	0.06	0.09	C37–38
Bone	22	0.9	2.0	1.5	0.09	0.15	26	1.1	2.3	2.2	0.13	0.20	C40–41
Melanoma of skin	11	0.4	1.0	0.6	0.04	0.06	7	0.3	0.6	0.4	0.04	0.05	C43
Other skin	85	3.4	7.8	5.2	0.32	0.59	118	5.2	10.5	6.7	0.36	0.73	C44
Mesothelioma	3	0.1	0.3	0.2	0.02	0.03	0	0.0	0.0	0.0	0.00	0.00	C45
Kaposi sarcoma	1	0.0	0.1	0.1	0.00	0.01	0	0.0	0.0	0.0	0.00	0.00	C46
Connective and soft tissue	6	0.2	0.6	0.4	0.03	0.04	10	0.4	0.9	0.9	0.06	0.06	C47+C49
Breast	9	0.4	0.8	0.6	0.04	0.07	316	13.8	28.2	19.3	1.60	1.97	C50
Vulva							6	0.3	0.5	0.3	0.01	0.04	C51
Vagina							5	0.2	0.4	0.3	0.02	0.02	C52
Cervix uteri							280	12.2	25.0	18.2	1.50	1.75	C53
Corpus uteri							87	3.8	7.8	5.5	0.54	0.61	C54
Uterus unspecified							20	0.9	1.8	1.2	0.08	0.14	C55
Ovary							75	3.3	6.7	5.3	0.38	0.57	C56
Other female genital organs							3	0.1	0.3	0.2	0.01	0.02	C57
Placenta							5	0.2	0.4	0.4	0.03	0.03	C58
Penis	6	0.2	0.6	0.3	0.01	0.02							C60
Prostate	138	5.5	12.7	6.8	0.14	0.59							C61
Testis	17	0.7	1.6	1.2	0.10	0.10							C62
Other male genital organs	2	0.1	0.2	0.1	0.01	0.02							C63
Kidney	15	0.6	1.4	0.9	0.06	0.11	11	0.5	1.0	0.6	0.04	0.06	C64
Renal pelvis	4	0.2	0.4	0.2	0.02	0.02	2	0.1	0.2	0.1	0.00	0.01	C65
Ureter	1	0.0	0.1	0.0	0.00	0.00	2	0.1	0.2	0.1	0.00	0.01	C66
Bladder	108	4.3	10.0	6.0	0.23	0.50	29	1.3	2.6	1.5	0.06	0.15	C67
Other urinary organs	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C68
Eye	4	0.2	0.4	0.4	0.02	0.02	0	0.0	0.0	0.0	0.00	0.00	C69
Brain and nervous system	70	2.8	6.5	5.3	0.30	0.48	82	3.6	7.3	5.9	0.44	0.59	C70–72
Thyroid	47	1.9	4.3	3.1	0.25	0.29	151	6.6	13.5	9.9	0.81	0.92	C73
Adrenal gland	3	0.1	0.3	0.2	0.01	0.01	1	0.0	0.1	0.0	0.00	0.00	C74
Other endocrine	6	0.2	0.6	0.3	0.01	0.04	9	0.4	0.8	0.7	0.05	0.05	C75
Hodgkin lymphoma	2	0.1	0.2	0.3	0.01	0.01	0	0.0	0.0	0.0	0.00	0.00	C81
Non-Hodgkin lymphoma	64	2.6	5.9	4.3	0.26	0.44	56	2.4	5.0	3.6	0.24	0.37	C82–86,C96
Immunoproliferative diseases	1	0.0	0.1	0.1	0.01	0.01	0	0.0	0.0	0.0	0.00	0.00	C88
Multiple myeloma	18	0.7	1.7	1.0	0.08	0.11	11	0.5	1.0	0.6	0.03	0.08	C90
Lymphoid leukaemia	22	0.9	2.0	2.5	0.14	0.18	16	0.7	1.4	1.5	0.09	0.12	C91
Myeloid leukaemia	22	0.9	2.0	1.5	0.10	0.20	21	0.9	1.9	1.7	0.11	0.12	C92–94
Leukaemia unspecified	33	1.3	3.0	2.5	0.12	0.28	38	1.7	3.4	3.5	0.20	0.26	C95
Myeloproliferative disorders	8	0.3	0.7	0.5	0.04	0.05	8	0.3	0.7	0.5	0.05	0.05	MPD
Myelodysplastic syndromes	14	0.6	1.3	0.7	0.03	0.06	5	0.2	0.4	0.3	0.02	0.03	MPS
Other and unspecified	34	1.4	3.1	2.2	0.09	0.23	19	0.8	1.7	1.1	0.04	0.07	O&U
All sites	2572		237.1	155.3	8.49	17.23	2408		215.1	148.8	10.06	15.79	C00–96
All sites except C44	2487	100.0	229.3	150.1	8.17	16.64	2290	100.0	204.6	142.1	9.70	15.06	C00–96 exc. C44

*See note following population pyramid

China, Huaiyin District, Huai'an City

CONTRIBUTORS

Dandan Zhu
Shiyang Tang
Guoliang Luo
Dan Liu
Ying Yuan



NOTES ON THE DATA

*Low levels of specificity of leukaemias.

20 major cancers, ASR (World) per 100 000

<i>Male</i>		<i>Female</i>	
Trachea, bronchus, and lung	44.8	Oesophagus	22.9
Oesophagus	44.4	Breast	20.6
Liver	29.0	Trachea, bronchus, and lung	17.1
Stomach	27.5	Stomach	11.2
Rectum	6.7	Liver	9.6
Colon	4.4	Cervix uteri	8.7
Pancreas	3.6	Thyroid	7.0
Bladder	3.6	Rectum	4.9
Leukaemia unspecified	3.5	Ovary	4.5
Brain and nervous system	3.3	Corpus uteri	4.1
Prostate	3.1	Colon	3.2
Gallbladder etc.	2.3	Brain and nervous system	3.1
Thyroid	1.8	Pancreas	2.9
Other and unspecified	1.7	Leukaemia unspecified	2.4
Larynx	1.6	Gallbladder etc.	1.7
Kidney	1.5	Uterus unspecified	1.5
Non-Hodgkin lymphoma	1.5	Non-Hodgkin lymphoma	1.4
Nasopharynx	1.5	Other and unspecified	1.2
Lymphoid leukaemia	1.3	Lymphoid leukaemia	1.1
Bone	1.0	Bone	1.0
All sites	196.9	All sites	137.3

*China, Huaiyin District, Huai'an City (2013–2017)


SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	
Lip	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C00
Tongue	16	0.2	0.7	0.5	0.04	0.06	2	0.0	0.1	0.1	0.00	0.01	C01–02
Mouth	22	0.3	0.9	0.6	0.03	0.09	14	0.3	0.6	0.4	0.04	0.06	C03–06
Salivary glands	11	0.1	0.5	0.3	0.01	0.04	12	0.2	0.5	0.4	0.03	0.05	C07–08
Tonsil	3	0.0	0.1	0.1	0.00	0.01	0	0.0	0.0	0.0	0.00	0.00	C09
Other oropharynx	10	0.1	0.4	0.3	0.01	0.03	0	0.0	0.0	0.0	0.00	0.00	C10
Nasopharynx	53	0.7	2.2	1.5	0.10	0.20	25	0.5	1.1	0.7	0.05	0.09	C11
Hypopharynx	18	0.2	0.7	0.5	0.04	0.05	1	0.0	0.0	0.0	0.00	0.00	C12–13
Pharynx unspecified	3	0.0	0.1	0.1	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C14
Oesophagus	1725	23.5	71.6	44.4	2.22	5.77	960	19.7	43.0	22.9	0.96	2.92	C15
Stomach	1067	14.5	44.3	27.5	1.33	3.47	457	9.4	20.5	11.2	0.50	1.38	C16
Small intestine	31	0.4	1.3	0.8	0.05	0.09	16	0.3	0.7	0.5	0.02	0.06	C17
Colon	163	2.2	6.8	4.4	0.27	0.54	113	2.3	5.1	3.2	0.23	0.35	C18
Rectum	253	3.4	10.5	6.7	0.38	0.82	178	3.7	8.0	4.9	0.29	0.60	C19–20
Anus	3	0.0	0.1	0.1	0.01	0.01	2	0.0	0.1	0.1	0.01	0.01	C21
Liver	1020	13.9	42.3	29.0	2.18	3.33	348	7.1	15.6	9.6	0.61	1.15	C22
Gallbladder etc.	90	1.2	3.7	2.3	0.09	0.30	73	1.5	3.3	1.7	0.08	0.23	C23–24
Pancreas	139	1.9	5.8	3.6	0.21	0.47	115	2.4	5.1	2.9	0.13	0.33	C25
Nose, sinuses etc.	11	0.1	0.5	0.3	0.02	0.04	6	0.1	0.3	0.2	0.01	0.03	C30–31
Larynx	57	0.8	2.4	1.6	0.09	0.21	4	0.1	0.2	0.1	0.00	0.02	C32
Trachea, bronchus, and lung	1717	23.4	71.3	44.8	2.23	5.92	667	13.7	29.9	17.1	0.97	2.12	C33–34
Other thoracic organs	28	0.4	1.2	0.7	0.04	0.08	13	0.3	0.6	0.3	0.01	0.02	C37–38
Bone	36	0.5	1.5	1.0	0.05	0.14	35	0.7	1.6	1.0	0.06	0.12	C40–41
Melanoma of skin	7	0.1	0.3	0.2	0.01	0.02	10	0.2	0.4	0.3	0.02	0.03	C43
Other skin	32	0.4	1.3	0.8	0.02	0.10	45	0.9	2.0	0.9	0.04	0.08	C44
Mesothelioma	2	0.0	0.1	0.1	0.01	0.01	1	0.0	0.0	0.0	0.00	0.00	C45
Kaposi sarcoma	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C46
Connective and soft tissue	6	0.1	0.2	0.1	0.01	0.01	5	0.1	0.2	0.2	0.01	0.01	C47+C49
Breast	7	0.1	0.3	0.2	0.01	0.03	648	13.3	29.0	20.6	1.76	2.18	C50
Vulva							8	0.2	0.4	0.3	0.01	0.02	C51
Vagina							3	0.1	0.1	0.1	0.01	0.01	C52
Cervix uteri							270	5.5	12.1	8.7	0.73	0.89	C53
Corpus uteri							130	2.7	5.8	4.1	0.38	0.45	C54
Uterus unspecified							51	1.0	2.3	1.5	0.12	0.17	C55
Ovary							140	2.9	6.3	4.5	0.35	0.49	C56
Other female genital organs							8	0.2	0.4	0.3	0.02	0.03	C57
Placenta							2	0.0	0.1	0.1	0.01	0.01	C58
Penis	11	0.1	0.5	0.3	0.02	0.04							C60
Prostate	138	1.9	5.7	3.1	0.07	0.33							C61
Testis	7	0.1	0.3	0.2	0.01	0.02							C62
Other male genital organs	0	0.0	0.0	0.0	0.00	0.00							C63
Kidney	55	0.7	2.3	1.5	0.11	0.17	23	0.5	1.0	0.6	0.04	0.07	C64
Renal pelvis	9	0.1	0.4	0.2	0.01	0.02	2	0.0	0.1	0.1	0.00	0.01	C65
Ureter	5	0.1	0.2	0.1	0.01	0.02	5	0.1	0.2	0.1	0.00	0.01	C66
Bladder	140	1.9	5.8	3.6	0.15	0.46	24	0.5	1.1	0.6	0.02	0.06	C67
Other urinary organs	1	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C68
Eye	1	0.0	0.0	0.0	0.00	0.00	2	0.0	0.1	0.0	0.00	0.00	C69
Brain and nervous system	105	1.4	4.4	3.3	0.20	0.31	100	2.1	4.5	3.1	0.18	0.35	C70–72
Thyroid	59	0.8	2.4	1.8	0.15	0.18	203	4.2	9.1	7.0	0.57	0.64	C73
Adrenal gland	3	0.0	0.1	0.1	0.00	0.00	1	0.0	0.0	0.0	0.00	0.00	C74
Other endocrine	3	0.0	0.1	0.1	0.01	0.01	1	0.0	0.0	0.0	0.00	0.00	C75
Hodgkin lymphoma	3	0.0	0.1	0.1	0.01	0.01	1	0.0	0.0	0.0	0.00	0.00	C81
Non-Hodgkin lymphoma	49	0.7	2.0	1.5	0.10	0.17	44	0.9	2.0	1.4	0.08	0.14	C82–86,C96
Immunoproliferative diseases	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C88
Multiple myeloma	23	0.3	1.0	0.7	0.04	0.09	7	0.1	0.3	0.2	0.02	0.02	C90
Lymphoid leukaemia	39	0.5	1.6	1.3	0.07	0.13	26	0.5	1.2	1.1	0.07	0.09	C91
Myeloid leukaemia	25	0.3	1.0	1.0	0.06	0.09	12	0.2	0.5	0.5	0.03	0.05	C92–94
Leukaemia unspecified	104	1.4	4.3	3.5	0.23	0.35	60	1.2	2.7	2.4	0.14	0.19	C95
Myeloproliferative disorders	1	0.0	0.0	0.0	0.00	0.01	0	0.0	0.0	0.0	0.00	0.00	MPD
Myelodysplastic syndromes	8	0.1	0.3	0.2	0.01	0.03	3	0.1	0.1	0.1	0.00	0.01	MPS
Other and unspecified	63	0.9	2.6	1.7	0.10	0.22	44	0.9	2.0	1.2	0.08	0.13	O&U
All sites	7382		306.4	196.9	10.82	24.52	4920		220.3	137.3	8.73	15.70	C00–96
All sites except C44	7350	100.0	305.1	196.1	10.80	24.42	4875	100.0	218.3	136.4	8.69	15.62	C00–96 exc. C44

*See note following population pyramid

China, Jiange County

CONTRIBUTORS

Hui Tian
Shili Sun



NOTES ON THE DATA

*Low levels of specificity of leukaemias.

20 major cancers, ASR (World) per 100 000

<i>Male</i>		<i>Female</i>	
Stomach	57.6	Oesophagus	27.7
Oesophagus	55.4	Trachea, bronchus, and lung	22.1
Trachea, bronchus, and lung	54.5	Cervix uteri	20.3
Liver	32.5	Stomach	20.1
Rectum	8.9	Liver	12.1
Pancreas	4.6	Breast	6.9
Leukaemia unspecified	4.1	Corpus uteri	6.0
Nasopharynx	4.0	Rectum	5.7
Brain and nervous system	3.5	Uterus unspecified	5.1
Prostate	3.5	Brain and nervous system	4.2
Non-Hodgkin lymphoma	3.1	Pancreas	2.8
Bladder	2.9	Ovary	2.5
Bone	2.3	Non-Hodgkin lymphoma	2.4
Colon	1.8	Leukaemia unspecified	2.3
Other and unspecified	1.8	Colon	2.2
Kidney	1.4	Nasopharynx	1.8
Mouth	1.2	Thyroid	1.4
Gallbladder etc.	1.0	Other and unspecified	1.3
Non-melanoma skin cancer	0.9	Non-melanoma skin cancer	1.2
Larynx	0.8	Gallbladder etc.	1.1
All sites	252.3	All sites	157.7

*China, Jiange County (2014–2017)


SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	
Lip	2	0.0	0.1	0.1	0.01	0.01	2	0.1	0.2	0.1	0.01	0.02	C00
Tongue	2	0.0	0.1	0.1	0.00	0.02	2	0.1	0.2	0.1	0.01	0.01	C01–02
Mouth	19	0.5	1.4	1.2	0.06	0.13	9	0.3	0.7	0.5	0.04	0.07	C03–06
Salivary glands	4	0.1	0.3	0.3	0.01	0.04	3	0.1	0.2	0.2	0.02	0.02	C07–08
Tonsil	1	0.0	0.1	0.1	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C09
Other oropharynx	4	0.1	0.3	0.2	0.00	0.03	5	0.2	0.4	0.3	0.03	0.03	C10
Nasopharynx	66	1.6	4.8	4.0	0.31	0.47	31	1.1	2.4	1.8	0.15	0.22	C11
Hypopharynx	0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.1	0.1	0.00	0.01	C12–13
Pharynx unspecified	5	0.1	0.4	0.3	0.01	0.04	4	0.1	0.3	0.2	0.01	0.04	C14
Oesophagus	934	22.3	68.5	55.4	2.58	7.10	484	17.9	37.2	27.7	1.06	3.64	C15
Stomach	970	23.1	71.2	57.6	2.51	7.45	364	13.5	28.0	20.1	0.77	2.35	C16
Small intestine	2	0.0	0.1	0.1	0.01	0.01	2	0.1	0.2	0.1	0.00	0.01	C17
Colon	31	0.7	2.3	1.8	0.08	0.20	38	1.4	2.9	2.2	0.15	0.28	C18
Rectum	153	3.6	11.2	8.9	0.42	1.06	101	3.7	7.8	5.7	0.28	0.68	C19–20
Anus	7	0.2	0.5	0.4	0.02	0.06	8	0.3	0.6	0.5	0.02	0.06	C21
Liver	548	13.1	40.2	32.5	2.16	3.87	214	7.9	16.5	12.1	0.63	1.41	C22
Gallbladder etc.	16	0.4	1.2	1.0	0.06	0.13	20	0.7	1.5	1.1	0.06	0.11	C23–24
Pancreas	77	1.8	5.6	4.6	0.22	0.56	49	1.8	3.8	2.8	0.13	0.32	C25
Nose, sinuses etc.	5	0.1	0.4	0.3	0.02	0.04	7	0.3	0.5	0.4	0.04	0.05	C30–31
Larynx	13	0.3	1.0	0.8	0.05	0.12	3	0.1	0.2	0.2	0.01	0.03	C32
Trachea, bronchus, and lung	899	21.4	66.0	54.5	2.83	6.94	394	14.6	30.3	22.1	1.03	2.51	C33–34
Other thoracic organs	7	0.2	0.5	0.4	0.03	0.04	10	0.4	0.8	0.6	0.04	0.07	C37–38
Bone	39	0.9	2.9	2.3	0.10	0.29	18	0.7	1.4	1.1	0.07	0.10	C40–41
Melanoma of skin	2	0.0	0.1	0.2	0.01	0.01	0	0.0	0.0	0.0	0.00	0.00	C43
Other skin	15	0.4	1.1	0.9	0.06	0.10	20	0.7	1.5	1.2	0.08	0.12	C44
Mesothelioma	0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.1	0.1	0.01	0.01	C45
Kaposi sarcoma	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C46
Connective and soft tissue	2	0.0	0.1	0.2	0.00	0.02	5	0.2	0.4	0.4	0.02	0.02	C47+C49
Breast	6	0.1	0.4	0.3	0.04	0.04	122	4.5	9.4	6.9	0.56	0.70	C50
Vulva							3	0.1	0.2	0.2	0.01	0.03	C51
Vagina							8	0.3	0.6	0.4	0.02	0.05	C52
Cervix uteri							339	12.5	26.1	20.3	1.44	2.47	C53
Corpus uteri							102	3.8	7.9	6.0	0.46	0.69	C54
Uterus unspecified							87	3.2	6.7	5.1	0.29	0.68	C55
Ovary							42	1.6	3.2	2.5	0.20	0.28	C56
Other female genital organs							3	0.1	0.2	0.2	0.02	0.02	C57
Placenta							0	0.0	0.0	0.0	0.00	0.00	C58
Penis	5	0.1	0.4	0.3	0.02	0.04							C60
Prostate	60	1.4	4.4	3.5	0.07	0.32							C61
Testis	6	0.1	0.4	0.4	0.03	0.03							C62
Other male genital organs	0	0.0	0.0	0.0	0.00	0.00							C63
Kidney	24	0.6	1.8	1.4	0.10	0.17	11	0.4	0.8	0.8	0.04	0.09	C64
Renal pelvis	1	0.0	0.1	0.1	0.00	0.02	1	0.0	0.1	0.1	0.00	0.01	C65
Ureter	2	0.0	0.1	0.1	0.00	0.03	2	0.1	0.2	0.1	0.01	0.02	C66
Bladder	49	1.2	3.6	2.9	0.10	0.35	12	0.4	0.9	0.7	0.02	0.11	C67
Other urinary organs	1	0.0	0.1	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C68
Eye	2	0.0	0.1	0.1	0.00	0.02	0	0.0	0.0	0.0	0.00	0.00	C69
Brain and nervous system	57	1.4	4.2	3.5	0.21	0.42	70	2.6	5.4	4.2	0.28	0.45	C70–72
Thyroid	3	0.1	0.2	0.2	0.01	0.02	21	0.8	1.6	1.4	0.10	0.12	C73
Adrenal gland	1	0.0	0.1	0.1	0.00	0.02	0	0.0	0.0	0.0	0.00	0.00	C74
Other endocrine	3	0.1	0.2	0.2	0.01	0.02	0	0.0	0.0	0.0	0.00	0.00	C75
Hodgkin lymphoma	3	0.1	0.2	0.2	0.02	0.03	4	0.1	0.3	0.2	0.01	0.05	C81
Non-Hodgkin lymphoma	48	1.1	3.5	3.1	0.21	0.39	39	1.4	3.0	2.4	0.16	0.28	C82–86,C96
Immunoproliferative diseases	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C88
Multiple myeloma	9	0.2	0.7	0.5	0.02	0.09	1	0.0	0.1	0.0	0.00	0.00	C90
Lymphoid leukaemia	9	0.2	0.7	0.8	0.04	0.05	3	0.1	0.2	0.4	0.02	0.02	C91
Myeloid leukaemia	8	0.2	0.6	0.6	0.02	0.06	9	0.3	0.7	0.6	0.04	0.06	C92–94
Leukaemia unspecified	58	1.4	4.3	4.1	0.26	0.35	29	1.1	2.2	2.3	0.13	0.22	C95
Myeloproliferative disorders	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	MPD
Myelodysplastic syndromes	1	0.0	0.1	0.1	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	MPS
Other and unspecified	28	0.7	2.1	1.8	0.10	0.20	21	0.8	1.6	1.3	0.09	0.10	O&U
All sites	4207		308.7	252.3	12.85	31.41	2724		209.6	157.7	8.54	18.63	C00–96
All sites except C44	4192	100.0	307.6	251.5	12.79	31.31	2704	100.0	208.1	156.5	8.46	18.51	C00–96 exc. C44

*See note following population pyramid

China, Jiangmen City

CONTRIBUTORS

Zhaobo Mo
Xuefang Yu



20 major cancers, ASR (World) per 100 000

<i>Male</i>		<i>Female</i>	
Trachea, bronchus, and lung	48.8	Breast	40.7
Liver	38.7	Trachea, bronchus, and lung	28.2
Colon	18.5	Thyroid	17.7
Nasopharynx	13.8	Colon	14.8
Rectum	13.1	Cervix uteri	10.8
Oesophagus	9.4	Corpus uteri	8.6
Stomach	8.9	Rectum	7.5
Bladder	7.7	Liver	7.0
Prostate	7.6	Nasopharynx	6.3
Non-Hodgkin lymphoma	5.7	Stomach	5.6
Thyroid	5.1	Ovary	5.2
Gallbladder etc.	4.2	Non-Hodgkin lymphoma	3.9
Kidney	3.7	Other and unspecified	3.1
Larynx	3.6	Myeloid leukaemia	2.9
Pancreas	3.6	Brain and nervous system	2.8
Non-melanoma skin cancer	3.4	Non-melanoma skin cancer	2.6
Myeloid leukaemia	3.3	Gallbladder etc.	2.5
Other and unspecified	3.1	Pancreas	2.3
Lymphoid leukaemia	3.1	Uterus unspecified	1.9
Brain and nervous system	2.9	Kidney	1.9
All sites	229.1	All sites	191.6


China, Jiangmen City (2013–2017)

SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	
Lip	1	0.0	0.1	0.0	0.00	0.00	1	0.0	0.1	0.0	0.00	0.00	C00
Tongue	46	0.9	2.8	1.8	0.15	0.19	23	0.5	1.4	0.9	0.05	0.11	C01–02
Mouth	36	0.7	2.2	1.5	0.10	0.21	12	0.3	0.7	0.4	0.02	0.04	C03–06
Salivary glands	20	0.4	1.2	0.9	0.04	0.11	18	0.4	1.1	0.9	0.06	0.08	C07–08
Tonsil	9	0.2	0.6	0.4	0.02	0.05	0	0.0	0.0	0.0	0.00	0.00	C09
Other oropharynx	13	0.2	0.8	0.5	0.03	0.05	0	0.0	0.0	0.0	0.00	0.00	C10
Nasopharynx	322	6.0	19.8	13.8	1.10	1.49	152	3.2	9.2	6.3	0.50	0.68	C11
Hypopharynx	36	0.7	2.2	1.5	0.11	0.18	1	0.0	0.1	0.1	0.01	0.01	C12–13
Pharynx unspecified	6	0.1	0.4	0.3	0.02	0.03	0	0.0	0.0	0.0	0.00	0.00	C14
Oesophagus	230	4.3	14.2	9.4	0.59	1.18	16	0.3	1.0	0.5	0.03	0.05	C15
Stomach	215	4.0	13.2	8.9	0.50	1.10	153	3.2	9.2	5.6	0.28	0.68	C16
Small intestine	34	0.6	2.1	1.4	0.09	0.15	25	0.5	1.5	1.0	0.06	0.13	C17
Colon	451	8.4	27.8	18.5	0.83	2.21	410	8.6	24.8	14.8	0.78	1.75	C18
Rectum	320	6.0	19.7	13.1	0.63	1.59	206	4.3	12.5	7.5	0.48	0.85	C19–20
Anus	7	0.1	0.4	0.3	0.01	0.04	12	0.3	0.7	0.5	0.02	0.06	C21
Liver	920	17.1	56.7	38.7	2.92	4.44	194	4.1	11.7	7.0	0.39	0.78	C22
Gallbladder etc.	108	2.0	6.7	4.2	0.15	0.43	73	1.5	4.4	2.5	0.11	0.25	C23–24
Pancreas	90	1.7	5.5	3.6	0.15	0.40	67	1.4	4.0	2.3	0.09	0.24	C25
Nose, sinuses etc.	19	0.4	1.2	0.8	0.06	0.11	8	0.2	0.5	0.3	0.02	0.03	C30–31
Larynx	88	1.6	5.4	3.6	0.24	0.46	3	0.1	0.2	0.1	0.01	0.01	C32
Trachea, bronchus, and lung	1202	22.4	74.0	48.8	2.35	5.91	767	16.0	46.4	28.2	1.58	3.43	C33–34
Other thoracic organs	28	0.5	1.7	1.2	0.09	0.13	13	0.3	0.8	0.5	0.03	0.05	C37–38
Bone	15	0.3	0.9	0.7	0.04	0.04	20	0.4	1.2	0.9	0.06	0.09	C40–41
Melanoma of skin	20	0.4	1.2	0.8	0.05	0.07	13	0.3	0.8	0.5	0.04	0.05	C43
Other skin	81	1.5	5.0	3.4	0.14	0.42	71	1.5	4.3	2.6	0.12	0.30	C44
Mesothelioma	4	0.1	0.2	0.1	0.01	0.01	4	0.1	0.2	0.1	0.01	0.01	C45
Kaposi sarcoma	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C46
Connective and soft tissue	27	0.5	1.7	1.4	0.08	0.16	21	0.4	1.3	1.1	0.06	0.08	C47+C49
Breast	3	0.1	0.2	0.1	0.01	0.01	1023	21.4	61.8	40.7	3.31	4.46	C50
Vulva							5	0.1	0.3	0.2	0.00	0.01	C51
Vagina							8	0.2	0.5	0.3	0.02	0.03	C52
Cervix uteri							268	5.6	16.2	10.8	0.91	1.11	C53
Corpus uteri							215	4.5	13.0	8.6	0.76	0.94	C54
Uterus unspecified							45	0.9	2.7	1.9	0.14	0.21	C55
Ovary							124	2.6	7.5	5.2	0.37	0.54	C56
Other female genital organs							9	0.2	0.5	0.3	0.03	0.04	C57
Placenta							0	0.0	0.0	0.0	0.00	0.00	C58
Penis	6	0.1	0.4	0.3	0.02	0.03							C60
Prostate	195	3.6	12.0	7.6	0.11	0.80							C61
Testis	15	0.3	0.9	0.9	0.06	0.07							C62
Other male genital organs	6	0.1	0.4	0.2	0.02	0.04							C63
Kidney	86	1.6	5.3	3.8	0.23	0.39	45	0.9	2.7	1.9	0.15	0.21	C64
Renal pelvis	12	0.2	0.7	0.5	0.05	0.05	6	0.1	0.4	0.2	0.01	0.03	C65
Ureter	15	0.3	0.9	0.7	0.02	0.11	6	0.1	0.4	0.2	0.01	0.04	C66
Bladder	189	3.5	11.6	7.7	0.29	0.84	38	0.8	2.3	1.2	0.03	0.13	C67
Other urinary organs	3	0.1	0.2	0.1	0.01	0.01	1	0.0	0.1	0.0	0.00	0.01	C68
Eye	1	0.0	0.1	0.0	0.00	0.00	1	0.0	0.1	0.0	0.00	0.00	C69
Brain and nervous system	59	1.1	3.6	2.9	0.17	0.29	63	1.3	3.8	2.8	0.16	0.26	C70–72
Thyroid	111	2.1	6.8	5.1	0.40	0.47	390	8.2	23.6	17.7	1.44	1.64	C73
Adrenal gland	4	0.1	0.2	0.1	0.01	0.01	4	0.1	0.2	0.2	0.02	0.02	C74
Other endocrine	3	0.1	0.2	0.2	0.01	0.01	0	0.0	0.0	0.0	0.00	0.00	C75
Hodgkin lymphoma	7	0.1	0.4	0.4	0.02	0.04	8	0.2	0.5	0.6	0.03	0.03	C81
Non-Hodgkin lymphoma	122	2.3	7.5	5.7	0.31	0.62	97	2.0	5.9	3.9	0.27	0.42	C82–86,C96
Immunoproliferative diseases	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C88
Multiple myeloma	38	0.7	2.3	1.6	0.05	0.22	30	0.6	1.8	1.2	0.07	0.18	C90
Lymphoid leukaemia	41	0.8	2.5	3.1	0.15	0.23	22	0.5	1.3	1.9	0.09	0.12	C91
Myeloid leukaemia	71	1.3	4.4	3.3	0.20	0.35	59	1.2	3.6	2.9	0.17	0.26	C92–94
Leukaemia unspecified	16	0.3	1.0	0.9	0.05	0.07	12	0.3	0.7	0.5	0.03	0.03	C95
Myeloproliferative disorders	6	0.1	0.4	0.3	0.01	0.03	8	0.2	0.5	0.3	0.01	0.04	MPD
Myelodysplastic syndromes	17	0.3	1.0	0.7	0.02	0.06	12	0.3	0.7	0.4	0.02	0.06	MPS
Other and unspecified	74	1.4	4.6	3.1	0.18	0.37	73	1.5	4.4	3.1	0.14	0.32	O&U
All sites	5448		335.6	229.1	12.91	26.31	4855		293.4	191.6	13.02	20.91	C00–96
All sites except C44	5367	100.0	330.6	225.6	12.77	25.90	4784	100.0	289.2	189.1	12.90	20.60	C00–96 exc. C44

China, Jiangyin City

CONTRIBUTORS

Jian Zhang
Juan Liu
Ying Li
Yanru Zhang
Ye Ji



NOTES ON THE DATA

*No official mortality data.

20 major cancers, ASR (World) per 100 000

<i>Male</i>		<i>Female</i>	
Stomach	50.9	Breast	25.6
Trachea, bronchus, and lung	48.1	Trachea, bronchus, and lung	19.2
Liver	21.7	Stomach	17.7
Oesophagus	18.9	Thyroid	9.9
Rectum	13.2	Cervix uteri	9.9
Colon	12.3	Colon	8.5
Prostate	7.6	Rectum	7.4
Pancreas	7.1	Liver	6.8
Bladder	6.4	Oesophagus	5.3
Non-Hodgkin lymphoma	4.3	Pancreas	5.2
Nasopharynx	3.4	Ovary	4.9
Thyroid	3.2	Corpus uteri	3.7
Myeloid leukaemia	3.2	Gallbladder etc.	3.7
Kidney	3.0	Brain and nervous system	2.6
Brain and nervous system	3.0	Non-Hodgkin lymphoma	2.4
Gallbladder etc.	2.7	Myeloid leukaemia	2.3
Larynx	2.2	Kidney	1.6
Lymphoid leukaemia	1.6	Bladder	1.3
Multiple myeloma	1.5	Multiple myeloma	1.2
Non-melanoma skin cancer	1.4	Lymphoid leukaemia	1.1
All sites	229.3	All sites	150.1

*China, Jiangyin City (2013–2017)


SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	
Lip	10	0.1	0.3	0.2	0.01	0.01	6	0.1	0.2	0.1	0.00	0.00	C00
Tongue	25	0.2	0.8	0.4	0.03	0.05	25	0.3	0.8	0.4	0.03	0.06	C01–02
Mouth	42	0.3	1.4	0.7	0.03	0.10	22	0.3	0.7	0.3	0.02	0.04	C03–06
Salivary glands	25	0.2	0.8	0.5	0.04	0.06	14	0.2	0.5	0.2	0.02	0.02	C07–08
Tonsil	6	0.0	0.2	0.1	0.01	0.01	4	0.0	0.1	0.1	0.01	0.01	C09
Other oropharynx	16	0.1	0.5	0.3	0.02	0.04	3	0.0	0.1	0.0	0.00	0.00	C10
Nasopharynx	170	1.3	5.5	3.4	0.25	0.39	52	0.6	1.7	1.0	0.08	0.11	C11
Hypopharynx	39	0.3	1.3	0.7	0.06	0.09	0	0.0	0.0	0.0	0.00	0.00	C12–13
Pharynx unspecified	9	0.1	0.3	0.2	0.01	0.01	2	0.0	0.1	0.0	0.00	0.00	C14
Oesophagus	1135	8.5	36.9	18.9	0.94	2.34	393	4.5	12.7	5.3	0.13	0.65	C15
Stomach	3070	23.1	99.9	50.9	2.46	6.42	1148	13.1	37.1	17.7	0.82	2.17	C16
Small intestine	77	0.6	2.5	1.3	0.06	0.16	56	0.6	1.8	0.8	0.05	0.08	C17
Colon	719	5.4	23.4	12.3	0.68	1.44	532	6.1	17.2	8.5	0.48	1.01	C18
Rectum	766	5.8	24.9	13.2	0.76	1.57	455	5.2	14.7	7.4	0.46	0.86	C19–20
Anus	20	0.2	0.7	0.3	0.01	0.05	9	0.1	0.3	0.1	0.00	0.01	C21
Liver	1212	9.1	39.4	21.7	1.48	2.45	449	5.1	14.5	6.8	0.31	0.79	C22
Gallbladder etc.	170	1.3	5.5	2.7	0.11	0.31	256	2.9	8.3	3.7	0.15	0.41	C23–24
Pancreas	431	3.2	14.0	7.1	0.33	0.83	378	4.3	12.2	5.2	0.17	0.61	C25
Nose, sinuses etc.	23	0.2	0.7	0.4	0.03	0.05	18	0.2	0.6	0.3	0.02	0.03	C30–31
Larynx	131	1.0	4.3	2.2	0.10	0.27	3	0.0	0.1	0.1	0.00	0.01	C32
Trachea, bronchus, and lung	2912	21.9	94.7	48.1	2.16	6.31	1211	13.8	39.1	19.2	1.12	2.26	C33–34
Other thoracic organs	40	0.3	1.3	0.7	0.05	0.09	35	0.4	1.1	0.6	0.03	0.08	C37–38
Bone	53	0.4	1.7	0.9	0.04	0.09	42	0.5	1.4	0.7	0.03	0.08	C40–41
Melanoma of skin	23	0.2	0.7	0.5	0.02	0.04	13	0.1	0.4	0.2	0.01	0.02	C43
Other skin	84	0.6	2.7	1.4	0.05	0.14	59	0.7	1.9	0.8	0.03	0.09	C44
Mesothelioma	2	0.0	0.1	0.0	0.00	0.01	2	0.0	0.1	0.0	0.00	0.00	C45
Kaposi sarcoma	3	0.0	0.1	0.1	0.00	0.01	0	0.0	0.0	0.0	0.00	0.00	C46
Connective and soft tissue	41	0.3	1.3	1.0	0.06	0.09	30	0.3	1.0	0.6	0.05	0.07	C47+C49
Breast	20	0.2	0.7	0.3	0.02	0.04	1333	15.2	43.0	25.6	2.14	2.73	C50
Vulva							7	0.1	0.2	0.1	0.01	0.01	C51
Vagina							10	0.1	0.3	0.2	0.02	0.02	C52
Cervix uteri							511	5.8	16.5	9.9	0.85	1.02	C53
Corpus uteri							206	2.3	6.6	3.7	0.29	0.45	C54
Uterus unspecified							5	0.1	0.2	0.1	0.01	0.01	C55
Ovary							255	2.9	8.2	4.9	0.39	0.52	C56
Other female genital organs							17	0.2	0.5	0.3	0.02	0.03	C57
Placenta							0	0.0	0.0	0.0	0.00	0.00	C58
Penis	22	0.2	0.7	0.4	0.02	0.05							C60
Prostate	499	3.7	16.2	7.6	0.15	0.82							C61
Testis	10	0.1	0.3	0.2	0.02	0.02							C62
Other male genital organs	5	0.0	0.2	0.1	0.00	0.02							C63
Kidney	159	1.2	5.2	3.0	0.20	0.34	85	1.0	2.7	1.6	0.10	0.17	C64
Renal pelvis	27	0.2	0.9	0.5	0.03	0.05	5	0.1	0.2	0.1	0.00	0.01	C65
Ureter	26	0.2	0.8	0.4	0.03	0.06	16	0.2	0.5	0.2	0.00	0.03	C66
Bladder	379	2.8	12.3	6.4	0.29	0.67	89	1.0	2.9	1.3	0.06	0.15	C67
Other urinary organs	6	0.0	0.2	0.1	0.00	0.02	3	0.0	0.1	0.0	0.00	0.00	C68
Eye	0	0.0	0.0	0.0	0.00	0.00	3	0.0	0.1	0.1	0.00	0.01	C69
Brain and nervous system	147	1.1	4.8	3.0	0.17	0.30	133	1.5	4.3	2.6	0.13	0.24	C70–72
Thyroid	144	1.1	4.7	3.2	0.25	0.32	448	5.1	14.5	9.9	0.83	0.92	C73
Adrenal gland	7	0.1	0.2	0.1	0.00	0.00	4	0.0	0.1	0.1	0.00	0.00	C74
Other endocrine	5	0.0	0.2	0.2	0.01	0.01	2	0.0	0.1	0.0	0.00	0.01	C75
Hodgkin lymphoma	9	0.1	0.3	0.2	0.01	0.02	6	0.1	0.2	0.1	0.01	0.01	C81
Non-Hodgkin lymphoma	232	1.7	7.5	4.3	0.26	0.50	140	1.6	4.5	2.4	0.15	0.28	C82–86,C96
Immunoproliferative diseases	13	0.1	0.4	0.2	0.01	0.03	14	0.2	0.5	0.3	0.02	0.03	C88
Multiple myeloma	81	0.6	2.6	1.5	0.08	0.17	65	0.7	2.1	1.2	0.06	0.14	C90
Lymphoid leukaemia	60	0.5	2.0	1.6	0.09	0.13	38	0.4	1.2	1.1	0.06	0.09	C91
Myeloid leukaemia	140	1.1	4.6	3.2	0.20	0.31	108	1.2	3.5	2.3	0.16	0.23	C92–94
Leukaemia unspecified	23	0.2	0.7	0.5	0.02	0.04	24	0.3	0.8	0.3	0.01	0.04	C95
Myeloproliferative disorders	4	0.0	0.1	0.1	0.00	0.01	3	0.0	0.1	0.0	0.00	0.00	MPD
Myelodysplastic syndromes	51	0.4	1.7	0.9	0.04	0.10	21	0.2	0.7	0.4	0.02	0.05	MPS
Other and unspecified	76	0.6	2.5	1.3	0.07	0.14	65	0.7	2.1	1.0	0.05	0.09	O&U
All sites	13399		436.0	229.3	11.79	27.61	8833		285.1	150.1	9.43	16.79	C00–96
All sites except C44	13315	100.0	433.2	228.0	11.74	27.46	8774	100.0	283.2	149.2	9.41	16.70	C00–96 exc. C44

*See note following population pyramid

China, Jiashan County

CONTRIBUTORS

Xinglin Fei
Feiqiong Shen
Jinhua Yang
Qilong Li
Feng Xue
Lingling Yu
Wanli Ma
Jing Sun



NOTES ON THE DATA

*No official mortality data.

20 major cancers, ASR (World) per 100 000

Male		Female	
Trachea, bronchus, and lung	60.2	Thyroid	53.5
Liver	22.7	Trachea, bronchus, and lung	37.9
Stomach	22.1	Breast	36.8
Thyroid	17.5	Colon	13.3
Colon	15.5	Cervix uteri	9.9
Rectum	13.3	Liver	9.3
Prostate	12.7	Rectum	9.2
Pancreas	10.6	Stomach	8.7
Oesophagus	9.1	Brain and nervous system	7.1
Bladder	7.8	Gallbladder etc.	6.1
Kidney	5.7	Pancreas	6.1
Non-Hodgkin lymphoma	5.3	Ovary	5.4
Brain and nervous system	5.2	Corpus uteri	4.6
Nasopharynx	5.2	Non-Hodgkin lymphoma	3.6
Myeloid leukaemia	3.7	Non-melanoma skin cancer	3.0
Gallbladder etc.	3.6	Myeloid leukaemia	2.6
Non-melanoma skin cancer	3.6	Oesophagus	2.5
Lymphoid leukaemia	2.3	Kidney	2.4
Other thoracic organs	2.0	Nasopharynx	2.1
Small intestine	1.7	Other and unspecified	1.3
All sites	246.4	All sites	239.1

*China, Jiashan County (2013–2017)


SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	
Lip	3	0.1	0.3	0.1	0.01	0.01	5	0.1	0.5	0.2	0.00	0.02	C00
Tongue	12	0.2	1.3	0.5	0.02	0.07	7	0.2	0.7	0.5	0.03	0.06	C01–02
Mouth	18	0.4	1.9	0.8	0.03	0.10	9	0.2	0.9	0.5	0.03	0.05	C03–06
Salivary glands	20	0.4	2.1	1.1	0.07	0.13	14	0.3	1.4	0.8	0.07	0.07	C07–08
Tonsil	4	0.1	0.4	0.2	0.00	0.02	1	0.0	0.1	0.0	0.00	0.01	C09
Other oropharynx	3	0.1	0.3	0.1	0.00	0.02	0	0.0	0.0	0.0	0.00	0.00	C10
Nasopharynx	94	1.9	9.8	5.2	0.34	0.65	33	0.7	3.4	2.1	0.18	0.21	C11
Hypopharynx	30	0.6	3.1	1.4	0.08	0.16	2	0.0	0.2	0.1	0.00	0.00	C12–13
Pharynx unspecified	6	0.1	0.6	0.3	0.02	0.03	0	0.0	0.0	0.0	0.00	0.00	C14
Oesophagus	204	4.1	21.4	9.1	0.36	1.18	68	1.5	6.9	2.5	0.07	0.29	C15
Stomach	481	9.6	50.3	22.1	1.12	2.71	198	4.4	20.1	8.7	0.48	1.02	C16
Small intestine	34	0.7	3.6	1.7	0.11	0.18	29	0.6	2.9	1.2	0.06	0.13	C17
Colon	323	6.5	33.8	15.5	0.85	1.91	306	6.8	31.1	13.3	0.68	1.51	C18
Rectum	275	5.5	28.8	13.3	0.73	1.64	202	4.5	20.5	9.2	0.52	1.08	C19–20
Anus	12	0.2	1.3	0.5	0.03	0.06	7	0.2	0.7	0.3	0.00	0.03	C21
Liver	494	9.9	51.7	22.7	1.00	2.34	235	5.3	23.9	9.3	0.30	1.08	C22
Gallbladder etc.	80	1.6	8.4	3.6	0.16	0.43	149	3.3	15.1	6.1	0.26	0.68	C23–24
Pancreas	235	4.7	24.6	10.6	0.49	1.20	150	3.4	15.2	6.1	0.31	0.66	C25
Nose, sinuses etc.	6	0.1	0.6	0.2	0.02	0.03	3	0.1	0.3	0.2	0.01	0.02	C30–31
Larynx	27	0.5	2.8	1.3	0.06	0.20	0	0.0	0.0	0.0	0.00	0.00	C32
Trachea, bronchus, and lung	1340	26.9	140.2	60.2	2.56	7.60	788	17.6	80.0	37.9	2.45	4.60	C33–34
Other thoracic organs	28	0.6	2.9	2.0	0.12	0.19	10	0.2	1.0	0.5	0.03	0.07	C37–38
Bone	19	0.4	2.0	1.1	0.04	0.10	14	0.3	1.4	0.7	0.05	0.08	C40–41
Melanoma of skin	16	0.3	1.7	0.7	0.04	0.06	12	0.3	1.2	0.6	0.03	0.09	C43
Other skin	78	1.6	8.2	3.6	0.18	0.36	80	1.8	8.1	3.0	0.09	0.31	C44
Mesothelioma	4	0.1	0.4	0.2	0.01	0.01	1	0.0	0.1	0.1	0.01	0.01	C45
Kaposi sarcoma	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C46
Connective and soft tissue	11	0.2	1.2	0.8	0.04	0.09	8	0.2	0.8	0.4	0.04	0.05	C47+C49
Breast	4	0.1	0.4	0.2	0.02	0.02	632	14.1	64.2	36.8	3.12	3.91	C50
Vulva							8	0.2	0.8	0.4	0.02	0.05	C51
Vagina							5	0.1	0.5	0.3	0.02	0.02	C52
Cervix uteri							160	3.6	16.2	9.9	0.88	0.95	C53
Corpus uteri							85	1.9	8.6	4.6	0.39	0.53	C54
Uterus unspecified							4	0.1	0.4	0.2	0.02	0.02	C55
Ovary							89	2.0	9.0	5.4	0.41	0.55	C56
Other female genital organs							16	0.4	1.6	0.8	0.05	0.07	C57
Placenta							4	0.1	0.4	0.4	0.03	0.03	C58
Penis	16	0.3	1.7	0.8	0.05	0.08							C60
Prostate	299	6.0	31.3	12.7	0.30	1.47							C61
Testis	7	0.1	0.7	0.5	0.04	0.05							C62
Other male genital organs	7	0.1	0.7	0.4	0.02	0.06							C63
Kidney	92	1.8	9.6	5.7	0.38	0.63	46	1.0	4.7	2.4	0.13	0.30	C64
Renal pelvis	11	0.2	1.2	0.5	0.03	0.08	3	0.1	0.3	0.1	0.00	0.02	C65
Ureter	3	0.1	0.3	0.1	0.00	0.02	7	0.2	0.7	0.3	0.01	0.04	C66
Bladder	169	3.4	17.7	7.8	0.41	0.82	27	0.6	2.7	1.2	0.05	0.14	C67
Other urinary organs	5	0.1	0.5	0.2	0.00	0.01	1	0.0	0.1	0.1	0.01	0.01	C68
Eye	3	0.1	0.3	0.1	0.01	0.02	1	0.0	0.1	0.4	0.02	0.02	C69
Brain and nervous system	89	1.8	9.3	5.2	0.34	0.53	129	2.9	13.1	7.1	0.45	0.72	C70–72
Thyroid	235	4.7	24.6	17.5	1.43	1.65	789	17.7	80.1	53.5	4.57	5.16	C73
Adrenal gland	7	0.1	0.7	0.3	0.03	0.04	2	0.0	0.2	0.1	0.00	0.01	C74
Other endocrine	4	0.1	0.4	0.2	0.02	0.02	4	0.1	0.4	0.2	0.02	0.02	C75
Hodgkin lymphoma	3	0.1	0.3	0.1	0.01	0.02	2	0.0	0.2	0.2	0.02	0.02	C81
Non-Hodgkin lymphoma	99	2.0	10.4	5.3	0.34	0.71	73	1.6	7.4	3.6	0.21	0.43	C82–86,C96
Immunoproliferative diseases	5	0.1	0.5	0.3	0.03	0.03	5	0.1	0.5	0.2	0.01	0.02	C88
Multiple myeloma	22	0.4	2.3	1.1	0.09	0.13	23	0.5	2.3	1.1	0.07	0.16	C90
Lymphoid leukaemia	25	0.5	2.6	2.3	0.12	0.19	15	0.3	1.5	1.1	0.07	0.08	C91
Myeloid leukaemia	53	1.1	5.5	3.7	0.24	0.37	41	0.9	4.2	2.6	0.20	0.25	C92–94
Leukaemia unspecified	7	0.1	0.7	0.4	0.02	0.04	5	0.1	0.5	0.4	0.02	0.04	C95
Myeloproliferative disorders	5	0.1	0.5	0.2	0.01	0.03	4	0.1	0.4	0.1	0.00	0.02	MPD
Myelodysplastic syndromes	8	0.2	0.8	0.4	0.02	0.03	6	0.1	0.6	0.2	0.01	0.03	MPS
Other and unspecified	33	0.7	3.5	1.4	0.05	0.12	31	0.7	3.1	1.3	0.05	0.15	O&U
All sites	5068		530.4	246.4	12.52	28.65	4548		461.9	239.1	16.55	25.88	C00–96
All sites except C44	4990	100.0	522.2	242.9	12.34	28.29	4468	100.0	453.8	236.1	16.46	25.57	C00–96 exc. C44

*See note following population pyramid

China, Jiayu County

CONTRIBUTORS

Tong De Min
Liu Xiao Ling
Liu Qing



20 major cancers, ASR (World) per 100 000

<i>Male</i>		<i>Female</i>	
Trachea, bronchus, and lung	59.0	Breast	20.7
Liver	30.2	Trachea, bronchus, and lung	18.4
Stomach	15.1	Cervix uteri	13.6
Oesophagus	9.5	Thyroid	12.6
Rectum	8.1	Stomach	10.2
Colon	7.7	Liver	10.0
Nasopharynx	5.1	Rectum	7.2
Bladder	4.6	Ovary	5.5
Brain and nervous system	4.5	Colon	4.9
Non-Hodgkin lymphoma	4.2	Corpus uteri	3.8
Prostate	3.8	Non-Hodgkin lymphoma	3.3
Pancreas	3.2	Brain and nervous system	3.0
Bone	2.9	Myeloid leukaemia	2.8
Thyroid	2.8	Other and unspecified	2.2
Leukaemia unspecified	2.7	Leukaemia unspecified	1.9
Larynx	2.7	Nasopharynx	1.8
Other and unspecified	2.1	Pancreas	1.6
Kidney	2.0	Oesophagus	1.4
Myeloid leukaemia	1.7	Connective and soft tissue	1.3
Non-melanoma skin cancer	1.2	Uterus unspecified	1.3
All sites	184.1	All sites	136.4


China, Jiayu County (2015–2017)

SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	
Lip	2	0.1	0.3	0.2	0.00	0.02	2	0.2	0.4	0.3	0.01	0.04	C00
Tongue	6	0.4	1.0	0.8	0.07	0.07	2	0.2	0.4	0.3	0.00	0.07	C01–02
Mouth	5	0.4	0.9	0.7	0.03	0.09	3	0.3	0.6	0.4	0.01	0.03	C03–06
Salivary glands	6	0.4	1.0	0.8	0.03	0.11	3	0.3	0.6	0.4	0.04	0.04	C07–08
Tonsil	2	0.1	0.3	0.2	0.01	0.03	1	0.1	0.2	0.1	0.01	0.01	C09
Other oropharynx	2	0.1	0.3	0.4	0.01	0.01	0	0.0	0.0	0.0	0.00	0.00	C10
Nasopharynx	40	2.9	6.9	5.1	0.39	0.55	12	1.2	2.3	1.8	0.16	0.18	C11
Hypopharynx	3	0.2	0.5	0.4	0.03	0.07	0	0.0	0.0	0.0	0.00	0.00	C12–13
Pharynx unspecified	3	0.2	0.5	0.4	0.00	0.06	0	0.0	0.0	0.0	0.00	0.00	C14
Oesophagus	72	5.2	12.4	9.5	0.44	1.17	12	1.2	2.3	1.4	0.08	0.14	C15
Stomach	115	8.4	19.8	15.1	0.80	1.93	80	7.7	15.0	10.2	0.61	1.17	C16
Small intestine	6	0.4	1.0	0.8	0.08	0.08	6	0.6	1.1	0.8	0.08	0.08	C17
Colon	58	4.2	10.0	7.7	0.39	0.95	38	3.7	7.1	4.9	0.29	0.53	C18
Rectum	63	4.6	10.8	8.1	0.46	1.00	56	5.4	10.5	7.2	0.40	0.93	C19–20
Anus	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C21
Liver	233	17.0	40.1	30.2	1.89	3.54	77	7.4	14.4	10.0	0.69	1.12	C22
Gallbladder etc.	5	0.4	0.9	0.6	0.04	0.06	5	0.5	0.9	0.6	0.00	0.07	C23–24
Pancreas	25	1.8	4.3	3.2	0.13	0.47	14	1.4	2.6	1.6	0.06	0.20	C25
Nose, sinuses etc.	0	0.0	0.0	0.0	0.00	0.00	3	0.3	0.6	0.4	0.01	0.04	C30–31
Larynx	19	1.4	3.3	2.7	0.12	0.35	0	0.0	0.0	0.0	0.00	0.00	C32
Trachea, bronchus, and lung	447	32.5	76.8	59.0	2.75	7.81	149	14.4	27.9	18.4	0.90	2.26	C33–34
Other thoracic organs	6	0.4	1.0	0.9	0.06	0.12	4	0.4	0.8	0.5	0.04	0.07	C37–38
Bone	20	1.5	3.4	2.9	0.16	0.32	6	0.6	1.1	0.8	0.06	0.10	C40–41
Melanoma of skin	3	0.2	0.5	0.3	0.02	0.02	2	0.2	0.4	0.3	0.02	0.04	C43
Other skin	10	0.7	1.7	1.2	0.07	0.14	3	0.3	0.6	0.4	0.02	0.09	C44
Mesothelioma	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C45
Kaposi sarcoma	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C46
Connective and soft tissue	5	0.4	0.9	0.6	0.03	0.09	7	0.7	1.3	1.3	0.09	0.12	C47+C49
Breast	3	0.2	0.5	0.4	0.02	0.06	160	15.4	30.0	20.7	1.80	2.12	C50
Vulva	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C51
Vagina	4	0.4	0.8	0.5	0.04	0.06	4	0.4	0.8	0.5	0.04	0.06	C52
Cervix uteri	108	10.4	20.3	13.6	1.20	1.36	108	10.4	20.3	13.6	1.20	1.36	C53
Corpus uteri	29	2.8	5.4	3.8	0.35	0.46	29	2.8	5.4	3.8	0.35	0.46	C54
Uterus unspecified	11	1.1	2.1	1.3	0.06	0.16	11	1.1	2.1	1.3	0.06	0.16	C55
Ovary	41	4.0	7.7	5.5	0.47	0.64	41	4.0	7.7	5.5	0.47	0.64	C56
Other female genital organs	2	0.2	0.4	0.2	0.01	0.01	2	0.2	0.4	0.2	0.01	0.01	C57
Placenta	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C58
Penis	4	0.3	0.7	0.5	0.01	0.08	0	0.0	0.0	0.0	0.00	0.00	C60
Prostate	28	2.0	4.8	3.8	0.15	0.45	0	0.0	0.0	0.0	0.00	0.00	C61
Testis	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C62
Other male genital organs	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C63
Kidney	13	0.9	2.2	2.0	0.08	0.28	7	0.7	1.3	0.9	0.04	0.10	C64
Renal pelvis	2	0.1	0.3	0.2	0.01	0.01	0	0.0	0.0	0.0	0.00	0.00	C65
Ureter	1	0.1	0.2	0.1	0.00	0.02	2	0.2	0.4	0.2	0.00	0.03	C66
Bladder	35	2.5	6.0	4.6	0.20	0.61	6	0.6	1.1	0.9	0.04	0.10	C67
Other urinary organs	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C68
Eye	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C69
Brain and nervous system	30	2.2	5.2	4.5	0.31	0.47	23	2.2	4.3	3.0	0.24	0.34	C70–72
Thyroid	21	1.5	3.6	2.8	0.26	0.26	93	9.0	17.4	12.6	1.10	1.16	C73
Adrenal gland	2	0.1	0.3	0.2	0.00	0.00	1	0.1	0.2	0.1	0.01	0.01	C74
Other endocrine	2	0.1	0.3	0.2	0.02	0.02	0	0.0	0.0	0.0	0.00	0.00	C75
Hodgkin lymphoma	2	0.1	0.3	0.5	0.03	0.03	1	0.1	0.2	0.1	0.00	0.02	C81
Non-Hodgkin lymphoma	33	2.4	5.7	4.2	0.30	0.43	22	2.1	4.1	3.3	0.17	0.42	C82–86,C96
Immunoproliferative diseases	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C88
Multiple myeloma	5	0.4	0.9	0.7	0.05	0.08	3	0.3	0.6	0.4	0.04	0.04	C90
Lymphoid leukaemia	3	0.2	0.5	0.4	0.04	0.04	1	0.1	0.2	0.1	0.00	0.03	C91
Myeloid leukaemia	12	0.9	2.1	1.7	0.15	0.15	19	1.8	3.6	2.8	0.20	0.24	C92–94
Leukaemia unspecified	17	1.2	2.9	2.7	0.14	0.31	11	1.1	2.1	1.9	0.08	0.20	C95
Myeloproliferative disorders	1	0.1	0.2	0.1	0.01	0.01	0	0.0	0.0	0.0	0.00	0.00	MPD
Myelodysplastic syndromes	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	MPS
Other and unspecified	14	1.0	2.4	2.1	0.07	0.29	11	1.1	2.1	2.2	0.16	0.18	O&U
All sites	1384		237.9	184.1	9.89	22.66	1040		195.1	136.4	9.61	15.03	C00–96
All sites except C44	1374	100.0	236.2	182.8	9.82	22.52	1037	100.0	194.5	136.0	9.59	14.95	C00–96 exc. C44

China, Jinan City

CONTRIBUTORS

Ailing Qi
 Qingchang Wang
 Xia Ma
 Bing Liu
 Jing Li
 Yuheng Wang
 Zongyan Li
 Huijuan Zhang
 Yanfei Diao



NOTES ON THE DATA

*No official mortality data.

†C67 (bladder cancer) includes neoplasms of uncertain or unknown behaviour together with invasive cancers.

20 major cancers, ASR (World) per 100 000

<i>Male</i>		<i>Female</i>	
Trachea, bronchus, and lung	51.7	Breast	35.8
Stomach	34.0	Thyroid	27.3
Liver	24.8	Trachea, bronchus, and lung	23.9
Oesophagus	20.1	Stomach	10.6
Rectum	13.0	Cervix uteri	7.7
Colon	12.2	Liver	7.2
Thyroid	9.2	Colon	6.9
Prostate	7.3	Ovary	6.7
Bladder	6.1	Rectum	6.5
Kidney	5.2	Corpus uteri	6.3
Pancreas	4.7	Oesophagus	4.7
Brain and nervous system	4.4	Brain and nervous system	4.2
Non-Hodgkin lymphoma	2.6	Pancreas	3.0
Gallbladder etc.	2.3	Kidney	2.5
Other and unspecified	2.2	Bladder	1.6
Myeloid leukaemia	2.1	Other and unspecified	1.5
Larynx	2.0	Non-Hodgkin lymphoma	1.5
Leukaemia unspecified	2.0	Myeloid leukaemia	1.5
Lymphoid leukaemia	1.6	Lymphoid leukaemia	1.4
Hypopharynx	1.5	Leukaemia unspecified	1.4
All sites	223.7	All sites	172.8

*China, Jinan City (2015–2017)


SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	
Lip	13	0.1	0.2	0.1	0.01	0.01	6	0.0	0.1	0.0	0.00	0.00	C00
Tongue	89	0.4	1.6	1.0	0.07	0.11	37	0.2	0.7	0.3	0.02	0.04	C01–02
Mouth	87	0.4	1.6	0.9	0.06	0.10	43	0.3	0.8	0.4	0.02	0.04	C03–06
Salivary glands	48	0.2	0.9	0.7	0.04	0.07	33	0.2	0.6	0.3	0.02	0.03	C07–08
Tonsil	9	0.0	0.2	0.1	0.01	0.01	0	0.0	0.0	0.0	0.00	0.00	C09
Other oropharynx	30	0.1	0.5	0.3	0.02	0.04	5	0.0	0.1	0.0	0.00	0.01	C10
Nasopharynx	87	0.4	1.6	1.0	0.08	0.11	41	0.2	0.7	0.4	0.02	0.04	C11
Hypopharynx	148	0.7	2.7	1.5	0.12	0.18	11	0.1	0.2	0.1	0.01	0.01	C12–13
Pharynx unspecified	11	0.1	0.2	0.1	0.01	0.02	4	0.0	0.1	0.0	0.00	0.00	C14
Oesophagus	1932	9.4	35.3	20.1	1.12	2.47	577	3.5	10.1	4.7	0.17	0.54	C15
Stomach	3220	15.7	58.9	34.0	1.73	4.28	1163	7.0	20.4	10.6	0.54	1.22	C16
Small intestine	98	0.5	1.8	1.1	0.05	0.13	54	0.3	0.9	0.5	0.04	0.06	C17
Colon	1165	5.7	21.3	12.2	0.62	1.37	774	4.6	13.6	6.9	0.37	0.82	C18
Rectum	1227	6.0	22.4	13.0	0.71	1.58	707	4.2	12.4	6.5	0.36	0.78	C19–20
Anus	19	0.1	0.3	0.2	0.01	0.02	14	0.1	0.2	0.1	0.01	0.01	C21
Liver	2283	11.1	41.7	24.8	1.67	2.88	789	4.7	13.9	7.2	0.39	0.85	C22
Gallbladder etc.	224	1.1	4.1	2.3	0.09	0.25	158	0.9	2.8	1.4	0.06	0.17	C23–24
Pancreas	446	2.2	8.2	4.7	0.24	0.53	349	2.1	6.1	3.0	0.13	0.36	C25
Nose, sinuses etc.	29	0.1	0.5	0.3	0.02	0.04	18	0.1	0.3	0.2	0.02	0.02	C30–31
Larynx	195	0.9	3.6	2.0	0.12	0.24	14	0.1	0.2	0.1	0.00	0.01	C32
Trachea, bronchus, and lung	4973	24.2	90.9	51.7	2.49	6.25	2730	16.4	48.0	23.9	1.23	2.75	C33–34
Other thoracic organs	72	0.4	1.3	0.9	0.05	0.10	45	0.3	0.8	0.5	0.03	0.05	C37–38
Bone	82	0.4	1.5	1.0	0.05	0.11	51	0.3	0.9	0.5	0.04	0.05	C40–41
Melanoma of skin	23	0.1	0.4	0.2	0.02	0.02	23	0.1	0.4	0.2	0.01	0.02	C43
Other skin	109	0.5	2.0	1.2	0.06	0.13	93	0.6	1.6	0.8	0.04	0.08	C44
Mesothelioma	16	0.1	0.3	0.2	0.01	0.02	5	0.0	0.1	0.1	0.00	0.01	C45
Kaposi sarcoma	1	0.0	0.0	0.0	0.00	0.00	2	0.0	0.0	0.0	0.00	0.00	C46
Connective and soft tissue	67	0.3	1.2	0.8	0.05	0.08	59	0.4	1.0	0.8	0.05	0.06	C47+C49
Breast	30	0.1	0.5	0.3	0.03	0.04	3266	19.6	57.4	35.8	2.87	3.94	C50
Vulva							23	0.1	0.4	0.2	0.01	0.02	C51
Vagina							9	0.1	0.2	0.1	0.01	0.01	C52
Cervix uteri							673	4.0	11.8	7.7	0.64	0.78	C53
Corpus uteri							602	3.6	10.6	6.3	0.55	0.74	C54
Uterus unspecified							61	0.4	1.1	0.6	0.05	0.07	C55
Ovary							585	3.5	10.3	6.7	0.48	0.74	C56
Other female genital organs							37	0.2	0.7	0.4	0.03	0.04	C57
Placenta							5	0.0	0.1	0.1	0.01	0.01	C58
Penis	28	0.1	0.5	0.3	0.02	0.04							C60
Prostate	731	3.6	13.4	7.3	0.13	0.83							C61
Testis	20	0.1	0.4	0.3	0.02	0.03							C62
Other male genital organs	9	0.0	0.2	0.1	0.00	0.01							C63
Kidney	449	2.2	8.2	5.2	0.34	0.58	237	1.4	4.2	2.5	0.17	0.27	C64
Renal pelvis	44	0.2	0.8	0.5	0.02	0.05	39	0.2	0.7	0.3	0.02	0.03	C65
Ureter	58	0.3	1.1	0.6	0.03	0.08	50	0.3	0.9	0.4	0.01	0.05	C66
†Bladder	591	2.9	10.8	6.1	0.25	0.68	190	1.1	3.3	1.6	0.06	0.18	C67
Other urinary organs	4	0.0	0.1	0.0	0.00	0.00	5	0.0	0.1	0.0	0.00	0.00	C68
Eye	14	0.1	0.3	0.2	0.01	0.02	10	0.1	0.2	0.2	0.01	0.02	C69
Brain and nervous system	340	1.7	6.2	4.4	0.28	0.44	351	2.1	6.2	4.2	0.28	0.42	C70–72
Thyroid	674	3.3	12.3	9.2	0.75	0.83	2079	12.5	36.6	27.3	2.27	2.47	C73
Adrenal gland	13	0.1	0.2	0.1	0.01	0.01	9	0.1	0.2	0.1	0.01	0.01	C74
Other endocrine	12	0.1	0.2	0.2	0.01	0.01	15	0.1	0.3	0.2	0.01	0.02	C75
Hodgkin lymphoma	23	0.1	0.4	0.3	0.02	0.03	18	0.1	0.3	0.2	0.01	0.02	C81
Non-Hodgkin lymphoma	228	1.1	4.2	2.6	0.13	0.29	149	0.9	2.6	1.5	0.09	0.16	C82–86,C96
Immunoproliferative diseases	5	0.0	0.1	0.1	0.00	0.01	2	0.0	0.0	0.0	0.00	0.00	C88
Multiple myeloma	96	0.5	1.8	1.0	0.05	0.12	80	0.5	1.4	0.8	0.05	0.11	C90
Lymphoid leukaemia	83	0.4	1.5	1.6	0.08	0.11	68	0.4	1.2	1.4	0.08	0.09	C91
Myeloid leukaemia	153	0.7	2.8	2.1	0.14	0.19	111	0.7	2.0	1.5	0.10	0.14	C92–94
Leukaemia unspecified	155	0.8	2.8	2.0	0.10	0.18	131	0.8	2.3	1.4	0.09	0.14	C95
Myeloproliferative disorders	0	0.0	0.0	0.0	0.00	0.00	2	0.0	0.0	0.0	0.00	0.00	MPD
Myelodysplastic syndromes	11	0.1	0.2	0.1	0.01	0.01	8	0.0	0.1	0.1	0.01	0.01	MPS
Other and unspecified	201	1.0	3.7	2.2	0.12	0.22	160	1.0	2.8	1.5	0.09	0.17	O&U
All sites	20675		378.0	223.7	12.09	26.01	16780		295.0	172.8	11.60	18.70	C00–96
All sites except C44	20566	100.0	376.0	222.5	12.02	25.88	16687	100.0	293.4	172.0	11.56	18.62	C00–96 exc. C44

*†See note following population pyramid

China, Jingtai County

CONTRIBUTORS

Xiaolin Zhang
Fuxin Zhou
Shengyun Wang



NOTES ON THE DATA

*Low levels of specificity of leukaemias. Rates based on low numbers due to small population. No questionnaire.

20 major cancers, ASR (World) per 100 000

<i>Male</i>		<i>Female</i>	
Stomach	54.1	Breast	27.8
Trachea, bronchus, and lung	42.2	Trachea, bronchus, and lung	21.8
Liver	40.2	Stomach	16.2
Rectum	13.9	Liver	15.5
Oesophagus	12.9	Cervix uteri	12.9
Brain and nervous system	10.9	Rectum	10.2
Pancreas	9.0	Ovary	8.3
Bladder	5.8	Thyroid	7.5
Prostate	5.5	Brain and nervous system	7.0
Colon	5.4	Corpus uteri	6.7
Other and unspecified	3.7	Pancreas	5.9
Bone	3.7	Oesophagus	5.2
Leukaemia unspecified	3.4	Colon	4.3
Gallbladder etc.	3.1	Leukaemia unspecified	4.1
Kidney	3.1	Kidney	3.1
Non-Hodgkin lymphoma	2.4	Gallbladder etc.	2.8
Thyroid	1.9	Bladder	2.7
Nasopharynx	1.9	Non-Hodgkin lymphoma	2.2
Non-melanoma skin cancer	1.7	Bone	2.0
Other thoracic organs	1.6	Other and unspecified	1.9
All sites	240.0	All sites	182.9

*China, Jingtai County (2013–2017)


SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	
Lip	4	0.2	0.7	0.6	0.02	0.09	4	0.3	0.7	0.6	0.00	0.14	C00
Tongue	0	0.0	0.0	0.0	0.00	0.00	1	0.1	0.2	0.1	0.00	0.00	C01–02
Mouth	3	0.2	0.5	0.6	0.03	0.03	6	0.5	1.0	0.9	0.06	0.14	C03–06
Salivary glands	6	0.4	1.0	1.0	0.05	0.09	6	0.5	1.0	0.9	0.09	0.11	C07–08
Tonsil	0	0.0	0.0	0.0	0.00	0.00	1	0.1	0.2	0.2	0.00	0.04	C09
Other oropharynx	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C10
Nasopharynx	15	0.9	2.4	1.9	0.10	0.24	4	0.3	0.7	0.4	0.02	0.02	C11
Hypopharynx	3	0.2	0.5	0.4	0.03	0.03	0	0.0	0.0	0.0	0.00	0.00	C12–13
Pharynx unspecified	0	0.0	0.0	0.0	0.00	0.00	1	0.1	0.2	0.1	0.01	0.01	C14
Oesophagus	87	5.3	14.1	12.9	0.16	1.55	33	2.6	5.7	5.2	0.15	0.48	C15
Stomach	374	22.7	60.8	54.1	2.74	6.38	114	8.9	19.8	16.2	0.89	1.96	C16
Small intestine	9	0.5	1.5	1.0	0.12	0.12	4	0.3	0.7	0.6	0.02	0.12	C17
Colon	36	2.2	5.9	5.4	0.35	0.52	29	2.3	5.0	4.3	0.19	0.46	C18
Rectum	97	5.9	15.8	13.9	0.66	1.52	73	5.7	12.7	10.2	0.50	1.25	C19–20
Anus	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C21
Liver	291	17.7	47.3	40.2	2.69	4.60	106	8.3	18.4	15.5	0.67	1.80	C22
Gallbladder etc.	22	1.3	3.6	3.1	0.17	0.33	19	1.5	3.3	2.8	0.19	0.27	C23–24
Pancreas	61	3.7	9.9	9.0	0.55	1.09	42	3.3	7.3	5.9	0.33	0.64	C25
Nose, sinuses etc.	3	0.2	0.5	0.5	0.03	0.06	1	0.1	0.2	0.1	0.02	0.02	C30–31
Larynx	7	0.4	1.1	1.0	0.06	0.12	4	0.3	0.7	1.0	0.04	0.04	C32
Trachea, bronchus, and lung	287	17.4	46.6	42.2	2.03	5.05	151	11.8	26.3	21.8	1.01	2.31	C33–34
Other thoracic organs	12	0.7	2.0	1.6	0.13	0.19	4	0.3	0.7	1.0	0.05	0.07	C37–38
Bone	26	1.6	4.2	3.7	0.24	0.38	15	1.2	2.6	2.0	0.11	0.20	C40–41
Melanoma of skin	3	0.2	0.5	0.5	0.04	0.04	1	0.1	0.2	0.1	0.01	0.01	C43
Other skin	11	0.7	1.8	1.7	0.06	0.10	12	0.9	2.1	1.7	0.13	0.17	C44
Mesothelioma	1	0.1	0.2	0.1	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C45
Kaposi sarcoma	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C46
Connective and soft tissue	8	0.5	1.3	1.0	0.06	0.09	7	0.5	1.2	1.3	0.04	0.15	C47+C49
Breast	2	0.1	0.3	0.3	0.02	0.02	215	16.8	37.4	27.8	2.37	2.75	C50
Vulva							2	0.2	0.3	0.2	0.00	0.00	C51
Vagina							0	0.0	0.0	0.0	0.00	0.00	C52
Cervix uteri							99	7.7	17.2	12.9	1.04	1.50	C53
Corpus uteri							50	3.9	8.7	6.7	0.69	0.74	C54
Uterus unspecified							10	0.8	1.7	1.3	0.12	0.14	C55
Ovary							59	4.6	10.3	8.3	0.64	0.86	C56
Other female genital organs							4	0.3	0.7	0.6	0.06	0.10	C57
Placenta							0	0.0	0.0	0.0	0.00	0.00	C58
Penis	6	0.4	1.0	0.8	0.03	0.06							C60
Prostate	36	2.2	5.9	5.5	0.19	0.58							C61
Testis	4	0.2	0.7	0.6	0.06	0.06							C62
Other male genital organs	0	0.0	0.0	0.0	0.00	0.00							C63
Kidney	22	1.3	3.6	3.1	0.17	0.32	20	1.6	3.5	3.1	0.16	0.36	C64
Renal pelvis	1	0.1	0.2	0.2	0.02	0.02	0	0.0	0.0	0.0	0.00	0.00	C65
Ureter	0	0.0	0.0	0.0	0.00	0.00	2	0.2	0.3	0.3	0.02	0.04	C66
Bladder	38	2.3	6.2	5.8	0.29	0.56	17	1.3	3.0	2.7	0.15	0.31	C67
Other urinary organs	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C68
Eye	3	0.2	0.5	0.4	0.03	0.03	1	0.1	0.2	0.1	0.01	0.01	C69
Brain and nervous system	74	4.5	12.0	10.9	0.72	1.03	51	4.0	8.9	7.0	0.50	0.87	C70–72
Thyroid	14	0.9	2.3	1.9	0.10	0.21	55	4.3	9.6	7.5	0.62	0.73	C73
Adrenal gland	2	0.1	0.3	0.3	0.01	0.05	1	0.1	0.2	0.5	0.02	0.02	C74
Other endocrine	4	0.2	0.7	0.6	0.03	0.08	1	0.1	0.2	0.1	0.02	0.02	C75
Hodgkin lymphoma	3	0.2	0.5	0.6	0.05	0.05	2	0.2	0.3	0.3	0.02	0.02	C81
Non-Hodgkin lymphoma	15	0.9	2.4	2.4	0.16	0.27	15	1.2	2.6	2.2	0.12	0.37	C82–86,C96
Immunoproliferative diseases	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C88
Multiple myeloma	3	0.2	0.5	0.4	0.01	0.06	6	0.5	1.0	0.8	0.05	0.11	C90
Lymphoid leukaemia	7	0.4	1.1	1.3	0.06	0.13	6	0.5	1.0	1.2	0.05	0.05	C91
Myeloid leukaemia	10	0.6	1.6	1.6	0.10	0.21	3	0.2	0.5	0.4	0.03	0.03	C92–94
Leukaemia unspecified	22	1.3	3.6	3.4	0.17	0.40	23	1.8	4.0	4.1	0.25	0.35	C95
Myeloproliferative disorders	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	MPD
Myelodysplastic syndromes	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	MPS
Other and unspecified	26	1.6	4.2	3.7	0.23	0.39	12	0.9	2.1	1.9	0.05	0.27	O&U
All sites	1658		269.5	240.0	12.78	27.12	1292		224.7	182.9	11.51	20.05	C00–96
All sites except C44	1647	100.0	267.7	238.3	12.71	27.02	1280	100.0	222.6	181.1	11.37	19.88	C00–96 exc. C44

*See note following population pyramid

China, Jingxian County

CONTRIBUTORS

Anfu Liu
Peng Wu
Xiongmei Ma



NOTES ON THE DATA

*Low levels of specificity of leukaemias.

20 major cancers, ASR (World) per 100 000

Male		Female	
Trachea, bronchus, and lung	42.5	Trachea, bronchus, and lung	20.0
Stomach	33.5	Stomach	16.0
Liver	17.8	Cervix uteri	11.7
Oesophagus	13.5	Breast	11.7
Rectum	10.5	Liver	8.6
Brain and nervous system	7.7	Brain and nervous system	7.3
Colon	7.0	Rectum	7.1
Pancreas	5.3	Colon	5.7
Leukaemia unspecified	4.2	Ovary	4.5
Prostate	3.7	Pancreas	4.2
Non-Hodgkin lymphoma	3.2	Thyroid	3.5
Bladder	2.7	Corpus uteri	3.3
Other and unspecified	2.4	Gallbladder etc.	3.2
Bone	2.1	Leukaemia unspecified	2.4
Non-melanoma skin cancer	2.0	Nasopharynx	2.2
Kidney	2.0	Oesophagus	2.1
Nasopharynx	1.7	Bone	2.0
Gallbladder etc.	1.5	Other and unspecified	2.0
Hodgkin lymphoma	1.2	Non-Hodgkin lymphoma	1.7
Larynx	1.2	Non-melanoma skin cancer	1.6
All sites	174.1	All sites	131.1

*China, Jingxian County (2013–2017)


SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	
Lip	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C00
Tongue	3	0.1	0.4	0.4	0.04	0.04	2	0.1	0.3	0.2	0.01	0.01	C01–02
Mouth	4	0.2	0.5	0.3	0.03	0.03	4	0.3	0.5	0.3	0.03	0.03	C03–06
Salivary glands	3	0.1	0.4	0.3	0.03	0.03	2	0.1	0.3	0.3	0.03	0.03	C07–08
Tonsil	1	0.0	0.1	0.1	0.00	0.00	1	0.1	0.1	0.1	0.01	0.01	C09
Other oropharynx	7	0.3	0.9	0.5	0.01	0.08	0	0.0	0.0	0.0	0.00	0.00	C10
Nasopharynx	24	1.0	3.1	1.7	0.11	0.20	17	1.1	2.3	2.2	0.13	0.20	C11
Hypopharynx	3	0.1	0.4	0.3	0.01	0.04	0	0.0	0.0	0.0	0.00	0.00	C12–13
Pharynx unspecified	7	0.3	0.9	0.5	0.03	0.04	0	0.0	0.0	0.0	0.00	0.00	C14
Oesophagus	202	8.6	26.0	13.5	0.55	1.56	32	2.1	4.3	2.1	0.05	0.20	C15
Stomach	467	19.8	60.1	33.5	1.91	4.25	195	13.1	26.5	16.0	0.94	1.89	C16
Small intestine	6	0.3	0.8	0.5	0.02	0.05	8	0.5	1.1	0.5	0.01	0.07	C17
Colon	92	3.9	11.8	7.0	0.46	0.80	69	4.6	9.4	5.7	0.42	0.66	C18
Rectum	140	5.9	18.0	10.5	0.66	1.24	84	5.6	11.4	7.1	0.45	0.81	C19–20
Anus	3	0.1	0.4	0.4	0.04	0.04	2	0.1	0.3	0.2	0.01	0.01	C21
Liver	255	10.8	32.8	17.8	0.99	2.05	108	7.2	14.7	8.6	0.40	1.04	C22
Gallbladder etc.	22	0.9	2.8	1.5	0.05	0.14	44	3.0	6.0	3.2	0.10	0.39	C23–24
Pancreas	75	3.2	9.7	5.3	0.24	0.71	52	3.5	7.1	4.2	0.24	0.49	C25
Nose, sinuses etc.	4	0.2	0.5	0.2	0.02	0.03	1	0.1	0.1	0.1	0.01	0.01	C30–31
Larynx	16	0.7	2.1	1.2	0.05	0.17	1	0.1	0.1	0.1	0.00	0.02	C32
Trachea, bronchus, and lung	619	26.3	79.7	42.5	1.94	5.33	255	17.1	34.7	20.0	1.12	2.36	C33–34
Other thoracic organs	6	0.3	0.8	0.6	0.04	0.05	7	0.5	1.0	1.0	0.04	0.04	C37–38
Bone	25	1.1	3.2	2.1	0.12	0.22	24	1.6	3.3	2.0	0.14	0.21	C40–41
Melanoma of skin	5	0.2	0.6	0.4	0.03	0.03	6	0.4	0.8	0.6	0.05	0.07	C43
Other skin	27	1.1	3.5	2.0	0.10	0.21	18	1.2	2.4	1.6	0.10	0.17	C44
Mesothelioma	0	0.0	0.0	0.0	0.00	0.00	3	0.2	0.4	0.3	0.01	0.03	C45
Kaposi sarcoma	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C46
Connective and soft tissue	4	0.2	0.5	0.3	0.01	0.03	3	0.2	0.4	0.3	0.02	0.04	C47+C49
Breast	0	0.0	0.0	0.0	0.00	0.00	131	8.8	17.8	11.7	1.00	1.17	C50
Vulva							4	0.3	0.5	0.4	0.02	0.06	C51
Vagina							2	0.1	0.3	0.2	0.02	0.02	C52
Cervix uteri							126	8.5	17.1	11.7	0.96	1.18	C53
Corpus uteri							35	2.3	4.8	3.3	0.29	0.36	C54
Uterus unspecified							17	1.1	2.3	1.3	0.11	0.15	C55
Ovary							39	2.6	5.3	4.5	0.35	0.42	C56
Other female genital organs							4	0.3	0.5	0.5	0.03	0.05	C57
Placenta							1	0.1	0.1	0.1	0.01	0.01	C58
Penis	5	0.2	0.6	0.4	0.03	0.04							C60
Prostate	54	2.3	7.0	3.7	0.12	0.46							C61
Testis	0	0.0	0.0	0.0	0.00	0.00							C62
Other male genital organs	0	0.0	0.0	0.0	0.00	0.00							C63
Kidney	20	0.8	2.6	2.0	0.11	0.19	15	1.0	2.0	1.1	0.06	0.15	C64
Renal pelvis	2	0.1	0.3	0.1	0.01	0.01	0	0.0	0.0	0.0	0.00	0.00	C65
Ureter	1	0.0	0.1	0.1	0.00	0.02	2	0.1	0.3	0.2	0.02	0.02	C66
Bladder	40	1.7	5.2	2.7	0.12	0.31	10	0.7	1.4	0.8	0.03	0.10	C67
Other urinary organs	1	0.0	0.1	0.1	0.01	0.01	0	0.0	0.0	0.0	0.00	0.00	C68
Eye	1	0.0	0.1	0.3	0.01	0.01	0	0.0	0.0	0.0	0.00	0.00	C69
Brain and nervous system	79	3.4	10.2	7.7	0.49	0.75	70	4.7	9.5	7.3	0.52	0.77	C70–72
Thyroid	13	0.6	1.7	1.1	0.10	0.10	33	2.2	4.5	3.5	0.26	0.33	C73
Adrenal gland	2	0.1	0.3	0.1	0.01	0.01	0	0.0	0.0	0.0	0.00	0.00	C74
Other endocrine	9	0.4	1.2	0.7	0.05	0.08	3	0.2	0.4	0.3	0.02	0.02	C75
Hodgkin lymphoma	10	0.4	1.3	1.2	0.08	0.10	2	0.1	0.3	0.2	0.02	0.02	C81
Non-Hodgkin lymphoma	40	1.7	5.2	3.2	0.20	0.37	21	1.4	2.9	1.7	0.11	0.20	C82–86,C96
Immunoproliferative diseases	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C88
Multiple myeloma	4	0.2	0.5	0.4	0.03	0.05	4	0.3	0.5	0.3	0.03	0.05	C90
Lymphoid leukaemia	2	0.1	0.3	0.1	0.01	0.01	3	0.2	0.4	0.3	0.02	0.02	C91
Myeloid leukaemia	6	0.3	0.8	0.5	0.03	0.03	9	0.6	1.2	0.8	0.06	0.09	C92–94
Leukaemia unspecified	46	2.0	5.9	4.2	0.25	0.44	20	1.3	2.7	2.4	0.15	0.21	C95
Myeloproliferative disorders	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	MPD
Myelodysplastic syndromes	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	MPS
Other and unspecified	30	1.3	3.9	2.4	0.15	0.28	19	1.3	2.6	2.0	0.11	0.22	O&U
All sites	2385		307.1	174.1	9.28	20.63	1508		204.9	131.1	8.54	14.47	C00–96
All sites except C44	2358	100.0	303.6	172.1	9.18	20.42	1490	100.0	202.5	129.5	8.44	14.30	C00–96 exc. C44

*See note following population pyramid

China, Jintan District, Changzhou City

CONTRIBUTORS

Zhou Xin
Fang Huiling



NOTES ON THE DATA

*No questionnaire.

20 major cancers, ASR (World) per 100 000

Male		Female	
Stomach	67.3	Stomach	26.8
Trachea, bronchus, and lung	44.3	Breast	26.4
Oesophagus	43.4	Trachea, bronchus, and lung	19.5
Liver	21.3	Cervix uteri	17.0
Colon	12.3	Oesophagus	16.0
Rectum	11.6	Thyroid	12.5
Prostate	8.9	Liver	10.1
Pancreas	7.8	Colon	9.7
Other and unspecified	5.1	Rectum	6.9
Bladder	4.8	Pancreas	5.4
Non-Hodgkin lymphoma	3.6	Ovary	4.6
Brain and nervous system	2.9	Corpus uteri	4.4
Gallbladder etc.	2.6	Gallbladder etc.	3.9
Nasopharynx	2.5	Other and unspecified	3.9
Thyroid	2.4	Brain and nervous system	3.5
Lymphoid leukaemia	2.3	Non-Hodgkin lymphoma	2.5
Myeloid leukaemia	2.3	Myeloid leukaemia	2.1
Non-melanoma skin cancer	2.1	Lymphoid leukaemia	2.0
Kidney	2.1	Non-melanoma skin cancer	1.9
Bone	2.0	Bladder	1.8
All sites	267.2	All sites	196.3

*China, Jintan District, Changzhou City (2013–2017)


SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	
Lip	4	0.1	0.3	0.2	0.01	0.01	6	0.1	0.4	0.2	0.02	0.03	C00
Tongue	10	0.2	0.7	0.4	0.02	0.06	20	0.4	1.4	0.8	0.04	0.12	C01–02
Mouth	24	0.4	1.8	1.0	0.05	0.12	14	0.3	1.0	0.6	0.03	0.06	C03–06
Salivary glands	16	0.2	1.2	0.6	0.04	0.08	11	0.2	0.8	0.5	0.03	0.05	C07–08
Tonsil	7	0.1	0.5	0.3	0.02	0.03	2	0.0	0.1	0.1	0.00	0.01	C09
Other oropharynx	8	0.1	0.6	0.3	0.01	0.05	1	0.0	0.1	0.0	0.00	0.00	C10
Nasopharynx	57	0.9	4.2	2.5	0.17	0.32	32	0.7	2.3	1.5	0.11	0.18	C11
Hypopharynx	14	0.2	1.0	0.6	0.03	0.06	0	0.0	0.0	0.0	0.00	0.00	C12–13
Pharynx unspecified	4	0.1	0.3	0.1	0.00	0.00	2	0.0	0.1	0.1	0.00	0.00	C14
Oesophagus	1064	16.5	78.0	43.4	2.00	5.37	420	9.2	30.4	16.0	0.46	2.04	C15
Stomach	1653	25.7	121.2	67.3	3.09	8.59	665	14.5	48.1	26.8	1.14	3.28	C16
Small intestine	38	0.6	2.8	1.4	0.09	0.15	39	0.9	2.8	1.6	0.05	0.24	C17
Colon	297	4.6	21.8	12.3	0.67	1.50	240	5.2	17.3	9.7	0.51	1.21	C18
Rectum	281	4.4	20.6	11.6	0.63	1.40	171	3.7	12.4	6.9	0.34	0.85	C19–20
Anus	11	0.2	0.8	0.4	0.03	0.03	6	0.1	0.4	0.2	0.02	0.03	C21
Liver	509	7.9	37.3	21.3	1.22	2.60	260	5.7	18.8	10.1	0.45	1.21	C22
Gallbladder etc.	65	1.0	4.8	2.6	0.07	0.34	103	2.2	7.4	3.9	0.17	0.44	C23–24
Pancreas	190	3.0	13.9	7.8	0.30	0.89	144	3.1	10.4	5.4	0.19	0.60	C25
Nose, sinuses etc.	15	0.2	1.1	0.7	0.03	0.08	6	0.1	0.4	0.3	0.02	0.03	C30–31
Larynx	43	0.7	3.2	1.8	0.07	0.22	4	0.1	0.3	0.2	0.01	0.03	C32
Trachea, bronchus, and lung	1105	17.2	81.0	44.3	1.69	5.36	489	10.7	35.3	19.5	0.98	2.16	C33–34
Other thoracic organs	27	0.4	2.0	1.4	0.10	0.15	8	0.2	0.6	0.4	0.03	0.04	C37–38
Bone	46	0.7	3.4	2.0	0.08	0.22	32	0.7	2.3	1.3	0.07	0.13	C40–41
Melanoma of skin	19	0.3	1.4	0.7	0.04	0.06	12	0.3	0.9	0.5	0.02	0.06	C43
Other skin	50	0.8	3.7	2.1	0.11	0.18	50	1.1	3.6	1.9	0.07	0.21	C44
Mesothelioma	2	0.0	0.1	0.1	0.01	0.01	1	0.0	0.1	0.0	0.00	0.00	C45
Kaposi sarcoma	1	0.0	0.1	0.1	0.00	0.01	3	0.1	0.2	0.1	0.00	0.03	C46
Connective and soft tissue	15	0.2	1.1	0.7	0.04	0.07	12	0.3	0.9	0.5	0.03	0.06	C47+C49
Breast	5	0.1	0.4	0.2	0.01	0.01	587	12.8	42.4	26.4	2.10	2.87	C50
Vulva							6	0.1	0.4	0.2	0.01	0.02	C51
Vagina							10	0.2	0.7	0.4	0.01	0.06	C52
Cervix uteri							387	8.4	28.0	17.0	1.35	1.78	C53
Corpus uteri							98	2.1	7.1	4.4	0.32	0.51	C54
Uterus unspecified							8	0.2	0.6	0.3	0.03	0.04	C55
Ovary							101	2.2	7.3	4.6	0.36	0.53	C56
Other female genital organs							16	0.3	1.2	0.7	0.05	0.08	C57
Placenta							1	0.0	0.1	0.1	0.01	0.01	C58
Penis	8	0.1	0.6	0.3	0.01	0.03							C60
Prostate	232	3.6	17.0	8.9	0.20	0.88							C61
Testis	6	0.1	0.4	0.3	0.02	0.02							C62
Other male genital organs	0	0.0	0.0	0.0	0.00	0.00							C63
Kidney	48	0.7	3.5	2.1	0.12	0.28	31	0.7	2.2	1.4	0.08	0.17	C64
Renal pelvis	2	0.0	0.1	0.1	0.01	0.02	1	0.0	0.1	0.0	0.00	0.00	C65
Ureter	3	0.0	0.2	0.1	0.01	0.02	2	0.0	0.1	0.1	0.00	0.02	C66
Bladder	122	1.9	8.9	4.8	0.21	0.50	47	1.0	3.4	1.8	0.08	0.23	C67
Other urinary organs	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C68
Eye	2	0.0	0.1	0.1	0.01	0.01	2	0.0	0.1	0.1	0.01	0.01	C69
Brain and nervous system	71	1.1	5.2	2.9	0.17	0.30	72	1.6	5.2	3.5	0.22	0.38	C70–72
Thyroid	47	0.7	3.4	2.4	0.18	0.24	241	5.3	17.4	12.5	1.04	1.17	C73
Adrenal gland	7	0.1	0.5	0.3	0.01	0.04	6	0.1	0.4	0.2	0.01	0.02	C74
Other endocrine	4	0.1	0.3	0.2	0.01	0.03	7	0.2	0.5	0.3	0.03	0.04	C75
Hodgkin lymphoma	6	0.1	0.4	0.3	0.02	0.04	5	0.1	0.4	0.2	0.01	0.03	C81
Non-Hodgkin lymphoma	84	1.3	6.2	3.6	0.22	0.38	51	1.1	3.7	2.5	0.17	0.28	C82–86,C96
Immunoproliferative diseases	3	0.0	0.2	0.1	0.00	0.01	1	0.0	0.1	0.0	0.00	0.00	C88
Multiple myeloma	29	0.5	2.1	1.3	0.06	0.18	22	0.5	1.6	0.9	0.05	0.14	C90
Lymphoid leukaemia	44	0.7	3.2	2.3	0.15	0.21	39	0.9	2.8	2.0	0.13	0.19	C91
Myeloid leukaemia	40	0.6	2.9	2.3	0.12	0.22	36	0.8	2.6	2.1	0.13	0.24	C92–94
Leukaemia unspecified	27	0.4	2.0	1.6	0.08	0.14	15	0.3	1.1	1.1	0.06	0.11	C95
Myeloproliferative disorders	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	MPD
Myelodysplastic syndromes	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	MPS
Other and unspecified	116	1.8	8.5	5.1	0.21	0.61	88	1.9	6.4	3.9	0.23	0.44	O&U
All sites	6481		475.3	267.2	12.46	32.14	4633		334.8	196.3	11.29	22.51	C00–96
All sites except C44	6431	100.0	471.6	265.1	12.36	31.96	4583	100.0	331.2	194.4	11.22	22.30	C00–96 exc. C44

*See note following population pyramid

China, Jiulongpo District, Chongqing City

CONTRIBUTORS

Tang Cheng
He Ming
Tao Ran



NOTES ON THE DATA

*No official mortality data.

20 major cancers, ASR (World) per 100 000

<i>Male</i>		<i>Female</i>	
Trachea, bronchus, and lung	83.9	Breast	27.8
Liver	33.1	Trachea, bronchus, and lung	27.6
Rectum	15.0	Cervix uteri	14.1
Oesophagus	14.9	Thyroid	9.9
Stomach	13.7	Liver	9.3
Colon	12.4	Colon	8.2
Prostate	8.4	Rectum	8.2
Pancreas	6.9	Ovary	7.5
Bladder	6.4	Stomach	5.7
Non-Hodgkin lymphoma	6.0	Corpus uteri	5.1
Brain and nervous system	5.0	Non-Hodgkin lymphoma	4.1
Kidney	4.8	Brain and nervous system	4.1
Other and unspecified	4.2	Pancreas	3.6
Nasopharynx	4.2	Gallbladder etc.	2.7
Larynx	3.2	Kidney	2.7
Thyroid	3.1	Other and unspecified	2.6
Myeloid leukaemia	2.7	Oesophagus	2.5
Gallbladder etc.	2.4	Nasopharynx	2.2
Lymphoid leukaemia	2.0	Myeloid leukaemia	2.1
Non-melanoma skin cancer	1.6	Non-melanoma skin cancer	1.8
All sites	250.2	All sites	167.5

*China, Jiulongpo District, Chongqing City (2014–2017)


SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	
Lip	11	0.1	0.6	0.4	0.03	0.04	3	0.1	0.2	0.1	0.01	0.01	C00
Tongue	26	0.3	1.4	0.8	0.04	0.12	15	0.3	0.8	0.5	0.04	0.06	C01–02
Mouth	50	0.6	2.8	1.5	0.08	0.16	21	0.4	1.1	0.5	0.04	0.05	C03–06
Salivary glands	11	0.1	0.6	0.4	0.03	0.05	10	0.2	0.5	0.4	0.04	0.04	C07–08
Tonsil	4	0.0	0.2	0.1	0.01	0.02	4	0.1	0.2	0.1	0.01	0.01	C09
Other oropharynx	5	0.1	0.3	0.2	0.01	0.02	1	0.0	0.1	0.0	0.00	0.00	C10
Nasopharynx	124	1.5	6.9	4.2	0.32	0.44	68	1.3	3.7	2.2	0.18	0.25	C11
Hypopharynx	40	0.5	2.2	1.2	0.08	0.14	2	0.0	0.1	0.0	0.00	0.00	C12–13
Pharynx unspecified	26	0.3	1.4	0.7	0.03	0.08	4	0.1	0.2	0.1	0.00	0.01	C14
Oesophagus	504	6.1	28.0	14.9	0.80	1.97	97	1.8	5.3	2.5	0.08	0.30	C15
Stomach	455	5.5	25.2	13.7	0.89	1.68	187	3.5	10.2	5.6	0.35	0.68	C16
Small intestine	31	0.4	1.7	0.9	0.06	0.09	33	0.6	1.8	1.0	0.07	0.10	C17
Colon	418	5.1	23.2	12.4	0.69	1.51	299	5.6	16.3	8.2	0.42	0.99	C18
Rectum	509	6.2	28.2	15.0	0.85	1.79	293	5.5	16.0	8.2	0.45	1.01	C19–20
Anus	11	0.1	0.6	0.3	0.03	0.03	7	0.1	0.4	0.3	0.02	0.02	C21
Liver	1041	12.7	57.8	33.1	2.28	3.77	327	6.1	17.8	9.3	0.50	1.07	C22
Gallbladder etc.	83	1.0	4.6	2.4	0.14	0.29	104	1.9	5.7	2.7	0.11	0.33	C23–24
Pancreas	239	2.9	13.3	6.9	0.38	0.84	142	2.6	7.7	3.6	0.15	0.40	C25
Nose, sinuses etc.	13	0.2	0.7	0.4	0.03	0.03	8	0.1	0.4	0.2	0.01	0.02	C30–31
Larynx	107	1.3	5.9	3.2	0.21	0.40	6	0.1	0.3	0.2	0.01	0.02	C32
Trachea, bronchus, and lung	2858	34.8	158.6	83.9	4.72	10.58	1036	19.3	56.5	27.6	1.30	3.17	C33–34
Other thoracic organs	1	0.0	0.1	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C37–38
Bone	3	0.0	0.2	0.1	0.01	0.01	0	0.0	0.0	0.0	0.00	0.00	C40–41
Melanoma of skin	14	0.2	0.8	0.4	0.02	0.03	25	0.5	1.4	0.8	0.04	0.12	C43
Other skin	55	0.7	3.1	1.6	0.07	0.16	63	1.2	3.4	1.8	0.08	0.22	C44
Mesothelioma	4	0.0	0.2	0.1	0.01	0.02	8	0.1	0.4	0.2	0.02	0.03	C45
Kaposi sarcoma	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C46
Connective and soft tissue	37	0.5	2.1	1.4	0.09	0.15	41	0.8	2.2	1.5	0.09	0.16	C47+C49
Breast	9	0.1	0.5	0.3	0.01	0.04	826	15.4	45.0	27.8	2.32	2.87	C50
Vulva							4	0.1	0.2	0.2	0.00	0.03	C51
Vagina							9	0.2	0.5	0.2	0.01	0.01	C52
Cervix uteri							412	7.7	22.5	14.1	1.21	1.47	C53
Corpus uteri							155	2.9	8.4	5.1	0.40	0.60	C54
Uterus unspecified							12	0.2	0.7	0.4	0.03	0.04	C55
Ovary							216	4.0	11.8	7.5	0.55	0.82	C56
Other female genital organs							11	0.2	0.6	0.4	0.02	0.04	C57
Placenta							5	0.1	0.3	0.3	0.02	0.02	C58
Penis	27	0.3	1.5	0.8	0.04	0.08							C60
Prostate	334	4.1	18.5	8.4	0.18	0.87							C61
Testis	15	0.2	0.8	0.6	0.05	0.06							C62
Other male genital organs	5	0.1	0.3	0.1	0.00	0.02							C63
Kidney	155	1.9	8.6	4.8	0.30	0.57	91	1.7	5.0	2.7	0.17	0.35	C64
Renal pelvis	10	0.1	0.6	0.3	0.01	0.04	7	0.1	0.4	0.2	0.01	0.01	C65
Ureter	11	0.1	0.6	0.3	0.01	0.03	10	0.2	0.5	0.3	0.01	0.03	C66
Bladder	229	2.8	12.7	6.4	0.25	0.77	62	1.2	3.4	1.5	0.04	0.16	C67
Other urinary organs	4	0.0	0.2	0.1	0.00	0.03	1	0.0	0.1	0.0	0.00	0.00	C68
Eye	1	0.0	0.1	0.0	0.00	0.00	4	0.1	0.2	0.1	0.01	0.01	C69
Brain and nervous system	144	1.8	8.0	5.0	0.36	0.52	127	2.4	6.9	4.1	0.28	0.41	C70–72
Thyroid	83	1.0	4.6	3.1	0.26	0.29	246	4.6	13.4	9.9	0.79	0.88	C73
Adrenal gland	12	0.1	0.7	0.3	0.02	0.04	3	0.1	0.2	0.2	0.00	0.00	C74
Other endocrine	12	0.1	0.7	0.4	0.03	0.05	12	0.2	0.7	0.7	0.04	0.05	C75
Hodgkin lymphoma	7	0.1	0.4	0.4	0.02	0.03	5	0.1	0.3	0.2	0.01	0.02	C81
Non-Hodgkin lymphoma	178	2.2	9.9	6.0	0.39	0.68	128	2.4	7.0	4.1	0.26	0.49	C82–86,C96
Immunoproliferative diseases	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C88
Multiple myeloma	52	0.6	2.9	1.6	0.07	0.22	49	0.9	2.7	1.6	0.10	0.19	C90
Lymphoid leukaemia	44	0.5	2.4	2.0	0.14	0.17	33	0.6	1.8	1.5	0.08	0.15	C91
Myeloid leukaemia	75	0.9	4.2	2.7	0.16	0.29	52	1.0	2.8	2.1	0.15	0.22	C92–94
Leukaemia unspecified	44	0.5	2.4	1.5	0.06	0.13	39	0.7	2.1	1.8	0.08	0.14	C95
Myeloproliferative disorders	4	0.0	0.2	0.1	0.02	0.02	1	0.0	0.1	0.0	0.00	0.00	MPD
Myelodysplastic syndromes	17	0.2	0.9	0.5	0.02	0.06	8	0.1	0.4	0.2	0.01	0.02	MPS
Other and unspecified	119	1.4	6.6	4.2	0.25	0.48	91	1.7	5.0	2.6	0.15	0.26	O&U
All sites	8271		459.0	250.2	14.53	29.93	5423		295.6	167.5	10.81	18.39	C00–96
All sites except C44	8216	100.0	455.9	248.6	14.46	29.76	5360	100.0	292.2	165.7	10.73	18.17	C00–96 exc. C44

*See note following population pyramid

China, Jiyuan City

CONTRIBUTORS

Wang Jiming
Liu Lei
Huang Yanfang
Ma Luyao



NOTES ON THE DATA

*Low levels of specificity of leukaemias.

20 major cancers, ASR (World) per 100 000

<i>Male</i>		<i>Female</i>	
Stomach	97.1	Stomach	34.8
Trachea, bronchus, and lung	42.3	Cervix uteri	31.2
Oesophagus	35.6	Breast	27.5
Liver	29.6	Trachea, bronchus, and lung	22.3
Rectum	9.5	Oesophagus	20.8
Colon	7.2	Liver	14.4
Pancreas	6.1	Thyroid	12.0
Brain and nervous system	6.1	Rectum	7.7
Other and unspecified	5.8	Corpus uteri	7.1
Bladder	5.6	Colon	7.0
Leukaemia unspecified	4.5	Ovary	6.7
Kidney	4.3	Brain and nervous system	6.0
Gallbladder etc.	3.7	Other and unspecified	5.6
Thyroid	3.5	Pancreas	4.1
Prostate	3.3	Gallbladder etc.	4.1
Non-Hodgkin lymphoma	2.7	Leukaemia unspecified	3.0
Bone	2.5	Kidney	2.6
Larynx	1.3	Uterus unspecified	2.2
Small intestine	1.2	Bone	2.1
Non-melanoma skin cancer	1.1	Non-Hodgkin lymphoma	2.0
All sites	282.8	All sites	235.6

*China, Jiyuan City (2013–2017)


SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	
Lip	3	0.1	0.2	0.2	0.00	0.01	1	0.0	0.1	0.1	0.00	0.00	C00
Tongue	2	0.0	0.1	0.1	0.01	0.01	6	0.1	0.3	0.3	0.01	0.05	C01–02
Mouth	10	0.2	0.5	0.6	0.04	0.06	10	0.2	0.6	0.5	0.04	0.05	C03–06
Salivary glands	12	0.3	0.7	0.7	0.04	0.07	14	0.3	0.8	0.8	0.06	0.11	C07–08
Tonsil	5	0.1	0.3	0.3	0.02	0.04	0	0.0	0.0	0.0	0.00	0.00	C09
Other oropharynx	2	0.0	0.1	0.2	0.00	0.00	1	0.0	0.1	0.0	0.00	0.00	C10
Nasopharynx	18	0.4	1.0	0.9	0.07	0.09	5	0.1	0.3	0.3	0.02	0.03	C11
Hypopharynx	1	0.0	0.1	0.1	0.01	0.01	1	0.0	0.1	0.0	0.00	0.00	C12–13
Pharynx unspecified	6	0.1	0.3	0.4	0.04	0.04	4	0.1	0.2	0.2	0.01	0.03	C14
Oesophagus	572	12.2	31.4	35.6	1.72	4.07	380	9.0	22.1	20.8	1.06	2.14	C15
Stomach	1620	34.5	88.8	97.1	5.28	11.34	635	15.0	36.9	34.8	1.65	3.95	C16
Small intestine	21	0.4	1.2	1.2	0.08	0.10	16	0.4	0.9	0.9	0.06	0.11	C17
Colon	122	2.6	6.7	7.2	0.41	0.80	127	3.0	7.4	7.0	0.35	0.73	C18
Rectum	159	3.4	8.7	9.5	0.54	0.99	138	3.3	8.0	7.7	0.47	0.90	C19–20
Anus	5	0.1	0.3	0.3	0.01	0.01	4	0.1	0.2	0.2	0.01	0.02	C21
Liver	498	10.6	27.3	29.6	1.73	3.15	263	6.2	15.3	14.4	0.81	1.49	C22
Gallbladder etc.	56	1.2	3.1	3.7	0.16	0.40	76	1.8	4.4	4.1	0.18	0.41	C23–24
Pancreas	103	2.2	5.6	6.1	0.36	0.65	74	1.8	4.3	4.1	0.18	0.49	C25
Nose, sinuses etc.	6	0.1	0.3	0.3	0.02	0.05	3	0.1	0.2	0.2	0.01	0.02	C30–31
Larynx	22	0.5	1.2	1.3	0.10	0.14	3	0.1	0.2	0.2	0.02	0.02	C32
Trachea, bronchus, and lung	705	15.0	38.7	42.3	2.06	4.62	396	9.4	23.0	22.3	1.25	2.41	C33–34
Other thoracic organs	9	0.2	0.5	0.6	0.04	0.04	7	0.2	0.4	0.4	0.04	0.05	C37–38
Bone	40	0.9	2.2	2.5	0.17	0.23	36	0.9	2.1	2.1	0.16	0.25	C40–41
Melanoma of skin	5	0.1	0.3	0.3	0.02	0.04	4	0.1	0.2	0.2	0.00	0.02	C43
Other skin	20	0.4	1.1	1.1	0.03	0.13	19	0.4	1.1	1.1	0.06	0.10	C44
Mesothelioma	0	0.0	0.0	0.0	0.00	0.00	2	0.0	0.1	0.1	0.00	0.00	C45
Kaposi sarcoma	1	0.0	0.1	0.1	0.00	0.01	2	0.0	0.1	0.1	0.01	0.01	C46
Connective and soft tissue	4	0.1	0.2	0.2	0.01	0.02	4	0.1	0.2	0.3	0.02	0.02	C47+C49
Breast	3	0.1	0.2	0.2	0.01	0.02	493	11.7	28.6	27.5	2.35	3.01	C50
Vulva							8	0.2	0.5	0.5	0.02	0.06	C51
Vagina							5	0.1	0.3	0.3	0.01	0.02	C52
Cervix uteri							560	13.3	32.5	31.2	2.78	3.33	C53
Corpus uteri							123	2.9	7.1	7.1	0.60	0.84	C54
Uterus unspecified							41	1.0	2.4	2.2	0.15	0.22	C55
Ovary							123	2.9	7.1	6.7	0.55	0.75	C56
Other female genital organs							10	0.2	0.6	0.6	0.05	0.05	C57
Placenta							0	0.0	0.0	0.0	0.00	0.00	C58
Penis	7	0.1	0.4	0.4	0.03	0.06							C60
Prostate	57	1.2	3.1	3.3	0.08	0.31							C61
Testis	7	0.1	0.4	0.5	0.03	0.03							C62
Other male genital organs	3	0.1	0.2	0.2	0.01	0.01							C63
Kidney	72	1.5	3.9	4.3	0.30	0.46	45	1.1	2.6	2.6	0.17	0.31	C64
Renal pelvis	5	0.1	0.3	0.3	0.03	0.03	1	0.0	0.1	0.1	0.00	0.00	C65
Ureter	2	0.0	0.1	0.1	0.01	0.02	4	0.1	0.2	0.2	0.02	0.02	C66
Bladder	92	2.0	5.0	5.6	0.29	0.57	36	0.9	2.1	2.0	0.08	0.23	C67
Other urinary organs	2	0.0	0.1	0.1	0.01	0.01	3	0.1	0.2	0.2	0.01	0.01	C68
Eye	3	0.1	0.2	0.2	0.00	0.03	5	0.1	0.3	0.2	0.02	0.02	C69
Brain and nervous system	108	2.3	5.9	6.1	0.42	0.64	106	2.5	6.2	6.0	0.44	0.62	C70–72
Thyroid	62	1.3	3.4	3.5	0.28	0.34	220	5.2	12.8	12.0	1.03	1.25	C73
Adrenal gland	6	0.1	0.3	0.4	0.02	0.04	4	0.1	0.2	0.3	0.02	0.03	C74
Other endocrine	5	0.1	0.3	0.2	0.02	0.02	3	0.1	0.2	0.1	0.01	0.01	C75
Hodgkin lymphoma	5	0.1	0.3	0.2	0.02	0.03	4	0.1	0.2	0.2	0.02	0.03	C81
Non-Hodgkin lymphoma	45	1.0	2.5	2.7	0.17	0.27	35	0.8	2.0	2.0	0.12	0.21	C82–86,C96
Immunoproliferative diseases	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C88
Multiple myeloma	8	0.2	0.4	0.4	0.03	0.05	11	0.3	0.6	0.6	0.04	0.07	C90
Lymphoid leukaemia	14	0.3	0.8	0.7	0.04	0.09	13	0.3	0.8	0.8	0.04	0.06	C91
Myeloid leukaemia	6	0.1	0.3	0.4	0.03	0.03	6	0.1	0.3	0.4	0.02	0.05	C92–94
Leukaemia unspecified	73	1.6	4.0	4.5	0.31	0.41	50	1.2	2.9	3.0	0.23	0.30	C95
Myeloproliferative disorders	2	0.0	0.1	0.2	0.01	0.01	3	0.1	0.2	0.2	0.01	0.03	MPD
Myelodysplastic syndromes	6	0.1	0.3	0.4	0.01	0.03	1	0.0	0.1	0.1	0.00	0.00	MPS
Other and unspecified	97	2.1	5.3	5.8	0.34	0.64	101	2.4	5.9	5.6	0.40	0.62	O&U
All sites	4717		258.6	282.8	15.47	31.27	4245		246.7	235.6	15.68	25.57	C00–96
All sites except C44	4697	100.0	257.5	281.7	15.43	31.14	4226	100.0	245.5	234.6	15.63	25.47	C00–96 exc. C44

*See note following population pyramid

China, Kaihua County

CONTRIBUTORS

Chuanfu Yan
Debing Wang
Caiying Xiang



20 major cancers, ASR (World) per 100 000

Male		Female	
Trachea, bronchus, and lung	69.1	Trachea, bronchus, and lung	26.2
Liver	26.6	Breast	23.7
Stomach	26.0	Cervix uteri	19.0
Oesophagus	18.3	Thyroid	13.9
Rectum	11.5	Stomach	10.5
Prostate	9.0	Liver	8.1
Pancreas	7.5	Ovary	6.5
Colon	7.4	Corpus uteri	6.2
Bladder	6.6	Brain and nervous system	6.0
Thyroid	5.2	Colon	5.8
Brain and nervous system	5.0	Rectum	5.7
Non-Hodgkin lymphoma	4.2	Gallbladder etc.	4.9
Gallbladder etc.	4.1	Oesophagus	4.7
Kidney	3.2	Pancreas	4.3
Nasopharynx	3.1	Non-Hodgkin lymphoma	4.0
Lymphoid leukaemia	3.1	Myeloid leukaemia	2.5
Non-melanoma skin cancer	3.0	Non-melanoma skin cancer	2.3
Larynx	2.5	Kidney	1.9
Myeloid leukaemia	2.4	Lymphoid leukaemia	1.9
Other and unspecified	2.2	Bladder	1.8
All sites	237.9	All sites	176.3


China, Kaihua County (2013–2017)

SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	
Lip	0	0.0	0.0	0.0	0.00	0.00	2	0.1	0.2	0.1	0.00	0.00	C00
Tongue	5	0.2	0.5	0.4	0.03	0.05	3	0.1	0.3	0.3	0.01	0.03	C01–02
Mouth	6	0.2	0.6	0.5	0.05	0.07	4	0.2	0.5	0.4	0.02	0.04	C03–06
Salivary glands	4	0.1	0.4	0.3	0.02	0.02	8	0.4	0.9	0.8	0.04	0.04	C07–08
Tonsil	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C09
Other oropharynx	4	0.1	0.4	0.3	0.02	0.04	0	0.0	0.0	0.0	0.00	0.00	C10
Nasopharynx	39	1.3	4.2	3.1	0.25	0.33	21	1.0	2.4	1.7	0.13	0.18	C11
Hypopharynx	9	0.3	1.0	0.8	0.05	0.11	0	0.0	0.0	0.0	0.00	0.00	C12–13
Pharynx unspecified	5	0.2	0.5	0.5	0.02	0.06	1	0.0	0.1	0.1	0.00	0.00	C14
Oesophagus	213	7.4	23.0	18.3	0.86	2.27	67	3.1	7.7	4.7	0.16	0.49	C15
Stomach	325	11.2	35.1	26.0	1.17	3.09	134	6.2	15.4	10.5	0.50	1.20	C16
Small intestine	17	0.6	1.8	1.2	0.10	0.14	14	0.7	1.6	1.2	0.07	0.14	C17
Colon	91	3.1	9.8	7.4	0.45	0.81	73	3.4	8.4	5.8	0.25	0.60	C18
Rectum	148	5.1	16.0	11.5	0.75	1.37	74	3.5	8.5	5.7	0.33	0.64	C19–20
Anus	7	0.2	0.8	0.6	0.03	0.07	4	0.2	0.5	0.2	0.01	0.01	C21
Liver	344	11.9	37.2	26.6	1.66	2.98	105	4.9	12.1	8.1	0.37	0.88	C22
Gallbladder etc.	50	1.7	5.4	4.1	0.16	0.44	59	2.8	6.8	4.9	0.24	0.55	C23–24
Pancreas	91	3.1	9.8	7.5	0.32	0.86	55	2.6	6.3	4.3	0.22	0.57	C25
Nose, sinuses etc.	4	0.1	0.4	0.4	0.02	0.06	6	0.3	0.7	0.5	0.03	0.03	C30–31
Larynx	31	1.1	3.4	2.5	0.12	0.26	1	0.0	0.1	0.1	0.00	0.02	C32
Trachea, bronchus, and lung	855	29.6	92.4	69.1	3.18	8.35	322	15.0	37.1	26.2	1.45	3.08	C33–34
Other thoracic organs	9	0.3	1.0	0.8	0.06	0.10	9	0.4	1.0	0.6	0.06	0.06	C37–38
Bone	9	0.3	1.0	0.8	0.04	0.12	12	0.6	1.4	1.1	0.08	0.10	C40–41
Melanoma of skin	8	0.3	0.9	0.6	0.02	0.04	8	0.4	0.9	0.5	0.03	0.03	C43
Other skin	42	1.5	4.5	3.0	0.12	0.24	37	1.7	4.3	2.3	0.08	0.15	C44
Mesothelioma	0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.1	0.1	0.01	0.01	C45
Kaposi sarcoma	2	0.1	0.2	0.2	0.01	0.01	1	0.0	0.1	0.1	0.01	0.01	C46
Connective and soft tissue	15	0.5	1.6	1.5	0.09	0.13	7	0.3	0.8	0.5	0.05	0.07	C47+C49
Breast	2	0.1	0.2	0.1	0.01	0.02	297	13.9	34.2	23.7	1.92	2.61	C50
Vulva							5	0.2	0.6	0.4	0.02	0.04	C51
Vagina							0	0.0	0.0	0.0	0.00	0.00	C52
Cervix uteri							241	11.2	27.8	19.0	1.53	1.95	C53
Corpus uteri							82	3.8	9.5	6.2	0.58	0.70	C54
Uterus unspecified							4	0.2	0.5	0.3	0.04	0.04	C55
Ovary							80	3.7	9.2	6.5	0.49	0.70	C56
Other female genital organs							5	0.2	0.6	0.4	0.04	0.04	C57
Placenta							1	0.0	0.1	0.1	0.01	0.01	C58
Penis	14	0.5	1.5	1.1	0.06	0.16							C60
Prostate	112	3.9	12.1	9.0	0.15	0.83							C61
Testis	7	0.2	0.8	0.5	0.03	0.05							C62
Other male genital organs	0	0.0	0.0	0.0	0.00	0.00							C63
Kidney	37	1.3	4.0	3.2	0.19	0.41	24	1.1	2.8	1.9	0.12	0.28	C64
Renal pelvis	8	0.3	0.9	0.6	0.01	0.05	6	0.3	0.7	0.4	0.00	0.02	C65
Ureter	6	0.2	0.6	0.5	0.03	0.07	6	0.3	0.7	0.5	0.00	0.05	C66
Bladder	84	2.9	9.1	6.6	0.35	0.77	24	1.1	2.8	1.8	0.09	0.18	C67
Other urinary organs	1	0.0	0.1	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C68
Eye	1	0.0	0.1	0.0	0.00	0.00	1	0.0	0.1	0.1	0.01	0.01	C69
Brain and nervous system	56	1.9	6.1	5.0	0.27	0.46	62	2.9	7.1	6.0	0.38	0.66	C70–72
Thyroid	67	2.3	7.2	5.2	0.44	0.48	165	7.7	19.0	13.9	1.15	1.24	C73
Adrenal gland	4	0.1	0.4	0.4	0.03	0.03	2	0.1	0.2	0.4	0.01	0.04	C74
Other endocrine	2	0.1	0.2	0.3	0.02	0.02	0	0.0	0.0	0.0	0.00	0.00	C75
Hodgkin lymphoma	5	0.2	0.5	0.6	0.05	0.05	1	0.0	0.1	0.1	0.01	0.01	C81
Non-Hodgkin lymphoma	50	1.7	5.4	4.2	0.26	0.50	43	2.0	5.0	4.0	0.21	0.47	C82–86,C96
Immunoproliferative diseases	0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.1	0.1	0.01	0.01	C88
Multiple myeloma	24	0.8	2.6	1.9	0.10	0.26	19	0.9	2.2	1.5	0.07	0.16	C90
Lymphoid leukaemia	29	1.0	3.1	3.1	0.18	0.24	15	0.7	1.7	1.9	0.12	0.17	C91
Myeloid leukaemia	27	0.9	2.9	2.4	0.15	0.23	25	1.2	2.9	2.5	0.17	0.29	C92–94
Leukaemia unspecified	21	0.7	2.3	1.6	0.06	0.19	6	0.3	0.7	0.7	0.04	0.04	C95
Myeloproliferative disorders	4	0.1	0.4	0.3	0.04	0.04	4	0.2	0.5	0.3	0.02	0.04	MPD
Myelodysplastic syndromes	11	0.4	1.2	1.0	0.03	0.11	16	0.7	1.8	1.4	0.11	0.18	MPS
Other and unspecified	27	0.9	2.9	2.2	0.14	0.26	18	0.8	2.1	1.5	0.08	0.20	O&U
All sites	2932		316.9	237.9	12.18	27.24	2181		251.4	176.3	11.36	19.07	C00–96
All sites except C44	2890	100.0	312.3	234.9	12.06	27.00	2144	100.0	247.2	174.1	11.28	18.92	C00–96 exc. C44

China, Kunshan City

CONTRIBUTORS

Ting Zhang
Yixu Jin
Wenbin Hu
Wei Qin
LvLin Lu
Lan Tong
Jie Zhou



20 major cancers, ASR (World) per 100 000

<i>Male</i>		<i>Female</i>	
Trachea, bronchus, and lung	57.1	Thyroid	38.5
Stomach	38.8	Breast	35.8
Liver	21.6	Trachea, bronchus, and lung	29.3
Colon	14.8	Stomach	15.6
Prostate	14.7	Colon	12.8
Thyroid	11.4	Cervix uteri	11.2
Oesophagus	10.7	Liver	9.0
Rectum	10.2	Rectum	7.6
Pancreas	9.4	Ovary	6.2
Bladder	7.5	Pancreas	6.1
Kidney	5.6	Gallbladder etc.	5.2
Non-Hodgkin lymphoma	5.5	Corpus uteri	4.7
Nasopharynx	5.2	Non-Hodgkin lymphoma	4.1
Gallbladder etc.	4.3	Oesophagus	3.5
Myeloid leukaemia	3.5	Brain and nervous system	2.8
Lymphoid leukaemia	3.4	Kidney	2.6
Brain and nervous system	3.2	Nasopharynx	2.5
Other and unspecified	2.3	Myeloid leukaemia	2.4
Larynx	2.2	Other and unspecified	2.2
Non-melanoma skin cancer	2.1	Non-melanoma skin cancer	2.0
All sites	250.1	All sites	218.1


China, Kunshan City (2013–2017)

SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	
Lip	2	0.0	0.1	0.1	0.01	0.01	1	0.0	0.1	0.0	0.00	0.00	C00
Tongue	17	0.2	0.9	0.5	0.03	0.08	14	0.2	0.7	0.4	0.03	0.06	C01–02
Mouth	25	0.3	1.3	0.8	0.04	0.11	14	0.2	0.7	0.5	0.04	0.05	C03–06
Salivary glands	20	0.2	1.0	0.6	0.04	0.07	13	0.2	0.7	0.4	0.02	0.05	C07–08
Tonsil	6	0.1	0.3	0.2	0.01	0.02	1	0.0	0.1	0.0	0.00	0.00	C09
Other oropharynx	3	0.0	0.2	0.1	0.01	0.01	1	0.0	0.1	0.0	0.00	0.00	C10
Nasopharynx	151	1.8	7.7	5.2	0.39	0.59	72	1.0	3.6	2.5	0.18	0.25	C11
Hypopharynx	6	0.1	0.3	0.2	0.01	0.03	1	0.0	0.1	0.0	0.00	0.00	C12–13
Pharynx unspecified	2	0.0	0.1	0.1	0.00	0.01	0	0.0	0.0	0.0	0.00	0.00	C14
Oesophagus	384	4.5	19.7	10.7	0.48	1.27	162	2.2	8.2	3.5	0.10	0.40	C15
Stomach	1376	16.2	70.6	38.8	1.89	4.81	610	8.3	30.8	15.6	0.82	1.68	C16
Small intestine	55	0.6	2.8	1.6	0.08	0.16	33	0.4	1.7	0.9	0.05	0.10	C17
Colon	507	6.0	26.0	14.8	0.78	1.74	484	6.6	24.4	12.8	0.70	1.47	C18
Rectum	346	4.1	17.7	10.2	0.65	1.19	282	3.8	14.2	7.6	0.45	0.87	C19–20
Anus	5	0.1	0.3	0.2	0.01	0.02	4	0.1	0.2	0.1	0.00	0.01	C21
Liver	755	8.9	38.7	21.6	1.11	2.34	401	5.4	20.2	9.1	0.31	0.93	C22
Gallbladder etc.	159	1.9	8.2	4.3	0.16	0.48	215	2.9	10.8	5.2	0.22	0.65	C23–24
Pancreas	331	3.9	17.0	9.4	0.46	1.12	263	3.6	13.3	6.1	0.23	0.66	C25
Nose, sinuses etc.	7	0.1	0.4	0.2	0.01	0.02	6	0.1	0.3	0.3	0.01	0.03	C30–31
Larynx	75	0.9	3.8	2.2	0.16	0.30	2	0.0	0.1	0.1	0.01	0.01	C32
Trachea, bronchus, and lung	2062	24.3	105.7	57.1	2.53	6.86	1060	14.4	53.5	29.3	1.89	3.54	C33–34
Other thoracic organs	35	0.4	1.8	1.1	0.07	0.12	28	0.4	1.4	0.9	0.06	0.10	C37–38
Bone	38	0.4	1.9	1.3	0.07	0.12	27	0.4	1.4	0.8	0.04	0.07	C40–41
Melanoma of skin	22	0.3	1.1	0.6	0.04	0.05	24	0.3	1.2	0.7	0.04	0.07	C43
Other skin	75	0.9	3.8	2.1	0.11	0.22	83	1.1	4.2	2.0	0.08	0.22	C44
Mesothelioma	6	0.1	0.3	0.2	0.01	0.02	3	0.0	0.2	0.1	0.01	0.01	C45
Kaposi sarcoma	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C46
Connective and soft tissue	19	0.2	1.0	0.7	0.04	0.05	16	0.2	0.8	0.6	0.05	0.06	C47+C49
Breast	13	0.2	0.7	0.4	0.02	0.04	1114	15.1	56.2	35.8	3.03	3.76	C50
Vulva							8	0.1	0.4	0.2	0.00	0.02	C51
Vagina							3	0.0	0.2	0.1	0.01	0.01	C52
Cervix uteri							341	4.6	17.2	11.2	0.97	1.17	C53
Corpus uteri							149	2.0	7.5	4.7	0.39	0.55	C54
Uterus unspecified							13	0.2	0.7	0.4	0.03	0.05	C55
Ovary							197	2.7	9.9	6.2	0.45	0.70	C56
Other female genital organs							15	0.2	0.8	0.5	0.03	0.06	C57
Placenta							1	0.0	0.1	0.0	0.00	0.00	C58
Penis	23	0.3	1.2	0.6	0.02	0.07							C60
Prostate	551	6.5	28.3	14.7	0.32	1.87							C61
Testis	10	0.1	0.5	0.5	0.04	0.04							C62
Other male genital organs	10	0.1	0.5	0.3	0.01	0.05							C63
Kidney	181	2.1	9.3	5.6	0.40	0.64	91	1.2	4.6	2.6	0.18	0.32	C64
Renal pelvis	10	0.1	0.5	0.3	0.02	0.04	5	0.1	0.3	0.1	0.00	0.01	C65
Ureter	16	0.2	0.8	0.4	0.01	0.05	16	0.2	0.8	0.4	0.02	0.07	C66
Bladder	269	3.2	13.8	7.5	0.38	0.81	52	0.7	2.6	1.4	0.09	0.16	C67
Other urinary organs	5	0.1	0.3	0.1	0.00	0.02	1	0.0	0.1	0.0	0.00	0.00	C68
Eye	3	0.0	0.2	0.1	0.00	0.01	0	0.0	0.0	0.0	0.00	0.00	C69
Brain and nervous system	91	1.1	4.7	3.2	0.21	0.31	88	1.2	4.4	2.8	0.18	0.27	C70–72
Thyroid	307	3.6	15.7	11.4	0.93	1.06	1078	14.6	54.4	38.5	3.32	3.66	C73
Adrenal gland	5	0.1	0.3	0.2	0.01	0.02	8	0.1	0.4	0.2	0.02	0.03	C74
Other endocrine	0	0.0	0.0	0.0	0.00	0.00	4	0.1	0.2	0.1	0.01	0.01	C75
Hodgkin lymphoma	9	0.1	0.5	0.6	0.04	0.04	5	0.1	0.3	0.2	0.01	0.02	C81
Non-Hodgkin lymphoma	177	2.1	9.1	5.5	0.30	0.56	138	1.9	7.0	4.1	0.26	0.45	C82–86,C96
Immunoproliferative diseases	5	0.1	0.3	0.2	0.01	0.02	3	0.0	0.2	0.1	0.00	0.01	C88
Multiple myeloma	45	0.5	2.3	1.2	0.05	0.14	46	0.6	2.3	1.2	0.06	0.15	C90
Lymphoid leukaemia	68	0.8	3.5	3.4	0.18	0.28	30	0.4	1.5	1.1	0.06	0.11	C91
Myeloid leukaemia	96	1.1	4.9	3.5	0.22	0.33	73	1.0	3.7	2.4	0.17	0.26	C92–94
Leukaemia unspecified	37	0.4	1.9	1.4	0.07	0.12	21	0.3	1.1	0.8	0.05	0.07	C95
Myeloproliferative disorders	11	0.1	0.6	0.3	0.02	0.04	6	0.1	0.3	0.2	0.01	0.02	MPD
Myelodysplastic syndromes	47	0.6	2.4	1.6	0.09	0.17	34	0.5	1.7	1.0	0.08	0.10	MPS
Other and unspecified	78	0.9	4.0	2.3	0.11	0.20	82	1.1	4.1	2.2	0.11	0.20	O&U
All sites	8556		438.7	250.1	12.67	28.74	7442		375.5	218.1	14.90	23.55	C00–96
All sites except C44	8481	100.0	434.9	248.0	12.56	28.52	7359	100.0	371.3	216.1	14.82	23.33	C00–96 exc. C44

China, Langzhong City

CONTRIBUTORS

Ningjing You



20 major cancers, ASR (World) per 100 000

<i>Male</i>		<i>Female</i>	
Oesophagus	85.9	Oesophagus	47.0
Trachea, bronchus, and lung	46.3	Trachea, bronchus, and lung	20.5
Stomach	42.5	Stomach	15.1
Liver	22.4	Breast	13.1
Rectum	13.1	Cervix uteri	12.2
Bladder	4.8	Rectum	8.9
Pancreas	4.5	Liver	8.7
Prostate	4.4	Colon	4.1
Brain and nervous system	3.9	Brain and nervous system	3.6
Non-Hodgkin lymphoma	3.5	Ovary	3.3
Colon	3.4	Corpus uteri	3.0
Other and unspecified	2.9	Pancreas	2.7
Nasopharynx	2.3	Non-Hodgkin lymphoma	2.4
Gallbladder etc.	2.2	Other and unspecified	2.3
Leukaemia unspecified	1.6	Leukaemia unspecified	2.0
Bone	1.4	Gallbladder etc.	1.9
Larynx	1.4	Thyroid	1.7
Mouth	1.2	Bone	1.4
Kidney	1.2	Bladder	1.4
Myeloid leukaemia	1.2	Uterus unspecified	1.3
All sites	259.9	All sites	169.3


China, Langzhong City (2015–2017)

SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	
Lip	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C00
Tongue	12	0.2	0.9	0.6	0.04	0.05	5	0.2	0.4	0.3	0.01	0.03	C01–02
Mouth	24	0.5	1.8	1.2	0.07	0.15	14	0.4	1.1	0.8	0.03	0.07	C03–06
Salivary glands	4	0.1	0.3	0.2	0.00	0.02	6	0.2	0.5	0.3	0.02	0.04	C07–08
Tonsil	2	0.0	0.2	0.1	0.00	0.01	0	0.0	0.0	0.0	0.00	0.00	C09
Other oropharynx	6	0.1	0.5	0.3	0.01	0.06	0	0.0	0.0	0.0	0.00	0.00	C10
Nasopharynx	44	0.9	3.4	2.3	0.15	0.29	22	0.7	1.8	1.2	0.10	0.12	C11
Hypopharynx	8	0.2	0.6	0.4	0.02	0.06	0	0.0	0.0	0.0	0.00	0.00	C12–13
Pharynx unspecified	4	0.1	0.3	0.2	0.01	0.02	1	0.0	0.1	0.1	0.00	0.00	C14
Oesophagus	1684	33.1	128.4	85.9	3.87	11.47	890	28.2	71.0	47.0	1.85	5.73	C15
Stomach	841	16.5	64.1	42.5	1.82	5.26	284	9.0	22.6	15.1	0.50	1.78	C16
Small intestine	14	0.3	1.1	0.7	0.03	0.08	5	0.2	0.4	0.2	0.01	0.04	C17
Colon	69	1.4	5.3	3.4	0.17	0.37	79	2.5	6.3	4.1	0.26	0.45	C18
Rectum	254	5.0	19.4	13.1	0.55	1.60	168	5.3	13.4	8.9	0.39	1.03	C19–20
Anus	1	0.0	0.1	0.1	0.00	0.01	2	0.1	0.2	0.1	0.00	0.00	C21
Liver	447	8.8	34.1	22.4	1.25	2.71	167	5.3	13.3	8.7	0.36	1.03	C22
Gallbladder etc.	45	0.9	3.4	2.2	0.10	0.25	36	1.1	2.9	1.9	0.08	0.19	C23–24
Pancreas	86	1.7	6.6	4.5	0.17	0.49	50	1.6	4.0	2.7	0.13	0.28	C25
Nose, sinuses etc.	5	0.1	0.4	0.3	0.02	0.03	11	0.3	0.9	0.6	0.01	0.05	C30–31
Larynx	28	0.6	2.1	1.4	0.09	0.20	4	0.1	0.3	0.2	0.01	0.01	C32
Trachea, bronchus, and lung	904	17.8	68.9	46.3	2.19	5.78	383	12.1	30.5	20.5	0.90	2.42	C33–34
Other thoracic organs	14	0.3	1.1	0.8	0.05	0.07	8	0.3	0.6	0.4	0.02	0.04	C37–38
Bone	27	0.5	2.1	1.4	0.06	0.15	25	0.8	2.0	1.4	0.05	0.16	C40–41
Melanoma of skin	5	0.1	0.4	0.2	0.01	0.02	5	0.2	0.4	0.3	0.02	0.03	C43
Other skin	13	0.3	1.0	0.6	0.02	0.07	13	0.4	1.0	0.8	0.03	0.05	C44
Mesothelioma	0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.1	0.0	0.00	0.00	C45
Kaposi sarcoma	1	0.0	0.1	0.1	0.01	0.01	1	0.0	0.1	0.2	0.01	0.01	C46
Connective and soft tissue	7	0.1	0.5	0.3	0.03	0.04	12	0.4	1.0	0.6	0.02	0.06	C47+C49
Breast	0	0.0	0.0	0.0	0.00	0.00	254	8.1	20.3	13.1	1.03	1.35	C50
Vulva							9	0.3	0.7	0.4	0.02	0.03	C51
Vagina							9	0.3	0.7	0.5	0.03	0.04	C52
Cervix uteri							232	7.4	18.5	12.2	0.88	1.42	C53
Corpus uteri							56	1.8	4.5	3.0	0.23	0.35	C54
Uterus unspecified							22	0.7	1.8	1.3	0.08	0.15	C55
Ovary							58	1.8	4.6	3.3	0.25	0.38	C56
Other female genital organs							6	0.2	0.5	0.3	0.03	0.03	C57
Placenta							2	0.1	0.2	0.1	0.01	0.01	C58
Penis	17	0.3	1.3	0.9	0.06	0.08							C60
Prostate	87	1.7	6.6	4.4	0.03	0.39							C61
Testis	4	0.1	0.3	0.2	0.01	0.02							C62
Other male genital organs	0	0.0	0.0	0.0	0.00	0.00							C63
Kidney	25	0.5	1.9	1.2	0.04	0.17	16	0.5	1.3	0.9	0.06	0.09	C64
Renal pelvis	3	0.1	0.2	0.2	0.01	0.02	7	0.2	0.6	0.3	0.01	0.03	C65
Ureter	4	0.1	0.3	0.2	0.01	0.04	10	0.3	0.8	0.5	0.00	0.06	C66
Bladder	95	1.9	7.2	4.8	0.17	0.47	25	0.8	2.0	1.4	0.04	0.18	C67
Other urinary organs	1	0.0	0.1	0.0	0.00	0.00	1	0.0	0.1	0.0	0.00	0.00	C68
Eye	1	0.0	0.1	0.0	0.00	0.00	2	0.1	0.2	0.1	0.01	0.01	C69
Brain and nervous system	74	1.5	5.6	3.9	0.22	0.44	63	2.0	5.0	3.6	0.20	0.41	C70–72
Thyroid	11	0.2	0.8	0.6	0.03	0.04	33	1.0	2.6	1.7	0.12	0.19	C73
Adrenal gland	3	0.1	0.2	0.2	0.02	0.02	7	0.2	0.6	0.5	0.04	0.04	C74
Other endocrine	5	0.1	0.4	0.3	0.02	0.03	4	0.1	0.3	0.2	0.02	0.02	C75
Hodgkin lymphoma	2	0.0	0.2	0.1	0.00	0.03	0	0.0	0.0	0.0	0.00	0.00	C81
Non-Hodgkin lymphoma	65	1.3	5.0	3.5	0.18	0.42	40	1.3	3.2	2.4	0.12	0.27	C82–86,C96
Immunoproliferative diseases	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C88
Multiple myeloma	23	0.5	1.8	1.2	0.06	0.15	12	0.4	1.0	0.6	0.03	0.10	C90
Lymphoid leukaemia	13	0.3	1.0	0.7	0.04	0.08	13	0.4	1.0	0.8	0.03	0.09	C91
Myeloid leukaemia	23	0.5	1.8	1.2	0.06	0.15	17	0.5	1.4	0.9	0.05	0.10	C92–94
Leukaemia unspecified	31	0.6	2.4	1.6	0.10	0.19	28	0.9	2.2	2.0	0.10	0.18	C95
Myeloproliferative disorders	1	0.0	0.1	0.1	0.00	0.00	1	0.0	0.1	0.0	0.00	0.00	MPD
Myelodysplastic syndromes	4	0.1	0.3	0.2	0.01	0.03	5	0.2	0.4	0.3	0.01	0.05	MPS
Other and unspecified	56	1.1	4.3	2.9	0.14	0.35	43	1.4	3.4	2.3	0.09	0.24	O&U
All sites	5097		388.7	259.9	11.96	32.37	3167		252.6	169.3	8.32	19.44	C00–96
All sites except C44	5084	100.0	387.7	259.3	11.94	32.31	3154	100.0	251.5	168.6	8.29	19.39	C00–96 exc. C44

China, Liangshan County

CONTRIBUTORS

Shudan Xie
Changhong Feng
Suya Liu
Chunxiu Wang
Yuting Jiang



NOTES ON THE DATA

*No questionnaire.

†C67 (bladder cancer) includes neoplasms of uncertain or unknown behaviour together with invasive cancers.

20 major cancers, ASR (World) per 100 000

<i>Male</i>		<i>Female</i>	
Trachea, bronchus, and lung	64.7	Breast	40.3
Liver	28.9	Trachea, bronchus, and lung	28.8
Oesophagus	26.7	Thyroid	16.7
Stomach	20.5	Cervix uteri	10.0
Rectum	9.8	Oesophagus	9.4
Brain and nervous system	5.5	Liver	8.9
Colon	4.7	Stomach	8.3
Bladder	4.4	Ovary	7.4
Leukaemia unspecified	4.0	Rectum	6.6
Thyroid	4.0	Brain and nervous system	5.8
Pancreas	3.9	Corpus uteri	5.5
Prostate	2.8	Colon	3.4
Non-Hodgkin lymphoma	2.7	Leukaemia unspecified	3.0
Kidney	2.5	Myeloid leukaemia	2.6
Myeloid leukaemia	2.3	Non-Hodgkin lymphoma	2.4
Gallbladder etc.	1.8	Pancreas	2.1
Bone	1.7	Kidney	1.4
Lymphoid leukaemia	1.5	Gallbladder etc.	1.2
Larynx	1.5	Other and unspecified	1.1
Hypopharynx	1.3	Bladder	0.9
All sites	205.4	All sites	175.0

*China, Liangshan County (2013–2017)


SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	
Lip	5	0.1	0.2	0.2	0.01	0.02	1	0.0	0.1	0.0	0.00	0.00	C00
Tongue	24	0.4	1.1	0.8	0.04	0.10	16	0.3	0.8	0.5	0.04	0.06	C01–02
Mouth	15	0.2	0.7	0.5	0.03	0.07	7	0.1	0.4	0.2	0.02	0.03	C03–06
Salivary glands	10	0.2	0.5	0.4	0.03	0.05	3	0.1	0.2	0.1	0.01	0.01	C07–08
Tonsil	6	0.1	0.3	0.2	0.01	0.02	1	0.0	0.1	0.0	0.00	0.01	C09
Other oropharynx	7	0.1	0.3	0.3	0.02	0.04	0	0.0	0.0	0.0	0.00	0.00	C10
Nasopharynx	16	0.3	0.7	0.6	0.05	0.05	11	0.2	0.6	0.4	0.02	0.05	C11
Hypopharynx	37	0.6	1.7	1.3	0.06	0.17	6	0.1	0.3	0.2	0.01	0.02	C12–13
Pharynx unspecified	5	0.1	0.2	0.2	0.00	0.02	1	0.0	0.1	0.0	0.00	0.00	C14
Oesophagus	859	13.8	40.1	26.7	1.06	3.28	322	6.3	16.4	9.4	0.37	1.16	C15
Stomach	647	10.4	30.2	20.5	0.89	2.62	271	5.3	13.8	8.3	0.43	0.91	C16
Small intestine	16	0.3	0.7	0.5	0.03	0.06	15	0.3	0.8	0.5	0.02	0.06	C17
Colon	140	2.3	6.5	4.7	0.29	0.57	99	1.9	5.0	3.4	0.21	0.41	C18
Rectum	309	5.0	14.4	9.8	0.51	1.16	214	4.2	10.9	6.6	0.38	0.80	C19–20
Anus	5	0.1	0.2	0.2	0.01	0.02	6	0.1	0.3	0.2	0.01	0.04	C21
Liver	847	13.6	39.5	28.9	1.99	3.38	288	5.6	14.7	8.9	0.48	1.07	C22
Gallbladder etc.	56	0.9	2.6	1.8	0.11	0.25	43	0.8	2.2	1.2	0.06	0.13	C23–24
Pancreas	118	1.9	5.5	3.9	0.22	0.49	69	1.3	3.5	2.1	0.08	0.28	C25
Nose, sinuses etc.	8	0.1	0.4	0.2	0.01	0.02	0	0.0	0.0	0.0	0.00	0.00	C30–31
Larynx	44	0.7	2.1	1.5	0.07	0.20	3	0.1	0.2	0.1	0.00	0.02	C32
Trachea, bronchus, and lung	2003	32.3	93.5	64.7	3.55	7.98	947	18.4	48.3	28.8	1.61	3.40	C33–34
Other thoracic organs	13	0.2	0.6	0.4	0.02	0.04	11	0.2	0.6	0.3	0.01	0.04	C37–38
Bone	44	0.7	2.1	1.7	0.10	0.16	18	0.4	0.9	0.7	0.04	0.08	C40–41
Melanoma of skin	1	0.0	0.0	0.0	0.00	0.00	4	0.1	0.2	0.2	0.01	0.02	C43
Other skin	23	0.4	1.1	0.8	0.05	0.08	25	0.5	1.3	0.7	0.03	0.07	C44
Mesothelioma	1	0.0	0.0	0.0	0.00	0.00	10	0.2	0.5	0.3	0.03	0.04	C45
Kaposi sarcoma	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C46
Connective and soft tissue	8	0.1	0.4	0.3	0.01	0.04	6	0.1	0.3	0.3	0.02	0.03	C47+C49
Breast	3	0.0	0.1	0.1	0.01	0.01	1127	21.9	57.5	40.3	3.31	4.18	C50
Vulva							5	0.1	0.3	0.1	0.00	0.02	C51
Vagina							2	0.0	0.1	0.2	0.00	0.01	C52
Cervix uteri							275	5.4	14.0	10.0	0.88	1.10	C53
Corpus uteri							162	3.2	8.3	5.5	0.46	0.62	C54
Uterus unspecified							10	0.2	0.5	0.3	0.02	0.02	C55
Ovary							194	3.8	9.9	7.4	0.59	0.76	C56
Other female genital organs							16	0.3	0.8	0.5	0.04	0.06	C57
Placenta							3	0.1	0.2	0.2	0.01	0.01	C58
Penis	13	0.2	0.6	0.4	0.02	0.05							C60
Prostate	95	1.5	4.4	2.8	0.06	0.29							C61
Testis	5	0.1	0.2	0.2	0.01	0.01							C62
Other male genital organs	2	0.0	0.1	0.1	0.00	0.01							C63
Kidney	75	1.2	3.5	2.5	0.15	0.32	42	0.8	2.1	1.4	0.09	0.17	C64
Renal pelvis	5	0.1	0.2	0.2	0.01	0.02	3	0.1	0.2	0.1	0.00	0.01	C65
Ureter	7	0.1	0.3	0.2	0.01	0.02	7	0.1	0.4	0.3	0.02	0.05	C66
†Bladder	141	2.3	6.6	4.4	0.21	0.51	31	0.6	1.6	0.9	0.03	0.11	C67
Other urinary organs	4	0.1	0.2	0.1	0.00	0.01	0	0.0	0.0	0.0	0.00	0.00	C68
Eye	2	0.0	0.1	0.1	0.00	0.00	3	0.1	0.2	0.3	0.01	0.02	C69
Brain and nervous system	151	2.4	7.0	5.5	0.37	0.55	159	3.1	8.1	5.8	0.39	0.60	C70–72
Thyroid	106	1.7	4.9	4.0	0.30	0.43	434	8.4	22.1	16.7	1.40	1.62	C73
Adrenal gland	9	0.1	0.4	0.3	0.02	0.03	1	0.0	0.1	0.0	0.00	0.00	C74
Other endocrine	6	0.1	0.3	0.2	0.02	0.03	3	0.1	0.2	0.1	0.01	0.01	C75
Hodgkin lymphoma	6	0.1	0.3	0.3	0.02	0.02	5	0.1	0.3	0.3	0.02	0.02	C81
Non-Hodgkin lymphoma	75	1.2	3.5	2.7	0.17	0.30	67	1.3	3.4	2.4	0.16	0.31	C82–86,C96
Immunoproliferative diseases	1	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C88
Multiple myeloma	32	0.5	1.5	1.2	0.07	0.14	26	0.5	1.3	0.9	0.05	0.11	C90
Lymphoid leukaemia	33	0.5	1.5	1.5	0.07	0.11	20	0.4	1.0	0.8	0.05	0.07	C91
Myeloid leukaemia	59	1.0	2.8	2.3	0.16	0.26	65	1.3	3.3	2.6	0.18	0.25	C92–94
Leukaemia unspecified	93	1.5	4.3	4.0	0.24	0.31	70	1.4	3.6	3.0	0.18	0.31	C95
Myeloproliferative disorders	3	0.0	0.1	0.1	0.01	0.01	5	0.1	0.3	0.2	0.01	0.02	MPD
Myelodysplastic syndromes	3	0.0	0.1	0.1	0.01	0.01	1	0.0	0.1	0.0	0.00	0.00	MPS
Other and unspecified	34	0.5	1.6	1.1	0.05	0.13	32	0.6	1.6	1.1	0.06	0.10	O&U
All sites	6230		290.7	205.4	11.18	24.49	5165		263.4	175.0	11.88	19.33	C00–96
All sites except C44	6207	100.0	289.6	204.6	11.13	24.40	5140	100.0	262.1	174.3	11.85	19.26	C00–96 exc. C44

*†See note following population pyramid

China, Lianshui County

CONTRIBUTORS

Zhizhou Song
YunHua Fei
Yuqing Bao
Jiyin Pu



NOTES ON THE DATA

*Low levels of specificity of leukaemias.

20 major cancers, ASR (World) per 100 000

<i>Male</i>		<i>Female</i>	
Oesophagus	55.7	Oesophagus	31.9
Trachea, bronchus, and lung	39.6	Breast	16.1
Stomach	26.0	Trachea, bronchus, and lung	15.2
Liver	20.8	Stomach	10.6
Rectum	6.6	Cervix uteri	8.9
Brain and nervous system	4.2	Liver	8.6
Bladder	3.8	Rectum	3.9
Colon	3.1	Brain and nervous system	3.7
Pancreas	3.1	Thyroid	3.1
Leukaemia unspecified	2.6	Ovary	3.1
Prostate	2.2	Pancreas	2.6
Non-Hodgkin lymphoma	1.8	Colon	2.5
Gallbladder etc.	1.8	Corpus uteri	2.4
Bone	1.6	Gallbladder etc.	1.6
Nasopharynx	1.4	Other and unspecified	1.6
Other and unspecified	1.2	Leukaemia unspecified	1.4
Kidney	1.2	Non-Hodgkin lymphoma	1.4
Larynx	1.2	Bladder	1.3
Lymphoid leukaemia	1.0	Bone	1.2
Non-melanoma skin cancer	0.8	Uterus unspecified	1.0
All sites	188.6	All sites	130.7

*China, Lianshui County (2013–2017)


SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	
Lip	5	0.1	0.2	0.1	0.01	0.01	3	0.1	0.1	0.1	0.00	0.01	C00
Tongue	12	0.1	0.4	0.3	0.02	0.03	20	0.4	0.7	0.5	0.04	0.07	C01–02
Mouth	34	0.4	1.1	0.8	0.04	0.11	31	0.6	1.1	0.7	0.05	0.08	C03–06
Salivary glands	13	0.2	0.4	0.3	0.02	0.04	7	0.1	0.3	0.1	0.00	0.02	C07–08
Tonsil	6	0.1	0.2	0.2	0.01	0.02	1	0.0	0.0	0.0	0.00	0.00	C09
Other oropharynx	4	0.0	0.1	0.1	0.01	0.01	2	0.0	0.1	0.0	0.00	0.00	C10
Nasopharynx	54	0.7	1.8	1.4	0.11	0.16	24	0.4	0.9	0.6	0.04	0.07	C11
Hypopharynx	8	0.1	0.3	0.2	0.01	0.03	3	0.1	0.1	0.1	0.00	0.00	C12–13
Pharynx unspecified	21	0.3	0.7	0.5	0.02	0.07	4	0.1	0.1	0.1	0.01	0.01	C14
Oesophagus	2474	30.3	82.9	55.7	2.77	7.55	1519	27.2	55.4	31.9	1.32	4.20	C15
Stomach	1164	14.2	39.0	26.0	1.14	3.40	489	8.8	17.8	10.6	0.47	1.33	C16
Small intestine	17	0.2	0.6	0.4	0.03	0.05	24	0.4	0.9	0.5	0.04	0.07	C17
Colon	135	1.7	4.5	3.1	0.20	0.37	111	2.0	4.0	2.5	0.12	0.32	C18
Rectum	297	3.6	10.0	6.6	0.39	0.82	177	3.2	6.5	3.9	0.27	0.42	C19–20
Anus	3	0.0	0.1	0.1	0.00	0.01	5	0.1	0.2	0.1	0.01	0.02	C21
Liver	876	10.7	29.4	20.8	1.53	2.38	375	6.7	13.7	8.6	0.54	0.99	C22
Gallbladder etc.	82	1.0	2.7	1.8	0.11	0.21	79	1.4	2.9	1.6	0.08	0.18	C23–24
Pancreas	135	1.7	4.5	3.1	0.13	0.43	116	2.1	4.2	2.6	0.12	0.32	C25
Nose, sinuses etc.	16	0.2	0.5	0.4	0.03	0.05	4	0.1	0.1	0.1	0.01	0.01	C30–31
Larynx	52	0.6	1.7	1.2	0.08	0.15	0	0.0	0.0	0.0	0.00	0.00	C32
Trachea, bronchus, and lung	1746	21.4	58.5	39.6	2.02	5.26	689	12.3	25.1	15.2	0.84	1.91	C33–34
Other thoracic organs	31	0.4	1.0	0.8	0.07	0.09	12	0.2	0.4	0.3	0.02	0.03	C37–38
Bone	64	0.8	2.1	1.6	0.09	0.17	47	0.8	1.7	1.2	0.06	0.15	C40–41
Melanoma of skin	11	0.1	0.4	0.3	0.01	0.04	8	0.1	0.3	0.2	0.01	0.02	C43
Other skin	37	0.5	1.2	0.8	0.03	0.10	41	0.7	1.5	0.9	0.05	0.10	C44
Mesothelioma	0	0.0	0.0	0.0	0.00	0.00	3	0.1	0.1	0.1	0.00	0.01	C45
Kaposi sarcoma	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C46
Connective and soft tissue	7	0.1	0.2	0.2	0.01	0.02	9	0.2	0.3	0.2	0.01	0.01	C47+C49
Breast	12	0.1	0.4	0.3	0.02	0.04	610	10.9	22.2	16.1	1.38	1.70	C50
Vulva							7	0.1	0.3	0.2	0.01	0.02	C51
Vagina							4	0.1	0.1	0.1	0.01	0.01	C52
Cervix uteri							345	6.2	12.6	8.9	0.74	0.93	C53
Corpus uteri							92	1.6	3.4	2.4	0.21	0.26	C54
Uterus unspecified							39	0.7	1.4	1.0	0.09	0.11	C55
Ovary							120	2.1	4.4	3.1	0.22	0.32	C56
Other female genital organs							5	0.1	0.2	0.1	0.01	0.01	C57
Placenta							1	0.0	0.0	0.0	0.00	0.00	C58
Penis	15	0.2	0.5	0.3	0.02	0.04							C60
Prostate	108	1.3	3.6	2.2	0.04	0.24							C61
Testis	11	0.1	0.4	0.4	0.02	0.03							C62
Other male genital organs	1	0.0	0.0	0.1	0.00	0.00							C63
Kidney	48	0.6	1.6	1.2	0.09	0.11	27	0.5	1.0	0.7	0.05	0.09	C64
Renal pelvis	6	0.1	0.2	0.1	0.01	0.02	6	0.1	0.2	0.1	0.01	0.02	C65
Ureter	8	0.1	0.3	0.2	0.01	0.03	1	0.0	0.0	0.0	0.00	0.00	C66
Bladder	175	2.1	5.9	3.8	0.18	0.44	57	1.0	2.1	1.3	0.04	0.16	C67
Other urinary organs	5	0.1	0.2	0.1	0.00	0.02	1	0.0	0.0	0.0	0.00	0.00	C68
Eye	4	0.0	0.1	0.1	0.01	0.01	3	0.1	0.1	0.1	0.01	0.01	C69
Brain and nervous system	165	2.0	5.5	4.2	0.30	0.45	145	2.6	5.3	3.7	0.27	0.42	C70–72
Thyroid	21	0.3	0.7	0.5	0.04	0.06	106	1.9	3.9	3.1	0.26	0.29	C73
Adrenal gland	9	0.1	0.3	0.2	0.01	0.03	8	0.1	0.3	0.3	0.02	0.02	C74
Other endocrine	2	0.0	0.1	0.0	0.00	0.01	6	0.1	0.2	0.2	0.01	0.02	C75
Hodgkin lymphoma	5	0.1	0.2	0.1	0.01	0.01	0	0.0	0.0	0.0	0.00	0.00	C81
Non-Hodgkin lymphoma	73	0.9	2.4	1.8	0.09	0.22	55	1.0	2.0	1.4	0.09	0.13	C82–86,C96
Immunoproliferative diseases	1	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C88
Multiple myeloma	28	0.3	0.9	0.6	0.02	0.06	16	0.3	0.6	0.4	0.03	0.05	C90
Lymphoid leukaemia	33	0.4	1.1	1.0	0.06	0.09	24	0.4	0.9	0.8	0.04	0.06	C91
Myeloid leukaemia	25	0.3	0.8	0.6	0.05	0.07	21	0.4	0.8	0.8	0.05	0.06	C92–94
Leukaemia unspecified	88	1.1	2.9	2.6	0.15	0.25	48	0.9	1.8	1.4	0.09	0.14	C95
Myeloproliferative disorders	3	0.0	0.1	0.1	0.00	0.01	2	0.0	0.1	0.0	0.00	0.01	MPD
Myelodysplastic syndromes	10	0.1	0.3	0.3	0.01	0.03	3	0.1	0.1	0.1	0.00	0.01	MPS
Other and unspecified	52	0.6	1.7	1.2	0.08	0.14	69	1.2	2.5	1.6	0.09	0.20	O&U
All sites	8212		275.2	188.6	10.15	23.97	5624		205.1	130.7	7.86	15.43	C00–96
All sites except C44	8175	100.0	273.9	187.7	10.12	23.87	5583	100.0	203.6	129.8	7.81	15.33	C00–96 exc. C44

*See note following population pyramid

China, Lianyungang City

CONTRIBUTORS

Jianmei Dong
Chundao Zhang
Weiwei Li
Zhaojun Ma
Xucheng Qin
LiLi Chai
Xinxin Deng
Yanyan Li
Anbo Wu
Min Liu



20 major cancers, ASR (World) per 100 000

<i>Male</i>		<i>Female</i>	
Trachea, bronchus, and lung	43.1	Breast	32.5
Liver	22.9	Trachea, bronchus, and lung	21.1
Stomach	19.3	Thyroid	11.4
Oesophagus	14.2	Cervix uteri	10.4
Colon	9.1	Stomach	8.0
Rectum	9.0	Colon	6.5
Bladder	6.5	Liver	6.5
Pancreas	6.3	Corpus uteri	4.9
Prostate	5.9	Rectum	4.7
Thyroid	4.5	Oesophagus	4.6
Non-Hodgkin lymphoma	3.9	Ovary	4.3
Brain and nervous system	3.3	Pancreas	2.9
Kidney	3.1	Brain and nervous system	2.7
Myeloid leukaemia	2.6	Myeloid leukaemia	2.5
Gallbladder etc.	2.1	Kidney	1.9
Larynx	1.8	Non-Hodgkin lymphoma	1.7
Other and unspecified	1.8	Gallbladder etc.	1.7
Non-melanoma skin cancer	1.6	Other and unspecified	1.6
Nasopharynx	1.5	Lymphoid leukaemia	1.4
Lymphoid leukaemia	1.5	Bladder	1.3
All sites	177.8	All sites	142.2


China, Lianyungang City (2013–2017)

SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	
Lip	5	0.1	0.2	0.1	0.01	0.01	4	0.1	0.2	0.1	0.00	0.00	C00
Tongue	17	0.2	0.7	0.4	0.03	0.05	8	0.1	0.3	0.2	0.01	0.03	C01–02
Mouth	31	0.4	1.2	0.8	0.05	0.10	13	0.2	0.5	0.3	0.02	0.04	C03–06
Salivary glands	16	0.2	0.6	0.4	0.02	0.06	16	0.3	0.6	0.5	0.03	0.05	C07–08
Tonsil	5	0.1	0.2	0.1	0.01	0.01	2	0.0	0.1	0.1	0.00	0.01	C09
Other oropharynx	7	0.1	0.3	0.2	0.02	0.03	0	0.0	0.0	0.0	0.00	0.00	C10
Nasopharynx	58	0.8	2.3	1.5	0.13	0.18	23	0.4	0.9	0.7	0.04	0.07	C11
Hypopharynx	16	0.2	0.6	0.4	0.04	0.05	1	0.0	0.0	0.0	0.00	0.00	C12–13
Pharynx unspecified	8	0.1	0.3	0.2	0.01	0.01	2	0.0	0.1	0.1	0.00	0.01	C14
Oesophagus	584	8.5	22.7	14.2	0.64	1.76	222	4.0	8.9	4.6	0.14	0.52	C15
Stomach	772	11.2	30.0	19.3	1.07	2.33	343	6.2	13.7	8.0	0.43	0.91	C16
Small intestine	41	0.6	1.6	1.0	0.07	0.11	18	0.3	0.7	0.5	0.02	0.07	C17
Colon	359	5.2	13.9	9.1	0.49	1.11	269	4.9	10.8	6.5	0.38	0.79	C18
Rectum	353	5.1	13.7	9.0	0.52	1.10	197	3.6	7.9	4.7	0.30	0.54	C19–20
Anus	6	0.1	0.2	0.1	0.00	0.01	1	0.0	0.0	0.0	0.00	0.00	C21
Liver	875	12.7	34.0	22.9	1.69	2.64	272	4.9	10.9	6.5	0.35	0.72	C22
Gallbladder etc.	88	1.3	3.4	2.1	0.09	0.22	78	1.4	3.1	1.7	0.07	0.19	C23–24
Pancreas	254	3.7	9.9	6.3	0.33	0.76	130	2.4	5.2	2.9	0.14	0.34	C25
Nose, sinuses etc.	10	0.1	0.4	0.2	0.01	0.03	5	0.1	0.2	0.1	0.01	0.02	C30–31
Larynx	72	1.0	2.8	1.8	0.11	0.22	6	0.1	0.2	0.1	0.00	0.01	C32
Trachea, bronchus, and lung	1733	25.1	67.3	43.1	2.10	5.23	921	16.7	36.8	21.1	1.05	2.51	C33–34
Other thoracic organs	23	0.3	0.9	0.8	0.05	0.08	6	0.1	0.2	0.1	0.01	0.02	C37–38
Bone	41	0.6	1.6	1.2	0.07	0.12	21	0.4	0.8	0.6	0.04	0.06	C40–41
Melanoma of skin	15	0.2	0.6	0.3	0.02	0.03	8	0.1	0.3	0.2	0.02	0.02	C43
Other skin	66	1.0	2.6	1.6	0.07	0.17	34	0.6	1.4	0.7	0.02	0.07	C44
Mesothelioma	2	0.0	0.1	0.1	0.00	0.00	3	0.1	0.1	0.1	0.01	0.01	C45
Kaposi sarcoma	3	0.0	0.1	0.1	0.01	0.01	1	0.0	0.0	0.0	0.00	0.00	C46
Connective and soft tissue	31	0.4	1.2	1.0	0.06	0.10	25	0.5	1.0	0.8	0.06	0.07	C47+C49
Breast	13	0.2	0.5	0.3	0.02	0.03	1184	21.4	47.4	32.5	2.79	3.44	C50
Vulva							6	0.1	0.2	0.2	0.01	0.01	C51
Vagina							8	0.1	0.3	0.2	0.02	0.02	C52
Cervix uteri							377	6.8	15.1	10.4	0.88	1.10	C53
Corpus uteri							181	3.3	7.2	4.9	0.43	0.57	C54
Uterus unspecified							26	0.5	1.0	0.6	0.04	0.05	C55
Ovary							155	2.8	6.2	4.3	0.34	0.45	C56
Other female genital organs							7	0.1	0.3	0.2	0.02	0.02	C57
Placenta							3	0.1	0.1	0.1	0.01	0.01	C58
Penis		0.2	0.5	0.3	0.01	0.03							C60
Prostate	263	3.8	10.2	5.9	0.12	0.59							C61
Testis	14	0.2	0.5	0.5	0.03	0.04							C62
Other male genital organs	2	0.0	0.1	0.0	0.00	0.01							C63
Kidney	117	1.7	4.5	3.1	0.18	0.43	68	1.2	2.7	1.9	0.11	0.23	C64
Renal pelvis	14	0.2	0.5	0.3	0.01	0.04	7	0.1	0.3	0.2	0.01	0.02	C65
Ureter	13	0.2	0.5	0.3	0.02	0.03	12	0.2	0.5	0.3	0.01	0.03	C66
Bladder	264	3.8	10.3	6.5	0.29	0.82	59	1.1	2.4	1.3	0.07	0.13	C67
Other urinary organs	4	0.1	0.2	0.1	0.01	0.02	3	0.1	0.1	0.1	0.00	0.01	C68
Eye	3	0.0	0.1	0.1	0.00	0.01	3	0.1	0.1	0.1	0.01	0.01	C69
Brain and nervous system	112	1.6	4.3	3.3	0.19	0.34	96	1.7	3.8	2.7	0.18	0.27	C70–72
Thyroid	148	2.1	5.7	4.5	0.35	0.44	389	7.0	15.6	11.4	0.98	1.07	C73
Adrenal gland	4	0.1	0.2	0.1	0.01	0.01	4	0.1	0.2	0.1	0.01	0.01	C74
Other endocrine	10	0.1	0.4	0.3	0.01	0.03	6	0.1	0.2	0.2	0.01	0.01	C75
Hodgkin lymphoma	4	0.1	0.2	0.1	0.01	0.01	1	0.0	0.0	0.0	0.00	0.00	C81
Non-Hodgkin lymphoma	143	2.1	5.6	3.9	0.25	0.38	70	1.3	2.8	1.7	0.10	0.17	C82–86,C96
Immunoproliferative diseases	2	0.0	0.1	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C88
Multiple myeloma	58	0.8	2.3	1.5	0.08	0.21	24	0.4	1.0	0.6	0.04	0.08	C90
Lymphoid leukaemia	41	0.6	1.6	1.5	0.08	0.12	38	0.7	1.5	1.4	0.08	0.13	C91
Myeloid leukaemia	90	1.3	3.5	2.6	0.15	0.25	76	1.4	3.0	2.5	0.17	0.23	C92–94
Leukaemia unspecified	27	0.4	1.0	0.7	0.04	0.06	36	0.7	1.4	0.9	0.06	0.08	C95
Myeloproliferative disorders	15	0.2	0.6	0.4	0.03	0.05	13	0.2	0.5	0.3	0.01	0.06	MPD
Myelodysplastic syndromes	36	0.5	1.4	0.9	0.03	0.10	12	0.2	0.5	0.3	0.01	0.04	MPS
Other and unspecified	71	1.0	2.8	1.8	0.09	0.18	68	1.2	2.7	1.6	0.09	0.17	O&U
All sites	6971		270.7	177.8	9.70	20.75	5561		222.5	142.2	9.67	15.50	C00–96
All sites except C44	6905	100.0	268.2	176.2	9.63	20.58	5527	100.0	221.1	141.5	9.65	15.43	C00–96 exc. C44

China, Linhe District, Bayannur City

CONTRIBUTORS

Caixia Zhang
Shuya Zeng
Fang Wang
Feixue Gao
Liang Sun



20 major cancers, ASR (World) per 100 000

Male		Female	
Trachea, bronchus, and lung	50.5	Breast	28.4
Stomach	36.9	Thyroid	26.7
Liver	23.0	Trachea, bronchus, and lung	18.2
Rectum	18.2	Rectum	11.9
Oesophagus	13.1	Stomach	11.2
Colon	12.3	Colon	9.2
Pancreas	7.2	Liver	7.6
Bladder	6.6	Ovary	6.8
Thyroid	6.3	Cervix uteri	6.7
Lymphoid leukaemia	4.5	Corpus uteri	5.0
Brain and nervous system	4.2	Pancreas	3.3
Prostate	3.9	Oesophagus	2.8
Non-Hodgkin lymphoma	3.6	Brain and nervous system	2.2
Kidney	3.4	Kidney	2.1
Bone	2.6	Uterus unspecified	2.1
Larynx	2.2	Non-Hodgkin lymphoma	2.0
Non-melanoma skin cancer	2.0	Bladder	1.8
Small intestine	1.8	Gallbladder etc.	1.3
Other and unspecified	1.7	Non-melanoma skin cancer	1.0
Nose, sinuses etc.	1.1	Bone	1.0
All sites	215.1	All sites	161.7


China, Linhe District, Bayannur City (2013–2017)

SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	
Lip	1	0.0	0.1	0.1	0.00	0.00	4	0.2	0.4	0.3	0.00	0.02	C00
Tongue	4	0.1	0.4	0.2	0.02	0.02	2	0.1	0.2	0.2	0.00	0.03	C01–02
Mouth	6	0.2	0.5	0.5	0.02	0.06	6	0.3	0.5	0.6	0.03	0.08	C03–06
Salivary glands	4	0.1	0.4	0.2	0.02	0.02	4	0.2	0.4	0.2	0.02	0.02	C07–08
Tonsil	0	0.0	0.0	0.0	0.00	0.00	3	0.1	0.3	0.2	0.01	0.01	C09
Other oropharynx	2	0.1	0.2	0.2	0.01	0.01	0	0.0	0.0	0.0	0.00	0.00	C10
Nasopharynx	12	0.4	1.1	1.1	0.05	0.14	7	0.3	0.6	0.5	0.05	0.07	C11
Hypopharynx	2	0.1	0.2	0.1	0.01	0.01	0	0.0	0.0	0.0	0.00	0.00	C12–13
Pharynx unspecified	1	0.0	0.1	0.1	0.00	0.02	1	0.0	0.1	0.1	0.00	0.00	C14
Oesophagus	172	6.2	15.7	13.1	0.68	1.82	38	1.7	3.5	2.8	0.06	0.36	C15
Stomach	482	17.3	44.1	36.9	1.98	4.89	153	6.7	14.0	11.2	0.65	1.42	C16
Small intestine	21	0.8	1.9	1.8	0.10	0.25	12	0.5	1.1	0.9	0.03	0.14	C17
Colon	160	5.7	14.6	12.3	0.70	1.59	122	5.4	11.2	9.2	0.49	1.23	C18
Rectum	233	8.4	21.3	18.2	1.04	2.47	157	6.9	14.4	11.9	0.74	1.61	C19–20
Anus	8	0.3	0.7	0.7	0.02	0.12	3	0.1	0.3	0.3	0.01	0.03	C21
Liver	307	11.0	28.1	23.0	1.50	2.90	107	4.7	9.8	7.6	0.34	0.91	C22
Gallbladder etc.	10	0.4	0.9	0.8	0.08	0.08	17	0.7	1.6	1.3	0.08	0.16	C23–24
Pancreas	97	3.5	8.9	7.2	0.40	0.96	46	2.0	4.2	3.3	0.18	0.43	C25
Nose, sinuses etc.	15	0.5	1.4	1.1	0.07	0.17	3	0.1	0.3	0.2	0.01	0.04	C30–31
Larynx	26	0.9	2.4	2.2	0.12	0.28	2	0.1	0.2	0.1	0.01	0.01	C32
Trachea, bronchus, and lung	658	23.6	60.2	50.5	2.61	6.42	244	10.8	22.3	18.2	0.86	2.33	C33–34
Other thoracic organs	7	0.3	0.6	0.5	0.00	0.04	8	0.4	0.7	0.7	0.03	0.09	C37–38
Bone	34	1.2	3.1	2.6	0.17	0.30	13	0.6	1.2	1.0	0.08	0.11	C40–41
Melanoma of skin	5	0.2	0.5	0.3	0.03	0.03	4	0.2	0.4	0.3	0.03	0.03	C43
Other skin	28	1.0	2.6	2.0	0.13	0.24	15	0.7	1.4	1.0	0.06	0.10	C44
Mesothelioma	4	0.1	0.4	0.3	0.02	0.04	0	0.0	0.0	0.0	0.00	0.00	C45
Kaposi sarcoma	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C46
Connective and soft tissue	10	0.4	0.9	0.6	0.04	0.04	8	0.4	0.7	0.6	0.03	0.06	C47+C49
Breast	9	0.3	0.8	0.6	0.05	0.05	427	18.8	39.1	28.4	2.45	3.13	C50
Vulva							6	0.3	0.5	0.5	0.02	0.04	C51
Vagina							0	0.0	0.0	0.0	0.00	0.00	C52
Cervix uteri							94	4.1	8.6	6.7	0.58	0.77	C53
Corpus uteri							70	3.1	6.4	5.0	0.39	0.61	C54
Uterus unspecified							29	1.3	2.7	2.1	0.12	0.26	C55
Ovary							99	4.4	9.1	6.8	0.57	0.77	C56
Other female genital organs							5	0.2	0.5	0.3	0.02	0.05	C57
Placenta							0	0.0	0.0	0.0	0.00	0.00	C58
Penis	8	0.3	0.7	0.7	0.06	0.08							C60
Prostate	53	1.9	4.9	3.9	0.01	0.38							C61
Testis	3	0.1	0.3	0.2	0.02	0.02							C62
Other male genital organs	1	0.0	0.1	0.1	0.00	0.02							C63
Kidney	42	1.5	3.8	3.4	0.18	0.41	29	1.3	2.7	2.1	0.15	0.20	C64
Renal pelvis	0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.1	0.1	0.01	0.01	C65
Ureter	10	0.4	0.9	0.7	0.03	0.05	7	0.3	0.6	0.6	0.04	0.07	C66
Bladder	83	3.0	7.6	6.6	0.33	0.89	23	1.0	2.1	1.8	0.07	0.23	C67
Other urinary organs	2	0.1	0.2	0.2	0.01	0.01	0	0.0	0.0	0.0	0.00	0.00	C68
Eye	0	0.0	0.0	0.0	0.00	0.00	2	0.1	0.2	0.2	0.02	0.02	C69
Brain and nervous system	53	1.9	4.9	4.2	0.29	0.50	29	1.3	2.7	2.2	0.14	0.23	C70–72
Thyroid	92	3.3	8.4	6.3	0.54	0.73	412	18.2	37.7	26.7	2.39	2.74	C73
Adrenal gland	1	0.0	0.1	0.1	0.01	0.01	1	0.0	0.1	0.1	0.01	0.01	C74
Other endocrine	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C75
Hodgkin lymphoma	1	0.0	0.1	0.1	0.01	0.01	5	0.2	0.5	0.4	0.02	0.06	C81
Non-Hodgkin lymphoma	46	1.7	4.2	3.6	0.21	0.39	27	1.2	2.5	2.0	0.12	0.22	C82–86,C96
Immunoproliferative diseases	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C88
Multiple myeloma	2	0.1	0.2	0.2	0.02	0.02	2	0.1	0.2	0.1	0.01	0.01	C90
Lymphoid leukaemia	57	2.0	5.2	4.5	0.27	0.42	13	0.6	1.2	0.9	0.06	0.08	C91
Myeloid leukaemia	9	0.3	0.8	0.7	0.05	0.05	5	0.2	0.5	0.3	0.02	0.02	C92–94
Leukaemia unspecified	8	0.3	0.7	0.7	0.03	0.08	8	0.4	0.7	1.0	0.05	0.06	C95
Myeloproliferative disorders	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	MPD
Myelodysplastic syndromes	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	MPS
Other and unspecified	24	0.9	2.2	1.7	0.13	0.16	10	0.4	0.9	0.7	0.05	0.09	O&U
All sites	2813		257.4	215.1	12.08	27.21	2283		208.8	161.7	11.13	19.01	C00–96
All sites except C44	2785	100.0	254.9	213.0	11.95	26.97	2268	100.0	207.5	160.7	11.07	18.91	C00–96 exc. C44

China, Linqu County

CONTRIBUTORS

Weidong Liu
Guo Chao
Jing Bin
Lanfu Zhang
Hao Xian



20 major cancers, ASR (World) per 100 000

<i>Male</i>		<i>Female</i>	
Trachea, bronchus, and lung	69.8	Trachea, bronchus, and lung	36.6
Stomach	52.4	Breast	22.2
Liver	24.3	Stomach	18.0
Oesophagus	14.0	Liver	9.9
Rectum	9.3	Thyroid	8.2
Colon	6.6	Cervix uteri	7.4
Pancreas	5.2	Rectum	5.9
Bladder	5.0	Ovary	5.7
Prostate	3.9	Corpus uteri	5.5
Kidney	3.6	Colon	5.1
Brain and nervous system	3.5	Pancreas	3.6
Gallbladder etc.	3.3	Brain and nervous system	2.9
Non-Hodgkin lymphoma	3.0	Oesophagus	2.6
Myeloid leukaemia	2.6	Myeloid leukaemia	2.2
Thyroid	2.0	Kidney	2.2
Lymphoid leukaemia	1.6	Gallbladder etc.	2.1
Larynx	1.4	Non-Hodgkin lymphoma	1.7
Non-melanoma skin cancer	1.3	Lymphoid leukaemia	1.4
Bone	1.0	Bladder	1.3
Nasopharynx	1.0	Non-melanoma skin cancer	1.1
All sites	225.4	All sites	154.8


China, Linqu County (2013–2017)

SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	
Lip	1	0.0	0.0	0.0	0.00	0.00	2	0.0	0.1	0.0	0.00	0.00	C00
Tongue	8	0.1	0.3	0.3	0.02	0.03	2	0.0	0.1	0.1	0.01	0.01	C01–02
Mouth	7	0.1	0.3	0.2	0.02	0.02	4	0.1	0.2	0.1	0.01	0.01	C03–06
Salivary glands	11	0.1	0.5	0.3	0.03	0.04	8	0.1	0.4	0.2	0.01	0.03	C07–08
Tonsil	5	0.1	0.2	0.1	0.01	0.02	1	0.0	0.0	0.0	0.00	0.00	C09
Other oropharynx	5	0.1	0.2	0.1	0.01	0.02	1	0.0	0.0	0.0	0.00	0.00	C10
Nasopharynx	29	0.4	1.3	1.0	0.08	0.10	13	0.2	0.6	0.4	0.04	0.04	C11
Hypopharynx	35	0.4	1.5	1.0	0.06	0.10	1	0.0	0.0	0.0	0.00	0.00	C12–13
Pharynx unspecified	2	0.0	0.1	0.1	0.00	0.01	0	0.0	0.0	0.0	0.00	0.00	C14
Oesophagus	521	6.4	22.5	14.0	0.61	1.61	114	2.0	5.2	2.6	0.06	0.23	C15
Stomach	1903	23.5	82.3	52.4	2.92	6.26	700	12.5	32.0	18.0	0.86	1.98	C16
Small intestine	29	0.4	1.3	0.8	0.03	0.10	17	0.3	0.8	0.4	0.03	0.05	C17
Colon	237	2.9	10.2	6.6	0.30	0.79	198	3.5	9.0	5.1	0.25	0.53	C18
Rectum	339	4.2	14.7	9.3	0.47	1.07	229	4.1	10.5	5.9	0.29	0.62	C19–20
Anus	11	0.1	0.5	0.3	0.01	0.04	11	0.2	0.5	0.2	0.01	0.01	C21
Liver	863	10.7	37.3	24.3	1.60	2.85	384	6.9	17.5	9.9	0.52	1.09	C22
Gallbladder etc.	119	1.5	5.1	3.3	0.15	0.42	85	1.5	3.9	2.1	0.08	0.21	C23–24
Pancreas	191	2.4	8.3	5.2	0.25	0.60	147	2.6	6.7	3.6	0.16	0.39	C25
Nose, sinuses etc.	11	0.1	0.5	0.3	0.02	0.04	7	0.1	0.3	0.2	0.02	0.02	C30–31
Larynx	52	0.6	2.2	1.4	0.08	0.18	2	0.0	0.1	0.0	0.00	0.01	C32
Trachea, bronchus, and lung	2584	31.9	111.7	69.8	3.25	8.05	1449	25.9	66.2	36.6	1.74	4.08	C33–34
Other thoracic organs	12	0.1	0.5	0.3	0.03	0.03	11	0.2	0.5	0.4	0.02	0.03	C37–38
Bone	31	0.4	1.3	1.0	0.04	0.09	23	0.4	1.1	0.7	0.03	0.06	C40–41
Melanoma of skin	11	0.1	0.5	0.3	0.01	0.03	8	0.1	0.4	0.2	0.01	0.02	C43
Other skin	46	0.6	2.0	1.3	0.08	0.14	45	0.8	2.1	1.1	0.06	0.10	C44
Mesothelioma	4	0.0	0.2	0.1	0.00	0.02	2	0.0	0.1	0.1	0.00	0.01	C45
Kaposi sarcoma	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C46
Connective and soft tissue	19	0.2	0.8	0.7	0.03	0.07	16	0.3	0.7	0.5	0.03	0.04	C47+C49
Breast	9	0.1	0.4	0.2	0.01	0.01	730	13.0	33.4	22.2	1.80	2.31	C50
Vulva							7	0.1	0.3	0.2	0.01	0.02	C51
Vagina							1	0.0	0.0	0.0	0.00	0.00	C52
Cervix uteri							232	4.1	10.6	7.4	0.61	0.74	C53
Corpus uteri							193	3.4	8.8	5.5	0.46	0.66	C54
Uterus unspecified							31	0.6	1.4	0.9	0.06	0.11	C55
Ovary							193	3.4	8.8	5.7	0.42	0.63	C56
Other female genital organs							12	0.2	0.5	0.3	0.03	0.04	C57
Placenta							3	0.1	0.1	0.1	0.01	0.01	C58
Penis	16	0.2	0.7	0.4	0.02	0.04							C60
Prostate	153	1.9	6.6	3.9	0.09	0.36							C61
Testis	5	0.1	0.2	0.2	0.01	0.01							C62
Other male genital organs	7	0.1	0.3	0.2	0.01	0.03							C63
Kidney	119	1.5	5.1	3.6	0.23	0.39	76	1.4	3.5	2.2	0.13	0.28	C64
Renal pelvis	16	0.2	0.7	0.4	0.02	0.04	15	0.3	0.7	0.4	0.01	0.04	C65
Ureter	16	0.2	0.7	0.4	0.03	0.05	14	0.2	0.6	0.3	0.01	0.03	C66
Bladder	189	2.3	8.2	5.0	0.20	0.49	54	1.0	2.5	1.3	0.04	0.14	C67
Other urinary organs	3	0.0	0.1	0.1	0.00	0.01	0	0.0	0.0	0.0	0.00	0.00	C68
Eye	1	0.0	0.0	0.0	0.00	0.00	1	0.0	0.0	0.1	0.00	0.00	C69
Brain and nervous system	116	1.4	5.0	3.5	0.22	0.36	99	1.8	4.5	2.9	0.18	0.35	C70–72
Thyroid	65	0.8	2.8	2.0	0.16	0.21	254	4.5	11.6	8.2	0.69	0.79	C73
Adrenal gland	10	0.1	0.4	0.3	0.02	0.02	7	0.1	0.3	0.2	0.01	0.01	C74
Other endocrine	14	0.2	0.6	0.4	0.03	0.05	10	0.2	0.5	0.3	0.01	0.04	C75
Hodgkin lymphoma	14	0.2	0.6	0.4	0.02	0.04	7	0.1	0.3	0.2	0.01	0.02	C81
Non-Hodgkin lymphoma	93	1.1	4.0	3.0	0.15	0.35	61	1.1	2.8	1.7	0.11	0.20	C82–86,C96
Immunoproliferative diseases	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C88
Multiple myeloma	34	0.4	1.5	0.9	0.06	0.12	26	0.5	1.2	0.7	0.04	0.10	C90
Lymphoid leukaemia	32	0.4	1.4	1.6	0.08	0.11	27	0.5	1.2	1.4	0.08	0.10	C91
Myeloid leukaemia	81	1.0	3.5	2.6	0.15	0.27	57	1.0	2.6	2.2	0.14	0.19	C92–94
Leukaemia unspecified	27	0.3	1.2	0.9	0.05	0.08	27	0.5	1.2	1.0	0.06	0.08	C95
Myeloproliferative disorders	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	MPD
Myelodysplastic syndromes	1	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	MPS
Other and unspecified	34	0.4	1.5	1.0	0.05	0.11	28	0.5	1.3	0.8	0.04	0.07	O&U
All sites	8141		352.1	225.4	11.73	25.88	5645		258.0	154.8	9.22	16.58	C00–96
All sites except C44	8095	100.0	350.1	224.1	11.65	25.74	5600	100.0	255.9	153.7	9.16	16.48	C00–96 exc. C44

China, Linzhou City

CONTRIBUTORS

Guizhou Guo
Fangxian Fu
Zhenhai Wang
Zhicai Liu
Bianyun Li
Xiaodong Yu
Kai Hou
Li Wang
Chang Liu



NOTES ON THE DATA

*Low levels of specificity of leukaemias. No questionnaire.

20 major cancers, ASR (World) per 100 000

<i>Male</i>		<i>Female</i>	
Stomach	82.8	Oesophagus	43.4
Oesophagus	65.8	Stomach	35.2
Trachea, bronchus, and lung	25.4	Breast	22.2
Liver	17.8	Trachea, bronchus, and lung	16.1
Rectum	7.8	Cervix uteri	15.1
Brain and nervous system	6.6	Liver	8.6
Colon	6.4	Colon	6.8
Leukaemia unspecified	3.4	Brain and nervous system	6.7
Other and unspecified	3.0	Rectum	6.4
Non-Hodgkin lymphoma	2.7	Corpus uteri	5.5
Bladder	2.4	Ovary	4.9
Gallbladder etc.	2.4	Thyroid	4.8
Pancreas	2.1	Other and unspecified	3.5
Prostate	2.0	Leukaemia unspecified	3.0
Bone	1.9	Gallbladder etc.	3.0
Larynx	1.6	Bone	1.8
Non-melanoma skin cancer	1.5	Non-Hodgkin lymphoma	1.8
Thyroid	1.5	Pancreas	1.8
Kidney	1.3	Myeloid leukaemia	1.5
Myeloid leukaemia	1.2	Non-melanoma skin cancer	1.4
All sites	251.1	All sites	205.4

*China, Linzhou City (2013–2017)


SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	
Lip	5	0.1	0.2	0.1	0.00	0.02	4	0.1	0.1	0.1	0.00	0.01	C00
Tongue	17	0.2	0.6	0.4	0.03	0.06	19	0.2	0.7	0.5	0.03	0.04	C01–02
Mouth	20	0.2	0.7	0.6	0.03	0.07	23	0.3	0.9	0.6	0.04	0.07	C03–06
Salivary glands	13	0.1	0.5	0.4	0.02	0.04	17	0.2	0.6	0.4	0.03	0.04	C07–08
Tonsil	6	0.1	0.2	0.2	0.01	0.01	3	0.0	0.1	0.1	0.00	0.01	C09
Other oropharynx	16	0.2	0.6	0.5	0.02	0.06	6	0.1	0.2	0.2	0.01	0.02	C10
Nasopharynx	14	0.2	0.5	0.5	0.03	0.06	15	0.2	0.6	0.4	0.03	0.04	C11
Hypopharynx	18	0.2	0.6	0.5	0.03	0.05	1	0.0	0.0	0.1	0.00	0.00	C12–13
Pharynx unspecified	2	0.0	0.1	0.0	0.01	0.01	1	0.0	0.0	0.0	0.00	0.01	C14
Oesophagus	2317	26.4	81.3	65.8	3.27	7.97	1772	22.5	65.8	43.4	2.15	5.25	C15
Stomach	2993	34.0	105.0	82.8	4.76	10.60	1428	18.1	53.0	35.2	1.88	4.42	C16
Small intestine	18	0.2	0.6	0.5	0.03	0.06	25	0.3	0.9	0.6	0.04	0.07	C17
Colon	225	2.6	7.9	6.4	0.37	0.70	267	3.4	9.9	6.8	0.41	0.83	C18
Rectum	280	3.2	9.8	7.8	0.43	1.00	253	3.2	9.4	6.4	0.39	0.74	C19–20
Anus	1	0.0	0.0	0.0	0.00	0.00	2	0.0	0.1	0.0	0.00	0.00	C21
Liver	630	7.2	22.1	17.8	1.05	1.99	341	4.3	12.7	8.6	0.43	1.06	C22
Gallbladder etc.	83	0.9	2.9	2.4	0.10	0.29	119	1.5	4.4	3.0	0.16	0.37	C23–24
Pancreas	75	0.9	2.6	2.1	0.11	0.27	72	0.9	2.7	1.8	0.09	0.19	C25
Nose, sinuses etc.	16	0.2	0.6	0.6	0.03	0.05	6	0.1	0.2	0.1	0.01	0.01	C30–31
Larynx	60	0.7	2.1	1.6	0.09	0.20	9	0.1	0.3	0.2	0.01	0.03	C32
Trachea, bronchus, and lung	895	10.2	31.4	25.4	1.29	3.07	639	8.1	23.7	16.1	0.89	1.90	C33–34
Other thoracic organs	35	0.4	1.2	1.0	0.06	0.12	23	0.3	0.9	0.6	0.04	0.06	C37–38
Bone	61	0.7	2.1	1.9	0.13	0.17	66	0.8	2.5	1.8	0.12	0.19	C40–41
Melanoma of skin	17	0.2	0.6	0.6	0.04	0.05	19	0.2	0.7	0.7	0.05	0.05	C43
Other skin	47	0.5	1.6	1.5	0.07	0.14	54	0.7	2.0	1.4	0.05	0.14	C44
Mesothelioma	2	0.0	0.1	0.1	0.00	0.01	0	0.0	0.0	0.0	0.00	0.00	C45
Kaposi sarcoma	0	0.0	0.0	0.0	0.00	0.00	3	0.0	0.1	0.1	0.01	0.01	C46
Connective and soft tissue	27	0.3	0.9	0.8	0.05	0.08	25	0.3	0.9	0.8	0.04	0.07	C47+C49
Breast	14	0.2	0.5	0.4	0.03	0.05	814	10.3	30.2	22.2	1.84	2.25	C50
Vulva							6	0.1	0.2	0.2	0.01	0.03	C51
Vagina							4	0.1	0.1	0.1	0.01	0.01	C52
Cervix uteri							548	7.0	20.4	15.1	1.27	1.54	C53
Corpus uteri							208	2.6	7.7	5.5	0.48	0.62	C54
Uterus unspecified							29	0.4	1.1	0.8	0.07	0.08	C55
Ovary							181	2.3	6.7	4.9	0.40	0.52	C56
Other female genital organs							18	0.2	0.7	0.5	0.03	0.07	C57
Placenta							4	0.1	0.1	0.2	0.01	0.01	C58
Penis	15	0.2	0.5	0.5	0.01	0.06							C60
Prostate	64	0.7	2.2	2.0	0.05	0.16							C61
Testis	4	0.0	0.1	0.1	0.01	0.01							C62
Other male genital organs	5	0.1	0.2	0.1	0.01	0.01							C63
Kidney	47	0.5	1.6	1.3	0.07	0.18	26	0.3	1.0	0.7	0.05	0.08	C64
Renal pelvis	4	0.0	0.1	0.1	0.00	0.03	3	0.0	0.1	0.1	0.00	0.01	C65
Ureter	12	0.1	0.4	0.3	0.02	0.04	7	0.1	0.3	0.2	0.01	0.02	C66
Bladder	79	0.9	2.8	2.4	0.12	0.27	45	0.6	1.7	1.1	0.06	0.12	C67
Other urinary organs	1	0.0	0.0	0.0	0.00	0.00	2	0.0	0.1	0.0	0.00	0.00	C68
Eye	9	0.1	0.3	0.4	0.02	0.02	8	0.1	0.3	0.3	0.02	0.02	C69
Brain and nervous system	218	2.5	7.6	6.6	0.45	0.64	237	3.0	8.8	6.7	0.47	0.66	C70–72
Thyroid	47	0.5	1.6	1.5	0.11	0.15	173	2.2	6.4	4.8	0.39	0.49	C73
Adrenal gland	6	0.1	0.2	0.2	0.01	0.01	5	0.1	0.2	0.2	0.01	0.02	C74
Other endocrine	16	0.2	0.6	0.5	0.04	0.04	9	0.1	0.3	0.3	0.02	0.02	C75
Hodgkin lymphoma	11	0.1	0.4	0.3	0.02	0.03	4	0.1	0.1	0.2	0.01	0.02	C81
Non-Hodgkin lymphoma	91	1.0	3.2	2.7	0.17	0.30	65	0.8	2.4	1.8	0.13	0.17	C82–86,C96
Immunoproliferative diseases	1	0.0	0.0	0.0	0.00	0.00	1	0.0	0.0	0.0	0.00	0.00	C88
Multiple myeloma	38	0.4	1.3	1.0	0.08	0.12	28	0.4	1.0	0.7	0.06	0.09	C90
Lymphoid leukaemia	15	0.2	0.5	0.5	0.03	0.04	10	0.1	0.4	0.4	0.03	0.03	C91
Myeloid leukaemia	41	0.5	1.4	1.2	0.07	0.14	45	0.6	1.7	1.5	0.11	0.15	C92–94
Leukaemia unspecified	101	1.1	3.5	3.4	0.19	0.29	97	1.2	3.6	3.0	0.20	0.27	C95
Myeloproliferative disorders	1	0.0	0.0	0.0	0.00	0.00	6	0.1	0.2	0.2	0.02	0.02	MPD
Myelodysplastic syndromes	4	0.0	0.1	0.1	0.01	0.01	5	0.1	0.2	0.1	0.01	0.01	MPS
Other and unspecified	102	1.2	3.6	3.0	0.19	0.33	126	1.6	4.7	3.5	0.20	0.34	O&U
All sites	8839		310.1	251.1	13.77	30.12	7926		294.4	205.4	12.86	23.31	C00–96
All sites except C44	8792	100.0	308.5	249.6	13.70	29.97	7872	100.0	292.4	204.0	12.81	23.17	C00–96 exc. C44

*See note following population pyramid

China, Liuzhou City

CONTRIBUTORS

Liang Jiajia
 Zhou Lifang
 Qin Zhongshu
 Pan Rong
 Lu Bangjun
 Xie Changping
 Lan Jian
 Chen Ningyu
 Liu Yun
 Zhu Tingping



20 major cancers, ASR (World) per 100 000

<i>Male</i>		<i>Female</i>	
Trachea, bronchus, and lung	51.8	Breast	40.1
Liver	38.0	Trachea, bronchus, and lung	21.8
Colon	18.8	Colon	13.8
Stomach	15.2	Cervix uteri	13.2
Rectum	13.3	Thyroid	10.8
Nasopharynx	9.3	Liver	9.7
Prostate	9.2	Corpus uteri	9.4
Bladder	6.4	Stomach	7.8
Oesophagus	6.4	Rectum	7.8
Other and unspecified	4.5	Ovary	6.9
Pancreas	4.0	Non-Hodgkin lymphoma	3.7
Non-Hodgkin lymphoma	3.8	Nasopharynx	3.7
Myeloid leukaemia	3.5	Other and unspecified	3.0
Larynx	3.2	Pancreas	2.6
Kidney	2.8	Myeloid leukaemia	2.5
Thyroid	2.7	Brain and nervous system	2.4
Multiple myeloma	2.6	Gallbladder etc.	1.8
Brain and nervous system	2.3	Non-melanoma skin cancer	1.8
Lymphoid leukaemia	2.3	Leukaemia unspecified	1.7
Non-melanoma skin cancer	1.9	Multiple myeloma	1.6
All sites	219.4	All sites	182.9


China, Liuzhou City (2013–2017)

SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	
Lip	3	0.0	0.1	0.1	0.01	0.01	4	0.1	0.1	0.1	0.00	0.00	C00
Tongue	52	0.6	1.7	1.4	0.09	0.17	29	0.4	1.0	0.8	0.06	0.10	C01–02
Mouth	46	0.6	1.5	1.2	0.07	0.15	30	0.4	1.0	0.7	0.03	0.08	C03–06
Salivary glands	23	0.3	0.8	0.6	0.05	0.07	21	0.3	0.7	0.6	0.03	0.07	C07–08
Tonsil	4	0.0	0.1	0.1	0.00	0.01	0	0.0	0.0	0.0	0.00	0.00	C09
Other oropharynx	13	0.2	0.4	0.4	0.02	0.04	1	0.0	0.0	0.0	0.00	0.00	C10
Nasopharynx	363	4.4	11.9	9.3	0.77	0.97	140	2.0	4.8	3.7	0.28	0.41	C11
Hypopharynx	26	0.3	0.9	0.7	0.04	0.10	0	0.0	0.0	0.0	0.00	0.00	C12–13
Pharynx unspecified	4	0.0	0.1	0.1	0.01	0.01	0	0.0	0.0	0.0	0.00	0.00	C14
Oesophagus	241	2.9	7.9	6.4	0.41	0.73	61	0.9	2.1	1.4	0.03	0.18	C15
Stomach	590	7.2	19.3	15.2	0.83	1.74	311	4.5	10.7	7.8	0.43	0.88	C16
Small intestine	58	0.7	1.9	1.6	0.10	0.18	40	0.6	1.4	1.1	0.06	0.12	C17
Colon	709	8.6	23.2	18.8	0.98	2.14	548	7.9	18.8	13.8	0.78	1.61	C18
Rectum	511	6.2	16.7	13.3	0.72	1.52	308	4.4	10.6	7.8	0.42	0.92	C19–20
Anus	11	0.1	0.4	0.3	0.01	0.03	9	0.1	0.3	0.2	0.02	0.03	C21
Liver	1446	17.6	47.3	38.0	2.54	4.40	382	5.5	13.1	9.7	0.51	1.09	C22
Gallbladder etc.	69	0.8	2.3	1.9	0.08	0.20	74	1.1	2.5	1.8	0.12	0.20	C23–24
Pancreas	151	1.8	4.9	4.0	0.20	0.42	104	1.5	3.6	2.6	0.10	0.29	C25
Nose, sinuses etc.	14	0.2	0.5	0.4	0.03	0.06	13	0.2	0.4	0.4	0.03	0.04	C30–31
Larynx	120	1.5	3.9	3.2	0.23	0.40	5	0.1	0.2	0.1	0.00	0.01	C32
Trachea, bronchus, and lung	1961	23.8	64.2	51.8	2.68	6.14	865	12.4	29.7	21.8	1.16	2.56	C33–34
Other thoracic organs	31	0.4	1.0	0.8	0.05	0.08	22	0.3	0.8	0.6	0.06	0.07	C37–38
Bone	44	0.5	1.4	1.3	0.08	0.12	38	0.5	1.3	1.0	0.05	0.10	C40–41
Melanoma of skin	22	0.3	0.7	0.6	0.04	0.07	17	0.2	0.6	0.4	0.02	0.03	C43
Other skin	73	0.9	2.4	1.9	0.09	0.21	78	1.1	2.7	1.8	0.08	0.17	C44
Mesothelioma	5	0.1	0.2	0.1	0.01	0.01	5	0.1	0.2	0.1	0.00	0.02	C45
Kaposi sarcoma	2	0.0	0.1	0.1	0.00	0.01	0	0.0	0.0	0.0	0.00	0.00	C46
Connective and soft tissue	23	0.3	0.8	0.6	0.02	0.05	28	0.4	1.0	0.7	0.04	0.08	C47+C49
Breast	12	0.1	0.4	0.3	0.03	0.04	1543	22.1	53.0	40.1	3.33	4.34	C50
Vulva							21	0.3	0.7	0.5	0.03	0.06	C51
Vagina							16	0.2	0.5	0.4	0.02	0.05	C52
Cervix uteri							502	7.2	17.2	13.2	1.07	1.43	C53
Corpus uteri							354	5.1	12.2	9.4	0.80	1.07	C54
Uterus unspecified							41	0.6	1.4	1.1	0.08	0.11	C55
Ovary							263	3.8	9.0	6.9	0.52	0.69	C56
Other female genital organs							17	0.2	0.6	0.4	0.04	0.05	C57
Placenta							2	0.0	0.1	0.0	0.00	0.00	C58
Penis	14	0.2	0.5	0.4	0.03	0.03							C60
Prostate	363	4.4	11.9	9.2	0.14	0.83							C61
Testis	16	0.2	0.5	0.5	0.02	0.04							C62
Other male genital organs	5	0.1	0.2	0.1	0.00	0.02							C63
Kidney	106	1.3	3.5	2.8	0.20	0.32	53	0.8	1.8	1.6	0.09	0.16	C64
Renal pelvis	14	0.2	0.5	0.4	0.02	0.04	9	0.1	0.3	0.2	0.01	0.02	C65
Ureter	20	0.2	0.7	0.5	0.02	0.06	7	0.1	0.2	0.2	0.00	0.02	C66
Bladder	244	3.0	8.0	6.4	0.27	0.70	53	0.8	1.8	1.4	0.06	0.16	C67
Other urinary organs	3	0.0	0.1	0.1	0.01	0.01	0	0.0	0.0	0.0	0.00	0.00	C68
Eye	2	0.0	0.1	0.1	0.01	0.01	5	0.1	0.2	0.1	0.01	0.01	C69
Brain and nervous system	82	1.0	2.7	2.3	0.15	0.24	83	1.2	2.8	2.4	0.14	0.26	C70–72
Thyroid	103	1.3	3.4	2.7	0.21	0.25	397	5.7	13.6	10.8	0.87	1.04	C73
Adrenal gland	5	0.1	0.2	0.2	0.00	0.02	6	0.1	0.2	0.2	0.01	0.02	C74
Other endocrine	5	0.1	0.2	0.1	0.00	0.01	7	0.1	0.2	0.3	0.02	0.02	C75
Hodgkin lymphoma	18	0.2	0.6	0.5	0.04	0.05	6	0.1	0.2	0.2	0.01	0.01	C81
Non-Hodgkin lymphoma	142	1.7	4.6	3.8	0.20	0.39	141	2.0	4.8	3.7	0.22	0.43	C82–86,C96
Immunoproliferative diseases	3	0.0	0.1	0.1	0.00	0.01	2	0.0	0.1	0.0	0.00	0.01	C88
Multiple myeloma	95	1.2	3.1	2.6	0.15	0.31	60	0.9	2.1	1.6	0.08	0.22	C90
Lymphoid leukaemia	64	0.8	2.1	2.3	0.11	0.17	36	0.5	1.2	1.4	0.08	0.12	C91
Myeloid leukaemia	120	1.5	3.9	3.5	0.20	0.37	86	1.2	3.0	2.5	0.17	0.27	C92–94
Leukaemia unspecified	50	0.6	1.6	1.5	0.04	0.14	60	0.9	2.1	1.7	0.08	0.18	C95
Myeloproliferative disorders	4	0.0	0.1	0.1	0.01	0.01	1	0.0	0.0	0.0	0.00	0.00	MPD
Myelodysplastic syndromes	22	0.3	0.7	0.6	0.01	0.06	22	0.3	0.8	0.5	0.02	0.05	MPS
Other and unspecified	171	2.1	5.6	4.5	0.22	0.48	122	1.8	4.2	3.0	0.13	0.29	O&U
All sites	8298		271.5	219.4	12.27	24.63	7048		242.0	182.9	12.18	20.15	C00–96
All sites except C44	8225	100.0	269.2	217.5	12.18	24.42	6970	100.0	239.3	181.1	12.11	19.98	C00–96 exc. C44

China, Liyang City

CONTRIBUTORS

Zhou Liang
Liu Jianping
Di Jing
Zhu Axian
Cao Lei



20 major cancers, ASR (World) per 100 000

<i>Male</i>		<i>Female</i>	
Stomach	36.1	Breast	22.0
Trachea, bronchus, and lung	36.0	Trachea, bronchus, and lung	16.4
Oesophagus	18.3	Stomach	13.2
Liver	16.3	Thyroid	10.1
Colon	10.5	Cervix uteri	7.1
Rectum	10.5	Colon	6.8
Pancreas	6.2	Rectum	6.4
Prostate	6.0	Liver	5.4
Brain and nervous system	3.8	Ovary	3.7
Bladder	3.6	Pancreas	3.7
Non-Hodgkin lymphoma	3.5	Oesophagus	3.7
Nasopharynx	2.2	Brain and nervous system	3.1
Thyroid	1.9	Non-Hodgkin lymphoma	2.9
Gallbladder etc.	1.9	Gallbladder etc.	2.8
Other and unspecified	1.7	Corpus uteri	2.7
Kidney	1.5	Lymphoid leukaemia	1.5
Lymphoid leukaemia	1.5	Other and unspecified	1.5
Bone	1.2	Myeloid leukaemia	1.3
Myeloid leukaemia	1.1	Kidney	1.0
Non-melanoma skin cancer	1.1	Bladder	0.9
All sites	174.2	All sites	124.4


China, Liyang City (2013–2017)

SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	
Lip	5	0.1	0.2	0.1	0.00	0.02	0	0.0	0.0	0.0	0.00	0.00	C00
Tongue	9	0.1	0.4	0.2	0.01	0.03	4	0.1	0.2	0.1	0.01	0.01	C01–02
Mouth	18	0.3	0.9	0.5	0.03	0.06	10	0.2	0.5	0.3	0.02	0.03	C03–06
Salivary glands	12	0.2	0.6	0.3	0.02	0.03	15	0.3	0.8	0.4	0.03	0.04	C07–08
Tonsil	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C09
Other oropharynx	7	0.1	0.3	0.2	0.01	0.02	1	0.0	0.1	0.0	0.00	0.00	C10
Nasopharynx	82	1.1	4.1	2.2	0.16	0.27	28	0.6	1.4	0.8	0.06	0.08	C11
Hypopharynx	6	0.1	0.3	0.2	0.01	0.02	1	0.0	0.1	0.0	0.00	0.01	C12–13
Pharynx unspecified	2	0.0	0.1	0.0	0.00	0.00	2	0.0	0.1	0.0	0.00	0.01	C14
Oesophagus	794	11.0	39.7	18.3	0.86	2.33	173	3.6	8.8	3.7	0.11	0.49	C15
Stomach	1541	21.4	77.0	36.1	1.73	4.39	556	11.7	28.3	13.2	0.67	1.50	C16
Small intestine	39	0.5	1.9	0.9	0.03	0.10	32	0.7	1.6	0.8	0.05	0.08	C17
Colon	434	6.0	21.7	10.5	0.58	1.22	281	5.9	14.3	6.8	0.39	0.84	C18
Rectum	419	5.8	20.9	10.5	0.61	1.29	273	5.7	13.9	6.4	0.35	0.71	C19–20
Anus	6	0.1	0.3	0.2	0.01	0.02	7	0.1	0.4	0.2	0.01	0.01	C21
Liver	636	8.8	31.8	16.3	1.00	1.85	240	5.0	12.2	5.4	0.26	0.60	C22
Gallbladder etc.	77	1.1	3.8	1.9	0.07	0.24	130	2.7	6.6	2.8	0.14	0.30	C23–24
Pancreas	265	3.7	13.2	6.2	0.32	0.76	175	3.7	8.9	3.7	0.13	0.46	C25
Nose, sinuses etc.	8	0.1	0.4	0.2	0.01	0.02	2	0.0	0.1	0.1	0.01	0.01	C30–31
Larynx	23	0.3	1.1	0.6	0.05	0.08	1	0.0	0.1	0.0	0.00	0.00	C32
Trachea, bronchus, and lung	1567	21.8	78.3	36.0	1.65	4.28	695	14.6	35.3	16.4	0.96	1.96	C33–34
Other thoracic organs	19	0.3	0.9	0.6	0.04	0.06	18	0.4	0.9	0.5	0.02	0.07	C37–38
Bone	43	0.6	2.1	1.2	0.05	0.10	27	0.6	1.4	0.8	0.03	0.08	C40–41
Melanoma of skin	29	0.4	1.4	0.7	0.04	0.10	15	0.3	0.8	0.4	0.03	0.04	C43
Other skin	51	0.7	2.5	1.1	0.06	0.11	47	1.0	2.4	0.8	0.02	0.07	C44
Mesothelioma	1	0.0	0.0	0.0	0.00	0.00	2	0.0	0.1	0.1	0.00	0.01	C45
Kaposi sarcoma	1	0.0	0.0	0.0	0.00	0.00	2	0.0	0.1	0.1	0.01	0.01	C46
Connective and soft tissue	17	0.2	0.8	0.4	0.03	0.05	11	0.2	0.6	0.3	0.03	0.03	C47+C49
Breast	10	0.1	0.5	0.3	0.02	0.02	765	16.1	38.9	22.0	1.80	2.33	C50
Vulva							5	0.1	0.3	0.1	0.00	0.00	C51
Vagina							3	0.1	0.2	0.1	0.01	0.01	C52
Cervix uteri							234	4.9	11.9	7.1	0.58	0.74	C53
Corpus uteri							94	2.0	4.8	2.7	0.20	0.28	C54
Uterus unspecified							13	0.3	0.7	0.3	0.03	0.03	C55
Ovary							131	2.8	6.7	3.7	0.30	0.42	C56
Other female genital organs							13	0.3	0.7	0.3	0.01	0.02	C57
Placenta							0	0.0	0.0	0.0	0.00	0.00	C58
Penis	23	0.3	1.1	0.6	0.03	0.05							C60
Prostate	290	4.0	14.5	6.0	0.10	0.63							C61
Testis	9	0.1	0.4	0.3	0.02	0.02							C62
Other male genital organs	3	0.0	0.1	0.1	0.01	0.01							C63
Kidney	60	0.8	3.0	1.5	0.09	0.18	39	0.8	2.0	1.0	0.06	0.11	C64
Renal pelvis	11	0.2	0.5	0.3	0.01	0.03	4	0.1	0.2	0.1	0.01	0.01	C65
Ureter	10	0.1	0.5	0.2	0.01	0.02	8	0.2	0.4	0.2	0.01	0.02	C66
Bladder	151	2.1	7.5	3.6	0.14	0.43	38	0.8	1.9	0.9	0.06	0.09	C67
Other urinary organs	1	0.0	0.0	0.0	0.00	0.00	2	0.0	0.1	0.0	0.00	0.00	C68
Eye	2	0.0	0.1	0.0	0.00	0.01	2	0.0	0.1	0.0	0.00	0.00	C69
Brain and nervous system	124	1.7	6.2	3.8	0.25	0.38	95	2.0	4.8	3.1	0.18	0.30	C70–72
Thyroid	55	0.8	2.7	1.9	0.16	0.17	286	6.0	14.5	10.1	0.87	0.94	C73
Adrenal gland	10	0.1	0.5	0.2	0.01	0.02	3	0.1	0.2	0.1	0.00	0.01	C74
Other endocrine	3	0.0	0.1	0.1	0.01	0.01	4	0.1	0.2	0.1	0.01	0.02	C75
Hodgkin lymphoma	8	0.1	0.4	0.4	0.02	0.03	9	0.2	0.5	0.2	0.01	0.03	C81
Non-Hodgkin lymphoma	134	1.9	6.7	3.5	0.21	0.42	105	2.2	5.3	2.9	0.18	0.33	C82–86,C96
Immunoproliferative diseases	3	0.0	0.1	0.1	0.00	0.01	0	0.0	0.0	0.0	0.00	0.00	C88
Multiple myeloma	40	0.6	2.0	1.0	0.06	0.12	19	0.4	1.0	0.5	0.05	0.07	C90
Lymphoid leukaemia	46	0.6	2.3	1.5	0.09	0.14	48	1.0	2.4	1.5	0.11	0.14	C91
Myeloid leukaemia	41	0.6	2.0	1.1	0.07	0.12	43	0.9	2.2	1.3	0.09	0.14	C92–94
Leukaemia unspecified	16	0.2	0.8	0.4	0.02	0.04	22	0.5	1.1	0.6	0.04	0.06	C95
Myeloproliferative disorders	3	0.0	0.1	0.1	0.00	0.01	0	0.0	0.0	0.0	0.00	0.00	MPD
Myelodysplastic syndromes	10	0.1	0.5	0.3	0.01	0.03	3	0.1	0.2	0.1	0.01	0.01	MPS
Other and unspecified	69	1.0	3.4	1.7	0.10	0.20	68	1.4	3.5	1.5	0.06	0.12	O&U
All sites	7243		361.7	174.2	8.86	20.53	4804		244.2	124.4	8.01	13.65	C00–96
All sites except C44	7192	100.0	359.2	173.1	8.80	20.42	4757	100.0	241.8	123.6	7.99	13.58	C00–96 exc. C44

China, Longquan City

CONTRIBUTORS

Weiwen Zhong
An Dai
Chunsong Wan
Weihong Liu
Weiwen Pan
Xinxing Ge
Zhen Wei
Shuiju Ye
Guoqing Wu



NOTES ON THE DATA

*No official mortality data. Rates based on low numbers due to small population.

20 major cancers, ASR (World) per 100 000

<i>Male</i>		<i>Female</i>	
Trachea, bronchus, and lung	55.4	Thyroid	41.2
Liver	33.5	Trachea, bronchus, and lung	28.4
Stomach	24.0	Breast	25.8
Rectum	16.4	Cervix uteri	19.0
Colon	11.5	Liver	11.0
Oesophagus	10.1	Rectum	10.6
Thyroid	10.1	Colon	10.1
Non-Hodgkin lymphoma	7.6	Stomach	8.8
Bladder	7.5	Corpus uteri	5.2
Prostate	6.6	Non-Hodgkin lymphoma	4.6
Pancreas	4.1	Ovary	4.5
Nasopharynx	3.6	Brain and nervous system	3.8
Myeloid leukaemia	3.4	Nasopharynx	3.3
Brain and nervous system	3.3	Lymphoid leukaemia	2.6
Kidney	2.7	Bladder	2.4
Larynx	2.5	Pancreas	2.2
Non-melanoma skin cancer	1.8	Myeloid leukaemia	2.1
Myelodysplastic syndromes	1.7	Multiple myeloma	2.0
Other and unspecified	1.6	Kidney	1.9
Gallbladder etc.	1.4	Gallbladder etc.	1.8
All sites	223.9	All sites	207.3

*China, Longquan City (2014–2017)


SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	
Lip	2	0.1	0.3	0.2	0.01	0.01	0	0.0	0.0	0.0	0.00	0.00	C00
Tongue	10	0.4	1.7	1.2	0.09	0.14	3	0.2	0.5	0.3	0.01	0.01	C01–02
Mouth	11	0.5	1.9	1.0	0.06	0.12	3	0.2	0.5	0.3	0.02	0.02	C03–06
Salivary glands	4	0.2	0.7	0.5	0.05	0.05	4	0.2	0.7	0.6	0.05	0.05	C07–08
Tonsil	3	0.1	0.5	0.3	0.04	0.04	0	0.0	0.0	0.0	0.00	0.00	C09
Other oropharynx	7	0.3	1.2	0.7	0.07	0.07	0	0.0	0.0	0.0	0.00	0.00	C10
Nasopharynx	34	1.5	5.7	3.6	0.32	0.38	26	1.4	4.6	3.3	0.22	0.38	C11
Hypopharynx	4	0.2	0.7	0.4	0.02	0.05	0	0.0	0.0	0.0	0.00	0.00	C12–13
Pharynx unspecified	5	0.2	0.8	0.5	0.04	0.04	1	0.1	0.2	0.1	0.01	0.01	C14
Oesophagus	109	4.8	18.3	10.1	0.58	1.18	16	0.9	2.8	1.5	0.00	0.19	C15
Stomach	255	11.2	42.9	24.0	1.14	3.01	84	4.6	14.8	8.8	0.56	0.95	C16
Small intestine	10	0.4	1.7	0.8	0.02	0.04	7	0.4	1.2	0.8	0.04	0.10	C17
Colon	120	5.3	20.2	11.5	0.64	1.35	98	5.4	17.3	10.1	0.51	1.11	C18
Rectum	167	7.4	28.1	16.4	0.97	2.00	107	5.9	18.9	10.6	0.52	1.08	C19–20
Anus	1	0.0	0.2	0.1	0.01	0.01	1	0.1	0.2	0.1	0.01	0.01	C21
Liver	336	14.8	56.5	33.5	2.39	3.74	108	6.0	19.0	11.0	0.58	1.17	C22
Gallbladder etc.	17	0.7	2.9	1.4	0.03	0.18	20	1.1	3.5	1.8	0.06	0.17	C23–24
Pancreas	47	2.1	7.9	4.1	0.19	0.48	22	1.2	3.9	2.2	0.10	0.27	C25
Nose, sinuses etc.	4	0.2	0.7	0.3	0.02	0.04	2	0.1	0.4	0.2	0.00	0.02	C30–31
Larynx	23	1.0	3.9	2.5	0.22	0.31	0	0.0	0.0	0.0	0.00	0.00	C32
Trachea, bronchus, and lung	594	26.1	99.9	55.4	2.97	6.73	265	14.6	46.7	28.4	1.75	3.25	C33–34
Other thoracic organs	5	0.2	0.8	0.5	0.02	0.04	6	0.3	1.1	0.7	0.05	0.07	C37–38
Bone	5	0.2	0.8	0.9	0.03	0.08	2	0.1	0.4	0.4	0.02	0.02	C40–41
Melanoma of skin	6	0.3	1.0	0.5	0.04	0.04	3	0.2	0.5	0.3	0.02	0.02	C43
Other skin	17	0.7	2.9	1.8	0.09	0.26	18	1.0	3.2	1.4	0.09	0.09	C44
Mesothelioma	2	0.1	0.3	0.1	0.00	0.00	2	0.1	0.4	0.2	0.03	0.03	C45
Kaposi sarcoma	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C46
Connective and soft tissue	6	0.3	1.0	0.6	0.05	0.05	3	0.2	0.5	0.4	0.01	0.07	C47+C49
Breast	1	0.0	0.2	0.1	0.00	0.03	235	12.9	41.4	25.8	2.25	2.57	C50
Vulva							0	0.0	0.0	0.0	0.00	0.00	C51
Vagina							2	0.1	0.4	0.3	0.02	0.04	C52
Cervix uteri							171	9.4	30.1	19.0	1.49	1.98	C53
Corpus uteri							48	2.6	8.5	5.2	0.43	0.60	C54
Uterus unspecified							6	0.3	1.1	0.7	0.02	0.10	C55
Ovary							35	1.9	6.2	4.5	0.38	0.46	C56
Other female genital organs							11	0.6	1.9	1.2	0.10	0.12	C57
Placenta							2	0.1	0.4	0.3	0.02	0.02	C58
Penis	5	0.2	0.8	0.3	0.01	0.01							C60
Prostate	86	3.8	14.5	6.6	0.18	0.64							C61
Testis	2	0.1	0.3	0.2	0.02	0.02							C62
Other male genital organs	0	0.0	0.0	0.0	0.00	0.00							C63
Kidney	27	1.2	4.5	2.7	0.24	0.28	16	0.9	2.8	1.9	0.15	0.25	C64
Renal pelvis	15	0.7	2.5	1.4	0.13	0.16	10	0.6	1.8	1.0	0.09	0.09	C65
Ureter	8	0.4	1.3	0.8	0.01	0.13	4	0.2	0.7	0.6	0.03	0.11	C66
Bladder	83	3.7	14.0	7.5	0.41	0.78	20	1.1	3.5	2.4	0.16	0.30	C67
Other urinary organs	0	0.0	0.0	0.0	0.00	0.00	3	0.2	0.5	0.4	0.02	0.06	C68
Eye	0	0.0	0.0	0.0	0.00	0.00	1	0.1	0.2	0.4	0.02	0.02	C69
Brain and nervous system	33	1.5	5.6	3.3	0.25	0.32	30	1.7	5.3	3.8	0.28	0.39	C70–72
Thyroid	82	3.6	13.8	10.1	0.85	0.95	323	17.8	56.9	41.2	3.49	3.84	C73
Adrenal gland	0	0.0	0.0	0.0	0.00	0.00	2	0.1	0.4	0.6	0.03	0.03	C74
Other endocrine	5	0.2	0.8	0.6	0.05	0.08	2	0.1	0.4	0.3	0.02	0.02	C75
Hodgkin lymphoma	0	0.0	0.0	0.0	0.00	0.00	1	0.1	0.2	0.1	0.00	0.00	C81
Non-Hodgkin lymphoma	58	2.6	9.8	7.6	0.48	0.65	36	2.0	6.3	4.6	0.23	0.56	C82–86,C96
Immunoproliferative diseases	1	0.0	0.2	0.1	0.01	0.01	1	0.1	0.2	0.1	0.00	0.02	C88
Multiple myeloma	9	0.4	1.5	1.0	0.04	0.16	16	0.9	2.8	2.0	0.12	0.34	C90
Lymphoid leukaemia	5	0.2	0.8	0.7	0.06	0.06	10	0.6	1.8	2.6	0.12	0.16	C91
Myeloid leukaemia	26	1.1	4.4	3.4	0.19	0.35	19	1.0	3.3	2.1	0.16	0.18	C92–94
Leukaemia unspecified	8	0.4	1.3	1.3	0.06	0.11	6	0.3	1.1	0.7	0.02	0.10	C95
Myeloproliferative disorders	1	0.0	0.2	0.1	0.02	0.02	2	0.1	0.4	0.2	0.00	0.00	MPD
Myelodysplastic syndromes	16	0.7	2.7	1.7	0.09	0.16	9	0.5	1.6	0.9	0.06	0.10	MPS
Other and unspecified	14	0.6	2.4	1.6	0.10	0.15	11	0.6	1.9	1.1	0.05	0.15	O&U
All sites	2289		385.1	223.9	13.31	25.51	1833		323.1	207.3	14.40	21.71	C00–96
All sites except C44	2272	100.0	382.3	222.2	13.22	25.26	1815	100.0	319.9	205.9	14.32	21.63	C00–96 exc. C44

*See note following population pyramid

China, Lucheng District, Wenzhou City

CONTRIBUTORS

Weng Qiongli
Xie Haibin
Chen Jie
Sun Lihan
Zhang Peiqi
Luo Yaying



20 major cancers, ASR (World) per 100 000

Male		Female	
Trachea, bronchus, and lung	45.2	Thyroid	50.0
Liver	33.3	Breast	48.5
Stomach	23.4	Trachea, bronchus, and lung	31.2
Thyroid	21.0	Cervix uteri	13.1
Colon	18.3	Colon	12.1
Rectum	16.5	Stomach	10.9
Prostate	13.0	Rectum	8.2
Oesophagus	9.6	Liver	7.9
Bladder	8.7	Ovary	7.4
Non-Hodgkin lymphoma	5.7	Corpus uteri	4.9
Pancreas	5.1	Kidney	3.4
Nasopharynx	4.6	Non-Hodgkin lymphoma	3.2
Kidney	4.4	Pancreas	3.2
Brain and nervous system	2.9	Lymphoid leukaemia	2.5
Myeloid leukaemia	2.9	Gallbladder etc.	2.5
Gallbladder etc.	2.4	Brain and nervous system	2.4
Multiple myeloma	2.2	Non-melanoma skin cancer	2.2
Larynx	2.2	Bladder	1.9
Lymphoid leukaemia	2.1	Nasopharynx	1.4
Non-melanoma skin cancer	1.7	Myeloid leukaemia	1.4
All sites	243.0	All sites	230.8


China, Lucheng District, Wenzhou City (2015–2017)

SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	
Lip	3	0.1	0.3	0.1	0.00	0.02	2	0.0	0.2	0.1	0.01	0.01	C00
Tongue	15	0.3	1.3	0.8	0.05	0.11	7	0.2	0.6	0.3	0.03	0.03	C01–02
Mouth	20	0.4	1.8	1.0	0.07	0.15	11	0.2	1.0	0.5	0.01	0.06	C03–06
Salivary glands	12	0.3	1.1	0.6	0.04	0.07	8	0.2	0.7	0.5	0.03	0.06	C07–08
Tonsil	7	0.1	0.6	0.4	0.03	0.05	2	0.0	0.2	0.1	0.00	0.01	C09
Other oropharynx	11	0.2	1.0	0.6	0.04	0.08	1	0.0	0.1	0.1	0.00	0.01	C10
Nasopharynx	83	1.8	7.4	4.6	0.37	0.50	28	0.6	2.4	1.4	0.07	0.20	C11
Hypopharynx	21	0.4	1.9	1.1	0.07	0.17	3	0.1	0.3	0.2	0.00	0.03	C12–13
Pharynx unspecified	7	0.1	0.6	0.3	0.04	0.04	0	0.0	0.0	0.0	0.00	0.00	C14
Oesophagus	189	4.0	16.9	9.6	0.66	1.28	21	0.5	1.8	0.7	0.02	0.04	C15
Stomach	485	10.3	43.3	23.4	1.14	2.87	244	5.5	21.3	10.9	0.48	1.31	C16
Small intestine	18	0.4	1.6	0.9	0.07	0.12	12	0.3	1.0	0.4	0.01	0.04	C17
Colon	373	7.9	33.3	18.3	0.90	2.20	266	6.0	23.2	12.1	0.60	1.45	C18
Rectum	335	7.1	29.9	16.5	0.93	2.07	179	4.1	15.6	8.2	0.47	1.00	C19–20
Anus	13	0.3	1.2	0.6	0.03	0.09	7	0.2	0.6	0.3	0.02	0.02	C21
Liver	637	13.5	56.8	33.3	2.39	3.88	174	3.9	15.2	7.9	0.39	0.93	C22
Gallbladder etc.	46	1.0	4.1	2.4	0.10	0.34	58	1.3	5.1	2.5	0.10	0.29	C23–24
Pancreas	104	2.2	9.3	5.1	0.25	0.65	79	1.8	6.9	3.2	0.13	0.34	C25
Nose, sinuses etc.	9	0.2	0.8	0.5	0.03	0.08	2	0.0	0.2	0.1	0.01	0.01	C30–31
Larynx	43	0.9	3.8	2.2	0.13	0.26	5	0.1	0.4	0.2	0.00	0.03	C32
Trachea, bronchus, and lung	920	19.5	82.1	45.2	2.43	5.54	663	15.0	57.9	31.2	1.96	3.62	C33–34
Other thoracic organs	19	0.4	1.7	1.0	0.06	0.13	10	0.2	0.9	0.6	0.04	0.06	C37–38
Bone	14	0.3	1.2	0.8	0.04	0.09	8	0.2	0.7	0.6	0.04	0.05	C40–41
Melanoma of skin	10	0.2	0.9	0.6	0.02	0.07	12	0.3	1.0	0.6	0.04	0.08	C43
Other skin	38	0.8	3.4	1.7	0.08	0.16	50	1.1	4.4	2.2	0.11	0.21	C44
Mesothelioma	4	0.1	0.4	0.2	0.01	0.02	2	0.0	0.2	0.1	0.00	0.01	C45
Kaposi sarcoma	1	0.0	0.1	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C46
Connective and soft tissue	11	0.2	1.0	0.7	0.05	0.07	7	0.2	0.6	0.3	0.03	0.03	C47+C49
Breast	4	0.1	0.4	0.2	0.01	0.02	908	20.6	79.3	48.5	4.06	5.25	C50
Vulva							2	0.0	0.2	0.1	0.00	0.01	C51
Vagina							4	0.1	0.3	0.2	0.01	0.03	C52
Cervix uteri							245	5.6	21.4	13.1	1.06	1.46	C53
Corpus uteri							93	2.1	8.1	4.9	0.44	0.55	C54
Uterus unspecified							18	0.4	1.6	1.0	0.08	0.12	C55
Ovary							122	2.8	10.7	7.4	0.52	0.76	C56
Other female genital organs							7	0.2	0.6	0.4	0.03	0.05	C57
Placenta							1	0.0	0.1	0.2	0.01	0.01	C58
Penis	7	0.1	0.6	0.4	0.04	0.04							C60
Prostate	297	6.3	26.5	13.0	0.32	1.46							C61
Testis	4	0.1	0.4	0.3	0.02	0.02							C62
Other male genital organs	4	0.1	0.4	0.2	0.00	0.05							C63
Kidney	85	1.8	7.6	4.4	0.30	0.55	70	1.6	6.1	3.4	0.19	0.38	C64
Renal pelvis	27	0.6	2.4	1.4	0.08	0.17	17	0.4	1.5	0.6	0.01	0.07	C65
Ureter	18	0.4	1.6	0.7	0.03	0.07	14	0.3	1.2	0.5	0.01	0.06	C66
Bladder	188	4.0	16.8	8.7	0.37	0.96	43	1.0	3.8	1.9	0.09	0.23	C67
Other urinary organs	3	0.1	0.3	0.1	0.01	0.01	3	0.1	0.3	0.1	0.01	0.02	C68
Eye	1	0.0	0.1	0.2	0.01	0.01	2	0.0	0.2	0.1	0.01	0.01	C69
Brain and nervous system	47	1.0	4.2	2.9	0.17	0.30	43	1.0	3.8	2.4	0.15	0.21	C70–72
Thyroid	339	7.2	30.2	21.0	1.76	2.02	822	18.7	71.8	50.0	4.26	4.73	C73
Adrenal gland	1	0.0	0.1	0.1	0.01	0.01	2	0.0	0.2	0.2	0.02	0.02	C74
Other endocrine	0	0.0	0.0	0.0	0.00	0.00	2	0.0	0.2	0.1	0.00	0.02	C75
Hodgkin lymphoma	4	0.1	0.4	0.4	0.02	0.03	2	0.0	0.2	0.1	0.01	0.01	C81
Non-Hodgkin lymphoma	102	2.2	9.1	5.7	0.36	0.62	68	1.5	5.9	3.2	0.23	0.32	C82–86,C96
Immunoproliferative diseases	3	0.1	0.3	0.1	0.00	0.02	0	0.0	0.0	0.0	0.00	0.00	C88
Multiple myeloma	47	1.0	4.2	2.2	0.12	0.25	26	0.6	2.3	1.2	0.07	0.17	C90
Lymphoid leukaemia	22	0.5	2.0	2.1	0.09	0.14	21	0.5	1.8	2.5	0.13	0.18	C91
Myeloid leukaemia	44	0.9	3.9	2.9	0.18	0.26	23	0.5	2.0	1.4	0.08	0.13	C92–94
Leukaemia unspecified	23	0.5	2.1	1.2	0.04	0.10	14	0.3	1.2	1.1	0.06	0.09	C95
Myeloproliferative disorders	3	0.1	0.3	0.2	0.01	0.03	0	0.0	0.0	0.0	0.00	0.00	MPD
Myelodysplastic syndromes	9	0.2	0.8	0.4	0.00	0.04	0	0.0	0.0	0.0	0.00	0.00	MPS
Other and unspecified	32	0.7	2.9	1.5	0.07	0.19	23	0.5	2.0	1.0	0.06	0.09	O&U
All sites	4762		424.9	243.0	14.03	28.47	4456		389.2	230.8	16.19	24.88	C00–96
All sites except C44	4724	100.0	421.5	241.3	13.95	28.31	4406	100.0	384.9	228.7	16.08	24.67	C00–96 exc. C44

China, Luoding City

CONTRIBUTORS

Hongyan Chen
 Qiaozhen Zhang
 Huiling Liang
 Dajie Cai
 Jianguo Zheng
 Bing Zhang
 Huiyu Li



20 major cancers, ASR (World) per 100 000

Male		Female	
Liver	37.6	Breast	18.0
Trachea, bronchus, and lung	36.4	Trachea, bronchus, and lung	16.6
Nasopharynx	20.0	Cervix uteri	12.1
Stomach	12.8	Liver	8.9
Oesophagus	11.5	Colon	7.3
Colon	8.8	Nasopharynx	7.3
Rectum	8.5	Stomach	5.7
Other and unspecified	5.5	Rectum	5.5
Prostate	4.4	Thyroid	5.5
Non-Hodgkin lymphoma	3.6	Corpus uteri	5.0
Bladder	3.1	Oesophagus	4.5
Lymphoid leukaemia	2.2	Ovary	4.0
Myeloid leukaemia	2.2	Other and unspecified	3.8
Brain and nervous system	1.9	Non-Hodgkin lymphoma	2.6
Non-melanoma skin cancer	1.8	Non-melanoma skin cancer	2.1
Leukaemia unspecified	1.6	Myeloid leukaemia	1.9
Larynx	1.5	Brain and nervous system	1.6
Pancreas	1.3	Lymphoid leukaemia	1.2
Multiple myeloma	1.3	Tongue	1.1
Thyroid	1.1	Gallbladder etc.	1.1
All sites	178.8	All sites	127.3


China, Luoding City (2015–2017)

SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	
Lip	0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.1	0.0	0.00	0.00	C00
Tongue	19	0.5	0.9	0.8	0.07	0.07	25	0.9	1.4	1.1	0.09	0.14	C01–02
Mouth	23	0.6	1.1	1.0	0.08	0.12	5	0.2	0.3	0.2	0.02	0.04	C03–06
Salivary glands	4	0.1	0.2	0.2	0.01	0.03	10	0.4	0.6	0.5	0.03	0.05	C07–08
Tonsil	4	0.1	0.2	0.2	0.02	0.02	1	0.0	0.1	0.0	0.00	0.00	C09
Other oropharynx	2	0.0	0.1	0.1	0.01	0.01	0	0.0	0.0	0.0	0.00	0.00	C10
Nasopharynx	452	11.0	22.0	20.0	1.70	2.07	155	5.6	8.5	7.3	0.63	0.74	C11
Hypopharynx	1	0.0	0.0	0.0	0.00	0.01	3	0.1	0.2	0.1	0.01	0.01	C12–13
Pharynx unspecified	4	0.1	0.2	0.2	0.02	0.03	3	0.1	0.2	0.1	0.01	0.02	C14
Oesophagus	273	6.7	13.3	11.5	0.64	1.46	118	4.3	6.5	4.5	0.17	0.54	C15
Stomach	302	7.4	14.7	12.8	0.70	1.64	137	5.0	7.5	5.7	0.28	0.67	C16
Small intestine	9	0.2	0.4	0.4	0.04	0.04	7	0.3	0.4	0.4	0.01	0.05	C17
Colon	206	5.0	10.0	8.8	0.42	1.17	164	5.9	9.0	7.3	0.43	0.92	C18
Rectum	199	4.8	9.7	8.5	0.47	1.08	124	4.5	6.8	5.5	0.36	0.66	C19–20
Anus	7	0.2	0.3	0.3	0.01	0.04	3	0.1	0.2	0.1	0.01	0.02	C21
Liver	853	20.8	41.4	37.6	2.78	4.34	200	7.2	11.0	8.9	0.58	1.06	C22
Gallbladder etc.	28	0.7	1.4	1.1	0.04	0.13	27	1.0	1.5	1.1	0.03	0.16	C23–24
Pancreas	32	0.8	1.6	1.3	0.09	0.14	23	0.8	1.3	1.0	0.04	0.12	C25
Nose, sinuses etc.	9	0.2	0.4	0.4	0.04	0.04	6	0.2	0.3	0.3	0.02	0.04	C30–31
Larynx	35	0.9	1.7	1.5	0.09	0.21	7	0.3	0.4	0.3	0.02	0.04	C32
Trachea, bronchus, and lung	859	20.9	41.7	36.4	2.02	4.65	386	14.0	21.2	16.6	0.97	2.03	C33–34
Other thoracic organs	18	0.4	0.9	0.9	0.06	0.08	3	0.1	0.2	0.1	0.02	0.02	C37–38
Bone	20	0.5	1.0	0.9	0.05	0.09	17	0.6	0.9	0.8	0.05	0.06	C40–41
Melanoma of skin	6	0.1	0.3	0.3	0.02	0.04	10	0.4	0.6	0.4	0.02	0.05	C43
Other skin	44	1.1	2.1	1.8	0.13	0.19	52	1.9	2.9	2.1	0.11	0.26	C44
Mesothelioma	2	0.0	0.1	0.1	0.00	0.01	4	0.1	0.2	0.2	0.01	0.02	C45
Kaposi sarcoma	1	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C46
Connective and soft tissue	11	0.3	0.5	0.5	0.02	0.05	15	0.5	0.8	0.9	0.05	0.09	C47+C49
Breast	1	0.0	0.0	0.0	0.00	0.00	384	13.9	21.1	18.0	1.51	1.87	C50
Vulva							2	0.1	0.1	0.1	0.01	0.01	C51
Vagina							3	0.1	0.2	0.2	0.01	0.02	C52
Cervix uteri							268	9.7	14.7	12.1	1.00	1.32	C53
Corpus uteri							109	4.0	6.0	5.0	0.43	0.56	C54
Uterus unspecified							21	0.8	1.2	1.0	0.08	0.10	C55
Ovary							87	3.2	4.8	4.0	0.34	0.43	C56
Other female genital organs							7	0.3	0.4	0.3	0.03	0.04	C57
Placenta							1	0.0	0.1	0.0	0.00	0.00	C58
Penis	14	0.3	0.7	0.6	0.03	0.07							C60
Prostate	116	2.8	5.6	4.4	0.09	0.49							C61
Testis	11	0.3	0.5	0.6	0.04	0.04							C62
Other male genital organs	2	0.0	0.1	0.1	0.01	0.01							C63
Kidney	25	0.6	1.2	1.1	0.09	0.12	16	0.6	0.9	0.8	0.04	0.11	C64
Renal pelvis	3	0.1	0.1	0.1	0.01	0.02	2	0.1	0.1	0.1	0.00	0.02	C65
Ureter	4	0.1	0.2	0.2	0.01	0.02	1	0.0	0.1	0.1	0.00	0.01	C66
Bladder	75	1.8	3.6	3.1	0.14	0.36	8	0.3	0.4	0.4	0.02	0.04	C67
Other urinary organs	3	0.1	0.1	0.1	0.01	0.01	0	0.0	0.0	0.0	0.00	0.00	C68
Eye	2	0.0	0.1	0.1	0.01	0.01	3	0.1	0.2	0.2	0.01	0.01	C69
Brain and nervous system	42	1.0	2.0	1.9	0.15	0.20	31	1.1	1.7	1.6	0.10	0.15	C70–72
Thyroid	26	0.6	1.3	1.1	0.11	0.11	110	4.0	6.1	5.5	0.41	0.49	C73
Adrenal gland	2	0.0	0.1	0.1	0.01	0.02	2	0.1	0.1	0.1	0.01	0.01	C74
Other endocrine	2	0.0	0.1	0.1	0.01	0.01	0	0.0	0.0	0.0	0.00	0.00	C75
Hodgkin lymphoma	3	0.1	0.1	0.1	0.01	0.02	2	0.1	0.1	0.1	0.00	0.01	C81
Non-Hodgkin lymphoma	80	1.9	3.9	3.6	0.23	0.39	53	1.9	2.9	2.6	0.22	0.27	C82–86,C96
Immunoproliferative diseases	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C88
Multiple myeloma	29	0.7	1.4	1.3	0.07	0.18	19	0.7	1.0	1.0	0.05	0.14	C90
Lymphoid leukaemia	41	1.0	2.0	2.2	0.13	0.16	18	0.7	1.0	1.2	0.06	0.08	C91
Myeloid leukaemia	47	1.1	2.3	2.2	0.14	0.23	36	1.3	2.0	1.9	0.13	0.18	C92–94
Leukaemia unspecified	36	0.9	1.7	1.6	0.06	0.18	13	0.5	0.7	0.7	0.04	0.06	C95
Myeloproliferative disorders	7	0.2	0.3	0.3	0.02	0.02	11	0.4	0.6	0.5	0.04	0.05	MPD
Myelodysplastic syndromes	19	0.5	0.9	0.8	0.05	0.09	8	0.3	0.4	0.4	0.01	0.04	MPS
Other and unspecified	135	3.3	6.6	5.5	0.28	0.57	90	3.3	5.0	3.8	0.23	0.40	O&U
All sites	4148		201.5	178.8	11.22	21.09	2811		154.7	127.3	8.79	14.25	C00–96
All sites except C44	4104	100.0	199.3	177.0	11.09	20.90	2759	100.0	151.8	125.2	8.68	13.99	C00–96 exc. C44

China, Luohe City

CONTRIBUTORS

Dai Jun Jun
 Li Ai Hui
 Yuan Bing Xiang
 Pang Jing
 Chang Shuai Qi
 He Yi Cong
 Deng Jie
 Zhang Nan
 Wang Hong Bo
 Zhang Xiang



NOTES ON THE DATA

*No official mortality data.

20 major cancers, ASR (World) per 100 000

<i>Male</i>		<i>Female</i>	
Trachea, bronchus, and lung	64.0	Breast	35.0
Liver	35.2	Trachea, bronchus, and lung	24.9
Stomach	29.2	Cervix uteri	13.7
Oesophagus	22.3	Liver	13.6
Rectum	8.8	Stomach	12.5
Colon	6.3	Oesophagus	11.6
Brain and nervous system	5.1	Corpus uteri	5.9
Bladder	4.0	Rectum	5.7
Pancreas	3.8	Thyroid	5.6
Prostate	3.8	Ovary	5.1
Gallbladder etc.	3.1	Colon	5.1
Other and unspecified	2.9	Brain and nervous system	3.3
Kidney	2.1	Gallbladder etc.	3.0
Leukaemia unspecified	2.1	Other and unspecified	2.6
Lymphoid leukaemia	2.0	Pancreas	2.4
Non-Hodgkin lymphoma	1.9	Leukaemia unspecified	2.2
Myeloid leukaemia	1.9	Lymphoid leukaemia	1.8
Bone	1.8	Myeloid leukaemia	1.4
Thyroid	1.8	Bladder	1.1
Larynx	1.5	Kidney	1.0
All sites	215.5	All sites	168.3

*China, Luohe City (2013–2017)


SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	
Lip	4	0.0	0.1	0.1	0.01	0.01	2	0.0	0.1	0.0	0.00	0.01	C00
Tongue	10	0.1	0.3	0.3	0.02	0.03	22	0.3	0.7	0.5	0.04	0.05	C01–02
Mouth	20	0.2	0.6	0.5	0.03	0.05	15	0.2	0.5	0.3	0.02	0.04	C03–06
Salivary glands	11	0.1	0.3	0.3	0.03	0.03	17	0.2	0.5	0.4	0.02	0.03	C07–08
Tonsil	6	0.1	0.2	0.1	0.01	0.01	0	0.0	0.0	0.0	0.00	0.00	C09
Other oropharynx	1	0.0	0.0	0.0	0.00	0.00	1	0.0	0.0	0.0	0.00	0.00	C10
Nasopharynx	42	0.5	1.3	1.1	0.07	0.13	22	0.3	0.7	0.5	0.04	0.06	C11
Hypopharynx	6	0.1	0.2	0.2	0.01	0.02	0	0.0	0.0	0.0	0.00	0.00	C12–13
Pharynx unspecified	4	0.0	0.1	0.1	0.01	0.01	1	0.0	0.0	0.0	0.00	0.00	C14
Oesophagus	852	10.4	25.7	22.3	0.91	2.84	542	7.5	17.2	11.6	0.48	1.34	C15
Stomach	1113	13.6	33.5	29.2	1.25	3.58	571	7.9	18.1	12.5	0.60	1.38	C16
Small intestine	25	0.3	0.8	0.6	0.03	0.06	35	0.5	1.1	0.8	0.04	0.08	C17
Colon	247	3.0	7.4	6.3	0.35	0.69	219	3.0	6.9	5.1	0.28	0.63	C18
Rectum	340	4.1	10.2	8.8	0.44	1.07	246	3.4	7.8	5.7	0.32	0.72	C19–20
Anus	12	0.1	0.4	0.3	0.02	0.04	8	0.1	0.3	0.2	0.02	0.02	C21
Liver	1380	16.8	41.6	35.2	2.30	4.08	618	8.6	19.6	13.6	0.71	1.63	C22
Gallbladder etc.	122	1.5	3.7	3.1	0.12	0.36	138	1.9	4.4	3.0	0.15	0.37	C23–24
Pancreas	140	1.7	4.2	3.8	0.20	0.44	104	1.4	3.3	2.4	0.12	0.26	C25
Nose, sinuses etc.	10	0.1	0.3	0.3	0.02	0.03	4	0.1	0.1	0.1	0.00	0.01	C30–31
Larynx	60	0.7	1.8	1.5	0.09	0.18	6	0.1	0.2	0.1	0.01	0.01	C32
Trachea, bronchus, and lung	2438	29.7	73.4	64.0	2.74	7.91	1146	15.9	36.3	24.9	1.36	2.76	C33–34
Other thoracic organs	39	0.5	1.2	1.1	0.04	0.12	24	0.3	0.8	0.6	0.02	0.07	C37–38
Bone	69	0.8	2.1	1.8	0.11	0.18	42	0.6	1.3	1.0	0.06	0.10	C40–41
Melanoma of skin	18	0.2	0.5	0.4	0.02	0.04	4	0.1	0.1	0.1	0.00	0.01	C43
Other skin	39	0.5	1.2	1.0	0.07	0.10	39	0.5	1.2	0.9	0.04	0.11	C44
Mesothelioma	1	0.0	0.0	0.0	0.00	0.01	1	0.0	0.0	0.0	0.00	0.00	C45
Kaposi sarcoma	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C46
Connective and soft tissue	12	0.1	0.4	0.3	0.02	0.03	8	0.1	0.3	0.3	0.02	0.03	C47+C49
Breast	21	0.3	0.6	0.5	0.04	0.05	1439	20.0	45.6	35.0	2.73	3.85	C50
Vulva							10	0.1	0.3	0.3	0.02	0.02	C51
Vagina							2	0.0	0.1	0.1	0.01	0.01	C52
Cervix uteri							566	7.9	17.9	13.7	1.11	1.42	C53
Corpus uteri							244	3.4	7.7	5.9	0.45	0.68	C54
Uterus unspecified							29	0.4	0.9	0.7	0.06	0.08	C55
Ovary							215	3.0	6.8	5.1	0.38	0.55	C56
Other female genital organs							12	0.2	0.4	0.3	0.03	0.03	C57
Placenta							2	0.0	0.1	0.1	0.00	0.00	C58
Penis	31	0.4	0.9	0.9	0.04	0.12							C60
Prostate	146	1.8	4.4	3.8	0.06	0.35							C61
Testis	9	0.1	0.3	0.2	0.01	0.02							C62
Other male genital organs	0	0.0	0.0	0.0	0.00	0.00							C63
Kidney	81	1.0	2.4	2.1	0.13	0.25	40	0.6	1.3	1.0	0.07	0.11	C64
Renal pelvis	13	0.2	0.4	0.3	0.02	0.04	6	0.1	0.2	0.1	0.01	0.01	C65
Ureter	17	0.2	0.5	0.4	0.02	0.06	9	0.1	0.3	0.2	0.01	0.02	C66
Bladder	157	1.9	4.7	4.0	0.17	0.47	49	0.7	1.6	1.1	0.06	0.14	C67
Other urinary organs	2	0.0	0.1	0.1	0.00	0.01	1	0.0	0.0	0.0	0.00	0.00	C68
Eye	6	0.1	0.2	0.2	0.02	0.02	6	0.1	0.2	0.1	0.00	0.01	C69
Brain and nervous system	190	2.3	5.7	5.1	0.32	0.55	131	1.8	4.1	3.3	0.19	0.36	C70–72
Thyroid	69	0.8	2.1	1.8	0.12	0.19	222	3.1	7.0	5.6	0.46	0.56	C73
Adrenal gland	6	0.1	0.2	0.2	0.01	0.02	14	0.2	0.4	0.3	0.03	0.03	C74
Other endocrine	5	0.1	0.2	0.2	0.01	0.02	3	0.0	0.1	0.1	0.00	0.01	C75
Hodgkin lymphoma	19	0.2	0.6	0.5	0.02	0.06	14	0.2	0.4	0.4	0.02	0.04	C81
Non-Hodgkin lymphoma	70	0.9	2.1	1.9	0.12	0.23	38	0.5	1.2	1.0	0.08	0.11	C82–86,C96
Immunoproliferative diseases	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C88
Multiple myeloma	47	0.6	1.4	1.3	0.08	0.16	36	0.5	1.1	1.0	0.04	0.15	C90
Lymphoid leukaemia	73	0.9	2.2	2.0	0.12	0.19	67	0.9	2.1	1.8	0.11	0.16	C91
Myeloid leukaemia	71	0.9	2.1	1.9	0.11	0.22	51	0.7	1.6	1.4	0.09	0.14	C92–94
Leukaemia unspecified	67	0.8	2.0	2.1	0.10	0.20	76	1.1	2.4	2.2	0.14	0.19	C95
Myeloproliferative disorders	3	0.0	0.1	0.1	0.01	0.01	4	0.1	0.1	0.1	0.01	0.01	MPD
Myelodysplastic syndromes	7	0.1	0.2	0.2	0.01	0.02	5	0.1	0.2	0.1	0.01	0.01	MPS
Other and unspecified	107	1.3	3.2	2.9	0.16	0.33	101	1.4	3.2	2.6	0.17	0.24	O&U
All sites	8238		248.2	215.5	10.63	25.62	7227		228.9	168.3	10.66	18.70	C00–96
All sites except C44	8199	100.0	247.0	214.6	10.56	25.51	7188	100.0	227.6	167.4	10.62	18.59	C00–96 exc. C44

*See note following population pyramid

China, Luoyang City

CONTRIBUTORS

Yan Yunyan
Li Aihong
Chang Ying
Cheng Xianjing
Wen Dan
Han Yingxia
He Guiting
Chen Jun
Xing Jianle
Chen Yanan



NOTES ON THE DATA

*Low levels of specificity of leukaemias.

20 major cancers, ASR (World) per 100 000

<i>Male</i>		<i>Female</i>	
Trachea, bronchus, and lung	48.4	Breast	33.6
Stomach	22.9	Trachea, bronchus, and lung	19.9
Liver	21.3	Thyroid	11.5
Oesophagus	15.2	Cervix uteri	10.3
Colon	9.4	Liver	8.9
Rectum	9.4	Stomach	8.6
Bladder	7.3	Oesophagus	7.7
Prostate	7.1	Colon	7.4
Pancreas	5.2	Corpus uteri	6.4
Kidney	5.2	Rectum	6.4
Leukaemia unspecified	4.7	Ovary	5.5
Thyroid	4.6	Brain and nervous system	4.4
Brain and nervous system	4.3	Gallbladder etc.	3.7
Non-Hodgkin lymphoma	3.1	Pancreas	3.6
Gallbladder etc.	2.8	Other and unspecified	2.9
Other and unspecified	2.7	Kidney	2.7
Larynx	1.6	Leukaemia unspecified	2.6
Small intestine	1.4	Bladder	2.2
Multiple myeloma	1.3	Non-Hodgkin lymphoma	2.1
Myeloid leukaemia	1.3	Non-melanoma skin cancer	1.2
All sites	192.6	All sites	164.5

*China, Luoyang City (2013–2017)


SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	
Lip	4	0.0	0.1	0.1	0.01	0.01	2	0.0	0.1	0.0	0.00	0.00	C00
Tongue	15	0.2	0.5	0.3	0.02	0.03	10	0.1	0.4	0.2	0.01	0.03	C01–02
Mouth	33	0.4	1.2	0.7	0.04	0.09	15	0.2	0.5	0.3	0.02	0.03	C03–06
Salivary glands	26	0.3	0.9	0.6	0.04	0.07	18	0.3	0.6	0.5	0.04	0.04	C07–08
Tonsil	2	0.0	0.1	0.0	0.00	0.00	2	0.0	0.1	0.1	0.00	0.01	C09
Other oropharynx	5	0.1	0.2	0.1	0.01	0.01	2	0.0	0.1	0.1	0.01	0.01	C10
Nasopharynx	52	0.6	1.8	1.2	0.08	0.16	20	0.3	0.7	0.5	0.04	0.05	C11
Hypopharynx	18	0.2	0.6	0.4	0.02	0.04	2	0.0	0.1	0.0	0.00	0.00	C12–13
Pharynx unspecified	3	0.0	0.1	0.0	0.00	0.00	8	0.1	0.3	0.2	0.01	0.02	C14
Oesophagus	650	7.9	22.9	15.2	0.73	1.83	355	5.0	12.8	7.7	0.21	0.86	C15
Stomach	1008	12.2	35.5	22.9	0.92	2.58	400	5.6	14.4	8.6	0.43	0.91	C16
Small intestine	56	0.7	2.0	1.4	0.05	0.15	31	0.4	1.1	0.7	0.02	0.07	C17
Colon	421	5.1	14.8	9.4	0.37	0.97	345	4.8	12.4	7.4	0.36	0.76	C18
Rectum	412	5.0	14.5	9.4	0.49	1.01	293	4.1	10.5	6.4	0.30	0.72	C19–20
Anus	2	0.0	0.1	0.0	0.00	0.00	3	0.0	0.1	0.1	0.00	0.01	C21
Liver	907	11.0	32.0	21.3	1.34	2.34	404	5.7	14.5	8.9	0.42	0.92	C22
Gallbladder etc.	122	1.5	4.3	2.8	0.12	0.29	179	2.5	6.4	3.7	0.12	0.36	C23–24
Pancreas	222	2.7	7.8	5.2	0.22	0.57	173	2.4	6.2	3.6	0.10	0.43	C25
Nose, sinuses etc.	19	0.2	0.7	0.4	0.03	0.04	8	0.1	0.3	0.2	0.01	0.03	C30–31
Larynx	73	0.9	2.6	1.6	0.08	0.19	7	0.1	0.3	0.2	0.01	0.01	C32
Trachea, bronchus, and lung	2131	25.8	75.1	48.4	2.22	5.43	928	13.0	33.3	19.9	0.84	2.06	C33–34
Other thoracic organs	38	0.5	1.3	0.9	0.04	0.09	24	0.3	0.9	0.6	0.04	0.05	C37–38
Bone	35	0.4	1.2	1.0	0.06	0.09	47	0.7	1.7	1.2	0.07	0.12	C40–41
Melanoma of skin	10	0.1	0.4	0.2	0.02	0.03	10	0.1	0.4	0.2	0.01	0.02	C43
Other skin	45	0.5	1.6	1.1	0.05	0.12	58	0.8	2.1	1.2	0.05	0.09	C44
Mesothelioma	5	0.1	0.2	0.1	0.01	0.01	3	0.0	0.1	0.1	0.00	0.01	C45
Kaposi sarcoma	1	0.0	0.0	0.0	0.00	0.00	2	0.0	0.1	0.1	0.00	0.01	C46
Connective and soft tissue	31	0.4	1.1	0.9	0.05	0.07	21	0.3	0.8	0.6	0.04	0.05	C47+C49
Breast	25	0.3	0.9	0.5	0.03	0.07	1450	20.3	52.1	33.6	2.64	3.72	C50
Vulva							15	0.2	0.5	0.3	0.01	0.04	C51
Vagina							6	0.1	0.2	0.2	0.00	0.02	C52
Cervix uteri							441	6.2	15.8	10.3	0.82	1.08	C53
Corpus uteri							269	3.8	9.7	6.4	0.50	0.72	C54
Uterus unspecified							41	0.6	1.5	0.9	0.08	0.10	C55
Ovary							240	3.4	8.6	5.5	0.36	0.62	C56
Other female genital organs							10	0.1	0.4	0.2	0.01	0.02	C57
Placenta							2	0.0	0.1	0.1	0.00	0.00	C58
Penis	13	0.2	0.5	0.3	0.02	0.03							C60
Prostate	336	4.1	11.8	7.1	0.10	0.58							C61
Testis	13	0.2	0.5	0.3	0.02	0.03							C62
Other male genital organs	6	0.1	0.2	0.1	0.01	0.01							C63
Kidney	213	2.6	7.5	5.2	0.34	0.58	107	1.5	3.8	2.7	0.14	0.28	C64
Renal pelvis	21	0.3	0.7	0.5	0.02	0.05	15	0.2	0.5	0.3	0.01	0.03	C65
Ureter	21	0.3	0.7	0.5	0.03	0.06	24	0.3	0.9	0.5	0.01	0.05	C66
Bladder	330	4.0	11.6	7.3	0.31	0.74	101	1.4	3.6	2.2	0.10	0.21	C67
Other urinary organs	2	0.0	0.1	0.0	0.00	0.00	1	0.0	0.0	0.0	0.00	0.00	C68
Eye	8	0.1	0.3	0.2	0.01	0.01	7	0.1	0.3	0.3	0.01	0.01	C69
Brain and nervous system	170	2.1	6.0	4.3	0.28	0.42	184	2.6	6.6	4.4	0.28	0.48	C70–72
Thyroid	189	2.3	6.7	4.6	0.37	0.45	462	6.5	16.6	11.5	0.95	1.15	C73
Adrenal gland	9	0.1	0.3	0.2	0.01	0.02	11	0.2	0.4	0.3	0.02	0.02	C74
Other endocrine	11	0.1	0.4	0.2	0.01	0.01	9	0.1	0.3	0.2	0.01	0.02	C75
Hodgkin lymphoma	15	0.2	0.5	0.4	0.02	0.05	10	0.1	0.4	0.2	0.02	0.02	C81
Non-Hodgkin lymphoma	128	1.5	4.5	3.1	0.16	0.31	88	1.2	3.2	2.1	0.11	0.24	C82–86,C96
Immunoproliferative diseases	3	0.0	0.1	0.1	0.01	0.01	2	0.0	0.1	0.1	0.00	0.00	C88
Multiple myeloma	57	0.7	2.0	1.3	0.05	0.15	32	0.4	1.1	0.7	0.03	0.08	C90
Lymphoid leukaemia	30	0.4	1.1	0.7	0.03	0.07	24	0.3	0.9	0.8	0.04	0.06	C91
Myeloid leukaemia	45	0.5	1.6	1.3	0.06	0.12	36	0.5	1.3	1.0	0.06	0.10	C92–94
Leukaemia unspecified	167	2.0	5.9	4.7	0.23	0.44	94	1.3	3.4	2.6	0.15	0.26	C95
Myeloproliferative disorders	10	0.1	0.4	0.2	0.01	0.01	6	0.1	0.2	0.1	0.00	0.01	MPD
Myelodysplastic syndromes	38	0.5	1.3	1.0	0.03	0.09	33	0.5	1.2	0.7	0.04	0.06	MPS
Other and unspecified	113	1.4	4.0	2.7	0.13	0.25	118	1.7	4.2	2.9	0.12	0.26	O&U
All sites	8319		293.4	192.6	9.31	20.78	7208		258.9	164.5	9.71	17.39	C00–96
All sites except C44	8274	100.0	291.8	191.5	9.26	20.67	7150	100.0	256.8	163.3	9.65	17.30	C00–96 exc. C44

*See note following population pyramid

China, Luquan City

CONTRIBUTORS

Feng Zhenhong
Zhang Yaosen
Ren Junhui
Liang Jiekun



NOTES ON THE DATA

*No official mortality data.

20 major cancers, ASR (World) per 100 000

<i>Male</i>		<i>Female</i>	
Trachea, bronchus, and lung	41.6	Breast	22.4
Stomach	27.0	Trachea, bronchus, and lung	21.3
Liver	18.7	Corpus uteri	8.7
Oesophagus	15.9	Stomach	7.8
Colon	5.8	Oesophagus	7.5
Bladder	4.1	Liver	7.2
Rectum	4.0	Cervix uteri	7.1
Pancreas	4.0	Thyroid	6.1
Non-Hodgkin lymphoma	3.1	Ovary	4.7
Brain and nervous system	2.9	Rectum	3.9
Prostate	2.9	Colon	3.7
Kidney	2.0	Brain and nervous system	2.8
Myeloid leukaemia	1.9	Lymphoid leukaemia	2.8
Thyroid	1.9	Non-Hodgkin lymphoma	2.3
Gallbladder etc.	1.8	Gallbladder etc.	1.6
Larynx	1.8	Myeloid leukaemia	1.6
Other and unspecified	1.6	Pancreas	1.6
Multiple myeloma	1.6	Other and unspecified	1.5
Bone	1.2	Kidney	1.4
Lymphoid leukaemia	1.1	Bladder	1.3
All sites	154.3	All sites	125.6

*China, Luquan City (2014–2017)


SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	
Lip	1	0.1	0.1	0.1	0.00	0.02	2	0.1	0.2	0.2	0.01	0.02	C00
Tongue	2	0.1	0.2	0.2	0.02	0.02	0	0.0	0.0	0.0	0.00	0.00	C01–02
Mouth	3	0.2	0.4	0.3	0.03	0.03	6	0.4	0.7	0.4	0.03	0.05	C03–06
Salivary glands	9	0.5	1.1	0.8	0.06	0.08	2	0.1	0.2	0.2	0.01	0.02	C07–08
Tonsil	2	0.1	0.2	0.1	0.02	0.02	0	0.0	0.0	0.0	0.00	0.00	C09
Other oropharynx	3	0.2	0.4	0.2	0.01	0.01	1	0.1	0.1	0.1	0.00	0.01	C10
Nasopharynx	4	0.2	0.5	0.4	0.02	0.07	1	0.1	0.1	0.1	0.00	0.01	C11
Hypopharynx	6	0.3	0.7	0.5	0.02	0.05	0	0.0	0.0	0.0	0.00	0.00	C12–13
Pharynx unspecified	0	0.0	0.0	0.0	0.00	0.00	2	0.1	0.2	0.2	0.01	0.03	C14
Oesophagus	190	10.5	23.5	15.9	0.68	2.15	103	6.7	12.3	7.5	0.27	1.00	C15
Stomach	317	17.6	39.1	27.0	1.07	3.61	107	7.0	12.8	7.8	0.29	0.91	C16
Small intestine	11	0.6	1.4	0.8	0.04	0.06	5	0.3	0.6	0.4	0.04	0.05	C17
Colon	64	3.6	7.9	5.8	0.29	0.77	50	3.3	6.0	3.7	0.22	0.44	C18
Rectum	48	2.7	5.9	4.0	0.22	0.58	51	3.3	6.1	3.9	0.12	0.62	C19–20
Anus	8	0.4	1.0	0.6	0.04	0.08	3	0.2	0.4	0.2	0.00	0.04	C21
Liver	218	12.1	26.9	18.7	1.23	2.28	96	6.3	11.5	7.2	0.36	0.87	C22
Gallbladder etc.	21	1.2	2.6	1.8	0.08	0.25	21	1.4	2.5	1.6	0.05	0.19	C23–24
Pancreas	47	2.6	5.8	4.0	0.18	0.44	22	1.4	2.6	1.6	0.09	0.20	C25
Nose, sinuses etc.	3	0.2	0.4	0.4	0.03	0.03	1	0.1	0.1	0.1	0.01	0.01	C30–31
Larynx	22	1.2	2.7	1.8	0.15	0.22	2	0.1	0.2	0.1	0.02	0.02	C32
Trachea, bronchus, and lung	501	27.8	61.8	41.6	2.04	5.54	282	18.4	33.8	21.3	1.20	2.68	C33–34
Other thoracic organs	6	0.3	0.7	0.5	0.04	0.07	3	0.2	0.4	0.2	0.02	0.02	C37–38
Bone	12	0.7	1.5	1.1	0.08	0.11	8	0.5	1.0	0.6	0.03	0.08	C40–41
Melanoma of skin	1	0.1	0.1	0.1	0.00	0.00	2	0.1	0.2	0.2	0.01	0.03	C43
Other skin	10	0.6	1.2	0.9	0.05	0.11	8	0.5	1.0	0.5	0.04	0.06	C44
Mesothelioma	1	0.1	0.1	0.1	0.00	0.02	2	0.1	0.2	0.1	0.02	0.02	C45
Kaposi sarcoma	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C46
Connective and soft tissue	3	0.2	0.4	0.3	0.02	0.04	5	0.3	0.6	0.4	0.03	0.05	C47+C49
Breast	8	0.4	1.0	0.7	0.03	0.08	258	16.8	30.9	22.4	1.76	2.55	C50
Vulva							1	0.1	0.1	0.1	0.00	0.01	C51
Vagina							0	0.0	0.0	0.0	0.00	0.00	C52
Cervix uteri							86	5.6	10.3	7.1	0.58	0.78	C53
Corpus uteri							102	6.7	12.2	8.7	0.67	1.05	C54
Uterus unspecified							12	0.8	1.4	1.1	0.07	0.14	C55
Ovary							53	3.5	6.3	4.7	0.35	0.51	C56
Other female genital organs							3	0.2	0.4	0.2	0.02	0.02	C57
Placenta							0	0.0	0.0	0.0	0.00	0.00	C58
Penis	2	0.1	0.2	0.2	0.02	0.02							C60
Prostate	36	2.0	4.4	2.9	0.06	0.34							C61
Testis	2	0.1	0.2	0.2	0.02	0.02							C62
Other male genital organs	0	0.0	0.0	0.0	0.00	0.00							C63
Kidney	23	1.3	2.8	2.0	0.14	0.26	17	1.1	2.0	1.4	0.11	0.16	C64
Renal pelvis	2	0.1	0.2	0.2	0.02	0.02	2	0.1	0.2	0.2	0.01	0.03	C65
Ureter	0	0.0	0.0	0.0	0.00	0.00	1	0.1	0.1	0.1	0.01	0.01	C66
Bladder	50	2.8	6.2	4.1	0.15	0.54	20	1.3	2.4	1.3	0.02	0.12	C67
Other urinary organs	1	0.1	0.1	0.1	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C68
Eye	1	0.1	0.1	0.1	0.00	0.00	3	0.2	0.4	0.4	0.02	0.03	C69
Brain and nervous system	32	1.8	3.9	2.9	0.21	0.29	29	1.9	3.5	2.8	0.20	0.26	C70–72
Thyroid	20	1.1	2.5	1.9	0.14	0.17	66	4.3	7.9	6.1	0.52	0.58	C73
Adrenal gland	2	0.1	0.2	0.2	0.00	0.03	1	0.1	0.1	0.1	0.00	0.00	C74
Other endocrine	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C75
Hodgkin lymphoma	4	0.2	0.5	0.3	0.02	0.04	4	0.3	0.5	0.3	0.03	0.03	C81
Non-Hodgkin lymphoma	36	2.0	4.4	3.1	0.17	0.42	26	1.7	3.1	2.3	0.14	0.28	C82–86,C96
Immunoproliferative diseases	1	0.1	0.1	0.1	0.00	0.02	0	0.0	0.0	0.0	0.00	0.00	C88
Multiple myeloma	17	0.9	2.1	1.6	0.06	0.26	13	0.8	1.6	1.0	0.07	0.15	C90
Lymphoid leukaemia	11	0.6	1.4	1.1	0.07	0.09	19	1.2	2.3	2.8	0.12	0.17	C91
Myeloid leukaemia	19	1.1	2.3	1.9	0.16	0.20	16	1.0	1.9	1.6	0.10	0.13	C92–94
Leukaemia unspecified	8	0.4	1.0	0.7	0.06	0.08	7	0.5	0.8	0.6	0.05	0.08	C95
Myeloproliferative disorders	2	0.1	0.2	0.1	0.01	0.01	1	0.1	0.1	0.1	0.00	0.02	MPD
Myelodysplastic syndromes	3	0.2	0.4	0.3	0.01	0.06	0	0.0	0.0	0.0	0.00	0.00	MPS
Other and unspecified	19	1.1	2.3	1.6	0.12	0.18	16	1.0	1.9	1.5	0.10	0.15	O&U
All sites	1812		223.7	154.3	7.87	19.80	1541		184.6	125.6	7.80	14.71	C00–96
All sites except C44	1802	100.0	222.4	153.4	7.81	19.69	1533	100.0	183.6	125.1	7.77	14.65	C00–96 exc. C44

*See note following population pyramid

China, Ma'anshan City

CONTRIBUTORS

Qing Feng
 Minshi Ye
 Zhengping Bian
 Huaying Cai
 Lihua Wang
 Haihong Meng
 Chun Wang
 Dandan Wu
 Qirong Qin
 Jian Chen
 Shengwei Zhan



20 major cancers, ASR (World) per 100 000

<i>Male</i>		<i>Female</i>	
Trachea, bronchus, and lung	65.1	Breast	31.5
Stomach	52.9	Trachea, bronchus, and lung	23.1
Liver	23.6	Stomach	19.1
Oesophagus	23.5	Cervix uteri	15.3
Colon	20.7	Colon	14.2
Rectum	14.4	Thyroid	11.9
Prostate	12.0	Rectum	8.5
Pancreas	10.5	Liver	7.7
Bladder	8.6	Ovary	6.6
Non-Hodgkin lymphoma	6.0	Oesophagus	5.6
Larynx	4.5	Corpus uteri	5.6
Kidney	4.5	Pancreas	5.4
Myeloid leukaemia	4.1	Non-Hodgkin lymphoma	4.6
Brain and nervous system	3.9	Brain and nervous system	3.7
Thyroid	3.4	Gallbladder etc.	3.4
Nasopharynx	3.0	Kidney	2.6
Gallbladder etc.	2.8	Non-melanoma skin cancer	2.2
Non-melanoma skin cancer	2.7	Other and unspecified	2.1
Multiple myeloma	1.8	Myeloid leukaemia	1.9
Other and unspecified	1.6	Bladder	1.9
All sites	285.3	All sites	189.6


China, Ma'anshan City (2013–2017)

SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	
Lip	8	0.1	0.5	0.3	0.01	0.03	6	0.1	0.4	0.2	0.01	0.01	C00
Tongue	12	0.2	0.7	0.7	0.05	0.06	5	0.1	0.3	0.2	0.01	0.03	C01–02
Mouth	27	0.4	1.7	1.2	0.07	0.10	13	0.3	0.8	0.5	0.02	0.06	C03–06
Salivary glands	13	0.2	0.8	0.6	0.03	0.05	8	0.2	0.5	0.4	0.03	0.04	C07–08
Tonsil	2	0.0	0.1	0.1	0.00	0.00	1	0.0	0.1	0.1	0.01	0.01	C09
Other oropharynx	9	0.1	0.6	0.4	0.01	0.05	1	0.0	0.1	0.0	0.00	0.00	C10
Nasopharynx	61	1.0	3.8	3.0	0.23	0.30	28	0.6	1.8	1.2	0.09	0.14	C11
Hypopharynx	24	0.4	1.5	1.1	0.06	0.12	3	0.1	0.2	0.1	0.01	0.01	C12–13
Pharynx unspecified	1	0.0	0.1	0.0	0.00	0.01	0	0.0	0.0	0.0	0.00	0.00	C14
Oesophagus	516	8.4	32.2	23.5	0.99	2.86	152	3.5	9.6	5.6	0.11	0.55	C15
Stomach	1177	19.1	73.5	52.9	2.37	6.08	460	10.6	28.9	19.1	0.82	2.08	C16
Small intestine	23	0.4	1.4	1.0	0.05	0.14	22	0.5	1.4	1.0	0.06	0.13	C17
Colon	455	7.4	28.4	20.7	0.92	2.26	340	7.8	21.4	14.2	0.73	1.61	C18
Rectum	312	5.1	19.5	14.4	0.76	1.62	202	4.7	12.7	8.5	0.43	0.92	C19–20
Anus	8	0.1	0.5	0.3	0.01	0.04	1	0.0	0.1	0.0	0.00	0.00	C21
Liver	509	8.3	31.8	23.6	1.14	2.42	193	4.4	12.1	7.7	0.28	0.79	C22
Gallbladder etc.	60	1.0	3.7	2.8	0.12	0.34	88	2.0	5.5	3.4	0.10	0.36	C23–24
Pancreas	225	3.6	14.1	10.5	0.49	1.11	134	3.1	8.4	5.4	0.16	0.58	C25
Nose, sinuses etc.	8	0.1	0.5	0.5	0.02	0.04	5	0.1	0.3	0.2	0.01	0.02	C30–31
Larynx	98	1.6	6.1	4.5	0.24	0.51	3	0.1	0.2	0.1	0.00	0.00	C32
Trachea, bronchus, and lung	1432	23.2	89.5	65.1	2.23	6.55	559	12.9	35.2	23.1	1.11	2.57	C33–34
Other thoracic organs	11	0.2	0.7	0.5	0.03	0.04	14	0.3	0.9	0.7	0.05	0.09	C37–38
Bone	18	0.3	1.1	0.9	0.02	0.10	14	0.3	0.9	0.7	0.03	0.06	C40–41
Melanoma of skin	11	0.2	0.7	0.5	0.02	0.04	20	0.5	1.3	0.8	0.04	0.10	C43
Other skin	59	1.0	3.7	2.7	0.10	0.30	56	1.3	3.5	2.2	0.06	0.21	C44
Mesothelioma	4	0.1	0.2	0.2	0.01	0.02	2	0.0	0.1	0.1	0.00	0.01	C45
Kaposi sarcoma	1	0.0	0.1	0.1	0.01	0.01	0	0.0	0.0	0.0	0.00	0.00	C46
Connective and soft tissue	21	0.3	1.3	1.1	0.07	0.11	27	0.6	1.7	1.2	0.06	0.12	C47+C49
Breast	8	0.1	0.5	0.4	0.04	0.04	702	16.2	44.2	31.5	2.52	3.43	C50
Vulva							6	0.1	0.4	0.3	0.01	0.03	C51
Vagina							6	0.1	0.4	0.2	0.00	0.03	C52
Cervix uteri							336	7.7	21.1	15.3	1.26	1.62	C53
Corpus uteri							120	2.8	7.5	5.6	0.45	0.63	C54
Uterus unspecified							2	0.0	0.1	0.1	0.00	0.00	C55
Ovary							147	3.4	9.2	6.6	0.43	0.77	C56
Other female genital organs							14	0.3	0.9	0.6	0.04	0.08	C57
Placenta							0	0.0	0.0	0.0	0.00	0.00	C58
Penis	13	0.2	0.8	0.6	0.04	0.06							C60
Prostate	271	4.4	16.9	12.0	0.19	1.09							C61
Testis	10	0.2	0.6	0.5	0.04	0.04							C62
Other male genital organs	3	0.0	0.2	0.1	0.01	0.01							C63
Kidney	97	1.6	6.1	4.5	0.27	0.55	60	1.4	3.8	2.6	0.18	0.29	C64
Renal pelvis	13	0.2	0.8	0.6	0.02	0.08	5	0.1	0.3	0.2	0.01	0.02	C65
Ureter	17	0.3	1.1	0.8	0.03	0.08	7	0.2	0.4	0.3	0.00	0.03	C66
Bladder	188	3.0	11.7	8.6	0.40	0.97	43	1.0	2.7	1.9	0.07	0.25	C67
Other urinary organs	2	0.0	0.1	0.1	0.00	0.01	0	0.0	0.0	0.0	0.00	0.00	C68
Eye	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C69
Brain and nervous system	80	1.3	5.0	3.9	0.23	0.39	79	1.8	5.0	3.7	0.22	0.38	C70–72
Thyroid	71	1.2	4.4	3.4	0.27	0.31	244	5.6	15.3	11.9	0.96	1.13	C73
Adrenal gland	3	0.0	0.2	0.1	0.01	0.02	1	0.0	0.1	0.0	0.01	0.01	C74
Other endocrine	2	0.0	0.1	0.1	0.01	0.01	2	0.0	0.1	0.1	0.01	0.02	C75
Hodgkin lymphoma	4	0.1	0.2	0.2	0.01	0.01	3	0.1	0.2	0.2	0.01	0.01	C81
Non-Hodgkin lymphoma	127	2.1	7.9	6.0	0.33	0.69	103	2.4	6.5	4.6	0.26	0.52	C82–86,C96
Immunoproliferative diseases	0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.1	0.0	0.00	0.01	C88
Multiple myeloma	42	0.7	2.6	1.8	0.07	0.16	30	0.7	1.9	1.3	0.07	0.14	C90
Lymphoid leukaemia	26	0.4	1.6	1.3	0.04	0.15	15	0.3	0.9	1.0	0.05	0.09	C91
Myeloid leukaemia	83	1.3	5.2	4.1	0.23	0.41	42	1.0	2.6	1.9	0.12	0.17	C92–94
Leukaemia unspecified	18	0.3	1.1	1.0	0.06	0.06	12	0.3	0.8	0.6	0.03	0.04	C95
Myeloproliferative disorders	1	0.0	0.1	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	MPD
Myelodysplastic syndromes	9	0.1	0.6	0.4	0.02	0.03	5	0.1	0.3	0.2	0.01	0.03	MPS
Other and unspecified	32	0.5	2.0	1.6	0.07	0.12	52	1.2	3.3	2.1	0.10	0.18	O&U
All sites	6225		388.9	285.3	12.44	30.60	4394		276.4	189.6	11.06	20.41	C00–96
All sites except C44	6166	100.0	385.2	282.6	12.34	30.30	4338	100.0	272.9	187.3	11.00	20.21	C00–96 exc. C44

China, Macheng City

CONTRIBUTORS

Sheng Ping Xu
Song Su Fang



NOTES ON THE DATA

*Low levels of specificity of leukaemias.

20 major cancers, ASR (World) per 100 000

<i>Male</i>		<i>Female</i>	
Trachea, bronchus, and lung	61.9	Trachea, bronchus, and lung	22.3
Stomach	44.5	Breast	19.5
Liver	29.9	Stomach	17.2
Oesophagus	19.3	Liver	9.8
Rectum	9.0	Cervix uteri	9.5
Colon	6.4	Oesophagus	9.4
Brain and nervous system	5.5	Thyroid	6.2
Non-Hodgkin lymphoma	5.3	Rectum	6.1
Bladder	4.9	Colon	5.5
Nasopharynx	4.4	Brain and nervous system	5.0
Pancreas	3.9	Ovary	4.4
Leukaemia unspecified	3.4	Corpus uteri	4.4
Prostate	3.3	Non-Hodgkin lymphoma	3.1
Kidney	2.9	Leukaemia unspecified	3.0
Larynx	2.7	Pancreas	2.2
Non-melanoma skin cancer	1.8	Nasopharynx	2.1
Myeloid leukaemia	1.6	Gallbladder etc.	1.6
Bone	1.5	Kidney	1.3
Other and unspecified	1.4	Non-melanoma skin cancer	1.2
Thyroid	1.3	Myeloid leukaemia	1.2
All sites	226.2	All sites	147.1

*China, Macheng City (2015–2017)


SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	
Lip	3	0.1	0.2	0.1	0.01	0.02	1	0.0	0.1	0.0	0.00	0.00	C00
Tongue	8	0.1	0.4	0.3	0.03	0.03	11	0.3	0.7	0.5	0.04	0.06	C01–02
Mouth	25	0.5	1.3	1.0	0.06	0.13	8	0.2	0.5	0.4	0.02	0.05	C03–06
Salivary glands	15	0.3	0.8	0.6	0.04	0.09	15	0.4	0.9	0.7	0.04	0.08	C07–08
Tonsil	2	0.0	0.1	0.1	0.00	0.01	1	0.0	0.1	0.0	0.01	0.01	C09
Other oropharynx	4	0.1	0.2	0.1	0.01	0.01	1	0.0	0.1	0.0	0.00	0.01	C10
Nasopharynx	113	2.1	6.1	4.4	0.37	0.49	50	1.4	3.1	2.1	0.17	0.24	C11
Hypopharynx	6	0.1	0.3	0.2	0.01	0.04	2	0.1	0.1	0.1	0.01	0.01	C12–13
Pharynx unspecified	7	0.1	0.4	0.3	0.01	0.03	9	0.3	0.6	0.4	0.02	0.06	C14
Oesophagus	465	8.7	25.1	19.3	0.89	2.49	233	6.8	14.2	9.4	0.42	1.31	C15
Stomach	1069	19.9	57.6	44.5	2.38	6.00	420	12.2	25.7	17.2	0.94	2.21	C16
Small intestine	7	0.1	0.4	0.3	0.02	0.04	6	0.2	0.4	0.3	0.01	0.04	C17
Colon	153	2.9	8.2	6.4	0.36	0.85	127	3.7	7.8	5.5	0.33	0.68	C18
Rectum	214	4.0	11.5	9.0	0.48	1.09	147	4.3	9.0	6.1	0.38	0.75	C19–20
Anus	2	0.0	0.1	0.1	0.00	0.01	2	0.1	0.1	0.1	0.01	0.01	C21
Liver	749	14.0	40.4	29.9	2.05	3.52	234	6.8	14.3	9.8	0.58	1.22	C22
Gallbladder etc.	20	0.4	1.1	0.8	0.05	0.13	37	1.1	2.3	1.6	0.09	0.21	C23–24
Pancreas	96	1.8	5.2	3.9	0.21	0.51	52	1.5	3.2	2.2	0.12	0.28	C25
Nose, sinuses etc.	9	0.2	0.5	0.3	0.02	0.04	11	0.3	0.7	0.4	0.04	0.04	C30–31
Larynx	67	1.2	3.6	2.7	0.15	0.38	8	0.2	0.5	0.3	0.01	0.03	C32
Trachea, bronchus, and lung	1494	27.8	80.5	61.9	3.31	8.46	547	15.9	33.5	22.3	1.21	2.86	C33–34
Other thoracic organs	20	0.4	1.1	0.9	0.07	0.09	9	0.3	0.6	0.3	0.03	0.04	C37–38
Bone	34	0.6	1.8	1.5	0.08	0.17	16	0.5	1.0	0.7	0.05	0.07	C40–41
Melanoma of skin	8	0.1	0.4	0.4	0.03	0.04	8	0.2	0.5	0.3	0.02	0.04	C43
Other skin	44	0.8	2.4	1.8	0.09	0.22	30	0.9	1.8	1.2	0.07	0.12	C44
Mesothelioma	0	0.0	0.0	0.0	0.00	0.00	2	0.1	0.1	0.1	0.00	0.01	C45
Kaposi sarcoma	1	0.0	0.1	0.0	0.00	0.01	0	0.0	0.0	0.0	0.00	0.00	C46
Connective and soft tissue	18	0.3	1.0	0.7	0.05	0.07	28	0.8	1.7	1.1	0.10	0.12	C47+C49
Breast	3	0.1	0.2	0.1	0.01	0.01	469	13.6	28.7	19.5	1.68	2.11	C50
Vulva							4	0.1	0.2	0.2	0.01	0.02	C51
Vagina							2	0.1	0.1	0.1	0.00	0.01	C52
Cervix uteri							233	6.8	14.2	9.5	0.80	1.03	C53
Corpus uteri							106	3.1	6.5	4.4	0.38	0.52	C54
Uterus unspecified							24	0.7	1.5	0.9	0.04	0.12	C55
Ovary							96	2.8	5.9	4.4	0.38	0.49	C56
Other female genital organs							5	0.1	0.3	0.2	0.01	0.03	C57
Placenta							0	0.0	0.0	0.0	0.00	0.00	C58
Penis	16	0.3	0.9	0.7	0.06	0.08							C60
Prostate	78	1.5	4.2	3.3	0.11	0.43							C61
Testis	6	0.1	0.3	0.3	0.02	0.03							C62
Other male genital organs	6	0.1	0.3	0.2	0.01	0.03							C63
Kidney	63	1.2	3.4	2.9	0.20	0.31	31	0.9	1.9	1.3	0.10	0.17	C64
Renal pelvis	10	0.2	0.5	0.4	0.03	0.04	4	0.1	0.2	0.2	0.01	0.02	C65
Ureter	12	0.2	0.6	0.5	0.01	0.06	1	0.0	0.1	0.1	0.00	0.01	C66
Bladder	117	2.2	6.3	4.9	0.28	0.63	29	0.8	1.8	1.2	0.06	0.14	C67
Other urinary organs	1	0.0	0.1	0.0	0.00	0.00	1	0.0	0.1	0.0	0.00	0.00	C68
Eye	3	0.1	0.2	0.4	0.01	0.01	3	0.1	0.2	0.3	0.01	0.02	C69
Brain and nervous system	119	2.2	6.4	5.5	0.33	0.62	103	3.0	6.3	5.0	0.32	0.57	C70–72
Thyroid	35	0.7	1.9	1.3	0.10	0.14	145	4.2	8.9	6.2	0.48	0.63	C73
Adrenal gland	3	0.1	0.2	0.1	0.01	0.01	1	0.0	0.1	0.1	0.01	0.01	C74
Other endocrine	1	0.0	0.1	0.0	0.00	0.00	1	0.0	0.1	0.1	0.01	0.01	C75
Hodgkin lymphoma	2	0.0	0.1	0.1	0.01	0.01	3	0.1	0.2	0.2	0.01	0.02	C81
Non-Hodgkin lymphoma	118	2.2	6.4	5.3	0.31	0.60	69	2.0	4.2	3.1	0.21	0.33	C82–86,C96
Immunoproliferative diseases	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C88
Multiple myeloma	22	0.4	1.2	0.9	0.06	0.11	24	0.7	1.5	1.1	0.06	0.16	C90
Lymphoid leukaemia	8	0.1	0.4	0.5	0.02	0.04	4	0.1	0.2	0.2	0.02	0.02	C91
Myeloid leukaemia	32	0.6	1.7	1.6	0.11	0.15	20	0.6	1.2	1.2	0.08	0.11	C92–94
Leukaemia unspecified	60	1.1	3.2	3.4	0.18	0.28	51	1.5	3.1	3.0	0.18	0.30	C95
Myeloproliferative disorders	6	0.1	0.3	0.2	0.02	0.02	2	0.1	0.1	0.1	0.01	0.01	MPD
Myelodysplastic syndromes	7	0.1	0.4	0.3	0.02	0.03	8	0.2	0.5	0.3	0.02	0.04	MPS
Other and unspecified	31	0.6	1.7	1.4	0.05	0.14	26	0.8	1.6	1.0	0.03	0.08	O&U
All sites	5412		291.6	226.2	12.77	28.79	3480		212.8	147.1	9.70	17.54	C00–96
All sites except C44	5368	100.0	289.2	224.3	12.68	28.56	3450	100.0	211.0	145.9	9.63	17.42	C00–96 exc.C44

*See note following population pyramid

China, Meihekou City

CONTRIBUTORS

Wang Bin



20 major cancers, ASR (World) per 100 000

<i>Male</i>		<i>Female</i>	
Trachea, bronchus, and lung	52.3	Trachea, bronchus, and lung	34.6
Liver	25.8	Breast	17.4
Stomach	17.9	Liver	12.3
Rectum	9.0	Cervix uteri	10.0
Colon	7.0	Thyroid	9.8
Bladder	6.0	Rectum	7.3
Pancreas	5.5	Stomach	6.8
Oesophagus	5.4	Colon	5.4
Brain and nervous system	3.2	Ovary	5.2
Other and unspecified	3.1	Corpus uteri	3.9
Prostate	2.8	Pancreas	3.8
Gallbladder etc.	2.4	Brain and nervous system	2.8
Lymphoid leukaemia	2.4	Gallbladder etc.	2.3
Larynx	2.0	Bladder	2.2
Thyroid	1.7	Lymphoid leukaemia	2.0
Kidney	1.6	Bone	1.9
Bone	1.5	Other and unspecified	1.5
Non-melanoma skin cancer	1.1	Kidney	1.2
Multiple myeloma	1.0	Myeloid leukaemia	0.9
Other thoracic organs	1.0	Oesophagus	0.7
All sites	160.0	All sites	139.3


China, Meihokou City (2013–2017)

SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	
Lip	0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.1	0.0	0.00	0.00	C00
Tongue	13	0.3	0.8	0.5	0.04	0.04	5	0.2	0.3	0.2	0.02	0.03	C01–02
Mouth	14	0.4	0.9	0.6	0.03	0.08	9	0.3	0.6	0.4	0.03	0.05	C03–06
Salivary glands	4	0.1	0.3	0.2	0.00	0.03	4	0.1	0.3	0.2	0.01	0.02	C07–08
Tonsil	4	0.1	0.3	0.1	0.02	0.02	2	0.1	0.1	0.1	0.00	0.00	C09
Other oropharynx	3	0.1	0.2	0.1	0.01	0.02	0	0.0	0.0	0.0	0.00	0.00	C10
Nasopharynx	16	0.4	1.0	0.7	0.04	0.09	8	0.3	0.5	0.4	0.02	0.04	C11
Hypopharynx	11	0.3	0.7	0.4	0.03	0.04	1	0.0	0.1	0.1	0.00	0.01	C12–13
Pharynx unspecified	3	0.1	0.2	0.1	0.01	0.01	3	0.1	0.2	0.1	0.00	0.00	C14
Oesophagus	129	3.5	8.2	5.4	0.30	0.73	17	0.5	1.1	0.7	0.02	0.06	C15
Stomach	428	11.5	27.1	17.9	0.89	2.24	156	4.9	10.3	6.8	0.30	0.83	C16
Small intestine	11	0.3	0.7	0.4	0.03	0.05	7	0.2	0.5	0.3	0.02	0.04	C17
Colon	168	4.5	10.6	7.0	0.35	0.82	128	4.0	8.5	5.4	0.30	0.63	C18
Rectum	213	5.7	13.5	9.0	0.47	1.09	163	5.1	10.8	7.3	0.36	1.02	C19–20
Anus	13	0.3	0.8	0.5	0.01	0.04	13	0.4	0.9	0.5	0.03	0.05	C21
Liver	624	16.8	39.5	25.8	1.54	2.94	270	8.5	17.9	12.3	0.48	1.51	C22
Gallbladder etc.	54	1.5	3.4	2.4	0.09	0.29	50	1.6	3.3	2.3	0.09	0.33	C23–24
Pancreas	129	3.5	8.2	5.5	0.26	0.68	87	2.7	5.8	3.8	0.14	0.46	C25
Nose, sinuses etc.	12	0.3	0.8	0.5	0.03	0.08	2	0.1	0.1	0.1	0.00	0.01	C30–31
Larynx	47	1.3	3.0	2.0	0.11	0.22	8	0.3	0.5	0.4	0.01	0.06	C32
Trachea, bronchus, and lung	1229	33.0	77.7	52.3	2.61	6.54	792	24.9	52.5	34.6	1.50	4.13	C33–34
Other thoracic organs	22	0.6	1.4	1.0	0.06	0.11	9	0.3	0.6	0.4	0.02	0.06	C37–38
Bone	31	0.8	2.0	1.5	0.06	0.18	37	1.2	2.5	1.9	0.11	0.22	C40–41
Melanoma of skin	8	0.2	0.5	0.3	0.02	0.04	6	0.2	0.4	0.2	0.01	0.02	C43
Other skin	24	0.6	1.5	1.1	0.05	0.16	7	0.2	0.5	0.3	0.02	0.02	C44
Mesothelioma	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C45
Kaposi sarcoma	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C46
Connective and soft tissue	3	0.1	0.2	0.2	0.01	0.02	4	0.1	0.3	0.2	0.02	0.02	C47+C49
Breast	4	0.1	0.3	0.2	0.00	0.02	423	13.3	28.1	17.4	1.36	1.85	C50
Vulva							2	0.1	0.1	0.1	0.01	0.01	C51
Vagina							3	0.1	0.2	0.1	0.01	0.01	C52
Cervix uteri							247	7.8	16.4	10.0	0.82	1.10	C53
Corpus uteri							98	3.1	6.5	3.9	0.32	0.46	C54
Uterus unspecified							6	0.2	0.4	0.2	0.02	0.02	C55
Ovary							122	3.8	8.1	5.2	0.36	0.60	C56
Other female genital organs							6	0.2	0.4	0.3	0.01	0.02	C57
Placenta							0	0.0	0.0	0.0	0.00	0.00	C58
Penis	5	0.1	0.3	0.2	0.01	0.03							C60
Prostate	60	1.6	3.8	2.8	0.05	0.27							C61
Testis	8	0.2	0.5	0.3	0.02	0.03							C62
Other male genital organs	1	0.0	0.1	0.1	0.00	0.01							C63
Kidney	37	1.0	2.3	1.6	0.09	0.20	31	1.0	2.1	1.2	0.08	0.14	C64
Renal pelvis	5	0.1	0.3	0.2	0.01	0.01	16	0.5	1.1	0.7	0.04	0.10	C65
Ureter	5	0.1	0.3	0.2	0.02	0.02	13	0.4	0.9	0.5	0.03	0.06	C66
Bladder	136	3.7	8.6	6.0	0.23	0.71	50	1.6	3.3	2.2	0.10	0.26	C67
Other urinary organs	3	0.1	0.2	0.1	0.00	0.01	1	0.0	0.1	0.0	0.00	0.00	C68
Eye	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C69
Brain and nervous system	68	1.8	4.3	3.2	0.19	0.37	52	1.6	3.4	2.8	0.16	0.27	C70–72
Thyroid	42	1.1	2.7	1.7	0.16	0.16	224	7.0	14.9	9.8	0.85	0.94	C73
Adrenal gland	7	0.2	0.4	0.3	0.01	0.03	7	0.2	0.5	0.5	0.01	0.06	C74
Other endocrine	0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.1	0.1	0.00	0.01	C75
Hodgkin lymphoma	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C81
Non-Hodgkin lymphoma	1	0.0	0.1	0.0	0.00	0.00	4	0.1	0.3	0.2	0.01	0.02	C82–86,C96
Immunoproliferative diseases	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C88
Multiple myeloma	23	0.6	1.5	1.0	0.06	0.10	10	0.3	0.7	0.4	0.01	0.04	C90
Lymphoid leukaemia	40	1.1	2.5	2.4	0.14	0.23	35	1.1	2.3	2.0	0.12	0.20	C91
Myeloid leukaemia	18	0.5	1.1	0.9	0.06	0.08	16	0.5	1.1	0.9	0.05	0.09	C92–94
Leukaemia unspecified	4	0.1	0.3	0.1	0.01	0.01	1	0.0	0.1	0.0	0.00	0.00	C95
Myeloproliferative disorders	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	MPD
Myelodysplastic syndromes	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	MPS
Other and unspecified	67	1.8	4.2	3.1	0.22	0.32	36	1.1	2.4	1.5	0.10	0.18	O&U
All sites	3747		236.9	160.0	8.34	19.17	3193		211.8	139.3	8.00	16.08	C00–96
All sites except C44	3723	100.0	235.4	158.9	8.29	19.01	3186	100.0	211.3	138.9	7.98	16.07	C00–96 exc. C44

China, Mengjin County

CONTRIBUTORS

Ruirui Xu
Yanyan Zhang
Hongjiang He
Feifei Zhang



NOTES ON THE DATA

*Low levels of specificity of leukaemias.

20 major cancers, ASR (World) per 100 000

<i>Male</i>		<i>Female</i>	
Trachea, bronchus, and lung	45.3	Breast	29.9
Stomach	43.9	Oesophagus	22.2
Oesophagus	29.2	Trachea, bronchus, and lung	19.4
Liver	20.9	Stomach	14.5
Rectum	8.5	Cervix uteri	13.6
Brain and nervous system	6.7	Thyroid	11.6
Colon	5.5	Liver	7.6
Prostate	4.7	Corpus uteri	7.2
Bladder	4.6	Ovary	7.1
Pancreas	4.1	Colon	6.5
Non-Hodgkin lymphoma	4.1	Rectum	6.4
Gallbladder etc.	3.9	Gallbladder etc.	6.4
Leukaemia unspecified	3.4	Brain and nervous system	5.8
Thyroid	3.3	Leukaemia unspecified	4.1
Bone	3.1	Non-Hodgkin lymphoma	3.0
Kidney	2.9	Pancreas	2.8
Other and unspecified	2.2	Other and unspecified	2.3
Larynx	1.9	Kidney	2.1
Myeloid leukaemia	1.5	Bladder	1.9
Non-melanoma skin cancer	1.4	Lymphoid leukaemia	1.5
All sites	217.7	All sites	190.7

*China, Mengjin County (2015–2017)


SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	
Lip	4	0.2	0.5	0.4	0.01	0.05	0	0.0	0.0	0.0	0.00	0.00	C00
Tongue	4	0.2	0.5	0.4	0.03	0.04	4	0.2	0.5	0.4	0.03	0.03	C01–02
Mouth	12	0.5	1.5	1.1	0.05	0.14	4	0.2	0.5	0.4	0.01	0.05	C03–06
Salivary glands	13	0.5	1.6	1.1	0.09	0.13	9	0.4	1.1	0.8	0.06	0.08	C07–08
Tonsil	0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.1	0.1	0.01	0.01	C09
Other oropharynx	5	0.2	0.6	0.5	0.02	0.05	0	0.0	0.0	0.0	0.00	0.00	C10
Nasopharynx	5	0.2	0.6	0.5	0.03	0.05	6	0.3	0.8	0.6	0.05	0.06	C11
Hypopharynx	3	0.1	0.4	0.3	0.01	0.02	0	0.0	0.0	0.0	0.00	0.00	C12–13
Pharynx unspecified	5	0.2	0.6	0.5	0.03	0.05	0	0.0	0.0	0.0	0.00	0.00	C14
Oesophagus	331	13.8	41.4	29.2	1.22	3.42	289	12.8	36.3	22.2	0.78	3.05	C15
Stomach	492	20.5	61.6	43.9	1.87	6.00	187	8.3	23.5	14.5	0.63	1.79	C16
Small intestine	13	0.5	1.6	1.2	0.07	0.14	11	0.5	1.4	0.9	0.07	0.12	C17
Colon	60	2.5	7.5	5.5	0.26	0.80	78	3.4	9.8	6.5	0.33	0.88	C18
Rectum	94	3.9	11.8	8.5	0.49	0.94	80	3.5	10.1	6.4	0.26	0.89	C19–20
Anus	1	0.0	0.1	0.1	0.01	0.01	0	0.0	0.0	0.0	0.00	0.00	C21
Liver	233	9.7	29.2	20.9	1.23	2.55	106	4.7	13.3	7.6	0.32	0.80	C22
Gallbladder etc.	46	1.9	5.8	3.9	0.17	0.43	86	3.8	10.8	6.4	0.25	0.71	C23–24
Pancreas	46	1.9	5.8	4.1	0.16	0.50	33	1.5	4.1	2.8	0.11	0.29	C25
Nose, sinuses etc.	8	0.3	1.0	0.7	0.08	0.08	2	0.1	0.3	0.2	0.01	0.02	C30–31
Larynx	22	0.9	2.8	1.9	0.11	0.24	0	0.0	0.0	0.0	0.00	0.00	C32
Trachea, bronchus, and lung	511	21.3	64.0	45.3	2.17	5.18	247	10.9	31.1	19.4	1.08	2.33	C33–34
Other thoracic organs	14	0.6	1.8	1.3	0.06	0.13	6	0.3	0.8	0.5	0.03	0.08	C37–38
Bone	30	1.3	3.8	3.1	0.19	0.31	14	0.6	1.8	1.3	0.11	0.14	C40–41
Melanoma of skin	12	0.5	1.5	1.1	0.08	0.14	3	0.1	0.4	0.2	0.01	0.03	C43
Other skin	13	0.5	1.6	1.4	0.05	0.13	17	0.8	2.1	1.2	0.05	0.09	C44
Mesothelioma	1	0.0	0.1	0.1	0.00	0.00	1	0.0	0.1	0.1	0.00	0.02	C45
Kaposi sarcoma	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C46
Connective and soft tissue	11	0.5	1.4	1.2	0.07	0.13	7	0.3	0.9	0.8	0.06	0.07	C47+C49
Breast	5	0.2	0.6	0.4	0.04	0.04	337	14.9	42.4	29.9	2.39	3.13	C50
Vulva							5	0.2	0.6	0.4	0.03	0.03	C51
Vagina							1	0.0	0.1	0.1	0.01	0.01	C52
Cervix uteri							158	7.0	19.9	13.6	1.09	1.51	C53
Corpus uteri							82	3.6	10.3	7.2	0.59	0.81	C54
Uterus unspecified							6	0.3	0.8	0.5	0.05	0.05	C55
Ovary							76	3.4	9.6	7.1	0.54	0.74	C56
Other female genital organs							7	0.3	0.9	0.6	0.06	0.06	C57
Placenta							3	0.1	0.4	0.4	0.03	0.03	C58
Penis	7	0.3	0.9	0.6	0.04	0.06							C60
Prostate	54	2.3	6.8	4.7	0.10	0.54							C61
Testis	1	0.0	0.1	0.1	0.00	0.00							C62
Other male genital organs	4	0.2	0.5	0.4	0.01	0.07							C63
Kidney	32	1.3	4.0	2.9	0.21	0.32	25	1.1	3.1	2.1	0.13	0.29	C64
Renal pelvis	0	0.0	0.0	0.0	0.00	0.00	2	0.1	0.3	0.1	0.01	0.01	C65
Ureter	5	0.2	0.6	0.4	0.03	0.05	5	0.2	0.6	0.4	0.02	0.07	C66
Bladder	53	2.2	6.6	4.6	0.12	0.51	24	1.1	3.0	1.9	0.10	0.19	C67
Other urinary organs	1	0.0	0.1	0.1	0.00	0.00	3	0.1	0.4	0.2	0.01	0.01	C68
Eye	2	0.1	0.3	0.3	0.02	0.02	4	0.2	0.5	0.3	0.03	0.03	C69
Brain and nervous system	66	2.8	8.3	6.7	0.42	0.81	66	2.9	8.3	5.8	0.43	0.63	C70–72
Thyroid	36	1.5	4.5	3.3	0.30	0.31	125	5.5	15.7	11.6	0.97	1.23	C73
Adrenal gland	3	0.1	0.4	0.3	0.02	0.02	2	0.1	0.3	0.1	0.01	0.01	C74
Other endocrine	7	0.3	0.9	0.7	0.06	0.06	8	0.4	1.0	0.8	0.06	0.08	C75
Hodgkin lymphoma	2	0.1	0.3	0.2	0.01	0.03	2	0.1	0.3	0.3	0.02	0.02	C81
Non-Hodgkin lymphoma	41	1.7	5.1	4.1	0.23	0.45	34	1.5	4.3	3.0	0.17	0.34	C82–86,C96
Immunoproliferative diseases	1	0.0	0.1	0.1	0.01	0.01	0	0.0	0.0	0.0	0.00	0.00	C88
Multiple myeloma	13	0.5	1.6	1.2	0.05	0.16	8	0.4	1.0	0.6	0.04	0.08	C90
Lymphoid leukaemia	8	0.3	1.0	0.9	0.04	0.06	14	0.6	1.8	1.5	0.10	0.11	C91
Myeloid leukaemia	15	0.6	1.9	1.5	0.12	0.13	11	0.5	1.4	1.1	0.06	0.13	C92–94
Leukaemia unspecified	35	1.5	4.4	3.4	0.22	0.33	39	1.7	4.9	4.1	0.27	0.40	C95
Myeloproliferative disorders	1	0.0	0.1	0.1	0.01	0.01	3	0.1	0.4	0.3	0.02	0.03	MPD
Myelodysplastic syndromes	7	0.3	0.9	0.7	0.05	0.05	14	0.6	1.8	1.1	0.03	0.13	MPS
Other and unspecified	21	0.9	2.6	2.2	0.12	0.22	24	1.1	3.0	2.3	0.12	0.25	O&U
All sites	2409		301.5	217.7	10.78	25.92	2279		286.6	190.7	11.60	21.94	C00–96
All sites except C44	2396	100.0	299.9	216.4	10.73	25.78	2262	100.0	284.4	189.5	11.55	21.85	C00–96 exc. C44

*See note following population pyramid

China, Nangang District, Harbin City

CONTRIBUTORS

Wang Wei Na
Wang Chi
Yu Bo



20 major cancers, ASR (World) per 100 000

<i>Male</i>		<i>Female</i>	
Trachea, bronchus, and lung	41.7	Breast	46.3
Liver	20.6	Thyroid	33.5
Stomach	18.1	Trachea, bronchus, and lung	23.1
Colon	14.6	Cervix uteri	11.2
Rectum	12.7	Colon	10.0
Thyroid	11.6	Rectum	6.5
Bladder	6.9	Ovary	6.3
Kidney	5.8	Liver	6.2
Prostate	5.5	Stomach	5.8
Oesophagus	5.2	Corpus uteri	5.8
Pancreas	5.2	Pancreas	3.4
Larynx	3.0	Kidney	2.9
Non-Hodgkin lymphoma	2.8	Non-Hodgkin lymphoma	2.1
Brain and nervous system	2.7	Other and unspecified	1.9
Myeloid leukaemia	2.0	Bladder	1.8
Gallbladder etc.	1.8	Brain and nervous system	1.8
Lymphoid leukaemia	1.5	Myeloid leukaemia	1.3
Other and unspecified	1.5	Gallbladder etc.	1.3
Nasopharynx	1.3	Leukaemia unspecified	1.0
Other thoracic organs	1.3	Connective and soft tissue	0.9
All sites	179.7	All sites	182.9


China, Nangang District, Harbin City (2013–2017)

SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	
Lip	1	0.0	0.0	0.0	0.00	0.00	4	0.0	0.2	0.1	0.01	0.01	C00
Tongue	19	0.3	0.8	0.5	0.04	0.05	11	0.1	0.4	0.2	0.01	0.02	C01–02
Mouth	37	0.5	1.5	0.9	0.06	0.12	15	0.2	0.6	0.3	0.02	0.03	C03–06
Salivary glands	15	0.2	0.6	0.4	0.03	0.04	12	0.1	0.5	0.3	0.02	0.04	C07–08
Tonsil	10	0.1	0.4	0.2	0.02	0.02	3	0.0	0.1	0.1	0.00	0.00	C09
Other oropharynx	8	0.1	0.3	0.2	0.02	0.02	3	0.0	0.1	0.1	0.01	0.01	C10
Nasopharynx	48	0.7	1.9	1.3	0.09	0.15	11	0.1	0.4	0.2	0.02	0.03	C11
Hypopharynx	32	0.4	1.3	0.8	0.06	0.10	2	0.0	0.1	0.1	0.00	0.01	C12–13
Pharynx unspecified	8	0.1	0.3	0.2	0.02	0.02	1	0.0	0.0	0.0	0.00	0.01	C14
Oesophagus	224	3.1	9.1	5.2	0.39	0.60	19	0.2	0.7	0.3	0.02	0.03	C15
Stomach	743	10.2	30.2	18.1	1.03	2.31	286	3.5	11.0	5.8	0.32	0.69	C16
Small intestine	36	0.5	1.5	0.9	0.05	0.10	32	0.4	1.2	0.7	0.05	0.09	C17
Colon	603	8.3	24.5	14.6	0.76	1.80	484	6.0	18.7	10.0	0.53	1.24	C18
Rectum	529	7.3	21.5	12.7	0.80	1.50	306	3.8	11.8	6.5	0.38	0.84	C19–20
Anus	6	0.1	0.2	0.2	0.00	0.02	6	0.1	0.2	0.1	0.00	0.01	C21
Liver	840	11.6	34.1	20.6	1.45	2.39	311	3.8	12.0	6.2	0.31	0.73	C22
Gallbladder etc.	77	1.1	3.1	1.8	0.11	0.18	60	0.7	2.3	1.3	0.05	0.18	C23–24
Pancreas	220	3.0	8.9	5.2	0.26	0.65	165	2.0	6.4	3.4	0.11	0.46	C25
Nose, sinuses etc.	9	0.1	0.4	0.2	0.02	0.02	13	0.2	0.5	0.3	0.02	0.03	C30–31
Larynx	125	1.7	5.1	3.0	0.22	0.37	22	0.3	0.8	0.4	0.02	0.05	C32
Trachea, bronchus, and lung	1715	23.6	69.6	41.7	2.23	5.36	1142	14.1	44.1	23.1	1.14	2.74	C33–34
Other thoracic organs	47	0.6	1.9	1.3	0.09	0.15	29	0.4	1.1	0.6	0.04	0.06	C37–38
Bone	42	0.6	1.7	1.2	0.06	0.12	35	0.4	1.4	0.8	0.04	0.07	C40–41
Melanoma of skin	14	0.2	0.6	0.5	0.02	0.04	9	0.1	0.3	0.2	0.01	0.02	C43
Other skin	30	0.4	1.2	0.9	0.04	0.09	26	0.3	1.0	0.6	0.03	0.06	C44
Mesothelioma	35	0.5	1.4	0.8	0.05	0.10	21	0.3	0.8	0.5	0.04	0.07	C45
Kaposi sarcoma	2	0.0	0.1	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C46
Connective and soft tissue	48	0.7	1.9	1.2	0.06	0.15	30	0.4	1.2	0.9	0.06	0.08	C47+C49
Breast	13	0.2	0.5	0.3	0.02	0.04	2010	24.8	77.6	46.3	3.77	5.16	C50
Vulva							10	0.1	0.4	0.2	0.01	0.01	C51
Vagina							5	0.1	0.2	0.1	0.01	0.01	C52
Cervix uteri							481	5.9	18.6	11.2	0.97	1.21	C53
Corpus uteri							252	3.1	9.7	5.8	0.48	0.67	C54
Uterus unspecified							19	0.2	0.7	0.4	0.03	0.04	C55
Ovary							262	3.2	10.1	6.3	0.45	0.72	C56
Other female genital organs							12	0.1	0.5	0.3	0.02	0.03	C57
Placenta							0	0.0	0.0	0.0	0.00	0.00	C58
Penis		0.2	0.5	0.3	0.02	0.03							C60
Prostate	246	3.4	10.0	5.5	0.11	0.60							C61
Testis	7	0.1	0.3	0.2	0.01	0.02							C62
Other male genital organs	7	0.1	0.3	0.2	0.01	0.03							C63
Kidney	240	3.3	9.7	5.8	0.39	0.70	126	1.6	4.9	2.9	0.20	0.32	C64
Renal pelvis	22	0.3	0.9	0.5	0.04	0.07	36	0.4	1.4	0.7	0.02	0.09	C65
Ureter	26	0.4	1.1	0.6	0.02	0.07	33	0.4	1.3	0.6	0.02	0.06	C66
Bladder	292	4.0	11.9	6.9	0.32	0.80	91	1.1	3.5	1.8	0.07	0.24	C67
Other urinary organs	5	0.1	0.2	0.1	0.01	0.02	5	0.1	0.2	0.1	0.00	0.01	C68
Eye	3	0.0	0.1	0.0	0.00	0.00	2	0.0	0.1	0.1	0.00	0.01	C69
Brain and nervous system	102	1.4	4.1	2.7	0.19	0.31	72	0.9	2.8	1.8	0.13	0.20	C70–72
Thyroid	426	5.9	17.3	11.6	0.96	1.07	1333	16.5	51.4	33.5	2.93	3.15	C73
Adrenal gland	6	0.1	0.2	0.2	0.01	0.01	2	0.0	0.1	0.1	0.01	0.01	C74
Other endocrine	2	0.0	0.1	0.1	0.00	0.01	1	0.0	0.0	0.0	0.00	0.00	C75
Hodgkin lymphoma	6	0.1	0.2	0.2	0.01	0.02	4	0.0	0.2	0.1	0.01	0.01	C81
Non-Hodgkin lymphoma	109	1.5	4.4	2.8	0.17	0.31	89	1.1	3.4	2.1	0.15	0.23	C82–86,C96
Immunoproliferative diseases	3	0.0	0.1	0.1	0.01	0.01	4	0.0	0.2	0.1	0.01	0.01	C88
Multiple myeloma	39	0.5	1.6	0.9	0.04	0.11	35	0.4	1.4	0.8	0.05	0.08	C90
Lymphoid leukaemia	40	0.6	1.6	1.5	0.09	0.14	17	0.2	0.7	0.6	0.03	0.05	C91
Myeloid leukaemia	66	0.9	2.7	2.0	0.13	0.19	42	0.5	1.6	1.3	0.07	0.14	C92–94
Leukaemia unspecified	32	0.4	1.3	1.0	0.05	0.08	34	0.4	1.3	1.0	0.07	0.09	C95
Myeloproliferative disorders	5	0.1	0.2	0.1	0.01	0.01	2	0.0	0.1	0.0	0.00	0.00	MPD
Myelodysplastic syndromes	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	MPS
Other and unspecified	60	0.8	2.4	1.5	0.08	0.15	81	1.0	3.1	1.9	0.11	0.21	O&U
All sites	7292		296.1	179.7	10.68	21.26	8118		313.3	182.9	12.87	20.35	C00–96
All sites except C44	7262	100.0	294.9	178.8	10.64	21.17	8092	100.0	312.3	182.3	12.85	20.29	C00–96 exc. C44

China, Nanhai District, Foshan City

CONTRIBUTORS

Weiju Chen
Jiezhou Huang
Dongyi Xie
Weilong Xie



NOTES ON THE DATA

*No DCO registrations.

20 major cancers, ASR (World) per 100 000

<i>Male</i>		<i>Female</i>	
Trachea, bronchus, and lung	65.5	Breast	40.9
Liver	47.7	Trachea, bronchus, and lung	31.5
Nasopharynx	24.0	Thyroid	20.7
Colon	19.3	Colon	13.1
Rectum	13.7	Corpus uteri	10.7
Stomach	9.9	Liver	10.6
Prostate	9.7	Cervix uteri	10.4
Oesophagus	9.3	Nasopharynx	8.3
Thyroid	6.8	Ovary	7.4
Bladder	6.4	Rectum	6.8
Non-Hodgkin lymphoma	5.3	Stomach	6.3
Larynx	4.8	Non-Hodgkin lymphoma	4.2
Pancreas	4.6	Brain and nervous system	3.3
Brain and nervous system	3.7	Pancreas	3.2
Gallbladder etc.	3.6	Non-melanoma skin cancer	2.5
Myeloid leukaemia	3.6	Myeloid leukaemia	2.3
Other and unspecified	3.4	Lymphoid leukaemia	2.0
Non-melanoma skin cancer	3.0	Gallbladder etc.	2.0
Kidney	2.7	Other and unspecified	1.8
Lymphoid leukaemia	2.6	Kidney	1.7
All sites	276.1	All sites	208.1

*China, Nanhai District, Foshan City (2015–2017)


SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	
Lip	2	0.0	0.1	0.1	0.00	0.01	1	0.0	0.0	0.0	0.00	0.00	C00
Tongue	60	0.8	3.0	2.2	0.13	0.26	33	0.5	1.6	1.0	0.07	0.10	C01–02
Mouth	33	0.4	1.7	1.1	0.05	0.13	21	0.3	1.0	0.6	0.03	0.09	C03–06
Salivary glands	21	0.3	1.1	0.8	0.06	0.09	15	0.2	0.7	0.5	0.03	0.05	C07–08
Tonsil	9	0.1	0.5	0.3	0.02	0.04	4	0.1	0.2	0.1	0.00	0.02	C09
Other oropharynx	15	0.2	0.8	0.5	0.04	0.06	2	0.0	0.1	0.1	0.01	0.01	C10
Nasopharynx	632	8.4	32.0	24.0	1.88	2.59	248	3.9	12.1	8.3	0.63	0.85	C11
Hypopharynx	28	0.4	1.4	1.0	0.08	0.13	0	0.0	0.0	0.0	0.00	0.00	C12–13
Pharynx unspecified	11	0.1	0.6	0.4	0.02	0.05	2	0.0	0.1	0.1	0.00	0.00	C14
Oesophagus	261	3.5	13.2	9.3	0.58	1.10	53	0.8	2.6	1.5	0.04	0.17	C15
Stomach	278	3.7	14.1	9.9	0.51	1.24	202	3.2	9.8	6.3	0.41	0.69	C16
Small intestine	30	0.4	1.5	1.1	0.05	0.12	26	0.4	1.3	0.8	0.05	0.09	C17
Colon	552	7.3	27.9	19.3	0.92	2.29	438	7.0	21.3	13.1	0.66	1.54	C18
Rectum	388	5.1	19.6	13.7	0.73	1.66	232	3.7	11.3	6.8	0.36	0.79	C19–20
Anus	9	0.1	0.5	0.3	0.01	0.03	7	0.1	0.3	0.2	0.01	0.02	C21
Liver	1301	17.2	65.8	47.7	3.22	5.64	350	5.6	17.0	10.6	0.56	1.19	C22
Gallbladder etc.	108	1.4	5.5	3.6	0.09	0.42	72	1.1	3.5	2.0	0.09	0.22	C23–24
Pancreas	133	1.8	6.7	4.6	0.24	0.53	116	1.8	5.6	3.2	0.15	0.35	C25
Nose, sinuses etc.	13	0.2	0.7	0.5	0.03	0.04	8	0.1	0.4	0.3	0.02	0.03	C30–31
Larynx	132	1.7	6.7	4.8	0.28	0.62	10	0.2	0.5	0.3	0.02	0.04	C32
Trachea, bronchus, and lung	1871	24.8	94.6	65.5	3.18	8.09	1062	16.9	51.7	31.5	1.73	3.67	C33–34
Other thoracic organs	28	0.4	1.4	1.2	0.09	0.11	22	0.3	1.1	0.7	0.05	0.07	C37–38
Bone	42	0.6	2.1	1.9	0.10	0.17	29	0.5	1.4	1.0	0.06	0.09	C40–41
Melanoma of skin	9	0.1	0.5	0.3	0.03	0.03	20	0.3	1.0	0.6	0.03	0.07	C43
Other skin	85	1.1	4.3	3.0	0.12	0.33	90	1.4	4.4	2.5	0.12	0.24	C44
Mesothelioma	5	0.1	0.3	0.2	0.01	0.01	4	0.1	0.2	0.2	0.02	0.02	C45
Kaposi sarcoma	1	0.0	0.1	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C46
Connective and soft tissue	36	0.5	1.8	1.5	0.09	0.14	32	0.5	1.6	1.3	0.07	0.13	C47+C49
Breast	19	0.3	1.0	0.7	0.04	0.07	1193	18.9	58.1	40.9	3.35	4.34	C50
Vulva							7	0.1	0.3	0.2	0.01	0.02	C51
Vagina							3	0.0	0.1	0.1	0.00	0.02	C52
Cervix uteri							301	4.8	14.7	10.4	0.87	1.12	C53
Corpus uteri							308	4.9	15.0	10.7	0.97	1.18	C54
Uterus unspecified							31	0.5	1.5	1.0	0.06	0.10	C55
Ovary							201	3.2	9.8	7.4	0.56	0.74	C56
Other female genital organs							8	0.1	0.4	0.3	0.01	0.02	C57
Placenta							2	0.0	0.1	0.1	0.01	0.01	C58
Penis	10	0.1	0.5	0.4	0.03	0.03							C60
Prostate	303	4.0	15.3	9.7	0.19	0.98							C61
Testis	25	0.3	1.3	1.0	0.06	0.08							C62
Other male genital organs	6	0.1	0.3	0.3	0.02	0.02							C63
Kidney	70	0.9	3.5	2.7	0.20	0.33	56	0.9	2.7	1.7	0.10	0.21	C64
Renal pelvis	16	0.2	0.8	0.6	0.03	0.06	4	0.1	0.2	0.1	0.01	0.02	C65
Ureter	16	0.2	0.8	0.5	0.02	0.08	11	0.2	0.5	0.3	0.02	0.03	C66
Bladder	188	2.5	9.5	6.4	0.25	0.66	53	0.8	2.6	1.5	0.07	0.15	C67
Other urinary organs	3	0.0	0.2	0.1	0.00	0.01	2	0.0	0.1	0.1	0.00	0.00	C68
Eye	5	0.1	0.3	0.2	0.01	0.02	1	0.0	0.0	0.0	0.00	0.00	C69
Brain and nervous system	92	1.2	4.7	3.7	0.19	0.38	93	1.5	4.5	3.3	0.19	0.33	C70–72
Thyroid	173	2.3	8.8	6.8	0.53	0.65	553	8.8	26.9	20.7	1.61	1.88	C73
Adrenal gland	14	0.2	0.7	0.6	0.04	0.07	7	0.1	0.3	0.3	0.02	0.02	C74
Other endocrine	7	0.1	0.4	0.3	0.01	0.02	4	0.1	0.2	0.1	0.01	0.01	C75
Hodgkin lymphoma	10	0.1	0.5	0.4	0.03	0.04	8	0.1	0.4	0.3	0.02	0.03	C81
Non-Hodgkin lymphoma	142	1.9	7.2	5.3	0.33	0.59	123	2.0	6.0	4.2	0.29	0.45	C82–86,C96
Immunoproliferative diseases	2	0.0	0.1	0.1	0.01	0.01	1	0.0	0.0	0.0	0.00	0.00	C88
Multiple myeloma	66	0.9	3.3	2.4	0.14	0.32	43	0.7	2.1	1.3	0.07	0.16	C90
Lymphoid leukaemia	57	0.8	2.9	2.6	0.15	0.21	41	0.7	2.0	2.0	0.12	0.14	C91
Myeloid leukaemia	87	1.2	4.4	3.6	0.24	0.33	63	1.0	3.1	2.3	0.14	0.24	C92–94
Leukaemia unspecified	61	0.8	3.1	2.5	0.10	0.24	38	0.6	1.8	1.2	0.06	0.12	C95
Myeloproliferative disorders	39	0.5	2.0	1.6	0.09	0.19	32	0.5	1.6	1.1	0.08	0.11	MPD
Myelodysplastic syndromes	42	0.6	2.1	1.5	0.10	0.15	33	0.5	1.6	0.9	0.03	0.09	MPS
Other and unspecified	91	1.2	4.6	3.4	0.17	0.35	68	1.1	3.3	1.8	0.07	0.16	O&U
All sites	7637		386.3	276.1	15.53	31.80	6387		310.9	208.1	14.00	22.28	C00–96
All sites except C44	7552	100.0	382.0	273.1	15.41	31.47	6297	100.0	306.5	205.5	13.88	22.05	C00–96 exc. C44

*See note following population pyramid

China, Nanhu District, Jiaxing City

CONTRIBUTORS

Zhongwen Chen
 Jianyong Luo
 Xueqin Li
 Liu Jin
 Wenyan Chen
 Weilin Gu
 Zebin Jin
 Xiafang Zhou
 Min Tian
 Lingbin Du
 Huizhang Li



20 major cancers, ASR (World) per 100 000

<i>Male</i>		<i>Female</i>	
Trachea, bronchus, and lung	52.4	Thyroid	50.2
Liver	22.8	Trachea, bronchus, and lung	37.4
Prostate	17.1	Breast	34.7
Colon	17.0	Colon	13.1
Stomach	16.7	Liver	9.0
Thyroid	14.4	Stomach	8.2
Rectum	12.5	Rectum	7.6
Pancreas	9.4	Brain and nervous system	7.5
Oesophagus	9.2	Pancreas	7.3
Bladder	6.6	Cervix uteri	7.0
Brain and nervous system	6.5	Corpus uteri	5.9
Kidney	5.8	Ovary	5.1
Non-Hodgkin lymphoma	5.3	Gallbladder etc.	4.6
Gallbladder etc.	3.6	Non-Hodgkin lymphoma	3.9
Myeloid leukaemia	3.4	Myeloid leukaemia	3.4
Nasopharynx	3.4	Kidney	3.1
Non-melanoma skin cancer	2.6	Non-melanoma skin cancer	2.5
Other and unspecified	2.5	Oesophagus	1.7
Multiple myeloma	2.3	Other endocrine	1.6
Lymphoid leukaemia	1.6	Bladder	1.4
All sites	232.9	All sites	231.2


China, Nanhu District, Jiaxing City (2013–2017)

SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	
Lip	3	0.0	0.2	0.1	0.01	0.01	2	0.0	0.1	0.1	0.00	0.01	C00
Tongue	21	0.3	1.6	0.9	0.05	0.13	8	0.1	0.6	0.3	0.02	0.03	C01–02
Mouth	15	0.2	1.1	0.6	0.02	0.07	7	0.1	0.5	0.2	0.01	0.02	C03–06
Salivary glands	11	0.2	0.8	0.5	0.04	0.05	12	0.2	0.9	0.5	0.05	0.05	C07–08
Tonsil	4	0.1	0.3	0.2	0.01	0.02	2	0.0	0.1	0.1	0.01	0.01	C09
Other oropharynx	8	0.1	0.6	0.3	0.02	0.02	0	0.0	0.0	0.0	0.00	0.00	C10
Nasopharynx	76	1.3	5.7	3.4	0.24	0.38	31	0.6	2.3	1.4	0.10	0.15	C11
Hypopharynx	24	0.4	1.8	1.0	0.07	0.13	0	0.0	0.0	0.0	0.00	0.00	C12–13
Pharynx unspecified	9	0.1	0.7	0.4	0.01	0.06	1	0.0	0.1	0.0	0.00	0.00	C14
Oesophagus	254	4.2	19.2	9.2	0.46	1.13	57	1.0	4.2	1.7	0.04	0.15	C15
Stomach	461	7.6	34.8	16.7	0.92	1.92	224	4.0	16.6	8.2	0.48	0.84	C16
Small intestine	40	0.7	3.0	1.5	0.09	0.14	33	0.6	2.4	1.2	0.06	0.13	C17
Colon	460	7.6	34.8	17.0	0.87	2.07	372	6.7	27.5	13.1	0.70	1.46	C18
Rectum	323	5.4	24.4	12.5	0.82	1.50	202	3.6	15.0	7.6	0.44	0.92	C19–20
Anus	24	0.4	1.8	1.0	0.04	0.11	19	0.3	1.4	0.7	0.04	0.07	C21
Liver	631	10.5	47.7	22.8	1.07	2.40	287	5.1	21.2	9.0	0.32	0.87	C22
Gallbladder etc.	103	1.7	7.8	3.6	0.13	0.39	140	2.5	10.4	4.6	0.18	0.51	C23–24
Pancreas	261	4.3	19.7	9.4	0.46	1.10	227	4.1	16.8	7.3	0.29	0.84	C25
Nose, sinuses etc.	10	0.2	0.8	0.3	0.01	0.05	5	0.1	0.4	0.2	0.02	0.03	C30–31
Larynx	35	0.6	2.6	1.3	0.09	0.17	1	0.0	0.1	0.0	0.00	0.01	C32
Trachea, bronchus, and lung	1440	23.9	108.8	52.4	2.56	6.28	995	17.8	73.6	37.4	2.42	4.32	C33–34
Other thoracic organs	35	0.6	2.6	1.4	0.08	0.14	27	0.5	2.0	1.1	0.06	0.12	C37–38
Bone	11	0.2	0.8	0.5	0.03	0.05	13	0.2	1.0	0.8	0.04	0.09	C40–41
Melanoma of skin	14	0.2	1.1	0.4	0.01	0.04	10	0.2	0.7	0.4	0.02	0.04	C43
Other skin	74	1.2	5.6	2.6	0.09	0.33	74	1.3	5.5	2.5	0.12	0.25	C44
Mesothelioma	3	0.0	0.2	0.1	0.01	0.01	1	0.0	0.1	0.0	0.00	0.00	C45
Kaposi sarcoma	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C46
Connective and soft tissue	20	0.3	1.5	0.8	0.05	0.09	21	0.4	1.6	0.9	0.05	0.08	C47+C49
Breast	5	0.1	0.4	0.2	0.01	0.01	802	14.4	59.4	34.7	2.78	3.80	C50
Vulva							17	0.3	1.3	0.5	0.02	0.02	C51
Vagina							7	0.1	0.5	0.3	0.02	0.04	C52
Cervix uteri							153	2.7	11.3	7.0	0.61	0.70	C53
Corpus uteri							141	2.5	10.4	5.9	0.49	0.68	C54
Uterus unspecified							10	0.2	0.7	0.3	0.02	0.03	C55
Ovary							111	2.0	8.2	5.1	0.37	0.55	C56
Other female genital organs							15	0.3	1.1	0.7	0.06	0.08	C57
Placenta							1	0.0	0.1	0.1	0.00	0.00	C58
Penis							20	0.3	1.5	0.8	0.04	0.10	C60
Prostate	513	8.5	38.8	17.1	0.32	2.05							C61
Testis	12	0.2	0.9	0.7	0.05	0.05							C62
Other male genital organs	8	0.1	0.6	0.3	0.01	0.03							C63
Kidney	136	2.3	10.3	5.8	0.40	0.68	83	1.5	6.1	3.1	0.22	0.33	C64
Renal pelvis	16	0.3	1.2	0.6	0.04	0.08	13	0.2	1.0	0.5	0.01	0.07	C65
Ureter	14	0.2	1.1	0.5	0.04	0.05	10	0.2	0.7	0.3	0.01	0.03	C66
Bladder	189	3.1	14.3	6.6	0.27	0.69	44	0.8	3.3	1.4	0.04	0.15	C67
Other urinary organs	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C68
Eye	2	0.0	0.2	0.1	0.00	0.00	6	0.1	0.4	0.4	0.01	0.02	C69
Brain and nervous system	152	2.5	11.5	6.5	0.40	0.69	178	3.2	13.2	7.5	0.47	0.82	C70–72
Thyroid	255	4.2	19.3	14.4	1.17	1.30	986	17.7	73.0	50.2	4.22	4.86	C73
Adrenal gland	4	0.1	0.3	0.2	0.02	0.02	5	0.1	0.4	0.2	0.01	0.02	C74
Other endocrine	26	0.4	2.0	1.2	0.08	0.14	28	0.5	2.1	1.6	0.13	0.13	C75
Hodgkin lymphoma	5	0.1	0.4	0.2	0.02	0.03	6	0.1	0.4	0.5	0.02	0.03	C81
Non-Hodgkin lymphoma	121	2.0	9.1	5.3	0.32	0.56	100	1.8	7.4	3.9	0.23	0.46	C82–86,C96
Immunoproliferative diseases	3	0.0	0.2	0.1	0.00	0.02	1	0.0	0.1	0.0	0.00	0.01	C88
Multiple myeloma	62	1.0	4.7	2.3	0.10	0.28	31	0.6	2.3	1.1	0.06	0.14	C90
Lymphoid leukaemia	28	0.5	2.1	1.6	0.09	0.12	12	0.2	0.9	1.0	0.06	0.07	C91
Myeloid leukaemia	66	1.1	5.0	3.4	0.19	0.28	64	1.1	4.7	3.4	0.20	0.31	C92–94
Leukaemia unspecified	18	0.3	1.4	1.1	0.06	0.07	19	0.3	1.4	0.8	0.03	0.08	C95
Myeloproliferative disorders	1	0.0	0.1	0.0	0.00	0.00	1	0.0	0.1	0.0	0.00	0.00	MPD
Myelodysplastic syndromes	17	0.3	1.3	0.6	0.02	0.06	3	0.1	0.2	0.1	0.01	0.02	MPS
Other and unspecified	61	1.0	4.6	2.5	0.12	0.24	41	0.7	3.0	1.3	0.05	0.15	O&U
All sites	6104		461.4	232.9	12.03	26.36	5659		418.9	231.2	15.60	24.62	C00–96
All sites except C44	6030	100.0	455.8	230.3	11.94	26.03	5585	100.0	413.4	228.7	15.49	24.36	C00–96 exc. C44

China, Nantong City

CONTRIBUTORS

Bo Cai
 Hong Xu
 YingYing Han
 Haifeng Liu
 Shaocong Pan
 Yun Liu
 Qin Wang



NOTES ON THE DATA

*No questionnaire.

20 major cancers, ASR (World) per 100 000

Male		Female	
Trachea, bronchus, and lung	47.0	Breast	27.9
Liver	30.4	Trachea, bronchus, and lung	25.6
Stomach	25.3	Thyroid	13.8
Oesophagus	15.4	Stomach	11.5
Colon	10.8	Cervix uteri	10.6
Rectum	10.1	Liver	9.3
Prostate	9.0	Colon	7.1
Pancreas	7.2	Rectum	6.0
Bladder	6.4	Pancreas	5.6
Thyroid	4.6	Ovary	5.2
Non-Hodgkin lymphoma	4.6	Corpus uteri	5.2
Brain and nervous system	4.4	Oesophagus	4.2
Other and unspecified	3.6	Brain and nervous system	3.5
Kidney	2.7	Other and unspecified	3.3
Gallbladder etc.	2.3	Non-Hodgkin lymphoma	2.7
Nasopharynx	2.0	Gallbladder etc.	2.2
Leukaemia unspecified	1.8	Kidney	1.8
Non-melanoma skin cancer	1.7	Bladder	1.6
Myeloid leukaemia	1.6	Myeloid leukaemia	1.6
Lymphoid leukaemia	1.4	Non-melanoma skin cancer	1.5
All sites	206.9	All sites	161.1

*China, Nantong City (2015–2017)


SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	
Lip	8	0.1	0.3	0.1	0.01	0.02	2	0.0	0.1	0.0	0.00	0.00	C00
Tongue	23	0.2	0.9	0.5	0.03	0.06	29	0.3	1.0	0.5	0.03	0.07	C01–02
Mouth	62	0.5	2.3	1.1	0.06	0.14	37	0.4	1.3	0.6	0.04	0.07	C03–06
Salivary glands	36	0.3	1.4	0.8	0.06	0.09	20	0.2	0.7	0.4	0.03	0.04	C07–08
Tonsil	5	0.0	0.2	0.1	0.00	0.01	2	0.0	0.1	0.0	0.00	0.00	C09
Other oropharynx	1	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C10
Nasopharynx	101	0.9	3.8	2.0	0.14	0.23	51	0.6	1.8	0.9	0.07	0.11	C11
Hypopharynx	37	0.3	1.4	0.7	0.05	0.09	2	0.0	0.1	0.0	0.00	0.00	C12–13
Pharynx unspecified	7	0.1	0.3	0.1	0.01	0.02	0	0.0	0.0	0.0	0.00	0.00	C14
Oesophagus	915	7.8	34.6	15.4	0.72	1.98	338	3.7	12.0	4.2	0.13	0.44	C15
Stomach	1515	13.0	57.4	25.3	1.10	3.18	762	8.3	27.0	11.5	0.58	1.29	C16
Small intestine	61	0.5	2.3	1.0	0.05	0.10	48	0.5	1.7	0.7	0.04	0.08	C17
Colon	632	5.4	23.9	10.8	0.54	1.30	480	5.3	17.0	7.1	0.34	0.80	C18
Rectum	596	5.1	22.6	10.1	0.52	1.18	411	4.5	14.5	6.0	0.29	0.69	C19–20
Anus	12	0.1	0.5	0.2	0.01	0.03	5	0.1	0.2	0.1	0.00	0.01	C21
Liver	1555	13.3	58.9	30.4	2.14	3.50	609	6.7	21.6	9.3	0.48	1.11	C22
Gallbladder etc.	142	1.2	5.4	2.3	0.10	0.25	159	1.7	5.6	2.2	0.10	0.26	C23–24
Pancreas	439	3.8	16.6	7.2	0.31	0.86	396	4.3	14.0	5.6	0.22	0.64	C25
Nose, sinuses etc.	12	0.1	0.5	0.2	0.02	0.02	5	0.1	0.2	0.1	0.00	0.01	C30–31
Larynx	68	0.6	2.6	1.2	0.07	0.15	2	0.0	0.1	0.0	0.00	0.00	C32
Trachea, bronchus, and lung	2833	24.3	107.3	47.0	2.10	5.76	1604	17.6	56.8	25.6	1.43	3.01	C33–34
Other thoracic organs	30	0.3	1.1	0.7	0.05	0.08	33	0.4	1.2	0.6	0.04	0.07	C37–38
Bone	67	0.6	2.5	1.3	0.06	0.15	57	0.6	2.0	0.9	0.05	0.11	C40–41
Melanoma of skin	23	0.2	0.9	0.4	0.01	0.06	24	0.3	0.8	0.3	0.02	0.03	C43
Other skin	103	0.9	3.9	1.7	0.07	0.17	124	1.4	4.4	1.5	0.05	0.13	C44
Mesothelioma	8	0.1	0.3	0.2	0.01	0.02	6	0.1	0.2	0.1	0.01	0.01	C45
Kaposi sarcoma	1	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C46
Connective and soft tissue	17	0.1	0.6	0.3	0.01	0.04	18	0.2	0.6	0.4	0.02	0.03	C47+C49
Breast	10	0.1	0.4	0.2	0.01	0.02	1390	15.2	49.2	27.9	2.17	3.00	C50
Vulva							13	0.1	0.5	0.2	0.01	0.03	C51
Vagina							12	0.1	0.4	0.2	0.02	0.02	C52
Cervix uteri							520	5.7	18.4	10.6	0.84	1.07	C53
Corpus uteri							257	2.8	9.1	5.2	0.43	0.56	C54
Uterus unspecified							12	0.1	0.4	0.2	0.01	0.03	C55
Ovary							259	2.8	9.2	5.2	0.37	0.57	C56
Other female genital organs							20	0.2	0.7	0.4	0.02	0.05	C57
Placenta							0	0.0	0.0	0.0	0.00	0.00	C58
Penis	26	0.2	1.0	0.5	0.02	0.06							C60
Prostate	647	5.5	24.5	9.0	0.11	0.89							C61
Testis	16	0.1	0.6	0.6	0.04	0.04							C62
Other male genital organs	5	0.0	0.2	0.1	0.01	0.02							C63
Kidney	143	1.2	5.4	2.7	0.17	0.32	99	1.1	3.5	1.8	0.10	0.22	C64
Renal pelvis	30	0.3	1.1	0.5	0.03	0.07	11	0.1	0.4	0.1	0.00	0.02	C65
Ureter	18	0.2	0.7	0.3	0.01	0.03	8	0.1	0.3	0.1	0.00	0.01	C66
Bladder	398	3.4	15.1	6.4	0.27	0.74	120	1.3	4.2	1.6	0.06	0.17	C67
Other urinary organs	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C68
Eye	1	0.0	0.0	0.0	0.00	0.00	3	0.0	0.1	0.1	0.00	0.00	C69
Brain and nervous system	206	1.8	7.8	4.4	0.28	0.48	171	1.9	6.1	3.5	0.23	0.38	C70–72
Thyroid	172	1.5	6.5	4.6	0.36	0.44	527	5.8	18.6	13.8	1.11	1.25	C73
Adrenal gland	4	0.0	0.2	0.1	0.01	0.01	2	0.0	0.1	0.1	0.01	0.01	C74
Other endocrine	11	0.1	0.4	0.2	0.02	0.03	6	0.1	0.2	0.1	0.01	0.01	C75
Hodgkin lymphoma	20	0.2	0.8	0.4	0.03	0.04	13	0.1	0.5	0.2	0.01	0.03	C81
Non-Hodgkin lymphoma	224	1.9	8.5	4.6	0.28	0.51	154	1.7	5.4	2.7	0.15	0.29	C82–86,C96
Immunoproliferative diseases	6	0.1	0.2	0.1	0.00	0.01	1	0.0	0.0	0.0	0.00	0.00	C88
Multiple myeloma	56	0.5	2.1	1.0	0.06	0.13	51	0.6	1.8	0.8	0.03	0.11	C90
Lymphoid leukaemia	49	0.4	1.9	1.4	0.07	0.12	38	0.4	1.3	1.2	0.06	0.08	C91
Myeloid leukaemia	74	0.6	2.8	1.6	0.12	0.17	66	0.7	2.3	1.6	0.10	0.16	C92–94
Leukaemia unspecified	78	0.7	3.0	1.8	0.09	0.18	59	0.6	2.1	0.9	0.04	0.08	C95
Myeloproliferative disorders	12	0.1	0.5	0.2	0.01	0.03	3	0.0	0.1	0.1	0.00	0.01	MPD
Myelodysplastic syndromes	59	0.5	2.2	1.1	0.07	0.12	31	0.3	1.1	0.5	0.04	0.06	MPS
Other and unspecified	190	1.6	7.2	3.6	0.17	0.40	193	2.1	6.8	3.3	0.21	0.39	O&U
All sites	11764		445.5	206.9	10.50	24.37	9263		327.8	161.1	10.04	17.61	C00–96
All sites except C44	11661	100.0	441.6	205.2	10.43	24.19	9139	100.0	323.4	159.6	9.99	17.48	C00–96 exc. C44

*See note following population pyramid

China, Nanxiong City

CONTRIBUTORS

Xianghua Wu
Yanyan Zhang



NOTES ON THE DATA

*Low MV%.

20 major cancers, ASR (World) per 100 000

<i>Male</i>		<i>Female</i>	
Liver	62.5	Breast	21.1
Trachea, bronchus, and lung	49.2	Trachea, bronchus, and lung	20.7
Stomach	22.5	Liver	11.3
Nasopharynx	14.5	Cervix uteri	9.1
Colon	10.2	Stomach	8.4
Rectum	9.9	Corpus uteri	6.9
Oesophagus	7.8	Ovary	6.4
Prostate	6.1	Colon	6.3
Non-Hodgkin lymphoma	4.6	Rectum	6.2
Bladder	4.5	Nasopharynx	6.1
Other and unspecified	4.1	Thyroid	4.5
Brain and nervous system	3.9	Other and unspecified	3.5
Larynx	3.5	Non-Hodgkin lymphoma	2.9
Pancreas	3.1	Brain and nervous system	2.9
Gallbladder etc.	2.9	Myeloid leukaemia	2.1
Kidney	2.4	Non-melanoma skin cancer	2.1
Myeloid leukaemia	2.2	Pancreas	1.9
Lymphoid leukaemia	2.1	Kidney	1.2
Leukaemia unspecified	1.9	Connective and soft tissue	1.1
Non-melanoma skin cancer	1.8	Multiple myeloma	1.1
All sites	235.5	All sites	137.2

*China, Nanxiong City (2013–2017)


SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	
Lip	0	0.0	0.0	0.0	0.00	0.00	2	0.1	0.2	0.1	0.00	0.01	C00
Tongue	13	0.4	1.0	0.9	0.04	0.12	4	0.2	0.3	0.3	0.02	0.03	C01–02
Mouth	21	0.6	1.7	1.5	0.11	0.17	6	0.3	0.5	0.4	0.03	0.03	C03–06
Salivary glands	6	0.2	0.5	0.4	0.02	0.03	4	0.2	0.3	0.3	0.02	0.04	C07–08
Tonsil	5	0.2	0.4	0.4	0.03	0.06	0	0.0	0.0	0.0	0.00	0.00	C09
Other oropharynx	5	0.2	0.4	0.4	0.03	0.04	0	0.0	0.0	0.0	0.00	0.00	C10
Nasopharynx	223	6.8	17.9	14.5	1.18	1.58	95	4.3	8.1	6.1	0.52	0.64	C11
Hypopharynx	14	0.4	1.1	1.1	0.10	0.14	2	0.1	0.2	0.1	0.01	0.02	C12–13
Pharynx unspecified	6	0.2	0.5	0.4	0.02	0.02	0	0.0	0.0	0.0	0.00	0.00	C14
Oesophagus	105	3.2	8.4	7.8	0.49	0.99	13	0.6	1.1	0.5	0.01	0.02	C15
Stomach	309	9.4	24.8	22.5	1.34	2.61	152	6.9	13.0	8.4	0.44	1.02	C16
Small intestine	8	0.2	0.6	0.6	0.03	0.09	7	0.3	0.6	0.4	0.02	0.04	C17
Colon	144	4.4	11.6	10.2	0.56	1.25	107	4.9	9.1	6.3	0.45	0.73	C18
Rectum	139	4.2	11.2	9.9	0.55	1.13	103	4.7	8.8	6.2	0.43	0.68	C19–20
Anus	1	0.0	0.1	0.1	0.00	0.00	1	0.0	0.1	0.1	0.01	0.01	C21
Liver	918	28.0	73.8	62.5	4.57	7.02	191	8.7	16.3	11.3	0.75	1.26	C22
Gallbladder etc.	41	1.3	3.3	2.9	0.18	0.33	19	0.9	1.6	1.0	0.03	0.11	C23–24
Pancreas	45	1.4	3.6	3.1	0.20	0.33	33	1.5	2.8	1.9	0.08	0.25	C25
Nose, sinuses etc.	7	0.2	0.6	0.4	0.03	0.05	3	0.1	0.3	0.2	0.02	0.02	C30–31
Larynx	48	1.5	3.9	3.5	0.20	0.45	1	0.0	0.1	0.1	0.01	0.01	C32
Trachea, bronchus, and lung	669	20.4	53.8	49.2	2.46	5.98	364	16.5	31.1	20.7	1.18	2.35	C33–34
Other thoracic organs	8	0.2	0.6	0.6	0.04	0.07	7	0.3	0.6	0.4	0.02	0.05	C37–38
Bone	18	0.5	1.4	1.4	0.11	0.11	15	0.7	1.3	1.0	0.07	0.09	C40–41
Melanoma of skin	7	0.2	0.6	0.5	0.01	0.05	7	0.3	0.6	0.5	0.01	0.04	C43
Other skin	25	0.8	2.0	1.8	0.09	0.23	36	1.6	3.1	2.1	0.11	0.21	C44
Mesothelioma	3	0.1	0.2	0.2	0.03	0.03	4	0.2	0.3	0.2	0.01	0.02	C45
Kaposi sarcoma	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C46
Connective and soft tissue	10	0.3	0.8	0.7	0.06	0.06	15	0.7	1.3	1.1	0.08	0.12	C47+C49
Breast	1	0.0	0.1	0.1	0.00	0.01	332	15.1	28.4	21.1	1.82	2.13	C50
Vulva							3	0.1	0.3	0.2	0.02	0.03	C51
Vagina							2	0.1	0.2	0.1	0.01	0.01	C52
Cervix uteri							144	6.5	12.3	9.1	0.77	0.93	C53
Corpus uteri							107	4.9	9.1	6.9	0.62	0.75	C54
Uterus unspecified							4	0.2	0.3	0.2	0.03	0.03	C55
Ovary							103	4.7	8.8	6.4	0.53	0.69	C56
Other female genital organs							3	0.1	0.3	0.2	0.01	0.03	C57
Placenta							1	0.0	0.1	0.1	0.00	0.00	C58
Penis	5	0.2	0.4	0.3	0.02	0.03							C60
Prostate	82	2.5	6.6	6.1	0.11	0.61							C61
Testis	1	0.0	0.1	0.2	0.01	0.01							C62
Other male genital organs	3	0.1	0.2	0.2	0.01	0.03							C63
Kidney	34	1.0	2.7	2.4	0.18	0.27	17	0.8	1.5	1.2	0.06	0.15	C64
Renal pelvis	5	0.2	0.4	0.3	0.02	0.05	4	0.2	0.3	0.3	0.02	0.04	C65
Ureter	4	0.1	0.3	0.3	0.01	0.06	1	0.0	0.1	0.1	0.00	0.01	C66
Bladder	62	1.9	5.0	4.5	0.17	0.53	16	0.7	1.4	1.0	0.07	0.13	C67
Other urinary organs	1	0.0	0.1	0.1	0.00	0.00	2	0.1	0.2	0.1	0.01	0.01	C68
Eye	2	0.1	0.2	0.2	0.00	0.02	3	0.1	0.3	0.3	0.02	0.02	C69
Brain and nervous system	50	1.5	4.0	3.9	0.28	0.37	41	1.9	3.5	2.9	0.19	0.21	C70–72
Thyroid	15	0.5	1.2	1.1	0.09	0.09	68	3.1	5.8	4.5	0.35	0.41	C73
Adrenal gland	3	0.1	0.2	0.4	0.02	0.02	6	0.3	0.5	0.4	0.02	0.04	C74
Other endocrine	0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.1	0.1	0.00	0.00	C75
Hodgkin lymphoma	3	0.1	0.2	0.3	0.02	0.02	3	0.1	0.3	0.2	0.02	0.02	C81
Non-Hodgkin lymphoma	61	1.9	4.9	4.6	0.29	0.48	45	2.0	3.8	2.9	0.23	0.30	C82–86,C96
Immunoproliferative diseases	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C88
Multiple myeloma	19	0.6	1.5	1.3	0.04	0.13	18	0.8	1.5	1.1	0.09	0.13	C90
Lymphoid leukaemia	23	0.7	1.8	2.1	0.11	0.13	10	0.5	0.9	0.8	0.05	0.07	C91
Myeloid leukaemia	32	1.0	2.6	2.2	0.16	0.23	28	1.3	2.4	2.1	0.16	0.20	C92–94
Leukaemia unspecified	20	0.6	1.6	1.9	0.10	0.13	12	0.5	1.0	0.9	0.06	0.10	C95
Myeloproliferative disorders	8	0.2	0.6	0.5	0.04	0.06	2	0.1	0.2	0.1	0.00	0.00	MPD
Myelodysplastic syndromes	12	0.4	1.0	0.9	0.04	0.13	15	0.7	1.3	0.9	0.06	0.12	MPS
Other and unspecified	56	1.7	4.5	4.1	0.20	0.41	57	2.6	4.9	3.5	0.17	0.34	O&U
All sites	3300		265.4	235.5	14.41	26.80	2239		191.2	137.2	9.71	14.66	C00–96
All sites except C44	3275	100.0	263.4	233.6	14.32	26.57	2203	100.0	188.1	135.1	9.60	14.46	C00–96 exc. C44

*See note following population pyramid

China, Neixiang County

CONTRIBUTORS

Li Yabo
Wang Songhe
Dai yang
Jin Hua



20 major cancers, ASR (World) per 100 000

Male		Female	
Stomach	61.7	Breast	28.6
Oesophagus	56.8	Oesophagus	27.3
Trachea, bronchus, and lung	40.9	Stomach	19.3
Liver	19.0	Trachea, bronchus, and lung	14.8
Rectum	7.3	Cervix uteri	7.8
Colon	4.0	Liver	7.7
Brain and nervous system	3.4	Corpus uteri	7.1
Non-Hodgkin lymphoma	3.2	Rectum	6.2
Pancreas	2.5	Thyroid	5.2
Bone	2.5	Ovary	4.9
Bladder	2.3	Brain and nervous system	3.0
Prostate	1.8	Colon	2.8
Myeloid leukaemia	1.8	Non-Hodgkin lymphoma	2.5
Leukaemia unspecified	1.7	Pancreas	1.7
Other and unspecified	1.5	Bone	1.5
Gallbladder etc.	1.3	Leukaemia unspecified	1.4
Kidney	1.3	Myeloid leukaemia	1.2
Thyroid	1.2	Kidney	1.1
Lymphoid leukaemia	1.1	Gallbladder etc.	1.1
Larynx	1.1	Other and unspecified	0.9
All sites	229.3	All sites	158.1


China, Neixiang County (2013–2017)

SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	
Lip	3	0.1	0.2	0.1	0.01	0.02	4	0.1	0.2	0.2	0.01	0.02	C00
Tongue	6	0.1	0.3	0.3	0.02	0.03	5	0.1	0.3	0.2	0.02	0.03	C01–02
Mouth	20	0.4	1.1	0.8	0.06	0.09	8	0.2	0.5	0.4	0.02	0.05	C03–06
Salivary glands	8	0.1	0.4	0.3	0.01	0.04	3	0.1	0.2	0.1	0.01	0.01	C07–08
Tonsil	4	0.1	0.2	0.2	0.02	0.03	2	0.1	0.1	0.1	0.00	0.01	C09
Other oropharynx	7	0.1	0.4	0.3	0.03	0.03	4	0.1	0.2	0.1	0.01	0.01	C10
Nasopharynx	20	0.4	1.1	0.9	0.09	0.09	11	0.3	0.6	0.5	0.05	0.06	C11
Hypopharynx	8	0.1	0.4	0.4	0.03	0.04	2	0.1	0.1	0.1	0.01	0.01	C12–13
Pharynx unspecified	4	0.1	0.2	0.2	0.01	0.02	3	0.1	0.2	0.1	0.01	0.02	C14
Oesophagus	1401	25.4	77.8	56.8	3.46	7.10	728	19.5	42.6	27.3	1.48	3.35	C15
Stomach	1533	27.8	85.1	61.7	3.82	7.70	498	13.4	29.2	19.3	1.08	2.43	C16
Small intestine	10	0.2	0.6	0.5	0.04	0.05	14	0.4	0.8	0.6	0.04	0.06	C17
Colon	90	1.6	5.0	4.0	0.32	0.46	69	1.9	4.0	2.8	0.21	0.28	C18
Rectum	173	3.1	9.6	7.3	0.45	0.80	153	4.1	9.0	6.2	0.45	0.74	C19–20
Anus	9	0.2	0.5	0.4	0.02	0.05	10	0.3	0.6	0.4	0.02	0.04	C21
Liver	452	8.2	25.1	19.0	1.38	2.19	191	5.1	11.2	7.7	0.52	0.84	C22
Gallbladder etc.	31	0.6	1.7	1.3	0.07	0.14	27	0.7	1.6	1.1	0.06	0.15	C23–24
Pancreas	61	1.1	3.4	2.5	0.14	0.31	41	1.1	2.4	1.7	0.09	0.20	C25
Nose, sinuses etc.	13	0.2	0.7	0.5	0.04	0.05	12	0.3	0.7	0.5	0.04	0.05	C30–31
Larynx	28	0.5	1.6	1.1	0.09	0.13	7	0.2	0.4	0.3	0.02	0.04	C32
Trachea, bronchus, and lung	1004	18.2	55.8	40.9	2.55	5.06	368	9.9	21.6	14.8	1.08	1.72	C33–34
Other thoracic organs	24	0.4	1.3	1.0	0.05	0.10	12	0.3	0.7	0.5	0.03	0.06	C37–38
Bone	50	0.9	2.8	2.5	0.15	0.20	34	0.9	2.0	1.5	0.10	0.17	C40–41
Melanoma of skin	5	0.1	0.3	0.2	0.01	0.02	3	0.1	0.2	0.1	0.01	0.02	C43
Other skin	21	0.4	1.2	0.9	0.07	0.12	21	0.6	1.2	0.8	0.03	0.09	C44
Mesothelioma	16	0.3	0.9	0.7	0.06	0.07	17	0.5	1.0	0.8	0.07	0.07	C45
Kaposi sarcoma	0	0.0	0.0	0.0	0.00	0.00	3	0.1	0.2	0.1	0.01	0.01	C46
Connective and soft tissue	16	0.3	0.9	0.7	0.03	0.09	16	0.4	0.9	0.6	0.05	0.06	C47+C49
Breast	6	0.1	0.3	0.3	0.03	0.04	604	16.2	35.4	28.6	2.50	2.87	C50
Vulva							4	0.1	0.2	0.2	0.01	0.01	C51
Vagina							12	0.3	0.7	0.5	0.04	0.05	C52
Cervix uteri							172	4.6	10.1	7.8	0.62	0.82	C53
Corpus uteri							154	4.1	9.0	7.1	0.62	0.76	C54
Uterus unspecified							16	0.4	0.9	0.6	0.05	0.08	C55
Ovary							103	2.8	6.0	4.9	0.40	0.50	C56
Other female genital organs							9	0.2	0.5	0.4	0.03	0.03	C57
Placenta							1	0.0	0.1	0.1	0.00	0.00	C58
Penis	8	0.1	0.4	0.3	0.02	0.03							C60
Prostate	45	0.8	2.5	1.8	0.04	0.21							C61
Testis	5	0.1	0.3	0.2	0.01	0.02							C62
Other male genital organs	5	0.1	0.3	0.2	0.01	0.02							C63
Kidney	30	0.5	1.7	1.3	0.09	0.14	21	0.6	1.2	1.1	0.07	0.10	C64
Renal pelvis	5	0.1	0.3	0.2	0.02	0.03	9	0.2	0.5	0.4	0.03	0.04	C65
Ureter	5	0.1	0.3	0.2	0.01	0.03	2	0.1	0.1	0.1	0.00	0.01	C66
Bladder	56	1.0	3.1	2.3	0.13	0.26	12	0.3	0.7	0.4	0.02	0.03	C67
Other urinary organs	4	0.1	0.2	0.1	0.00	0.00	2	0.1	0.1	0.1	0.00	0.01	C68
Eye	1	0.0	0.1	0.0	0.00	0.00	2	0.1	0.1	0.1	0.01	0.01	C69
Brain and nervous system	74	1.3	4.1	3.4	0.26	0.34	67	1.8	3.9	3.0	0.22	0.32	C70–72
Thyroid	26	0.5	1.4	1.2	0.10	0.11	108	2.9	6.3	5.2	0.41	0.52	C73
Adrenal gland	5	0.1	0.3	0.3	0.02	0.02	1	0.0	0.1	0.0	0.00	0.00	C74
Other endocrine	2	0.0	0.1	0.1	0.01	0.01	4	0.1	0.2	0.2	0.02	0.02	C75
Hodgkin lymphoma	14	0.3	0.8	0.7	0.05	0.06	10	0.3	0.6	0.5	0.04	0.06	C81
Non-Hodgkin lymphoma	74	1.3	4.1	3.2	0.23	0.36	59	1.6	3.5	2.5	0.21	0.27	C82–86,C96
Immunoproliferative diseases	2	0.0	0.1	0.1	0.00	0.00	1	0.0	0.1	0.0	0.00	0.00	C88
Multiple myeloma	15	0.3	0.8	0.6	0.04	0.07	11	0.3	0.6	0.5	0.04	0.05	C90
Lymphoid leukaemia	20	0.4	1.1	1.1	0.06	0.09	14	0.4	0.8	0.8	0.05	0.07	C91
Myeloid leukaemia	34	0.6	1.9	1.8	0.11	0.14	21	0.6	1.2	1.2	0.09	0.10	C92–94
Leukaemia unspecified	33	0.6	1.8	1.7	0.10	0.14	25	0.7	1.5	1.4	0.10	0.13	C95
Myeloproliferative disorders	3	0.1	0.2	0.1	0.01	0.01	2	0.1	0.1	0.1	0.00	0.01	MPD
Myelodysplastic syndromes	18	0.3	1.0	0.8	0.06	0.07	13	0.3	0.8	0.6	0.04	0.05	MPS
Other and unspecified	35	0.6	1.9	1.5	0.07	0.16	22	0.6	1.3	0.9	0.05	0.09	O&U
All sites	5542		307.8	229.3	14.49	27.38	3747		219.5	158.1	11.23	17.61	C00–96
All sites except C44	5521	100.0	306.6	228.4	14.42	27.25	3726	100.0	218.2	157.3	11.20	17.52	C00–96 exc. C44

China, Qianxi County

CONTRIBUTORS

Li Yinguo
Sheng Zhenhai
Zhao Jinge
Chen Xiaodong
Zhao Shan
Wang Weiguang
Zhao Dan
Wang Jingping



NOTES ON THE DATA

*No official mortality data.

20 major cancers, ASR (World) per 100 000

<i>Male</i>		<i>Female</i>	
Stomach	39.1	Trachea, bronchus, and lung	26.0
Trachea, bronchus, and lung	37.9	Breast	19.8
Liver	34.8	Stomach	15.6
Oesophagus	24.1	Liver	15.3
Rectum	9.3	Cervix uteri	7.4
Brain and nervous system	6.0	Corpus uteri	6.9
Bladder	5.5	Rectum	5.8
Lymphoid leukaemia	5.2	Brain and nervous system	5.7
Pancreas	4.8	Oesophagus	5.0
Colon	4.3	Lymphoid leukaemia	4.9
Non-Hodgkin lymphoma	3.4	Ovary	3.2
Prostate	2.5	Colon	3.1
Bone	1.7	Thyroid	2.8
Gallbladder etc.	1.6	Non-Hodgkin lymphoma	2.0
Kidney	1.5	Pancreas	1.7
Hypopharynx	1.3	Bone	1.4
Nasopharynx	1.2	Kidney	1.3
Thyroid	0.9	Gallbladder etc.	1.1
Other and unspecified	0.8	Other and unspecified	0.9
Mouth	0.6	Multiple myeloma	0.9
All sites	190.2	All sites	134.5

*China, Qianxi County (2013–2017)


SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	
Lip	1	0.0	0.1	0.1	0.00	0.02	1	0.1	0.1	0.1	0.01	0.01	C00
Tongue	3	0.1	0.3	0.1	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C01–02
Mouth	9	0.3	0.9	0.6	0.04	0.10	3	0.2	0.3	0.2	0.01	0.06	C03–06
Salivary glands	1	0.0	0.1	0.1	0.01	0.01	3	0.2	0.3	0.2	0.01	0.01	C07–08
Tonsil	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C09
Other oropharynx	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C10
Nasopharynx	12	0.5	1.1	1.2	0.08	0.10	3	0.2	0.3	0.2	0.01	0.04	C11
Hypopharynx	21	0.8	2.0	1.3	0.08	0.17	4	0.2	0.4	0.2	0.02	0.02	C12–13
Pharynx unspecified	1	0.0	0.1	0.1	0.00	0.02	0	0.0	0.0	0.0	0.00	0.00	C14
Oesophagus	337	12.9	32.0	24.1	0.98	2.87	68	3.8	7.1	5.0	0.24	0.67	C15
Stomach	537	20.5	51.0	39.1	1.92	4.78	212	11.9	22.1	15.6	0.53	1.76	C16
Small intestine	4	0.2	0.4	0.3	0.01	0.05	0	0.0	0.0	0.0	0.00	0.00	C17
Colon	55	2.1	5.2	4.3	0.14	0.55	45	2.5	4.7	3.1	0.17	0.35	C18
Rectum	127	4.8	12.1	9.3	0.43	1.08	75	4.2	7.8	5.8	0.29	0.76	C19–20
Anus	1	0.0	0.1	0.1	0.01	0.01	1	0.1	0.1	0.1	0.00	0.02	C21
Liver	503	19.2	47.8	34.8	2.22	4.06	210	11.8	21.9	15.3	0.69	1.67	C22
Gallbladder etc.	23	0.9	2.2	1.6	0.05	0.13	14	0.8	1.5	1.1	0.02	0.15	C23–24
Pancreas	66	2.5	6.3	4.8	0.25	0.63	24	1.3	2.5	1.7	0.07	0.15	C25
Nose, sinuses etc.	0	0.0	0.0	0.0	0.00	0.00	1	0.1	0.1	0.1	0.00	0.00	C30–31
Larynx	2	0.1	0.2	0.1	0.01	0.01	0	0.0	0.0	0.0	0.00	0.00	C32
Trachea, bronchus, and lung	533	20.4	50.6	37.9	1.91	4.68	348	19.5	36.2	26.0	1.20	3.06	C33–34
Other thoracic organs	2	0.1	0.2	0.1	0.01	0.03	0	0.0	0.0	0.0	0.00	0.00	C37–38
Bone	24	0.9	2.3	1.7	0.09	0.13	21	1.2	2.2	1.4	0.06	0.14	C40–41
Melanoma of skin	1	0.0	0.1	0.1	0.01	0.01	0	0.0	0.0	0.0	0.00	0.00	C43
Other skin	6	0.2	0.6	0.4	0.03	0.04	1	0.1	0.1	0.1	0.01	0.01	C44
Mesothelioma	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C45
Kaposi sarcoma	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C46
Connective and soft tissue	1	0.0	0.1	0.1	0.00	0.02	4	0.2	0.4	0.3	0.03	0.05	C47+C49
Breast	5	0.2	0.5	0.3	0.03	0.05	264	14.8	27.5	19.8	1.67	2.28	C50
Vulva							0	0.0	0.0	0.0	0.00	0.00	C51
Vagina							2	0.1	0.2	0.1	0.01	0.01	C52
Cervix uteri							96	5.4	10.0	7.4	0.56	0.74	C53
Corpus uteri							98	5.5	10.2	6.9	0.62	0.80	C54
Uterus unspecified							1	0.1	0.1	0.1	0.01	0.01	C55
Ovary							41	2.3	4.3	3.2	0.22	0.41	C56
Other female genital organs							0	0.0	0.0	0.0	0.00	0.00	C57
Placenta							0	0.0	0.0	0.0	0.00	0.00	C58
Penis	1	0.0	0.1	0.0	0.01	0.01							C60
Prostate	35	1.3	3.3	2.5	0.03	0.24							C61
Testis	1	0.0	0.1	0.1	0.01	0.01							C62
Other male genital organs	0	0.0	0.0	0.0	0.00	0.00							C63
Kidney	19	0.7	1.8	1.5	0.11	0.16	17	1.0	1.8	1.3	0.04	0.14	C64
Renal pelvis	1	0.0	0.1	0.1	0.00	0.02	0	0.0	0.0	0.0	0.00	0.00	C65
Ureter	2	0.1	0.2	0.2	0.00	0.03	1	0.1	0.1	0.1	0.01	0.01	C66
Bladder	73	2.8	6.9	5.5	0.23	0.46	10	0.6	1.0	0.6	0.02	0.05	C67
Other urinary organs	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C68
Eye	1	0.0	0.1	0.0	0.01	0.01	0	0.0	0.0	0.0	0.00	0.00	C69
Brain and nervous system	74	2.8	7.0	6.0	0.38	0.62	73	4.1	7.6	5.7	0.34	0.58	C70–72
Thyroid	14	0.5	1.3	0.9	0.04	0.11	36	2.0	3.7	2.8	0.26	0.26	C73
Adrenal gland	0	0.0	0.0	0.0	0.00	0.00	1	0.1	0.1	0.1	0.01	0.01	C74
Other endocrine	0	0.0	0.0	0.0	0.00	0.00	1	0.1	0.1	0.1	0.01	0.01	C75
Hodgkin lymphoma	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C81
Non-Hodgkin lymphoma	46	1.8	4.4	3.4	0.24	0.35	26	1.5	2.7	2.0	0.08	0.30	C82–86,C96
Immunoproliferative diseases	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C88
Multiple myeloma	5	0.2	0.5	0.5	0.03	0.05	9	0.5	0.9	0.9	0.05	0.08	C90
Lymphoid leukaemia	59	2.3	5.6	5.2	0.34	0.48	50	2.8	5.2	4.9	0.27	0.36	C91
Myeloid leukaemia	3	0.1	0.3	0.4	0.02	0.02	3	0.2	0.3	0.5	0.03	0.03	C92–94
Leukaemia unspecified	3	0.1	0.3	0.2	0.02	0.02	3	0.2	0.3	0.3	0.02	0.02	C95
Myeloproliferative disorders	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	MPD
Myelodysplastic syndromes	0	0.0	0.0	0.0	0.00	0.00	1	0.1	0.1	0.2	0.01	0.01	MPS
Other and unspecified	13	0.5	1.2	0.8	0.03	0.09	14	0.8	1.5	0.9	0.06	0.10	O&U
All sites	2625		249.3	190.2	9.79	22.21	1785		185.9	134.5	7.64	15.13	C00–96
All sites except C44	2619	100.0	248.8	189.8	9.77	22.16	1784	100.0	185.8	134.4	7.64	15.12	C00–96 exc.C44

*See note following population pyramid

China, Qidong City

CONTRIBUTORS

Jian-Guo Chen
 Jian Zhu
 Yong-Sheng Chen
 Jun Wang
 Yong-Hui Zhang
 Lu-Lu Ding



20 major cancers, ASR (World) per 100 000

<i>Male</i>		<i>Female</i>	
Trachea, bronchus, and lung	49.6	Breast	26.1
Liver	47.5	Trachea, bronchus, and lung	22.8
Stomach	24.7	Liver	16.7
Rectum	13.0	Cervix uteri	13.8
Pancreas	8.4	Stomach	12.9
Colon	8.3	Thyroid	12.2
Prostate	8.1	Rectum	8.7
Bladder	7.3	Colon	6.5
Oesophagus	6.9	Pancreas	5.8
Non-Hodgkin lymphoma	5.4	Brain and nervous system	4.6
Brain and nervous system	5.2	Ovary	4.4
Leukaemia unspecified	2.8	Corpus uteri	4.4
Thyroid	2.8	Non-Hodgkin lymphoma	3.5
Nasopharynx	2.7	Gallbladder etc.	2.7
Kidney	2.5	Leukaemia unspecified	2.4
Gallbladder etc.	2.5	Uterus unspecified	1.9
Non-melanoma skin cancer	2.1	Bladder	1.8
Larynx	1.8	Oesophagus	1.7
Multiple myeloma	1.8	Kidney	1.7
Lymphoid leukaemia	1.6	Lymphoid leukaemia	1.6
All sites	215.7	All sites	168.9


China, Qidong City (2013–2017)

SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	
Lip	10	0.1	0.4	0.1	0.01	0.01	11	0.1	0.4	0.1	0.00	0.01	C00
Tongue	34	0.2	1.2	0.7	0.05	0.07	22	0.2	0.8	0.3	0.02	0.03	C01–02
Mouth	23	0.2	0.8	0.4	0.02	0.04	19	0.2	0.7	0.3	0.02	0.03	C03–06
Salivary glands	31	0.2	1.1	0.8	0.05	0.07	24	0.2	0.8	0.4	0.04	0.04	C07–08
Tonsil	4	0.0	0.1	0.1	0.00	0.01	4	0.0	0.1	0.1	0.01	0.01	C09
Other oropharynx	3	0.0	0.1	0.1	0.01	0.01	1	0.0	0.0	0.0	0.00	0.00	C10
Nasopharynx	144	1.1	5.2	2.7	0.22	0.29	75	0.7	2.6	1.5	0.12	0.14	C11
Hypopharynx	10	0.1	0.4	0.2	0.01	0.02	0	0.0	0.0	0.0	0.00	0.00	C12–13
Pharynx unspecified	3	0.0	0.1	0.0	0.00	0.01	1	0.0	0.0	0.0	0.00	0.00	C14
Oesophagus	494	3.6	18.0	6.9	0.33	0.75	181	1.7	6.3	1.7	0.05	0.14	C15
Stomach	1661	12.1	60.5	24.7	1.35	2.82	959	8.8	33.5	12.9	0.71	1.36	C16
Small intestine	25	0.2	0.9	0.4	0.01	0.04	20	0.2	0.7	0.3	0.02	0.03	C17
Colon	543	4.0	19.8	8.3	0.43	1.01	522	4.8	18.3	6.5	0.34	0.75	C18
Rectum	862	6.3	31.4	13.0	0.72	1.46	693	6.4	24.2	8.7	0.45	1.01	C19–20
Anus	4	0.0	0.1	0.0	0.00	0.00	6	0.1	0.2	0.1	0.01	0.01	C21
Liver	2734	20.0	99.5	47.5	3.50	5.16	1202	11.1	42.0	16.7	1.09	1.82	C22
Gallbladder etc.	170	1.2	6.2	2.5	0.11	0.26	224	2.1	7.8	2.7	0.13	0.29	C23–24
Pancreas	593	4.3	21.6	8.4	0.37	0.92	498	4.6	17.4	5.8	0.24	0.64	C25
Nose, sinuses etc.	19	0.1	0.7	0.3	0.02	0.04	15	0.1	0.5	0.3	0.01	0.03	C30–31
Larynx	114	0.8	4.1	1.8	0.10	0.22	5	0.0	0.2	0.1	0.00	0.01	C32
Trachea, bronchus, and lung	3485	25.5	126.9	49.6	2.16	5.78	1757	16.2	61.4	22.8	1.33	2.54	C33–34
Other thoracic organs	30	0.2	1.1	0.8	0.05	0.07	17	0.2	0.6	0.5	0.03	0.03	C37–38
Bone	51	0.4	1.9	1.2	0.07	0.11	37	0.3	1.3	0.7	0.05	0.08	C40–41
Melanoma of skin	36	0.3	1.3	0.5	0.03	0.05	39	0.4	1.4	0.6	0.03	0.06	C43
Other skin	150	1.1	5.5	2.1	0.08	0.20	162	1.5	5.7	1.6	0.05	0.15	C44
Mesothelioma	3	0.0	0.1	0.0	0.00	0.01	2	0.0	0.1	0.1	0.01	0.01	C45
Kaposi sarcoma	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C46
Connective and soft tissue	21	0.2	0.8	0.6	0.03	0.05	17	0.2	0.6	0.4	0.03	0.04	C47+C49
Breast	15	0.1	0.5	0.2	0.01	0.03	1433	13.2	50.1	26.1	2.18	2.82	C50
Vulva							17	0.2	0.6	0.3	0.01	0.03	C51
Vagina							10	0.1	0.3	0.2	0.01	0.02	C52
Cervix uteri							686	6.3	24.0	13.8	1.20	1.37	C53
Corpus uteri							252	2.3	8.8	4.4	0.38	0.49	C54
Uterus unspecified							110	1.0	3.8	1.9	0.16	0.21	C55
Ovary							245	2.3	8.6	4.4	0.35	0.48	C56
Other female genital organs							15	0.1	0.5	0.2	0.02	0.03	C57
Placenta							1	0.0	0.0	0.1	0.00	0.00	C58
Penis	21	0.2	0.8	0.3	0.02	0.04							C60
Prostate	639	4.7	23.3	8.1	0.17	0.82							C61
Testis	17	0.1	0.6	0.5	0.04	0.05							C62
Other male genital organs	3	0.0	0.1	0.0	0.00	0.00							C63
Kidney	154	1.1	5.6	2.5	0.15	0.29	102	0.9	3.6	1.7	0.10	0.18	C64
Renal pelvis	18	0.1	0.7	0.3	0.02	0.03	10	0.1	0.3	0.1	0.01	0.01	C65
Ureter	12	0.1	0.4	0.2	0.01	0.03	12	0.1	0.4	0.1	0.01	0.01	C66
Bladder	517	3.8	18.8	7.3	0.30	0.81	148	1.4	5.2	1.8	0.08	0.20	C67
Other urinary organs	1	0.0	0.0	0.0	0.00	0.00	2	0.0	0.1	0.0	0.00	0.01	C68
Eye	4	0.0	0.1	0.1	0.00	0.00	3	0.0	0.1	0.0	0.00	0.01	C69
Brain and nervous system	268	2.0	9.8	5.2	0.35	0.50	263	2.4	9.2	4.6	0.32	0.48	C70–72
Thyroid	125	0.9	4.5	2.8	0.23	0.28	515	4.7	18.0	12.2	1.03	1.13	C73
Adrenal gland	9	0.1	0.3	0.2	0.01	0.02	3	0.0	0.1	0.1	0.01	0.01	C74
Other endocrine	3	0.0	0.1	0.1	0.01	0.01	4	0.0	0.1	0.1	0.01	0.01	C75
Hodgkin lymphoma	5	0.0	0.2	0.2	0.01	0.01	9	0.1	0.3	0.3	0.02	0.02	C81
Non-Hodgkin lymphoma	320	2.3	11.6	5.4	0.35	0.58	224	2.1	7.8	3.5	0.20	0.39	C82–86,C96
Immunoproliferative diseases	6	0.0	0.2	0.1	0.00	0.01	4	0.0	0.1	0.0	0.00	0.00	C88
Multiple myeloma	117	0.9	4.3	1.8	0.11	0.19	112	1.0	3.9	1.5	0.08	0.21	C90
Lymphoid leukaemia	61	0.4	2.2	1.6	0.09	0.13	67	0.6	2.3	1.6	0.09	0.15	C91
Myeloid leukaemia	74	0.5	2.7	1.6	0.10	0.15	67	0.6	2.3	1.3	0.09	0.12	C92–94
Leukaemia unspecified	106	0.8	3.9	2.8	0.15	0.26	112	1.0	3.9	2.4	0.15	0.21	C95
Myeloproliferative disorders	2	0.0	0.1	0.0	0.00	0.00	4	0.0	0.1	0.1	0.01	0.01	MPD
Myelodysplastic syndromes	37	0.3	1.3	0.5	0.02	0.07	28	0.3	1.0	0.4	0.02	0.05	MPS
Other and unspecified	35	0.3	1.3	0.5	0.03	0.06	34	0.3	1.2	0.5	0.03	0.06	O&U
All sites	13826		503.3	215.7	11.92	23.82	11005		384.9	168.9	11.35	17.98	C00–96
All sites except C44	13676	100.0	497.8	213.7	11.84	23.62	10843	100.0	379.2	167.3	11.30	17.83	C00–96 exc. C44

China, Qingzhou City

CONTRIBUTORS

Zhang Shuping
Zhong Ming



20 major cancers, ASR (World) per 100 000

<i>Male</i>		<i>Female</i>	
Trachea, bronchus, and lung	61.0	Breast	31.1
Stomach	36.2	Trachea, bronchus, and lung	29.6
Liver	19.8	Thyroid	10.6
Oesophagus	12.1	Stomach	10.6
Rectum	11.7	Cervix uteri	8.8
Colon	8.4	Corpus uteri	7.9
Bladder	7.9	Rectum	7.2
Prostate	6.0	Ovary	6.8
Kidney	4.5	Colon	6.4
Gallbladder etc.	4.2	Liver	6.1
Pancreas	4.2	Brain and nervous system	3.2
Myeloid leukaemia	4.1	Gallbladder etc.	3.0
Brain and nervous system	3.9	Oesophagus	2.9
Thyroid	3.3	Pancreas	2.8
Non-Hodgkin lymphoma	3.2	Non-Hodgkin lymphoma	2.6
Other and unspecified	2.2	Lymphoid leukaemia	2.1
Larynx	2.0	Kidney	2.1
Non-melanoma skin cancer	1.8	Myeloid leukaemia	2.1
Connective and soft tissue	1.5	Non-melanoma skin cancer	1.8
Multiple myeloma	1.5	Bladder	1.6
All sites	212.2	All sites	160.5


China, Qingzhou City (2014–2017)

SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	
Lip	7	0.1	0.4	0.2	0.01	0.02	2	0.0	0.1	0.0	0.00	0.00	C00
Tongue	9	0.1	0.5	0.3	0.02	0.04	4	0.1	0.2	0.2	0.01	0.01	C01–02
Mouth	17	0.2	0.9	0.5	0.03	0.07	13	0.2	0.7	0.4	0.02	0.04	C03–06
Salivary glands	13	0.2	0.7	0.4	0.03	0.04	5	0.1	0.3	0.3	0.02	0.02	C07–08
Tonsil	5	0.1	0.3	0.2	0.01	0.01	1	0.0	0.1	0.0	0.00	0.00	C09
Other oropharynx	3	0.0	0.2	0.1	0.00	0.01	0	0.0	0.0	0.0	0.00	0.00	C10
Nasopharynx	34	0.5	1.8	1.2	0.09	0.13	14	0.3	0.7	0.5	0.04	0.04	C11
Hypopharynx	40	0.6	2.1	1.2	0.07	0.15	2	0.0	0.1	0.1	0.00	0.02	C12–13
Pharynx unspecified	4	0.1	0.2	0.1	0.01	0.01	0	0.0	0.0	0.0	0.00	0.00	C14
Oesophagus	416	6.0	21.9	12.1	0.56	1.50	121	2.3	6.5	2.9	0.06	0.36	C15
Stomach	1237	17.7	65.0	36.2	1.84	4.57	387	7.4	20.6	10.6	0.55	1.22	C16
Small intestine	36	0.5	1.9	1.1	0.07	0.12	22	0.4	1.2	0.6	0.03	0.07	C17
Colon	275	3.9	14.4	8.4	0.49	0.97	228	4.3	12.2	6.4	0.34	0.75	C18
Rectum	399	5.7	21.0	11.7	0.65	1.44	256	4.9	13.7	7.2	0.42	0.87	C19–20
Anus	4	0.1	0.2	0.1	0.01	0.02	2	0.0	0.1	0.0	0.00	0.00	C21
Liver	643	9.2	33.8	19.8	1.33	2.44	229	4.4	12.2	6.1	0.32	0.71	C22
Gallbladder etc.	144	2.1	7.6	4.2	0.19	0.55	116	2.2	6.2	3.0	0.10	0.38	C23–24
Pancreas	142	2.0	7.5	4.2	0.18	0.49	113	2.1	6.0	2.8	0.10	0.32	C25
Nose, sinuses etc.	13	0.2	0.7	0.4	0.01	0.05	11	0.2	0.6	0.4	0.03	0.04	C30–31
Larynx	67	1.0	3.5	2.0	0.11	0.27	2	0.0	0.1	0.0	0.00	0.00	C32
Trachea, bronchus, and lung	2089	29.9	109.7	61.0	2.95	7.75	1120	21.3	59.7	29.6	1.54	3.58	C33–34
Other thoracic organs	16	0.2	0.8	0.5	0.03	0.06	15	0.3	0.8	0.5	0.03	0.06	C37–38
Bone	20	0.3	1.1	0.8	0.05	0.08	17	0.3	0.9	0.8	0.05	0.06	C40–41
Melanoma of skin	14	0.2	0.7	0.5	0.03	0.04	15	0.3	0.8	0.5	0.04	0.05	C43
Other skin	61	0.9	3.2	1.8	0.07	0.19	70	1.3	3.7	1.8	0.10	0.18	C44
Mesothelioma	3	0.0	0.2	0.1	0.00	0.02	0	0.0	0.0	0.0	0.00	0.00	C45
Kaposi sarcoma	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C46
Connective and soft tissue	37	0.5	1.9	1.5	0.09	0.14	30	0.6	1.6	1.1	0.07	0.10	C47+C49
Breast	3	0.0	0.2	0.1	0.01	0.01	924	17.6	49.3	31.1	2.61	3.27	C50
Vulva							10	0.2	0.5	0.2	0.01	0.01	C51
Vagina							7	0.1	0.4	0.3	0.02	0.03	C52
Cervix uteri							262	5.0	14.0	8.8	0.74	0.94	C53
Corpus uteri							250	4.7	13.3	7.9	0.65	0.97	C54
Uterus unspecified							25	0.5	1.3	0.8	0.07	0.10	C55
Ovary							218	4.1	11.6	6.8	0.51	0.78	C56
Other female genital organs							9	0.2	0.5	0.3	0.02	0.03	C57
Placenta							0	0.0	0.0	0.0	0.00	0.00	C58
Penis	18	0.3	0.9	0.6	0.02	0.08							C60
Prostate	222	3.2	11.7	6.0	0.12	0.62							C61
Testis	12	0.2	0.6	0.6	0.03	0.03							C62
Other male genital organs	6	0.1	0.3	0.2	0.01	0.02							C63
Kidney	140	2.0	7.4	4.5	0.33	0.51	70	1.3	3.7	2.1	0.15	0.27	C64
Renal pelvis	13	0.2	0.7	0.4	0.03	0.06	15	0.3	0.8	0.4	0.02	0.05	C65
Ureter	17	0.2	0.9	0.5	0.02	0.05	20	0.4	1.1	0.5	0.01	0.08	C66
Bladder	272	3.9	14.3	7.9	0.31	0.93	64	1.2	3.4	1.6	0.07	0.19	C67
Other urinary organs	0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.1	0.0	0.00	0.00	C68
Eye	3	0.0	0.2	0.3	0.01	0.01	0	0.0	0.0	0.0	0.00	0.00	C69
Brain and nervous system	99	1.4	5.2	3.9	0.23	0.37	78	1.5	4.2	3.2	0.20	0.28	C70–72
Thyroid	97	1.4	5.1	3.3	0.29	0.32	298	5.7	15.9	10.6	0.93	1.06	C73
Adrenal gland	3	0.0	0.2	0.1	0.01	0.01	7	0.1	0.4	0.2	0.01	0.03	C74
Other endocrine	0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.1	0.0	0.00	0.00	C75
Hodgkin lymphoma	9	0.1	0.5	0.4	0.03	0.04	5	0.1	0.3	0.3	0.02	0.02	C81
Non-Hodgkin lymphoma	96	1.4	5.0	3.2	0.19	0.35	78	1.5	4.2	2.6	0.16	0.28	C82–86,C96
Immunoproliferative diseases	2	0.0	0.1	0.1	0.00	0.00	2	0.0	0.1	0.1	0.00	0.02	C88
Multiple myeloma	48	0.7	2.5	1.5	0.09	0.18	39	0.7	2.1	1.1	0.06	0.15	C90
Lymphoid leukaemia	27	0.4	1.4	1.4	0.08	0.12	33	0.6	1.8	2.1	0.11	0.15	C91
Myeloid leukaemia	109	1.6	5.7	4.1	0.25	0.39	62	1.2	3.3	2.1	0.12	0.23	C92–94
Leukaemia unspecified	21	0.3	1.1	0.8	0.05	0.08	14	0.3	0.7	0.5	0.02	0.05	C95
Myeloproliferative disorders	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	MPD
Myelodysplastic syndromes	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	MPS
Other and unspecified	72	1.0	3.8	2.2	0.11	0.24	47	0.9	2.5	1.3	0.07	0.15	O&U
All sites	7037		369.7	212.2	11.17	25.61	5334		284.4	160.5	10.44	18.06	C00–96
All sites except C44	6976	100.0	366.5	210.4	11.10	25.41	5264	100.0	280.7	158.7	10.34	17.87	C00–96 exc. C44

China, Rudong County

CONTRIBUTORS

Ai-Hong Zhang
Gui-Qing Ji
Jia-Hui Ji



NOTES ON THE DATA

*Low levels of specificity of leukaemias.

20 major cancers, ASR (World) per 100 000

<i>Male</i>		<i>Female</i>	
Trachea, bronchus, and lung	43.5	Trachea, bronchus, and lung	23.3
Liver	26.5	Breast	22.5
Stomach	23.9	Cervix uteri	11.9
Oesophagus	17.1	Stomach	10.6
Rectum	9.2	Liver	9.7
Pancreas	6.9	Thyroid	8.4
Prostate	6.1	Oesophagus	7.2
Brain and nervous system	5.5	Rectum	6.3
Bladder	5.3	Pancreas	5.6
Colon	5.1	Ovary	4.7
Non-Hodgkin lymphoma	4.4	Colon	4.0
Leukaemia unspecified	4.2	Brain and nervous system	3.8
Nasopharynx	2.6	Corpus uteri	3.6
Thyroid	2.3	Non-Hodgkin lymphoma	3.4
Bone	2.1	Leukaemia unspecified	3.3
Gallbladder etc.	2.1	Uterus unspecified	3.2
Other and unspecified	2.0	Gallbladder etc.	2.1
Kidney	1.8	Bladder	1.7
Non-melanoma skin cancer	1.8	Bone	1.7
Myeloid leukaemia	1.2	Other and unspecified	1.6
All sites	183.7	All sites	151.3

*China, Rudong County (2013–2017)


SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	
Lip	6	0.1	0.2	0.1	0.00	0.01	14	0.2	0.5	0.2	0.00	0.02	C00
Tongue	17	0.1	0.7	0.3	0.02	0.04	28	0.3	1.1	0.4	0.04	0.04	C01–02
Mouth	36	0.3	1.4	0.6	0.03	0.06	26	0.3	1.0	0.3	0.01	0.04	C03–06
Salivary glands	18	0.2	0.7	0.3	0.02	0.03	25	0.3	0.9	0.7	0.05	0.06	C07–08
Tonsil	3	0.0	0.1	0.1	0.00	0.01	3	0.0	0.1	0.0	0.00	0.00	C09
Other oropharynx	2	0.0	0.1	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C10
Nasopharynx	127	1.1	5.0	2.6	0.19	0.28	49	0.5	1.9	1.0	0.07	0.10	C11
Hypopharynx	21	0.2	0.8	0.3	0.02	0.04	4	0.0	0.2	0.1	0.00	0.01	C12–13
Pharynx unspecified	1	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C14
Oesophagus	1213	10.3	47.5	17.1	0.66	2.16	592	6.4	22.5	7.2	0.21	0.87	C15
Stomach	1654	14.1	64.7	23.9	1.09	2.84	766	8.3	29.1	10.6	0.52	1.18	C16
Small intestine	37	0.3	1.4	0.6	0.02	0.06	31	0.3	1.2	0.4	0.03	0.05	C17
Colon	319	2.7	12.5	5.1	0.29	0.59	275	3.0	10.4	4.0	0.22	0.46	C18
Rectum	595	5.1	23.3	9.2	0.51	1.11	442	4.8	16.8	6.3	0.34	0.71	C19–20
Anus	9	0.1	0.4	0.1	0.01	0.02	8	0.1	0.3	0.1	0.01	0.01	C21
Liver	1537	13.1	60.2	26.5	1.87	3.02	637	6.9	24.2	9.7	0.58	1.07	C22
Gallbladder etc.	140	1.2	5.5	2.1	0.11	0.24	155	1.7	5.9	2.1	0.10	0.23	C23–24
Pancreas	488	4.2	19.1	6.9	0.31	0.82	408	4.4	15.5	5.6	0.28	0.66	C25
Nose, sinuses etc.	14	0.1	0.5	0.2	0.01	0.03	8	0.1	0.3	0.1	0.01	0.02	C30–31
Larynx	63	0.5	2.5	0.9	0.04	0.11	2	0.0	0.1	0.0	0.00	0.00	C32
Trachea, bronchus, and lung	3043	25.9	119.1	43.5	1.80	5.46	1687	18.3	64.1	23.3	1.08	2.74	C33–34
Other thoracic organs	23	0.2	0.9	0.6	0.04	0.05	28	0.3	1.1	0.6	0.04	0.07	C37–38
Bone	111	0.9	4.3	2.1	0.11	0.21	90	1.0	3.4	1.7	0.08	0.15	C40–41
Melanoma of skin	27	0.2	1.1	0.5	0.02	0.06	20	0.2	0.8	0.3	0.02	0.04	C43
Other skin	128	1.1	5.0	1.8	0.06	0.17	121	1.3	4.6	1.4	0.04	0.13	C44
Mesothelioma	21	0.2	0.8	0.3	0.02	0.04	25	0.3	0.9	0.3	0.02	0.04	C45
Kaposi sarcoma	1	0.0	0.0	0.0	0.00	0.00	1	0.0	0.0	0.0	0.00	0.00	C46
Connective and soft tissue	11	0.1	0.4	0.3	0.01	0.02	11	0.1	0.4	0.3	0.02	0.03	C47+C49
Breast	18	0.2	0.7	0.3	0.01	0.02	1170	12.7	44.4	22.5	1.79	2.44	C50
Vulva							9	0.1	0.3	0.2	0.01	0.02	C51
Vagina							9	0.1	0.3	0.1	0.01	0.02	C52
Cervix uteri							646	7.0	24.5	11.9	0.87	1.30	C53
Corpus uteri							196	2.1	7.4	3.6	0.28	0.41	C54
Uterus unspecified							179	1.9	6.8	3.2	0.23	0.34	C55
Ovary							240	2.6	9.1	4.7	0.37	0.52	C56
Other female genital organs							42	0.5	1.6	1.3	0.10	0.10	C57
Placenta							0	0.0	0.0	0.0	0.00	0.00	C58
Penis	45	0.4	1.8	0.7	0.04	0.09							C60
Prostate	501	4.3	19.6	6.1	0.12	0.58							C61
Testis	13	0.1	0.5	0.5	0.03	0.03							C62
Other male genital organs	3	0.0	0.1	0.0	0.00	0.01							C63
Kidney	115	1.0	4.5	1.8	0.12	0.23	82	0.9	3.1	1.4	0.09	0.16	C64
Renal pelvis	12	0.1	0.5	0.2	0.01	0.02	9	0.1	0.3	0.1	0.00	0.01	C65
Ureter	8	0.1	0.3	0.1	0.01	0.01	8	0.1	0.3	0.1	0.00	0.01	C66
Bladder	369	3.1	14.4	5.3	0.22	0.59	125	1.4	4.7	1.7	0.06	0.18	C67
Other urinary organs	2	0.0	0.1	0.0	0.00	0.00	2	0.0	0.1	0.0	0.00	0.00	C68
Eye	4	0.0	0.2	0.1	0.00	0.01	2	0.0	0.1	0.0	0.00	0.00	C69
Brain and nervous system	263	2.2	10.3	5.5	0.33	0.56	192	2.1	7.3	3.8	0.24	0.40	C70–72
Thyroid	94	0.8	3.7	2.3	0.18	0.23	343	3.7	13.0	8.4	0.69	0.80	C73
Adrenal gland	7	0.1	0.3	0.2	0.01	0.02	5	0.1	0.2	0.1	0.01	0.01	C74
Other endocrine	3	0.0	0.1	0.1	0.01	0.01	3	0.0	0.1	0.0	0.00	0.01	C75
Hodgkin lymphoma	38	0.3	1.5	0.6	0.02	0.06	17	0.2	0.6	0.3	0.01	0.03	C81
Non-Hodgkin lymphoma	257	2.2	10.1	4.4	0.25	0.49	218	2.4	8.3	3.4	0.18	0.42	C82–86,C96
Immunoproliferative diseases	3	0.0	0.1	0.0	0.00	0.01	0	0.0	0.0	0.0	0.00	0.00	C88
Multiple myeloma	51	0.4	2.0	0.8	0.04	0.13	51	0.6	1.9	0.8	0.05	0.09	C90
Lymphoid leukaemia	27	0.2	1.1	0.5	0.02	0.06	23	0.2	0.9	0.6	0.03	0.05	C91
Myeloid leukaemia	47	0.4	1.8	1.2	0.08	0.11	28	0.3	1.1	0.7	0.04	0.07	C92–94
Leukaemia unspecified	160	1.4	6.3	4.2	0.21	0.35	130	1.4	4.9	3.3	0.19	0.29	C95
Myeloproliferative disorders	9	0.1	0.4	0.2	0.01	0.02	10	0.1	0.4	0.2	0.01	0.02	MPD
Myelodysplastic syndromes	31	0.3	1.2	0.5	0.02	0.06	25	0.3	0.9	0.3	0.02	0.05	MPS
Other and unspecified	135	1.1	5.3	2.0	0.09	0.19	105	1.1	4.0	1.6	0.08	0.18	O&U
All sites	11880		464.9	183.7	9.10	21.36	9325		354.0	151.3	9.16	16.68	C00–96
All sites except C44	11752	100.0	459.9	181.9	9.04	21.19	9204	100.0	349.4	149.8	9.11	16.54	C00–96 exc.C44

*See note following population pyramid

China, Rugao City

CONTRIBUTORS

Liuqiang Sha
Lei Wang
Jian Wu
Shulan Wang
Jia'ai Lv
Peipei Xu
Zhouzhou Xu



NOTES ON THE DATA

*No questionnaire.

20 major cancers, ASR (World) per 100 000

<i>Male</i>		<i>Female</i>	
Oesophagus	47.5	Oesophagus	24.3
Trachea, bronchus, and lung	39.2	Breast	24.3
Liver	36.5	Trachea, bronchus, and lung	18.4
Stomach	21.1	Cervix uteri	13.4
Rectum	8.5	Liver	11.6
Pancreas	6.4	Stomach	9.3
Colon	6.4	Rectum	5.8
Prostate	5.3	Ovary	5.4
Bladder	4.8	Colon	4.9
Non-Hodgkin lymphoma	3.9	Pancreas	4.7
Brain and nervous system	3.7	Thyroid	4.3
Gallbladder etc.	2.6	Corpus uteri	4.0
Nasopharynx	2.4	Brain and nervous system	3.0
Kidney	2.1	Non-Hodgkin lymphoma	2.6
Myeloid leukaemia	1.7	Gallbladder etc.	2.3
Leukaemia unspecified	1.6	Myeloid leukaemia	1.7
Non-melanoma skin cancer	1.5	Kidney	1.5
Other and unspecified	1.4	Non-melanoma skin cancer	1.4
Lymphoid leukaemia	1.2	Other and unspecified	1.3
Thyroid	1.2	Bone	1.2
All sites	211.3	All sites	156.8

*China, Rugao City (2013–2017)


SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	
Lip	11	0.1	0.3	0.1	0.00	0.02	6	0.1	0.2	0.1	0.00	0.01	C00
Tongue	31	0.2	0.9	0.4	0.03	0.06	20	0.2	0.6	0.3	0.02	0.03	C01–02
Mouth	67	0.4	1.9	0.9	0.05	0.11	48	0.4	1.3	0.5	0.02	0.07	C03–06
Salivary glands	27	0.2	0.8	0.5	0.03	0.05	25	0.2	0.7	0.4	0.02	0.03	C07–08
Tonsil	8	0.1	0.2	0.1	0.01	0.01	3	0.0	0.1	0.0	0.00	0.00	C09
Other oropharynx	6	0.0	0.2	0.1	0.00	0.01	2	0.0	0.1	0.0	0.00	0.01	C10
Nasopharynx	147	0.9	4.1	2.4	0.17	0.27	40	0.3	1.1	0.6	0.04	0.07	C11
Hypopharynx	31	0.2	0.9	0.4	0.03	0.06	3	0.0	0.1	0.0	0.01	0.01	C12–13
Pharynx unspecified	14	0.1	0.4	0.2	0.01	0.02	3	0.0	0.1	0.0	0.00	0.00	C14
Oesophagus	3787	24.1	106.1	47.5	2.12	6.17	2262	19.2	63.0	24.3	0.88	3.06	C15
Stomach	1693	10.8	47.4	21.1	0.87	2.58	814	6.9	22.7	9.3	0.41	1.06	C16
Small intestine	69	0.4	1.9	1.0	0.06	0.12	42	0.4	1.2	0.5	0.04	0.06	C17
Colon	466	3.0	13.1	6.4	0.37	0.79	385	3.3	10.7	4.9	0.29	0.56	C18
Rectum	640	4.1	17.9	8.5	0.48	1.01	474	4.0	13.2	5.8	0.33	0.67	C19–20
Anus	3	0.0	0.1	0.0	0.00	0.01	8	0.1	0.2	0.1	0.00	0.01	C21
Liver	2438	15.5	68.3	36.5	2.78	3.96	873	7.4	24.3	11.6	0.81	1.34	C22
Gallbladder etc.	210	1.3	5.9	2.6	0.13	0.29	217	1.8	6.0	2.3	0.10	0.27	C23–24
Pancreas	510	3.3	14.3	6.4	0.30	0.77	429	3.6	12.0	4.7	0.20	0.52	C25
Nose, sinuses etc.	21	0.1	0.6	0.3	0.02	0.04	14	0.1	0.4	0.2	0.01	0.02	C30–31
Larynx	79	0.5	2.2	1.1	0.07	0.14	6	0.1	0.2	0.1	0.00	0.01	C32
Trachea, bronchus, and lung	3090	19.7	86.6	39.2	1.79	4.96	1533	13.0	42.7	18.4	1.02	2.17	C33–34
Other thoracic organs	37	0.2	1.0	0.6	0.04	0.06	26	0.2	0.7	0.5	0.03	0.05	C37–38
Bone	63	0.4	1.8	1.2	0.07	0.11	65	0.6	1.8	1.2	0.06	0.12	C40–41
Melanoma of skin	21	0.1	0.6	0.3	0.02	0.03	38	0.3	1.1	0.5	0.03	0.06	C43
Other skin	120	0.8	3.4	1.5	0.06	0.16	144	1.2	4.0	1.4	0.07	0.13	C44
Mesothelioma	2	0.0	0.1	0.0	0.00	0.00	3	0.0	0.1	0.1	0.00	0.01	C45
Kaposi sarcoma	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C46
Connective and soft tissue	29	0.2	0.8	0.4	0.03	0.04	22	0.2	0.6	0.4	0.03	0.04	C47+C49
Breast	16	0.1	0.4	0.3	0.02	0.03	1506	12.8	42.0	24.3	2.00	2.57	C50
Vulva							22	0.2	0.6	0.2	0.01	0.02	C51
Vagina							13	0.1	0.4	0.2	0.01	0.02	C52
Cervix uteri							932	7.9	26.0	13.4	0.99	1.43	C53
Corpus uteri							259	2.2	7.2	4.0	0.35	0.45	C54
Uterus unspecified							81	0.7	2.3	1.0	0.07	0.11	C55
Ovary							334	2.8	9.3	5.4	0.40	0.56	C56
Other female genital organs							30	0.3	0.8	0.5	0.04	0.05	C57
Placenta							2	0.0	0.1	0.1	0.01	0.01	C58
Penis	58	0.4	1.6	0.7	0.03	0.09							C60
Prostate	488	3.1	13.7	5.3	0.09	0.52							C61
Testis	20	0.1	0.6	0.4	0.03	0.04							C62
Other male genital organs	9	0.1	0.3	0.1	0.01	0.01							C63
Kidney	144	0.9	4.0	2.1	0.14	0.22	90	0.8	2.5	1.5	0.11	0.15	C64
Renal pelvis	18	0.1	0.5	0.2	0.01	0.04	8	0.1	0.2	0.1	0.00	0.01	C65
Ureter	21	0.1	0.6	0.2	0.01	0.03	14	0.1	0.4	0.2	0.00	0.03	C66
Bladder	378	2.4	10.6	4.8	0.22	0.55	111	0.9	3.1	1.1	0.04	0.12	C67
Other urinary organs	3	0.0	0.1	0.0	0.00	0.00	3	0.0	0.1	0.0	0.00	0.00	C68
Eye	4	0.0	0.1	0.1	0.00	0.00	8	0.1	0.2	0.1	0.00	0.01	C69
Brain and nervous system	208	1.3	5.8	3.7	0.24	0.36	183	1.5	5.1	3.0	0.20	0.30	C70–72
Thyroid	60	0.4	1.7	1.2	0.09	0.12	235	2.0	6.5	4.3	0.35	0.41	C73
Adrenal gland	9	0.1	0.3	0.3	0.02	0.02	12	0.1	0.3	0.2	0.01	0.02	C74
Other endocrine	1	0.0	0.0	0.1	0.00	0.00	4	0.0	0.1	0.1	0.01	0.01	C75
Hodgkin lymphoma	30	0.2	0.8	0.4	0.02	0.04	20	0.2	0.6	0.3	0.02	0.03	C81
Non-Hodgkin lymphoma	266	1.7	7.5	3.9	0.23	0.42	196	1.7	5.5	2.6	0.14	0.28	C82–86,C96
Immunoproliferative diseases	4	0.0	0.1	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C88
Multiple myeloma	83	0.5	2.3	1.2	0.06	0.15	63	0.5	1.8	0.8	0.05	0.09	C90
Lymphoid leukaemia	52	0.3	1.5	1.2	0.06	0.10	41	0.3	1.1	0.8	0.05	0.08	C91
Myeloid leukaemia	109	0.7	3.1	1.7	0.09	0.17	93	0.8	2.6	1.7	0.11	0.18	C92–94
Leukaemia unspecified	81	0.5	2.3	1.6	0.09	0.15	64	0.5	1.8	1.0	0.06	0.10	C95
Myeloproliferative disorders	6	0.0	0.2	0.1	0.00	0.01	4	0.0	0.1	0.0	0.00	0.00	MPD
Myelodysplastic syndromes	29	0.2	0.8	0.4	0.02	0.05	24	0.2	0.7	0.3	0.02	0.04	MPS
Other and unspecified	95	0.6	2.7	1.4	0.07	0.15	98	0.8	2.7	1.3	0.08	0.14	O&U
All sites	15812		443.1	211.3	11.12	25.12	11955		333.1	156.8	9.54	17.59	C00–96
All sites except C44	15692	100.0	439.8	209.8	11.07	24.97	11811	100.0	329.1	155.3	9.47	17.46	C00–96 exc. C44

*See note following population pyramid

China, Rural areas of Shanghai City

CONTRIBUTORS

Kai Gu
 Chunxiao Wu
 Pingping Bao
 Chunfang Wang
 Yi Pang
 Liang Shi
 Yongmei Xiang
 Yangming Gong
 Yan Shi
 Chen Fu



NOTES ON THE DATA

*No questionnaire.

20 major cancers, ASR (World) per 100 000

<i>Male</i>		<i>Female</i>	
Trachea, bronchus, and lung	52.5	Thyroid	58.3
Stomach	22.7	Breast	34.9
Thyroid	21.1	Trachea, bronchus, and lung	31.6
Liver	18.0	Colon	12.0
Colon	16.7	Stomach	11.1
Prostate	14.6	Cervix uteri	9.4
Rectum	12.8	Rectum	7.3
Pancreas	8.4	Liver	6.2
Bladder	7.4	Pancreas	5.7
Oesophagus	7.0	Ovary	5.0
Kidney	6.9	Corpus uteri	4.7
Non-Hodgkin lymphoma	5.5	Brain and nervous system	4.5
Brain and nervous system	4.7	Gallbladder etc.	4.2
Nasopharynx	3.6	Non-Hodgkin lymphoma	4.1
Other and unspecified	3.3	Kidney	3.2
Gallbladder etc.	3.2	Non-melanoma skin cancer	3.0
Non-melanoma skin cancer	3.0	Other and unspecified	2.7
Myeloid leukaemia	2.6	Myeloid leukaemia	1.8
Larynx	2.6	Uterus unspecified	1.7
Lymphoid leukaemia	2.0	Bladder	1.5
All sites	236.1	All sites	228.9

*China, Rural areas of Shanghai City (2013–2017)


SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	
Lip	42	0.0	0.2	0.1	0.00	0.01	45	0.0	0.2	0.1	0.00	0.01	C00
Tongue	327	0.3	1.6	0.8	0.05	0.09	210	0.2	1.0	0.4	0.02	0.05	C01–02
Mouth	389	0.4	1.9	0.9	0.06	0.10	224	0.2	1.1	0.5	0.02	0.05	C03–06
Salivary glands	236	0.2	1.1	0.6	0.04	0.06	213	0.2	1.0	0.6	0.05	0.06	C07–08
Tonsil	60	0.1	0.3	0.1	0.01	0.02	20	0.0	0.1	0.0	0.00	0.00	C09
Other oropharynx	62	0.1	0.3	0.1	0.01	0.02	16	0.0	0.1	0.0	0.00	0.00	C10
Nasopharynx	1380	1.3	6.6	3.6	0.28	0.39	470	0.5	2.3	1.3	0.10	0.13	C11
Hypopharynx	236	0.2	1.1	0.5	0.04	0.06	5	0.0	0.0	0.0	0.00	0.00	C12–13
Pharynx unspecified	51	0.0	0.2	0.1	0.01	0.01	12	0.0	0.1	0.0	0.00	0.00	C14
Oesophagus	3567	3.4	17.2	7.0	0.36	0.82	941	1.0	4.5	1.4	0.03	0.13	C15
Stomach	11153	10.5	53.7	22.7	1.13	2.70	5778	6.2	27.7	11.1	0.61	1.23	C16
Small intestine	526	0.5	2.5	1.1	0.06	0.13	415	0.4	2.0	0.8	0.05	0.10	C17
Colon	8110	7.7	39.1	16.7	0.85	1.96	6455	6.9	31.0	12.0	0.62	1.39	C18
Rectum	6068	5.7	29.2	12.8	0.75	1.54	3745	4.0	18.0	7.3	0.43	0.84	C19–20
Anus	90	0.1	0.4	0.2	0.01	0.02	64	0.1	0.3	0.1	0.01	0.01	C21
Liver	8138	7.7	39.2	18.0	1.16	1.96	3457	3.7	16.6	6.2	0.28	0.68	C22
Gallbladder etc.	1658	1.6	8.0	3.2	0.14	0.36	2519	2.7	12.1	4.2	0.18	0.47	C23–24
Pancreas	4257	4.0	20.5	8.4	0.40	0.97	3492	3.7	16.7	5.7	0.23	0.61	C25
Nose, sinuses etc.	186	0.2	0.9	0.4	0.03	0.05	91	0.1	0.4	0.2	0.01	0.02	C30–31
Larynx	1229	1.2	5.9	2.6	0.16	0.32	48	0.1	0.2	0.1	0.00	0.01	C32
Trachea, bronchus, and lung	26172	24.7	126.1	52.5	2.55	6.32	15016	16.1	72.0	31.6	2.05	3.64	C33–34
Other thoracic organs	432	0.4	2.1	1.1	0.08	0.12	283	0.3	1.4	0.7	0.05	0.08	C37–38
Bone	364	0.3	1.8	1.1	0.06	0.10	290	0.3	1.4	0.9	0.06	0.08	C40–41
Melanoma of skin	229	0.2	1.1	0.5	0.03	0.06	221	0.2	1.1	0.5	0.03	0.05	C43
Other skin	1518	1.4	7.3	3.0	0.14	0.33	1859	2.0	8.9	3.0	0.13	0.29	C44
Mesothelioma	62	0.1	0.3	0.1	0.01	0.02	34	0.0	0.2	0.1	0.00	0.01	C45
Kaposi sarcoma	8	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C46
Connective and soft tissue	413	0.4	2.0	1.3	0.08	0.12	353	0.4	1.7	1.1	0.07	0.10	C47+C49
Breast	119	0.1	0.6	0.3	0.02	0.03	13478	14.4	64.6	34.9	2.81	3.79	C50
Vulva							158	0.2	0.8	0.3	0.02	0.04	C51
Vagina							86	0.1	0.4	0.2	0.02	0.02	C52
Cervix uteri							3137	3.4	15.0	9.4	0.80	0.92	C53
Corpus uteri							1877	2.0	9.0	4.7	0.38	0.52	C54
Uterus unspecified							684	0.7	3.3	1.7	0.13	0.19	C55
Ovary							1891	2.0	9.1	5.0	0.38	0.53	C56
Other female genital organs							201	0.2	1.0	0.5	0.04	0.06	C57
Placenta							3	0.0	0.0	0.0	0.00	0.00	C58
Penis	250	0.2	1.2	0.5	0.03	0.06							C60
Prostate	7967	7.5	38.4	14.6	0.34	1.74							C61
Testis	189	0.2	0.9	0.8	0.06	0.06							C62
Other male genital organs	157	0.1	0.8	0.3	0.01	0.04							C63
Kidney	2828	2.7	13.6	6.9	0.48	0.79	1375	1.5	6.6	3.2	0.22	0.36	C64
Renal pelvis	183	0.2	0.9	0.4	0.02	0.05	137	0.1	0.7	0.2	0.01	0.03	C65
Ureter	230	0.2	1.1	0.5	0.02	0.06	191	0.2	0.9	0.3	0.01	0.04	C66
Bladder	3671	3.5	17.7	7.4	0.35	0.83	861	0.9	4.1	1.5	0.07	0.16	C67
Other urinary organs	50	0.0	0.2	0.1	0.00	0.01	21	0.0	0.1	0.0	0.00	0.01	C68
Eye	48	0.0	0.2	0.3	0.01	0.02	45	0.0	0.2	0.2	0.01	0.01	C69
Brain and nervous system	1589	1.5	7.7	4.7	0.29	0.44	1734	1.9	8.3	4.5	0.29	0.44	C70–72
Thyroid	5968	5.6	28.7	21.1	1.70	1.88	17242	18.5	82.7	58.3	4.85	5.42	C73
Adrenal gland	69	0.1	0.3	0.2	0.01	0.02	64	0.1	0.3	0.2	0.01	0.02	C74
Other endocrine	150	0.1	0.7	0.5	0.03	0.04	157	0.2	0.8	0.5	0.03	0.05	C75
Hodgkin lymphoma	127	0.1	0.6	0.5	0.03	0.04	56	0.1	0.3	0.3	0.02	0.02	C81
Non-Hodgkin lymphoma	2241	2.1	10.8	5.5	0.32	0.61	1728	1.9	8.3	4.1	0.25	0.44	C82–86,C96
Immunoproliferative diseases	89	0.1	0.4	0.2	0.01	0.02	62	0.1	0.3	0.2	0.01	0.02	C88
Multiple myeloma	695	0.7	3.3	1.4	0.07	0.18	528	0.6	2.5	1.1	0.06	0.13	C90
Lymphoid leukaemia	400	0.4	1.9	2.0	0.10	0.14	278	0.3	1.3	1.3	0.07	0.09	C91
Myeloid leukaemia	848	0.8	4.1	2.6	0.16	0.24	605	0.6	2.9	1.8	0.12	0.17	C92–94
Leukaemia unspecified	342	0.3	1.6	0.8	0.04	0.08	306	0.3	1.5	0.7	0.04	0.06	C95
Myeloproliferative disorders	169	0.2	0.8	0.4	0.02	0.04	131	0.1	0.6	0.3	0.02	0.03	MPD
Myelodysplastic syndromes	505	0.5	2.4	1.1	0.05	0.11	378	0.4	1.8	0.8	0.04	0.08	MPS
Other and unspecified	1575	1.5	7.6	3.3	0.16	0.32	1549	1.7	7.4	2.7	0.13	0.25	O&U
All sites	107422		517.4	236.1	12.84	26.52	95239		456.8	228.9	15.87	23.96	C00–96
All sites except C44	105904	100.0	510.1	233.1	12.71	26.18	93380	100.0	447.9	225.8	15.74	23.66	C00–96 exc. C44

*See note following population pyramid

China, Ruyang County

CONTRIBUTORS

Zhenqiang Geng
Bainiao Li
Xiaoya Guo
Xiaotao Li



20 major cancers, ASR (World) per 100 000

<i>Male</i>		<i>Female</i>	
Trachea, bronchus, and lung	51.3	Breast	23.9
Stomach	50.7	Oesophagus	23.7
Oesophagus	41.8	Cervix uteri	20.9
Liver	14.2	Trachea, bronchus, and lung	20.3
Rectum	7.0	Stomach	15.2
Brain and nervous system	6.0	Thyroid	11.4
Bladder	4.9	Brain and nervous system	7.1
Colon	4.2	Liver	6.8
Prostate	3.5	Rectum	5.4
Myeloid leukaemia	3.1	Ovary	5.2
Other and unspecified	3.0	Colon	4.5
Thyroid	2.9	Corpus uteri	4.4
Leukaemia unspecified	2.7	Gallbladder etc.	3.8
Non-Hodgkin lymphoma	2.3	Leukaemia unspecified	3.3
Gallbladder etc.	2.3	Other and unspecified	2.9
Pancreas	2.2	Pancreas	2.5
Bone	1.8	Bone	2.1
Non-melanoma skin cancer	1.7	Myeloid leukaemia	2.0
Larynx	1.6	Non-Hodgkin lymphoma	1.5
Lymphoid leukaemia	1.5	Bladder	1.5
All sites	221.1	All sites	183.4


China, Ruyang County (2014–2017)

SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	
Lip	2	0.1	0.2	0.1	0.01	0.01	2	0.1	0.2	0.1	0.00	0.00	C00
Tongue	3	0.1	0.3	0.3	0.01	0.03	2	0.1	0.2	0.2	0.02	0.02	C01–02
Mouth	5	0.2	0.5	0.5	0.01	0.06	9	0.4	0.9	0.8	0.07	0.09	C03–06
Salivary glands	13	0.5	1.2	1.1	0.07	0.17	8	0.4	0.8	0.7	0.06	0.06	C07–08
Tonsil	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C09
Other oropharynx	2	0.1	0.2	0.2	0.00	0.02	0	0.0	0.0	0.0	0.00	0.00	C10
Nasopharynx	7	0.3	0.7	0.6	0.05	0.05	7	0.3	0.7	0.6	0.04	0.06	C11
Hypopharynx	1	0.0	0.1	0.1	0.01	0.01	1	0.0	0.1	0.1	0.00	0.02	C12–13
Pharynx unspecified	1	0.0	0.1	0.1	0.00	0.00	1	0.0	0.1	0.0	0.00	0.00	C14
Oesophagus	505	18.9	47.0	41.8	1.50	5.62	319	14.4	31.9	23.7	0.77	2.69	C15
Stomach	633	23.7	59.0	50.7	2.38	5.92	203	9.2	20.3	15.2	0.53	1.72	C16
Small intestine	8	0.3	0.7	0.7	0.05	0.09	9	0.4	0.9	0.7	0.04	0.09	C17
Colon	51	1.9	4.8	4.2	0.22	0.53	54	2.4	5.4	4.5	0.20	0.62	C18
Rectum	87	3.3	8.1	7.0	0.43	0.80	68	3.1	6.8	5.4	0.28	0.64	C19–20
Anus	6	0.2	0.6	0.5	0.02	0.04	3	0.1	0.3	0.3	0.01	0.03	C21
Liver	171	6.4	15.9	14.2	0.83	1.82	86	3.9	8.6	6.8	0.30	0.87	C22
Gallbladder etc.	28	1.0	2.6	2.3	0.11	0.27	49	2.2	4.9	3.8	0.13	0.49	C23–24
Pancreas	28	1.0	2.6	2.2	0.08	0.21	31	1.4	3.1	2.5	0.11	0.32	C25
Nose, sinuses etc.	6	0.2	0.6	0.5	0.03	0.04	2	0.1	0.2	0.2	0.02	0.02	C30–31
Larynx	19	0.7	1.8	1.6	0.08	0.25	4	0.2	0.4	0.4	0.01	0.06	C32
Trachea, bronchus, and lung	630	23.6	58.7	51.3	2.46	6.24	255	11.5	25.5	20.3	1.01	2.44	C33–34
Other thoracic organs	6	0.2	0.6	0.5	0.02	0.09	8	0.4	0.8	0.8	0.04	0.09	C37–38
Bone	20	0.7	1.9	1.8	0.10	0.21	21	0.9	2.1	2.1	0.13	0.19	C40–41
Melanoma of skin	0	0.0	0.0	0.0	0.00	0.00	5	0.2	0.5	0.4	0.03	0.03	C43
Other skin	20	0.7	1.9	1.7	0.07	0.22	22	1.0	2.2	1.5	0.05	0.14	C44
Mesothelioma	1	0.0	0.1	0.1	0.01	0.01	0	0.0	0.0	0.0	0.00	0.00	C45
Kaposi sarcoma	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C46
Connective and soft tissue	8	0.3	0.7	0.7	0.04	0.08	14	0.6	1.4	1.3	0.10	0.13	C47+C49
Breast	2	0.1	0.2	0.2	0.01	0.03	285	12.9	28.5	23.9	1.95	2.43	C50
Vulva							5	0.2	0.5	0.4	0.04	0.04	C51
Vagina							2	0.1	0.2	0.2	0.01	0.01	C52
Cervix uteri							246	11.1	24.6	20.9	1.61	2.26	C53
Corpus uteri							51	2.3	5.1	4.4	0.37	0.54	C54
Uterus unspecified							10	0.5	1.0	0.9	0.07	0.09	C55
Ovary							55	2.5	5.5	5.2	0.32	0.58	C56
Other female genital organs							10	0.5	1.0	0.9	0.05	0.11	C57
Placenta							5	0.2	0.5	0.5	0.04	0.04	C58
Penis	7	0.3	0.7	0.6	0.04	0.06							C60
Prostate	45	1.7	4.2	3.5	0.07	0.42							C61
Testis	4	0.1	0.4	0.4	0.03	0.03							C62
Other male genital organs	1	0.0	0.1	0.1	0.00	0.02							C63
Kidney	15	0.6	1.4	1.2	0.08	0.14	17	0.8	1.7	1.4	0.12	0.17	C64
Renal pelvis	1	0.0	0.1	0.1	0.01	0.01	0	0.0	0.0	0.0	0.00	0.00	C65
Ureter	4	0.1	0.4	0.3	0.03	0.05	1	0.0	0.1	0.1	0.00	0.02	C66
Bladder	60	2.2	5.6	4.9	0.24	0.64	19	0.9	1.9	1.5	0.09	0.15	C67
Other urinary organs	2	0.1	0.2	0.2	0.01	0.01	0	0.0	0.0	0.0	0.00	0.00	C68
Eye	3	0.1	0.3	0.3	0.01	0.01	1	0.0	0.1	0.1	0.01	0.01	C69
Brain and nervous system	71	2.7	6.6	6.0	0.38	0.65	80	3.6	8.0	7.1	0.56	0.78	C70–72
Thyroid	34	1.3	3.2	2.9	0.23	0.30	130	5.9	13.0	11.4	0.96	1.21	C73
Adrenal gland	1	0.0	0.1	0.1	0.01	0.01	2	0.1	0.2	0.2	0.00	0.02	C74
Other endocrine	8	0.3	0.7	0.6	0.05	0.07	3	0.1	0.3	0.3	0.02	0.02	C75
Hodgkin lymphoma	3	0.1	0.3	0.3	0.01	0.02	0	0.0	0.0	0.0	0.00	0.00	C81
Non-Hodgkin lymphoma	26	1.0	2.4	2.3	0.12	0.28	19	0.9	1.9	1.5	0.09	0.19	C82–86,C96
Immunoproliferative diseases	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C88
Multiple myeloma	14	0.5	1.3	1.2	0.06	0.16	8	0.4	0.8	0.7	0.04	0.11	C90
Lymphoid leukaemia	16	0.6	1.5	1.5	0.07	0.12	8	0.4	0.8	0.8	0.05	0.10	C91
Myeloid leukaemia	35	1.3	3.3	3.1	0.21	0.22	21	0.9	2.1	2.0	0.13	0.19	C92–94
Leukaemia unspecified	31	1.2	2.9	2.7	0.16	0.29	35	1.6	3.5	3.3	0.19	0.29	C95
Myeloproliferative disorders	2	0.1	0.2	0.2	0.02	0.02	4	0.2	0.4	0.4	0.03	0.05	MPD
Myelodysplastic syndromes	9	0.3	0.8	0.8	0.03	0.13	3	0.1	0.3	0.3	0.03	0.03	MPS
Other and unspecified	40	1.5	3.7	3.0	0.16	0.30	36	1.6	3.6	2.9	0.18	0.23	O&U
All sites	2695		251.1	221.1	10.62	26.79	2239		223.9	183.4	10.88	20.42	C00–96
All sites except C44	2675	100.0	249.2	219.3	10.55	26.57	2217	100.0	221.7	181.9	10.84	20.29	C00–96 exc. C44

China, Shan County

CONTRIBUTORS

Zhao Hai Zhou



NOTES ON THE DATA

*Low levels of specificity of leukaemias.

†C67 (bladder cancer) includes neoplasms of uncertain or unknown behaviour together with invasive cancers.

20 major cancers, ASR (World) per 100 000

<i>Male</i>		<i>Female</i>	
Trachea, bronchus, and lung	78.0	Trachea, bronchus, and lung	26.8
Liver	42.1	Breast	23.7
Stomach	25.5	Stomach	12.8
Oesophagus	19.9	Liver	12.8
Rectum	10.3	Cervix uteri	11.7
Colon	5.8	Thyroid	9.7
Pancreas	5.3	Oesophagus	9.1
Bladder	4.5	Rectum	5.4
Brain and nervous system	4.5	Ovary	4.7
Prostate	4.0	Brain and nervous system	4.0
Non-Hodgkin lymphoma	3.2	Corpus uteri	4.0
Larynx	3.0	Colon	2.9
Thyroid	2.8	Pancreas	2.9
Tongue	2.7	Leukaemia unspecified	2.2
Kidney	2.3	Non-Hodgkin lymphoma	1.8
Leukaemia unspecified	2.0	Gallbladder etc.	1.3
Gallbladder etc.	1.7	Myeloid leukaemia	1.1
Bone	1.7	Kidney	1.1
Other and unspecified	1.3	Bone	1.1
Adrenal gland	1.2	Uterus unspecified	1.0
All sites	233.5	All sites	150.9

*China, Shan County (2015–2017)


SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	
Lip	3	0.1	0.2	0.1	0.00	0.01	5	0.1	0.3	0.1	0.01	0.01	C00
Tongue	65	1.1	3.4	2.7	0.17	0.35	21	0.5	1.1	0.7	0.04	0.08	C01–02
Mouth	9	0.2	0.5	0.4	0.02	0.03	15	0.4	0.8	0.5	0.04	0.04	C03–06
Salivary glands	3	0.1	0.2	0.1	0.00	0.00	6	0.1	0.3	0.2	0.02	0.02	C07–08
Tonsil	2	0.0	0.1	0.1	0.00	0.02	1	0.0	0.1	0.0	0.00	0.00	C09
Other oropharynx	5	0.1	0.3	0.2	0.01	0.03	2	0.0	0.1	0.0	0.00	0.00	C10
Nasopharynx	27	0.5	1.4	1.2	0.08	0.14	17	0.4	0.9	0.6	0.02	0.08	C11
Hypopharynx	13	0.2	0.7	0.6	0.03	0.09	0	0.0	0.0	0.0	0.00	0.00	C12–13
Pharynx unspecified	6	0.1	0.3	0.2	0.01	0.02	1	0.0	0.1	0.0	0.00	0.00	C14
Oesophagus	504	8.8	26.4	19.9	0.70	2.41	309	7.3	16.4	9.1	0.28	1.01	C15
Stomach	641	11.2	33.6	25.5	0.98	3.00	422	10.0	22.5	12.8	0.47	1.38	C16
Small intestine	20	0.3	1.0	0.8	0.04	0.09	12	0.3	0.6	0.4	0.02	0.04	C17
Colon	142	2.5	7.4	5.8	0.22	0.70	87	2.1	4.6	2.9	0.15	0.33	C18
Rectum	252	4.4	13.2	10.3	0.50	1.17	159	3.8	8.5	5.4	0.28	0.63	C19–20
Anus	2	0.0	0.1	0.1	0.00	0.01	8	0.2	0.4	0.3	0.00	0.04	C21
Liver	1023	17.9	53.6	42.1	2.34	4.92	399	9.5	21.2	12.8	0.55	1.39	C22
Gallbladder etc.	41	0.7	2.1	1.7	0.05	0.21	41	1.0	2.2	1.3	0.05	0.15	C23–24
Pancreas	131	2.3	6.9	5.3	0.24	0.66	95	2.3	5.1	2.9	0.10	0.32	C25
Nose, sinuses etc.	9	0.2	0.5	0.4	0.01	0.06	6	0.1	0.3	0.2	0.02	0.03	C30–31
Larynx	71	1.2	3.7	3.0	0.19	0.37	7	0.2	0.4	0.2	0.00	0.02	C32
Trachea, bronchus, and lung	1943	33.9	101.7	78.0	3.17	9.60	807	19.1	42.9	26.8	1.18	3.18	C33–34
Other thoracic organs	10	0.2	0.5	0.4	0.04	0.05	7	0.2	0.4	0.3	0.02	0.03	C37–38
Bone	39	0.7	2.0	1.7	0.09	0.17	30	0.7	1.6	1.1	0.07	0.11	C40–41
Melanoma of skin	1	0.0	0.1	0.1	0.00	0.00	3	0.1	0.2	0.1	0.00	0.02	C43
Other skin	22	0.4	1.2	0.9	0.03	0.09	26	0.6	1.4	0.8	0.04	0.09	C44
Mesothelioma	9	0.2	0.5	0.3	0.02	0.02	25	0.6	1.3	1.0	0.08	0.12	C45
Kaposi sarcoma	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C46
Connective and soft tissue	7	0.1	0.4	0.4	0.02	0.02	4	0.1	0.2	0.2	0.02	0.02	C47+C49
Breast	14	0.2	0.7	0.6	0.03	0.08	589	14.0	31.3	23.7	1.82	2.65	C50
Vulva							0	0.0	0.0	0.0	0.00	0.00	C51
Vagina							0	0.0	0.0	0.0	0.00	0.00	C52
Cervix uteri							290	6.9	15.4	11.7	0.87	1.32	C53
Corpus uteri							93	2.2	4.9	4.0	0.34	0.41	C54
Uterus unspecified							28	0.7	1.5	1.0	0.06	0.12	C55
Ovary							116	2.8	6.2	4.7	0.37	0.55	C56
Other female genital organs							16	0.4	0.9	0.6	0.03	0.06	C57
Placenta							0	0.0	0.0	0.0	0.00	0.00	C58
Penis	8	0.1	0.4	0.3	0.02	0.03							C60
Prostate	107	1.9	5.6	4.0	0.08	0.40							C61
Testis	2	0.0	0.1	0.1	0.01	0.01							C62
Other male genital organs	1	0.0	0.1	0.0	0.00	0.00							C63
Kidney	54	0.9	2.8	2.3	0.15	0.25	27	0.6	1.4	1.1	0.10	0.12	C64
Renal pelvis	8	0.1	0.4	0.4	0.03	0.04	5	0.1	0.3	0.2	0.01	0.02	C65
Ureter	3	0.1	0.2	0.1	0.00	0.00	4	0.1	0.2	0.1	0.01	0.01	C66
†Bladder	114	2.0	6.0	4.5	0.16	0.55	23	0.5	1.2	0.7	0.04	0.07	C67
Other urinary organs	0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.1	0.0	0.00	0.01	C68
Eye	3	0.1	0.2	0.2	0.01	0.01	2	0.0	0.1	0.1	0.01	0.01	C69
Brain and nervous system	100	1.7	5.2	4.5	0.24	0.51	98	2.3	5.2	4.0	0.29	0.43	C70–72
Thyroid	65	1.1	3.4	2.8	0.19	0.29	235	5.6	12.5	9.7	0.82	0.96	C73
Adrenal gland	32	0.6	1.7	1.2	0.07	0.14	20	0.5	1.1	0.7	0.05	0.06	C74
Other endocrine	21	0.4	1.1	0.8	0.05	0.09	21	0.5	1.1	0.7	0.04	0.07	C75
Hodgkin lymphoma	1	0.0	0.1	0.1	0.00	0.01	1	0.0	0.1	0.0	0.00	0.00	C81
Non-Hodgkin lymphoma	75	1.3	3.9	3.2	0.17	0.40	44	1.0	2.3	1.8	0.11	0.17	C82–86,C96
Immunoproliferative diseases	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C88
Multiple myeloma	24	0.4	1.3	1.0	0.06	0.09	15	0.4	0.8	0.6	0.03	0.09	C90
Lymphoid leukaemia	13	0.2	0.7	0.8	0.05	0.05	3	0.1	0.2	0.2	0.02	0.02	C91
Myeloid leukaemia	27	0.5	1.4	1.2	0.08	0.11	24	0.6	1.3	1.1	0.09	0.11	C92–94
Leukaemia unspecified	45	0.8	2.4	2.0	0.12	0.20	44	1.0	2.3	2.2	0.13	0.21	C95
Myeloproliferative disorders	1	0.0	0.1	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	MPD
Myelodysplastic syndromes	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	MPS
Other and unspecified	30	0.5	1.6	1.3	0.05	0.16	28	0.7	1.5	1.0	0.06	0.12	O&U
All sites	5748		301.0	233.5	10.58	27.67	4242		225.7	150.9	8.77	16.76	C00–96
All sites except C44	5726	100.0	299.8	232.6	10.55	27.59	4216	100.0	224.3	150.0	8.73	16.66	C00–96 exc. C44

*†See note following population pyramid

China, Shanghai City

CONTRIBUTORS

Kai Gu
 Chunxiao Wu
 Pingping Bao
 Chunfang Wang
 Yi Pang
 Liang Shi
 Yongmei Xiang
 Yangming Gong
 Yan Shi
 Chen Fu



20 major cancers, ASR (World) per 100 000

<i>Male</i>		<i>Female</i>	
Trachea, bronchus, and lung	44.7	Breast	46.5
Stomach	20.8	Thyroid	44.1
Colon	18.6	Trachea, bronchus, and lung	32.0
Thyroid	17.5	Colon	14.6
Prostate	16.8	Stomach	10.9
Liver	15.5	Cervix uteri	7.8
Rectum	13.1	Rectum	7.7
Pancreas	8.2	Ovary	6.3
Kidney	8.2	Pancreas	6.0
Bladder	7.7	Corpus uteri	5.8
Non-Hodgkin lymphoma	6.0	Liver	5.3
Oesophagus	4.9	Brain and nervous system	4.5
Brain and nervous system	4.7	Non-Hodgkin lymphoma	4.0
Other and unspecified	3.7	Kidney	3.8
Nasopharynx	3.6	Gallbladder etc.	3.4
Gallbladder etc.	3.0	Other and unspecified	3.3
Non-melanoma skin cancer	2.5	Uterus unspecified	2.5
Larynx	2.3	Non-melanoma skin cancer	2.1
Myeloid leukaemia	2.2	Bladder	2.1
Lymphoid leukaemia	2.1	Myeloid leukaemia	1.9
All sites	223.3	All sites	230.4


China, Shanghai City (2013–2017)

SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	
Lip	19	0.0	0.1	0.0	0.00	0.00	30	0.0	0.2	0.1	0.00	0.01	C00
Tongue	273	0.3	1.8	0.8	0.06	0.09	201	0.3	1.3	0.5	0.03	0.05	C01–02
Mouth	340	0.4	2.3	0.9	0.06	0.11	234	0.3	1.5	0.5	0.02	0.06	C03–06
Salivary glands	182	0.2	1.2	0.6	0.04	0.06	146	0.2	0.9	0.6	0.04	0.06	C07–08
Tonsil	48	0.1	0.3	0.1	0.01	0.02	17	0.0	0.1	0.0	0.00	0.01	C09
Other oropharynx	63	0.1	0.4	0.2	0.02	0.02	7	0.0	0.0	0.0	0.00	0.00	C10
Nasopharynx	1012	1.2	6.7	3.6	0.29	0.39	326	0.4	2.1	1.2	0.09	0.12	C11
Hypopharynx	128	0.2	0.9	0.4	0.03	0.05	10	0.0	0.1	0.0	0.00	0.00	C12–13
Pharynx unspecified	42	0.1	0.3	0.1	0.01	0.01	9	0.0	0.1	0.0	0.00	0.00	C14
Oesophagus	2023	2.5	13.5	4.9	0.31	0.56	642	0.8	4.2	1.1	0.03	0.10	C15
Stomach	8468	10.4	56.3	20.8	1.08	2.41	4555	5.9	29.5	10.9	0.61	1.17	C16
Small intestine	405	0.5	2.7	1.1	0.06	0.13	334	0.4	2.2	0.8	0.04	0.08	C17
Colon	7601	9.3	50.6	18.6	0.88	2.19	6494	8.5	42.0	14.6	0.70	1.70	C18
Rectum	5099	6.2	33.9	13.1	0.75	1.55	3250	4.2	21.0	7.7	0.43	0.89	C19–20
Anus	65	0.1	0.4	0.2	0.01	0.02	62	0.1	0.4	0.1	0.01	0.01	C21
Liver	5731	7.0	38.1	15.5	1.04	1.73	2536	3.3	16.4	5.3	0.24	0.55	C22
Gallbladder etc.	1267	1.6	8.4	3.0	0.13	0.33	1697	2.2	11.0	3.4	0.13	0.36	C23–24
Pancreas	3338	4.1	22.2	8.2	0.43	0.93	2965	3.9	19.2	6.0	0.25	0.67	C25
Nose, sinuses etc.	131	0.2	0.9	0.3	0.02	0.04	62	0.1	0.4	0.2	0.01	0.02	C30–31
Larynx	908	1.1	6.0	2.3	0.15	0.29	52	0.1	0.3	0.1	0.00	0.01	C32
Trachea, bronchus, and lung	18019	22.0	119.9	44.7	2.46	5.20	12204	15.9	78.9	32.0	2.00	3.69	C33–34
Other thoracic organs	388	0.5	2.6	1.3	0.09	0.14	260	0.3	1.7	0.8	0.06	0.09	C37–38
Bone	290	0.4	1.9	1.1	0.07	0.10	261	0.3	1.7	1.0	0.06	0.09	C40–41
Melanoma of skin	140	0.2	0.9	0.4	0.02	0.05	168	0.2	1.1	0.5	0.03	0.05	C43
Other skin	979	1.2	6.5	2.5	0.13	0.27	917	1.2	5.9	2.1	0.11	0.22	C44
Mesothelioma	47	0.1	0.3	0.1	0.01	0.02	27	0.0	0.2	0.1	0.01	0.01	C45
Kaposi sarcoma	5	0.0	0.0	0.0	0.00	0.00	3	0.0	0.0	0.0	0.00	0.00	C46
Connective and soft tissue	346	0.4	2.3	1.2	0.07	0.11	296	0.4	1.9	1.2	0.08	0.10	C47+C49
Breast	95	0.1	0.6	0.2	0.01	0.02	14273	18.6	92.3	46.5	3.58	5.18	C50
Vulva							157	0.2	1.0	0.4	0.02	0.04	C51
Vagina							69	0.1	0.4	0.2	0.01	0.02	C52
Cervix uteri							1861	2.4	12.0	7.8	0.66	0.76	C53
Corpus uteri							1816	2.4	11.7	5.8	0.46	0.66	C54
Uterus unspecified							781	1.0	5.1	2.5	0.20	0.27	C55
Ovary							1811	2.4	11.7	6.3	0.49	0.66	C56
Other female genital organs							193	0.3	1.2	0.6	0.04	0.07	C57
Placenta							3	0.0	0.0	0.0	0.00	0.00	C58
Penis	117	0.1	0.8	0.3	0.02	0.04							C60
Prostate	7556	9.2	50.3	16.8	0.36	2.01							C61
Testis	150	0.2	1.0	0.9	0.06	0.07							C62
Other male genital organs	131	0.2	0.9	0.3	0.01	0.04							C63
Kidney	2693	3.3	17.9	8.2	0.57	0.95	1300	1.7	8.4	3.8	0.25	0.42	C64
Renal pelvis	174	0.2	1.2	0.4	0.02	0.05	124	0.2	0.8	0.2	0.01	0.03	C65
Ureter	233	0.3	1.6	0.6	0.02	0.06	201	0.3	1.3	0.4	0.01	0.05	C66
Bladder	3233	4.0	21.5	7.7	0.36	0.83	984	1.3	6.4	2.1	0.09	0.23	C67
Other urinary organs	46	0.1	0.3	0.1	0.00	0.01	30	0.0	0.2	0.1	0.00	0.01	C68
Eye	29	0.0	0.2	0.2	0.01	0.01	25	0.0	0.2	0.2	0.01	0.01	C69
Brain and nervous system	1269	1.6	8.4	4.7	0.28	0.45	1394	1.8	9.0	4.5	0.29	0.43	C70–72
Thyroid	3567	4.4	23.7	17.5	1.42	1.58	9797	12.8	63.4	44.1	3.63	4.15	C73
Adrenal gland	74	0.1	0.5	0.3	0.02	0.02	54	0.1	0.3	0.2	0.01	0.02	C74
Other endocrine	160	0.2	1.1	0.6	0.04	0.06	136	0.2	0.9	0.6	0.04	0.05	C75
Hodgkin lymphoma	94	0.1	0.6	0.6	0.04	0.04	57	0.1	0.4	0.4	0.03	0.03	C81
Non-Hodgkin lymphoma	1835	2.2	12.2	6.0	0.35	0.62	1370	1.8	8.9	4.0	0.24	0.43	C82–86,C96
Immunoproliferative diseases	41	0.1	0.3	0.1	0.01	0.01	34	0.0	0.2	0.1	0.01	0.01	C88
Multiple myeloma	593	0.7	3.9	1.4	0.07	0.17	395	0.5	2.6	0.9	0.05	0.11	C90
Lymphoid leukaemia	357	0.4	2.4	2.1	0.11	0.15	256	0.3	1.7	1.7	0.09	0.12	C91
Myeloid leukaemia	612	0.7	4.1	2.2	0.14	0.22	465	0.6	3.0	1.9	0.12	0.17	C92–94
Leukaemia unspecified	281	0.3	1.9	0.9	0.04	0.08	211	0.3	1.4	0.6	0.03	0.05	C95
Myeloproliferative disorders	123	0.2	0.8	0.4	0.02	0.04	94	0.1	0.6	0.2	0.01	0.03	MPD
Myelodysplastic syndromes	415	0.5	2.8	1.0	0.05	0.10	286	0.4	1.9	0.7	0.03	0.07	MPS
Other and unspecified	1479	1.8	9.8	3.7	0.17	0.36	1603	2.1	10.4	3.3	0.16	0.30	O&U
All sites	82714		550.3	223.3	12.44	24.81	77545		501.6	230.4	15.56	24.48	C00–96
All sites except C44	81735	100.0	543.8	220.9	12.31	24.54	76628	100.0	495.7	228.3	15.45	24.26	C00–96 exc. C44

China, Shangyu District, Shaoxing City

CONTRIBUTORS

Haiping Fang
Xiaojing Yang
Jianqiang Fan
Pingfei Ding
Lingbin Du
Huizhang Li
Yaoyao Chen
Baiquan Zheng
Liqun He
Fangfen Yu



20 major cancers, ASR (World) per 100 000

<i>Male</i>		<i>Female</i>	
Trachea, bronchus, and lung	65.4	Thyroid	49.2
Stomach	41.7	Breast	33.4
Liver	28.1	Trachea, bronchus, and lung	32.6
Oesophagus	17.6	Stomach	17.0
Rectum	13.6	Cervix uteri	16.4
Thyroid	13.0	Liver	9.6
Colon	11.4	Colon	9.1
Prostate	9.1	Rectum	8.3
Pancreas	9.0	Ovary	5.4
Bladder	5.6	Pancreas	5.2
Nasopharynx	5.2	Corpus uteri	4.6
Non-Hodgkin lymphoma	4.5	Brain and nervous system	4.5
Brain and nervous system	4.4	Gallbladder etc.	4.4
Kidney	4.0	Non-Hodgkin lymphoma	3.3
Gallbladder etc.	3.9	Nasopharynx	2.5
Myeloid leukaemia	2.9	Myeloid leukaemia	2.1
Larynx	2.7	Kidney	2.0
Non-melanoma skin cancer	2.6	Uterus unspecified	1.8
Lymphoid leukaemia	2.5	Oesophagus	1.7
Multiple myeloma	2.0	Bladder	1.7
All sites	268.5	All sites	230.4


China, Shangyu District, Shaoxing City (2013–2017)

SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	
Lip	12	0.1	0.7	0.3	0.01	0.05	5	0.1	0.3	0.1	0.00	0.01	C00
Tongue	19	0.2	1.1	0.5	0.03	0.06	9	0.1	0.5	0.3	0.01	0.03	C01–02
Mouth	32	0.3	1.8	0.9	0.06	0.10	15	0.2	0.8	0.4	0.02	0.04	C03–06
Salivary glands	15	0.2	0.8	0.6	0.04	0.05	13	0.2	0.7	0.4	0.03	0.05	C07–08
Tonsil	8	0.1	0.4	0.2	0.01	0.03	3	0.0	0.2	0.1	0.00	0.02	C09
Other oropharynx	14	0.2	0.8	0.4	0.04	0.05	2	0.0	0.1	0.1	0.00	0.01	C10
Nasopharynx	165	1.8	9.3	5.2	0.36	0.64	81	1.1	4.4	2.5	0.19	0.26	C11
Hypopharynx	45	0.5	2.5	1.3	0.10	0.16	2	0.0	0.1	0.1	0.00	0.01	C12–13
Pharynx unspecified	12	0.1	0.7	0.3	0.02	0.05	2	0.0	0.1	0.1	0.00	0.01	C14
Oesophagus	637	6.9	35.7	17.6	0.96	2.26	72	1.0	4.0	1.7	0.05	0.21	C15
Stomach	1517	16.5	85.1	41.7	2.13	5.15	620	8.3	34.0	17.0	0.97	1.97	C16
Small intestine	51	0.6	2.9	1.5	0.10	0.17	34	0.5	1.9	0.9	0.04	0.14	C17
Colon	401	4.4	22.5	11.4	0.59	1.39	336	4.5	18.4	9.1	0.49	1.08	C18
Rectum	484	5.3	27.1	13.6	0.74	1.63	303	4.1	16.6	8.3	0.50	0.94	C19–20
Anus	33	0.4	1.9	0.9	0.07	0.12	18	0.2	1.0	0.5	0.03	0.05	C21
Liver	972	10.6	54.5	28.1	1.90	3.27	352	4.7	19.3	9.6	0.48	1.18	C22
Gallbladder etc.	143	1.6	8.0	3.9	0.18	0.49	178	2.4	9.8	4.4	0.19	0.48	C23–24
Pancreas	332	3.6	18.6	9.0	0.45	1.06	209	2.8	11.5	5.2	0.22	0.62	C25
Nose, sinuses etc.	23	0.2	1.3	0.7	0.06	0.08	9	0.1	0.5	0.3	0.02	0.03	C30–31
Larynx	97	1.1	5.4	2.7	0.17	0.33	5	0.1	0.3	0.1	0.00	0.02	C32
Trachea, bronchus, and lung	2389	26.0	134.0	65.4	3.06	8.18	1187	15.9	65.2	32.6	1.89	3.84	C33–34
Other thoracic organs	31	0.3	1.7	1.0	0.06	0.12	22	0.3	1.2	0.6	0.04	0.06	C37–38
Bone	36	0.4	2.0	1.1	0.05	0.14	26	0.3	1.4	0.7	0.04	0.07	C40–41
Melanoma of skin	24	0.3	1.3	0.7	0.03	0.10	23	0.3	1.3	0.6	0.04	0.06	C43
Other skin	81	0.9	4.5	2.6	0.13	0.27	53	0.7	2.9	1.3	0.06	0.12	C44
Mesothelioma	3	0.0	0.2	0.1	0.01	0.01	9	0.1	0.5	0.3	0.02	0.04	C45
Kaposi sarcoma	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C46
Connective and soft tissue	38	0.4	2.1	1.8	0.10	0.15	21	0.3	1.2	1.0	0.07	0.07	C47+C49
Breast	11	0.1	0.6	0.3	0.02	0.04	1061	14.2	58.2	33.4	2.75	3.59	C50
Vulva							15	0.2	0.8	0.4	0.01	0.04	C51
Vagina							5	0.1	0.3	0.1	0.01	0.02	C52
Cervix uteri							478	6.4	26.2	16.4	1.41	1.59	C53
Corpus uteri							155	2.1	8.5	4.6	0.38	0.53	C54
Uterus unspecified							57	0.8	3.1	1.8	0.14	0.16	C55
Ovary							174	2.3	9.6	5.4	0.44	0.61	C56
Other female genital organs							20	0.3	1.1	0.6	0.05	0.07	C57
Placenta							4	0.1	0.2	0.2	0.01	0.01	C58
Penis	18	0.2	1.0	0.5	0.04	0.07							C60
Prostate	351	3.8	19.7	9.1	0.20	1.00							C61
Testis	14	0.2	0.8	0.8	0.05	0.06							C62
Other male genital organs	3	0.0	0.2	0.1	0.01	0.01							C63
Kidney	132	1.4	7.4	4.0	0.25	0.45	71	0.9	3.9	2.0	0.13	0.23	C64
Renal pelvis	8	0.1	0.4	0.2	0.00	0.02	6	0.1	0.3	0.1	0.00	0.01	C65
Ureter	9	0.1	0.5	0.3	0.02	0.03	12	0.2	0.7	0.3	0.01	0.04	C66
Bladder	200	2.2	11.2	5.6	0.21	0.62	57	0.8	3.1	1.7	0.08	0.17	C67
Other urinary organs	1	0.0	0.1	0.0	0.00	0.00	1	0.0	0.1	0.0	0.00	0.00	C68
Eye	5	0.1	0.3	0.5	0.02	0.02	1	0.0	0.1	0.0	0.00	0.00	C69
Brain and nervous system	123	1.3	6.9	4.4	0.29	0.43	122	1.6	6.7	4.5	0.26	0.43	C70–72
Thyroid	330	3.6	18.5	13.0	1.03	1.23	1331	17.8	73.1	49.2	4.20	4.67	C73
Adrenal gland	7	0.1	0.4	0.2	0.02	0.02	3	0.0	0.2	0.0	0.00	0.00	C74
Other endocrine	4	0.0	0.2	0.1	0.01	0.01	4	0.1	0.2	0.3	0.01	0.02	C75
Hodgkin lymphoma	8	0.1	0.4	0.3	0.02	0.02	3	0.0	0.2	0.2	0.01	0.01	C81
Non-Hodgkin lymphoma	149	1.6	8.4	4.5	0.28	0.54	113	1.5	6.2	3.3	0.22	0.37	C82–86,C96
Immunoproliferative diseases	6	0.1	0.3	0.2	0.01	0.02	1	0.0	0.1	0.0	0.00	0.00	C88
Multiple myeloma	69	0.7	3.9	2.0	0.09	0.26	56	0.7	3.1	1.6	0.09	0.21	C90
Lymphoid leukaemia	42	0.5	2.4	2.5	0.13	0.18	22	0.3	1.2	0.8	0.05	0.08	C91
Myeloid leukaemia	81	0.9	4.5	2.9	0.18	0.30	59	0.8	3.2	2.1	0.15	0.20	C92–94
Leukaemia unspecified	45	0.5	2.5	1.6	0.09	0.15	29	0.4	1.6	1.0	0.05	0.10	C95
Myeloproliferative disorders	18	0.2	1.0	0.6	0.03	0.08	14	0.2	0.8	0.4	0.02	0.05	MPD
Myelodysplastic syndromes	15	0.2	0.8	0.4	0.01	0.04	12	0.2	0.7	0.4	0.03	0.04	MPS
Other and unspecified	24	0.3	1.3	0.9	0.06	0.08	36	0.5	2.0	1.3	0.06	0.10	O&U
All sites	9287		520.8	268.5	14.52	31.78	7531		413.4	230.4	16.01	24.79	C00–96
All sites except C44	9206	100.0	516.3	265.9	14.39	31.51	7478	100.0	410.5	229.0	15.95	24.68	C00–96 exc. C44

China, Shapingba District, Chongqing City

CONTRIBUTORS

Qian Zhi
Yi Meng
Lijun Deng
Tao Li
Guohao Li
Yuhua Qin
Ni Jiang



NOTES ON THE DATA

*No official mortality data.

20 major cancers, ASR (World) per 100 000

<i>Male</i>		<i>Female</i>	
Trachea, bronchus, and lung	78.8	Breast	29.4
Liver	25.5	Trachea, bronchus, and lung	29.1
Oesophagus	15.9	Thyroid	12.0
Stomach	14.8	Cervix uteri	11.9
Rectum	14.8	Colon	9.6
Colon	11.6	Rectum	8.6
Prostate	10.3	Liver	8.4
Bladder	6.5	Ovary	8.0
Non-Hodgkin lymphoma	5.2	Stomach	7.6
Kidney	5.1	Corpus uteri	5.4
Thyroid	4.7	Non-Hodgkin lymphoma	5.2
Pancreas	4.7	Oesophagus	3.5
Larynx	4.3	Kidney	3.5
Nasopharynx	3.9	Pancreas	3.4
Brain and nervous system	3.0	Brain and nervous system	3.3
Multiple myeloma	2.4	Gallbladder etc.	2.6
Gallbladder etc.	2.3	Other and unspecified	2.1
Other and unspecified	2.1	Nasopharynx	2.1
Myeloid leukaemia	2.1	Non-melanoma skin cancer	1.7
Non-melanoma skin cancer	2.0	Multiple myeloma	1.5
All sites	235.5	All sites	174.6

*China, Shapingba District, Chongqing City (2013–2017)


SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	
Lip	1	0.0	0.0	0.0	0.00	0.00	1	0.0	0.0	0.0	0.00	0.00	C00
Tongue	36	0.5	1.4	1.0	0.06	0.11	21	0.4	0.8	0.6	0.04	0.07	C01–02
Mouth	42	0.5	1.6	1.2	0.07	0.13	25	0.4	1.0	0.7	0.03	0.10	C03–06
Salivary glands	15	0.2	0.6	0.5	0.03	0.07	22	0.4	0.9	0.6	0.04	0.06	C07–08
Tonsil	5	0.1	0.2	0.1	0.01	0.01	6	0.1	0.2	0.2	0.02	0.02	C09
Other oropharynx	5	0.1	0.2	0.1	0.01	0.02	2	0.0	0.1	0.0	0.00	0.00	C10
Nasopharynx	129	1.7	4.9	3.9	0.32	0.47	70	1.2	2.7	2.1	0.15	0.24	C11
Hypopharynx	31	0.4	1.2	1.0	0.05	0.15	2	0.0	0.1	0.1	0.00	0.01	C12–13
Pharynx unspecified	4	0.1	0.2	0.1	0.01	0.02	0	0.0	0.0	0.0	0.00	0.00	C14
Oesophagus	530	6.8	19.9	15.9	0.76	2.00	128	2.2	5.0	3.5	0.15	0.40	C15
Stomach	507	6.5	19.1	14.8	0.85	1.87	267	4.5	10.4	7.6	0.48	0.87	C16
Small intestine	26	0.3	1.0	0.7	0.04	0.08	23	0.4	0.9	0.7	0.05	0.10	C17
Colon	397	5.1	14.9	11.6	0.58	1.39	345	5.8	13.4	9.6	0.52	1.05	C18
Rectum	498	6.4	18.7	14.8	0.84	1.86	305	5.2	11.8	8.6	0.48	1.01	C19–20
Anus	3	0.0	0.1	0.1	0.00	0.00	4	0.1	0.2	0.1	0.01	0.02	C21
Liver	872	11.2	32.8	25.5	1.54	2.93	314	5.3	12.2	8.4	0.40	0.84	C22
Gallbladder etc.	76	1.0	2.9	2.3	0.11	0.27	96	1.6	3.7	2.6	0.15	0.30	C23–24
Pancreas	164	2.1	6.2	4.7	0.28	0.55	127	2.1	4.9	3.4	0.14	0.42	C25
Nose, sinuses etc.	8	0.1	0.3	0.3	0.02	0.02	16	0.3	0.6	0.5	0.03	0.07	C30–31
Larynx	140	1.8	5.3	4.3	0.23	0.59	10	0.2	0.4	0.3	0.01	0.04	C32
Trachea, bronchus, and lung	2682	34.4	100.9	78.8	4.31	9.61	1034	17.5	40.1	29.1	1.56	3.49	C33–34
Other thoracic organs	23	0.3	0.9	0.7	0.05	0.08	9	0.2	0.3	0.2	0.02	0.03	C37–38
Bone	37	0.5	1.4	1.3	0.08	0.12	33	0.6	1.3	1.1	0.06	0.10	C40–41
Melanoma of skin	28	0.4	1.1	0.9	0.04	0.09	16	0.3	0.6	0.4	0.02	0.04	C43
Other skin	64	0.8	2.4	2.0	0.11	0.24	64	1.1	2.5	1.7	0.06	0.16	C44
Mesothelioma	5	0.1	0.2	0.2	0.01	0.03	6	0.1	0.2	0.2	0.01	0.02	C45
Kaposi sarcoma	1	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C46
Connective and soft tissue	23	0.3	0.9	0.9	0.06	0.08	27	0.5	1.0	1.0	0.06	0.11	C47+C49
Breast	16	0.2	0.6	0.7	0.04	0.05	1009	17.1	39.1	29.4	2.46	3.16	C50
Vulva							21	0.4	0.8	0.7	0.02	0.10	C51
Vagina							19	0.3	0.7	0.6	0.03	0.08	C52
Cervix uteri							409	6.9	15.9	11.9	1.01	1.28	C53
Corpus uteri							182	3.1	7.1	5.4	0.46	0.64	C54
Uterus unspecified							26	0.4	1.0	0.8	0.06	0.09	C55
Ovary							259	4.4	10.0	8.0	0.59	0.79	C56
Other female genital organs							10	0.2	0.4	0.3	0.03	0.03	C57
Placenta							9	0.2	0.3	0.3	0.02	0.02	C58
Penis	28	0.4	1.1	0.8	0.04	0.10							C60
Prostate	362	4.6	13.6	10.3	0.22	1.08							C61
Testis	14	0.2	0.5	0.4	0.03	0.03							C62
Other male genital organs	5	0.1	0.2	0.2	0.01	0.03							C63
Kidney	160	2.1	6.0	5.1	0.35	0.60	111	1.9	4.3	3.5	0.24	0.41	C64
Renal pelvis	9	0.1	0.3	0.3	0.01	0.04	17	0.3	0.7	0.4	0.01	0.04	C65
Ureter	10	0.1	0.4	0.3	0.01	0.04	16	0.3	0.6	0.4	0.01	0.06	C66
Bladder	221	2.8	8.3	6.5	0.26	0.79	53	0.9	2.1	1.4	0.06	0.16	C67
Other urinary organs	4	0.1	0.2	0.1	0.00	0.02	1	0.0	0.0	0.0	0.00	0.01	C68
Eye	3	0.0	0.1	0.2	0.01	0.01	1	0.0	0.0	0.2	0.01	0.01	C69
Brain and nervous system	82	1.1	3.1	3.0	0.19	0.27	89	1.5	3.5	3.3	0.23	0.29	C70–72
Thyroid	154	2.0	5.8	4.7	0.37	0.45	378	6.4	14.7	12.0	0.96	1.14	C73
Adrenal gland	11	0.1	0.4	0.3	0.01	0.04	9	0.2	0.3	0.2	0.01	0.02	C74
Other endocrine	6	0.1	0.2	0.2	0.01	0.02	8	0.1	0.3	0.3	0.02	0.03	C75
Hodgkin lymphoma	13	0.2	0.5	0.5	0.03	0.05	6	0.1	0.2	0.3	0.02	0.02	C81
Non-Hodgkin lymphoma	165	2.1	6.2	5.2	0.33	0.57	168	2.8	6.5	5.2	0.30	0.57	C82–86,C96
Immunoproliferative diseases	0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.0	0.0	0.00	0.00	C88
Multiple myeloma	76	1.0	2.9	2.4	0.10	0.36	49	0.8	1.9	1.5	0.07	0.21	C90
Lymphoid leukaemia	26	0.3	1.0	1.5	0.07	0.09	16	0.3	0.6	0.7	0.04	0.07	C91
Myeloid leukaemia	56	0.7	2.1	2.1	0.12	0.18	49	0.8	1.9	1.5	0.09	0.16	C92–94
Leukaemia unspecified	18	0.2	0.7	0.5	0.01	0.05	14	0.2	0.5	0.6	0.04	0.06	C95
Myeloproliferative disorders	2	0.0	0.1	0.0	0.00	0.00	1	0.0	0.0	0.0	0.00	0.00	MPD
Myelodysplastic syndromes	0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.0	0.0	0.00	0.00	MPS
Other and unspecified	67	0.9	2.5	2.1	0.11	0.22	71	1.2	2.8	2.1	0.13	0.20	O&U
All sites	7860		295.7	235.5	12.87	27.91	5976		231.8	174.6	11.46	19.22	C00–96
All sites except C44	7796	100.0	293.3	233.5	12.76	27.67	5912	100.0	229.4	172.9	11.40	19.06	C00–96 exc. C44

*See note following population pyramid

China, Shexian County

CONTRIBUTORS

Li Yongwei
Li Fengjun
Wen Denggui
Jia Leiqiang
Haowei
Yang Yune
Zhang Yu



20 major cancers, ASR (World) per 100 000

<i>Male</i>		<i>Female</i>	
Stomach	120.3	Stomach	44.7
Oesophagus	55.0	Oesophagus	29.8
Trachea, bronchus, and lung	30.3	Cervix uteri	24.4
Liver	21.0	Breast	17.2
Rectum	12.2	Trachea, bronchus, and lung	16.9
Brain and nervous system	6.4	Rectum	10.2
Colon	5.3	Liver	9.1
Non-Hodgkin lymphoma	4.6	Thyroid	5.6
Pancreas	3.2	Ovary	4.6
Kidney	2.8	Brain and nervous system	3.8
Bone	2.4	Corpus uteri	3.3
Lymphoid leukaemia	2.2	Colon	3.3
Myeloid leukaemia	1.9	Non-Hodgkin lymphoma	1.9
Larynx	1.8	Other and unspecified	1.9
Gallbladder etc.	1.5	Leukaemia unspecified	1.8
Thyroid	1.5	Bone	1.8
Prostate	1.2	Pancreas	1.5
Leukaemia unspecified	1.1	Myeloid leukaemia	1.4
Tongue	1.0	Tongue	1.4
Other thoracic organs	0.8	Kidney	1.3
All sites	283.7	All sites	193.8


China, Shexian County (2013–2017)

SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	
Lip	1	0.0	0.1	0.1	0.00	0.00	1	0.0	0.1	0.1	0.00	0.01	C00
Tongue	14	0.4	1.3	1.0	0.07	0.14	20	0.8	2.0	1.4	0.10	0.20	C01–02
Mouth	4	0.1	0.4	0.3	0.02	0.05	2	0.1	0.2	0.1	0.01	0.02	C03–06
Salivary glands	3	0.1	0.3	0.2	0.01	0.03	1	0.0	0.1	0.1	0.01	0.01	C07–08
Tonsil	1	0.0	0.1	0.1	0.00	0.01	1	0.0	0.1	0.1	0.01	0.01	C09
Other oropharynx	1	0.0	0.1	0.1	0.01	0.01	0	0.0	0.0	0.0	0.00	0.00	C10
Nasopharynx	9	0.2	0.8	0.7	0.05	0.07	5	0.2	0.5	0.4	0.02	0.02	C11
Hypopharynx	2	0.1	0.2	0.1	0.01	0.01	2	0.1	0.2	0.1	0.01	0.01	C12–13
Pharynx unspecified	3	0.1	0.3	0.3	0.01	0.05	2	0.1	0.2	0.1	0.01	0.01	C14
Oesophagus	743	19.5	67.3	55.0	3.12	7.12	413	15.6	40.5	29.8	1.50	3.60	C15
Stomach	1633	42.8	147.9	120.3	7.25	15.44	619	23.3	60.7	44.7	2.14	5.16	C16
Small intestine	4	0.1	0.4	0.3	0.02	0.04	6	0.2	0.6	0.4	0.04	0.06	C17
Colon	73	1.9	6.6	5.3	0.41	0.65	45	1.7	4.4	3.3	0.20	0.38	C18
Rectum	165	4.3	14.9	12.2	0.69	1.53	140	5.3	13.7	10.2	0.61	1.19	C19–20
Anus	5	0.1	0.5	0.3	0.03	0.04	1	0.0	0.1	0.1	0.01	0.01	C21
Liver	282	7.4	25.5	21.0	1.37	2.48	124	4.7	12.2	9.1	0.48	0.97	C22
Gallbladder etc.	21	0.6	1.9	1.5	0.10	0.20	16	0.6	1.6	1.1	0.05	0.13	C23–24
Pancreas	43	1.1	3.9	3.2	0.15	0.40	21	0.8	2.1	1.5	0.08	0.16	C25
Nose, sinuses etc.	2	0.1	0.2	0.1	0.01	0.01	2	0.1	0.2	0.1	0.02	0.02	C30–31
Larynx	24	0.6	2.2	1.8	0.11	0.25	8	0.3	0.8	0.6	0.04	0.08	C32
Trachea, bronchus, and lung	410	10.7	37.1	30.3	1.72	3.84	237	8.9	23.2	16.9	0.96	1.92	C33–34
Other thoracic organs	10	0.3	0.9	0.8	0.04	0.08	7	0.3	0.7	0.6	0.03	0.06	C37–38
Bone	31	0.8	2.8	2.4	0.17	0.27	22	0.8	2.2	1.8	0.13	0.17	C40–41
Melanoma of skin	5	0.1	0.5	0.4	0.02	0.06	4	0.2	0.4	0.4	0.03	0.03	C43
Other skin	5	0.1	0.5	0.4	0.03	0.04	0	0.0	0.0	0.0	0.00	0.00	C44
Mesothelioma	1	0.0	0.1	0.1	0.01	0.01	0	0.0	0.0	0.0	0.00	0.00	C45
Kaposi sarcoma	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C46
Connective and soft tissue	0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.1	0.1	0.01	0.01	C47+C49
Breast	1	0.0	0.1	0.1	0.00	0.01	236	8.9	23.1	17.2	1.43	1.81	C50
Vulva							1	0.0	0.1	0.1	0.00	0.00	C51
Vagina							0	0.0	0.0	0.0	0.00	0.00	C52
Cervix uteri							340	12.8	33.4	24.4	1.99	2.73	C53
Corpus uteri							47	1.8	4.6	3.3	0.30	0.34	C54
Uterus unspecified							13	0.5	1.3	1.0	0.07	0.11	C55
Ovary							61	2.3	6.0	4.6	0.37	0.51	C56
Other female genital organs							2	0.1	0.2	0.1	0.01	0.01	C57
Placenta							1	0.0	0.1	0.1	0.01	0.01	C58
Penis	9	0.2	0.8	0.7	0.05	0.08							C60
Prostate	15	0.4	1.4	1.2	0.04	0.12							C61
Testis	7	0.2	0.6	0.5	0.03	0.03							C62
Other male genital organs	0	0.0	0.0	0.0	0.00	0.00							C63
Kidney	38	1.0	3.4	2.8	0.21	0.37	18	0.7	1.8	1.3	0.09	0.15	C64
Renal pelvis	1	0.0	0.1	0.1	0.00	0.01	1	0.0	0.1	0.1	0.01	0.01	C65
Ureter	1	0.0	0.1	0.1	0.00	0.01	0	0.0	0.0	0.0	0.00	0.00	C66
Bladder	2	0.1	0.2	0.1	0.01	0.02	0	0.0	0.0	0.0	0.00	0.00	C67
Other urinary organs	1	0.0	0.1	0.1	0.01	0.01	0	0.0	0.0	0.0	0.00	0.00	C68
Eye	2	0.1	0.2	0.2	0.01	0.01	1	0.0	0.1	0.1	0.01	0.01	C69
Brain and nervous system	83	2.2	7.5	6.4	0.46	0.68	48	1.8	4.7	3.8	0.26	0.37	C70–72
Thyroid	20	0.5	1.8	1.5	0.12	0.15	72	2.7	7.1	5.6	0.45	0.56	C73
Adrenal gland	2	0.1	0.2	0.1	0.02	0.02	2	0.1	0.2	0.1	0.01	0.01	C74
Other endocrine	3	0.1	0.3	0.2	0.02	0.02	3	0.1	0.3	0.2	0.02	0.02	C75
Hodgkin lymphoma	5	0.1	0.5	0.4	0.01	0.04	2	0.1	0.2	0.1	0.01	0.01	C81
Non-Hodgkin lymphoma	60	1.6	5.4	4.6	0.29	0.47	24	0.9	2.4	1.9	0.12	0.23	C82–86,C96
Immunoproliferative diseases	1	0.0	0.1	0.1	0.00	0.01	0	0.0	0.0	0.0	0.00	0.00	C88
Multiple myeloma	3	0.1	0.3	0.2	0.02	0.02	2	0.1	0.2	0.1	0.01	0.03	C90
Lymphoid leukaemia	27	0.7	2.4	2.2	0.16	0.22	14	0.5	1.4	1.2	0.08	0.13	C91
Myeloid leukaemia	22	0.6	2.0	1.9	0.11	0.18	17	0.6	1.7	1.4	0.10	0.15	C92–94
Leukaemia unspecified	11	0.3	1.0	1.1	0.07	0.07	22	0.8	2.2	1.8	0.14	0.15	C95
Myeloproliferative disorders	1	0.0	0.1	0.1	0.00	0.02	1	0.0	0.1	0.1	0.00	0.00	MPD
Myelodysplastic syndromes	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	MPS
Other and unspecified	9	0.2	0.8	0.6	0.04	0.06	25	0.9	2.5	1.9	0.11	0.19	O&U
All sites	3819		345.8	283.7	17.11	35.48	2653		260.2	193.8	12.09	21.79	C00–96
All sites except C44	3814	100.0	345.4	283.3	17.09	35.44	2653	100.0	260.2	193.8	12.09	21.79	C00–96 exc. C44

China, Sheyang County

CONTRIBUTORS

Shuguang Dai
Chunyun Dai
Yingying Wang
Li Dai



20 major cancers, ASR (World) per 100 000

<i>Male</i>		<i>Female</i>	
Trachea, bronchus, and lung	48.8	Trachea, bronchus, and lung	28.3
Stomach	38.0	Breast	22.1
Liver	32.6	Stomach	18.0
Oesophagus	27.2	Oesophagus	16.6
Rectum	8.6	Cervix uteri	15.6
Pancreas	6.6	Liver	13.1
Colon	5.3	Thyroid	11.3
Bladder	4.4	Rectum	7.8
Brain and nervous system	4.4	Pancreas	5.1
Non-Hodgkin lymphoma	4.1	Colon	5.0
Prostate	3.9	Brain and nervous system	4.9
Kidney	2.7	Ovary	4.4
Leukaemia unspecified	2.2	Non-Hodgkin lymphoma	3.4
Nasopharynx	2.1	Corpus uteri	3.0
Bone	1.9	Uterus unspecified	2.0
Lymphoid leukaemia	1.5	Kidney	1.8
Myeloid leukaemia	1.4	Bone	1.8
Thyroid	1.4	Leukaemia unspecified	1.7
Larynx	1.0	Myeloid leukaemia	1.6
Non-melanoma skin cancer	1.0	Bladder	1.5
All sites	207.1	All sites	180.4


China, Sheyang County (2013–2017)

SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	
Lip	4	0.0	0.2	0.1	0.01	0.01	12	0.2	0.5	0.3	0.00	0.04	C00
Tongue	14	0.2	0.6	0.3	0.03	0.04	16	0.2	0.7	0.4	0.02	0.05	C01–02
Mouth	40	0.4	1.6	1.0	0.04	0.13	34	0.5	1.4	0.7	0.04	0.07	C03–06
Salivary glands	15	0.2	0.6	0.4	0.04	0.05	9	0.1	0.4	0.2	0.01	0.03	C07–08
Tonsil	9	0.1	0.4	0.2	0.02	0.02	1	0.0	0.0	0.0	0.00	0.01	C09
Other oropharynx	8	0.1	0.3	0.2	0.01	0.02	2	0.0	0.1	0.1	0.00	0.01	C10
Nasopharynx	85	1.0	3.4	2.1	0.17	0.25	45	0.6	1.9	1.1	0.06	0.13	C11
Hypopharynx	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C12–13
Pharynx unspecified	0	0.0	0.0	0.0	0.00	0.00	2	0.0	0.1	0.0	0.00	0.01	C14
Oesophagus	1228	13.8	49.7	27.2	1.18	3.57	792	10.5	33.7	16.6	0.52	2.02	C15
Stomach	1702	19.1	68.8	38.0	1.93	4.72	818	10.9	34.8	18.0	0.81	2.18	C16
Small intestine	18	0.2	0.7	0.4	0.02	0.04	22	0.3	0.9	0.5	0.02	0.08	C17
Colon	226	2.5	9.1	5.3	0.33	0.62	211	2.8	9.0	5.0	0.29	0.61	C18
Rectum	383	4.3	15.5	8.6	0.45	0.99	352	4.7	15.0	7.8	0.42	0.85	C19–20
Anus	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C21
Liver	1357	15.3	54.9	32.6	2.42	3.77	564	7.5	24.0	13.1	0.81	1.53	C22
Gallbladder etc.	26	0.3	1.1	0.6	0.03	0.08	43	0.6	1.8	0.9	0.05	0.11	C23–24
Pancreas	294	3.3	11.9	6.6	0.33	0.88	232	3.1	9.9	5.1	0.20	0.61	C25
Nose, sinuses etc.	12	0.1	0.5	0.4	0.01	0.04	4	0.1	0.2	0.1	0.01	0.02	C30–31
Larynx	45	0.5	1.8	1.0	0.06	0.13	23	0.3	1.0	0.5	0.01	0.05	C32
Trachea, bronchus, and lung	2182	24.5	88.2	48.8	2.35	6.19	1283	17.1	54.6	28.3	1.45	3.39	C33–34
Other thoracic organs	21	0.2	0.8	0.6	0.04	0.06	17	0.2	0.7	0.4	0.04	0.05	C37–38
Bone	76	0.9	3.1	1.9	0.11	0.21	61	0.8	2.6	1.8	0.10	0.20	C40–41
Melanoma of skin	10	0.1	0.4	0.2	0.01	0.02	12	0.2	0.5	0.3	0.02	0.03	C43
Other skin	44	0.5	1.8	1.0	0.06	0.11	44	0.6	1.9	0.9	0.04	0.09	C44
Mesothelioma	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C45
Kaposi sarcoma	0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.0	0.0	0.00	0.01	C46
Connective and soft tissue	13	0.1	0.5	0.5	0.03	0.03	12	0.2	0.5	0.5	0.03	0.04	C47+C49
Breast	2	0.0	0.1	0.1	0.01	0.01	851	11.3	36.2	22.1	1.88	2.35	C50
Vulva							6	0.1	0.3	0.1	0.00	0.01	C51
Vagina							6	0.1	0.3	0.2	0.01	0.02	C52
Cervix uteri							612	8.1	26.1	15.6	1.26	1.68	C53
Corpus uteri							118	1.6	5.0	3.0	0.26	0.35	C54
Uterus unspecified							81	1.1	3.4	2.0	0.14	0.22	C55
Ovary							171	2.3	7.3	4.4	0.33	0.50	C56
Other female genital organs							16	0.2	0.7	0.4	0.04	0.05	C57
Placenta							2	0.0	0.1	0.1	0.01	0.01	C58
Penis		0.3	1.1	0.6	0.04	0.07							C60
Prostate	186	2.1	7.5	3.9	0.08	0.48							C61
Testis	7	0.1	0.3	0.2	0.01	0.01							C62
Other male genital organs	2	0.0	0.1	0.0	0.01	0.01							C63
Kidney	103	1.2	4.2	2.7	0.19	0.27	71	0.9	3.0	1.8	0.11	0.20	C64
Renal pelvis	5	0.1	0.2	0.1	0.01	0.01	3	0.0	0.1	0.1	0.00	0.01	C65
Ureter	8	0.1	0.3	0.2	0.00	0.02	4	0.1	0.2	0.1	0.00	0.01	C66
Bladder	200	2.2	8.1	4.4	0.20	0.47	66	0.9	2.8	1.5	0.08	0.18	C67
Other urinary organs	1	0.0	0.0	0.0	0.00	0.00	2	0.0	0.1	0.0	0.00	0.00	C68
Eye	4	0.0	0.2	0.1	0.01	0.01	4	0.1	0.2	0.2	0.01	0.01	C69
Brain and nervous system	160	1.8	6.5	4.4	0.29	0.46	186	2.5	7.9	4.9	0.31	0.50	C70–72
Thyroid	51	0.6	2.1	1.4	0.10	0.13	403	5.4	17.2	11.3	0.94	1.14	C73
Adrenal gland	6	0.1	0.2	0.2	0.01	0.02	12	0.2	0.5	0.3	0.02	0.04	C74
Other endocrine	1	0.0	0.0	0.0	0.00	0.00	5	0.1	0.2	0.1	0.01	0.01	C75
Hodgkin lymphoma	1	0.0	0.0	0.0	0.00	0.00	2	0.0	0.1	0.1	0.00	0.01	C81
Non-Hodgkin lymphoma	157	1.8	6.3	4.1	0.27	0.46	135	1.8	5.7	3.4	0.19	0.38	C82–86,C96
Immunoproliferative diseases	2	0.0	0.1	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C88
Multiple myeloma	34	0.4	1.4	0.7	0.04	0.09	34	0.5	1.4	0.8	0.04	0.11	C90
Lymphoid leukaemia	36	0.4	1.5	1.5	0.07	0.12	28	0.4	1.2	1.0	0.06	0.08	C91
Myeloid leukaemia	46	0.5	1.9	1.4	0.09	0.14	49	0.7	2.1	1.6	0.11	0.14	C92–94
Leukaemia unspecified	66	0.7	2.7	2.2	0.13	0.20	55	0.7	2.3	1.7	0.11	0.16	C95
Myeloproliferative disorders	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	MPD
Myelodysplastic syndromes	6	0.1	0.2	0.1	0.01	0.02	4	0.1	0.2	0.1	0.01	0.01	MPS
Other and unspecified	18	0.2	0.7	0.5	0.03	0.05	22	0.3	0.9	0.5	0.03	0.05	O&U
All sites	8941		361.6	207.1	11.30	25.03	7560		322.0	180.4	10.93	20.44	C00–96
All sites except C44	8897	100.0	359.8	206.1	11.24	24.93	7516	100.0	320.1	179.5	10.89	20.35	C00–96 exc. C44

China, Shijiazhuang City

CONTRIBUTORS

Liang Zhenyu
Ma Xinyan
Gao Cong
Dong Huimin
Zhao Fengqin
Fan Zhilei
Zhao Dong
Lu Xiaoping



NOTES ON THE DATA

*No official mortality data.

20 major cancers, ASR (World) per 100 000

<i>Male</i>		<i>Female</i>	
Trachea, bronchus, and lung	42.9	Breast	36.0
Stomach	25.4	Trachea, bronchus, and lung	21.9
Liver	19.2	Thyroid	20.4
Oesophagus	10.0	Cervix uteri	8.3
Rectum	9.1	Corpus uteri	8.2
Colon	8.7	Stomach	8.0
Thyroid	7.6	Colon	7.2
Kidney	6.7	Liver	6.4
Other and unspecified	6.2	Other and unspecified	6.3
Bladder	5.8	Ovary	5.9
Non-Hodgkin lymphoma	5.1	Rectum	5.6
Prostate	5.0	Oesophagus	4.2
Brain and nervous system	4.8	Brain and nervous system	4.1
Pancreas	3.8	Non-Hodgkin lymphoma	3.8
Myeloid leukaemia	3.1	Kidney	3.2
Larynx	2.6	Pancreas	3.1
Lymphoid leukaemia	2.4	Myeloid leukaemia	2.5
Gallbladder etc.	2.4	Lymphoid leukaemia	2.2
Multiple myeloma	2.1	Gallbladder etc.	1.8
Leukaemia unspecified	1.5	Multiple myeloma	1.5
All sites	188.7	All sites	174.4

*China, Shijiazhuang City (2015–2017)


SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	
Lip	3	0.0	0.1	0.1	0.00	0.01	3	0.0	0.1	0.0	0.00	0.00	C00
Tongue	26	0.3	0.8	0.5	0.04	0.05	21	0.2	0.6	0.4	0.02	0.05	C01–02
Mouth	46	0.5	1.4	0.9	0.06	0.11	25	0.3	0.7	0.4	0.02	0.04	C03–06
Salivary glands	19	0.2	0.6	0.4	0.02	0.05	25	0.3	0.7	0.5	0.04	0.05	C07–08
Tonsil	6	0.1	0.2	0.1	0.01	0.02	2	0.0	0.1	0.0	0.00	0.00	C09
Other oropharynx	12	0.1	0.4	0.2	0.02	0.03	6	0.1	0.2	0.1	0.01	0.01	C10
Nasopharynx	23	0.2	0.7	0.5	0.04	0.05	12	0.1	0.3	0.3	0.02	0.03	C11
Hypopharynx	34	0.3	1.0	0.7	0.05	0.08	2	0.0	0.1	0.0	0.00	0.00	C12–13
Pharynx unspecified	7	0.1	0.2	0.1	0.01	0.01	5	0.1	0.1	0.1	0.00	0.01	C14
Oesophagus	540	5.5	16.2	10.0	0.51	1.36	268	3.0	7.8	4.2	0.15	0.48	C15
Stomach	1378	14.0	41.3	25.4	1.26	3.24	466	5.2	13.5	8.0	0.45	0.95	C16
Small intestine	39	0.4	1.2	0.7	0.04	0.08	29	0.3	0.8	0.6	0.05	0.06	C17
Colon	468	4.8	14.0	8.7	0.48	1.05	420	4.7	12.2	7.2	0.37	0.86	C18
Rectum	490	5.0	14.7	9.1	0.57	1.07	316	3.5	9.2	5.6	0.34	0.68	C19–20
Anus	10	0.1	0.3	0.2	0.00	0.03	9	0.1	0.3	0.2	0.01	0.02	C21
Liver	990	10.1	29.6	19.2	1.35	2.27	361	4.0	10.5	6.4	0.31	0.80	C22
Gallbladder etc.	133	1.4	4.0	2.4	0.13	0.29	110	1.2	3.2	1.8	0.08	0.22	C23–24
Pancreas	210	2.1	6.3	3.8	0.21	0.42	189	2.1	5.5	3.1	0.16	0.38	C25
Nose, sinuses etc.	17	0.2	0.5	0.4	0.03	0.04	13	0.1	0.4	0.3	0.02	0.04	C30–31
Larynx	135	1.4	4.0	2.6	0.17	0.34	5	0.1	0.1	0.1	0.00	0.02	C32
Trachea, bronchus, and lung	2373	24.2	71.0	42.9	2.23	5.36	1264	14.1	36.7	21.9	1.25	2.57	C33–34
Other thoracic organs	48	0.5	1.4	1.0	0.06	0.12	24	0.3	0.7	0.5	0.03	0.04	C37–38
Bone	51	0.5	1.5	1.1	0.06	0.10	44	0.5	1.3	1.0	0.06	0.10	C40–41
Melanoma of skin	16	0.2	0.5	0.3	0.00	0.03	11	0.1	0.3	0.2	0.01	0.02	C43
Other skin	68	0.7	2.0	1.3	0.06	0.15	80	0.9	2.3	1.4	0.07	0.16	C44
Mesothelioma	14	0.1	0.4	0.3	0.01	0.04	11	0.1	0.3	0.2	0.02	0.04	C45
Kaposi sarcoma	0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.0	0.1	0.00	0.00	C46
Connective and soft tissue	67	0.7	2.0	1.5	0.08	0.14	58	0.6	1.7	1.2	0.08	0.11	C47+C49
Breast	29	0.3	0.9	0.5	0.02	0.06	1813	20.2	52.6	36.0	2.84	3.98	C50
Vulva							20	0.2	0.6	0.3	0.02	0.04	C51
Vagina							8	0.1	0.2	0.2	0.01	0.03	C52
Cervix uteri							405	4.5	11.8	8.3	0.71	0.88	C53
Corpus uteri							405	4.5	11.8	8.2	0.68	0.96	C54
Uterus unspecified							41	0.5	1.2	0.8	0.06	0.09	C55
Ovary							285	3.2	8.3	5.9	0.43	0.70	C56
Other female genital organs							18	0.2	0.5	0.4	0.03	0.04	C57
Placenta							2	0.0	0.1	0.0	0.00	0.00	C58
Penis	13	0.1	0.4	0.2	0.01	0.03							C60
Prostate	302	3.1	9.0	5.0	0.11	0.62							C61
Testis	16	0.2	0.5	0.4	0.03	0.03							C62
Other male genital organs	9	0.1	0.3	0.2	0.01	0.02							C63
Kidney	331	3.4	9.9	6.7	0.48	0.76	154	1.7	4.5	3.2	0.22	0.37	C64
Renal pelvis	22	0.2	0.7	0.4	0.03	0.05	13	0.1	0.4	0.3	0.01	0.04	C65
Ureter	32	0.3	1.0	0.6	0.03	0.07	21	0.2	0.6	0.3	0.02	0.04	C66
Bladder	329	3.4	9.8	5.8	0.29	0.70	82	0.9	2.4	1.5	0.07	0.19	C67
Other urinary organs	0	0.0	0.0	0.0	0.00	0.00	4	0.0	0.1	0.1	0.00	0.00	C68
Eye	4	0.0	0.1	0.2	0.01	0.01	9	0.1	0.3	0.3	0.01	0.02	C69
Brain and nervous system	208	2.1	6.2	4.8	0.33	0.48	182	2.0	5.3	4.1	0.30	0.42	C70–72
Thyroid	347	3.5	10.4	7.6	0.64	0.73	943	10.5	27.4	20.4	1.68	1.94	C73
Adrenal gland	28	0.3	0.8	0.7	0.04	0.06	9	0.1	0.3	0.2	0.01	0.02	C74
Other endocrine	8	0.1	0.2	0.2	0.01	0.02	6	0.1	0.2	0.1	0.01	0.01	C75
Hodgkin lymphoma	22	0.2	0.7	0.6	0.04	0.05	14	0.2	0.4	0.4	0.03	0.03	C81
Non-Hodgkin lymphoma	247	2.5	7.4	5.1	0.28	0.56	194	2.2	5.6	3.8	0.24	0.42	C82–86,C96
Immunoproliferative diseases	7	0.1	0.2	0.1	0.01	0.02	7	0.1	0.2	0.1	0.01	0.02	C88
Multiple myeloma	107	1.1	3.2	2.1	0.14	0.27	75	0.8	2.2	1.5	0.10	0.19	C90
Lymphoid leukaemia	72	0.7	2.2	2.4	0.13	0.17	65	0.7	1.9	2.2	0.13	0.16	C91
Myeloid leukaemia	124	1.3	3.7	3.1	0.20	0.27	112	1.2	3.3	2.5	0.17	0.24	C92–94
Leukaemia unspecified	76	0.8	2.3	1.5	0.08	0.16	52	0.6	1.5	1.3	0.07	0.10	C95
Myeloproliferative disorders	2	0.0	0.1	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	MPD
Myelodysplastic syndromes	6	0.1	0.2	0.1	0.01	0.01	3	0.0	0.1	0.1	0.00	0.01	MPS
Other and unspecified	318	3.2	9.5	6.2	0.32	0.72	329	3.7	9.6	6.3	0.41	0.69	O&U
All sites	9882		295.8	188.7	10.74	22.43	9051		262.7	174.4	11.82	19.35	C00–96
All sites except C44	9814	100.0	293.8	187.4	10.68	22.28	8971	100.0	260.4	173.1	11.75	19.19	C00–96 exc. C44

*See note following population pyramid

China, Shunde District, Foshan City

CONTRIBUTORS

Junjie Yang
Qiangke Wan
Jieying Luo
Rong Chen
Kun Wu
Jue Zhan



20 major cancers, ASR (World) per 100 000

<i>Male</i>		<i>Female</i>	
Liver	68.0	Breast	37.9
Trachea, bronchus, and lung	66.9	Trachea, bronchus, and lung	28.3
Oesophagus	18.9	Colon	13.7
Nasopharynx	18.8	Thyroid	13.6
Colon	18.6	Corpus uteri	12.2
Rectum	13.2	Liver	10.4
Stomach	12.2	Cervix uteri	9.9
Other and unspecified	10.4	Rectum	7.9
Prostate	10.1	Other and unspecified	6.8
Bladder	6.5	Nasopharynx	6.7
Gallbladder etc.	5.7	Ovary	6.5
Non-Hodgkin lymphoma	5.6	Stomach	5.0
Larynx	5.0	Non-Hodgkin lymphoma	4.4
Thyroid	4.4	Brain and nervous system	3.0
Pancreas	4.2	Myeloid leukaemia	2.9
Brain and nervous system	3.6	Pancreas	2.7
Myeloid leukaemia	3.2	Gallbladder etc.	2.3
Kidney	2.7	Non-melanoma skin cancer	2.3
Non-melanoma skin cancer	2.7	Lymphoid leukaemia	1.9
Lymphoid leukaemia	2.7	Uterus unspecified	1.6
All sites	306.5	All sites	196.0


China, Shunde District, Foshan City (2014–2017)

SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	
Lip	6	0.1	0.2	0.2	0.01	0.02	6	0.1	0.2	0.1	0.01	0.01	C00
Tongue	93	0.9	3.6	2.6	0.22	0.28	44	0.6	1.6	1.0	0.07	0.10	C01–02
Mouth	61	0.6	2.3	1.8	0.10	0.24	28	0.4	1.0	0.6	0.03	0.09	C03–06
Salivary glands	19	0.2	0.7	0.6	0.03	0.06	14	0.2	0.5	0.4	0.03	0.04	C07–08
Tonsil	14	0.1	0.5	0.4	0.02	0.05	2	0.0	0.1	0.1	0.00	0.00	C09
Other oropharynx	21	0.2	0.8	0.6	0.04	0.08	3	0.0	0.1	0.1	0.01	0.01	C10
Nasopharynx	654	6.2	25.0	18.8	1.54	2.07	258	3.2	9.7	6.7	0.53	0.71	C11
Hypopharynx	75	0.7	2.9	2.2	0.15	0.27	2	0.0	0.1	0.1	0.01	0.01	C12–13
Pharynx unspecified	32	0.3	1.2	0.9	0.06	0.11	3	0.0	0.1	0.0	0.00	0.00	C14
Oesophagus	659	6.3	25.2	18.9	1.26	2.42	56	0.7	2.1	1.1	0.04	0.11	C15
Stomach	423	4.0	16.2	12.2	0.62	1.49	217	2.7	8.1	5.0	0.30	0.51	C16
Small intestine	67	0.6	2.6	1.9	0.11	0.21	41	0.5	1.5	0.9	0.05	0.10	C17
Colon	639	6.1	24.5	18.6	0.90	2.23	614	7.7	23.0	13.7	0.70	1.60	C18
Rectum	461	4.4	17.7	13.2	0.76	1.57	352	4.4	13.2	7.9	0.43	0.90	C19–20
Anus	14	0.1	0.5	0.4	0.02	0.05	12	0.2	0.4	0.3	0.01	0.03	C21
Liver	2380	22.7	91.1	68.0	4.76	8.03	478	6.0	17.9	10.4	0.49	1.15	C22
Gallbladder etc.	199	1.9	7.6	5.7	0.23	0.69	108	1.4	4.0	2.3	0.11	0.27	C23–24
Pancreas	149	1.4	5.7	4.2	0.25	0.52	123	1.5	4.6	2.7	0.13	0.33	C25
Nose, sinuses etc.	22	0.2	0.8	0.6	0.04	0.06	13	0.2	0.5	0.3	0.02	0.03	C30–31
Larynx	174	1.7	6.7	5.0	0.31	0.62	9	0.1	0.3	0.2	0.01	0.03	C32
Trachea, bronchus, and lung	2322	22.1	88.9	66.9	3.15	8.13	1297	16.3	48.6	28.3	1.41	3.25	C33–34
Other thoracic organs	41	0.4	1.6	1.2	0.09	0.16	29	0.4	1.1	0.8	0.05	0.07	C37–38
Bone	45	0.4	1.7	1.5	0.09	0.15	34	0.4	1.3	1.0	0.06	0.09	C40–41
Melanoma of skin	9	0.1	0.3	0.3	0.02	0.04	19	0.2	0.7	0.4	0.03	0.05	C43
Other skin	91	0.9	3.5	2.7	0.11	0.25	102	1.3	3.8	2.3	0.10	0.26	C44
Mesothelioma	3	0.0	0.1	0.1	0.00	0.01	5	0.1	0.2	0.1	0.01	0.01	C45
Kaposi sarcoma	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C46
Connective and soft tissue	50	0.5	1.9	1.6	0.10	0.15	29	0.4	1.1	0.8	0.06	0.07	C47+C49
Breast	15	0.1	0.6	0.5	0.02	0.07	1481	18.6	55.5	37.9	3.09	4.08	C50
Vulva							14	0.2	0.5	0.3	0.02	0.04	C51
Vagina							8	0.1	0.3	0.2	0.02	0.03	C52
Cervix uteri							383	4.8	14.4	9.9	0.82	1.08	C53
Corpus uteri							474	6.0	17.8	12.2	1.09	1.32	C54
Uterus unspecified							63	0.8	2.4	1.6	0.14	0.17	C55
Ovary							246	3.1	9.2	6.5	0.47	0.65	C56
Other female genital organs							15	0.2	0.6	0.4	0.03	0.03	C57
Placenta							1	0.0	0.0	0.0	0.00	0.00	C58
Penis	7	0.1	0.3	0.2	0.01	0.02							C60
Prostate	348	3.3	13.3	10.1	0.12	1.14							C61
Testis	24	0.2	0.9	0.9	0.06	0.07							C62
Other male genital organs	7	0.1	0.3	0.2	0.01	0.02							C63
Kidney	94	0.9	3.6	2.7	0.20	0.29	67	0.8	2.5	1.6	0.11	0.17	C64
Renal pelvis	10	0.1	0.4	0.3	0.02	0.03	9	0.1	0.3	0.2	0.01	0.02	C65
Ureter	17	0.2	0.7	0.5	0.02	0.05	14	0.2	0.5	0.3	0.01	0.03	C66
Bladder	231	2.2	8.8	6.5	0.23	0.71	67	0.8	2.5	1.4	0.04	0.15	C67
Other urinary organs	6	0.1	0.2	0.1	0.01	0.01	7	0.1	0.3	0.2	0.01	0.02	C68
Eye	4	0.0	0.2	0.2	0.01	0.01	4	0.1	0.1	0.1	0.01	0.01	C69
Brain and nervous system	114	1.1	4.4	3.6	0.23	0.34	104	1.3	3.9	3.0	0.17	0.26	C70–72
Thyroid	150	1.4	5.7	4.4	0.36	0.44	485	6.1	18.2	13.6	1.11	1.24	C73
Adrenal gland	9	0.1	0.3	0.3	0.02	0.03	10	0.1	0.4	0.2	0.01	0.02	C74
Other endocrine	11	0.1	0.4	0.4	0.02	0.04	1	0.0	0.0	0.0	0.00	0.01	C75
Hodgkin lymphoma	4	0.0	0.2	0.1	0.00	0.01	5	0.1	0.2	0.2	0.01	0.01	C81
Non-Hodgkin lymphoma	191	1.8	7.3	5.6	0.33	0.66	170	2.1	6.4	4.4	0.30	0.49	C82–86,C96
Immunoproliferative diseases	1	0.0	0.0	0.0	0.00	0.01	3	0.0	0.1	0.1	0.01	0.01	C88
Multiple myeloma	43	0.4	1.6	1.2	0.07	0.17	50	0.6	1.9	1.2	0.08	0.17	C90
Lymphoid leukaemia	70	0.7	2.7	2.7	0.15	0.23	48	0.6	1.8	1.9	0.11	0.13	C91
Myeloid leukaemia	97	0.9	3.7	3.2	0.16	0.32	95	1.2	3.6	2.9	0.18	0.27	C92–94
Leukaemia unspecified	43	0.4	1.6	1.2	0.07	0.13	30	0.4	1.1	1.0	0.04	0.07	C95
Myeloproliferative disorders	7	0.1	0.3	0.2	0.02	0.02	5	0.1	0.2	0.1	0.01	0.02	MPD
Myelodysplastic syndromes	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	MPS
Other and unspecified	359	3.4	13.7	10.4	0.52	1.22	292	3.7	10.9	6.8	0.40	0.72	O&U
All sites	10585		405.4	306.5	17.66	35.98	8049		301.8	196.0	12.98	21.05	C00–96
All sites except C44	10494	100.0	401.9	303.8	17.55	35.73	7947	100.0	298.0	193.7	12.88	20.78	C00–96 exc. C44

China, Song County

CONTRIBUTORS

Zhenwei Ma
Xinxin Yang
Xing Qiao
Mengyao Shi



NOTES ON THE DATA

*Low levels of specificity of leukaemias.

20 major cancers, ASR (World) per 100 000

<i>Male</i>		<i>Female</i>	
Oesophagus	67.4	Oesophagus	37.5
Stomach	60.2	Stomach	23.3
Trachea, bronchus, and lung	25.2	Breast	17.2
Liver	19.1	Cervix uteri	16.4
Rectum	6.2	Trachea, bronchus, and lung	13.1
Colon	4.6	Liver	9.6
Brain and nervous system	4.0	Rectum	6.2
Bladder	3.0	Ovary	4.6
Leukaemia unspecified	2.7	Corpus uteri	4.2
Prostate	2.4	Colon	4.0
Pancreas	2.3	Thyroid	4.0
Kidney	1.5	Brain and nervous system	3.4
Bone	1.4	Gallbladder etc.	2.3
Gallbladder etc.	1.4	Leukaemia unspecified	1.7
Other and unspecified	1.3	Bone	1.4
Non-Hodgkin lymphoma	1.0	Pancreas	1.3
Nasopharynx	1.0	Uterus unspecified	1.2
Thyroid	0.8	Non-Hodgkin lymphoma	1.2
Larynx	0.8	Other and unspecified	1.1
Non-melanoma skin cancer	0.6	Kidney	0.6
All sites	212.8	All sites	160.2

*China, Song County (2014–2017)


SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	
Lip	1	0.0	0.1	0.1	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C00
Tongue	3	0.1	0.2	0.2	0.02	0.02	3	0.1	0.3	0.1	0.01	0.01	C01–02
Mouth	8	0.2	0.6	0.5	0.02	0.06	7	0.3	0.6	0.4	0.04	0.06	C03–06
Salivary glands	8	0.2	0.6	0.5	0.03	0.04	2	0.1	0.2	0.2	0.02	0.02	C07–08
Tonsil	1	0.0	0.1	0.1	0.01	0.01	0	0.0	0.0	0.0	0.00	0.00	C09
Other oropharynx	1	0.0	0.1	0.1	0.00	0.02	0	0.0	0.0	0.0	0.00	0.00	C10
Nasopharynx	15	0.4	1.2	1.0	0.08	0.09	5	0.2	0.4	0.3	0.02	0.02	C11
Hypopharynx	4	0.1	0.3	0.2	0.02	0.02	1	0.0	0.1	0.1	0.01	0.01	C12–13
Pharynx unspecified	5	0.1	0.4	0.3	0.01	0.06	3	0.1	0.3	0.2	0.01	0.02	C14
Oesophagus	1100	32.0	87.6	67.4	3.76	8.54	606	24.4	52.5	37.5	1.90	4.72	C15
Stomach	979	28.4	78.0	60.2	3.36	7.77	381	15.4	33.0	23.3	1.08	2.78	C16
Small intestine	3	0.1	0.2	0.2	0.02	0.02	5	0.2	0.4	0.3	0.01	0.03	C17
Colon	74	2.1	5.9	4.6	0.29	0.55	63	2.5	5.5	4.0	0.25	0.49	C18
Rectum	101	2.9	8.0	6.2	0.38	0.74	97	3.9	8.4	6.2	0.39	0.78	C19–20
Anus	3	0.1	0.2	0.2	0.01	0.04	0	0.0	0.0	0.0	0.00	0.00	C21
Liver	315	9.2	25.1	19.1	1.26	2.17	161	6.5	13.9	9.6	0.48	1.06	C22
Gallbladder etc.	22	0.6	1.8	1.4	0.04	0.22	35	1.4	3.0	2.3	0.10	0.30	C23–24
Pancreas	36	1.0	2.9	2.3	0.13	0.30	22	0.9	1.9	1.3	0.07	0.16	C25
Nose, sinuses etc.	2	0.1	0.2	0.2	0.01	0.02	3	0.1	0.3	0.2	0.01	0.01	C30–31
Larynx	13	0.4	1.0	0.8	0.06	0.08	2	0.1	0.2	0.2	0.01	0.03	C32
Trachea, bronchus, and lung	415	12.1	33.1	25.2	1.48	3.02	209	8.4	18.1	13.1	0.73	1.51	C33–34
Other thoracic organs	9	0.3	0.7	0.6	0.04	0.07	7	0.3	0.6	0.4	0.03	0.05	C37–38
Bone	20	0.6	1.6	1.4	0.09	0.11	20	0.8	1.7	1.4	0.05	0.16	C40–41
Melanoma of skin	1	0.0	0.1	0.1	0.01	0.01	1	0.0	0.1	0.1	0.00	0.01	C43
Other skin	11	0.3	0.9	0.6	0.04	0.08	11	0.4	1.0	0.6	0.02	0.07	C44
Mesothelioma	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C45
Kaposi sarcoma	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C46
Connective and soft tissue	4	0.1	0.3	0.3	0.02	0.02	4	0.2	0.3	0.3	0.02	0.03	C47+C49
Breast	2	0.1	0.2	0.1	0.01	0.01	248	10.0	21.5	17.2	1.52	1.82	C50
Vulva							5	0.2	0.4	0.3	0.02	0.02	C51
Vagina							5	0.2	0.4	0.3	0.03	0.03	C52
Cervix uteri							240	9.7	20.8	16.4	1.25	1.93	C53
Corpus uteri							66	2.7	5.7	4.2	0.38	0.47	C54
Uterus unspecified							18	0.7	1.6	1.2	0.10	0.12	C55
Ovary							68	2.7	5.9	4.6	0.39	0.54	C56
Other female genital organs							1	0.0	0.1	0.1	0.01	0.01	C57
Placenta							0	0.0	0.0	0.0	0.00	0.00	C58
Penis	4	0.1	0.3	0.3	0.02	0.02							C60
Prostate	41	1.2	3.3	2.4	0.06	0.22							C61
Testis	4	0.1	0.3	0.3	0.01	0.01							C62
Other male genital organs	3	0.1	0.2	0.1	0.01	0.01							C63
Kidney	22	0.6	1.8	1.5	0.07	0.18	9	0.4	0.8	0.6	0.05	0.08	C64
Renal pelvis	3	0.1	0.2	0.2	0.01	0.02	0	0.0	0.0	0.0	0.00	0.00	C65
Ureter	1	0.0	0.1	0.1	0.01	0.01	2	0.1	0.2	0.2	0.01	0.03	C66
Bladder	49	1.4	3.9	3.0	0.15	0.38	10	0.4	0.9	0.5	0.02	0.04	C67
Other urinary organs	1	0.0	0.1	0.1	0.01	0.01	1	0.0	0.1	0.0	0.00	0.00	C68
Eye	3	0.1	0.2	0.3	0.02	0.02	3	0.1	0.3	0.2	0.01	0.03	C69
Brain and nervous system	61	1.8	4.9	4.0	0.30	0.40	48	1.9	4.2	3.4	0.25	0.34	C70–72
Thyroid	11	0.3	0.9	0.8	0.05	0.09	57	2.3	4.9	4.0	0.33	0.36	C73
Adrenal gland	2	0.1	0.2	0.1	0.01	0.01	3	0.1	0.3	0.2	0.00	0.05	C74
Other endocrine	0	0.0	0.0	0.0	0.00	0.00	5	0.2	0.4	0.3	0.02	0.03	C75
Hodgkin lymphoma	0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.1	0.1	0.00	0.02	C81
Non-Hodgkin lymphoma	17	0.5	1.4	1.0	0.10	0.13	17	0.7	1.5	1.2	0.08	0.14	C82–86,C96
Immunoproliferative diseases	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C88
Multiple myeloma	4	0.1	0.3	0.3	0.03	0.03	1	0.0	0.1	0.1	0.01	0.01	C90
Lymphoid leukaemia	6	0.2	0.5	0.4	0.02	0.04	0	0.0	0.0	0.0	0.00	0.00	C91
Myeloid leukaemia	6	0.2	0.5	0.4	0.03	0.03	0	0.0	0.0	0.0	0.00	0.00	C92–94
Leukaemia unspecified	39	1.1	3.1	2.7	0.18	0.22	21	0.8	1.8	1.7	0.09	0.17	C95
Myeloproliferative disorders	0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.1	0.1	0.01	0.01	MPD
Myelodysplastic syndromes	1	0.0	0.1	0.1	0.01	0.01	1	0.0	0.1	0.1	0.01	0.01	MPS
Other and unspecified	19	0.6	1.5	1.3	0.08	0.13	13	0.5	1.1	1.1	0.06	0.12	O&U
All sites	3453		275.0	212.8	12.38	26.05	2492		215.0	160.2	9.92	18.73	C00–96
All sites except C44	3442	100.0	274.1	212.2	12.34	25.98	2481	100.0	215.0	159.6	9.90	18.66	C00–96 exc.C44

*See note following population pyramid

China, Suzhou City

CONTRIBUTORS

Yan Lu
 Linchi Wang
 Congju Wang
 Jianfen Gu
 Xiaojiang Ren
 Xinfan Wu
 Rongyan Zhang
 Liangyue Zhou



20 major cancers, ASR (World) per 100 000

<i>Male</i>		<i>Female</i>	
Trachea, bronchus, and lung	48.7	Breast	33.1
Stomach	35.5	Trachea, bronchus, and lung	24.2
Liver	16.9	Thyroid	16.8
Colon	14.4	Stomach	14.6
Oesophagus	11.7	Colon	11.0
Prostate	11.2	Cervix uteri	8.9
Rectum	10.7	Rectum	6.9
Pancreas	8.2	Liver	6.8
Bladder	5.9	Pancreas	5.6
Thyroid	4.9	Ovary	4.9
Non-Hodgkin lymphoma	4.2	Corpus uteri	4.1
Kidney	4.1	Gallbladder etc.	4.0
Other and unspecified	3.9	Oesophagus	3.1
Brain and nervous system	3.5	Other and unspecified	3.1
Nasopharynx	3.2	Non-Hodgkin lymphoma	3.0
Gallbladder etc.	3.0	Brain and nervous system	2.8
Lymphoid leukaemia	2.7	Kidney	2.1
Myeloid leukaemia	2.3	Lymphoid leukaemia	1.9
Leukaemia unspecified	1.8	Myeloid leukaemia	1.8
Multiple myeloma	1.6	Nasopharynx	1.3
All sites	213.2	All sites	173.4


China, Suzhou City (2013–2017)

SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	
Lip	12	0.0	0.1	0.1	0.00	0.01	14	0.1	0.2	0.1	0.01	0.01	C00
Tongue	56	0.2	0.7	0.3	0.02	0.04	58	0.2	0.7	0.3	0.02	0.04	C01–02
Mouth	73	0.2	0.9	0.5	0.03	0.06	48	0.2	0.6	0.3	0.01	0.03	C03–06
Salivary glands	86	0.2	1.0	0.6	0.04	0.07	47	0.2	0.5	0.3	0.02	0.03	C07–08
Tonsil	16	0.0	0.2	0.1	0.01	0.01	8	0.0	0.1	0.1	0.00	0.01	C09
Other oropharynx	14	0.0	0.2	0.1	0.01	0.01	5	0.0	0.1	0.0	0.00	0.00	C10
Nasopharynx	468	1.4	5.6	3.2	0.25	0.37	190	0.7	2.2	1.3	0.10	0.14	C11
Hypopharynx	50	0.1	0.6	0.3	0.02	0.04	3	0.0	0.0	0.0	0.00	0.00	C12–13
Pharynx unspecified	30	0.1	0.4	0.2	0.01	0.02	8	0.0	0.1	0.0	0.00	0.00	C14
Oesophagus	2032	5.9	24.2	11.7	0.54	1.43	676	2.5	7.8	3.1	0.08	0.33	C15
Stomach	6054	17.5	72.2	35.5	1.66	4.34	2666	9.8	30.9	14.6	0.72	1.68	C16
Small intestine	186	0.5	2.2	1.2	0.07	0.12	131	0.5	1.5	0.7	0.04	0.09	C17
Colon	2374	6.9	28.3	14.4	0.75	1.72	1973	7.2	22.8	11.0	0.58	1.25	C18
Rectum	1731	5.0	20.6	10.7	0.60	1.30	1172	4.3	13.6	6.9	0.40	0.81	C19–20
Anus	44	0.1	0.5	0.3	0.02	0.03	41	0.2	0.5	0.2	0.01	0.02	C21
Liver	2718	7.8	32.4	16.9	0.97	1.84	1326	4.9	15.4	6.8	0.29	0.73	C22
Gallbladder etc.	518	1.5	6.2	3.0	0.13	0.34	794	2.9	9.2	4.0	0.17	0.45	C23–24
Pancreas	1421	4.1	16.9	8.2	0.38	0.97	1121	4.1	13.0	5.6	0.24	0.63	C25
Nose, sinuses etc.	38	0.1	0.5	0.2	0.02	0.03	21	0.1	0.2	0.1	0.01	0.01	C30–31
Larynx	258	0.7	3.1	1.6	0.09	0.20	22	0.1	0.3	0.1	0.01	0.01	C32
Trachea, bronchus, and lung	8343	24.1	99.5	48.7	2.24	6.03	4170	15.3	48.3	24.2	1.46	2.82	C33–34
Other thoracic organs	140	0.4	1.7	1.1	0.07	0.11	92	0.3	1.1	0.6	0.05	0.06	C37–38
Bone	206	0.6	2.5	1.5	0.09	0.14	148	0.5	1.7	0.9	0.05	0.10	C40–41
Melanoma of skin	73	0.2	0.9	0.5	0.02	0.05	90	0.3	1.0	0.5	0.03	0.05	C43
Other skin	229	0.7	2.7	1.4	0.07	0.15	234	0.9	2.7	1.2	0.05	0.12	C44
Mesothelioma	16	0.0	0.2	0.1	0.01	0.01	20	0.1	0.2	0.1	0.01	0.02	C45
Kaposi sarcoma	5	0.0	0.1	0.0	0.00	0.00	3	0.0	0.0	0.0	0.00	0.00	C46
Connective and soft tissue	61	0.2	0.7	0.4	0.03	0.04	52	0.2	0.6	0.4	0.02	0.04	C47+C49
Breast	62	0.2	0.7	0.4	0.02	0.04	4696	17.2	54.4	33.1	2.73	3.55	C50
Vulva							54	0.2	0.6	0.3	0.01	0.03	C51
Vagina							13	0.0	0.2	0.1	0.00	0.01	C52
Cervix uteri							1193	4.4	13.8	8.9	0.76	0.89	C53
Corpus uteri							610	2.2	7.1	4.1	0.32	0.47	C54
Uterus unspecified							105	0.4	1.2	0.7	0.06	0.08	C55
Ovary							692	2.5	8.0	4.9	0.37	0.54	C56
Other female genital organs							73	0.3	0.8	0.5	0.04	0.06	C57
Placenta							7	0.0	0.1	0.1	0.00	0.01	C58
Penis	58	0.2	0.7	0.3	0.02	0.04							C60
Prostate	2106	6.1	25.1	11.2	0.22	1.22							C61
Testis	38	0.1	0.5	0.4	0.03	0.03							C62
Other male genital organs	46	0.1	0.5	0.3	0.01	0.03							C63
Kidney	615	1.8	7.3	4.1	0.29	0.47	336	1.2	3.9	2.1	0.15	0.24	C64
Renal pelvis	65	0.2	0.8	0.4	0.02	0.04	41	0.2	0.5	0.2	0.01	0.02	C65
Ureter	66	0.2	0.8	0.4	0.01	0.04	57	0.2	0.7	0.3	0.01	0.03	C66
Bladder	1010	2.9	12.0	5.9	0.28	0.65	235	0.9	2.7	1.2	0.06	0.14	C67
Other urinary organs	61	0.2	0.7	0.4	0.01	0.04	12	0.0	0.1	0.1	0.00	0.01	C68
Eye	12	0.0	0.1	0.1	0.00	0.01	13	0.0	0.2	0.1	0.01	0.01	C69
Brain and nervous system	452	1.3	5.4	3.5	0.22	0.35	385	1.4	4.5	2.8	0.17	0.27	C70–72
Thyroid	559	1.6	6.7	4.9	0.38	0.44	2016	7.4	23.3	16.8	1.38	1.54	C73
Adrenal gland	39	0.1	0.5	0.3	0.02	0.02	37	0.1	0.4	0.3	0.01	0.02	C74
Other endocrine	23	0.1	0.3	0.2	0.01	0.02	20	0.1	0.2	0.2	0.01	0.01	C75
Hodgkin lymphoma	43	0.1	0.5	0.4	0.02	0.04	32	0.1	0.4	0.3	0.02	0.02	C81
Non-Hodgkin lymphoma	619	1.8	7.4	4.2	0.26	0.46	440	1.6	5.1	3.0	0.18	0.32	C82–86,C96
Immunoproliferative diseases	26	0.1	0.3	0.2	0.01	0.02	11	0.0	0.1	0.1	0.00	0.01	C88
Multiple myeloma	269	0.8	3.2	1.6	0.08	0.19	155	0.6	1.8	0.9	0.06	0.12	C90
Lymphoid leukaemia	226	0.7	2.7	2.7	0.14	0.19	168	0.6	1.9	1.9	0.10	0.14	C91
Myeloid leukaemia	264	0.8	3.1	2.3	0.14	0.20	183	0.7	2.1	1.8	0.11	0.15	C92–94
Leukaemia unspecified	232	0.7	2.8	1.8	0.10	0.17	167	0.6	1.9	1.2	0.08	0.12	C95
Myeloproliferative disorders	23	0.1	0.3	0.2	0.01	0.01	23	0.1	0.3	0.1	0.01	0.01	MPD
Myelodysplastic syndromes	85	0.2	1.0	0.5	0.02	0.06	91	0.3	1.1	0.5	0.03	0.06	MPS
Other and unspecified	625	1.8	7.5	3.9	0.18	0.43	531	1.9	6.1	3.1	0.18	0.32	O&U
All sites	34876		415.8	213.2	10.67	24.76	27529		318.8	173.4	11.29	18.73	C00–96
All sites except C44	34647	100.0	413.1	211.8	10.60	24.61	27295	100.0	316.1	172.2	11.23	18.60	C00–96 exc. C44

China, Tengzhou City

CONTRIBUTORS

Xuyuluan
Wupengli



NOTES ON THE DATA

*No official mortality data.

20 major cancers, ASR (World) per 100 000

<i>Male</i>		<i>Female</i>	
Trachea, bronchus, and lung	74.3	Trachea, bronchus, and lung	31.8
Oesophagus	39.6	Breast	31.6
Liver	24.5	Oesophagus	17.4
Stomach	24.4	Cervix uteri	10.4
Rectum	10.0	Stomach	9.4
Bladder	6.7	Thyroid	7.4
Colon	6.0	Liver	7.0
Prostate	5.3	Rectum	6.3
Brain and nervous system	4.3	Corpus uteri	5.5
Kidney	3.7	Ovary	4.8
Pancreas	3.2	Colon	4.1
Non-Hodgkin lymphoma	3.2	Brain and nervous system	3.0
Gallbladder etc.	3.1	Pancreas	2.4
Larynx	2.6	Myeloid leukaemia	2.1
Myeloid leukaemia	2.5	Gallbladder etc.	2.0
Lymphoid leukaemia	2.1	Non-Hodgkin lymphoma	2.0
Thyroid	1.9	Kidney	1.7
Bone	1.9	Bladder	1.4
Leukaemia unspecified	1.7	Lymphoid leukaemia	1.2
Non-melanoma skin cancer	1.6	Non-melanoma skin cancer	1.1
All sites	233.8	All sites	161.6

*China, Tengzhou City (2013–2017)


SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	
Lip	4	0.0	0.1	0.1	0.00	0.00	3	0.0	0.1	0.0	0.00	0.01	C00
Tongue	28	0.2	0.6	0.5	0.04	0.05	10	0.1	0.3	0.2	0.02	0.03	C01–02
Mouth	39	0.3	0.9	0.7	0.04	0.08	24	0.2	0.6	0.5	0.02	0.06	C03–06
Salivary glands	17	0.1	0.4	0.3	0.02	0.04	16	0.2	0.4	0.3	0.02	0.02	C07–08
Tonsil	3	0.0	0.1	0.1	0.00	0.01	0	0.0	0.0	0.0	0.00	0.00	C09
Other oropharynx	12	0.1	0.3	0.2	0.01	0.03	1	0.0	0.0	0.0	0.00	0.00	C10
Nasopharynx	52	0.4	1.2	0.9	0.07	0.10	31	0.3	0.8	0.6	0.05	0.07	C11
Hypopharynx	59	0.5	1.3	1.1	0.08	0.12	7	0.1	0.2	0.1	0.00	0.02	C12–13
Pharynx unspecified	8	0.1	0.2	0.2	0.01	0.02	4	0.0	0.1	0.1	0.00	0.01	C14
Oesophagus	2217	17.2	49.6	39.6	1.95	5.02	1153	12.0	28.9	17.4	0.63	2.16	C15
Stomach	1378	10.7	30.9	24.4	1.09	3.05	612	6.4	15.3	9.4	0.40	1.08	C16
Small intestine	44	0.3	1.0	0.8	0.04	0.12	31	0.3	0.8	0.5	0.02	0.06	C17
Colon	335	2.6	7.5	6.0	0.34	0.73	250	2.6	6.3	4.1	0.23	0.48	C18
Rectum	556	4.3	12.5	10.0	0.58	1.25	385	4.0	9.6	6.3	0.34	0.75	C19–20
Anus	5	0.0	0.1	0.1	0.01	0.01	4	0.0	0.1	0.1	0.00	0.01	C21
Liver	1374	10.7	30.8	24.5	1.67	2.97	438	4.6	11.0	7.0	0.36	0.84	C22
Gallbladder etc.	175	1.4	3.9	3.1	0.18	0.40	129	1.3	3.2	2.0	0.12	0.23	C23–24
Pancreas	179	1.4	4.0	3.2	0.17	0.40	151	1.6	3.8	2.4	0.12	0.33	C25
Nose, sinuses etc.	9	0.1	0.2	0.2	0.02	0.02	13	0.1	0.3	0.2	0.01	0.03	C30–31
Larynx	139	1.1	3.1	2.6	0.16	0.36	19	0.2	0.5	0.3	0.01	0.05	C32
Trachea, bronchus, and lung	4193	32.5	93.9	74.3	3.30	9.43	2068	21.5	51.8	31.8	1.40	3.78	C33–34
Other thoracic organs	32	0.2	0.7	0.6	0.04	0.07	20	0.2	0.5	0.3	0.02	0.04	C37–38
Bone	98	0.8	2.2	1.9	0.12	0.21	59	0.6	1.5	0.9	0.05	0.10	C40–41
Melanoma of skin	20	0.2	0.4	0.5	0.03	0.03	20	0.2	0.5	0.4	0.03	0.03	C43
Other skin	92	0.7	2.1	1.6	0.07	0.16	82	0.9	2.1	1.1	0.05	0.08	C44
Mesothelioma	6	0.0	0.1	0.1	0.01	0.01	4	0.0	0.1	0.1	0.01	0.01	C45
Kaposi sarcoma	2	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C46
Connective and soft tissue	9	0.1	0.2	0.2	0.01	0.02	10	0.1	0.3	0.2	0.01	0.02	C47+C49
Breast	12	0.1	0.3	0.2	0.02	0.02	1780	18.5	44.6	31.6	2.70	3.42	C50
Vulva							18	0.2	0.5	0.3	0.02	0.04	C51
Vagina							2	0.0	0.1	0.0	0.00	0.00	C52
Cervix uteri							590	6.1	14.8	10.4	0.85	1.09	C53
Corpus uteri							309	3.2	7.7	5.5	0.50	0.61	C54
Uterus unspecified							14	0.1	0.4	0.3	0.02	0.03	C55
Ovary							261	2.7	6.5	4.8	0.38	0.56	C56
Other female genital organs							16	0.2	0.4	0.3	0.02	0.03	C57
Placenta							1	0.0	0.0	0.0	0.00	0.00	C58
Penis	32	0.2	0.7	0.6	0.03	0.08							C60
Prostate	304	2.4	6.8	5.3	0.13	0.58							C61
Testis	14	0.1	0.3	0.3	0.02	0.03							C62
Other male genital organs	2	0.0	0.0	0.0	0.00	0.00							C63
Kidney	197	1.5	4.4	3.7	0.23	0.44	97	1.0	2.4	1.7	0.12	0.21	C64
Renal pelvis	23	0.2	0.5	0.4	0.02	0.06	5	0.1	0.1	0.1	0.00	0.01	C65
Ureter	25	0.2	0.6	0.4	0.02	0.06	13	0.1	0.3	0.2	0.02	0.03	C66
Bladder	378	2.9	8.5	6.7	0.28	0.74	86	0.9	2.2	1.4	0.06	0.17	C67
Other urinary organs	1	0.0	0.0	0.0	0.00	0.00	3	0.0	0.1	0.1	0.00	0.01	C68
Eye	4	0.0	0.1	0.1	0.01	0.01	3	0.0	0.1	0.1	0.01	0.01	C69
Brain and nervous system	214	1.7	4.8	4.3	0.29	0.43	166	1.7	4.2	3.0	0.22	0.31	C70–72
Thyroid	100	0.8	2.2	1.9	0.14	0.20	393	4.1	9.8	7.4	0.63	0.71	C73
Adrenal gland	3	0.0	0.1	0.1	0.01	0.01	7	0.1	0.2	0.1	0.00	0.01	C74
Other endocrine	10	0.1	0.2	0.2	0.01	0.02	10	0.1	0.3	0.2	0.01	0.01	C75
Hodgkin lymphoma	11	0.1	0.2	0.2	0.02	0.02	4	0.0	0.1	0.1	0.01	0.01	C81
Non-Hodgkin lymphoma	168	1.3	3.8	3.2	0.20	0.37	108	1.1	2.7	2.0	0.11	0.21	C82–86,C96
Immunoproliferative diseases	2	0.0	0.0	0.0	0.00	0.00	3	0.0	0.1	0.0	0.00	0.01	C88
Multiple myeloma	82	0.6	1.8	1.5	0.10	0.16	46	0.5	1.2	0.8	0.06	0.11	C90
Lymphoid leukaemia	81	0.6	1.8	2.1	0.11	0.17	43	0.4	1.1	1.2	0.08	0.10	C91
Myeloid leukaemia	126	1.0	2.8	2.5	0.16	0.26	108	1.1	2.7	2.1	0.14	0.21	C92–94
Leukaemia unspecified	77	0.6	1.7	1.7	0.08	0.14	45	0.5	1.1	0.8	0.04	0.09	C95
Myeloproliferative disorders	0	0.0	0.0	0.0	0.00	0.00	2	0.0	0.1	0.0	0.00	0.00	MPD
Myelodysplastic syndromes	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	MPS
Other and unspecified	32	0.2	0.7	0.6	0.03	0.05	30	0.3	0.8	0.5	0.01	0.06	O&U
All sites	12983		290.8	233.8	11.96	28.59	9707		243.1	161.6	9.97	18.35	C00–96
All sites except C44	12891	100.0	288.7	232.2	11.89	28.43	9625	100.0	241.0	160.5	9.92	18.27	C00–96 exc. C44

*See note following population pyramid

China, Wangdu County

CONTRIBUTORS

Gu Zhaohua
Li Man



NOTES ON THE DATA

*No official mortality data. Low levels of specificity of leukaemias. Rates based on low numbers due to small population.

20 major cancers, ASR (World) per 100 000

<i>Male</i>		<i>Female</i>	
Trachea, bronchus, and lung	51.4	Breast	31.4
Stomach	30.2	Trachea, bronchus, and lung	21.6
Liver	19.6	Stomach	10.8
Oesophagus	12.7	Corpus uteri	10.7
Rectum	7.5	Cervix uteri	8.0
Colon	6.6	Liver	6.8
Brain and nervous system	6.2	Brain and nervous system	5.2
Other and unspecified	5.2	Oesophagus	4.9
Bladder	3.3	Other and unspecified	4.1
Kidney	3.0	Rectum	3.9
Non-Hodgkin lymphoma	2.8	Ovary	2.8
Bone	2.7	Colon	2.7
Leukaemia unspecified	2.6	Thyroid	2.7
Gallbladder etc.	2.2	Non-Hodgkin lymphoma	2.0
Pancreas	2.1	Pancreas	1.6
Prostate	2.0	Kidney	1.5
Hodgkin lymphoma	1.7	Bladder	1.3
Other thoracic organs	1.6	Bone	1.3
Nasopharynx	1.3	Hodgkin lymphoma	1.3
Hypopharynx	1.1	Gallbladder etc.	1.2
All sites	177.1	All sites	135.4

*China, Wangdu County (2014–2017)


SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	
Lip	0	0.0	0.0	0.0	0.00	0.00	1	0.1	0.2	0.2	0.00	0.00	C00
Tongue	1	0.1	0.2	0.1	0.01	0.01	1	0.1	0.2	0.1	0.00	0.04	C01–02
Mouth	5	0.4	0.9	0.7	0.04	0.07	2	0.2	0.4	0.3	0.01	0.05	C03–06
Salivary glands	7	0.6	1.3	1.1	0.08	0.14	4	0.4	0.8	0.6	0.04	0.04	C07–08
Tonsil	2	0.2	0.4	0.2	0.03	0.03	5	0.5	1.0	0.6	0.04	0.08	C09
Other oropharynx	4	0.3	0.7	0.6	0.02	0.08	6	0.6	1.2	0.8	0.04	0.08	C10
Nasopharynx	9	0.8	1.7	1.3	0.09	0.15	3	0.3	0.6	0.4	0.03	0.06	C11
Hypopharynx	8	0.7	1.5	1.1	0.05	0.11	4	0.4	0.8	0.6	0.05	0.05	C12–13
Pharynx unspecified	5	0.4	0.9	0.7	0.02	0.09	2	0.2	0.4	0.3	0.04	0.04	C14
Oesophagus	84	7.1	15.7	12.7	0.35	1.46	34	3.7	6.9	4.9	0.21	0.72	C15
Stomach	207	17.4	38.6	30.2	1.50	4.07	75	8.1	15.3	10.8	0.59	1.34	C16
Small intestine	2	0.2	0.4	0.2	0.03	0.03	0	0.0	0.0	0.0	0.00	0.00	C17
Colon	45	3.8	8.4	6.6	0.35	0.61	19	2.0	3.9	2.7	0.18	0.29	C18
Rectum	54	4.5	10.1	7.5	0.50	0.92	28	3.0	5.7	3.9	0.18	0.33	C19–20
Anus	1	0.1	0.2	0.1	0.02	0.02	0	0.0	0.0	0.0	0.00	0.00	C21
Liver	133	11.2	24.8	19.6	1.28	2.37	47	5.1	9.6	6.8	0.39	0.77	C22
Gallbladder etc.	15	1.3	2.8	2.2	0.08	0.34	9	1.0	1.8	1.2	0.03	0.14	C23–24
Pancreas	15	1.3	2.8	2.1	0.10	0.26	10	1.1	2.0	1.6	0.09	0.23	C25
Nose, sinuses etc.	4	0.3	0.7	0.5	0.01	0.04	1	0.1	0.2	0.1	0.02	0.02	C30–31
Larynx	4	0.3	0.7	0.6	0.04	0.11	1	0.1	0.2	0.1	0.01	0.01	C32
Trachea, bronchus, and lung	351	29.5	65.4	51.4	2.51	6.75	151	16.3	30.7	21.6	1.16	2.83	C33–34
Other thoracic organs	10	0.8	1.9	1.6	0.07	0.07	7	0.8	1.4	1.0	0.07	0.10	C37–38
Bone	19	1.6	3.5	2.7	0.21	0.35	9	1.0	1.8	1.3	0.09	0.15	C40–41
Melanoma of skin	1	0.1	0.2	0.2	0.00	0.03	1	0.1	0.2	0.4	0.02	0.02	C43
Other skin	8	0.7	1.5	1.1	0.04	0.14	3	0.3	0.6	0.5	0.00	0.07	C44
Mesothelioma	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C45
Kaposi sarcoma	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C46
Connective and soft tissue	5	0.4	0.9	0.7	0.04	0.07	3	0.3	0.6	0.4	0.01	0.05	C47+C49
Breast	7	0.6	1.3	1.0	0.06	0.09	220	23.7	44.8	31.4	2.77	3.38	C50
Vulva							2	0.2	0.4	0.3	0.01	0.05	C51
Vagina							0	0.0	0.0	0.0	0.00	0.00	C52
Cervix uteri							55	5.9	11.2	8.0	0.69	0.92	C53
Corpus uteri							75	8.1	15.3	10.7	0.99	1.18	C54
Uterus unspecified							3	0.3	0.6	0.4	0.04	0.04	C55
Ovary							21	2.3	4.3	2.8	0.27	0.34	C56
Other female genital organs							0	0.0	0.0	0.0	0.00	0.00	C57
Placenta							1	0.1	0.2	0.2	0.00	0.03	C58
Penis	1	0.1	0.2	0.1	0.00	0.00							C60
Prostate	12	1.0	2.2	2.0	0.02	0.29							C61
Testis	0	0.0	0.0	0.0	0.00	0.00							C62
Other male genital organs	2	0.2	0.4	0.3	0.00	0.07							C63
Kidney	20	1.7	3.7	3.0	0.20	0.27	10	1.1	2.0	1.5	0.05	0.28	C64
Renal pelvis	2	0.2	0.4	0.3	0.01	0.01	1	0.1	0.2	0.1	0.00	0.04	C65
Ureter	1	0.1	0.2	0.1	0.01	0.01	3	0.3	0.6	0.4	0.03	0.03	C66
Bladder	22	1.9	4.1	3.3	0.17	0.29	9	1.0	1.8	1.3	0.09	0.15	C67
Other urinary organs	2	0.2	0.4	0.3	0.02	0.05	1	0.1	0.2	0.1	0.01	0.01	C68
Eye	1	0.1	0.2	0.1	0.02	0.02	3	0.3	0.6	0.7	0.02	0.02	C69
Brain and nervous system	39	3.3	7.3	6.2	0.31	0.74	30	3.2	6.1	5.2	0.36	0.48	C70–72
Thyroid	4	0.3	0.7	0.6	0.04	0.07	18	1.9	3.7	2.7	0.20	0.33	C73
Adrenal gland	3	0.3	0.6	0.4	0.04	0.04	1	0.1	0.2	0.1	0.01	0.01	C74
Other endocrine	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C75
Hodgkin lymphoma	10	0.8	1.9	1.7	0.10	0.19	9	1.0	1.8	1.3	0.09	0.12	C81
Non-Hodgkin lymphoma	17	1.4	3.2	2.8	0.13	0.33	14	1.5	2.9	2.0	0.18	0.22	C82–86,C96
Immunoproliferative diseases	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C88
Multiple myeloma	2	0.2	0.4	0.5	0.03	0.03	1	0.1	0.2	0.1	0.02	0.02	C90
Lymphoid leukaemia	1	0.1	0.2	0.2	0.00	0.03	1	0.1	0.2	0.1	0.01	0.01	C91
Myeloid leukaemia	3	0.3	0.6	0.4	0.03	0.06	0	0.0	0.0	0.0	0.00	0.00	C92–94
Leukaemia unspecified	16	1.3	3.0	2.6	0.16	0.26	5	0.5	1.0	0.6	0.04	0.04	C95
Myeloproliferative disorders	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	MPD
Myelodysplastic syndromes	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	MPS
Other and unspecified	33	2.8	6.2	5.2	0.28	0.65	23	2.5	4.7	4.1	0.20	0.45	O&U
All sites	1197		223.2	177.1	9.11	21.83	932		189.8	135.4	9.41	15.66	C00–96
All sites except C44	1189	100.0	221.7	176.0	9.07	21.69	929	100.0	189.1	134.9	9.41	15.59	C00–96 exc.C44

*See note following population pyramid

China, Wanzai County

CONTRIBUTORS

Lizhen Tang
Qiaohong Guo
Ping Lu



NOTES ON THE DATA

*Low levels of specificity of leukaemias.

20 major cancers, ASR (World) per 100 000

<i>Male</i>		<i>Female</i>	
Trachea, bronchus, and lung	59.3	Trachea, bronchus, and lung	22.3
Liver	52.3	Breast	20.4
Stomach	16.1	Liver	17.6
Rectum	13.5	Cervix uteri	16.3
Nasopharynx	7.7	Rectum	9.4
Colon	4.7	Stomach	8.7
Oesophagus	4.6	Corpus uteri	5.3
Brain and nervous system	4.6	Colon	5.1
Bladder	4.1	Nasopharynx	3.4
Pancreas	3.9	Brain and nervous system	3.2
Multiple myeloma	3.6	Pancreas	3.0
Other and unspecified	3.2	Uterus unspecified	3.0
Leukaemia unspecified	3.1	Ovary	2.7
Prostate	2.5	Multiple myeloma	2.5
Larynx	1.8	Bone	2.0
Bone	1.8	Gallbladder etc.	1.9
Non-Hodgkin lymphoma	1.2	Thyroid	1.9
Other oropharynx	1.0	Other and unspecified	1.7
Thyroid	1.0	Leukaemia unspecified	1.6
Kidney	1.0	Kidney	1.0
All sites	197.5	All sites	139.8

*China, Wanzai County (2014–2017)


SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	
Lip	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C00
Tongue	7	0.3	0.7	0.7	0.03	0.09	0	0.0	0.0	0.0	0.00	0.00	C01–02
Mouth	5	0.2	0.5	0.4	0.02	0.04	0	0.0	0.0	0.0	0.00	0.00	C03–06
Salivary glands	4	0.2	0.4	0.4	0.02	0.04	1	0.1	0.1	0.1	0.01	0.01	C07–08
Tonsil	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C09
Other oropharynx	12	0.5	1.2	1.0	0.04	0.10	0	0.0	0.0	0.0	0.00	0.00	C10
Nasopharynx	89	3.9	9.0	7.8	0.57	0.84	40	2.5	4.2	3.4	0.26	0.36	C11
Hypopharynx	0	0.0	0.0	0.0	0.00	0.00	1	0.1	0.1	0.1	0.00	0.00	C12–13
Pharynx unspecified	4	0.2	0.4	0.4	0.03	0.05	0	0.0	0.0	0.0	0.00	0.00	C14
Oesophagus	55	2.4	5.5	4.6	0.36	0.55	8	0.5	0.8	0.6	0.04	0.04	C15
Stomach	192	8.4	19.3	16.1	1.03	1.82	104	6.4	10.9	8.7	0.51	0.96	C16
Small intestine	2	0.1	0.2	0.2	0.00	0.04	3	0.2	0.3	0.4	0.00	0.06	C17
Colon	53	2.3	5.3	4.7	0.26	0.56	60	3.7	6.3	5.1	0.30	0.54	C18
Rectum	160	7.0	16.1	13.5	0.73	1.60	111	6.8	11.7	9.4	0.50	1.15	C19–20
Anus	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C21
Liver	611	26.8	61.5	52.3	3.51	5.57	211	12.9	22.2	17.6	0.99	1.91	C22
Gallbladder etc.	10	0.4	1.0	0.8	0.06	0.12	25	1.5	2.6	1.9	0.07	0.25	C23–24
Pancreas	44	1.9	4.4	3.9	0.22	0.40	39	2.4	4.1	3.0	0.12	0.31	C25
Nose, sinuses etc.	3	0.1	0.3	0.3	0.01	0.03	2	0.1	0.2	0.2	0.01	0.01	C30–31
Larynx	23	1.0	2.3	1.8	0.17	0.19	9	0.6	0.9	0.7	0.02	0.06	C32
Trachea, bronchus, and lung	697	30.6	70.2	59.3	3.51	6.65	271	16.6	28.5	22.3	1.07	2.44	C33–34
Other thoracic organs	5	0.2	0.5	0.5	0.04	0.04	3	0.2	0.3	0.2	0.01	0.03	C37–38
Bone	22	1.0	2.2	1.8	0.08	0.20	22	1.3	2.3	2.0	0.13	0.21	C40–41
Melanoma of skin	2	0.1	0.2	0.2	0.02	0.02	1	0.1	0.1	0.1	0.01	0.01	C43
Other skin	9	0.4	0.9	0.9	0.04	0.10	12	0.7	1.3	1.0	0.07	0.09	C44
Mesothelioma	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C45
Kaposi sarcoma	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C46
Connective and soft tissue	4	0.2	0.4	0.4	0.04	0.04	2	0.1	0.2	0.1	0.01	0.01	C47+C49
Breast	2	0.1	0.2	0.2	0.00	0.04	241	14.8	25.3	20.4	1.71	2.01	C50
Vulva							2	0.1	0.2	0.2	0.01	0.03	C51
Vagina							3	0.2	0.3	0.2	0.02	0.04	C52
Cervix uteri							191	11.7	20.1	16.3	1.31	1.65	C53
Corpus uteri							61	3.7	6.4	5.3	0.40	0.58	C54
Uterus unspecified							35	2.1	3.7	3.0	0.20	0.36	C55
Ovary							31	1.9	3.3	2.7	0.26	0.30	C56
Other female genital organs							5	0.3	0.5	0.4	0.04	0.06	C57
Placenta							0	0.0	0.0	0.0	0.00	0.00	C58
Penis	3	0.1	0.3	0.3	0.00	0.04							C60
Prostate	28	1.2	2.8	2.5	0.04	0.32							C61
Testis	2	0.1	0.2	0.2	0.01	0.01							C62
Other male genital organs	1	0.0	0.1	0.1	0.01	0.01							C63
Kidney	12	0.5	1.2	1.0	0.08	0.12	11	0.7	1.2	1.0	0.05	0.12	C64
Renal pelvis	1	0.0	0.1	0.1	0.01	0.01	3	0.2	0.3	0.3	0.02	0.04	C65
Ureter	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C66
Bladder	48	2.1	4.8	4.1	0.22	0.52	11	0.7	1.2	0.9	0.05	0.09	C67
Other urinary organs	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C68
Eye	0	0.0	0.0	0.0	0.00	0.00	1	0.1	0.1	0.1	0.00	0.00	C69
Brain and nervous system	51	2.2	5.1	4.6	0.33	0.43	38	2.3	4.0	3.2	0.22	0.33	C70–72
Thyroid	10	0.4	1.0	1.0	0.06	0.06	19	1.2	2.0	1.9	0.15	0.15	C73
Adrenal gland	1	0.0	0.1	0.1	0.00	0.02	0	0.0	0.0	0.0	0.00	0.00	C74
Other endocrine	2	0.1	0.2	0.2	0.01	0.01	0	0.0	0.0	0.0	0.00	0.00	C75
Hodgkin lymphoma	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C81
Non-Hodgkin lymphoma	14	0.6	1.4	1.2	0.09	0.13	8	0.5	0.8	0.8	0.05	0.09	C82–86,C96
Immunoproliferative diseases	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C88
Multiple myeloma	34	1.5	3.4	3.6	0.21	0.25	24	1.5	2.5	2.5	0.13	0.19	C90
Lymphoid leukaemia	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C91
Myeloid leukaemia	1	0.0	0.1	0.1	0.01	0.01	1	0.1	0.1	0.1	0.01	0.01	C92–94
Leukaemia unspecified	29	1.3	2.9	3.1	0.18	0.26	14	0.9	1.5	1.6	0.13	0.13	C95
Myeloproliferative disorders	0	0.0	0.0	0.0	0.00	0.00	1	0.1	0.1	0.1	0.01	0.01	MPD
Myelodysplastic syndromes	1	0.0	0.1	0.1	0.00	0.02	0	0.0	0.0	0.0	0.00	0.00	MPS
Other and unspecified	36	1.6	3.6	3.2	0.21	0.35	18	1.1	1.9	1.7	0.09	0.21	O&U
All sites	2289		230.5	197.5	12.24	21.69	1643		172.6	139.8	8.99	14.86	C00–96
All sites except C44	2280	100.0	229.6	196.6	12.20	21.59	1631	100.0	171.3	138.8	8.91	14.77	C00–96 exc. C44

*See note following population pyramid

China, Wu'an City

CONTRIBUTORS

Wei Yanqi
Yang Hui



NOTES ON THE DATA

*No official mortality data. Low levels of specificity of leukaemias.

20 major cancers, ASR (World) per 100 000

<i>Male</i>		<i>Female</i>	
Stomach	82.9	Stomach	33.1
Oesophagus	48.4	Oesophagus	21.0
Trachea, bronchus, and lung	37.2	Trachea, bronchus, and lung	14.2
Liver	17.3	Breast	14.2
Colon	5.6	Cervix uteri	12.2
Rectum	5.2	Liver	8.4
Other and unspecified	3.6	Corpus uteri	6.9
Brain and nervous system	3.1	Rectum	5.7
Bladder	2.7	Colon	4.1
Leukaemia unspecified	2.6	Ovary	3.6
Pancreas	2.2	Other and unspecified	2.9
Non-Hodgkin lymphoma	1.9	Thyroid	2.7
Prostate	1.8	Leukaemia unspecified	2.3
Kidney	1.5	Brain and nervous system	2.2
Larynx	1.4	Pancreas	1.9
Gallbladder etc.	1.3	Bone	1.4
Bone	1.2	Other female genital organs	1.2
Lymphoid leukaemia	1.1	Non-melanoma skin cancer	1.1
Non-melanoma skin cancer	1.0	Non-Hodgkin lymphoma	1.1
Thyroid	1.0	Gallbladder etc.	1.0
All sites	229.4	All sites	148.5

*China, Wu'an City (2013–2017)


SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	
Lip	1	0.0	0.0	0.1	0.00	0.01	0	0.0	0.0	0.0	0.00	0.00	C00
Tongue	7	0.1	0.3	0.3	0.02	0.03	7	0.2	0.3	0.4	0.00	0.05	C01–02
Mouth	3	0.1	0.1	0.1	0.00	0.02	12	0.3	0.6	0.4	0.03	0.06	C03–06
Salivary glands	5	0.1	0.2	0.2	0.01	0.03	1	0.0	0.0	0.1	0.00	0.01	C07–08
Tonsil	2	0.0	0.1	0.1	0.00	0.01	1	0.0	0.0	0.1	0.00	0.01	C09
Other oropharynx	8	0.2	0.4	0.3	0.02	0.03	1	0.0	0.0	0.1	0.00	0.01	C10
Nasopharynx	11	0.2	0.5	0.5	0.03	0.06	5	0.1	0.2	0.3	0.01	0.03	C11
Hypopharynx	5	0.1	0.2	0.2	0.01	0.04	2	0.1	0.1	0.1	0.00	0.01	C12–13
Pharynx unspecified	3	0.1	0.1	0.1	0.01	0.01	1	0.0	0.0	0.0	0.00	0.00	C14
Oesophagus	1086	20.9	49.2	48.4	2.16	6.90	503	14.1	25.1	21.0	0.89	2.77	C15
Stomach	1882	36.3	85.3	82.9	3.83	10.78	777	21.8	38.7	33.1	1.37	4.12	C16
Small intestine	12	0.2	0.5	0.5	0.03	0.06	7	0.2	0.3	0.3	0.02	0.03	C17
Colon	135	2.6	6.1	5.6	0.32	0.64	104	2.9	5.2	4.1	0.27	0.50	C18
Rectum	129	2.5	5.8	5.2	0.34	0.56	138	3.9	6.9	5.7	0.31	0.69	C19–20
Anus	1	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C21
Liver	407	7.8	18.4	17.3	0.91	2.13	195	5.5	9.7	8.4	0.37	1.10	C22
Gallbladder etc.	29	0.6	1.3	1.3	0.07	0.18	23	0.6	1.1	1.0	0.02	0.16	C23–24
Pancreas	49	0.9	2.2	2.2	0.10	0.29	47	1.3	2.3	1.9	0.11	0.26	C25
Nose, sinuses etc.	3	0.1	0.1	0.1	0.01	0.01	4	0.1	0.2	0.1	0.01	0.01	C30–31
Larynx	32	0.6	1.5	1.4	0.06	0.23	8	0.2	0.4	0.3	0.01	0.05	C32
Trachea, bronchus, and lung	839	16.2	38.0	37.2	1.60	4.88	349	9.8	17.4	14.2	0.72	1.81	C33–34
Other thoracic organs	18	0.3	0.8	0.9	0.03	0.12	5	0.1	0.2	0.2	0.02	0.02	C37–38
Bone	27	0.5	1.2	1.2	0.06	0.17	31	0.9	1.5	1.4	0.07	0.18	C40–41
Melanoma of skin	0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.0	0.1	0.00	0.00	C43
Other skin	24	0.5	1.1	1.0	0.05	0.15	25	0.7	1.2	1.1	0.05	0.12	C44
Mesothelioma	1	0.0	0.0	0.0	0.00	0.00	1	0.0	0.0	0.0	0.00	0.00	C45
Kaposi sarcoma	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C46
Connective and soft tissue	15	0.3	0.7	0.7	0.04	0.06	9	0.3	0.4	0.5	0.03	0.03	C47+C49
Breast	11	0.2	0.5	0.4	0.03	0.05	363	10.2	18.1	14.2	1.14	1.60	C50
Vulva							8	0.2	0.4	0.4	0.02	0.04	C51
Vagina							4	0.1	0.2	0.2	0.01	0.02	C52
Cervix uteri							310	8.7	15.4	12.2	1.01	1.37	C53
Corpus uteri							178	5.0	8.9	6.9	0.55	0.76	C54
Uterus unspecified							14	0.4	0.7	0.5	0.05	0.05	C55
Ovary							91	2.6	4.5	3.6	0.28	0.39	C56
Other female genital organs							27	0.8	1.3	1.2	0.09	0.11	C57
Placenta							3	0.1	0.1	0.1	0.01	0.01	C58
Penis	7	0.1	0.3	0.4	0.02	0.04							C60
Prostate	37	0.7	1.7	1.8	0.04	0.20							C61
Testis	2	0.0	0.1	0.1	0.01	0.01							C62
Other male genital organs	1	0.0	0.0	0.0	0.00	0.00							C63
Kidney	36	0.7	1.6	1.5	0.09	0.17	23	0.6	1.1	1.0	0.06	0.09	C64
Renal pelvis	1	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C65
Ureter	1	0.0	0.0	0.0	0.00	0.00	2	0.1	0.1	0.1	0.00	0.01	C66
Bladder	63	1.2	2.9	2.7	0.13	0.36	13	0.4	0.6	0.6	0.03	0.09	C67
Other urinary organs	0	0.0	0.0	0.0	0.00	0.00	2	0.1	0.1	0.1	0.00	0.01	C68
Eye	4	0.1	0.2	0.2	0.01	0.02	0	0.0	0.0	0.0	0.00	0.00	C69
Brain and nervous system	71	1.4	3.2	3.1	0.17	0.34	50	1.4	2.5	2.2	0.13	0.23	C70–72
Thyroid	23	0.4	1.0	1.0	0.06	0.09	67	1.9	3.3	2.7	0.24	0.26	C73
Adrenal gland	1	0.0	0.0	0.0	0.00	0.00	1	0.0	0.0	0.0	0.00	0.00	C74
Other endocrine	0	0.0	0.0	0.0	0.00	0.00	2	0.1	0.1	0.1	0.01	0.01	C75
Hodgkin lymphoma	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C81
Non-Hodgkin lymphoma	44	0.8	2.0	1.9	0.11	0.23	28	0.8	1.4	1.1	0.08	0.13	C82–86,C96
Immunoproliferative diseases	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C88
Multiple myeloma	3	0.1	0.1	0.1	0.00	0.02	2	0.1	0.1	0.1	0.00	0.01	C90
Lymphoid leukaemia	19	0.4	0.9	1.1	0.06	0.06	10	0.3	0.5	0.7	0.04	0.04	C91
Myeloid leukaemia	13	0.3	0.6	0.7	0.04	0.04	14	0.4	0.7	0.7	0.04	0.08	C92–94
Leukaemia unspecified	54	1.0	2.4	2.6	0.15	0.28	48	1.3	2.4	2.3	0.17	0.20	C95
Myeloproliferative disorders	3	0.1	0.1	0.1	0.01	0.01	1	0.0	0.0	0.0	0.00	0.00	MPD
Myelodysplastic syndromes	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	MPS
Other and unspecified	85	1.6	3.9	3.6	0.24	0.44	64	1.8	3.2	2.9	0.15	0.35	O&U
All sites	5213		236.3	229.4	10.90	29.78	3582		178.5	148.5	8.44	17.92	C00–96
All sites except C44	5189	100.0	235.2	228.3	10.85	29.62	3557	100.0	177.3	147.4	8.39	17.81	C00–96 exc. C44

*See note following population pyramid

China, Wuhan City

CONTRIBUTORS

Niannian Yang
 Yaqiong Yan
 Qiman Jin
 Yuanyuan Zhao
 Xiaoxia Zhang
 Juan Dai



20 major cancers, ASR (World) per 100 000

<i>Male</i>		<i>Female</i>	
Trachea, bronchus, and lung	52.7	Thyroid	41.2
Liver	22.1	Breast	35.9
Stomach	18.2	Trachea, bronchus, and lung	19.8
Thyroid	12.7	Cervix uteri	11.0
Colon	12.0	Colon	9.2
Rectum	11.1	Stomach	9.0
Prostate	8.6	Rectum	7.0
Oesophagus	7.8	Liver	6.8
Bladder	7.3	Ovary	6.5
Non-Hodgkin lymphoma	5.4	Corpus uteri	5.9
Brain and nervous system	5.1	Brain and nervous system	5.6
Pancreas	5.1	Non-Hodgkin lymphoma	4.0
Kidney	4.4	Pancreas	3.8
Nasopharynx	3.4	Gallbladder etc.	2.9
Larynx	3.2	Other and unspecified	2.8
Other and unspecified	3.0	Kidney	2.5
Myeloid leukaemia	2.7	Myeloid leukaemia	2.4
Lymphoid leukaemia	2.6	Lymphoid leukaemia	2.3
Gallbladder etc.	2.5	Oesophagus	1.9
Connective and soft tissue	1.7	Bladder	1.7
All sites	206.5	All sites	196.8


China, Wuhan City (2013–2017)

SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	
Lip	11	0.0	0.1	0.0	0.00	0.01	12	0.0	0.1	0.0	0.00	0.00	C00
Tongue	143	0.3	1.1	0.6	0.04	0.08	86	0.2	0.7	0.4	0.02	0.05	C01–02
Mouth	190	0.4	1.5	0.8	0.06	0.10	128	0.3	1.0	0.5	0.02	0.05	C03–06
Salivary glands	114	0.3	0.9	0.6	0.04	0.06	93	0.2	0.8	0.4	0.03	0.05	C07–08
Tonsil	42	0.1	0.3	0.2	0.02	0.02	16	0.0	0.1	0.1	0.01	0.01	C09
Other oropharynx	47	0.1	0.4	0.2	0.01	0.03	8	0.0	0.1	0.0	0.00	0.00	C10
Nasopharynx	670	1.5	5.3	3.4	0.26	0.38	297	0.7	2.4	1.5	0.12	0.16	C11
Hypopharynx	122	0.3	1.0	0.6	0.04	0.07	11	0.0	0.1	0.0	0.00	0.00	C12–13
Pharynx unspecified	32	0.1	0.3	0.1	0.01	0.02	7	0.0	0.1	0.0	0.00	0.00	C14
Oesophagus	1768	4.0	14.1	7.8	0.50	0.92	530	1.3	4.3	1.9	0.06	0.22	C15
Stomach	4078	9.2	32.4	18.2	0.99	2.21	2130	5.2	17.4	9.0	0.52	0.97	C16
Small intestine	240	0.5	1.9	1.1	0.06	0.14	145	0.4	1.2	0.6	0.04	0.07	C17
Colon	2691	6.1	21.4	12.0	0.61	1.43	2267	5.5	18.5	9.2	0.49	1.08	C18
Rectum	2491	5.6	19.8	11.1	0.62	1.35	1651	4.0	13.5	7.0	0.38	0.84	C19–20
Anus	69	0.2	0.5	0.3	0.02	0.04	42	0.1	0.3	0.2	0.01	0.02	C21
Liver	4752	10.7	37.8	22.1	1.43	2.49	1680	4.1	13.7	6.8	0.30	0.71	C22
Gallbladder etc.	573	1.3	4.6	2.5	0.11	0.26	753	1.8	6.1	2.9	0.12	0.35	C23–24
Pancreas	1154	2.6	9.2	5.1	0.25	0.60	979	2.4	8.0	3.8	0.16	0.42	C25
Nose, sinuses etc.	77	0.2	0.6	0.4	0.02	0.04	57	0.1	0.5	0.3	0.02	0.02	C30–31
Larynx	708	1.6	5.6	3.2	0.21	0.41	52	0.1	0.4	0.2	0.01	0.02	C32
Trachea, bronchus, and lung	12023	27.1	95.6	52.7	2.58	6.50	4950	12.0	40.4	19.8	1.01	2.30	C33–34
Other thoracic organs	202	0.5	1.6	0.9	0.06	0.10	154	0.4	1.3	0.7	0.04	0.09	C37–38
Bone	165	0.4	1.3	0.9	0.05	0.09	181	0.4	1.5	1.0	0.05	0.09	C40–41
Melanoma of skin	97	0.2	0.8	0.4	0.03	0.04	99	0.2	0.8	0.5	0.03	0.05	C43
Other skin	306	0.7	2.4	1.4	0.07	0.15	269	0.7	2.2	1.1	0.06	0.12	C44
Mesothelioma	30	0.1	0.2	0.1	0.01	0.02	17	0.0	0.1	0.1	0.00	0.01	C45
Kaposi sarcoma	5	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C46
Connective and soft tissue	300	0.7	2.4	1.7	0.10	0.16	250	0.6	2.0	1.5	0.10	0.13	C47+C49
Breast	48	0.1	0.4	0.2	0.01	0.02	7296	17.7	59.6	35.9	2.90	3.89	C50
Vulva							56	0.1	0.5	0.2	0.01	0.03	C51
Vagina							37	0.1	0.3	0.2	0.01	0.02	C52
Cervix uteri							2155	5.2	17.6	11.0	0.93	1.13	C53
Corpus uteri							1223	3.0	10.0	5.9	0.48	0.68	C54
Uterus unspecified							58	0.1	0.5	0.3	0.02	0.03	C55
Ovary							1288	3.1	10.5	6.5	0.50	0.69	C56
Other female genital organs							101	0.2	0.8	0.5	0.04	0.05	C57
Placenta							16	0.0	0.1	0.1	0.01	0.01	C58
Penis	53	0.1	0.4	0.2	0.01	0.02							C60
Prostate	2112	4.8	16.8	8.6	0.16	0.91							C61
Testis	55	0.1	0.4	0.4	0.03	0.03							C62
Other male genital organs	26	0.1	0.2	0.1	0.01	0.01							C63
Kidney	921	2.1	7.3	4.4	0.29	0.52	520	1.3	4.2	2.5	0.15	0.28	C64
Renal pelvis	124	0.3	1.0	0.5	0.02	0.07	78	0.2	0.6	0.3	0.01	0.03	C65
Ureter	107	0.2	0.9	0.5	0.02	0.06	106	0.3	0.9	0.4	0.01	0.05	C66
Bladder	1705	3.8	13.6	7.3	0.34	0.83	453	1.1	3.7	1.7	0.06	0.18	C67
Other urinary organs	21	0.0	0.2	0.1	0.00	0.01	11	0.0	0.1	0.0	0.00	0.01	C68
Eye	10	0.0	0.1	0.1	0.00	0.00	10	0.0	0.1	0.1	0.00	0.01	C69
Brain and nervous system	908	2.0	7.2	5.1	0.31	0.52	1130	2.7	9.2	5.6	0.36	0.58	C70–72
Thyroid	2245	5.1	17.8	12.7	1.05	1.15	7321	17.7	59.8	41.2	3.50	3.89	C73
Adrenal gland	46	0.1	0.4	0.2	0.01	0.03	38	0.1	0.3	0.2	0.01	0.02	C74
Other endocrine	135	0.3	1.1	0.8	0.05	0.08	169	0.4	1.4	0.9	0.07	0.09	C75
Hodgkin lymphoma	72	0.2	0.6	0.5	0.03	0.04	61	0.1	0.5	0.5	0.03	0.04	C81
Non-Hodgkin lymphoma	1080	2.4	8.6	5.4	0.32	0.60	872	2.1	7.1	4.0	0.26	0.43	C82–86,C96
Immunoproliferative diseases	8	0.0	0.1	0.0	0.00	0.00	2	0.0	0.0	0.0	0.00	0.00	C88
Multiple myeloma	341	0.8	2.7	1.5	0.07	0.18	271	0.7	2.2	1.1	0.06	0.13	C90
Lymphoid leukaemia	306	0.7	2.4	2.6	0.14	0.19	242	0.6	2.0	2.3	0.12	0.17	C91
Myeloid leukaemia	458	1.0	3.6	2.7	0.16	0.27	392	0.9	3.2	2.4	0.15	0.22	C92–94
Leukaemia unspecified	138	0.3	1.1	0.7	0.03	0.07	107	0.3	0.9	0.6	0.03	0.05	C95
Myeloproliferative disorders	1	0.0	0.0	0.0	0.00	0.00	2	0.0	0.0	0.0	0.00	0.00	MPD
Myelodysplastic syndromes	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	MPS
Other and unspecified	690	1.6	5.5	3.0	0.14	0.31	697	1.7	5.7	2.8	0.13	0.29	O&U
All sites	44710		355.4	206.6	11.43	23.65	41576		339.4	196.8	13.46	20.85	C00–96
All sites except C44	44404	100.0	353.0	205.1	11.35	23.51	41307	100.0	337.2	195.7	13.40	20.73	C00–96 exc. C44

China, Wuhu City

CONTRIBUTORS

Junjun Zhu
 Jiayao Chen
 Xiaojuan Cui
 Liwei Wang
 Huifen Bao



NOTES ON THE DATA

*No official mortality data.

20 major cancers, ASR (World) per 100 000

<i>Male</i>		<i>Female</i>	
Trachea, bronchus, and lung	43.3	Breast	22.7
Stomach	40.7	Trachea, bronchus, and lung	15.9
Oesophagus	14.7	Stomach	15.3
Liver	14.4	Cervix uteri	14.0
Colon	11.4	Thyroid	13.9
Rectum	9.7	Colon	8.0
Prostate	7.1	Ovary	6.0
Pancreas	5.4	Rectum	6.0
Thyroid	5.0	Liver	5.4
Bladder	4.5	Brain and nervous system	3.8
Non-Hodgkin lymphoma	4.0	Corpus uteri	3.7
Brain and nervous system	3.8	Gallbladder etc.	3.3
Other and unspecified	3.6	Oesophagus	3.3
Kidney	3.3	Pancreas	3.1
Gallbladder etc.	2.3	Non-Hodgkin lymphoma	2.9
Myeloid leukaemia	2.3	Other and unspecified	2.6
Larynx	2.1	Myeloid leukaemia	2.0
Nasopharynx	2.0	Kidney	1.8
Non-melanoma skin cancer	1.6	Bladder	1.2
Lymphoid leukaemia	1.4	Lymphoid leukaemia	1.1
All sites	194.9	All sites	147.0

***China, Wuhu City (2014–2017)**


SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	
Lip	4	0.0	0.1	0.1	0.00	0.01	2	0.0	0.1	0.0	0.00	0.01	C00
Tongue	21	0.2	0.7	0.4	0.03	0.05	22	0.3	0.8	0.4	0.03	0.06	C01–02
Mouth	42	0.4	1.4	0.8	0.05	0.08	16	0.2	0.6	0.3	0.02	0.03	C03–06
Salivary glands	24	0.2	0.8	0.4	0.03	0.04	25	0.3	0.9	0.5	0.03	0.05	C07–08
Tonsil	4	0.0	0.1	0.1	0.00	0.01	4	0.1	0.1	0.1	0.01	0.01	C09
Other oropharynx	3	0.0	0.1	0.1	0.00	0.01	2	0.0	0.1	0.0	0.00	0.00	C10
Nasopharynx	100	1.0	3.4	2.0	0.13	0.23	31	0.4	1.1	0.7	0.06	0.08	C11
Hypopharynx	33	0.3	1.1	0.6	0.05	0.09	0	0.0	0.0	0.0	0.00	0.00	C12–13
Pharynx unspecified	15	0.1	0.5	0.3	0.01	0.03	1	0.0	0.0	0.0	0.00	0.00	C14
Oesophagus	831	7.9	27.9	14.7	0.75	1.93	210	2.9	7.3	3.3	0.11	0.40	C15
Stomach	2253	21.4	75.6	40.7	2.15	5.32	823	11.3	28.5	15.3	0.91	1.88	C16
Small intestine	72	0.7	2.4	1.3	0.07	0.18	56	0.8	1.9	1.0	0.06	0.14	C17
Colon	613	5.8	20.6	11.4	0.65	1.41	433	6.0	15.0	8.0	0.49	1.03	C18
Rectum	518	4.9	17.4	9.7	0.58	1.17	318	4.4	11.0	6.0	0.35	0.74	C19–20
Anus	6	0.1	0.2	0.1	0.00	0.01	1	0.0	0.0	0.0	0.00	0.00	C21
Liver	760	7.2	25.5	14.4	0.86	1.79	317	4.4	11.0	5.4	0.26	0.67	C22
Gallbladder etc.	133	1.3	4.5	2.3	0.12	0.28	192	2.6	6.6	3.3	0.17	0.41	C23–24
Pancreas	296	2.8	9.9	5.4	0.30	0.65	187	2.6	6.5	3.1	0.15	0.36	C25
Nose, sinuses etc.	13	0.1	0.4	0.3	0.02	0.03	8	0.1	0.3	0.2	0.01	0.02	C30–31
Larynx	113	1.1	3.8	2.1	0.14	0.26	3	0.0	0.1	0.0	0.00	0.01	C32
Trachea, bronchus, and lung	2495	23.7	83.7	43.3	1.96	5.60	888	12.2	30.7	15.9	0.86	1.98	C33–34
Other thoracic organs	26	0.2	0.9	0.5	0.04	0.05	23	0.3	0.8	0.5	0.03	0.05	C37–38
Bone	50	0.5	1.7	1.1	0.08	0.10	32	0.4	1.1	0.5	0.03	0.06	C40–41
Melanoma of skin	27	0.3	0.9	0.5	0.03	0.06	20	0.3	0.7	0.4	0.03	0.05	C43
Other skin	90	0.9	3.0	1.6	0.08	0.20	66	0.9	2.3	1.1	0.05	0.12	C44
Mesothelioma	1	0.0	0.0	0.0	0.00	0.00	3	0.0	0.1	0.1	0.00	0.01	C45
Kaposi sarcoma	1	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C46
Connective and soft tissue	39	0.4	1.3	0.9	0.05	0.08	32	0.4	1.1	0.7	0.05	0.08	C47+C49
Breast	15	0.1	0.5	0.3	0.02	0.03	1059	14.6	36.6	22.7	1.91	2.41	C50
Vulva							3	0.0	0.1	0.1	0.00	0.01	C51
Vagina							4	0.1	0.1	0.1	0.00	0.01	C52
Cervix uteri							646	8.9	22.4	14.0	1.21	1.43	C53
Corpus uteri							180	2.5	6.2	3.7	0.31	0.41	C54
Uterus unspecified							24	0.3	0.8	0.5	0.04	0.05	C55
Ovary							267	3.7	9.2	6.0	0.48	0.64	C56
Other female genital organs							11	0.2	0.4	0.2	0.01	0.03	C57
Placenta							0	0.0	0.0	0.0	0.00	0.00	C58
Penis	21	0.2	0.7	0.4	0.03	0.05							C60
Prostate	457	4.3	15.3	7.1	0.17	0.79							C61
Testis	13	0.1	0.4	0.3	0.03	0.03							C62
Other male genital organs	6	0.1	0.2	0.1	0.00	0.00							C63
Kidney	170	1.6	5.7	3.3	0.21	0.41	93	1.3	3.2	1.8	0.10	0.22	C64
Renal pelvis	21	0.2	0.7	0.4	0.01	0.05	9	0.1	0.3	0.2	0.01	0.03	C65
Ureter	11	0.1	0.4	0.2	0.00	0.03	22	0.3	0.8	0.4	0.01	0.05	C66
Bladder	252	2.4	8.5	4.5	0.23	0.54	69	1.0	2.4	1.2	0.06	0.12	C67
Other urinary organs	2	0.0	0.1	0.0	0.00	0.00	2	0.0	0.1	0.0	0.00	0.01	C68
Eye	6	0.1	0.2	0.1	0.01	0.01	3	0.0	0.1	0.1	0.00	0.00	C69
Brain and nervous system	175	1.7	5.9	3.8	0.26	0.39	172	2.4	6.0	3.8	0.30	0.39	C70–72
Thyroid	195	1.9	6.5	5.0	0.40	0.45	541	7.5	18.7	13.9	1.14	1.24	C73
Adrenal gland	6	0.1	0.2	0.1	0.01	0.02	6	0.1	0.2	0.1	0.01	0.02	C74
Other endocrine	21	0.2	0.7	0.5	0.03	0.05	24	0.3	0.8	0.8	0.06	0.06	C75
Hodgkin lymphoma	8	0.1	0.3	0.3	0.01	0.01	5	0.1	0.2	0.2	0.01	0.02	C81
Non-Hodgkin lymphoma	200	1.9	6.7	4.0	0.25	0.45	141	1.9	4.9	2.9	0.20	0.34	C82–86,C96
Immunoproliferative diseases	2	0.0	0.1	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C88
Multiple myeloma	56	0.5	1.9	1.1	0.07	0.13	32	0.4	1.1	0.6	0.03	0.07	C90
Lymphoid leukaemia	41	0.4	1.4	1.4	0.07	0.10	28	0.4	1.0	1.1	0.06	0.09	C91
Myeloid leukaemia	96	0.9	3.2	2.3	0.13	0.23	83	1.1	2.9	2.0	0.12	0.20	C92–94
Leukaemia unspecified	44	0.4	1.5	1.0	0.06	0.10	39	0.5	1.3	1.0	0.06	0.09	C95
Myeloproliferative disorders	1	0.0	0.0	0.0	0.00	0.00	1	0.0	0.0	0.0	0.00	0.00	MPD
Myelodysplastic syndromes	4	0.0	0.1	0.1	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	MPS
Other and unspecified	194	1.8	6.5	3.6	0.20	0.42	145	2.0	5.0	2.6	0.15	0.33	O&U
All sites	10600		355.7	194.9	10.39	23.94	7324		253.4	147.0	10.01	16.49	C00–96
All sites except C44	10510	100.0	352.6	193.3	10.32	23.74	7258	100.0	251.1	145.9	9.96	16.37	C00–96 exc.C44

*See note following population pyramid

China, Wuxi City

CONTRIBUTORS

Lu Wang
Yun Qian
Zhijie Yang
Yunqiu Dong
Hai Chen
Yaqi Liu



20 major cancers, ASR (World) per 100 000

<i>Male</i>		<i>Female</i>	
Stomach	41.5	Breast	25.6
Trachea, bronchus, and lung	38.5	Trachea, bronchus, and lung	19.3
Liver	18.7	Stomach	15.8
Colon	16.0	Colon	12.5
Oesophagus	14.3	Cervix uteri	12.1
Rectum	11.1	Thyroid	7.0
Prostate	10.7	Rectum	6.9
Pancreas	7.1	Liver	6.7
Bladder	6.8	Corpus uteri	6.5
Kidney	4.9	Ovary	4.9
Brain and nervous system	3.8	Pancreas	4.6
Non-Hodgkin lymphoma	3.5	Oesophagus	4.1
Thyroid	3.0	Brain and nervous system	3.5
Nasopharynx	2.9	Gallbladder etc.	2.8
Gallbladder etc.	2.2	Kidney	2.7
Myeloid leukaemia	2.2	Non-Hodgkin lymphoma	2.7
Non-melanoma skin cancer	2.0	Other and unspecified	2.1
Lymphoid leukaemia	1.8	Myeloid leukaemia	2.0
Other and unspecified	1.8	Non-melanoma skin cancer	1.6
Larynx	1.6	Bladder	1.6
All sites	207.9	All sites	157.3


China, Wuxi City (2013–2017)

SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	
Lip	17	0.1	0.3	0.1	0.01	0.02	15	0.1	0.2	0.1	0.00	0.01	C00
Tongue	53	0.2	0.9	0.4	0.03	0.06	50	0.3	0.8	0.4	0.02	0.04	C01–02
Mouth	102	0.4	1.7	0.8	0.05	0.10	65	0.3	1.0	0.5	0.02	0.05	C03–06
Salivary glands	47	0.2	0.8	0.5	0.03	0.05	42	0.2	0.7	0.4	0.03	0.05	C07–08
Tonsil	15	0.1	0.2	0.1	0.01	0.02	17	0.1	0.3	0.1	0.01	0.02	C09
Other oropharynx	27	0.1	0.4	0.3	0.02	0.02	5	0.0	0.1	0.0	0.00	0.01	C10
Nasopharynx	296	1.2	4.8	2.9	0.23	0.33	112	0.6	1.8	1.1	0.08	0.12	C11
Hypopharynx	41	0.2	0.7	0.3	0.03	0.04	2	0.0	0.0	0.0	0.00	0.00	C12–13
Pharynx unspecified	11	0.0	0.2	0.1	0.00	0.01	0	0.0	0.0	0.0	0.00	0.00	C14
Oesophagus	1838	7.2	30.1	14.3	0.76	1.87	607	3.2	9.7	4.1	0.14	0.50	C15
Stomach	5300	20.8	86.7	41.5	2.09	5.22	2119	11.3	33.7	15.8	0.81	1.84	C16
Small intestine	149	0.6	2.4	1.2	0.07	0.14	122	0.7	1.9	1.0	0.05	0.12	C17
Colon	2012	7.9	32.9	16.0	0.81	1.95	1672	8.9	26.6	12.5	0.67	1.48	C18
Rectum	1358	5.3	22.2	11.1	0.66	1.36	905	4.8	14.4	6.9	0.40	0.84	C19–20
Anus	39	0.2	0.6	0.3	0.01	0.05	38	0.2	0.6	0.3	0.01	0.03	C21
Liver	2189	8.6	35.8	18.7	1.22	2.17	931	5.0	14.8	6.7	0.32	0.74	C22
Gallbladder etc.	296	1.2	4.8	2.2	0.09	0.25	432	2.3	6.9	2.8	0.11	0.29	C23–24
Pancreas	922	3.6	15.1	7.1	0.35	0.81	677	3.6	10.8	4.6	0.17	0.51	C25
Nose, sinuses etc.	43	0.2	0.7	0.4	0.02	0.04	23	0.1	0.4	0.2	0.01	0.02	C30–31
Larynx	189	0.7	3.1	1.6	0.09	0.21	13	0.1	0.2	0.1	0.00	0.01	C32
Trachea, bronchus, and lung	4973	19.5	81.4	38.5	1.89	4.80	2484	13.3	39.6	19.3	1.18	2.28	C33–34
Other thoracic organs	108	0.4	1.8	1.0	0.06	0.11	64	0.3	1.0	0.6	0.04	0.06	C37–38
Bone	88	0.3	1.4	0.8	0.04	0.08	76	0.4	1.2	0.6	0.04	0.06	C40–41
Melanoma of skin	40	0.2	0.7	0.3	0.02	0.02	28	0.1	0.4	0.2	0.02	0.02	C43
Other skin	250	1.0	4.1	2.0	0.08	0.22	225	1.2	3.6	1.6	0.08	0.19	C44
Mesothelioma	8	0.0	0.1	0.1	0.00	0.00	12	0.1	0.2	0.1	0.01	0.01	C45
Kaposi sarcoma	2	0.0	0.0	0.0	0.00	0.00	1	0.0	0.0	0.0	0.00	0.00	C46
Connective and soft tissue	68	0.3	1.1	0.7	0.05	0.07	64	0.3	1.0	0.9	0.04	0.07	C47+C49
Breast	29	0.1	0.5	0.3	0.02	0.02	2760	14.8	44.0	25.6	2.06	2.77	C50
Vulva							28	0.1	0.4	0.2	0.01	0.02	C51
Vagina							40	0.2	0.6	0.3	0.02	0.04	C52
Cervix uteri							1207	6.5	19.2	12.1	1.07	1.23	C53
Corpus uteri							708	3.8	11.3	6.5	0.53	0.77	C54
Uterus unspecified							26	0.1	0.4	0.2	0.01	0.02	C55
Ovary							514	2.7	8.2	4.9	0.38	0.54	C56
Other female genital organs							56	0.3	0.9	0.5	0.04	0.05	C57
Placenta							1	0.0	0.0	0.0	0.00	0.00	C58
Penis	65	0.3	1.1	0.5	0.03	0.06							C60
Prostate	1540	6.1	25.2	10.7	0.20	1.20							C61
Testis	29	0.1	0.5	0.4	0.03	0.03							C62
Other male genital organs	15	0.1	0.2	0.1	0.00	0.02							C63
Kidney	558	2.2	9.1	4.9	0.33	0.57	316	1.7	5.0	2.7	0.18	0.32	C64
Renal pelvis	78	0.3	1.3	0.6	0.03	0.06	36	0.2	0.6	0.3	0.01	0.03	C65
Ureter	51	0.2	0.8	0.4	0.01	0.05	38	0.2	0.6	0.3	0.01	0.03	C66
Bladder	882	3.5	14.4	6.8	0.32	0.79	226	1.2	3.6	1.6	0.08	0.17	C67
Other urinary organs	12	0.0	0.2	0.1	0.00	0.01	3	0.0	0.0	0.0	0.00	0.00	C68
Eye	13	0.1	0.2	0.1	0.01	0.01	10	0.1	0.2	0.2	0.01	0.01	C69
Brain and nervous system	361	1.4	5.9	3.8	0.24	0.38	374	2.0	6.0	3.5	0.22	0.37	C70–72
Thyroid	248	1.0	4.1	3.0	0.24	0.27	641	3.4	10.2	7.0	0.58	0.66	C73
Adrenal gland	21	0.1	0.3	0.2	0.01	0.02	13	0.1	0.2	0.1	0.01	0.01	C74
Other endocrine	27	0.1	0.4	0.3	0.02	0.03	17	0.1	0.3	0.2	0.01	0.02	C75
Hodgkin lymphoma	24	0.1	0.4	0.3	0.02	0.03	22	0.1	0.4	0.2	0.01	0.02	C81
Non-Hodgkin lymphoma	402	1.6	6.6	3.5	0.21	0.41	332	1.8	5.3	2.7	0.15	0.32	C82–86,C96
Immunoproliferative diseases	8	0.0	0.1	0.1	0.00	0.01	4	0.0	0.1	0.0	0.00	0.01	C88
Multiple myeloma	159	0.6	2.6	1.2	0.06	0.15	97	0.5	1.5	0.7	0.04	0.09	C90
Lymphoid leukaemia	116	0.5	1.9	1.8	0.09	0.14	83	0.4	1.3	1.1	0.06	0.09	C91
Myeloid leukaemia	197	0.8	3.2	2.2	0.13	0.21	179	1.0	2.9	2.0	0.13	0.19	C92–94
Leukaemia unspecified	109	0.4	1.8	1.0	0.05	0.10	86	0.5	1.4	0.7	0.04	0.07	C95
Myeloproliferative disorders	12	0.0	0.2	0.1	0.01	0.01	11	0.1	0.2	0.1	0.01	0.01	MPD
Myelodysplastic syndromes	41	0.2	0.7	0.3	0.01	0.03	42	0.2	0.7	0.3	0.01	0.04	MPS
Other and unspecified	220	0.9	3.6	1.8	0.08	0.18	253	1.4	4.0	2.1	0.10	0.20	O&U
All sites	25698		420.4	207.9	10.87	24.83	18924		301.4	157.3	10.07	17.50	C00–96
All sites except C44	25448	100.0	416.4	205.9	10.79	24.61	18699	100.0	297.8	155.7	10.00	17.31	C00–96 exc. C44

China, Wuzhou City

CONTRIBUTORS

Yuming Zheng
Minzhong Tang
Weiwen Tang
Shaohua Su
Yanghong Su
Jinju Huang
Qiwei Chen



20 major cancers, ASR (World) per 100 000

Male		Female	
Trachea, bronchus, and lung	50.3	Breast	33.7
Liver	48.2	Trachea, bronchus, and lung	22.4
Nasopharynx	23.0	Colon	12.6
Colon	16.4	Liver	11.1
Rectum	12.9	Cervix uteri	10.4
Stomach	11.3	Nasopharynx	8.7
Oesophagus	10.9	Corpus uteri	8.5
Prostate	8.0	Rectum	7.0
Bladder	7.4	Ovary	6.4
Brain and nervous system	4.1	Thyroid	4.7
Larynx	3.6	Stomach	4.4
Non-Hodgkin lymphoma	3.2	Non-Hodgkin lymphoma	2.7
Myeloid leukaemia	2.8	Brain and nervous system	2.5
Non-melanoma skin cancer	2.5	Myeloid leukaemia	2.5
Kidney	2.2	Gallbladder etc.	2.3
Pancreas	2.1	Bladder	2.0
Gallbladder etc.	1.9	Pancreas	1.9
Lymphoid leukaemia	1.9	Oesophagus	1.9
Other and unspecified	1.7	Multiple myeloma	1.7
Multiple myeloma	1.7	Other and unspecified	1.6
All sites	230.9	All sites	162.3


China, Wuzhou City (2014–2017)

SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	
Lip	3	0.1	0.2	0.2	0.01	0.01	3	0.1	0.2	0.2	0.02	0.02	C00
Tongue	17	0.4	1.0	0.9	0.07	0.11	18	0.6	1.2	0.9	0.08	0.09	C01–02
Mouth	14	0.3	0.9	0.7	0.04	0.07	8	0.3	0.5	0.4	0.02	0.06	C03–06
Salivary glands	16	0.4	1.0	0.9	0.08	0.11	6	0.2	0.4	0.4	0.02	0.04	C07–08
Tonsil	7	0.2	0.4	0.4	0.03	0.05	3	0.1	0.2	0.1	0.01	0.01	C09
Other oropharynx	9	0.2	0.6	0.5	0.04	0.07	1	0.0	0.1	0.1	0.01	0.01	C10
Nasopharynx	444	10.1	27.4	23.0	1.90	2.51	162	5.2	10.6	8.7	0.70	0.94	C11
Hypopharynx	21	0.5	1.3	1.1	0.09	0.10	3	0.1	0.2	0.2	0.01	0.02	C12–13
Pharynx unspecified	0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.1	0.0	0.00	0.01	C14
Oesophagus	204	4.6	12.6	10.9	0.69	1.36	47	1.5	3.1	1.9	0.03	0.16	C15
Stomach	216	4.9	13.3	11.3	0.63	1.44	90	2.9	5.9	4.4	0.26	0.53	C16
Small intestine	7	0.2	0.4	0.3	0.01	0.03	9	0.3	0.6	0.5	0.04	0.06	C17
Colon	314	7.1	19.4	16.4	0.79	1.99	259	8.4	16.9	12.6	0.72	1.43	C18
Rectum	250	5.7	15.4	12.9	0.68	1.58	148	4.8	9.7	7.0	0.42	0.78	C19–20
Anus	1	0.0	0.1	0.1	0.00	0.01	4	0.1	0.3	0.2	0.01	0.02	C21
Liver	938	21.3	57.9	48.2	3.43	5.47	220	7.1	14.4	11.1	0.60	1.25	C22
Gallbladder etc.	42	1.0	2.6	1.9	0.09	0.20	43	1.4	2.8	2.3	0.15	0.31	C23–24
Pancreas	40	0.9	2.5	2.1	0.12	0.29	43	1.4	2.8	1.9	0.08	0.19	C25
Nose, sinuses etc.	6	0.1	0.4	0.3	0.02	0.02	5	0.2	0.3	0.2	0.01	0.02	C30–31
Larynx	68	1.5	4.2	3.6	0.23	0.48	5	0.2	0.3	0.3	0.02	0.03	C32
Trachea, bronchus, and lung	983	22.3	60.7	50.3	2.58	6.24	468	15.1	30.5	22.4	1.24	2.54	C33–34
Other thoracic organs	9	0.2	0.6	0.5	0.03	0.07	4	0.1	0.3	0.2	0.00	0.04	C37–38
Bone	19	0.4	1.2	1.1	0.06	0.10	14	0.5	0.9	0.6	0.02	0.04	C40–41
Melanoma of skin	11	0.2	0.7	0.5	0.03	0.04	2	0.1	0.1	0.1	0.00	0.01	C43
Other skin	48	1.1	3.0	2.5	0.12	0.28	39	1.3	2.5	1.5	0.06	0.11	C44
Mesothelioma	3	0.1	0.2	0.1	0.00	0.03	0	0.0	0.0	0.0	0.00	0.00	C45
Kaposi sarcoma	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C46
Connective and soft tissue	20	0.5	1.2	1.0	0.07	0.13	12	0.4	0.8	0.6	0.05	0.06	C47+C49
Breast	8	0.2	0.5	0.4	0.03	0.05	622	20.1	40.6	33.7	2.82	3.71	C50
Vulva							3	0.1	0.2	0.2	0.02	0.02	C51
Vagina							1	0.0	0.1	0.0	0.01	0.01	C52
Cervix uteri							193	6.2	12.6	10.4	0.87	1.10	C53
Corpus uteri							146	4.7	9.5	8.5	0.76	0.95	C54
Uterus unspecified							6	0.2	0.4	0.3	0.03	0.04	C55
Ovary							114	3.7	7.4	6.4	0.53	0.68	C56
Other female genital organs							4	0.1	0.3	0.2	0.02	0.03	C57
Placenta							0	0.0	0.0	0.0	0.00	0.00	C58
Penis	6	0.1	0.4	0.3	0.02	0.03							C60
Prostate	161	3.7	9.9	8.0	0.12	0.75							C61
Testis	11	0.2	0.7	0.7	0.04	0.05							C62
Other male genital organs	0	0.0	0.0	0.0	0.00	0.00							C63
Kidney	42	1.0	2.6	2.2	0.12	0.27	25	0.8	1.6	1.5	0.11	0.18	C64
Renal pelvis	6	0.1	0.4	0.3	0.01	0.04	11	0.4	0.7	0.5	0.04	0.05	C65
Ureter	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C66
Bladder	149	3.4	9.2	7.4	0.25	0.87	40	1.3	2.6	2.0	0.10	0.24	C67
Other urinary organs	0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.1	0.0	0.00	0.00	C68
Eye	2	0.0	0.1	0.1	0.01	0.01	1	0.0	0.1	0.0	0.00	0.00	C69
Brain and nervous system	71	1.6	4.4	4.1	0.26	0.42	45	1.5	2.9	2.5	0.19	0.26	C70–72
Thyroid	22	0.5	1.4	1.2	0.08	0.12	85	2.7	5.5	4.7	0.36	0.44	C73
Adrenal gland	4	0.1	0.2	0.3	0.01	0.03	4	0.1	0.3	0.4	0.02	0.02	C74
Other endocrine	2	0.0	0.1	0.1	0.01	0.01	4	0.1	0.3	0.3	0.02	0.03	C75
Hodgkin lymphoma	5	0.1	0.3	0.3	0.01	0.04	1	0.0	0.1	0.1	0.00	0.00	C81
Non-Hodgkin lymphoma	57	1.3	3.5	3.2	0.20	0.34	50	1.6	3.3	2.7	0.21	0.32	C82–86,C96
Immunoproliferative diseases	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C88
Multiple myeloma	35	0.8	2.2	1.7	0.07	0.19	36	1.2	2.3	1.7	0.11	0.17	C90
Lymphoid leukaemia	29	0.7	1.8	1.9	0.10	0.14	20	0.6	1.3	1.4	0.10	0.13	C91
Myeloid leukaemia	52	1.2	3.2	2.8	0.17	0.33	46	1.5	3.0	2.5	0.17	0.25	C92–94
Leukaemia unspecified	20	0.5	1.2	1.1	0.07	0.09	20	0.6	1.3	1.2	0.05	0.10	C95
Myeloproliferative disorders	6	0.1	0.4	0.3	0.02	0.03	2	0.1	0.1	0.1	0.00	0.01	MPD
Myelodysplastic syndromes	18	0.4	1.1	0.8	0.01	0.09	11	0.4	0.7	0.5	0.02	0.07	MPS
Other and unspecified	34	0.8	2.1	1.7	0.08	0.18	31	1.0	2.0	1.6	0.09	0.14	O&U
All sites	4450		274.6	230.9	13.55	26.86	3139		204.9	162.3	11.24	17.71	C00–96
All sites except C44	4402	100.0	271.6	228.4	13.43	26.58	3100	100.0	202.3	160.8	11.17	17.61	C00–96 exc. C44

China, Xiangfu District, Kaifeng City

CONTRIBUTORS

Shi Ma
Yanling Tian
Shenbang Li
Minfang Zhu



20 major cancers, ASR (World) per 100 000

<i>Male</i>		<i>Female</i>	
Trachea, bronchus, and lung	53.9	Breast	33.6
Liver	32.0	Trachea, bronchus, and lung	24.2
Stomach	19.0	Thyroid	14.8
Oesophagus	16.9	Liver	10.8
Small intestine	10.5	Cervix uteri	9.8
Colon	8.8	Ovary	8.8
Rectum	8.2	Stomach	7.6
Bone	5.9	Oesophagus	6.7
Bladder	4.8	Corpus uteri	6.6
Gallbladder etc.	4.7	Rectum	6.0
Pancreas	4.4	Colon	5.4
Thyroid	4.2	Small intestine	5.1
Non-Hodgkin lymphoma	3.9	Gallbladder etc.	3.7
Kidney	3.7	Uterus unspecified	3.6
Brain and nervous system	3.5	Lymphoid leukaemia	3.5
Larynx	3.1	Pancreas	3.5
Non-melanoma skin cancer	3.0	Brain and nervous system	3.3
Lymphoid leukaemia	3.0	Bone	3.0
Prostate	2.7	Non-Hodgkin lymphoma	3.0
Multiple myeloma	2.4	Non-melanoma skin cancer	2.3
All sites	222.2	All sites	186.5


China, Xiangfu District, Kaifeng City (2013–2017)

SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	
Lip	4	0.1	0.2	0.2	0.00	0.04	6	0.2	0.4	0.3	0.01	0.03	C00
Tongue	9	0.2	0.5	0.5	0.02	0.06	3	0.1	0.2	0.2	0.01	0.03	C01–02
Mouth	22	0.5	1.3	1.1	0.09	0.13	18	0.5	1.1	0.9	0.06	0.06	C03–06
Salivary glands	18	0.4	1.0	0.9	0.05	0.09	16	0.4	0.9	0.8	0.06	0.08	C07–08
Tonsil	0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.1	0.1	0.00	0.00	C09
Other oropharynx	10	0.2	0.6	0.5	0.03	0.06	2	0.1	0.1	0.1	0.01	0.01	C10
Nasopharynx	33	0.8	1.9	1.7	0.13	0.18	15	0.4	0.9	0.8	0.05	0.10	C11
Hypopharynx	7	0.2	0.4	0.4	0.02	0.04	0	0.0	0.0	0.0	0.00	0.00	C12–13
Pharynx unspecified	3	0.1	0.2	0.2	0.00	0.03	1	0.0	0.1	0.0	0.00	0.00	C14
Oesophagus	331	7.8	18.8	16.9	0.64	2.18	157	4.1	9.2	6.7	0.24	0.90	C15
Stomach	369	8.7	21.0	19.0	1.00	2.42	168	4.4	9.8	7.6	0.42	0.94	C16
Small intestine	212	5.0	12.1	10.5	0.54	1.18	108	2.8	6.3	5.1	0.37	0.62	C17
Colon	167	4.0	9.5	8.8	0.49	1.09	117	3.1	6.9	5.4	0.29	0.66	C18
Rectum	159	3.8	9.0	8.2	0.42	0.98	135	3.5	7.9	6.0	0.31	0.76	C19–20
Anus	31	0.7	1.8	1.7	0.11	0.20	19	0.5	1.1	0.9	0.06	0.12	C21
Liver	617	14.6	35.1	32.0	2.22	3.97	222	5.8	13.0	10.8	0.65	1.34	C22
Gallbladder etc.	91	2.2	5.2	4.7	0.22	0.62	84	2.2	4.9	3.7	0.19	0.43	C23–24
Pancreas	87	2.1	4.9	4.4	0.21	0.53	74	1.9	4.3	3.5	0.20	0.45	C25
Nose, sinuses etc.	24	0.6	1.4	1.4	0.10	0.12	20	0.5	1.2	0.9	0.05	0.08	C30–31
Larynx	59	1.4	3.4	3.1	0.20	0.41	4	0.1	0.2	0.1	0.01	0.01	C32
Trachea, bronchus, and lung	1049	24.9	59.6	53.9	2.28	7.02	541	14.1	31.7	24.2	1.31	2.99	C33–34
Other thoracic organs	20	0.5	1.1	1.1	0.09	0.11	11	0.3	0.6	0.5	0.03	0.05	C37–38
Bone	103	2.4	5.9	5.9	0.31	0.59	55	1.4	3.2	3.0	0.17	0.34	C40–41
Melanoma of skin	21	0.5	1.2	1.2	0.06	0.12	22	0.6	1.3	1.1	0.07	0.08	C43
Other skin	56	1.3	3.2	3.0	0.13	0.36	54	1.4	3.2	2.3	0.11	0.19	C44
Mesothelioma	2	0.0	0.1	0.1	0.01	0.01	6	0.2	0.4	0.3	0.01	0.03	C45
Kaposi sarcoma	1	0.0	0.1	0.1	0.01	0.01	0	0.0	0.0	0.0	0.00	0.00	C46
Connective and soft tissue	27	0.6	1.5	1.5	0.09	0.14	27	0.7	1.6	1.6	0.11	0.13	C47+C49
Breast	18	0.4	1.0	1.0	0.04	0.13	692	18.0	40.6	33.6	2.77	3.35	C50
Vulva							7	0.2	0.4	0.3	0.01	0.04	C51
Vagina							4	0.1	0.2	0.2	0.02	0.03	C52
Cervix uteri							201	5.2	11.8	9.8	0.78	1.01	C53
Corpus uteri							134	3.5	7.9	6.6	0.53	0.77	C54
Uterus unspecified							70	1.8	4.1	3.6	0.27	0.37	C55
Ovary							170	4.4	10.0	8.8	0.60	0.87	C56
Other female genital organs							14	0.4	0.8	0.7	0.06	0.06	C57
Placenta							0	0.0	0.0	0.0	0.00	0.00	C58
Penis	9	0.2	0.5	0.5	0.03	0.09							C60
Prostate	56	1.3	3.2	2.7	0.04	0.29							C61
Testis	11	0.3	0.6	0.6	0.04	0.05							C62
Other male genital organs	6	0.1	0.3	0.3	0.03	0.04							C63
Kidney	70	1.7	4.0	3.7	0.20	0.43	29	0.8	1.7	1.5	0.10	0.13	C64
Renal pelvis	8	0.2	0.5	0.4	0.03	0.05	7	0.2	0.4	0.3	0.03	0.03	C65
Ureter	21	0.5	1.2	1.1	0.04	0.13	5	0.1	0.3	0.2	0.01	0.03	C66
Bladder	98	2.3	5.6	4.8	0.20	0.49	21	0.5	1.2	1.0	0.03	0.15	C67
Other urinary organs	6	0.1	0.3	0.3	0.02	0.05	10	0.3	0.6	0.5	0.03	0.06	C68
Eye	7	0.2	0.4	0.4	0.03	0.03	6	0.2	0.4	0.4	0.02	0.04	C69
Brain and nervous system	65	1.5	3.7	3.5	0.19	0.38	64	1.7	3.8	3.3	0.24	0.32	C70–72
Thyroid	79	1.9	4.5	4.2	0.31	0.47	299	7.8	17.5	14.8	1.18	1.53	C73
Adrenal gland	7	0.2	0.4	0.4	0.03	0.04	7	0.2	0.4	0.4	0.02	0.05	C74
Other endocrine	8	0.2	0.5	0.4	0.02	0.04	7	0.2	0.4	0.4	0.03	0.04	C75
Hodgkin lymphoma	7	0.2	0.4	0.4	0.02	0.05	7	0.2	0.4	0.3	0.02	0.03	C81
Non-Hodgkin lymphoma	72	1.7	4.1	3.9	0.23	0.42	60	1.6	3.5	3.0	0.20	0.30	C82–86,C96
Immunoproliferative diseases	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C88
Multiple myeloma	46	1.1	2.6	2.4	0.16	0.30	33	0.9	1.9	1.5	0.10	0.19	C90
Lymphoid leukaemia	50	1.2	2.8	3.0	0.17	0.27	65	1.7	3.8	3.5	0.21	0.33	C91
Myeloid leukaemia	30	0.7	1.7	1.7	0.10	0.18	35	0.9	2.1	1.7	0.10	0.20	C92–94
Leukaemia unspecified	40	0.9	2.3	2.1	0.11	0.24	22	0.6	1.3	1.1	0.05	0.13	C95
Myeloproliferative disorders	8	0.2	0.5	0.4	0.04	0.04	5	0.1	0.3	0.3	0.01	0.04	MPD
Myelodysplastic syndromes	4	0.1	0.2	0.1	0.00	0.00	11	0.3	0.6	0.6	0.03	0.06	MPS
Other and unspecified	19	0.5	1.1	0.9	0.06	0.11	19	0.5	1.1	1.0	0.06	0.14	O&U
All sites	4277		243.2	222.2	11.59	27.00	3890		228.1	186.5	12.34	20.75	C00–96
All sites except C44	4221	100.0	240.0	219.2	11.46	26.64	3836	100.0	224.9	184.2	12.23	20.57	C00–96 exc. C44

China, Xianju County

CONTRIBUTORS

Hongwei Cai
 Jiangwei Ying
 Yuduo Wang
 Lixin Zhou
 Lijun Wang
 Hong Zheng
 Minghua Wang
 Haixian Chen



20 major cancers, ASR (World) per 100 000

<i>Male</i>		<i>Female</i>	
Stomach	67.3	Stomach	30.5
Trachea, bronchus, and lung	51.3	Breast	29.7
Liver	41.5	Trachea, bronchus, and lung	23.8
Oesophagus	25.9	Thyroid	23.6
Rectum	9.9	Cervix uteri	17.3
Prostate	8.7	Oesophagus	16.0
Colon	7.5	Liver	11.8
Thyroid	6.1	Colon	8.2
Bladder	4.2	Rectum	6.8
Pancreas	4.2	Ovary	4.9
Non-Hodgkin lymphoma	3.7	Corpus uteri	4.1
Nasopharynx	3.7	Uterus unspecified	3.4
Myeloid leukaemia	3.6	Pancreas	3.1
Brain and nervous system	3.2	Myeloid leukaemia	3.0
Non-melanoma skin cancer	2.6	Non-Hodgkin lymphoma	2.7
Other and unspecified	2.5	Non-melanoma skin cancer	2.4
Leukaemia unspecified	2.5	Gallbladder etc.	2.4
Mouth	1.7	Brain and nervous system	2.4
Gallbladder etc.	1.7	Leukaemia unspecified	2.1
Kidney	1.6	Kidney	1.6
All sites	267.6	All sites	214.7


China, Xianju County (2013–2017)

SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	
Lip	9	0.2	0.7	0.4	0.03	0.03	6	0.1	0.5	0.2	0.00	0.03	C00
Tongue	8	0.1	0.6	0.3	0.02	0.04	6	0.1	0.5	0.3	0.01	0.03	C01–02
Mouth	29	0.5	2.2	1.7	0.07	0.19	16	0.4	1.3	0.9	0.05	0.10	C03–06
Salivary glands	5	0.1	0.4	0.3	0.02	0.03	9	0.2	0.7	0.5	0.04	0.05	C07–08
Tonsil	1	0.0	0.1	0.1	0.01	0.01	3	0.1	0.2	0.1	0.01	0.01	C09
Other oropharynx	7	0.1	0.5	0.3	0.03	0.04	3	0.1	0.2	0.2	0.01	0.03	C10
Nasopharynx	72	1.3	5.4	3.7	0.29	0.41	26	0.6	2.1	1.4	0.12	0.15	C11
Hypopharynx	6	0.1	0.5	0.3	0.03	0.03	0	0.0	0.0	0.0	0.00	0.00	C12–13
Pharynx unspecified	2	0.0	0.2	0.1	0.00	0.00	1	0.0	0.1	0.0	0.00	0.00	C14
Oesophagus	555	10.3	42.0	25.9	1.04	3.25	336	8.2	27.5	16.0	0.54	1.99	C15
Stomach	1408	26.0	106.5	67.3	3.06	8.61	621	15.2	50.8	30.5	1.53	3.60	C16
Small intestine	30	0.6	2.3	1.5	0.06	0.21	18	0.4	1.5	0.9	0.05	0.08	C17
Colon	159	2.9	12.0	7.5	0.38	0.84	170	4.2	13.9	8.2	0.47	0.91	C18
Rectum	203	3.8	15.4	9.9	0.58	1.25	135	3.3	11.0	6.8	0.43	0.78	C19–20
Anus	17	0.3	1.3	0.8	0.03	0.09	4	0.1	0.3	0.2	0.00	0.03	C21
Liver	834	15.4	63.1	41.5	3.07	4.90	235	5.8	19.2	11.8	0.70	1.39	C22
Gallbladder etc.	34	0.6	2.6	1.7	0.07	0.22	53	1.3	4.3	2.4	0.15	0.21	C23–24
Pancreas	88	1.6	6.7	4.2	0.20	0.49	67	1.6	5.5	3.1	0.14	0.34	C25
Nose, sinuses etc.	7	0.1	0.5	0.4	0.04	0.04	9	0.2	0.7	0.5	0.04	0.05	C30–31
Larynx	20	0.4	1.5	0.9	0.05	0.08	1	0.0	0.1	0.1	0.01	0.01	C32
Trachea, bronchus, and lung	1059	19.6	80.1	51.3	2.85	6.37	477	11.7	39.0	23.8	1.39	3.03	C33–34
Other thoracic organs	14	0.3	1.1	0.8	0.03	0.08	7	0.2	0.6	0.3	0.02	0.02	C37–38
Bone	17	0.3	1.3	1.1	0.04	0.10	18	0.4	1.5	1.0	0.06	0.08	C40–41
Melanoma of skin	10	0.2	0.8	0.4	0.02	0.05	6	0.1	0.5	0.3	0.03	0.03	C43
Other skin	55	1.0	4.2	2.6	0.12	0.32	53	1.3	4.3	2.4	0.10	0.26	C44
Mesothelioma	2	0.0	0.2	0.1	0.01	0.01	2	0.0	0.2	0.1	0.00	0.01	C45
Kaposi sarcoma	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C46
Connective and soft tissue	15	0.3	1.1	0.8	0.04	0.10	12	0.3	1.0	0.7	0.05	0.07	C47+C49
Breast	5	0.1	0.4	0.2	0.02	0.02	558	13.7	45.7	29.7	2.58	2.99	C50
Vulva							2	0.0	0.2	0.1	0.00	0.00	C51
Vagina							6	0.1	0.5	0.3	0.01	0.04	C52
Cervix uteri							325	8.0	26.6	17.3	1.36	1.82	C53
Corpus uteri							80	2.0	6.5	4.1	0.33	0.47	C54
Uterus unspecified							67	1.6	5.5	3.4	0.24	0.36	C55
Ovary							91	2.2	7.4	4.9	0.37	0.54	C56
Other female genital organs							12	0.3	1.0	0.6	0.04	0.07	C57
Placenta							9	0.2	0.7	0.7	0.05	0.05	C58
Penis		0.2	0.9	0.6	0.01	0.05							C60
Prostate	198	3.7	15.0	8.7	0.14	0.92							C61
Testis	4	0.1	0.3	0.3	0.02	0.02							C62
Other male genital organs	0	0.0	0.0	0.0	0.00	0.00							C63
Kidney	31	0.6	2.3	1.6	0.14	0.16	26	0.6	2.1	1.6	0.12	0.15	C64
Renal pelvis	3	0.1	0.2	0.1	0.01	0.01	1	0.0	0.1	0.0	0.00	0.00	C65
Ureter	3	0.1	0.2	0.1	0.00	0.00	6	0.1	0.5	0.3	0.02	0.03	C66
Bladder	89	1.6	6.7	4.2	0.21	0.45	24	0.6	2.0	1.0	0.03	0.12	C67
Other urinary organs	5	0.1	0.4	0.2	0.00	0.02	1	0.0	0.1	0.0	0.00	0.00	C68
Eye	1	0.0	0.1	0.0	0.01	0.01	1	0.0	0.1	0.0	0.00	0.00	C69
Brain and nervous system	62	1.1	4.7	3.2	0.23	0.32	44	1.1	3.6	2.4	0.17	0.24	C70–72
Thyroid	102	1.9	7.7	6.1	0.51	0.55	401	9.8	32.8	23.6	1.97	2.23	C73
Adrenal gland	3	0.1	0.2	0.3	0.02	0.02	4	0.1	0.3	0.2	0.01	0.02	C74
Other endocrine	7	0.1	0.5	0.4	0.04	0.04	6	0.1	0.5	0.6	0.04	0.04	C75
Hodgkin lymphoma	5	0.1	0.4	0.3	0.03	0.03	2	0.0	0.2	0.1	0.00	0.03	C81
Non-Hodgkin lymphoma	69	1.3	5.2	3.7	0.23	0.38	51	1.2	4.2	2.7	0.16	0.30	C82–86,C96
Immunoproliferative diseases	1	0.0	0.1	0.1	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C88
Multiple myeloma	29	0.5	2.2	1.4	0.07	0.20	17	0.4	1.4	0.9	0.07	0.11	C90
Lymphoid leukaemia	18	0.3	1.4	1.1	0.08	0.11	13	0.3	1.1	0.8	0.05	0.06	C91
Myeloid leukaemia	50	0.9	3.8	3.6	0.19	0.31	31	0.8	2.5	3.0	0.14	0.23	C92–94
Leukaemia unspecified	35	0.6	2.6	2.5	0.15	0.20	21	0.5	1.7	2.1	0.10	0.16	C95
Myeloproliferative disorders	3	0.1	0.2	0.1	0.01	0.01	5	0.1	0.4	0.3	0.02	0.03	MPD
Myelodysplastic syndromes	13	0.2	1.0	0.6	0.02	0.06	5	0.1	0.4	0.3	0.02	0.02	MPS
Other and unspecified	50	0.9	3.8	2.5	0.10	0.32	30	0.7	2.5	1.4	0.09	0.14	O&U
All sites	5464		413.4	267.6	14.43	31.98	4133		338.1	214.7	13.93	23.54	C00–96
All sites except C44	5409	100.0	409.3	265.0	14.32	31.66	4080	100.0	333.8	212.3	13.83	23.29	C00–96 exc. C44

China, Xin'an County

CONTRIBUTORS

Zhenfei Zhang
Yanan Zhai
Wenli Fu
Yueling Wang
Hui Li



NOTES ON THE DATA

*No official mortality data. Low levels of specificity of leukaemias.

20 major cancers, ASR (World) per 100 000

<i>Male</i>		<i>Female</i>	
Trachea, bronchus, and lung	52.5	Trachea, bronchus, and lung	23.2
Stomach	43.2	Breast	22.2
Liver	25.3	Stomach	16.1
Oesophagus	24.6	Cervix uteri	14.4
Rectum	7.8	Oesophagus	13.9
Brain and nervous system	5.6	Liver	11.1
Colon	5.1	Corpus uteri	6.2
Bladder	4.6	Rectum	5.8
Prostate	4.6	Thyroid	5.6
Pancreas	4.2	Gallbladder etc.	5.0
Leukaemia unspecified	4.0	Brain and nervous system	4.8
Other and unspecified	3.8	Ovary	4.3
Gallbladder etc.	3.1	Colon	3.7
Kidney	2.6	Uterus unspecified	3.0
Bone	2.5	Leukaemia unspecified	3.0
Non-Hodgkin lymphoma	1.7	Pancreas	2.4
Thyroid	1.5	Other and unspecified	2.0
Larynx	1.3	Kidney	1.8
Non-melanoma skin cancer	1.2	Bone	1.7
Myeloid leukaemia	1.1	Non-melanoma skin cancer	1.3
All sites	208.2	All sites	160.7

*China, Xin'an County (2015–2017)

SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	
Lip	1	0.0	0.1	0.1	0.01	0.01	0	0.0	0.0	0.0	0.00	0.00	C00
Tongue	2	0.1	0.2	0.2	0.01	0.03	1	0.1	0.1	0.1	0.01	0.01	C01–02
Mouth	7	0.3	0.8	0.7	0.03	0.09	4	0.2	0.5	0.3	0.02	0.04	C03–06
Salivary glands	10	0.4	1.2	0.9	0.04	0.11	9	0.5	1.1	0.8	0.05	0.11	C07–08
Tonsil	0	0.0	0.0	0.0	0.00	0.00	2	0.1	0.3	0.2	0.02	0.02	C09
Other oropharynx	3	0.1	0.4	0.3	0.00	0.04	0	0.0	0.0	0.0	0.00	0.00	C10
Nasopharynx	8	0.3	1.0	0.7	0.05	0.08	6	0.3	0.8	0.4	0.01	0.03	C11
Hypopharynx	1	0.0	0.1	0.1	0.01	0.01	0	0.0	0.0	0.0	0.00	0.00	C12–13
Pharynx unspecified	0	0.0	0.0	0.0	0.00	0.00	1	0.1	0.1	0.1	0.01	0.01	C14
Oesophagus	286	12.1	34.3	24.6	0.85	3.26	174	9.6	22.2	13.9	0.42	1.78	C15
Stomach	506	21.4	60.6	43.2	2.07	5.28	199	11.0	25.4	16.1	0.58	1.97	C16
Small intestine	5	0.2	0.6	0.4	0.02	0.05	3	0.2	0.4	0.3	0.03	0.03	C17
Colon	59	2.5	7.1	5.1	0.27	0.62	42	2.3	5.4	3.7	0.18	0.52	C18
Rectum	90	3.8	10.8	7.8	0.43	0.93	68	3.8	8.7	5.8	0.30	0.75	C19–20
Anus	2	0.1	0.2	0.2	0.00	0.02	1	0.1	0.1	0.1	0.00	0.02	C21
Liver	294	12.4	35.2	25.3	1.51	2.95	138	7.6	17.6	11.1	0.55	1.20	C22
Gallbladder etc.	36	1.5	4.3	3.1	0.10	0.49	66	3.7	8.4	5.0	0.21	0.58	C23–24
Pancreas	47	2.0	5.6	4.2	0.21	0.46	25	1.4	3.2	2.4	0.13	0.27	C25
Nose, sinuses etc.	3	0.1	0.4	0.3	0.01	0.04	3	0.2	0.4	0.2	0.02	0.02	C30–31
Larynx	15	0.6	1.8	1.3	0.07	0.16	3	0.2	0.4	0.3	0.03	0.03	C32
Trachea, bronchus, and lung	611	25.8	73.2	52.5	2.56	6.40	277	15.3	35.3	23.2	1.00	2.92	C33–34
Other thoracic organs	3	0.1	0.4	0.2	0.02	0.02	2	0.1	0.3	0.2	0.02	0.02	C37–38
Bone	24	1.0	2.9	2.5	0.15	0.29	16	0.9	2.0	1.7	0.10	0.21	C40–41
Melanoma of skin	0	0.0	0.0	0.0	0.00	0.00	1	0.1	0.1	0.1	0.01	0.01	C43
Other skin	13	0.5	1.6	1.2	0.06	0.15	15	0.8	1.9	1.3	0.07	0.11	C44
Mesothelioma	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C45
Kaposi sarcoma	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C46
Connective and soft tissue	2	0.1	0.2	0.2	0.02	0.02	0	0.0	0.0	0.0	0.00	0.00	C47+C49
Breast	3	0.1	0.4	0.3	0.02	0.03	230	12.7	29.3	22.2	1.89	2.23	C50
Vulva							3	0.2	0.4	0.3	0.02	0.04	C51
Vagina							3	0.2	0.4	0.2	0.02	0.02	C52
Cervix uteri							154	8.5	19.6	14.4	1.10	1.61	C53
Corpus uteri							65	3.6	8.3	6.2	0.57	0.66	C54
Uterus unspecified							33	1.8	4.2	3.0	0.19	0.31	C55
Ovary							44	2.4	5.6	4.3	0.33	0.46	C56
Other female genital organs							2	0.1	0.3	0.2	0.02	0.02	C57
Placenta							0	0.0	0.0	0.0	0.00	0.00	C58
Penis	7	0.3	0.8	0.6	0.03	0.06							C60
Prostate	55	2.3	6.6	4.6	0.06	0.47							C61
Testis	3	0.1	0.4	0.3	0.01	0.02							C62
Other male genital organs	0	0.0	0.0	0.0	0.00	0.00							C63
Kidney	29	1.2	3.5	2.6	0.18	0.29	20	1.1	2.5	1.8	0.09	0.22	C64
Renal pelvis	0	0.0	0.0	0.0	0.00	0.00	2	0.1	0.3	0.2	0.02	0.02	C65
Ureter	2	0.1	0.2	0.1	0.00	0.00	1	0.1	0.1	0.1	0.00	0.02	C66
Bladder	53	2.2	6.3	4.6	0.16	0.54	9	0.5	1.1	0.8	0.04	0.10	C67
Other urinary organs	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C68
Eye	1	0.0	0.1	0.1	0.00	0.02	2	0.1	0.3	0.2	0.01	0.03	C69
Brain and nervous system	58	2.4	6.9	5.6	0.34	0.60	50	2.8	6.4	4.8	0.33	0.57	C70–72
Thyroid	17	0.7	2.0	1.5	0.12	0.16	58	3.2	7.4	5.6	0.49	0.58	C73
Adrenal gland	1	0.0	0.1	0.1	0.01	0.01	1	0.1	0.1	0.1	0.01	0.01	C74
Other endocrine	1	0.0	0.1	0.1	0.00	0.00	1	0.1	0.1	0.1	0.01	0.01	C75
Hodgkin lymphoma	3	0.1	0.4	0.3	0.02	0.02	1	0.1	0.1	0.1	0.00	0.02	C81
Non-Hodgkin lymphoma	18	0.8	2.2	1.7	0.08	0.22	11	0.6	1.4	1.3	0.07	0.11	C82–86,C96
Immunoproliferative diseases	1	0.0	0.1	0.1	0.01	0.01	0	0.0	0.0	0.0	0.00	0.00	C88
Multiple myeloma	4	0.2	0.5	0.4	0.03	0.04	2	0.1	0.3	0.2	0.01	0.01	C90
Lymphoid leukaemia	4	0.2	0.5	0.4	0.02	0.05	5	0.3	0.6	0.6	0.04	0.04	C91
Myeloid leukaemia	9	0.4	1.1	1.1	0.06	0.10	4	0.2	0.5	0.3	0.03	0.03	C92–94
Leukaemia unspecified	36	1.5	4.3	4.0	0.26	0.33	27	1.5	3.4	3.0	0.18	0.28	C95
Myeloproliferative disorders	3	0.1	0.4	0.3	0.02	0.04	1	0.1	0.1	0.1	0.01	0.01	MPD
Myelodysplastic syndromes	7	0.3	0.8	0.8	0.04	0.06	10	0.6	1.3	1.1	0.05	0.14	MPS
Other and unspecified	40	1.7	4.8	3.8	0.18	0.43	26	1.4	3.3	2.0	0.13	0.17	O&U
All sites	2383		285.5	208.2	10.16	25.01	1821		232.2	160.7	9.45	18.39	C00–96
All sites except C44	2370	100.0	283.9	207.0	10.11	24.86	1806	100.0	230.3	159.5	9.37	18.28	C00–96 exc. C44

*See note following population pyramid

China, Xining City

CONTRIBUTORS

Zihua Xu
 Minru Zhou
 Suxia Zhou
 Yanming Li
 Peng Guo
 Haixia Tang
 Xiaoliang Nian
 Ping Ma
 Dingxinle Zhang
 Shan Li



NOTES ON THE DATA

*No questionnaire.

20 major cancers, ASR (World) per 100 000

<i>Male</i>		<i>Female</i>	
Trachea, bronchus, and lung	57.5	Trachea, bronchus, and lung	26.4
Stomach	53.5	Breast	25.6
Liver	36.4	Stomach	17.8
Oesophagus	16.2	Liver	13.5
Rectum	15.2	Cervix uteri	13.4
Colon	13.5	Rectum	9.8
Prostate	11.2	Colon	8.3
Pancreas	8.8	Thyroid	7.7
Bladder	7.9	Ovary	7.3
Brain and nervous system	7.2	Gallbladder etc.	6.1
Kidney	6.9	Pancreas	5.7
Other and unspecified	6.0	Brain and nervous system	5.7
Gallbladder etc.	5.7	Corpus uteri	4.6
Non-Hodgkin lymphoma	3.0	Oesophagus	4.5
Bone	2.8	Other and unspecified	4.0
Non-melanoma skin cancer	2.5	Kidney	2.8
Thyroid	2.4	Bone	2.3
Myeloid leukaemia	2.2	Non-melanoma skin cancer	2.0
Leukaemia unspecified	2.1	Bladder	1.9
Multiple myeloma	1.7	Non-Hodgkin lymphoma	1.8
All sites	276.6	All sites	186.5

*China, Xining City (2014–2017)


SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	
Lip	1	0.0	0.1	0.0	0.00	0.00	3	0.1	0.2	0.1	0.01	0.01	C00
Tongue	6	0.1	0.3	0.3	0.01	0.02	6	0.1	0.3	0.2	0.02	0.02	C01–02
Mouth	10	0.2	0.5	0.4	0.02	0.05	13	0.3	0.7	0.6	0.03	0.04	C03–06
Salivary glands	7	0.1	0.4	0.3	0.01	0.03	7	0.2	0.4	0.3	0.01	0.05	C07–08
Tonsil	3	0.1	0.2	0.2	0.01	0.02	2	0.0	0.1	0.1	0.00	0.01	C09
Other oropharynx	11	0.2	0.6	0.5	0.03	0.06	0	0.0	0.0	0.0	0.00	0.00	C10
Nasopharynx	29	0.5	1.6	1.2	0.05	0.14	15	0.3	0.8	0.6	0.05	0.08	C11
Hypopharynx	3	0.1	0.2	0.2	0.01	0.01	1	0.0	0.1	0.0	0.00	0.01	C12–13
Pharynx unspecified	5	0.1	0.3	0.2	0.01	0.02	1	0.0	0.1	0.0	0.00	0.00	C14
Oesophagus	326	5.6	17.4	16.2	0.73	1.77	115	2.5	5.9	4.5	0.12	0.44	C15
Stomach	1115	19.2	59.7	53.5	2.71	5.97	422	9.3	21.7	17.8	0.92	1.82	C16
Small intestine	36	0.6	1.9	1.6	0.06	0.17	29	0.6	1.5	1.2	0.07	0.12	C17
Colon	289	5.0	15.5	13.5	0.65	1.39	203	4.5	10.4	8.3	0.39	0.88	C18
Rectum	317	5.4	17.0	15.2	0.80	1.43	233	5.2	12.0	9.8	0.52	0.99	C19–20
Anus	3	0.1	0.2	0.1	0.01	0.01	1	0.0	0.1	0.1	0.01	0.01	C21
Liver	793	13.6	42.4	36.4	2.17	3.61	331	7.3	17.0	13.5	0.59	1.30	C22
Gallbladder etc.	115	2.0	6.2	5.7	0.26	0.57	149	3.3	7.6	6.1	0.18	0.56	C23–24
Pancreas	186	3.2	10.0	8.8	0.45	0.88	136	3.0	7.0	5.7	0.23	0.51	C25
Nose, sinuses etc.	8	0.1	0.4	0.3	0.01	0.03	5	0.1	0.3	0.2	0.01	0.02	C30–31
Larynx	37	0.6	2.0	1.7	0.09	0.18	2	0.0	0.1	0.1	0.01	0.01	C32
Trachea, bronchus, and lung	1253	21.5	67.1	57.5	2.60	5.42	623	13.8	32.0	26.4	1.08	2.37	C33–34
Other thoracic organs	22	0.4	1.2	1.1	0.08	0.13	32	0.7	1.6	1.3	0.09	0.14	C37–38
Bone	61	1.0	3.3	2.8	0.16	0.25	49	1.1	2.5	2.3	0.10	0.19	C40–41
Melanoma of skin	12	0.2	0.6	0.5	0.02	0.04	10	0.2	0.5	0.4	0.02	0.05	C43
Other skin	55	0.9	2.9	2.5	0.10	0.19	46	1.0	2.4	2.0	0.11	0.16	C44
Mesothelioma	2	0.0	0.1	0.1	0.00	0.01	0	0.0	0.0	0.0	0.00	0.00	C45
Kaposi sarcoma	0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.1	0.0	0.00	0.00	C46
Connective and soft tissue	15	0.3	0.8	0.6	0.05	0.06	21	0.5	1.1	0.9	0.06	0.10	C47+C49
Breast	7	0.1	0.4	0.3	0.02	0.03	652	14.4	33.5	25.6	1.98	2.56	C50
Vulva							12	0.3	0.6	0.5	0.04	0.05	C51
Vagina							9	0.2	0.5	0.3	0.01	0.05	C52
Cervix uteri							349	7.7	17.9	13.4	1.08	1.44	C53
Corpus uteri							112	2.5	5.7	4.6	0.40	0.48	C54
Uterus unspecified							18	0.4	0.9	0.7	0.06	0.07	C55
Ovary							179	4.0	9.2	7.3	0.56	0.75	C56
Other female genital organs							12	0.3	0.6	0.5	0.04	0.05	C57
Placenta							1	0.0	0.1	0.1	0.00	0.00	C58
Penis	3	0.1	0.2	0.1	0.00	0.00							C60
Prostate	234	4.0	12.5	11.2	0.14	0.72							C61
Testis	6	0.1	0.3	0.3	0.01	0.01							C62
Other male genital organs	6	0.1	0.3	0.2	0.02	0.03							C63
Kidney	146	2.5	7.8	6.9	0.45	0.76	72	1.6	3.7	2.8	0.13	0.27	C64
Renal pelvis	3	0.1	0.2	0.1	0.01	0.01	10	0.2	0.5	0.6	0.01	0.03	C65
Ureter	9	0.2	0.5	0.5	0.02	0.02	11	0.2	0.6	0.5	0.04	0.04	C66
Bladder	165	2.8	8.8	7.9	0.35	0.68	45	1.0	2.3	1.9	0.06	0.12	C67
Other urinary organs	3	0.1	0.2	0.2	0.00	0.02	1	0.0	0.1	0.0	0.01	0.01	C68
Eye	5	0.1	0.3	0.2	0.01	0.01	6	0.1	0.3	0.2	0.01	0.02	C69
Brain and nervous system	151	2.6	8.1	7.2	0.42	0.69	142	3.1	7.3	5.7	0.39	0.60	C70–72
Thyroid	56	1.0	3.0	2.4	0.18	0.21	201	4.4	10.3	7.7	0.66	0.79	C73
Adrenal gland	1	0.0	0.1	0.1	0.01	0.01	7	0.2	0.4	0.4	0.01	0.04	C74
Other endocrine	18	0.3	1.0	0.7	0.06	0.07	20	0.4	1.0	0.9	0.07	0.09	C75
Hodgkin lymphoma	5	0.1	0.3	0.2	0.01	0.03	4	0.1	0.2	0.1	0.00	0.01	C81
Non-Hodgkin lymphoma	65	1.1	3.5	3.0	0.19	0.28	47	1.0	2.4	1.8	0.10	0.24	C82–86,C96
Immunoproliferative diseases	1	0.0	0.1	0.0	0.00	0.00	1	0.0	0.1	0.0	0.00	0.01	C88
Multiple myeloma	32	0.5	1.7	1.7	0.08	0.20	20	0.4	1.0	0.8	0.05	0.09	C90
Lymphoid leukaemia	12	0.2	0.6	0.8	0.04	0.07	7	0.2	0.4	0.4	0.02	0.02	C91
Myeloid leukaemia	48	0.8	2.6	2.2	0.16	0.22	31	0.7	1.6	1.2	0.07	0.11	C92–94
Leukaemia unspecified	42	0.7	2.2	2.1	0.11	0.20	31	0.7	1.6	1.6	0.08	0.13	C95
Myeloproliferative disorders	1	0.0	0.1	0.0	0.00	0.00	2	0.0	0.1	0.1	0.01	0.01	MPD
Myelodysplastic syndromes	12	0.2	0.6	0.5	0.04	0.07	8	0.2	0.4	0.3	0.01	0.03	MPS
Other and unspecified	124	2.1	6.6	6.0	0.37	0.56	102	2.3	5.2	4.0	0.22	0.37	O&U
All sites	5875		314.4	276.6	13.81	27.41	4568		234.4	186.5	10.77	18.38	C00–96
All sites except C44	5820	100.0	311.5	274.2	13.71	27.22	4522	100.0	232.1	184.5	10.66	18.21	C00–96 exc. C44

*See note following population pyramid

China, Xinji City

CONTRIBUTORS

Hao Shiqing
Wan Zhenzhen
Geng Bing



NOTES ON THE DATA

*No official mortality data.

20 major cancers, ASR (World) per 100 000

<i>Male</i>		<i>Female</i>	
Trachea, bronchus, and lung	38.6	Breast	34.5
Stomach	17.1	Trachea, bronchus, and lung	19.4
Liver	12.9	Stomach	7.5
Oesophagus	12.8	Ovary	7.0
Rectum	5.7	Corpus uteri	7.0
Colon	4.3	Cervix uteri	6.6
Kidney	3.6	Oesophagus	6.4
Bladder	3.5	Liver	5.2
Brain and nervous system	3.4	Thyroid	4.7
Non-Hodgkin lymphoma	3.3	Rectum	3.8
Other and unspecified	3.1	Colon	3.6
Pancreas	2.4	Other and unspecified	3.4
Leukaemia unspecified	2.1	Brain and nervous system	2.7
Prostate	2.0	Lymphoid leukaemia	2.1
Thyroid	1.7	Non-Hodgkin lymphoma	2.1
Larynx	1.4	Kidney	2.0
Lymphoid leukaemia	1.3	Pancreas	2.0
Multiple myeloma	1.1	Leukaemia unspecified	1.4
Gallbladder etc.	1.0	Myeloid leukaemia	1.1
Myeloid leukaemia	1.0	Bladder	1.0
All sites	132.3	All sites	133.2

*China, Xinji City (2013–2017)


SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	
Lip	1	0.0	0.1	0.0	0.00	0.01	1	0.0	0.1	0.0	0.00	0.00	C00
Tongue	13	0.4	0.8	0.5	0.03	0.08	7	0.2	0.4	0.3	0.02	0.03	C01–02
Mouth	10	0.3	0.6	0.4	0.02	0.04	12	0.3	0.8	0.4	0.03	0.05	C03–06
Salivary glands	10	0.3	0.6	0.5	0.04	0.05	11	0.3	0.7	0.5	0.04	0.04	C07–08
Tonsil	3	0.1	0.2	0.1	0.00	0.02	0	0.0	0.0	0.0	0.00	0.00	C09
Other oropharynx	7	0.2	0.4	0.4	0.01	0.04	1	0.0	0.1	0.0	0.00	0.00	C10
Nasopharynx	12	0.3	0.8	0.5	0.03	0.04	7	0.2	0.4	0.3	0.02	0.04	C11
Hypopharynx	10	0.3	0.6	0.4	0.02	0.04	0	0.0	0.0	0.0	0.00	0.00	C12–13
Pharynx unspecified	7	0.2	0.4	0.2	0.00	0.04	2	0.1	0.1	0.1	0.00	0.01	C14
Oesophagus	364	10.4	22.9	12.8	0.56	1.58	198	5.7	12.4	6.4	0.33	0.81	C15
Stomach	475	13.5	29.9	17.1	0.88	2.15	219	6.4	13.8	7.5	0.42	0.94	C16
Small intestine	14	0.4	0.9	0.5	0.03	0.06	14	0.4	0.9	0.5	0.03	0.06	C17
Colon	112	3.2	7.0	4.2	0.28	0.54	101	2.9	6.3	3.6	0.25	0.44	C18
Rectum	152	4.3	9.6	5.7	0.34	0.70	109	3.2	6.8	3.8	0.27	0.47	C19–20
Anus	19	0.5	1.2	0.7	0.03	0.11	9	0.3	0.6	0.3	0.02	0.05	C21
Liver	342	9.7	21.5	12.9	0.74	1.59	160	4.6	10.1	5.2	0.30	0.64	C22
Gallbladder etc.	30	0.9	1.9	1.0	0.04	0.15	21	0.6	1.3	0.7	0.05	0.10	C23–24
Pancreas	66	1.9	4.2	2.4	0.12	0.31	60	1.7	3.8	2.0	0.11	0.25	C25
Nose, sinuses etc.	6	0.2	0.4	0.2	0.01	0.01	2	0.1	0.1	0.1	0.01	0.01	C30–31
Larynx	40	1.1	2.5	1.4	0.08	0.19	8	0.2	0.5	0.3	0.02	0.04	C32
Trachea, bronchus, and lung	1078	30.7	67.8	38.6	2.11	4.89	577	16.7	36.3	19.4	1.22	2.30	C33–34
Other thoracic organs	18	0.5	1.1	0.7	0.04	0.09	7	0.2	0.4	0.3	0.02	0.03	C37–38
Bone	13	0.4	0.8	0.7	0.03	0.06	13	0.4	0.8	0.5	0.04	0.05	C40–41
Melanoma of skin	4	0.1	0.3	0.1	0.00	0.00	3	0.1	0.2	0.1	0.01	0.01	C43
Other skin	21	0.6	1.3	0.7	0.03	0.08	21	0.6	1.3	0.8	0.03	0.07	C44
Mesothelioma	4	0.1	0.3	0.2	0.02	0.02	2	0.1	0.1	0.0	0.00	0.00	C45
Kaposi sarcoma	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C46
Connective and soft tissue	10	0.3	0.6	0.6	0.04	0.04	11	0.3	0.7	0.5	0.04	0.05	C47+C49
Breast	10	0.3	0.6	0.3	0.02	0.04	830	24.1	52.2	34.5	2.90	3.65	C50
Vulva							21	0.6	1.3	0.9	0.05	0.09	C51
Vagina							4	0.1	0.3	0.2	0.02	0.02	C52
Cervix uteri							155	4.5	9.7	6.6	0.56	0.69	C53
Corpus uteri							178	5.2	11.2	7.0	0.56	0.84	C54
Uterus unspecified							19	0.6	1.2	0.8	0.07	0.07	C55
Ovary							184	5.3	11.6	7.0	0.55	0.75	C56
Other female genital organs							5	0.1	0.3	0.2	0.02	0.02	C57
Placenta							3	0.1	0.2	0.2	0.01	0.01	C58
Penis	11	0.3	0.7	0.4	0.03	0.05							C60
Prostate	55	1.6	3.5	2.0	0.04	0.32							C61
Testis	7	0.2	0.4	0.4	0.03	0.03							C62
Other male genital organs	2	0.1	0.1	0.1	0.00	0.01							C63
Kidney	92	2.6	5.8	3.6	0.29	0.41	48	1.4	3.0	2.0	0.15	0.20	C64
Renal pelvis	5	0.1	0.3	0.2	0.01	0.03	0	0.0	0.0	0.0	0.00	0.00	C65
Ureter	4	0.1	0.3	0.2	0.00	0.03	2	0.1	0.1	0.1	0.01	0.01	C66
Bladder	97	2.8	6.1	3.5	0.16	0.40	30	0.9	1.9	1.0	0.05	0.12	C67
Other urinary organs	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C68
Eye	2	0.1	0.1	0.1	0.00	0.01	2	0.1	0.1	0.0	0.00	0.00	C69
Brain and nervous system	77	2.2	4.8	3.4	0.22	0.35	56	1.6	3.5	2.7	0.19	0.25	C70–72
Thyroid	36	1.0	2.3	1.7	0.15	0.17	113	3.3	7.1	4.7	0.42	0.50	C73
Adrenal gland	2	0.1	0.1	0.1	0.01	0.01	3	0.1	0.2	0.2	0.01	0.01	C74
Other endocrine	5	0.1	0.3	0.3	0.02	0.02	2	0.1	0.1	0.1	0.01	0.01	C75
Hodgkin lymphoma	3	0.1	0.2	0.1	0.01	0.02	4	0.1	0.3	0.3	0.02	0.03	C81
Non-Hodgkin lymphoma	78	2.2	4.9	3.3	0.21	0.39	52	1.5	3.3	2.1	0.13	0.26	C82–86,C96
Immunoproliferative diseases	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C88
Multiple myeloma	28	0.8	1.8	1.1	0.08	0.13	20	0.6	1.3	0.7	0.05	0.11	C90
Lymphoid leukaemia	18	0.5	1.1	1.3	0.06	0.08	23	0.7	1.4	2.1	0.11	0.11	C91
Myeloid leukaemia	19	0.5	1.2	1.0	0.06	0.09	19	0.6	1.2	1.1	0.07	0.11	C92–94
Leukaemia unspecified	41	1.2	2.6	2.1	0.12	0.20	33	1.0	2.1	1.4	0.09	0.14	C95
Myeloproliferative disorders	4	0.1	0.3	0.1	0.00	0.02	2	0.1	0.1	0.1	0.01	0.01	MPD
Myelodysplastic syndromes	7	0.2	0.4	0.4	0.03	0.03	2	0.1	0.1	0.1	0.00	0.00	MPS
Other and unspecified	86	2.5	5.4	3.1	0.14	0.39	82	2.4	5.2	3.4	0.23	0.34	O&U
All sites	3530		222.1	132.3	7.28	16.22	3468		217.9	133.2	9.56	14.84	C00–96
All sites except C44	3509	100.0	220.8	131.6	7.24	16.14	3447	100.0	216.6	132.4	9.54	14.77	C00–96 exc. C44

*See note following population pyramid

China, Xinluo District, Longyan City

CONTRIBUTORS

Kun Xie
Xiang Zhang
Qingbin Lai
Lingling Liao



NOTES ON THE DATA

*No DCO registrations. Low levels of specificity of leukaemias.

20 major cancers, ASR (World) per 100 000

<i>Male</i>		<i>Female</i>	
Trachea, bronchus, and lung	52.0	Breast	29.1
Liver	23.4	Thyroid	27.6
Stomach	22.3	Trachea, bronchus, and lung	19.7
Rectum	15.7	Cervix uteri	12.8
Colon	13.3	Stomach	11.5
Prostate	9.2	Colon	11.5
Thyroid	7.7	Rectum	9.2
Nasopharynx	6.2	Corpus uteri	6.1
Other and unspecified	6.1	Liver	6.0
Oesophagus	5.9	Other and unspecified	5.6
Brain and nervous system	3.9	Ovary	4.3
Bladder	3.5	Brain and nervous system	3.3
Pancreas	3.5	Non-Hodgkin lymphoma	2.8
Leukaemia unspecified	2.9	Non-melanoma skin cancer	2.6
Non-Hodgkin lymphoma	2.9	Nasopharynx	2.3
Kidney	2.9	Myeloid leukaemia	2.2
Larynx	2.7	Leukaemia unspecified	2.0
Myeloid leukaemia	2.0	Oesophagus	2.0
Connective and soft tissue	1.7	Pancreas	1.8
Non-melanoma skin cancer	1.7	Bladder	1.7
All sites	202.5	All sites	176.5

*China, Xinluo District, Longyan City (2015–2017)


SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	
Lip	1	0.0	0.1	0.1	0.01	0.01	0	0.0	0.0	0.0	0.00	0.00	C00
Tongue	4	0.2	0.5	0.3	0.03	0.05	3	0.1	0.4	0.2	0.01	0.04	C01–02
Mouth	4	0.2	0.5	0.3	0.02	0.04	6	0.3	0.8	0.3	0.01	0.01	C03–06
Salivary glands	4	0.2	0.5	0.3	0.03	0.04	5	0.2	0.6	0.5	0.05	0.05	C07–08
Tonsil	5	0.2	0.6	0.4	0.04	0.04	0	0.0	0.0	0.0	0.00	0.00	C09
Other oropharynx	3	0.1	0.4	0.3	0.03	0.03	0	0.0	0.0	0.0	0.00	0.00	C10
Nasopharynx	69	2.8	8.8	6.2	0.52	0.60	26	1.3	3.4	2.3	0.14	0.25	C11
Hypopharynx	6	0.2	0.8	0.5	0.03	0.09	1	0.0	0.1	0.0	0.00	0.00	C12–13
Pharynx unspecified	3	0.1	0.4	0.2	0.01	0.03	2	0.1	0.3	0.1	0.01	0.01	C14
Oesophagus	73	3.0	9.3	5.9	0.38	0.72	27	1.3	3.5	2.0	0.09	0.24	C15
Stomach	285	11.6	36.4	22.3	1.15	2.71	145	7.2	18.7	11.5	0.60	1.38	C16
Small intestine	13	0.5	1.7	1.2	0.10	0.15	7	0.3	0.9	0.5	0.04	0.04	C17
Colon	171	6.9	21.9	13.3	0.72	1.53	139	6.9	18.0	11.5	0.65	1.46	C18
Rectum	196	8.0	25.1	15.7	0.95	1.81	113	5.6	14.6	9.2	0.62	1.08	C19–20
Anus	4	0.2	0.5	0.3	0.01	0.04	4	0.2	0.5	0.3	0.02	0.02	C21
Liver	282	11.4	36.1	23.4	1.44	2.88	79	3.9	10.2	6.0	0.30	0.68	C22
Gallbladder etc.	20	0.8	2.6	1.6	0.05	0.24	15	0.7	1.9	1.0	0.04	0.08	C23–24
Pancreas	45	1.8	5.8	3.5	0.19	0.41	23	1.1	3.0	1.8	0.08	0.25	C25
Nose, sinuses etc.	5	0.2	0.6	0.4	0.02	0.06	3	0.1	0.4	0.3	0.03	0.03	C30–31
Larynx	33	1.3	4.2	2.7	0.16	0.35	0	0.0	0.0	0.0	0.00	0.00	C32
Trachea, bronchus, and lung	648	26.3	82.8	52.0	2.59	6.72	244	12.1	31.5	19.7	1.13	2.38	C33–34
Other thoracic organs	9	0.4	1.2	0.7	0.04	0.07	8	0.4	1.0	0.6	0.04	0.06	C37–38
Bone	14	0.6	1.8	1.3	0.08	0.13	7	0.3	0.9	1.0	0.07	0.07	C40–41
Melanoma of skin	2	0.1	0.3	0.2	0.01	0.03	4	0.2	0.5	0.3	0.01	0.01	C43
Other skin	21	0.9	2.7	1.7	0.03	0.21	31	1.5	4.0	2.6	0.13	0.31	C44
Mesothelioma	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C45
Kaposi sarcoma	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C46
Connective and soft tissue	14	0.6	1.8	1.7	0.12	0.12	7	0.3	0.9	0.8	0.03	0.12	C47+C49
Breast	1	0.0	0.1	0.1	0.00	0.02	336	16.7	43.4	29.1	2.40	3.10	C50
Vulva							5	0.2	0.6	0.4	0.03	0.06	C51
Vagina							3	0.1	0.4	0.3	0.03	0.03	C52
Cervix uteri							154	7.6	19.9	12.8	1.04	1.31	C53
Corpus uteri							69	3.4	8.9	6.1	0.51	0.68	C54
Uterus unspecified							15	0.7	1.9	1.2	0.09	0.13	C55
Ovary							45	2.2	5.8	4.3	0.30	0.49	C56
Other female genital organs							5	0.2	0.6	0.4	0.04	0.06	C57
Placenta							2	0.1	0.3	0.2	0.01	0.01	C58
Penis	4	0.2	0.5	0.3	0.01	0.03							C60
Prostate	130	5.3	16.6	9.2	0.24	0.87							C61
Testis	7	0.3	0.9	0.9	0.05	0.05							C62
Other male genital organs	1	0.0	0.1	0.1	0.00	0.00							C63
Kidney	33	1.3	4.2	2.9	0.17	0.34	14	0.7	1.8	1.1	0.09	0.13	C64
Renal pelvis	6	0.2	0.8	0.5	0.03	0.04	3	0.1	0.4	0.2	0.00	0.02	C65
Ureter	7	0.3	0.9	0.4	0.01	0.03	3	0.1	0.4	0.2	0.00	0.02	C66
Bladder	48	1.9	6.1	3.5	0.12	0.38	22	1.1	2.8	1.7	0.05	0.24	C67
Other urinary organs	3	0.1	0.4	0.2	0.01	0.01	0	0.0	0.0	0.0	0.00	0.00	C68
Eye	3	0.1	0.4	0.3	0.01	0.05	0	0.0	0.0	0.0	0.00	0.00	C69
Brain and nervous system	40	1.6	5.1	3.9	0.23	0.40	30	1.5	3.9	3.3	0.24	0.26	C70–72
Thyroid	86	3.5	11.0	7.7	0.67	0.77	297	14.7	38.4	27.6	2.35	2.59	C73
Adrenal gland	1	0.0	0.1	0.1	0.01	0.01	1	0.0	0.1	0.1	0.01	0.01	C74
Other endocrine	1	0.0	0.1	0.1	0.01	0.01	2	0.1	0.3	0.2	0.01	0.01	C75
Hodgkin lymphoma	3	0.1	0.4	0.4	0.03	0.03	2	0.1	0.3	0.3	0.02	0.02	C81
Non-Hodgkin lymphoma	36	1.5	4.6	2.9	0.19	0.31	26	1.3	3.4	2.8	0.18	0.29	C82–86,C96
Immunoproliferative diseases	1	0.0	0.1	0.1	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C88
Multiple myeloma	10	0.4	1.3	0.8	0.05	0.11	8	0.4	1.0	0.6	0.06	0.06	C90
Lymphoid leukaemia	5	0.2	0.6	0.7	0.04	0.04	7	0.3	0.9	1.1	0.04	0.10	C91
Myeloid leukaemia	21	0.9	2.7	2.0	0.14	0.20	14	0.7	1.8	2.2	0.12	0.18	C92–94
Leukaemia unspecified	35	1.4	4.5	2.9	0.16	0.28	21	1.0	2.7	2.0	0.12	0.16	C95
Myeloproliferative disorders	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	MPD
Myelodysplastic syndromes	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	MPS
Other and unspecified	69	2.8	8.8	6.1	0.32	0.64	64	3.2	8.3	5.6	0.35	0.50	O&U
All sites	2485		317.7	202.5	11.26	23.75	2047		264.4	176.5	12.18	19.03	C00–96
All sites except C44	2464	100.0	315.0	200.9	11.23	23.54	2016	100.0	260.4	173.9	12.05	18.72	C00–96 exc. C44

*See note following population pyramid

China, Xinzhou District, Shangrao City

CONTRIBUTORS

Hu Yan
Li Shiyu



NOTES ON THE DATA

*Low levels of specificity of leukaemias.

20 major cancers, ASR (World) per 100 000

<i>Male</i>		<i>Female</i>	
Trachea, bronchus, and lung	50.4	Breast	26.1
Stomach	29.9	Trachea, bronchus, and lung	18.3
Liver	23.9	Stomach	13.3
Oesophagus	13.4	Cervix uteri	13.3
Colon	11.3	Liver	9.1
Rectum	10.0	Colon	8.9
Prostate	6.5	Rectum	6.2
Bladder	5.1	Thyroid	6.0
Nasopharynx	4.3	Corpus uteri	4.9
Brain and nervous system	4.2	Brain and nervous system	4.7
Non-Hodgkin lymphoma	3.7	Oesophagus	4.3
Leukaemia unspecified	3.7	Gallbladder etc.	3.9
Pancreas	3.6	Ovary	3.4
Other and unspecified	2.9	Pancreas	3.3
Gallbladder etc.	2.8	Non-Hodgkin lymphoma	2.8
Kidney	2.4	Myeloid leukaemia	2.6
Myeloid leukaemia	2.1	Leukaemia unspecified	2.5
Non-melanoma skin cancer	1.9	Other and unspecified	2.4
Bone	1.5	Kidney	2.1
Thyroid	1.3	Nasopharynx	2.0
All sites	197.9	All sites	151.8

*China, Xinzhou District, Shangrao City (2013–2017)


SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	
Lip	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C00
Tongue	7	0.3	0.7	0.5	0.03	0.06	6	0.3	0.6	0.4	0.03	0.03	C01–02
Mouth	6	0.2	0.6	0.4	0.02	0.05	3	0.1	0.3	0.2	0.01	0.02	C03–06
Salivary glands	4	0.2	0.4	0.4	0.04	0.04	4	0.2	0.4	0.2	0.02	0.02	C07–08
Tonsil	4	0.2	0.4	0.3	0.02	0.04	0	0.0	0.0	0.0	0.00	0.00	C09
Other oropharynx	4	0.2	0.4	0.3	0.02	0.03	0	0.0	0.0	0.0	0.00	0.00	C10
Nasopharynx	60	2.3	5.8	4.3	0.31	0.48	25	1.2	2.3	2.0	0.13	0.23	C11
Hypopharynx	3	0.1	0.3	0.2	0.00	0.03	0	0.0	0.0	0.0	0.00	0.00	C12–13
Pharynx unspecified	0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.1	0.0	0.00	0.00	C14
Oesophagus	178	6.7	17.2	13.4	0.60	1.76	59	2.8	5.5	4.3	0.14	0.50	C15
Stomach	406	15.3	39.2	29.9	1.38	3.73	184	8.8	17.3	13.3	0.62	1.56	C16
Small intestine	18	0.7	1.7	1.2	0.05	0.12	11	0.5	1.0	0.9	0.05	0.12	C17
Colon	158	6.0	15.3	11.3	0.60	1.22	127	6.1	11.9	8.9	0.34	0.95	C18
Rectum	137	5.2	13.2	10.0	0.51	1.17	83	4.0	7.8	6.2	0.34	0.74	C19–20
Anus	6	0.2	0.6	0.5	0.02	0.02	2	0.1	0.2	0.1	0.01	0.01	C21
Liver	319	12.0	30.8	23.9	1.50	2.72	125	6.0	11.7	9.1	0.44	0.98	C22
Gallbladder etc.	35	1.3	3.4	2.8	0.16	0.33	58	2.8	5.4	3.9	0.17	0.41	C23–24
Pancreas	53	2.0	5.1	3.6	0.15	0.39	45	2.2	4.2	3.3	0.13	0.46	C25
Nose, sinuses etc.	10	0.4	1.0	0.8	0.05	0.10	7	0.3	0.7	0.5	0.04	0.08	C30–31
Larynx	16	0.6	1.5	1.2	0.05	0.16	4	0.2	0.4	0.3	0.00	0.03	C32
Trachea, bronchus, and lung	700	26.4	67.6	50.4	2.13	5.95	263	12.6	24.7	18.3	0.90	1.85	C33–34
Other thoracic organs	11	0.4	1.1	0.9	0.06	0.09	6	0.3	0.6	0.4	0.03	0.06	C37–38
Bone	20	0.8	1.9	1.5	0.08	0.19	24	1.1	2.3	1.8	0.10	0.15	C40–41
Melanoma of skin	10	0.4	1.0	0.6	0.04	0.06	5	0.2	0.5	0.4	0.03	0.03	C43
Other skin	27	1.0	2.6	1.9	0.09	0.22	11	0.5	1.0	0.7	0.01	0.05	C44
Mesothelioma	2	0.1	0.2	0.1	0.01	0.01	3	0.1	0.3	0.2	0.01	0.04	C45
Kaposi sarcoma	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C46
Connective and soft tissue	10	0.4	1.0	0.8	0.06	0.09	9	0.4	0.8	0.6	0.03	0.04	C47+C49
Breast	4	0.2	0.4	0.3	0.03	0.03	362	17.3	34.0	26.1	2.08	2.83	C50
Vulva							3	0.1	0.3	0.2	0.02	0.02	C51
Vagina							0	0.0	0.0	0.0	0.00	0.00	C52
Cervix uteri							185	8.9	17.4	13.3	1.07	1.40	C53
Corpus uteri							68	3.3	6.4	4.9	0.43	0.54	C54
Uterus unspecified							7	0.3	0.7	0.5	0.04	0.06	C55
Ovary							44	2.1	4.1	3.4	0.25	0.34	C56
Other female genital organs							5	0.2	0.5	0.4	0.03	0.03	C57
Placenta							0	0.0	0.0	0.0	0.00	0.00	C58
Penis	5	0.2	0.5	0.4	0.03	0.05							C60
Prostate	89	3.4	8.6	6.5	0.07	0.65							C61
Testis	9	0.3	0.9	0.7	0.05	0.08							C62
Other male genital organs	0	0.0	0.0	0.0	0.00	0.00							C63
Kidney	32	1.2	3.1	2.4	0.09	0.23	28	1.3	2.6	2.1	0.16	0.26	C64
Renal pelvis	4	0.2	0.4	0.3	0.01	0.05	1	0.0	0.1	0.1	0.00	0.00	C65
Ureter	5	0.2	0.5	0.4	0.03	0.03	2	0.1	0.2	0.2	0.00	0.04	C66
Bladder	70	2.6	6.8	5.1	0.28	0.49	20	1.0	1.9	1.4	0.04	0.13	C67
Other urinary organs	1	0.0	0.1	0.0	0.00	0.00	2	0.1	0.2	0.1	0.01	0.01	C68
Eye	0	0.0	0.0	0.0	0.00	0.00	2	0.1	0.2	0.3	0.01	0.03	C69
Brain and nervous system	54	2.0	5.2	4.2	0.23	0.52	62	3.0	5.8	4.7	0.32	0.44	C70–72
Thyroid	18	0.7	1.7	1.3	0.11	0.11	82	3.9	7.7	6.0	0.48	0.61	C73
Adrenal gland	3	0.1	0.3	0.2	0.01	0.03	1	0.0	0.1	0.1	0.01	0.01	C74
Other endocrine	4	0.2	0.4	0.4	0.02	0.04	2	0.1	0.2	0.1	0.01	0.01	C75
Hodgkin lymphoma	6	0.2	0.6	0.4	0.04	0.04	1	0.0	0.1	0.1	0.01	0.01	C81
Non-Hodgkin lymphoma	48	1.8	4.6	3.7	0.21	0.38	38	1.8	3.6	2.8	0.16	0.30	C82–86,C96
Immunoproliferative diseases	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C88
Multiple myeloma	10	0.4	1.0	0.8	0.03	0.10	14	0.7	1.3	0.9	0.06	0.09	C90
Lymphoid leukaemia	7	0.3	0.7	0.5	0.05	0.05	2	0.1	0.2	0.3	0.01	0.01	C91
Myeloid leukaemia	24	0.9	2.3	2.1	0.14	0.20	34	1.6	3.2	2.6	0.20	0.22	C92–94
Leukaemia unspecified	42	1.6	4.1	3.7	0.21	0.38	32	1.5	3.0	2.5	0.15	0.24	C95
Myeloproliferative disorders	0	0.0	0.0	0.0	0.00	0.00	2	0.1	0.2	0.1	0.01	0.01	MPD
Myelodysplastic syndromes	5	0.2	0.5	0.3	0.01	0.02	3	0.1	0.3	0.2	0.02	0.02	MPS
Other and unspecified	37	1.4	3.6	2.9	0.12	0.26	33	1.6	3.1	2.4	0.12	0.22	O&U
All sites	2681		258.9	197.9	9.77	22.79	2100		197.2	151.8	9.27	16.24	C00–96
All sites except C44	2654	100.0	256.3	196.0	9.68	22.57	2089	100.0	196.2	151.1	9.26	16.19	C00–96 exc. C44

*See note following population pyramid

China, Xiping County

CONTRIBUTORS

Zhao Chunling
Wang Zhongmei
Shao Tiantang
Mao Xiaohui
Kang Wenhao
Xia Yaohua



20 major cancers, ASR (World) per 100 000

<i>Male</i>		<i>Female</i>	
Trachea, bronchus, and lung	59.4	Breast	29.2
Liver	33.8	Trachea, bronchus, and lung	23.5
Oesophagus	28.0	Cervix uteri	14.9
Stomach	25.6	Oesophagus	13.5
Rectum	7.7	Liver	13.3
Colon	6.3	Stomach	9.6
Non-Hodgkin lymphoma	6.0	Rectum	6.2
Pancreas	4.8	Thyroid	5.9
Brain and nervous system	4.6	Ovary	5.6
Bladder	4.5	Colon	4.7
Prostate	3.7	Gallbladder etc.	4.4
Gallbladder etc.	3.0	Corpus uteri	4.0
Kidney	2.1	Brain and nervous system	3.9
Non-melanoma skin cancer	2.1	Non-Hodgkin lymphoma	3.4
Bone	2.0	Pancreas	3.2
Myeloid leukaemia	2.0	Bone	1.9
Other and unspecified	2.0	Other and unspecified	1.6
Larynx	1.9	Myeloid leukaemia	1.5
Leukaemia unspecified	1.7	Lymphoid leukaemia	1.5
Lymphoid leukaemia	1.6	Leukaemia unspecified	1.5
All sites	216.2	All sites	170.1


China, Xiping County (2013–2017)

SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	
Lip	2	0.0	0.1	0.1	0.00	0.01	1	0.0	0.0	0.0	0.00	0.01	C00
Tongue	11	0.2	0.5	0.5	0.01	0.05	5	0.1	0.2	0.2	0.01	0.03	C01–02
Mouth	16	0.3	0.7	0.7	0.02	0.08	3	0.1	0.1	0.1	0.01	0.01	C03–06
Salivary glands	16	0.3	0.7	0.6	0.03	0.07	17	0.3	0.8	0.6	0.05	0.07	C07–08
Tonsil	2	0.0	0.1	0.1	0.00	0.00	1	0.0	0.0	0.0	0.00	0.00	C09
Other oropharynx	3	0.1	0.1	0.1	0.00	0.01	2	0.0	0.1	0.1	0.00	0.00	C10
Nasopharynx	27	0.5	1.2	0.9	0.06	0.09	16	0.3	0.7	0.6	0.04	0.07	C11
Hypopharynx	11	0.2	0.5	0.4	0.02	0.04	0	0.0	0.0	0.0	0.00	0.00	C12–13
Pharynx unspecified	1	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C14
Oesophagus	710	12.7	31.5	28.0	1.04	3.03	421	8.7	19.6	13.5	0.40	1.63	C15
Stomach	665	11.9	29.5	25.6	1.05	3.03	293	6.0	13.7	9.6	0.50	1.06	C16
Small intestine	18	0.3	0.8	0.7	0.04	0.08	32	0.7	1.5	1.1	0.07	0.12	C17
Colon	166	3.0	7.4	6.3	0.34	0.75	136	2.8	6.3	4.7	0.30	0.55	C18
Rectum	207	3.7	9.2	7.7	0.41	0.94	187	3.8	8.7	6.2	0.38	0.74	C19–20
Anus	4	0.1	0.2	0.2	0.00	0.00	8	0.2	0.4	0.3	0.02	0.02	C21
Liver	918	16.5	40.8	33.8	2.10	3.64	405	8.3	18.9	13.3	0.73	1.44	C22
Gallbladder etc.	82	1.5	3.6	3.0	0.11	0.38	137	2.8	6.4	4.4	0.21	0.48	C23–24
Pancreas	116	2.1	5.2	4.8	0.19	0.57	92	1.9	4.3	3.2	0.18	0.35	C25
Nose, sinuses etc.	17	0.3	0.8	0.7	0.04	0.07	7	0.1	0.3	0.2	0.01	0.01	C30–31
Larynx	52	0.9	2.3	1.9	0.13	0.20	6	0.1	0.3	0.2	0.00	0.02	C32
Trachea, bronchus, and lung	1567	28.1	69.6	59.4	2.26	6.62	720	14.8	33.6	23.5	1.16	2.56	C33–34
Other thoracic organs	19	0.3	0.8	0.8	0.04	0.08	14	0.3	0.7	0.6	0.03	0.06	C37–38
Bone	52	0.9	2.3	2.0	0.09	0.21	49	1.0	2.3	1.9	0.12	0.22	C40–41
Melanoma of skin	10	0.2	0.4	0.4	0.04	0.04	13	0.3	0.6	0.5	0.03	0.07	C43
Other skin	45	0.8	2.0	2.1	0.05	0.19	47	1.0	2.2	1.4	0.06	0.11	C44
Mesothelioma	0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.0	0.0	0.00	0.00	C45
Kaposi sarcoma	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C46
Connective and soft tissue	18	0.3	0.8	0.8	0.04	0.08	22	0.5	1.0	0.9	0.06	0.09	C47+C49
Breast	6	0.1	0.3	0.2	0.01	0.02	819	16.8	38.2	29.2	2.56	3.05	C50
Vulva							10	0.2	0.5	0.4	0.03	0.05	C51
Vagina							3	0.1	0.1	0.1	0.00	0.02	C52
Cervix uteri							416	8.5	19.4	14.9	1.26	1.57	C53
Corpus uteri							111	2.3	5.2	4.0	0.35	0.48	C54
Uterus unspecified							36	0.7	1.7	1.3	0.11	0.13	C55
Ovary							149	3.1	7.0	5.6	0.43	0.57	C56
Other female genital organs							10	0.2	0.5	0.3	0.02	0.03	C57
Placenta							17	0.3	0.8	0.7	0.05	0.05	C58
Penis	13	0.2	0.6	0.5	0.02	0.06							C60
Prostate	87	1.6	3.9	3.7	0.06	0.29							C61
Testis	8	0.1	0.4	0.3	0.02	0.03							C62
Other male genital organs	3	0.1	0.1	0.1	0.01	0.01							C63
Kidney	53	1.0	2.4	2.1	0.12	0.23	36	0.7	1.7	1.3	0.08	0.13	C64
Renal pelvis	4	0.1	0.2	0.1	0.01	0.02	5	0.1	0.2	0.2	0.01	0.03	C65
Ureter	6	0.1	0.3	0.2	0.02	0.02	5	0.1	0.2	0.2	0.01	0.03	C66
Bladder	116	2.1	5.2	4.5	0.16	0.46	41	0.8	1.9	1.3	0.09	0.14	C67
Other urinary organs	4	0.1	0.2	0.2	0.00	0.00	2	0.0	0.1	0.1	0.01	0.01	C68
Eye	2	0.0	0.1	0.1	0.00	0.00	2	0.0	0.1	0.1	0.00	0.00	C69
Brain and nervous system	107	1.9	4.8	4.6	0.24	0.46	102	2.1	4.8	3.9	0.26	0.40	C70–72
Thyroid	34	0.6	1.5	1.2	0.08	0.12	161	3.3	7.5	5.9	0.45	0.60	C73
Adrenal gland	7	0.1	0.3	0.3	0.03	0.03	7	0.1	0.3	0.3	0.03	0.03	C74
Other endocrine	5	0.1	0.2	0.2	0.00	0.02	6	0.1	0.3	0.2	0.02	0.03	C75
Hodgkin lymphoma	9	0.2	0.4	0.3	0.03	0.03	8	0.2	0.4	0.3	0.02	0.03	C81
Non-Hodgkin lymphoma	154	2.8	6.8	6.0	0.32	0.60	99	2.0	4.6	3.4	0.20	0.36	C82–86,C96
Immunoproliferative diseases	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C88
Multiple myeloma	38	0.7	1.7	1.3	0.12	0.16	32	0.7	1.5	1.2	0.09	0.15	C90
Lymphoid leukaemia	35	0.6	1.6	1.6	0.11	0.12	27	0.6	1.3	1.5	0.10	0.11	C91
Myeloid leukaemia	51	0.9	2.3	2.0	0.14	0.20	42	0.9	2.0	1.5	0.11	0.17	C92–94
Leukaemia unspecified	39	0.7	1.7	1.7	0.08	0.16	40	0.8	1.9	1.5	0.10	0.16	C95
Myeloproliferative disorders	2	0.0	0.1	0.1	0.00	0.01	8	0.2	0.4	0.3	0.02	0.04	MPD
Myelodysplastic syndromes	36	0.6	1.6	1.4	0.06	0.15	40	0.8	1.9	1.5	0.09	0.16	MPS
Other and unspecified	46	0.8	2.0	2.0	0.07	0.18	44	0.9	2.1	1.6	0.10	0.15	O&U
All sites	5620		249.6	216.2	9.88	23.65	4913		229.3	170.1	10.97	18.40	C00–96
All sites except C44	5575	100.0	247.6	214.1	9.83	23.46	4866	100.0	227.1	168.7	10.91	18.29	C00–96 exc. C44

China, Xishan District, Kunming City

CONTRIBUTORS

Weilin Zhang
Congling Yuan
Jie Li
Shaoye Li
Xinxia Zhou



NOTES ON THE DATA

*No questionnaire.

20 major cancers, ASR (World) per 100 000

<i>Male</i>		<i>Female</i>	
Trachea, bronchus, and lung	32.6	Breast	20.7
Liver	15.9	Thyroid	19.7
Rectum	10.6	Trachea, bronchus, and lung	13.9
Colon	9.9	Colon	8.8
Stomach	9.1	Rectum	6.1
Thyroid	6.9	Cervix uteri	6.1
Prostate	6.0	Liver	6.1
Non-Hodgkin lymphoma	5.6	Stomach	5.7
Lymphoid leukaemia	4.6	Ovary	5.6
Brain and nervous system	4.2	Brain and nervous system	5.6
Myeloid leukaemia	4.1	Myeloid leukaemia	4.0
Pancreas	4.1	Non-Hodgkin lymphoma	3.6
Bladder	4.0	Leukaemia unspecified	3.2
Leukaemia unspecified	3.9	Corpus uteri	3.0
Oesophagus	3.8	Pancreas	3.0
Nasopharynx	2.8	Gallbladder etc.	2.5
Larynx	1.8	Bone	1.5
Bone	1.8	Other and unspecified	1.3
Kidney	1.6	Lymphoid leukaemia	1.2
Other thoracic organs	1.5	Connective and soft tissue	1.0
All sites	146.0	All sites	131.3

*China, Xishan District, Kunming City (2015–2017)


SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	
Lip	1	0.0	0.1	0.0	0.00	0.00	1	0.1	0.1	0.1	0.00	0.01	C00
Tongue	4	0.2	0.5	0.2	0.01	0.03	1	0.1	0.1	0.1	0.01	0.01	C01–02
Mouth	9	0.4	1.1	0.5	0.03	0.05	2	0.1	0.2	0.1	0.00	0.01	C03–06
Salivary glands	5	0.2	0.6	0.3	0.02	0.04	6	0.3	0.7	0.8	0.06	0.06	C07–08
Tonsil	2	0.1	0.2	0.1	0.00	0.02	0	0.0	0.0	0.0	0.00	0.00	C09
Other oropharynx	7	0.3	0.9	0.4	0.03	0.05	1	0.1	0.1	0.1	0.01	0.01	C10
Nasopharynx	42	1.8	5.2	2.8	0.18	0.31	7	0.4	0.9	0.4	0.03	0.04	C11
Hypopharynx	7	0.3	0.9	0.4	0.02	0.08	0	0.0	0.0	0.0	0.00	0.00	C12–13
Pharynx unspecified	3	0.1	0.4	0.2	0.01	0.03	0	0.0	0.0	0.0	0.00	0.00	C14
Oesophagus	65	2.8	8.1	3.8	0.26	0.45	16	0.8	2.0	0.8	0.04	0.08	C15
Stomach	163	6.9	20.3	9.1	0.52	1.12	103	5.3	12.6	5.7	0.32	0.60	C16
Small intestine	13	0.6	1.6	0.8	0.07	0.07	6	0.3	0.7	0.3	0.01	0.03	C17
Colon	180	7.6	22.4	9.9	0.55	1.09	152	7.8	18.6	8.8	0.53	1.06	C18
Rectum	174	7.4	21.6	10.6	0.63	1.37	107	5.5	13.1	6.1	0.38	0.77	C19–20
Anus	2	0.1	0.2	0.1	0.01	0.01	3	0.2	0.4	0.2	0.02	0.02	C21
Liver	262	11.1	32.6	15.9	1.01	1.94	109	5.6	13.3	6.1	0.29	0.64	C22
Gallbladder etc.	28	1.2	3.5	1.4	0.06	0.16	47	2.4	5.8	2.5	0.18	0.26	C23–24
Pancreas	72	3.1	8.9	4.1	0.22	0.50	56	2.9	6.9	3.0	0.17	0.34	C25
Nose, sinuses etc.	5	0.2	0.6	0.4	0.03	0.05	3	0.2	0.4	0.2	0.02	0.02	C30–31
Larynx	29	1.2	3.6	1.8	0.11	0.18	2	0.1	0.2	0.2	0.01	0.02	C32
Trachea, bronchus, and lung	612	26.0	76.0	32.6	1.63	3.90	252	12.9	30.9	13.9	0.79	1.59	C33–34
Other thoracic organs	14	0.6	1.7	1.5	0.07	0.10	6	0.3	0.7	0.4	0.04	0.04	C37–38
Bone	27	1.1	3.4	1.8	0.09	0.15	19	1.0	2.3	1.5	0.10	0.14	C40–41
Melanoma of skin	7	0.3	0.9	0.5	0.02	0.07	4	0.2	0.5	0.3	0.02	0.04	C43
Other skin	9	0.4	1.1	0.8	0.06	0.06	8	0.4	1.0	0.4	0.02	0.03	C44
Mesothelioma	0	0.0	0.0	0.0	0.00	0.00	1	0.1	0.1	0.1	0.01	0.01	C45
Kaposi sarcoma	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C46
Connective and soft tissue	6	0.3	0.7	0.8	0.04	0.07	7	0.4	0.9	1.0	0.06	0.06	C47+C49
Breast	1	0.0	0.1	0.1	0.00	0.01	296	15.2	36.2	20.7	1.69	2.20	C50
Vulva							5	0.3	0.6	0.3	0.03	0.04	C51
Vagina							1	0.1	0.1	0.1	0.01	0.01	C52
Cervix uteri							85	4.4	10.4	6.1	0.51	0.60	C53
Corpus uteri							46	2.4	5.6	3.0	0.23	0.36	C54
Uterus unspecified							10	0.5	1.2	0.7	0.05	0.06	C55
Ovary							86	4.4	10.5	5.6	0.42	0.65	C56
Other female genital organs							6	0.3	0.7	0.4	0.04	0.04	C57
Placenta							1	0.1	0.1	0.2	0.01	0.01	C58
Penis	4	0.2	0.5	0.3	0.02	0.03							C60
Prostate	143	6.1	17.8	6.0	0.05	0.57							C61
Testis	5	0.2	0.6	0.7	0.05	0.05							C62
Other male genital organs	2	0.1	0.2	0.1	0.01	0.02							C63
Kidney	27	1.1	3.4	1.6	0.11	0.19	10	0.5	1.2	0.5	0.02	0.05	C64
Renal pelvis	3	0.1	0.4	0.1	0.01	0.01	4	0.2	0.5	0.2	0.01	0.04	C65
Ureter	3	0.1	0.4	0.1	0.01	0.01	3	0.2	0.4	0.1	0.01	0.01	C66
Bladder	71	3.0	8.8	4.0	0.24	0.48	17	0.9	2.1	0.8	0.02	0.10	C67
Other urinary organs	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C68
Eye	1	0.0	0.1	0.1	0.00	0.01	0	0.0	0.0	0.0	0.00	0.00	C69
Brain and nervous system	45	1.9	5.6	4.2	0.27	0.38	71	3.6	8.7	5.6	0.36	0.58	C70–72
Thyroid	76	3.2	9.4	6.9	0.52	0.62	227	11.6	27.8	19.7	1.64	1.77	C73
Adrenal gland	2	0.1	0.2	0.2	0.02	0.02	2	0.1	0.2	0.1	0.01	0.01	C74
Other endocrine	2	0.1	0.2	0.1	0.01	0.01	1	0.1	0.1	0.1	0.01	0.01	C75
Hodgkin lymphoma	6	0.3	0.7	0.7	0.04	0.04	4	0.2	0.5	0.3	0.01	0.03	C81
Non-Hodgkin lymphoma	77	3.3	9.6	5.6	0.35	0.62	54	2.8	6.6	3.6	0.22	0.42	C82–86,C96
Immunoproliferative diseases	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C88
Multiple myeloma	17	0.7	2.1	0.9	0.03	0.10	9	0.5	1.1	0.6	0.03	0.07	C90
Lymphoid leukaemia	38	1.6	4.7	4.6	0.26	0.40	17	0.9	2.1	1.2	0.07	0.11	C91
Myeloid leukaemia	48	2.0	6.0	4.1	0.25	0.38	35	1.8	4.3	4.0	0.25	0.29	C92–94
Leukaemia unspecified	29	1.2	3.6	3.9	0.24	0.27	31	1.6	3.8	3.2	0.19	0.27	C95
Myeloproliferative disorders	3	0.1	0.4	0.1	0.00	0.01	1	0.1	0.1	0.1	0.00	0.01	MPD
Myelodysplastic syndromes	2	0.1	0.2	0.1	0.01	0.02	0	0.0	0.0	0.0	0.00	0.00	MPS
Other and unspecified	9	0.4	1.1	0.5	0.04	0.05	18	0.9	2.2	1.3	0.08	0.15	O&U
All sites	2362		293.5	146.0	8.22	16.18	1959		239.9	131.3	9.01	13.78	C00–96
All sites except C44	2353	100.0	292.3	145.2	8.16	16.12	1951	100.0	238.9	130.9	8.99	13.74	C00–96 exc. C44

*See note following population pyramid

China, Xuyi County

CONTRIBUTORS

Yu Wang



NOTES ON THE DATA

*Low levels of specificity of leukaemias.

20 major cancers, ASR (World) per 100 000

<i>Male</i>		<i>Female</i>	
Trachea, bronchus, and lung	42.4	Breast	17.3
Oesophagus	34.8	Trachea, bronchus, and lung	14.7
Stomach	28.3	Oesophagus	14.2
Liver	25.0	Cervix uteri	9.7
Rectum	7.9	Stomach	9.1
Colon	7.5	Liver	7.7
Pancreas	5.2	Rectum	5.0
Bladder	4.4	Colon	4.9
Prostate	4.0	Ovary	4.9
Brain and nervous system	3.6	Brain and nervous system	4.5
Nasopharynx	2.5	Thyroid	4.0
Leukaemia unspecified	2.5	Pancreas	3.5
Thyroid	2.2	Corpus uteri	3.0
Non-melanoma skin cancer	1.7	Gallbladder etc.	2.1
Myeloproliferative disorders	1.7	Leukaemia unspecified	1.5
Non-Hodgkin lymphoma	1.7	Non-melanoma skin cancer	1.3
Kidney	1.6	Kidney	1.2
Bone	1.5	Uterus unspecified	1.2
Connective and soft tissue	1.4	Myeloproliferative disorders	1.0
Gallbladder etc.	1.4	Connective and soft tissue	0.9
All sites	192.0	All sites	121.0

*China, Xuyi County (2014–2017)


SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	
Lip	2	0.0	0.1	0.1	0.00	0.01	0	0.0	0.0	0.0	0.00	0.00	C00
Tongue	7	0.1	0.4	0.3	0.02	0.02	7	0.2	0.4	0.2	0.02	0.02	C01–02
Mouth	17	0.3	1.0	0.7	0.04	0.10	21	0.7	1.3	0.7	0.04	0.07	C03–06
Salivary glands	10	0.2	0.6	0.4	0.03	0.03	9	0.3	0.6	0.4	0.02	0.04	C07–08
Tonsil	1	0.0	0.1	0.1	0.00	0.01	0	0.0	0.0	0.0	0.00	0.00	C09
Other oropharynx	2	0.0	0.1	0.1	0.00	0.00	1	0.0	0.1	0.0	0.00	0.00	C10
Nasopharynx	65	1.3	4.0	2.5	0.18	0.31	20	0.6	1.3	0.9	0.07	0.08	C11
Hypopharynx	10	0.2	0.6	0.4	0.02	0.05	0	0.0	0.0	0.0	0.00	0.00	C12–13
Pharynx unspecified	1	0.0	0.1	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C14
Oesophagus	914	18.8	56.3	34.8	1.34	4.55	420	13.6	26.8	14.2	0.33	1.85	C15
Stomach	745	15.3	45.9	28.3	1.14	3.54	250	8.1	16.0	9.1	0.44	1.12	C16
Small intestine	22	0.5	1.4	0.8	0.06	0.10	15	0.5	1.0	0.6	0.04	0.07	C17
Colon	187	3.8	11.5	7.5	0.43	0.89	123	4.0	7.9	4.9	0.28	0.61	C18
Rectum	204	4.2	12.6	7.9	0.43	0.95	136	4.4	8.7	5.0	0.27	0.59	C19–20
Anus	1	0.0	0.1	0.1	0.00	0.00	4	0.1	0.3	0.2	0.00	0.03	C21
Liver	622	12.8	38.3	25.0	1.63	2.91	215	6.9	13.7	7.7	0.40	0.96	C22
Gallbladder etc.	39	0.8	2.4	1.4	0.06	0.20	62	2.0	4.0	2.1	0.08	0.21	C23–24
Pancreas	135	2.8	8.3	5.2	0.25	0.60	96	3.1	6.1	3.5	0.17	0.42	C25
Nose, sinuses etc.	4	0.1	0.2	0.2	0.01	0.02	1	0.0	0.1	0.1	0.00	0.00	C30–31
Larynx	33	0.7	2.0	1.3	0.06	0.18	3	0.1	0.2	0.1	0.00	0.02	C32
Trachea, bronchus, and lung	1092	22.4	67.3	42.4	1.54	5.63	412	13.3	26.3	14.7	0.67	1.85	C33–34
Other thoracic organs	12	0.2	0.7	0.5	0.02	0.07	9	0.3	0.6	0.3	0.02	0.04	C37–38
Bone	36	0.7	2.2	1.5	0.06	0.16	21	0.7	1.3	0.9	0.05	0.10	C40–41
Melanoma of skin	6	0.1	0.4	0.2	0.00	0.03	7	0.2	0.4	0.3	0.01	0.05	C43
Other skin	42	0.9	2.6	1.7	0.05	0.22	35	1.1	2.2	1.3	0.06	0.14	C44
Mesothelioma	4	0.1	0.2	0.2	0.01	0.02	1	0.0	0.1	0.0	0.01	0.01	C45
Kaposi sarcoma	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C46
Connective and soft tissue	31	0.6	1.9	1.4	0.07	0.17	23	0.7	1.5	0.9	0.06	0.08	C47+C49
Breast	4	0.1	0.2	0.2	0.01	0.02	405	13.1	25.9	17.3	1.44	1.85	C50
Vulva							6	0.2	0.4	0.2	0.02	0.04	C51
Vagina							6	0.2	0.4	0.2	0.01	0.02	C52
Cervix uteri							227	7.3	14.5	9.7	0.80	0.99	C53
Corpus uteri							69	2.2	4.4	3.0	0.24	0.36	C54
Uterus unspecified							29	0.9	1.9	1.2	0.09	0.14	C55
Ovary							113	3.7	7.2	4.9	0.38	0.52	C56
Other female genital organs							6	0.2	0.4	0.2	0.02	0.03	C57
Placenta							0	0.0	0.0	0.0	0.00	0.00	C58
Penis	12	0.2	0.7	0.5	0.02	0.07							C60
Prostate	109	2.2	6.7	4.0	0.10	0.49							C61
Testis	8	0.2	0.5	0.4	0.02	0.02							C62
Other male genital organs	1	0.0	0.1	0.1	0.00	0.00							C63
Kidney	37	0.8	2.3	1.6	0.08	0.18	31	1.0	2.0	1.2	0.07	0.15	C64
Renal pelvis	4	0.1	0.2	0.2	0.00	0.02	0	0.0	0.0	0.0	0.00	0.00	C65
Ureter	4	0.1	0.2	0.2	0.00	0.02	3	0.1	0.2	0.1	0.01	0.02	C66
Bladder	120	2.5	7.4	4.4	0.18	0.47	23	0.7	1.5	0.8	0.04	0.10	C67
Other urinary organs	0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.1	0.0	0.00	0.00	C68
Eye	3	0.1	0.2	0.1	0.01	0.01	1	0.0	0.1	0.0	0.00	0.00	C69
Brain and nervous system	82	1.7	5.1	3.6	0.23	0.36	104	3.4	6.6	4.5	0.29	0.47	C70–72
Thyroid	48	1.0	3.0	2.2	0.17	0.23	89	2.9	5.7	4.0	0.33	0.40	C73
Adrenal gland	9	0.2	0.6	0.3	0.01	0.03	2	0.1	0.1	0.1	0.00	0.01	C74
Other endocrine	11	0.2	0.7	0.4	0.03	0.05	8	0.3	0.5	0.4	0.02	0.04	C75
Hodgkin lymphoma	2	0.0	0.1	0.1	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C81
Non-Hodgkin lymphoma	39	0.8	2.4	1.7	0.08	0.21	10	0.3	0.6	0.4	0.02	0.04	C82–86,C96
Immunoproliferative diseases	0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.1	0.0	0.00	0.00	C88
Multiple myeloma	27	0.6	1.7	1.0	0.09	0.12	10	0.3	0.6	0.4	0.03	0.04	C90
Lymphoid leukaemia	8	0.2	0.5	0.4	0.02	0.04	7	0.2	0.4	0.3	0.02	0.02	C91
Myeloid leukaemia	11	0.2	0.7	0.5	0.02	0.06	8	0.3	0.5	0.4	0.03	0.05	C92–94
Leukaemia unspecified	52	1.1	3.2	2.5	0.15	0.22	35	1.1	2.2	1.5	0.10	0.18	C95
Myeloproliferative disorders	41	0.8	2.5	1.7	0.09	0.21	24	0.8	1.5	1.0	0.06	0.12	MPD
Myelodysplastic syndromes	2	0.0	0.1	0.1	0.01	0.01	1	0.0	0.1	0.0	0.00	0.01	MPS
Other and unspecified	29	0.6	1.8	1.2	0.07	0.15	19	0.6	1.2	0.7	0.04	0.08	O&U
All sites	4907		302.4	192.0	8.88	23.78	3129		199.8	121.0	7.12	14.08	C00–96
All sites except C44	4865	100.0	299.9	190.3	8.83	23.56	3094	100.0	197.6	119.7	7.06	13.94	C00–96 exc. C44

*See note following population pyramid

China, Ya'an City

CONTRIBUTORS

Liu Qingxia
Wang Dengqi
Wang Xiuhua
Wu Yufu
Liao Zhuohang
Li Guifen
Gao Hongmin
Xiong Xin
Xu Xinhong



NOTES ON THE DATA

*Low levels of specificity of leukaemias.

20 major cancers, ASR (World) per 100 000

<i>Male</i>		<i>Female</i>	
Trachea, bronchus, and lung	37.7	Trachea, bronchus, and lung	20.6
Liver	30.1	Breast	18.3
Stomach	16.7	Rectum	11.6
Rectum	16.0	Cervix uteri	10.7
Oesophagus	14.2	Liver	10.5
Colon	9.9	Stomach	8.2
Bladder	9.1	Colon	7.6
Prostate	6.2	Brain and nervous system	7.0
Brain and nervous system	6.2	Ovary	6.3
Pancreas	5.3	Thyroid	5.8
Non-Hodgkin lymphoma	3.9	Corpus uteri	5.4
Nasopharynx	3.5	Pancreas	4.4
Leukaemia unspecified	3.2	Other and unspecified	2.6
Other and unspecified	2.9	Non-Hodgkin lymphoma	2.4
Non-melanoma skin cancer	2.2	Oesophagus	2.3
Kidney	2.1	Non-melanoma skin cancer	2.1
Bone	2.0	Leukaemia unspecified	2.0
Thyroid	1.7	Bladder	2.0
Myeloid leukaemia	1.6	Nasopharynx	2.0
Multiple myeloma	1.6	Gallbladder etc.	2.0
All sites	191.9	All sites	148.0

*China, Ya'an City (2013–2017)


SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	
Lip	6	0.1	0.2	0.1	0.01	0.01	3	0.0	0.1	0.1	0.01	0.01	C00
Tongue	41	0.4	1.0	0.8	0.04	0.09	19	0.2	0.5	0.4	0.03	0.05	C01–02
Mouth	56	0.6	1.4	1.0	0.04	0.12	32	0.4	0.8	0.6	0.03	0.07	C03–06
Salivary glands	45	0.4	1.1	0.9	0.05	0.09	21	0.3	0.6	0.4	0.03	0.05	C07–08
Tonsil	8	0.1	0.2	0.1	0.01	0.01	2	0.0	0.1	0.0	0.00	0.00	C09
Other oropharynx	22	0.2	0.6	0.4	0.03	0.05	3	0.0	0.1	0.1	0.00	0.01	C10
Nasopharynx	184	1.8	4.6	3.5	0.27	0.38	101	1.3	2.6	2.0	0.15	0.20	C11
Hypopharynx	20	0.2	0.5	0.4	0.02	0.05	0	0.0	0.0	0.0	0.00	0.00	C12–13
Pharynx unspecified	13	0.1	0.3	0.2	0.01	0.02	2	0.0	0.1	0.0	0.00	0.01	C14
Oesophagus	756	7.5	18.9	14.2	0.65	1.79	132	1.7	3.5	2.3	0.06	0.29	C15
Stomach	885	8.8	22.2	16.7	0.91	1.98	457	6.0	12.0	8.2	0.40	0.92	C16
Small intestine	50	0.5	1.3	0.9	0.05	0.10	45	0.6	1.2	0.8	0.05	0.11	C17
Colon	530	5.3	13.3	9.9	0.49	1.18	406	5.3	10.7	7.6	0.40	0.94	C18
Rectum	860	8.5	21.5	16.0	0.77	1.94	633	8.3	16.6	11.6	0.56	1.44	C19–20
Anus	30	0.3	0.8	0.6	0.03	0.07	16	0.2	0.4	0.3	0.01	0.04	C21
Liver	1610	16.0	40.3	30.1	1.93	3.48	565	7.4	14.8	10.5	0.52	1.29	C22
Gallbladder etc.	79	0.8	2.0	1.5	0.07	0.17	107	1.4	2.8	2.0	0.12	0.24	C23–24
Pancreas	287	2.9	7.2	5.3	0.27	0.61	236	3.1	6.2	4.4	0.20	0.54	C25
Nose, sinuses etc.	11	0.1	0.3	0.2	0.02	0.02	11	0.1	0.3	0.2	0.01	0.02	C30–31
Larynx	82	0.8	2.1	1.5	0.10	0.18	6	0.1	0.2	0.1	0.00	0.01	C32
Trachea, bronchus, and lung	2042	20.3	51.1	37.7	1.84	4.46	1140	14.9	29.9	20.6	1.05	2.46	C33–34
Other thoracic organs	57	0.6	1.4	1.1	0.07	0.14	28	0.4	0.7	0.6	0.04	0.05	C37–38
Bone	98	1.0	2.5	2.0	0.12	0.20	72	0.9	1.9	1.5	0.08	0.16	C40–41
Melanoma of skin	22	0.2	0.6	0.4	0.03	0.03	35	0.5	0.9	0.7	0.04	0.07	C43
Other skin	118	1.2	3.0	2.2	0.11	0.24	120	1.6	3.1	2.1	0.09	0.23	C44
Mesothelioma	7	0.1	0.2	0.1	0.01	0.02	1	0.0	0.0	0.0	0.00	0.00	C45
Kaposi sarcoma	1	0.0	0.0	0.0	0.00	0.00	1	0.0	0.0	0.0	0.00	0.00	C46
Connective and soft tissue	47	0.5	1.2	1.0	0.06	0.10	40	0.5	1.0	0.9	0.06	0.08	C47+C49
Breast	14	0.1	0.4	0.3	0.02	0.03	951	12.4	24.9	18.3	1.53	1.93	C50
Vulva							18	0.2	0.5	0.3	0.02	0.04	C51
Vagina							7	0.1	0.2	0.1	0.01	0.02	C52
Cervix uteri							554	7.2	14.5	10.7	0.84	1.13	C53
Corpus uteri							276	3.6	7.2	5.4	0.46	0.61	C54
Uterus unspecified							36	0.5	0.9	0.7	0.05	0.07	C55
Ovary							307	4.0	8.1	6.3	0.49	0.66	C56
Other female genital organs							15	0.2	0.4	0.3	0.01	0.03	C57
Placenta							2	0.0	0.1	0.0	0.00	0.00	C58
Penis	30	0.3	0.8	0.5	0.03	0.05							C60
Prostate	350	3.5	8.8	6.2	0.10	0.59							C61
Testis	24	0.2	0.6	0.5	0.04	0.04							C62
Other male genital organs	6	0.1	0.2	0.1	0.01	0.01							C63
Kidney	111	1.1	2.8	2.1	0.10	0.26	62	0.8	1.6	1.2	0.07	0.12	C64
Renal pelvis	11	0.1	0.3	0.2	0.01	0.02	4	0.1	0.1	0.1	0.00	0.01	C65
Ureter	17	0.2	0.4	0.3	0.00	0.03	11	0.1	0.3	0.2	0.01	0.02	C66
Bladder	498	4.9	12.5	9.1	0.34	1.01	113	1.5	3.0	2.0	0.07	0.24	C67
Other urinary organs	3	0.0	0.1	0.1	0.00	0.00	2	0.0	0.1	0.0	0.00	0.01	C68
Eye	11	0.1	0.3	0.2	0.01	0.02	11	0.1	0.3	0.3	0.02	0.03	C69
Brain and nervous system	305	3.0	7.6	6.2	0.38	0.65	346	4.5	9.1	7.0	0.46	0.77	C70–72
Thyroid	86	0.9	2.2	1.7	0.12	0.16	285	3.7	7.5	5.8	0.42	0.59	C73
Adrenal gland	9	0.1	0.2	0.2	0.01	0.02	6	0.1	0.2	0.2	0.01	0.02	C74
Other endocrine	19	0.2	0.5	0.4	0.03	0.04	22	0.3	0.6	0.4	0.03	0.05	C75
Hodgkin lymphoma	21	0.2	0.5	0.4	0.03	0.05	10	0.1	0.3	0.2	0.01	0.02	C81
Non-Hodgkin lymphoma	197	2.0	4.9	3.9	0.26	0.45	123	1.6	3.2	2.4	0.16	0.29	C82–86,C96
Immunoproliferative diseases	3	0.0	0.1	0.1	0.00	0.01	2	0.0	0.1	0.0	0.00	0.01	C88
Multiple myeloma	83	0.8	2.1	1.6	0.07	0.21	52	0.7	1.4	1.0	0.07	0.12	C90
Lymphoid leukaemia	39	0.4	1.0	1.0	0.06	0.07	28	0.4	0.7	0.8	0.05	0.06	C91
Myeloid leukaemia	79	0.8	2.0	1.6	0.10	0.17	69	0.9	1.8	1.5	0.09	0.14	C92–94
Leukaemia unspecified	148	1.5	3.7	3.2	0.16	0.29	89	1.2	2.3	2.0	0.12	0.22	C95
Myeloproliferative disorders	7	0.1	0.2	0.1	0.01	0.01	5	0.1	0.1	0.1	0.00	0.01	MPD
Myelodysplastic syndromes	3	0.0	0.1	0.1	0.00	0.00	2	0.0	0.1	0.0	0.00	0.00	MPS
Other and unspecified	144	1.4	3.6	2.9	0.14	0.31	135	1.8	3.5	2.6	0.12	0.28	O&U
All sites	10185		255.0	191.9	10.04	22.04	7777		204.0	148.0	9.09	16.81	C00–96
All sites except C44	10067	100.0	252.1	189.7	9.93	21.80	7657	100.0	200.9	145.9	9.00	16.58	C00–96 exc. C44

*See note following population pyramid

China, Yakeshi City

CONTRIBUTORS

Su Yan
Xia Yu
Li Funan



NOTES ON THE DATA

*Low levels of specificity of leukaemias.

20 major cancers, ASR (World) per 100 000

<i>Male</i>		<i>Female</i>	
Trachea, bronchus, and lung	56.6	Trachea, bronchus, and lung	32.6
Liver	29.1	Thyroid	32.5
Stomach	23.8	Breast	27.5
Oesophagus	19.9	Liver	8.9
Rectum	13.6	Rectum	8.5
Colon	12.5	Cervix uteri	8.3
Pancreas	8.3	Brain and nervous system	7.8
Thyroid	7.8	Corpus uteri	7.6
Bladder	6.8	Stomach	7.2
Brain and nervous system	6.6	Colon	6.8
Kidney	6.4	Ovary	5.2
Prostate	4.8	Pancreas	4.8
Larynx	4.1	Kidney	3.2
Gallbladder etc.	3.9	Non-Hodgkin lymphoma	2.3
Leukaemia unspecified	3.2	Oesophagus	2.2
Non-Hodgkin lymphoma	3.1	Other and unspecified	1.9
Bone	2.7	Leukaemia unspecified	1.8
Other and unspecified	1.7	Gallbladder etc.	1.5
Other thoracic organs	1.7	Bladder	1.5
Connective and soft tissue	1.5	Bone	1.3
All sites	234.5	All sites	182.6

*China, Yakeshi City (2013–2017)


SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	
Lip	2	0.1	0.2	0.1	0.01	0.01	3	0.1	0.4	0.2	0.01	0.01	C00
Tongue	11	0.3	1.2	0.8	0.06	0.08	5	0.2	0.6	0.3	0.03	0.04	C01–02
Mouth	21	0.6	2.3	1.4	0.10	0.18	5	0.2	0.6	0.4	0.03	0.03	C03–06
Salivary glands	13	0.4	1.4	0.9	0.08	0.10	6	0.2	0.7	0.4	0.02	0.04	C07–08
Tonsil	2	0.1	0.2	0.2	0.02	0.02	0	0.0	0.0	0.0	0.00	0.00	C09
Other oropharynx	6	0.2	0.7	0.4	0.04	0.04	0	0.0	0.0	0.0	0.00	0.00	C10
Nasopharynx	21	0.6	2.3	1.5	0.09	0.15	11	0.4	1.3	0.6	0.04	0.06	C11
Hypopharynx	22	0.6	2.4	1.3	0.12	0.14	1	0.0	0.1	0.0	0.00	0.00	C12–13
Pharynx unspecified	6	0.2	0.7	0.3	0.03	0.03	0	0.0	0.0	0.0	0.00	0.00	C14
Oesophagus	312	8.8	34.3	19.9	1.40	2.40	44	1.5	5.1	2.2	0.06	0.20	C15
Stomach	371	10.4	40.8	23.8	1.37	2.78	121	4.1	14.1	7.2	0.45	0.81	C16
Small intestine	14	0.4	1.5	0.9	0.05	0.12	4	0.1	0.5	0.2	0.02	0.03	C17
Colon	191	5.4	21.0	12.5	0.78	1.47	119	4.0	13.9	6.8	0.37	0.83	C18
Rectum	205	5.8	22.5	13.6	0.87	1.63	146	4.9	17.0	8.5	0.59	0.95	C19–20
Anus	5	0.1	0.5	0.2	0.00	0.00	2	0.1	0.2	0.1	0.00	0.01	C21
Liver	454	12.8	49.9	29.1	2.07	3.32	145	4.9	16.9	8.9	0.43	1.04	C22
Gallbladder etc.	61	1.7	6.7	3.9	0.16	0.46	33	1.1	3.9	1.5	0.02	0.15	C23–24
Pancreas	125	3.5	13.7	8.3	0.48	1.03	85	2.9	9.9	4.8	0.26	0.60	C25
Nose, sinuses etc.	7	0.2	0.8	0.5	0.03	0.05	2	0.1	0.2	0.1	0.01	0.01	C30–31
Larynx	63	1.8	6.9	4.1	0.32	0.48	9	0.3	1.1	0.6	0.04	0.09	C32
Trachea, bronchus, and lung	881	24.8	96.9	56.6	3.13	6.54	599	20.2	69.9	32.6	1.47	3.57	C33–34
Other thoracic organs	24	0.7	2.6	1.7	0.09	0.16	13	0.4	1.5	0.8	0.04	0.10	C37–38
Bone	34	1.0	3.7	2.7	0.15	0.20	19	0.6	2.2	1.3	0.08	0.14	C40–41
Melanoma of skin	0	0.0	0.0	0.0	0.00	0.00	3	0.1	0.4	0.2	0.00	0.02	C43
Other skin	16	0.4	1.8	1.2	0.07	0.16	6	0.2	0.7	0.4	0.04	0.04	C44
Mesothelioma	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C45
Kaposi sarcoma	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C46
Connective and soft tissue	15	0.4	1.6	1.5	0.08	0.12	10	0.3	1.2	0.8	0.06	0.09	C47+C49
Breast	4	0.1	0.4	0.3	0.02	0.03	426	14.4	49.7	27.5	2.38	2.98	C50
Vulva							2	0.1	0.2	0.1	0.00	0.02	C51
Vagina							1	0.0	0.1	0.0	0.00	0.00	C52
Cervix uteri							127	4.3	14.8	8.3	0.69	0.83	C53
Corpus uteri							119	4.0	13.9	7.6	0.66	0.80	C54
Uterus unspecified							4	0.1	0.5	0.2	0.01	0.02	C55
Ovary							75	2.5	8.8	5.2	0.36	0.55	C56
Other female genital organs							4	0.1	0.5	0.2	0.01	0.01	C57
Placenta							0	0.0	0.0	0.0	0.00	0.00	C58
Penis	5	0.1	0.5	0.2	0.01	0.01							C60
Prostate	77	2.2	8.5	4.8	0.13	0.58							C61
Testis	4	0.1	0.4	0.3	0.02	0.02							C62
Other male genital organs	2	0.1	0.2	0.1	0.02	0.02							C63
Kidney	98	2.8	10.8	6.4	0.43	0.81	54	1.8	6.3	3.2	0.23	0.35	C64
Renal pelvis	7	0.2	0.8	0.5	0.01	0.06	6	0.2	0.7	0.3	0.02	0.04	C65
Ureter	5	0.1	0.5	0.4	0.03	0.05	8	0.3	0.9	0.4	0.01	0.02	C66
Bladder	112	3.1	12.3	6.8	0.36	0.72	25	0.8	2.9	1.5	0.07	0.16	C67
Other urinary organs	1	0.0	0.1	0.1	0.00	0.01	0	0.0	0.0	0.0	0.00	0.00	C68
Eye	0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.1	0.0	0.00	0.00	C69
Brain and nervous system	91	2.6	10.0	6.6	0.44	0.64	111	3.8	13.0	7.8	0.63	0.83	C70–72
Thyroid	119	3.3	13.1	7.8	0.69	0.75	473	16.0	55.2	32.5	2.93	3.12	C73
Adrenal gland	7	0.2	0.8	0.3	0.03	0.03	6	0.2	0.7	0.3	0.02	0.03	C74
Other endocrine	15	0.4	1.6	1.3	0.08	0.15	6	0.2	0.7	0.4	0.04	0.05	C75
Hodgkin lymphoma	1	0.0	0.1	0.1	0.01	0.01	2	0.1	0.2	0.1	0.01	0.01	C81
Non-Hodgkin lymphoma	43	1.2	4.7	3.1	0.19	0.39	37	1.2	4.3	2.3	0.18	0.23	C82–86,C96
Immunoproliferative diseases	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C88
Multiple myeloma	3	0.1	0.3	0.3	0.02	0.04	6	0.2	0.7	0.3	0.01	0.04	C90
Lymphoid leukaemia	9	0.3	1.0	1.1	0.06	0.08	10	0.3	1.2	0.7	0.03	0.07	C91
Myeloid leukaemia	14	0.4	1.5	1.4	0.10	0.14	10	0.3	1.2	0.6	0.03	0.08	C92–94
Leukaemia unspecified	44	1.2	4.8	3.2	0.18	0.33	27	0.9	3.2	1.8	0.13	0.20	C95
Myeloproliferative disorders	3	0.1	0.3	0.2	0.02	0.02	5	0.2	0.6	0.3	0.02	0.04	MPD
Myelodysplastic syndromes	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	MPS
Other and unspecified	26	0.7	2.9	1.7	0.09	0.18	30	1.0	3.5	1.9	0.13	0.20	O&U
All sites	3572		392.9	234.5	14.55	26.73	2966		346.2	182.6	12.68	19.59	C00–96
All sites except C44	3556	100.0	391.1	233.3	14.47	26.58	2960	100.0	345.5	182.2	12.65	19.55	C00–96 exc. C44

*See note following population pyramid

China, Yancheng City

CONTRIBUTORS

Fudong Liu
Lingling Wu
Fei He
Jia Geng
Lili Yan
Xinyuan Yang



20 major cancers, ASR (World) per 100 000

<i>Male</i>		<i>Female</i>	
Trachea, bronchus, and lung	49.0	Breast	25.7
Stomach	48.5	Trachea, bronchus, and lung	23.2
Oesophagus	38.0	Stomach	20.7
Liver	26.6	Oesophagus	18.5
Rectum	10.9	Cervix uteri	17.9
Colon	7.1	Liver	10.1
Pancreas	6.8	Rectum	7.3
Brain and nervous system	5.4	Pancreas	5.1
Prostate	4.8	Thyroid	4.7
Bladder	4.2	Brain and nervous system	4.7
Bone	3.3	Colon	4.5
Nasopharynx	3.1	Ovary	4.4
Kidney	2.9	Uterus unspecified	3.4
Non-Hodgkin lymphoma	2.8	Gallbladder etc.	2.5
Other and unspecified	2.5	Corpus uteri	2.1
Leukaemia unspecified	2.4	Leukaemia unspecified	2.1
Gallbladder etc.	2.1	Other and unspecified	2.0
Myeloid leukaemia	1.8	Bone	2.0
Thyroid	1.6	Non-Hodgkin lymphoma	1.8
Lymphoid leukaemia	1.6	Kidney	1.5
All sites	234.9	All sites	174.6


China, Yancheng City (2013–2017)

SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	
Lip	9	0.1	0.2	0.2	0.00	0.02	8	0.1	0.2	0.1	0.01	0.02	C00
Tongue	19	0.1	0.5	0.3	0.02	0.03	16	0.2	0.5	0.3	0.02	0.04	C01–02
Mouth	42	0.3	1.1	0.7	0.04	0.08	27	0.3	0.8	0.5	0.02	0.07	C03–06
Salivary glands	14	0.1	0.4	0.2	0.02	0.03	12	0.1	0.3	0.2	0.02	0.02	C07–08
Tonsil	7	0.1	0.2	0.1	0.01	0.01	2	0.0	0.1	0.0	0.00	0.01	C09
Other oropharynx	2	0.0	0.1	0.0	0.00	0.00	4	0.0	0.1	0.1	0.00	0.01	C10
Nasopharynx	167	1.2	4.6	3.1	0.24	0.34	70	0.7	2.0	1.3	0.09	0.15	C11
Hypopharynx	4	0.0	0.1	0.1	0.00	0.01	1	0.0	0.0	0.0	0.00	0.00	C12–13
Pharynx unspecified	11	0.1	0.3	0.2	0.01	0.02	10	0.1	0.3	0.2	0.02	0.02	C14
Oesophagus	2330	16.9	63.5	38.0	1.51	4.70	1226	12.0	35.7	18.5	0.60	2.23	C15
Stomach	2965	21.5	80.8	48.5	2.00	5.99	1312	12.8	38.2	20.7	0.92	2.40	C16
Small intestine	37	0.3	1.0	0.7	0.04	0.10	37	0.4	1.1	0.6	0.04	0.07	C17
Colon	412	3.0	11.2	7.1	0.45	0.83	270	2.6	7.9	4.5	0.25	0.53	C18
Rectum	648	4.7	17.7	10.9	0.61	1.24	442	4.3	12.9	7.3	0.41	0.81	C19–20
Anus	6	0.0	0.2	0.1	0.01	0.01	3	0.0	0.1	0.1	0.00	0.01	C21
Liver	1529	11.1	41.7	26.6	1.77	3.01	614	6.0	17.9	10.1	0.55	1.17	C22
Gallbladder etc.	121	0.9	3.3	2.1	0.10	0.23	159	1.6	4.6	2.5	0.12	0.29	C23–24
Pancreas	406	2.9	11.1	6.8	0.33	0.80	324	3.2	9.4	5.1	0.21	0.61	C25
Nose, sinuses etc.	9	0.1	0.2	0.2	0.01	0.02	5	0.0	0.1	0.1	0.01	0.01	C30–31
Larynx	77	0.6	2.1	1.3	0.07	0.17	11	0.1	0.3	0.2	0.01	0.02	C32
Trachea, bronchus, and lung	2958	21.4	80.6	49.0	2.17	6.18	1453	14.2	42.3	23.2	1.15	2.72	C33–34
Other thoracic organs	25	0.2	0.7	0.5	0.03	0.06	32	0.3	0.9	0.6	0.05	0.06	C37–38
Bone	173	1.3	4.7	3.3	0.17	0.35	109	1.1	3.2	2.0	0.10	0.21	C40–41
Melanoma of skin	32	0.2	0.9	0.5	0.02	0.06	22	0.2	0.6	0.4	0.02	0.05	C43
Other skin	45	0.3	1.2	0.8	0.04	0.07	29	0.3	0.8	0.5	0.03	0.06	C44
Mesothelioma	0	0.0	0.0	0.0	0.00	0.00	2	0.0	0.1	0.0	0.00	0.00	C45
Kaposi sarcoma	15	0.1	0.4	0.3	0.01	0.03	3	0.0	0.1	0.0	0.00	0.01	C46
Connective and soft tissue	9	0.1	0.2	0.2	0.02	0.02	8	0.1	0.2	0.1	0.01	0.02	C47+C49
Breast	16	0.1	0.4	0.3	0.01	0.03	1368	13.4	39.8	25.7	2.18	2.68	C50
Vulva							14	0.1	0.4	0.2	0.01	0.02	C51
Vagina							3	0.0	0.1	0.1	0.00	0.01	C52
Cervix uteri							979	9.6	28.5	17.9	1.46	1.90	C53
Corpus uteri							118	1.2	3.4	2.1	0.18	0.23	C54
Uterus unspecified							193	1.9	5.6	3.4	0.26	0.36	C55
Ovary							238	2.3	6.9	4.4	0.33	0.46	C56
Other female genital organs							10	0.1	0.3	0.2	0.01	0.02	C57
Placenta							0	0.0	0.0	0.0	0.00	0.00	C58
Penis		0.2	0.7	0.4	0.03	0.04							C60
Prostate	308	2.2	8.4	4.8	0.08	0.47							C61
Testis	18	0.1	0.5	0.4	0.02	0.02							C62
Other male genital organs	3	0.0	0.1	0.0	0.00	0.01							C63
Kidney	161	1.2	4.4	2.9	0.18	0.32	84	0.8	2.4	1.5	0.10	0.19	C64
Renal pelvis	5	0.0	0.1	0.1	0.00	0.01	0	0.0	0.0	0.0	0.00	0.00	C65
Ureter	6	0.0	0.2	0.1	0.01	0.01	3	0.0	0.1	0.1	0.01	0.01	C66
Bladder	251	1.8	6.8	4.2	0.19	0.42	69	0.7	2.0	1.1	0.05	0.11	C67
Other urinary organs	0	0.0	0.0	0.0	0.00	0.00	2	0.0	0.1	0.0	0.00	0.00	C68
Eye	5	0.0	0.1	0.2	0.01	0.01	6	0.1	0.2	0.2	0.01	0.02	C69
Brain and nervous system	269	1.9	7.3	5.4	0.34	0.55	242	2.4	7.0	4.7	0.31	0.50	C70–72
Thyroid	81	0.6	2.2	1.6	0.12	0.16	243	2.4	7.1	4.7	0.40	0.47	C73
Adrenal gland	9	0.1	0.2	0.2	0.01	0.02	8	0.1	0.2	0.1	0.01	0.01	C74
Other endocrine	10	0.1	0.3	0.2	0.01	0.03	10	0.1	0.3	0.2	0.02	0.02	C75
Hodgkin lymphoma	4	0.0	0.1	0.1	0.01	0.01	3	0.0	0.1	0.1	0.00	0.01	C81
Non-Hodgkin lymphoma	158	1.1	4.3	2.8	0.16	0.29	105	1.0	3.1	1.8	0.12	0.19	C82–86,C96
Immunoproliferative diseases	4	0.0	0.1	0.1	0.01	0.01	0	0.0	0.0	0.0	0.00	0.00	C88
Multiple myeloma	62	0.4	1.7	1.1	0.05	0.11	32	0.3	0.9	0.6	0.04	0.07	C90
Lymphoid leukaemia	61	0.4	1.7	1.6	0.08	0.13	42	0.4	1.2	1.0	0.05	0.09	C91
Myeloid leukaemia	74	0.5	2.0	1.8	0.10	0.15	50	0.5	1.5	1.0	0.06	0.11	C92–94
Leukaemia unspecified	110	0.8	3.0	2.4	0.14	0.21	96	0.9	2.8	2.1	0.13	0.21	C95
Myeloproliferative disorders	4	0.0	0.1	0.1	0.00	0.00	3	0.0	0.1	0.1	0.00	0.01	MPD
Myelodysplastic syndromes	6	0.0	0.2	0.1	0.00	0.01	5	0.0	0.1	0.1	0.00	0.01	MPS
Other and unspecified	145	1.0	4.0	2.5	0.15	0.26	119	1.2	3.5	2.0	0.10	0.23	O&U
All sites	13866		378.0	234.9	11.40	27.71	10256		298.3	174.6	10.50	19.56	C00–96
All sites except C44	13821	100.0	376.8	234.1	11.37	27.64	10227	100.0	297.5	174.1	10.46	19.51	C00–96 exc. C44

China, Yangquan City

CONTRIBUTORS

Junqing Feng
Shuqiong Jiang
Yongzhen Zhang
Licheng Lv
Suhua Hao



NOTES ON THE DATA

*Low levels of specificity of leukaemias. No questionnaire.

20 major cancers, ASR (World) per 100 000

<i>Male</i>		<i>Female</i>	
Trachea, bronchus, and lung	56.3	Trachea, bronchus, and lung	23.9
Stomach	41.5	Breast	21.9
Oesophagus	28.4	Oesophagus	14.9
Liver	16.6	Cervix uteri	14.9
Rectum	10.5	Stomach	12.0
Colon	9.9	Liver	7.2
Bladder	9.3	Ovary	7.1
Prostate	6.5	Rectum	6.9
Kidney	4.8	Colon	6.7
Pancreas	4.6	Corpus uteri	5.8
Brain and nervous system	4.6	Gallbladder etc.	4.5
Non-Hodgkin lymphoma	4.4	Non-Hodgkin lymphoma	3.1
Leukaemia unspecified	3.8	Leukaemia unspecified	3.1
Gallbladder etc.	3.5	Brain and nervous system	3.0
Bone	3.3	Kidney	3.0
Other and unspecified	2.8	Pancreas	3.0
Larynx	2.7	Bladder	2.8
Multiple myeloma	1.7	Thyroid	2.8
Non-melanoma skin cancer	1.2	Bone	1.9
Other thoracic organs	1.2	Other and unspecified	1.5
All sites	228.5	All sites	161.7

*China, Yangquan City (2013–2017)


SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	
Lip	4	0.1	0.2	0.2	0.02	0.02	4	0.1	0.2	0.2	0.00	0.04	C00
Tongue	10	0.2	0.5	0.5	0.02	0.05	7	0.2	0.4	0.3	0.03	0.03	C01–02
Mouth	14	0.3	0.8	0.7	0.03	0.10	10	0.3	0.6	0.4	0.02	0.04	C03–06
Salivary glands	9	0.2	0.5	0.4	0.03	0.04	11	0.3	0.7	0.6	0.01	0.05	C07–08
Tonsil	5	0.1	0.3	0.2	0.02	0.03	6	0.2	0.4	0.2	0.01	0.02	C09
Other oropharynx	3	0.1	0.2	0.1	0.01	0.02	1	0.0	0.1	0.1	0.00	0.01	C10
Nasopharynx	17	0.4	0.9	0.7	0.04	0.09	14	0.4	0.8	0.6	0.04	0.07	C11
Hypopharynx	10	0.2	0.5	0.5	0.01	0.07	0	0.0	0.0	0.0	0.00	0.00	C12–13
Pharynx unspecified	7	0.1	0.4	0.3	0.02	0.03	0	0.0	0.0	0.0	0.00	0.00	C14
Oesophagus	586	12.2	32.2	28.4	1.08	3.23	306	8.7	18.2	14.9	0.56	1.80	C15
Stomach	878	18.3	48.2	41.5	1.92	5.21	253	7.2	15.1	12.0	0.53	1.49	C16
Small intestine	24	0.5	1.3	1.1	0.07	0.13	16	0.5	1.0	0.8	0.03	0.12	C17
Colon	209	4.4	11.5	9.9	0.45	1.02	148	4.2	8.8	6.7	0.27	0.76	C18
Rectum	222	4.6	12.2	10.5	0.46	1.22	152	4.3	9.1	6.9	0.40	0.76	C19–20
Anus	1	0.0	0.1	0.1	0.00	0.01	4	0.1	0.2	0.2	0.00	0.01	C21
Liver	363	7.6	19.9	16.6	0.85	1.92	151	4.3	9.0	7.2	0.29	0.83	C22
Gallbladder etc.	76	1.6	4.2	3.5	0.15	0.44	93	2.6	5.5	4.5	0.20	0.48	C23–24
Pancreas	105	2.2	5.8	4.6	0.24	0.52	67	1.9	4.0	3.0	0.16	0.33	C25
Nose, sinuses etc.	13	0.3	0.7	0.6	0.03	0.07	2	0.1	0.1	0.1	0.01	0.01	C30–31
Larynx	54	1.1	3.0	2.7	0.11	0.32	4	0.1	0.2	0.2	0.00	0.03	C32
Trachea, bronchus, and lung	1204	25.1	66.1	56.3	2.30	6.75	515	14.6	30.7	23.9	1.08	2.55	C33–34
Other thoracic organs	25	0.5	1.4	1.2	0.06	0.16	15	0.4	0.9	0.7	0.03	0.09	C37–38
Bone	68	1.4	3.7	3.3	0.15	0.38	44	1.3	2.6	1.9	0.11	0.23	C40–41
Melanoma of skin	11	0.2	0.6	0.6	0.02	0.06	7	0.2	0.4	0.4	0.02	0.02	C43
Other skin	25	0.5	1.4	1.2	0.06	0.09	21	0.6	1.3	0.9	0.03	0.11	C44
Mesothelioma	2	0.0	0.1	0.1	0.01	0.01	1	0.0	0.1	0.0	0.00	0.00	C45
Kaposi sarcoma	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C46
Connective and soft tissue	4	0.1	0.2	0.2	0.01	0.02	3	0.1	0.2	0.1	0.01	0.01	C47+C49
Breast	6	0.1	0.3	0.2	0.00	0.00	524	14.9	31.2	21.9	1.73	2.45	C50
Vulva							11	0.3	0.7	0.5	0.04	0.07	C51
Vagina							3	0.1	0.2	0.1	0.01	0.01	C52
Cervix uteri							351	10.0	20.9	14.9	1.15	1.73	C53
Corpus uteri							132	3.8	7.9	5.8	0.45	0.70	C54
Uterus unspecified							14	0.4	0.8	0.7	0.04	0.09	C55
Ovary							155	4.4	9.2	7.1	0.49	0.82	C56
Other female genital organs							8	0.2	0.5	0.3	0.04	0.04	C57
Placenta							0	0.0	0.0	0.0	0.00	0.00	C58
Penis	20	0.4	1.1	0.9	0.05	0.08							C60
Prostate	119	2.5	6.5	6.5	0.10	0.45							C61
Testis	1	0.0	0.1	0.0	0.00	0.00							C62
Other male genital organs	2	0.0	0.1	0.1	0.00	0.02							C63
Kidney	113	2.4	6.2	4.8	0.29	0.63	63	1.8	3.8	3.0	0.15	0.42	C64
Renal pelvis	3	0.1	0.2	0.1	0.01	0.01	9	0.3	0.5	0.4	0.02	0.06	C65
Ureter	11	0.2	0.6	0.6	0.01	0.06	16	0.5	1.0	0.8	0.03	0.10	C66
Bladder	186	3.9	10.2	9.3	0.34	1.12	57	1.6	3.4	2.8	0.05	0.31	C67
Other urinary organs	2	0.0	0.1	0.1	0.00	0.00	1	0.0	0.1	0.0	0.00	0.00	C68
Eye	0	0.0	0.0	0.0	0.00	0.00	3	0.1	0.2	0.1	0.00	0.02	C69
Brain and nervous system	95	2.0	5.2	4.6	0.22	0.53	65	1.8	3.9	3.0	0.17	0.30	C70–72
Thyroid	20	0.4	1.1	0.9	0.05	0.09	64	1.8	3.8	2.8	0.19	0.25	C73
Adrenal gland	5	0.1	0.3	0.2	0.02	0.02	3	0.1	0.2	0.3	0.02	0.02	C74
Other endocrine	1	0.0	0.1	0.0	0.00	0.00	3	0.1	0.2	0.1	0.01	0.01	C75
Hodgkin lymphoma	5	0.1	0.3	0.2	0.01	0.04	0	0.0	0.0	0.0	0.00	0.00	C81
Non-Hodgkin lymphoma	89	1.9	4.9	4.4	0.20	0.46	71	2.0	4.2	3.1	0.19	0.37	C82–86,C96
Immunoproliferative diseases	1	0.0	0.1	0.1	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C88
Multiple myeloma	39	0.8	2.1	1.7	0.07	0.22	27	0.8	1.6	1.4	0.07	0.18	C90
Lymphoid leukaemia	5	0.1	0.3	0.2	0.01	0.02	3	0.1	0.2	0.3	0.02	0.02	C91
Myeloid leukaemia	18	0.4	1.0	0.8	0.06	0.09	12	0.3	0.7	0.7	0.03	0.07	C92–94
Leukaemia unspecified	70	1.5	3.8	3.8	0.17	0.39	56	1.6	3.3	3.1	0.17	0.33	C95
Myeloproliferative disorders	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	MPD
Myelodysplastic syndromes	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	MPS
Other and unspecified	65	1.4	3.6	2.8	0.16	0.32	34	1.0	2.0	1.5	0.08	0.14	O&U
All sites	4825		264.9	228.5	9.94	26.55	3540		211.0	161.7	9.03	18.42	C00–96
All sites except C44	4800	100.0	263.5	227.3	9.88	26.46	3519	100.0	209.7	160.8	8.99	18.32	C00–96 exc. C44

*See note following population pyramid

China, Yangzhong City

CONTRIBUTORS

Zhalai Hua
Tongqiu Song
Qin Zhou
Xiang Feng



NOTES ON THE DATA

*Low levels of specificity of leukaemias. Rates based on low numbers due to small population.

20 major cancers, ASR (World) per 100 000

<i>Male</i>		<i>Female</i>	
Stomach	69.8	Stomach	29.8
Oesophagus	45.0	Breast	24.1
Trachea, bronchus, and lung	33.7	Oesophagus	23.8
Liver	15.2	Trachea, bronchus, and lung	12.0
Rectum	12.9	Cervix uteri	10.2
Colon	10.5	Rectum	8.9
Bladder	4.5	Colon	7.6
Pancreas	3.7	Liver	7.5
Prostate	3.6	Corpus uteri	3.2
Nasopharynx	2.7	Ovary	3.2
Brain and nervous system	1.9	Pancreas	3.1
Kidney	1.7	Thyroid	3.0
Gallbladder etc.	1.5	Gallbladder etc.	2.3
Bone	1.4	Kidney	2.2
Non-Hodgkin lymphoma	1.4	Leukaemia unspecified	1.2
Myeloid leukaemia	1.2	Brain and nervous system	1.2
Mouth	1.2	Non-Hodgkin lymphoma	1.0
Leukaemia unspecified	1.2	Non-melanoma skin cancer	0.9
Thyroid	0.8	Mouth	0.9
Penis	0.8	Nasopharynx	0.8
All sites	221.0	All sites	154.3

*China, Yangzhong City (2013–2017)


SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	
Lip	0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.1	0.1	0.00	0.01	C00
Tongue	5	0.2	0.7	0.4	0.04	0.05	4	0.2	0.6	0.2	0.01	0.03	C01–02
Mouth	18	0.6	2.6	1.2	0.07	0.14	16	0.7	2.2	0.9	0.03	0.09	C03–06
Salivary glands	3	0.1	0.4	0.3	0.02	0.03	2	0.1	0.3	0.1	0.02	0.02	C07–08
Tonsil	0	0.0	0.0	0.0	0.00	0.00	3	0.1	0.4	0.2	0.01	0.02	C09
Other oropharynx	3	0.1	0.4	0.2	0.02	0.02	1	0.0	0.1	0.1	0.01	0.01	C10
Nasopharynx	34	1.1	4.9	2.7	0.22	0.28	11	0.5	1.5	0.8	0.05	0.10	C11
Hypopharynx	6	0.2	0.9	0.4	0.01	0.04	1	0.0	0.1	0.1	0.01	0.01	C12–13
Pharynx unspecified	3	0.1	0.4	0.2	0.00	0.03	1	0.0	0.1	0.1	0.00	0.01	C14
Oesophagus	665	20.8	96.6	45.0	2.38	5.79	440	18.6	61.5	23.8	0.72	2.78	C15
Stomach	1022	32.0	148.5	69.8	3.79	8.62	500	21.1	69.9	29.8	1.39	3.43	C16
Small intestine	7	0.2	1.0	0.6	0.05	0.06	9	0.4	1.3	0.6	0.04	0.08	C17
Colon	147	4.6	21.4	10.5	0.58	1.33	117	4.9	16.3	7.6	0.41	0.83	C18
Rectum	178	5.6	25.9	12.9	0.80	1.37	133	5.6	18.6	8.9	0.56	1.02	C19–20
Anus	10	0.3	1.5	0.8	0.04	0.05	6	0.3	0.8	0.2	0.00	0.01	C21
Liver	216	6.8	31.4	15.2	0.93	1.81	123	5.2	17.2	7.5	0.37	0.82	C22
Gallbladder etc.	21	0.7	3.1	1.5	0.06	0.13	37	1.6	5.2	2.3	0.14	0.24	C23–24
Pancreas	54	1.7	7.8	3.7	0.17	0.42	58	2.4	8.1	3.1	0.10	0.28	C25
Nose, sinuses etc.	1	0.0	0.1	0.1	0.01	0.01	4	0.2	0.6	0.3	0.02	0.04	C30–31
Larynx	6	0.2	0.9	0.4	0.01	0.04	1	0.0	0.1	0.1	0.00	0.01	C32
Trachea, bronchus, and lung	515	16.1	74.8	33.7	1.31	4.01	206	8.7	28.8	12.0	0.59	1.42	C33–34
Other thoracic organs	2	0.1	0.3	0.2	0.01	0.02	2	0.1	0.3	0.6	0.03	0.03	C37–38
Bone	18	0.6	2.6	1.4	0.05	0.15	6	0.3	0.8	0.3	0.03	0.03	C40–41
Melanoma of skin	2	0.1	0.3	0.1	0.01	0.01	2	0.1	0.3	0.1	0.00	0.01	C43
Other skin	11	0.3	1.6	0.8	0.03	0.06	16	0.7	2.2	0.9	0.03	0.10	C44
Mesothelioma	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C45
Kaposi sarcoma	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C46
Connective and soft tissue	3	0.1	0.4	0.2	0.00	0.03	4	0.2	0.6	0.3	0.03	0.03	C47+C49
Breast	6	0.2	0.9	0.4	0.03	0.04	313	13.2	43.7	24.1	1.97	2.55	C50
Vulva							2	0.1	0.3	0.1	0.00	0.02	C51
Vagina							7	0.3	1.0	0.5	0.04	0.05	C52
Cervix uteri							128	5.4	17.9	10.2	0.81	1.03	C53
Corpus uteri							42	1.8	5.9	3.2	0.27	0.37	C54
Uterus unspecified							8	0.3	1.1	0.6	0.04	0.06	C55
Ovary							44	1.9	6.1	3.2	0.23	0.37	C56
Other female genital organs							7	0.3	1.0	0.4	0.01	0.04	C57
Placenta							1	0.0	0.1	0.2	0.01	0.01	C58
Penis	12	0.4	1.7	0.8	0.02	0.06							C60
Prostate	56	1.8	8.1	3.6	0.10	0.36							C61
Testis	2	0.1	0.3	0.1	0.01	0.01							C62
Other male genital organs	1	0.0	0.1	0.0	0.00	0.00							C63
Kidney	24	0.8	3.5	1.7	0.08	0.21	25	1.1	3.5	2.2	0.13	0.20	C64
Renal pelvis	1	0.0	0.1	0.1	0.01	0.01	1	0.0	0.1	0.0	0.00	0.00	C65
Ureter	1	0.0	0.1	0.1	0.01	0.01	1	0.0	0.1	0.0	0.00	0.00	C66
Bladder	66	2.1	9.6	4.5	0.19	0.49	13	0.5	1.8	0.6	0.00	0.04	C67
Other urinary organs	2	0.1	0.3	0.2	0.01	0.01	0	0.0	0.0	0.0	0.00	0.00	C68
Eye	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C69
Brain and nervous system	25	0.8	3.6	1.9	0.10	0.23	20	0.8	2.8	1.2	0.06	0.11	C70–72
Thyroid	9	0.3	1.3	0.8	0.08	0.08	35	1.5	4.9	3.0	0.26	0.30	C73
Adrenal gland	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C74
Other endocrine	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C75
Hodgkin lymphoma	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C81
Non-Hodgkin lymphoma	18	0.6	2.6	1.4	0.11	0.12	11	0.5	1.5	1.0	0.04	0.08	C82–86,C96
Immunoproliferative diseases	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C88
Multiple myeloma	1	0.0	0.1	0.1	0.01	0.01	2	0.1	0.3	0.1	0.00	0.01	C90
Lymphoid leukaemia	3	0.1	0.4	0.3	0.02	0.04	3	0.1	0.4	0.7	0.03	0.04	C91
Myeloid leukaemia	6	0.2	0.9	1.2	0.07	0.08	3	0.1	0.4	0.5	0.04	0.04	C92–94
Leukaemia unspecified	16	0.5	2.3	1.2	0.09	0.12	13	0.5	1.8	1.2	0.07	0.11	C95
Myeloproliferative disorders	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	MPD
Myelodysplastic syndromes	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	MPS
Other and unspecified	5	0.2	0.7	0.5	0.01	0.05	4	0.2	0.6	0.3	0.03	0.03	O&U
All sites	3204		465.5	221.0	11.55	26.43	2387		333.5	154.3	8.63	16.91	C00–96
All sites except C44	3193	100.0	463.9	220.3	11.52	26.37	2371	100.0	331.3	153.4	8.60	16.81	C00–96 exc. C44

*See note following population pyramid

China, Yanji City

CONTRIBUTORS

Chunji Zheng
Yang Ren



NOTES ON THE DATA

*Low MV%. No questionnaire.

20 major cancers, ASR (World) per 100 000

<i>Male</i>		<i>Female</i>	
Liver	47.7	Breast	22.2
Trachea, bronchus, and lung	35.7	Trachea, bronchus, and lung	16.5
Stomach	17.1	Liver	15.7
Colon	12.7	Thyroid	10.6
Rectum	9.5	Cervix uteri	7.6
Oesophagus	7.3	Colon	6.8
Bladder	7.1	Rectum	6.1
Pancreas	6.9	Stomach	5.8
Prostate	4.7	Ovary	5.0
Kidney	4.4	Pancreas	4.9
Thyroid	3.8	Corpus uteri	2.9
Gallbladder etc.	3.5	Brain and nervous system	2.4
Larynx	3.1	Kidney	2.0
Non-Hodgkin lymphoma	2.5	Bladder	2.0
Brain and nervous system	2.1	Gallbladder etc.	1.9
Lymphoid leukaemia	2.0	Non-Hodgkin lymphoma	1.6
Other and unspecified	1.8	Lymphoid leukaemia	1.6
Myeloid leukaemia	1.8	Myeloid leukaemia	1.6
Leukaemia unspecified	1.4	Other and unspecified	1.5
Non-melanoma skin cancer	1.3	Bone	1.1
All sites	190.6	All sites	128.5

*China, Yanji City (2013–2017)


SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	
Lip	5	0.1	0.4	0.3	0.01	0.04	2	0.1	0.1	0.1	0.00	0.00	C00
Tongue	15	0.4	1.2	0.7	0.04	0.11	5	0.2	0.4	0.2	0.01	0.02	C01–02
Mouth	22	0.6	1.7	1.1	0.06	0.14	8	0.3	0.6	0.3	0.01	0.03	C03–06
Salivary glands	7	0.2	0.5	0.3	0.02	0.02	4	0.1	0.3	0.2	0.01	0.02	C07–08
Tonsil	8	0.2	0.6	0.4	0.03	0.03	0	0.0	0.0	0.0	0.00	0.00	C09
Other oropharynx	9	0.2	0.7	0.4	0.04	0.05	0	0.0	0.0	0.0	0.00	0.00	C10
Nasopharynx	16	0.4	1.2	0.7	0.07	0.09	3	0.1	0.2	0.1	0.01	0.01	C11
Hypopharynx	24	0.6	1.8	1.1	0.07	0.16	0	0.0	0.0	0.0	0.00	0.00	C12–13
Pharynx unspecified	7	0.2	0.5	0.3	0.03	0.03	0	0.0	0.0	0.0	0.00	0.00	C14
Oesophagus	153	4.0	11.8	7.3	0.41	0.84	12	0.4	0.9	0.5	0.02	0.06	C15
Stomach	345	9.1	26.5	17.1	0.81	2.22	141	4.7	10.1	5.8	0.26	0.67	C16
Small intestine	21	0.6	1.6	1.0	0.06	0.14	13	0.4	0.9	0.5	0.02	0.07	C17
Colon	263	6.9	20.2	12.7	0.57	1.57	173	5.8	12.4	6.8	0.31	0.74	C18
Rectum	195	5.1	15.0	9.5	0.51	1.22	152	5.1	10.9	6.1	0.31	0.74	C19–20
Anus	2	0.1	0.2	0.1	0.00	0.01	0	0.0	0.0	0.0	0.00	0.00	C21
Liver	991	26.1	76.2	47.7	2.88	5.73	392	13.2	28.2	15.7	0.75	1.91	C22
Gallbladder etc.	71	1.9	5.5	3.5	0.18	0.46	50	1.7	3.6	1.9	0.07	0.23	C23–24
Pancreas	145	3.8	11.2	6.9	0.37	0.79	125	4.2	9.0	5.0	0.24	0.57	C25
Nose, sinuses etc.	2	0.1	0.2	0.1	0.01	0.01	3	0.1	0.2	0.1	0.00	0.02	C30–31
Larynx	65	1.7	5.0	3.1	0.15	0.36	2	0.1	0.1	0.1	0.01	0.01	C32
Trachea, bronchus, and lung	713	18.8	54.8	35.7	1.44	4.28	413	13.9	29.7	16.5	0.66	1.91	C33–34
Other thoracic organs	11	0.3	0.8	0.5	0.04	0.05	5	0.2	0.4	0.2	0.01	0.01	C37–38
Bone	18	0.5	1.4	1.2	0.07	0.09	14	0.5	1.0	1.1	0.05	0.08	C40–41
Melanoma of skin	4	0.1	0.3	0.2	0.01	0.02	6	0.2	0.4	0.2	0.02	0.02	C43
Other skin	27	0.7	2.1	1.3	0.06	0.16	23	0.8	1.7	0.9	0.04	0.06	C44
Mesothelioma	3	0.1	0.2	0.2	0.01	0.02	0	0.0	0.0	0.0	0.00	0.00	C45
Kaposi sarcoma	0	0.0	0.0	0.0	0.00	0.00	2	0.1	0.1	0.1	0.01	0.01	C46
Connective and soft tissue	15	0.4	1.2	1.1	0.08	0.09	10	0.3	0.7	0.8	0.04	0.06	C47+C49
Breast	4	0.1	0.3	0.2	0.01	0.02	520	17.5	37.4	22.2	1.76	2.39	C50
Vulva							4	0.1	0.3	0.1	0.01	0.01	C51
Vagina							3	0.1	0.2	0.1	0.00	0.03	C52
Cervix uteri							177	5.9	12.7	7.6	0.59	0.84	C53
Corpus uteri							69	2.3	5.0	2.9	0.23	0.35	C54
Uterus unspecified							14	0.5	1.0	0.6	0.03	0.07	C55
Ovary							112	3.8	8.1	5.0	0.36	0.56	C56
Other female genital organs							6	0.2	0.4	0.3	0.02	0.03	C57
Placenta							0	0.0	0.0	0.0	0.00	0.00	C58
Penis	3	0.1	0.2	0.1	0.00	0.01							C60
Prostate	85	2.2	6.5	4.7	0.06	0.48							C61
Testis	3	0.1	0.2	0.2	0.02	0.02							C62
Other male genital organs	3	0.1	0.2	0.1	0.01	0.02							C63
Kidney	88	2.3	6.8	4.4	0.24	0.53	44	1.5	3.2	2.0	0.12	0.21	C64
Renal pelvis	16	0.4	1.2	0.8	0.05	0.11	6	0.2	0.4	0.2	0.01	0.02	C65
Ureter	9	0.2	0.7	0.5	0.02	0.08	14	0.5	1.0	0.6	0.01	0.09	C66
Bladder	143	3.8	11.0	7.1	0.29	0.76	49	1.6	3.5	2.0	0.08	0.19	C67
Other urinary organs	1	0.0	0.1	0.1	0.00	0.02	0	0.0	0.0	0.0	0.00	0.00	C68
Eye	2	0.1	0.2	0.2	0.01	0.01	3	0.1	0.2	0.3	0.01	0.03	C69
Brain and nervous system	44	1.2	3.4	2.1	0.14	0.23	39	1.3	2.8	2.4	0.13	0.20	C70–72
Thyroid	78	2.1	6.0	3.8	0.33	0.36	237	8.0	17.0	10.6	0.86	1.07	C73
Adrenal gland	3	0.1	0.2	0.3	0.01	0.01	2	0.1	0.1	0.1	0.00	0.01	C74
Other endocrine	3	0.1	0.2	0.1	0.01	0.01	3	0.1	0.2	0.3	0.02	0.02	C75
Hodgkin lymphoma	1	0.0	0.1	0.1	0.00	0.00	3	0.1	0.2	0.2	0.01	0.01	C81
Non-Hodgkin lymphoma	40	1.1	3.1	2.5	0.12	0.27	39	1.3	2.8	1.6	0.09	0.22	C82–86,C96
Immunoproliferative diseases	0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.1	0.0	0.00	0.01	C88
Multiple myeloma	21	0.6	1.6	1.1	0.05	0.15	13	0.4	0.9	0.5	0.03	0.06	C90
Lymphoid leukaemia	16	0.4	1.2	2.0	0.11	0.12	11	0.4	0.8	1.6	0.08	0.08	C91
Myeloid leukaemia	30	0.8	2.3	1.8	0.12	0.17	24	0.8	1.7	1.6	0.10	0.12	C92–94
Leukaemia unspecified	15	0.4	1.2	1.4	0.07	0.10	16	0.5	1.2	0.8	0.04	0.05	C95
Myeloproliferative disorders	8	0.2	0.6	0.6	0.04	0.05	2	0.1	0.1	0.1	0.00	0.02	MPD
Myelodysplastic syndromes	5	0.1	0.4	0.2	0.02	0.02	3	0.1	0.2	0.1	0.01	0.01	MPS
Other and unspecified	39	1.0	3.0	1.8	0.09	0.20	30	1.0	2.2	1.5	0.08	0.16	O&U
All sites	3817		293.5	190.6	9.86	22.48	3002		215.9	128.5	7.55	14.11	C00–96
All sites except C44	3790	100.0	291.5	189.3	9.80	22.32	2979	100.0	214.3	127.6	7.51	14.04	C00–96 exc. C44

*See note following population pyramid

China, Yanshi City

CONTRIBUTORS

Qin Yanjin
Duan Fengling
Wang Juntao
Shen Siming



NOTES ON THE DATA

*Low levels of specificity of leukaemias.

20 major cancers, ASR (World) per 100 000

<i>Male</i>		<i>Female</i>	
Stomach	29.0	Breast	28.9
Trachea, bronchus, and lung	27.8	Trachea, bronchus, and lung	15.0
Oesophagus	25.0	Oesophagus	14.7
Liver	20.4	Cervix uteri	10.7
Rectum	6.1	Stomach	10.2
Brain and nervous system	6.1	Liver	8.4
Colon	5.7	Thyroid	8.2
Bladder	4.1	Ovary	7.3
Non-Hodgkin lymphoma	4.0	Corpus uteri	7.2
Prostate	3.9	Brain and nervous system	6.8
Gallbladder etc.	3.4	Rectum	5.2
Leukaemia unspecified	3.3	Colon	4.7
Thyroid	2.9	Gallbladder etc.	3.8
Pancreas	2.8	Non-Hodgkin lymphoma	3.3
Kidney	2.7	Leukaemia unspecified	2.0
Bone	2.1	Pancreas	1.9
Myeloid leukaemia	1.4	Kidney	1.8
Non-melanoma skin cancer	1.4	Other and unspecified	1.8
Multiple myeloma	1.3	Uterus unspecified	1.6
Other and unspecified	1.2	Myeloid leukaemia	1.4
All sites	166.2	All sites	159.8

*China, Yanshi City (2013–2017)


SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	
Lip	2	0.1	0.1	0.1	0.01	0.01	3	0.1	0.2	0.1	0.00	0.00	C00
Tongue	8	0.2	0.5	0.3	0.02	0.03	4	0.1	0.3	0.2	0.01	0.02	C01–02
Mouth	16	0.4	1.0	0.7	0.03	0.05	15	0.4	1.0	0.6	0.03	0.08	C03–06
Salivary glands	21	0.5	1.3	0.9	0.07	0.10	16	0.4	1.0	0.7	0.05	0.07	C07–08
Tonsil	1	0.0	0.1	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C09
Other oropharynx	1	0.0	0.1	0.0	0.00	0.01	2	0.1	0.1	0.1	0.00	0.02	C10
Nasopharynx	3	0.1	0.2	0.1	0.01	0.01	13	0.3	0.9	0.5	0.03	0.03	C11
Hypopharynx	3	0.1	0.2	0.1	0.01	0.02	1	0.0	0.1	0.0	0.00	0.01	C12–13
Pharynx unspecified	0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.1	0.0	0.00	0.00	C14
Oesophagus	619	16.1	38.7	25.0	0.95	3.02	431	11.2	28.2	14.7	0.47	1.70	C15
Stomach	703	18.3	43.9	29.0	1.22	3.72	280	7.3	18.3	10.2	0.53	1.14	C16
Small intestine	18	0.5	1.1	0.8	0.04	0.08	16	0.4	1.0	0.7	0.04	0.09	C17
Colon	132	3.4	8.3	5.7	0.35	0.65	129	3.3	8.5	4.7	0.21	0.54	C18
Rectum	144	3.7	9.0	6.1	0.37	0.74	136	3.5	8.9	5.2	0.26	0.68	C19–20
Anus	0	0.0	0.0	0.0	0.00	0.00	2	0.1	0.1	0.1	0.00	0.01	C21
Liver	467	12.1	29.2	20.4	1.41	2.35	221	5.7	14.5	8.4	0.45	0.97	C22
Gallbladder etc.	84	2.2	5.3	3.4	0.14	0.36	112	2.9	7.3	3.8	0.17	0.41	C23–24
Pancreas	67	1.7	4.2	2.8	0.13	0.32	53	1.4	3.5	1.9	0.10	0.22	C25
Nose, sinuses etc.	8	0.2	0.5	0.5	0.03	0.04	8	0.2	0.5	0.3	0.02	0.03	C30–31
Larynx	20	0.5	1.3	0.9	0.06	0.10	5	0.1	0.3	0.2	0.01	0.04	C32
Trachea, bronchus, and lung	672	17.4	42.0	27.8	1.37	3.27	413	10.7	27.1	15.0	0.75	1.70	C33–34
Other thoracic organs	25	0.6	1.6	1.2	0.07	0.12	9	0.2	0.6	0.3	0.02	0.04	C37–38
Bone	40	1.0	2.5	2.1	0.11	0.22	34	0.9	2.2	1.4	0.08	0.16	C40–41
Melanoma of skin	8	0.2	0.5	0.3	0.02	0.05	14	0.4	0.9	0.5	0.03	0.08	C43
Other skin	36	0.9	2.3	1.4	0.05	0.11	38	1.0	2.5	1.4	0.08	0.12	C44
Mesothelioma	1	0.0	0.1	0.0	0.01	0.01	2	0.1	0.1	0.1	0.00	0.00	C45
Kaposi sarcoma	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C46
Connective and soft tissue	18	0.5	1.1	0.8	0.05	0.09	20	0.5	1.3	0.9	0.05	0.10	C47+C49
Breast	8	0.2	0.5	0.4	0.03	0.05	633	16.4	41.5	28.9	2.42	3.07	C50
Vulva							2	0.1	0.1	0.1	0.00	0.01	C51
Vagina							3	0.1	0.2	0.1	0.00	0.01	C52
Cervix uteri							234	6.1	15.3	10.7	0.85	1.12	C53
Corpus uteri							168	4.4	11.0	7.2	0.61	0.81	C54
Uterus unspecified							33	0.9	2.2	1.6	0.12	0.14	C55
Ovary							153	4.0	10.0	7.3	0.52	0.77	C56
Other female genital organs							13	0.3	0.9	0.5	0.03	0.06	C57
Placenta							1	0.0	0.1	0.1	0.00	0.00	C58
Penis	10	0.3	0.6	0.4	0.02	0.06							C60
Prostate	102	2.6	6.4	3.9	0.05	0.43							C61
Testis	8	0.2	0.5	0.5	0.03	0.03							C62
Other male genital organs	1	0.0	0.1	0.0	0.00	0.00							C63
Kidney	59	1.5	3.7	2.7	0.15	0.31	40	1.0	2.6	1.8	0.12	0.20	C64
Renal pelvis	7	0.2	0.4	0.3	0.02	0.04	2	0.1	0.1	0.1	0.00	0.00	C65
Ureter	7	0.2	0.4	0.3	0.03	0.03	5	0.1	0.3	0.2	0.00	0.04	C66
Bladder	96	2.5	6.0	4.1	0.15	0.51	33	0.9	2.2	1.2	0.05	0.13	C67
Other urinary organs	0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.1	0.0	0.00	0.00	C68
Eye	2	0.1	0.1	0.1	0.00	0.01	3	0.1	0.2	0.1	0.01	0.01	C69
Brain and nervous system	127	3.3	7.9	6.1	0.36	0.66	152	3.9	10.0	6.8	0.45	0.78	C70–72
Thyroid	63	1.6	3.9	2.9	0.23	0.31	176	4.6	11.5	8.2	0.65	0.90	C73
Adrenal gland	10	0.3	0.6	0.6	0.03	0.04	6	0.2	0.4	0.2	0.02	0.03	C74
Other endocrine	24	0.6	1.5	1.1	0.09	0.12	31	0.8	2.0	1.4	0.10	0.14	C75
Hodgkin lymphoma	4	0.1	0.3	0.2	0.01	0.02	1	0.0	0.1	0.1	0.00	0.00	C81
Non-Hodgkin lymphoma	81	2.1	5.1	4.0	0.23	0.45	73	1.9	4.8	3.3	0.20	0.38	C82–86,C96
Immunoproliferative diseases	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C88
Multiple myeloma	29	0.8	1.8	1.3	0.09	0.12	18	0.5	1.2	0.7	0.06	0.08	C90
Lymphoid leukaemia	11	0.3	0.7	0.8	0.05	0.05	16	0.4	1.0	1.2	0.07	0.09	C91
Myeloid leukaemia	27	0.7	1.7	1.4	0.10	0.14	28	0.7	1.8	1.4	0.10	0.14	C92–94
Leukaemia unspecified	63	1.6	3.9	3.3	0.17	0.29	41	1.1	2.7	2.0	0.15	0.18	C95
Myeloproliferative disorders	1	0.0	0.1	0.0	0.01	0.01	5	0.1	0.3	0.2	0.01	0.03	MPD
Myelodysplastic syndromes	3	0.1	0.2	0.1	0.01	0.01	7	0.2	0.5	0.3	0.02	0.03	MPS
Other and unspecified	28	0.7	1.8	1.2	0.06	0.13	40	1.0	2.6	1.8	0.11	0.19	O&U
All sites	3888		243.0	166.2	8.44	19.32	3896		255.2	159.8	10.11	17.61	C00–96
All sites except C44	3852	100.0	240.8	164.8	8.39	19.21	3858	100.0	252.7	158.4	10.04	17.48	C00–96 exc.C44

*See note following population pyramid

China, Yanting County

CONTRIBUTORS

Jun Li
Lin Li
Huang Zheng



NOTES ON THE DATA

†C67 (bladder cancer) includes neoplasms of uncertain or unknown behaviour together with invasive cancers.

20 major cancers, ASR (World) per 100 000

<i>Male</i>		<i>Female</i>	
Stomach	126.7	Stomach	59.6
Oesophagus	91.7	Oesophagus	58.2
Liver	54.9	Liver	27.0
Trachea, bronchus, and lung	47.9	Trachea, bronchus, and lung	16.3
Rectum	9.0	Breast	12.5
Brain and nervous system	5.5	Cervix uteri	8.0
Non-Hodgkin lymphoma	4.9	Rectum	5.3
Leukaemia unspecified	3.7	Corpus uteri	4.1
Other and unspecified	3.3	Uterus unspecified	3.4
Mouth	3.2	Non-Hodgkin lymphoma	3.1
Bone	2.8	Ovary	2.9
Nasopharynx	2.8	Leukaemia unspecified	2.7
Lymphoid leukaemia	2.7	Brain and nervous system	2.5
Bladder	2.2	Lymphoid leukaemia	2.4
Myeloid leukaemia	2.0	Other and unspecified	2.2
Colon	1.9	Myeloid leukaemia	2.0
Pancreas	1.9	Colon	1.7
Non-melanoma skin cancer	1.8	Non-melanoma skin cancer	1.5
Hodgkin lymphoma	1.7	Bone	1.5
Connective and soft tissue	1.7	Pancreas	1.4
All sites	381.1	All sites	228.5

China, Yanting County (2013–2017)


SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	
Lip	4	0.1	0.3	0.2	0.01	0.02	3	0.1	0.2	0.1	0.00	0.03	C00
Tongue	9	0.1	0.6	0.5	0.02	0.08	5	0.1	0.3	0.3	0.02	0.04	C01–02
Mouth	59	0.8	3.8	3.2	0.14	0.28	22	0.5	1.5	1.2	0.06	0.13	C03–06
Salivary glands	5	0.1	0.3	0.3	0.01	0.04	5	0.1	0.3	0.2	0.02	0.02	C07–08
Tonsil	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C09
Other oropharynx	6	0.1	0.4	0.3	0.03	0.04	5	0.1	0.3	0.3	0.01	0.02	C10
Nasopharynx	56	0.8	3.6	2.8	0.23	0.32	22	0.5	1.5	1.1	0.07	0.11	C11
Hypopharynx	5	0.1	0.3	0.3	0.02	0.03	2	0.0	0.1	0.1	0.01	0.01	C12–13
Pharynx unspecified	1	0.0	0.1	0.0	0.00	0.00	3	0.1	0.2	0.2	0.02	0.02	C14
Oesophagus	1736	24.3	111.7	91.7	4.83	11.16	1128	26.1	77.8	58.2	3.51	7.24	C15
Stomach	2388	33.5	153.7	126.7	6.66	14.70	1174	27.1	81.0	59.6	3.32	6.97	C16
Small intestine	7	0.1	0.5	0.4	0.02	0.05	3	0.1	0.2	0.2	0.01	0.02	C17
Colon	38	0.5	2.4	1.9	0.14	0.22	33	0.8	2.3	1.7	0.12	0.21	C18
Rectum	176	2.5	11.3	9.0	0.56	0.96	110	2.5	7.6	5.3	0.22	0.59	C19–20
Anus	3	0.0	0.2	0.2	0.01	0.03	3	0.1	0.2	0.2	0.00	0.02	C21
Liver	1052	14.7	67.7	54.9	3.65	5.76	512	11.8	35.3	27.0	1.75	3.14	C22
Gallbladder etc.	7	0.1	0.5	0.4	0.02	0.04	1	0.0	0.1	0.0	0.00	0.00	C23–24
Pancreas	34	0.5	2.2	1.9	0.13	0.17	29	0.7	2.0	1.4	0.08	0.18	C25
Nose, sinuses etc.	3	0.0	0.2	0.2	0.00	0.02	2	0.0	0.1	0.1	0.00	0.02	C30–31
Larynx	14	0.2	0.9	0.7	0.04	0.09	8	0.2	0.6	0.4	0.03	0.04	C32
Trachea, bronchus, and lung	915	12.8	58.9	47.9	2.74	5.66	313	7.2	21.6	16.3	1.01	1.90	C33–34
Other thoracic organs	15	0.2	1.0	0.8	0.04	0.11	5	0.1	0.3	0.3	0.02	0.04	C37–38
Bone	52	0.7	3.3	2.8	0.16	0.26	29	0.7	2.0	1.5	0.08	0.15	C40–41
Melanoma of skin	6	0.1	0.4	0.4	0.01	0.05	4	0.1	0.3	0.2	0.02	0.02	C43
Other skin	32	0.4	2.1	1.8	0.08	0.17	27	0.6	1.9	1.5	0.10	0.16	C44
Mesothelioma	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C45
Kaposi sarcoma	1	0.0	0.1	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C46
Connective and soft tissue	33	0.5	2.1	1.7	0.14	0.18	24	0.6	1.7	1.4	0.09	0.14	C47+C49
Breast	6	0.1	0.4	0.3	0.02	0.02	230	5.3	15.9	12.5	1.09	1.20	C50
Vulva							3	0.1	0.2	0.1	0.00	0.03	C51
Vagina							10	0.2	0.7	0.5	0.03	0.06	C52
Cervix uteri							149	3.4	10.3	8.0	0.66	0.82	C53
Corpus uteri							77	1.8	5.3	4.1	0.31	0.44	C54
Uterus unspecified							66	1.5	4.6	3.4	0.22	0.41	C55
Ovary							54	1.2	3.7	2.9	0.23	0.28	C56
Other female genital organs							9	0.2	0.6	0.4	0.03	0.04	C57
Placenta							0	0.0	0.0	0.0	0.00	0.00	C58
Penis	8	0.1	0.5	0.4	0.01	0.06							C60
Prostate	14	0.2	0.9	0.9	0.02	0.03							C61
Testis	3	0.0	0.2	0.2	0.01	0.03							C62
Other male genital organs	0	0.0	0.0	0.0	0.00	0.00							C63
Kidney	14	0.2	0.9	0.8	0.04	0.07	4	0.1	0.3	0.2	0.02	0.02	C64
Renal pelvis	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C65
Ureter	4	0.1	0.3	0.2	0.02	0.02	0	0.0	0.0	0.0	0.00	0.00	C66
†Bladder	41	0.6	2.6	2.2	0.09	0.25	13	0.3	0.9	0.6	0.03	0.08	C67
Other urinary organs	3	0.0	0.2	0.2	0.00	0.01	0	0.0	0.0	0.0	0.00	0.00	C68
Eye	1	0.0	0.1	0.1	0.00	0.00	4	0.1	0.3	0.2	0.01	0.03	C69
Brain and nervous system	102	1.4	6.6	5.5	0.33	0.56	40	0.9	2.8	2.5	0.19	0.23	C70–72
Thyroid	7	0.1	0.5	0.3	0.02	0.03	7	0.2	0.5	0.3	0.02	0.02	C73
Adrenal gland	3	0.0	0.2	0.1	0.02	0.02	1	0.0	0.1	0.1	0.01	0.01	C74
Other endocrine	2	0.0	0.1	0.1	0.00	0.01	3	0.1	0.2	0.4	0.02	0.02	C75
Hodgkin lymphoma	19	0.3	1.2	1.7	0.10	0.11	11	0.3	0.8	0.7	0.05	0.06	C81
Non-Hodgkin lymphoma	75	1.1	4.8	4.9	0.31	0.40	47	1.1	3.2	3.1	0.18	0.30	C82–86,C96
Immunoproliferative diseases	0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.1	0.1	0.01	0.01	C88
Multiple myeloma	11	0.2	0.7	0.7	0.04	0.05	6	0.1	0.4	0.4	0.03	0.04	C90
Lymphoid leukaemia	42	0.6	2.7	2.7	0.16	0.29	36	0.8	2.5	2.4	0.15	0.19	C91
Myeloid leukaemia	30	0.4	1.9	2.0	0.12	0.17	26	0.6	1.8	2.0	0.14	0.16	C92–94
Leukaemia unspecified	59	0.8	3.8	3.7	0.22	0.34	44	1.0	3.0	2.7	0.16	0.28	C95
Myeloproliferative disorders	1	0.0	0.1	0.0	0.00	0.00	1	0.0	0.1	0.1	0.01	0.01	MPD
Myelodysplastic syndromes	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	MPS
Other and unspecified	63	0.9	4.1	3.3	0.27	0.37	39	0.9	2.7	2.2	0.15	0.20	O&U
All sites	7165		461.1	381.1	21.50	43.32	4353		300.3	228.5	14.34	26.15	C00–96
All sites except C44	7133	100.0	459.1	379.3	21.42	43.16	4326	100.0	298.4	227.0	14.24	25.99	C00–96 exc. C44

†See note following population pyramid

China, Yi'an District, Tongling City

CONTRIBUTORS

Biao Zhang
Yuan Ding
Weiwu Yang



NOTES ON THE DATA

*Rates based on low numbers due to small population.

20 major cancers, ASR (World) per 100 000

Male		Female	
Stomach	57.1	Stomach	19.0
Trachea, bronchus, and lung	46.7	Trachea, bronchus, and lung	17.8
Oesophagus	32.8	Breast	13.9
Liver	22.8	Liver	7.9
Rectum	9.3	Rectum	7.9
Colon	8.8	Cervix uteri	7.7
Pancreas	5.6	Colon	7.4
Other and unspecified	5.4	Oesophagus	6.3
Non-Hodgkin lymphoma	4.4	Gallbladder etc.	5.7
Bladder	4.4	Other and unspecified	5.7
Prostate	3.9	Thyroid	4.9
Brain and nervous system	3.9	Corpus uteri	4.8
Bone	2.8	Pancreas	4.1
Non-melanoma skin cancer	2.8	Non-Hodgkin lymphoma	3.9
Gallbladder etc.	2.6	Ovary	3.8
Larynx	2.5	Brain and nervous system	1.7
Nasopharynx	2.5	Non-melanoma skin cancer	1.6
Leukaemia unspecified	2.3	Nasopharynx	1.5
Kidney	1.9	Bladder	1.4
Lymphoid leukaemia	1.2	Other thoracic organs	0.9
All sites	233.1	All sites	135.7

*China, Yi'an District, Tongling City (2014–2017)


SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	
Lip	1	0.0	0.2	0.1	0.01	0.01	1	0.1	0.2	0.1	0.00	0.00	C00
Tongue	5	0.2	0.8	0.5	0.03	0.05	1	0.1	0.2	0.1	0.01	0.01	C01–02
Mouth	7	0.3	1.2	0.7	0.04	0.09	2	0.2	0.4	0.2	0.01	0.01	C03–06
Salivary glands	2	0.1	0.3	0.2	0.02	0.02	5	0.4	0.9	0.7	0.06	0.06	C07–08
Tonsil	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C09
Other oropharynx	1	0.0	0.2	0.1	0.00	0.02	0	0.0	0.0	0.0	0.00	0.00	C10
Nasopharynx	24	1.0	4.1	2.5	0.19	0.32	13	1.0	2.3	1.5	0.08	0.19	C11
Hypopharynx	10	0.4	1.7	1.0	0.08	0.14	1	0.1	0.2	0.1	0.01	0.01	C12–13
Pharynx unspecified	3	0.1	0.5	0.2	0.00	0.00	1	0.1	0.2	0.1	0.01	0.01	C14
Oesophagus	333	14.4	56.3	32.8	1.28	4.09	68	5.2	11.9	6.3	0.18	0.76	C15
Stomach	574	24.8	97.0	57.1	2.31	7.24	195	15.0	34.2	19.0	0.95	2.31	C16
Small intestine	8	0.3	1.4	0.8	0.06	0.10	5	0.4	0.9	0.6	0.04	0.06	C17
Colon	93	4.0	15.7	8.8	0.50	0.98	73	5.6	12.8	7.4	0.42	0.80	C18
Rectum	93	4.0	15.7	9.3	0.44	1.22	77	5.9	13.5	7.9	0.49	1.00	C19–20
Anus	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C21
Liver	233	10.0	39.4	22.8	1.20	2.75	84	6.4	14.7	7.9	0.30	1.02	C22
Gallbladder etc.	28	1.2	4.7	2.6	0.11	0.28	61	4.7	10.7	5.7	0.21	0.73	C23–24
Pancreas	56	2.4	9.5	5.6	0.18	0.66	41	3.1	7.2	4.1	0.20	0.55	C25
Nose, sinuses etc.	6	0.3	1.0	0.7	0.02	0.09	3	0.2	0.5	0.4	0.04	0.04	C30–31
Larynx	27	1.2	4.6	2.5	0.10	0.26	2	0.2	0.4	0.2	0.01	0.01	C32
Trachea, bronchus, and lung	483	20.8	81.6	46.7	1.72	5.62	182	14.0	31.9	17.8	0.67	2.26	C33–34
Other thoracic organs	3	0.1	0.5	0.6	0.04	0.04	7	0.5	1.2	0.9	0.05	0.10	C37–38
Bone	24	1.0	4.1	2.8	0.13	0.31	9	0.7	1.6	0.8	0.00	0.10	C40–41
Melanoma of skin	2	0.1	0.3	0.2	0.00	0.00	2	0.2	0.4	0.2	0.00	0.02	C43
Other skin	27	1.2	4.6	2.8	0.07	0.29	19	1.5	3.3	1.6	0.04	0.13	C44
Mesothelioma	1	0.0	0.2	0.1	0.00	0.02	0	0.0	0.0	0.0	0.00	0.00	C45
Kaposi sarcoma	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C46
Connective and soft tissue	0	0.0	0.0	0.0	0.00	0.00	2	0.2	0.4	0.2	0.01	0.01	C47+C49
Breast	6	0.3	1.0	0.7	0.04	0.06	125	9.6	21.9	13.9	1.06	1.37	C50
Vulva							0	0.0	0.0	0.0	0.00	0.00	C51
Vagina							3	0.2	0.5	0.3	0.01	0.06	C52
Cervix uteri							69	5.3	12.1	7.7	0.61	0.77	C53
Corpus uteri							45	3.5	7.9	4.8	0.47	0.51	C54
Uterus unspecified							2	0.2	0.4	0.2	0.02	0.02	C55
Ovary							37	2.8	6.5	3.8	0.26	0.43	C56
Other female genital organs							2	0.2	0.4	0.2	0.01	0.01	C57
Placenta							0	0.0	0.0	0.0	0.00	0.00	C58
Penis	5	0.2	0.8	0.5	0.01	0.05							C60
Prostate	40	1.7	6.8	3.9	0.05	0.51							C61
Testis	0	0.0	0.0	0.0	0.00	0.00							C62
Other male genital organs	0	0.0	0.0	0.0	0.00	0.00							C63
Kidney	19	0.8	3.2	1.9	0.09	0.24	5	0.4	0.9	0.6	0.05	0.07	C64
Renal pelvis	2	0.1	0.3	0.2	0.02	0.02	0	0.0	0.0	0.0	0.00	0.00	C65
Ureter	1	0.0	0.2	0.1	0.01	0.01	0	0.0	0.0	0.0	0.00	0.00	C66
Bladder	46	2.0	7.8	4.4	0.15	0.43	13	1.0	2.3	1.4	0.06	0.15	C67
Other urinary organs	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C68
Eye	0	0.0	0.0	0.0	0.00	0.00	2	0.2	0.4	0.2	0.02	0.02	C69
Brain and nervous system	33	1.4	5.6	3.9	0.20	0.46	17	1.3	3.0	1.7	0.07	0.21	C70–72
Thyroid	3	0.1	0.5	0.3	0.02	0.02	41	3.1	7.2	4.9	0.44	0.48	C73
Adrenal gland	2	0.1	0.3	0.2	0.01	0.01	1	0.1	0.2	0.1	0.01	0.01	C74
Other endocrine	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C75
Hodgkin lymphoma	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C81
Non-Hodgkin lymphoma	41	1.8	6.9	4.4	0.26	0.52	34	2.6	6.0	3.9	0.24	0.42	C82–86,C96
Immunoproliferative diseases	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C88
Multiple myeloma	11	0.5	1.9	1.1	0.09	0.13	4	0.3	0.7	0.4	0.02	0.05	C90
Lymphoid leukaemia	9	0.4	1.5	1.2	0.08	0.14	3	0.2	0.5	0.6	0.03	0.03	C91
Myeloid leukaemia	10	0.4	1.7	1.0	0.09	0.09	7	0.5	1.2	0.7	0.03	0.05	C92–94
Leukaemia unspecified	20	0.9	3.4	2.3	0.13	0.29	3	0.2	0.5	0.3	0.02	0.05	C95
Myeloproliferative disorders	0	0.0	0.0	0.0	0.00	0.00	1	0.1	0.2	0.1	0.00	0.00	MPD
Myelodysplastic syndromes	3	0.1	0.5	0.3	0.02	0.04	3	0.2	0.5	0.3	0.02	0.02	MPS
Other and unspecified	51	2.2	8.6	5.4	0.31	0.66	51	3.9	8.9	5.7	0.40	0.68	O&U
All sites	2346		396.3	233.1	10.11	28.26	1322		231.9	135.7	7.67	15.60	C00–96
All sites except C44	2319	100.0	391.7	230.4	10.04	27.98	1303	100.0	228.6	134.1	7.62	15.47	C00–96 exc. C44

*See note following population pyramid

China, Yingdong District, Fuyang City

CONTRIBUTORS

Haihao Guo
Ya Wu
Wenming Zhang
Xiaozhen Li



NOTES ON THE DATA

*No official mortality data. Low MV%. Low levels of specificity of leukaemias.

20 major cancers, ASR (World) per 100 000

<i>Male</i>		<i>Female</i>	
Trachea, bronchus, and lung	49.6	Trachea, bronchus, and lung	23.7
Liver	36.2	Breast	21.2
Oesophagus	21.9	Cervix uteri	11.1
Stomach	19.2	Liver	10.7
Rectum	8.6	Oesophagus	10.3
Brain and nervous system	5.8	Stomach	6.8
Colon	4.2	Brain and nervous system	6.7
Bladder	3.9	Rectum	5.7
Leukaemia unspecified	3.6	Thyroid	4.3
Non-Hodgkin lymphoma	3.4	Ovary	4.1
Gallbladder etc.	3.2	Corpus uteri	3.8
Prostate	3.1	Colon	3.7
Pancreas	3.0	Gallbladder etc.	3.2
Bone	3.0	Leukaemia unspecified	2.3
Kidney	2.0	Bone	2.3
Non-melanoma skin cancer	1.9	Pancreas	2.2
Other and unspecified	1.4	Non-melanoma skin cancer	2.1
Thyroid	1.4	Non-Hodgkin lymphoma	2.1
Nasopharynx	1.4	Uterus unspecified	2.0
Larynx	1.3	Other and unspecified	2.0
All sites	190.6	All sites	143.2

*China, Yingdong District, Fuyang City (2013–2017)


SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	
Lip	2	0.0	0.1	0.1	0.00	0.00	1	0.0	0.1	0.0	0.00	0.00	C00
Tongue	6	0.1	0.4	0.3	0.02	0.02	2	0.1	0.1	0.1	0.00	0.00	C01–02
Mouth	13	0.3	0.8	0.6	0.04	0.08	7	0.2	0.4	0.3	0.01	0.04	C03–06
Salivary glands	13	0.3	0.8	0.7	0.04	0.07	9	0.3	0.6	0.5	0.04	0.04	C07–08
Tonsil	1	0.0	0.1	0.0	0.00	0.00	1	0.0	0.1	0.1	0.00	0.00	C09
Other oropharynx	9	0.2	0.5	0.4	0.01	0.04	3	0.1	0.2	0.1	0.01	0.01	C10
Nasopharynx	28	0.7	1.7	1.4	0.10	0.18	27	0.9	1.7	1.2	0.09	0.11	C11
Hypopharynx	7	0.2	0.4	0.3	0.02	0.06	0	0.0	0.0	0.0	0.00	0.00	C12–13
Pharynx unspecified	3	0.1	0.2	0.1	0.01	0.01	2	0.1	0.1	0.1	0.00	0.00	C14
Oesophagus	523	12.4	31.1	21.9	0.87	2.75	256	8.3	16.4	10.3	0.37	1.29	C15
Stomach	441	10.4	26.2	19.2	0.84	2.50	169	5.5	10.8	6.8	0.30	0.73	C16
Small intestine	15	0.4	0.9	0.7	0.03	0.09	13	0.4	0.8	0.6	0.04	0.08	C17
Colon	93	2.2	5.5	4.2	0.21	0.57	86	2.8	5.5	3.7	0.18	0.45	C18
Rectum	192	4.5	11.4	8.6	0.49	1.11	130	4.2	8.3	5.7	0.31	0.67	C19–20
Anus	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C21
Liver	800	18.9	47.6	36.2	2.45	4.18	246	8.0	15.8	10.7	0.62	1.32	C22
Gallbladder etc.	75	1.8	4.5	3.2	0.09	0.42	76	2.5	4.9	3.2	0.20	0.41	C23–24
Pancreas	69	1.6	4.1	3.0	0.17	0.32	51	1.7	3.3	2.2	0.11	0.27	C25
Nose, sinuses etc.	12	0.3	0.7	0.6	0.06	0.07	5	0.2	0.3	0.2	0.01	0.01	C30–31
Larynx	29	0.7	1.7	1.3	0.07	0.18	8	0.3	0.5	0.4	0.02	0.06	C32
Trachea, bronchus, and lung	1147	27.1	68.2	49.6	2.56	6.13	560	18.2	35.9	23.7	1.25	2.86	C33–34
Other thoracic organs	10	0.2	0.6	0.6	0.04	0.05	9	0.3	0.6	0.5	0.04	0.06	C37–38
Bone	63	1.5	3.7	3.0	0.18	0.33	42	1.4	2.7	2.3	0.13	0.24	C40–41
Melanoma of skin	11	0.3	0.7	0.5	0.02	0.05	9	0.3	0.6	0.5	0.02	0.06	C43
Other skin	50	1.2	3.0	1.9	0.08	0.18	53	1.7	3.4	2.1	0.08	0.23	C44
Mesothelioma	0	0.0	0.0	0.0	0.00	0.00	2	0.1	0.1	0.1	0.00	0.00	C45
Kaposi sarcoma	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C46
Connective and soft tissue	24	0.6	1.4	1.3	0.08	0.09	15	0.5	1.0	0.9	0.06	0.07	C47+C49
Breast	11	0.3	0.7	0.6	0.04	0.07	444	14.5	28.5	21.2	1.73	2.31	C50
Vulva							3	0.1	0.2	0.1	0.01	0.01	C51
Vagina							1	0.0	0.1	0.0	0.00	0.00	C52
Cervix uteri							230	7.5	14.7	11.1	0.94	1.17	C53
Corpus uteri							78	2.5	5.0	3.8	0.36	0.41	C54
Uterus unspecified							42	1.4	2.7	2.0	0.12	0.27	C55
Ovary							78	2.5	5.0	4.1	0.28	0.43	C56
Other female genital organs							4	0.1	0.3	0.2	0.02	0.02	C57
Placenta							11	0.4	0.7	0.6	0.04	0.05	C58
Penis	10	0.2	0.6	0.5	0.04	0.06							C60
Prostate	81	1.9	4.8	3.1	0.06	0.37							C61
Testis	12	0.3	0.7	0.7	0.04	0.05							C62
Other male genital organs	1	0.0	0.1	0.0	0.00	0.01							C63
Kidney	42	1.0	2.5	2.0	0.14	0.23	19	0.6	1.2	1.0	0.08	0.10	C64
Renal pelvis	2	0.0	0.1	0.1	0.00	0.01	2	0.1	0.1	0.1	0.00	0.01	C65
Ureter	2	0.0	0.1	0.1	0.01	0.01	4	0.1	0.3	0.2	0.00	0.01	C66
Bladder	89	2.1	5.3	3.9	0.21	0.42	24	0.8	1.5	1.1	0.05	0.13	C67
Other urinary organs	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C68
Eye	5	0.1	0.3	0.2	0.02	0.04	5	0.2	0.3	0.4	0.03	0.03	C69
Brain and nervous system	116	2.7	6.9	5.8	0.42	0.56	131	4.3	8.4	6.7	0.48	0.68	C70–72
Thyroid	31	0.7	1.8	1.4	0.10	0.15	80	2.6	5.1	4.3	0.32	0.41	C73
Adrenal gland	5	0.1	0.3	0.3	0.02	0.02	3	0.1	0.2	0.2	0.01	0.01	C74
Other endocrine	11	0.3	0.7	0.6	0.04	0.06	13	0.4	0.8	0.7	0.06	0.06	C75
Hodgkin lymphoma	2	0.0	0.1	0.1	0.01	0.01	1	0.0	0.1	0.0	0.00	0.01	C81
Non-Hodgkin lymphoma	68	1.6	4.0	3.4	0.24	0.38	42	1.4	2.7	2.1	0.15	0.24	C82–86,C96
Immunoproliferative diseases	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C88
Multiple myeloma	21	0.5	1.2	0.9	0.05	0.13	13	0.4	0.8	0.7	0.03	0.09	C90
Lymphoid leukaemia	13	0.3	0.8	0.9	0.07	0.07	9	0.3	0.6	0.8	0.05	0.05	C91
Myeloid leukaemia	11	0.3	0.7	0.7	0.04	0.05	16	0.5	1.0	0.9	0.06	0.09	C92–94
Leukaemia unspecified	68	1.6	4.0	3.6	0.22	0.39	38	1.2	2.4	2.3	0.11	0.24	C95
Myeloproliferative disorders	1	0.0	0.1	0.1	0.00	0.00	3	0.1	0.2	0.1	0.01	0.02	MPD
Myelodysplastic syndromes	12	0.3	0.7	0.6	0.03	0.05	10	0.3	0.6	0.5	0.04	0.05	MPS
Other and unspecified	30	0.7	1.8	1.4	0.10	0.14	39	1.3	2.5	2.0	0.15	0.20	O&U
All sites	4280		254.6	190.6	10.39	22.75	3125		200.3	143.2	9.03	16.15	C00–96
All sites except C44	4230	100.0	251.6	188.7	10.30	22.57	3072	100.0	196.9	141.0	8.95	15.92	C00–96 exc. C44

*See note following population pyramid

China, Yinzhou District, Ningbo City

CONTRIBUTORS

Zhiqin Jiang
 Lin Hongbo
 Shen Peng
 Chen Qi
 Li Xiaoyong
 Sun Hanying
 Zhao Lei
 Sun Qiang



NOTES ON THE DATA

*Rates based on low numbers due to small population. No questionnaire.

20 major cancers, ASR (World) per 100 000

<i>Male</i>		<i>Female</i>	
Trachea, bronchus, and lung	56.3	Thyroid	57.9
Stomach	30.9	Trachea, bronchus, and lung	44.3
Liver	20.3	Breast	37.5
Thyroid	18.9	Stomach	11.7
Prostate	16.4	Colon	11.0
Rectum	16.1	Rectum	7.0
Colon	15.5	Pancreas	6.6
Oesophagus	11.6	Liver	6.1
Pancreas	7.8	Brain and nervous system	5.6
Non-Hodgkin lymphoma	7.2	Cervix uteri	5.3
Bladder	6.8	Ovary	5.1
Kidney	5.7	Non-Hodgkin lymphoma	4.0
Brain and nervous system	5.2	Corpus uteri	3.8
Nasopharynx	4.0	Kidney	3.1
Larynx	2.9	Gallbladder etc.	2.9
Lymphoid leukaemia	2.5	Myeloid leukaemia	2.5
Gallbladder etc.	2.4	Oesophagus	1.7
Myeloid leukaemia	2.2	Bladder	1.5
Multiple myeloma	2.1	Non-melanoma skin cancer	1.2
Non-melanoma skin cancer	1.9	Nasopharynx	1.1
All sites	250.4	All sites	231.1

*China, Yinzhou District, Ningbo City (2014–2017)


SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	
Lip	2	0.1	0.4	0.2	0.00	0.04	0	0.0	0.0	0.0	0.00	0.00	C00
Tongue	8	0.3	1.5	0.8	0.07	0.09	3	0.1	0.6	0.3	0.01	0.07	C01–02
Mouth	5	0.2	1.0	0.5	0.01	0.09	6	0.3	1.1	0.6	0.01	0.09	C03–06
Salivary glands	4	0.2	0.8	0.4	0.03	0.06	5	0.2	0.9	0.6	0.05	0.05	C07–08
Tonsil	5	0.2	1.0	0.5	0.05	0.05	1	0.0	0.2	0.1	0.00	0.02	C09
Other oropharynx	8	0.3	1.5	0.9	0.09	0.10	0	0.0	0.0	0.0	0.00	0.00	C10
Nasopharynx	34	1.4	6.5	4.0	0.29	0.48	11	0.5	2.0	1.1	0.08	0.11	C11
Hypopharynx	15	0.6	2.9	1.6	0.13	0.20	0	0.0	0.0	0.0	0.00	0.00	C12–13
Pharynx unspecified	3	0.1	0.6	0.3	0.02	0.02	0	0.0	0.0	0.0	0.00	0.00	C14
Oesophagus	113	4.8	21.8	11.6	0.79	1.40	18	0.8	3.3	1.7	0.09	0.24	C15
Stomach	308	13.1	59.3	30.9	1.37	3.78	122	5.7	22.5	11.7	0.57	1.33	C16
Small intestine	5	0.2	1.0	0.5	0.00	0.08	9	0.4	1.7	0.8	0.03	0.09	C17
Colon	158	6.7	30.4	15.5	0.70	1.87	120	5.6	22.1	11.0	0.58	1.14	C18
Rectum	158	6.7	30.4	16.1	0.91	2.09	79	3.7	14.6	7.0	0.39	0.70	C19–20
Anus	3	0.1	0.6	0.4	0.03	0.03	4	0.2	0.7	0.5	0.03	0.06	C21
Liver	194	8.2	37.3	20.3	1.30	2.34	67	3.1	12.3	6.1	0.33	0.68	C22
Gallbladder etc.	24	1.0	4.6	2.4	0.16	0.29	32	1.5	5.9	2.9	0.09	0.32	C23–24
Pancreas	79	3.4	15.2	7.8	0.40	0.79	72	3.4	13.3	6.6	0.20	0.81	C25
Nose, sinuses etc.	2	0.1	0.4	0.2	0.01	0.03	0	0.0	0.0	0.0	0.00	0.00	C30–31
Larynx	28	1.2	5.4	2.9	0.19	0.38	0	0.0	0.0	0.0	0.00	0.00	C32
Trachea, bronchus, and lung	555	23.5	106.8	56.3	3.30	7.00	439	20.5	80.9	44.3	2.74	5.39	C33–34
Other thoracic organs	8	0.3	1.5	0.9	0.08	0.11	8	0.4	1.5	0.9	0.03	0.08	C37–38
Bone	6	0.3	1.2	0.6	0.03	0.10	6	0.3	1.1	0.5	0.01	0.04	C40–41
Melanoma of skin	3	0.1	0.6	0.3	0.03	0.03	4	0.2	0.7	0.5	0.03	0.03	C43
Other skin	20	0.8	3.8	1.9	0.07	0.21	13	0.6	2.4	1.2	0.05	0.14	C44
Mesothelioma	0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.2	0.1	0.00	0.02	C45
Kaposi sarcoma	0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.2	0.1	0.00	0.03	C46
Connective and soft tissue	6	0.3	1.2	1.0	0.04	0.12	4	0.2	0.7	0.4	0.01	0.06	C47+C49
Breast	1	0.0	0.2	0.1	0.00	0.02	337	15.7	62.1	37.5	3.11	4.07	C50
Vulva							2	0.1	0.4	0.2	0.00	0.03	C51
Vagina							3	0.1	0.6	0.3	0.03	0.04	C52
Cervix uteri							49	2.3	9.0	5.3	0.44	0.59	C53
Corpus uteri							36	1.7	6.6	3.8	0.35	0.46	C54
Uterus unspecified							6	0.3	1.1	0.6	0.03	0.05	C55
Ovary							46	2.1	8.5	5.1	0.42	0.57	C56
Other female genital organs							3	0.1	0.6	0.3	0.03	0.03	C57
Placenta							0	0.0	0.0	0.0	0.00	0.00	C58
Penis	3	0.1	0.6	0.2	0.00	0.00							C60
Prostate	166	7.0	32.0	16.4	0.35	2.38							C61
Testis	6	0.3	1.2	1.2	0.07	0.09							C62
Other male genital organs	1	0.0	0.2	0.1	0.01	0.01							C63
Kidney	54	2.3	10.4	5.7	0.35	0.69	32	1.5	5.9	3.1	0.20	0.36	C64
Renal pelvis	3	0.1	0.6	0.2	0.01	0.01	4	0.2	0.7	0.3	0.01	0.04	C65
Ureter	6	0.3	1.2	0.6	0.05	0.07	1	0.0	0.2	0.1	0.01	0.01	C66
Bladder	72	3.1	13.9	6.8	0.26	0.71	16	0.7	2.9	1.5	0.06	0.20	C67
Other urinary organs	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C68
Eye	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C69
Brain and nervous system	39	1.7	7.5	5.2	0.31	0.57	51	2.4	9.4	5.6	0.33	0.66	C70–72
Thyroid	140	5.9	26.9	18.9	1.53	1.82	442	20.7	81.4	57.9	4.76	5.33	C73
Adrenal gland	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C74
Other endocrine	0	0.0	0.0	0.0	0.00	0.00	4	0.2	0.7	0.4	0.04	0.04	C75
Hodgkin lymphoma	3	0.1	0.6	0.3	0.01	0.05	1	0.0	0.2	0.1	0.01	0.01	C81
Non-Hodgkin lymphoma	60	2.5	11.5	7.2	0.41	0.83	38	1.8	7.0	4.0	0.28	0.40	C82–86,C96
Immunoproliferative diseases	1	0.0	0.2	0.1	0.00	0.03	1	0.0	0.2	0.1	0.01	0.01	C88
Multiple myeloma	21	0.9	4.0	2.1	0.07	0.32	11	0.5	2.0	1.0	0.04	0.14	C90
Lymphoid leukaemia	15	0.6	2.9	2.5	0.10	0.18	6	0.3	1.1	0.9	0.03	0.06	C91
Myeloid leukaemia	19	0.8	3.7	2.2	0.12	0.19	22	1.0	4.1	2.5	0.14	0.26	C92–94
Leukaemia unspecified	2	0.1	0.4	0.2	0.00	0.03	5	0.2	0.9	0.5	0.05	0.05	C95
Myeloproliferative disorders	0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.2	0.1	0.00	0.00	MPD
Myelodysplastic syndromes	6	0.3	1.2	0.5	0.02	0.02	1	0.0	0.2	0.1	0.00	0.03	MPS
Other and unspecified	6	0.3	1.2	0.6	0.05	0.06	10	0.5	1.8	1.0	0.04	0.13	O&U
All sites	2378		457.7	250.4	13.85	29.87	2153		396.6	231.1	15.76	25.04	C00–96
All sites except C44	2358	100.0	453.9	248.5	13.77	29.66	2140	100.0	394.2	229.9	15.70	24.91	C00–96 exc. C44

*See note following population pyramid

China, Yiyuan County

CONTRIBUTORS

Pu Sun
Shoufeng Zhang
Yijv Chen
Qi Zhang



NOTES ON THE DATA

*No questionnaire.

20 major cancers, ASR (World) per 100 000

<i>Male</i>		<i>Female</i>	
Trachea, bronchus, and lung	66.2	Trachea, bronchus, and lung	32.3
Stomach	46.7	Breast	25.0
Liver	22.3	Stomach	13.7
Oesophagus	19.0	Thyroid	8.7
Rectum	9.9	Liver	8.2
Colon	7.9	Ovary	5.9
Bladder	5.4	Cervix uteri	5.5
Pancreas	5.2	Corpus uteri	5.0
Prostate	4.2	Rectum	5.0
Kidney	3.3	Colon	4.4
Brain and nervous system	2.8	Brain and nervous system	3.4
Thyroid	2.7	Non-Hodgkin lymphoma	2.4
Non-Hodgkin lymphoma	2.7	Pancreas	2.4
Anus	1.5	Oesophagus	2.2
Gallbladder etc.	1.4	Kidney	1.7
Larynx	1.3	Bladder	1.2
Hypopharynx	1.2	Other and unspecified	1.2
Lymphoid leukaemia	1.2	Myeloid leukaemia	1.1
Nasopharynx	1.1	Nasopharynx	1.1
Bone	1.1	Bone	1.0
All sites	215.9	All sites	138.4

*China, Yiyuan County (2014–2017)


SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	
Lip	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C00
Tongue	8	0.2	0.7	0.4	0.03	0.03	0	0.0	0.0	0.0	0.00	0.00	C01–02
Mouth	8	0.2	0.7	0.4	0.03	0.06	5	0.2	0.4	0.2	0.01	0.02	C03–06
Salivary glands	1	0.0	0.1	0.0	0.00	0.00	4	0.1	0.4	0.3	0.02	0.02	C07–08
Tonsil	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C09
Other oropharynx	2	0.0	0.2	0.1	0.00	0.00	1	0.0	0.1	0.0	0.00	0.00	C10
Nasopharynx	21	0.5	1.8	1.1	0.08	0.11	16	0.6	1.4	1.1	0.08	0.09	C11
Hypopharynx	25	0.6	2.2	1.2	0.09	0.15	3	0.1	0.3	0.1	0.01	0.02	C12–13
Pharynx unspecified	3	0.1	0.3	0.2	0.01	0.01	1	0.0	0.1	0.0	0.01	0.01	C14
Oesophagus	395	9.1	34.1	19.0	1.03	2.16	52	1.9	4.6	2.2	0.05	0.23	C15
Stomach	952	22.1	82.3	46.7	2.55	5.71	294	10.7	26.2	13.7	0.76	1.57	C16
Small intestine	9	0.2	0.8	0.5	0.05	0.06	5	0.2	0.4	0.2	0.00	0.02	C17
Colon	156	3.6	13.5	7.9	0.38	0.87	102	3.7	9.1	4.4	0.20	0.47	C18
Rectum	194	4.5	16.8	9.9	0.47	1.22	110	4.0	9.8	5.0	0.26	0.55	C19–20
Anus	29	0.7	2.5	1.5	0.10	0.18	16	0.6	1.4	0.6	0.03	0.07	C21
Liver	442	10.2	38.2	22.3	1.50	2.71	176	6.4	15.7	8.2	0.39	1.01	C22
Gallbladder etc.	32	0.7	2.8	1.4	0.06	0.14	21	0.8	1.9	1.0	0.04	0.12	C23–24
Pancreas	103	2.4	8.9	5.2	0.28	0.62	52	1.9	4.6	2.4	0.12	0.24	C25
Nose, sinuses etc.	7	0.2	0.6	0.3	0.03	0.04	2	0.1	0.2	0.1	0.01	0.01	C30–31
Larynx	25	0.6	2.2	1.3	0.08	0.16	2	0.1	0.2	0.1	0.00	0.00	C32
Trachea, bronchus, and lung	1346	31.2	116.3	66.2	3.29	8.10	699	25.4	62.2	32.3	1.64	3.65	C33–34
Other thoracic organs	10	0.2	0.9	0.5	0.04	0.05	4	0.1	0.4	0.2	0.01	0.02	C37–38
Bone	22	0.5	1.9	1.1	0.07	0.12	18	0.7	1.6	1.0	0.06	0.09	C40–41
Melanoma of skin	6	0.1	0.5	0.3	0.02	0.03	4	0.1	0.4	0.2	0.01	0.03	C43
Other skin	8	0.2	0.7	0.4	0.02	0.06	8	0.3	0.7	0.3	0.01	0.01	C44
Mesothelioma	1	0.0	0.1	0.1	0.00	0.02	1	0.0	0.1	0.0	0.01	0.01	C45
Kaposi sarcoma	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C46
Connective and soft tissue	11	0.3	1.0	0.5	0.05	0.07	7	0.3	0.6	0.4	0.04	0.04	C47+C49
Breast	3	0.1	0.3	0.1	0.00	0.00	455	16.5	40.5	25.0	2.03	2.70	C50
Vulva							1	0.0	0.1	0.0	0.00	0.00	C51
Vagina							0	0.0	0.0	0.0	0.00	0.00	C52
Cervix uteri							103	3.7	9.2	5.5	0.44	0.59	C53
Corpus uteri							101	3.7	9.0	5.0	0.44	0.57	C54
Uterus unspecified							2	0.1	0.2	0.1	0.00	0.00	C55
Ovary							111	4.0	9.9	5.9	0.40	0.67	C56
Other female genital organs							0	0.0	0.0	0.0	0.00	0.00	C57
Placenta							1	0.0	0.1	0.1	0.01	0.01	C58
Penis	9	0.2	0.8	0.5	0.02	0.10							C60
Prostate	92	2.1	8.0	4.2	0.10	0.42							C61
Testis	3	0.1	0.3	0.1	0.01	0.01							C62
Other male genital organs	2	0.0	0.2	0.1	0.00	0.00							C63
Kidney	56	1.3	4.8	3.3	0.15	0.46	34	1.2	3.0	1.7	0.12	0.20	C64
Renal pelvis	7	0.2	0.6	0.4	0.02	0.02	2	0.1	0.2	0.1	0.00	0.02	C65
Ureter	7	0.2	0.6	0.4	0.02	0.06	4	0.1	0.4	0.2	0.01	0.02	C66
Bladder	108	2.5	9.3	5.4	0.17	0.52	27	1.0	2.4	1.2	0.08	0.12	C67
Other urinary organs	1	0.0	0.1	0.0	0.01	0.01	0	0.0	0.0	0.0	0.00	0.00	C68
Eye	1	0.0	0.1	0.1	0.01	0.01	1	0.0	0.1	0.0	0.00	0.00	C69
Brain and nervous system	54	1.3	4.7	2.8	0.18	0.30	54	2.0	4.8	3.4	0.19	0.32	C70–72
Thyroid	48	1.1	4.1	2.7	0.22	0.26	135	4.9	12.0	8.7	0.69	0.80	C73
Adrenal gland	0	0.0	0.0	0.0	0.00	0.00	3	0.1	0.3	0.2	0.01	0.02	C74
Other endocrine	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C75
Hodgkin lymphoma	0	0.0	0.0	0.0	0.00	0.00	2	0.1	0.2	0.1	0.01	0.02	C81
Non-Hodgkin lymphoma	48	1.1	4.1	2.7	0.20	0.30	44	1.6	3.9	2.4	0.12	0.22	C82–86,C96
Immunoproliferative diseases	1	0.0	0.1	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C88
Multiple myeloma	6	0.1	0.5	0.3	0.02	0.03	11	0.4	1.0	0.5	0.05	0.06	C90
Lymphoid leukaemia	13	0.3	1.1	1.2	0.06	0.10	12	0.4	1.1	0.8	0.06	0.07	C91
Myeloid leukaemia	18	0.4	1.6	1.0	0.07	0.11	16	0.6	1.4	1.1	0.08	0.10	C92–94
Leukaemia unspecified	17	0.4	1.5	1.0	0.06	0.09	12	0.4	1.1	0.8	0.06	0.08	C95
Myeloproliferative disorders	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	MPD
Myelodysplastic syndromes	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	MPS
Other and unspecified	15	0.3	1.3	0.8	0.03	0.10	24	0.9	2.1	1.2	0.08	0.12	O&U
All sites	4325		373.8	215.9	11.61	25.63	2758		245.4	138.4	8.61	15.03	C00–96
All sites except C44	4317	100.0	373.1	215.4	11.59	25.57	2750	100.0	244.6	138.1	8.60	15.02	C00–96 exc.C44

*See note following population pyramid

China, Yong'an City

CONTRIBUTORS

Fan Guang
Li Hangsheng
Li Lili



20 major cancers, ASR (World) per 100 000

<i>Male</i>		<i>Female</i>	
Trachea, bronchus, and lung	42.9	Breast	21.7
Liver	24.8	Trachea, bronchus, and lung	18.0
Stomach	22.9	Cervix uteri	16.4
Rectum	13.4	Stomach	10.8
Colon	12.9	Colon	8.3
Oesophagus	12.0	Rectum	7.8
Nasopharynx	6.2	Liver	6.9
Prostate	6.0	Thyroid	5.3
Other and unspecified	5.0	Corpus uteri	5.2
Brain and nervous system	4.3	Ovary	4.0
Kidney	3.6	Other and unspecified	3.7
Pancreas	3.5	Oesophagus	3.4
Bladder	3.5	Non-Hodgkin lymphoma	3.1
Non-Hodgkin lymphoma	3.2	Brain and nervous system	2.7
Lymphoid leukaemia	2.4	Gallbladder etc.	2.4
Gallbladder etc.	2.3	Myeloid leukaemia	2.1
Myeloid leukaemia	1.9	Nasopharynx	1.9
Larynx	1.9	Lymphoid leukaemia	1.9
Thyroid	1.8	Leukaemia unspecified	1.8
Bone	1.6	Non-melanoma skin cancer	1.7
All sites	189.4	All sites	140.5


China, Yong'an City (2013–2017)

SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	
Lip	2	0.1	0.2	0.2	0.00	0.02	0	0.0	0.0	0.0	0.00	0.00	C00
Tongue	14	0.6	1.6	1.0	0.08	0.10	5	0.3	0.6	0.4	0.00	0.06	C01–02
Mouth	12	0.5	1.4	0.8	0.04	0.09	7	0.4	0.9	0.7	0.05	0.07	C03–06
Salivary glands	5	0.2	0.6	0.4	0.03	0.05	4	0.2	0.5	0.5	0.04	0.04	C07–08
Tonsil	3	0.1	0.4	0.2	0.02	0.02	0	0.0	0.0	0.0	0.00	0.00	C09
Other oropharynx	5	0.2	0.6	0.4	0.03	0.05	0	0.0	0.0	0.0	0.00	0.00	C10
Nasopharynx	72	2.9	8.4	6.2	0.50	0.68	21	1.2	2.6	1.9	0.14	0.21	C11
Hypopharynx	7	0.3	0.8	0.6	0.04	0.08	0	0.0	0.0	0.0	0.00	0.00	C12–13
Pharynx unspecified	2	0.1	0.2	0.1	0.01	0.03	0	0.0	0.0	0.0	0.00	0.00	C14
Oesophagus	161	6.4	18.9	12.0	0.82	1.43	44	2.5	5.5	3.4	0.10	0.46	C15
Stomach	319	12.7	37.4	22.9	1.29	2.81	147	8.5	18.4	10.8	0.58	1.26	C16
Small intestine	5	0.2	0.6	0.3	0.02	0.04	10	0.6	1.2	0.6	0.01	0.06	C17
Colon	177	7.1	20.8	12.9	0.74	1.49	110	6.4	13.7	8.3	0.40	1.01	C18
Rectum	185	7.4	21.7	13.4	0.68	1.62	101	5.8	12.6	7.8	0.38	0.94	C19–20
Anus	3	0.1	0.4	0.2	0.01	0.02	1	0.1	0.1	0.1	0.01	0.01	C21
Liver	326	13.0	38.2	24.8	1.61	3.01	91	5.3	11.4	6.9	0.35	0.80	C22
Gallbladder etc.	35	1.4	4.1	2.3	0.10	0.24	32	1.9	4.0	2.4	0.12	0.30	C23–24
Pancreas	47	1.9	5.5	3.5	0.19	0.43	20	1.2	2.5	1.6	0.03	0.23	C25
Nose, sinuses etc.	2	0.1	0.2	0.1	0.01	0.01	1	0.1	0.1	0.1	0.00	0.02	C30–31
Larynx	23	0.9	2.7	1.9	0.17	0.23	1	0.1	0.1	0.1	0.01	0.01	C32
Trachea, bronchus, and lung	585	23.3	68.6	42.9	2.26	5.51	234	13.5	29.2	18.0	0.98	2.20	C33–34
Other thoracic organs	13	0.5	1.5	1.1	0.10	0.13	7	0.4	0.9	0.7	0.03	0.07	C37–38
Bone	14	0.6	1.6	1.6	0.09	0.12	10	0.6	1.2	0.8	0.06	0.10	C40–41
Melanoma of skin	2	0.1	0.2	0.1	0.01	0.01	2	0.1	0.2	0.2	0.02	0.02	C43
Other skin	13	0.5	1.5	0.9	0.06	0.08	24	1.4	3.0	1.7	0.09	0.19	C44
Mesothelioma	2	0.1	0.2	0.2	0.01	0.02	3	0.2	0.4	0.3	0.03	0.03	C45
Kaposi sarcoma	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C46
Connective and soft tissue	10	0.4	1.2	0.8	0.07	0.09	7	0.4	0.9	0.6	0.05	0.07	C47+C49
Breast	0	0.0	0.0	0.0	0.00	0.00	268	15.5	33.5	21.7	1.81	2.22	C50
Vulva							3	0.2	0.4	0.3	0.02	0.04	C51
Vagina							0	0.0	0.0	0.0	0.00	0.00	C52
Cervix uteri							201	11.6	25.1	16.4	1.25	1.80	C53
Corpus uteri							62	3.6	7.7	5.2	0.40	0.63	C54
Uterus unspecified							4	0.2	0.5	0.4	0.01	0.05	C55
Ovary							46	2.7	5.7	4.0	0.30	0.41	C56
Other female genital organs							2	0.1	0.2	0.2	0.02	0.02	C57
Placenta							2	0.1	0.2	0.3	0.02	0.02	C58
Penis													C60
Prostate	94	3.7	11.0	6.0	0.09	0.68							C61
Testis	13	0.5	1.5	1.5	0.10	0.10							C62
Other male genital organs	0	0.0	0.0	0.0	0.00	0.00							C63
Kidney	43	1.7	5.0	3.6	0.22	0.46	19	1.1	2.4	1.6	0.11	0.20	C64
Renal pelvis	3	0.1	0.4	0.2	0.01	0.03	2	0.1	0.2	0.1	0.01	0.01	C65
Ureter	5	0.2	0.6	0.3	0.01	0.04	1	0.1	0.1	0.1	0.01	0.01	C66
Bladder	55	2.2	6.5	3.5	0.10	0.35	13	0.8	1.6	1.1	0.04	0.14	C67
Other urinary organs	1	0.0	0.1	0.1	0.00	0.02	0	0.0	0.0	0.0	0.00	0.00	C68
Eye	1	0.0	0.1	0.2	0.01	0.01	0	0.0	0.0	0.0	0.00	0.00	C69
Brain and nervous system	50	2.0	5.9	4.3	0.27	0.43	38	2.2	4.7	2.7	0.16	0.25	C70–72
Thyroid	18	0.7	2.1	1.8	0.12	0.15	58	3.4	7.2	5.3	0.44	0.48	C73
Adrenal gland	5	0.2	0.6	0.4	0.04	0.04	1	0.1	0.1	0.0	0.00	0.00	C74
Other endocrine	2	0.1	0.2	0.1	0.01	0.01	2	0.1	0.2	0.2	0.02	0.02	C75
Hodgkin lymphoma	4	0.2	0.5	0.3	0.02	0.04	2	0.1	0.2	0.2	0.02	0.02	C81
Non-Hodgkin lymphoma	39	1.6	4.6	3.2	0.20	0.37	38	2.2	4.7	3.1	0.19	0.40	C82–86,C96
Immunoproliferative diseases	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C88
Multiple myeloma	17	0.7	2.0	1.2	0.04	0.16	7	0.4	0.9	0.6	0.05	0.08	C90
Lymphoid leukaemia	19	0.8	2.2	2.4	0.13	0.22	15	0.9	1.9	1.9	0.13	0.15	C91
Myeloid leukaemia	25	1.0	2.9	1.9	0.10	0.23	26	1.5	3.2	2.1	0.15	0.21	C92–94
Leukaemia unspecified	11	0.4	1.3	1.3	0.07	0.11	15	0.9	1.9	1.8	0.12	0.16	C95
Myeloproliferative disorders	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	MPD
Myelodysplastic syndromes	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	MPS
Other and unspecified	72	2.9	8.4	5.0	0.24	0.57	45	2.6	5.6	3.7	0.23	0.41	O&U
All sites	2523		295.9	189.4	10.78	22.43	1752		218.8	140.5	8.96	15.86	C00–96
All sites except C44	2510	100.0	294.4	188.5	10.72	22.35	1728	100.0	215.8	138.8	8.87	15.67	C00–96 exc. C44

China, Yongding District, Longyan City

CONTRIBUTORS

Huang Yuantian
Haili Zhang
Qiuyu Lu
Wenle Huang
Yuyu Zhang



NOTES ON THE DATA

*No questionnaire.

20 major cancers, ASR (World) per 100 000

Male		Female	
Trachea, bronchus, and lung	61.7	Trachea, bronchus, and lung	17.4
Liver	36.8	Breast	14.9
Stomach	18.9	Cervix uteri	11.3
Rectum	18.0	Thyroid	10.8
Oesophagus	15.3	Liver	9.6
Colon	13.9	Colon	8.7
Nasopharynx	6.9	Stomach	7.9
Prostate	6.2	Rectum	7.4
Non-Hodgkin lymphoma	4.0	Brain and nervous system	4.2
Brain and nervous system	3.8	Uterus unspecified	3.4
Leukaemia unspecified	3.3	Corpus uteri	3.4
Other and unspecified	3.2	Nasopharynx	3.2
Larynx	3.2	Ovary	3.0
Bladder	3.2	Non-melanoma skin cancer	2.6
Pancreas	2.7	Non-Hodgkin lymphoma	2.4
Gallbladder etc.	2.5	Myeloid leukaemia	2.2
Thyroid	2.5	Gallbladder etc.	2.1
Myeloid leukaemia	2.4	Other and unspecified	2.1
Kidney	2.0	Leukaemia unspecified	1.9
Non-melanoma skin cancer	1.8	Pancreas	1.7
All sites	226.4	All sites	134.3

*China, Yongding District, Longyan City (2013–2017)


SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	
Lip	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C00
Tongue	16	0.4	1.2	1.0	0.09	0.12	2	0.1	0.2	0.1	0.01	0.01	C01–02
Mouth	14	0.4	1.1	0.9	0.06	0.10	8	0.4	0.7	0.5	0.04	0.04	C03–06
Salivary glands	6	0.2	0.5	0.3	0.03	0.03	3	0.1	0.3	0.2	0.01	0.01	C07–08
Tonsil	3	0.1	0.2	0.2	0.01	0.02	0	0.0	0.0	0.0	0.00	0.00	C09
Other oropharynx	7	0.2	0.5	0.4	0.02	0.06	2	0.1	0.2	0.1	0.00	0.04	C10
Nasopharynx	112	3.1	8.6	6.9	0.55	0.78	49	2.2	4.1	3.2	0.24	0.37	C11
Hypopharynx	16	0.4	1.2	1.0	0.08	0.12	2	0.1	0.2	0.1	0.00	0.01	C12–13
Pharynx unspecified	5	0.1	0.4	0.3	0.02	0.04	3	0.1	0.3	0.1	0.00	0.02	C14
Oesophagus	247	6.8	18.9	15.3	1.13	1.87	31	1.4	2.6	1.4	0.04	0.13	C15
Stomach	308	8.4	23.6	18.9	1.01	2.44	141	6.4	11.8	7.9	0.37	0.98	C16
Small intestine	18	0.5	1.4	1.1	0.07	0.16	18	0.8	1.5	1.0	0.05	0.10	C17
Colon	231	6.3	17.7	13.9	0.87	1.58	153	6.9	12.8	8.7	0.47	1.04	C18
Rectum	301	8.2	23.1	18.0	0.90	2.18	140	6.3	11.7	7.4	0.38	0.83	C19–20
Anus	8	0.2	0.6	0.5	0.02	0.06	4	0.2	0.3	0.2	0.00	0.02	C21
Liver	608	16.6	46.6	36.8	2.39	4.41	163	7.4	13.6	9.6	0.46	1.19	C22
Gallbladder etc.	43	1.2	3.3	2.5	0.10	0.24	40	1.8	3.3	2.1	0.09	0.23	C23–24
Pancreas	42	1.1	3.2	2.7	0.10	0.39	31	1.4	2.6	1.7	0.07	0.21	C25
Nose, sinuses etc.	6	0.2	0.5	0.3	0.01	0.04	6	0.3	0.5	0.3	0.03	0.03	C30–31
Larynx	50	1.4	3.8	3.2	0.19	0.40	4	0.2	0.3	0.1	0.00	0.00	C32
Trachea, bronchus, and lung	994	27.2	76.2	61.7	3.14	8.05	322	14.6	26.8	17.4	0.85	1.99	C33–34
Other thoracic organs	10	0.3	0.8	0.6	0.05	0.06	9	0.4	0.8	0.5	0.04	0.05	C37–38
Bone	13	0.4	1.0	1.0	0.06	0.10	18	0.8	1.5	1.3	0.07	0.10	C40–41
Melanoma of skin	7	0.2	0.5	0.5	0.04	0.05	7	0.3	0.6	0.5	0.02	0.06	C43
Other skin	32	0.9	2.5	1.8	0.11	0.17	50	2.3	4.2	2.6	0.14	0.29	C44
Mesothelioma	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C45
Kaposi sarcoma	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C46
Connective and soft tissue	13	0.4	1.0	0.8	0.06	0.08	14	0.6	1.2	1.2	0.06	0.11	C47+C49
Breast	0	0.0	0.0	0.0	0.00	0.00	246	11.1	20.5	14.9	1.30	1.44	C50
Vulva							3	0.1	0.3	0.2	0.01	0.02	C51
Vagina							1	0.0	0.1	0.1	0.01	0.01	C52
Cervix uteri							184	8.3	15.3	11.3	1.03	1.18	C53
Corpus uteri							54	2.4	4.5	3.4	0.35	0.37	C54
Uterus unspecified							56	2.5	4.7	3.4	0.22	0.41	C55
Ovary							44	2.0	3.7	3.0	0.19	0.34	C56
Other female genital organs							4	0.2	0.3	0.3	0.03	0.03	C57
Placenta							1	0.0	0.1	0.1	0.00	0.00	C58
Penis		0.3	0.9	0.7	0.04	0.09							C60
Prostate	108	3.0	8.3	6.2	0.13	0.60							C61
Testis	3	0.1	0.2	0.2	0.01	0.01							C62
Other male genital organs	1	0.0	0.1	0.1	0.00	0.00							C63
Kidney	35	1.0	2.7	2.0	0.15	0.20	15	0.7	1.3	1.0	0.06	0.09	C64
Renal pelvis	3	0.1	0.2	0.2	0.00	0.02	5	0.2	0.4	0.3	0.02	0.02	C65
Ureter	7	0.2	0.5	0.4	0.03	0.05	5	0.2	0.4	0.4	0.03	0.06	C66
Bladder	57	1.6	4.4	3.2	0.13	0.33	19	0.9	1.6	0.9	0.03	0.09	C67
Other urinary organs	2	0.1	0.2	0.1	0.00	0.02	1	0.0	0.1	0.1	0.01	0.01	C68
Eye	3	0.1	0.2	0.2	0.01	0.03	1	0.0	0.1	0.1	0.00	0.02	C69
Brain and nervous system	58	1.6	4.4	3.8	0.21	0.40	63	2.8	5.3	4.2	0.26	0.48	C70–72
Thyroid	43	1.2	3.3	2.5	0.21	0.23	171	7.7	14.3	10.8	0.91	1.01	C73
Adrenal gland	3	0.1	0.2	0.2	0.01	0.02	3	0.1	0.3	0.2	0.01	0.03	C74
Other endocrine	1	0.0	0.1	0.1	0.00	0.00	1	0.0	0.1	0.1	0.00	0.00	C75
Hodgkin lymphoma	8	0.2	0.6	0.6	0.04	0.07	6	0.3	0.5	0.6	0.03	0.04	C81
Non-Hodgkin lymphoma	60	1.6	4.6	4.0	0.24	0.43	38	1.7	3.2	2.4	0.15	0.28	C82–86,C96
Immunoproliferative diseases	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C88
Multiple myeloma	24	0.7	1.8	1.5	0.08	0.18	16	0.7	1.3	0.9	0.06	0.09	C90
Lymphoid leukaemia	12	0.3	0.9	1.1	0.05	0.06	14	0.6	1.2	1.4	0.08	0.10	C91
Myeloid leukaemia	37	1.0	2.8	2.4	0.12	0.30	27	1.2	2.3	2.2	0.15	0.18	C92–94
Leukaemia unspecified	48	1.3	3.7	3.3	0.20	0.29	28	1.3	2.3	1.9	0.10	0.18	C95
Myeloproliferative disorders	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	MPD
Myelodysplastic syndromes	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	MPS
Other and unspecified	53	1.4	4.1	3.2	0.20	0.35	36	1.6	3.0	2.1	0.11	0.22	O&U
All sites	3688		282.8	226.4	12.98	27.24	2262		188.6	134.3	8.58	14.57	C00–96
All sites except C44	3656	100.0	280.3	224.6	12.86	27.07	2212	100.0	184.4	131.6	8.44	14.28	C00–96 exc. C44

*See note following population pyramid

China, Yongkang City

CONTRIBUTORS

Zhongwei Pan
Yunqing Hu
Zhongding Wu
Hao Hu
Hongting Zhu
Chunsheng Hu
Lingqiao Xu
Lu Chen
Feng Zhang



20 major cancers, ASR (World) per 100 000

Male		Female	
Trachea, bronchus, and lung	68.4	Thyroid	30.3
Liver	34.8	Breast	29.6
Stomach	26.4	Trachea, bronchus, and lung	29.0
Rectum	14.6	Cervix uteri	13.5
Colon	11.9	Stomach	11.4
Prostate	10.8	Liver	9.5
Thyroid	9.8	Rectum	9.4
Oesophagus	7.4	Colon	9.1
Bladder	5.4	Corpus uteri	6.2
Non-Hodgkin lymphoma	5.2	Ovary	4.1
Pancreas	4.5	Non-Hodgkin lymphoma	3.6
Brain and nervous system	3.4	Pancreas	3.6
Kidney	3.3	Brain and nervous system	3.6
Nasopharynx	3.2	Oesophagus	2.7
Myeloid leukaemia	3.0	Myeloid leukaemia	2.7
Other and unspecified	2.9	Gallbladder etc.	2.5
Lymphoid leukaemia	2.9	Other and unspecified	2.0
Gallbladder etc.	2.8	Kidney	1.9
Larynx	2.4	Nasopharynx	1.7
Multiple myeloma	1.8	Non-melanoma skin cancer	1.6
All sites	243.0	All sites	194.0


China, Yongkang City (2013–2017)

SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	
Lip	4	0.1	0.3	0.2	0.01	0.02	3	0.1	0.2	0.1	0.01	0.01	C00
Tongue	8	0.1	0.5	0.4	0.02	0.05	5	0.1	0.3	0.2	0.02	0.02	C01–02
Mouth	19	0.3	1.2	0.7	0.04	0.08	11	0.2	0.8	0.5	0.03	0.05	C03–06
Salivary glands	13	0.2	0.9	0.6	0.03	0.07	7	0.2	0.5	0.3	0.03	0.03	C07–08
Tonsil	2	0.0	0.1	0.1	0.00	0.00	1	0.0	0.1	0.0	0.00	0.01	C09
Other oropharynx	9	0.2	0.6	0.5	0.03	0.04	2	0.0	0.1	0.1	0.01	0.01	C10
Nasopharynx	72	1.2	4.7	3.2	0.23	0.35	38	0.8	2.6	1.7	0.12	0.20	C11
Hypopharynx	13	0.2	0.9	0.5	0.03	0.07	0	0.0	0.0	0.0	0.00	0.00	C12–13
Pharynx unspecified	7	0.1	0.5	0.3	0.02	0.05	0	0.0	0.0	0.0	0.00	0.00	C14
Oesophagus	183	3.1	12.0	7.4	0.28	0.97	80	1.8	5.5	2.7	0.08	0.27	C15
Stomach	679	11.6	44.6	26.4	1.11	3.14	297	6.6	20.3	11.4	0.54	1.25	C16
Small intestine	36	0.6	2.4	1.5	0.10	0.18	16	0.4	1.1	0.6	0.02	0.07	C17
Colon	292	5.0	19.2	11.9	0.61	1.44	230	5.1	15.7	9.1	0.50	1.00	C18
Rectum	359	6.2	23.6	14.6	0.70	1.83	235	5.2	16.1	9.4	0.54	1.10	C19–20
Anus	33	0.6	2.2	1.3	0.07	0.16	22	0.5	1.5	0.9	0.06	0.08	C21
Liver	817	14.0	53.7	34.8	2.35	4.07	246	5.5	16.8	9.5	0.56	1.05	C22
Gallbladder etc.	70	1.2	4.6	2.8	0.11	0.35	68	1.5	4.7	2.5	0.13	0.25	C23–24
Pancreas	114	2.0	7.5	4.5	0.21	0.51	101	2.2	6.9	3.6	0.16	0.43	C25
Nose, sinuses etc.	5	0.1	0.3	0.2	0.01	0.02	9	0.2	0.6	0.4	0.02	0.04	C30–31
Larynx	59	1.0	3.9	2.4	0.12	0.30	7	0.2	0.5	0.3	0.02	0.03	C32
Trachea, bronchus, and lung	1722	29.5	113.1	68.4	3.02	8.51	739	16.4	50.6	29.0	1.65	3.36	C33–34
Other thoracic organs	24	0.4	1.6	1.2	0.09	0.12	14	0.3	1.0	0.6	0.04	0.06	C37–38
Bone	21	0.4	1.4	0.9	0.05	0.11	13	0.3	0.9	0.7	0.04	0.06	C40–41
Melanoma of skin	14	0.2	0.9	0.5	0.02	0.06	17	0.4	1.2	0.6	0.03	0.06	C43
Other skin	43	0.7	2.8	1.7	0.09	0.17	44	1.0	3.0	1.6	0.06	0.16	C44
Mesothelioma	2	0.0	0.1	0.1	0.01	0.01	3	0.1	0.2	0.1	0.01	0.02	C45
Kaposi sarcoma	1	0.0	0.1	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C46
Connective and soft tissue	20	0.3	1.3	0.9	0.05	0.08	9	0.2	0.6	0.6	0.04	0.06	C47+C49
Breast	6	0.1	0.4	0.3	0.02	0.04	656	14.6	44.9	29.6	2.53	3.01	C50
Vulva							5	0.1	0.3	0.3	0.03	0.03	C51
Vagina							7	0.2	0.5	0.4	0.02	0.04	C52
Cervix uteri							301	6.7	20.6	13.5	1.12	1.46	C53
Corpus uteri							141	3.1	9.6	6.2	0.55	0.69	C54
Uterus unspecified							14	0.3	1.0	0.6	0.05	0.07	C55
Ovary							89	2.0	6.1	4.1	0.33	0.43	C56
Other female genital organs							9	0.2	0.6	0.5	0.04	0.04	C57
Placenta							1	0.0	0.1	0.1	0.00	0.00	C58
Penis		0.2	0.8	0.4	0.02	0.04							C60
Prostate	296	5.1	19.4	10.8	0.23	1.25							C61
Testis	3	0.1	0.2	0.1	0.01	0.01							C62
Other male genital organs	3	0.1	0.2	0.1	0.01	0.02							C63
Kidney	73	1.3	4.8	3.3	0.25	0.37	39	0.9	2.7	1.9	0.14	0.20	C64
Renal pelvis	15	0.3	1.0	0.6	0.02	0.06	6	0.1	0.4	0.3	0.01	0.02	C65
Ureter	9	0.2	0.6	0.3	0.00	0.03	9	0.2	0.6	0.3	0.00	0.01	C66
Bladder	141	2.4	9.3	5.4	0.22	0.53	41	0.9	2.8	1.4	0.07	0.10	C67
Other urinary organs	8	0.1	0.5	0.3	0.01	0.05	3	0.1	0.2	0.2	0.01	0.02	C68
Eye	4	0.1	0.3	0.3	0.02	0.02	6	0.1	0.4	0.2	0.01	0.01	C69
Brain and nervous system	66	1.1	4.3	3.4	0.21	0.37	67	1.5	4.6	3.6	0.21	0.34	C70–72
Thyroid	196	3.4	12.9	9.8	0.81	0.90	626	13.9	42.8	30.3	2.59	2.83	C73
Adrenal gland	5	0.1	0.3	0.4	0.02	0.02	8	0.2	0.5	0.5	0.03	0.05	C74
Other endocrine	5	0.1	0.3	0.3	0.02	0.02	7	0.2	0.5	0.3	0.03	0.04	C75
Hodgkin lymphoma	7	0.1	0.5	0.4	0.03	0.03	4	0.1	0.3	0.3	0.02	0.02	C81
Non-Hodgkin lymphoma	115	2.0	7.6	5.2	0.31	0.58	75	1.7	5.1	3.6	0.23	0.41	C82–86,C96
Immunoproliferative diseases	0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.1	0.0	0.00	0.01	C88
Multiple myeloma	43	0.7	2.8	1.8	0.08	0.23	28	0.6	1.9	1.2	0.07	0.15	C90
Lymphoid leukaemia	40	0.7	2.6	2.9	0.14	0.19	19	0.4	1.3	1.0	0.06	0.09	C91
Myeloid leukaemia	61	1.0	4.0	3.0	0.19	0.35	52	1.2	3.6	2.7	0.17	0.28	C92–94
Leukaemia unspecified	30	0.5	2.0	1.8	0.09	0.14	24	0.5	1.6	1.1	0.05	0.14	C95
Myeloproliferative disorders	8	0.1	0.5	0.4	0.03	0.04	5	0.1	0.3	0.2	0.01	0.04	MPD
Myelodysplastic syndromes	24	0.4	1.6	1.0	0.04	0.09	21	0.5	1.4	1.0	0.08	0.09	MPS
Other and unspecified	67	1.1	4.4	2.9	0.17	0.30	56	1.2	3.8	2.0	0.09	0.18	O&U
All sites	5878		386.0	243.0	12.36	28.45	4537		310.4	194.0	13.27	20.48	C00–96
All sites except C44	5835	100.0	383.2	241.3	12.27	28.28	4493	100.0	307.4	192.4	13.21	20.32	C00–96 exc. C44

China, Yucheng County

CONTRIBUTORS

Yawei Zhang
Jinghong Feng
Ning Ma
Wei Liu
Xinghua Bi
Pei Jiang



NOTES ON THE DATA

*No official mortality data. Low levels of specificity of leukaemias.

20 major cancers, ASR (World) per 100 000

<i>Male</i>		<i>Female</i>	
Trachea, bronchus, and lung	42.0	Breast	33.1
Liver	29.5	Corpus uteri	25.2
Stomach	23.7	Trachea, bronchus, and lung	23.4
Oesophagus	21.5	Oesophagus	16.3
Colon	8.5	Stomach	16.3
Brain and nervous system	5.2	Liver	15.9
Rectum	4.8	Cervix uteri	13.3
Other and unspecified	4.6	Thyroid	7.8
Leukaemia unspecified	4.0	Uterus unspecified	7.1
Bladder	3.5	Colon	7.0
Gallbladder etc.	3.4	Other and unspecified	5.2
Pancreas	2.9	Ovary	5.2
Bone	2.9	Brain and nervous system	4.6
Thyroid	2.7	Leukaemia unspecified	4.2
Prostate	2.6	Rectum	3.8
Small intestine	2.4	Gallbladder etc.	2.9
Kidney	1.8	Pancreas	2.2
Larynx	1.6	Small intestine	1.7
Non-Hodgkin lymphoma	1.3	Other thoracic organs	1.6
Nasopharynx	1.0	Bone	1.5
All sites	180.2	All sites	209.8

*China, Yucheng County (2015–2017)


SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	
Lip	5	0.1	0.3	0.2	0.01	0.04	4	0.1	0.2	0.2	0.01	0.02	C00
Tongue	6	0.2	0.3	0.3	0.02	0.03	5	0.1	0.3	0.3	0.01	0.03	C01–02
Mouth	9	0.3	0.5	0.5	0.03	0.04	4	0.1	0.2	0.2	0.01	0.01	C03–06
Salivary glands	16	0.5	0.9	0.8	0.03	0.08	18	0.4	1.1	1.0	0.07	0.10	C07–08
Tonsil	4	0.1	0.2	0.2	0.01	0.03	7	0.2	0.4	0.5	0.03	0.04	C09
Other oropharynx	2	0.1	0.1	0.1	0.01	0.01	0	0.0	0.0	0.0	0.00	0.00	C10
Nasopharynx	20	0.6	1.1	1.0	0.06	0.11	15	0.4	0.9	0.8	0.06	0.08	C11
Hypopharynx	3	0.1	0.2	0.2	0.01	0.01	1	0.0	0.1	0.1	0.00	0.00	C12–13
Pharynx unspecified	11	0.3	0.6	0.6	0.03	0.06	7	0.2	0.4	0.3	0.02	0.04	C14
Oesophagus	425	12.1	24.4	21.5	0.82	2.66	355	8.4	21.9	16.3	0.78	2.02	C15
Stomach	464	13.3	26.6	23.7	1.12	2.94	353	8.3	21.8	16.3	0.98	1.79	C16
Small intestine	47	1.3	2.7	2.4	0.11	0.30	37	0.9	2.3	1.7	0.10	0.21	C17
Colon	168	4.8	9.6	8.5	0.46	0.88	150	3.5	9.3	7.0	0.43	0.79	C18
Rectum	95	2.7	5.5	4.8	0.21	0.57	78	1.8	4.8	3.8	0.24	0.43	C19–20
Anus	8	0.2	0.5	0.4	0.02	0.05	5	0.1	0.3	0.3	0.03	0.03	C21
Liver	576	16.5	33.1	29.5	1.80	3.48	336	7.9	20.7	15.9	0.84	1.91	C22
Gallbladder etc.	69	2.0	4.0	3.4	0.17	0.42	64	1.5	4.0	2.9	0.14	0.31	C23–24
Pancreas	58	1.7	3.3	2.9	0.14	0.42	49	1.2	3.0	2.2	0.12	0.24	C25
Nose, sinuses etc.	6	0.2	0.3	0.3	0.02	0.03	5	0.1	0.3	0.3	0.02	0.02	C30–31
Larynx	31	0.9	1.8	1.6	0.09	0.21	16	0.4	1.0	0.7	0.05	0.06	C32
Trachea, bronchus, and lung	830	23.7	47.7	42.0	1.76	5.03	502	11.8	31.0	23.4	1.33	2.77	C33–34
Other thoracic organs	9	0.3	0.5	0.4	0.03	0.03	30	0.7	1.9	1.6	0.11	0.15	C37–38
Bone	51	1.5	2.9	2.9	0.17	0.26	28	0.7	1.7	1.5	0.12	0.13	C40–41
Melanoma of skin	0	0.0	0.0	0.0	0.00	0.00	2	0.0	0.1	0.1	0.01	0.01	C43
Other skin	17	0.5	1.0	0.8	0.03	0.07	16	0.4	1.0	0.6	0.02	0.04	C44
Mesothelioma	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C45
Kaposi sarcoma	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C46
Connective and soft tissue	7	0.2	0.4	0.4	0.02	0.04	4	0.1	0.2	0.2	0.01	0.02	C47+C49
Breast	2	0.1	0.1	0.1	0.01	0.01	645	15.2	39.8	33.1	2.62	3.45	C50
Vulva							7	0.2	0.4	0.4	0.04	0.04	C51
Vagina							8	0.2	0.5	0.4	0.02	0.07	C52
Cervix uteri							268	6.3	16.5	13.3	0.97	1.42	C53
Corpus uteri							491	11.6	30.3	25.2	2.11	2.40	C54
Uterus unspecified							136	3.2	8.4	7.1	0.64	0.65	C55
Ovary							104	2.4	6.4	5.2	0.33	0.52	C56
Other female genital organs							2	0.0	0.1	0.1	0.01	0.01	C57
Placenta							0	0.0	0.0	0.0	0.00	0.00	C58
Penis	16	0.5	0.9	0.8	0.05	0.10							C60
Prostate	55	1.6	3.2	2.6	0.07	0.32							C61
Testis	13	0.4	0.7	0.7	0.04	0.05							C62
Other male genital organs	0	0.0	0.0	0.0	0.00	0.00							C63
Kidney	36	1.0	2.1	1.8	0.09	0.23	21	0.5	1.3	1.1	0.07	0.12	C64
Renal pelvis	4	0.1	0.2	0.3	0.02	0.03	3	0.1	0.2	0.2	0.01	0.02	C65
Ureter	5	0.1	0.3	0.2	0.01	0.02	2	0.0	0.1	0.1	0.00	0.01	C66
Bladder	69	2.0	4.0	3.5	0.14	0.41	23	0.5	1.4	1.0	0.04	0.12	C67
Other urinary organs	0	0.0	0.0	0.0	0.00	0.00	2	0.0	0.1	0.1	0.01	0.01	C68
Eye	1	0.0	0.1	0.1	0.01	0.01	2	0.0	0.1	0.2	0.00	0.01	C69
Brain and nervous system	100	2.9	5.7	5.2	0.33	0.57	88	2.1	5.4	4.6	0.28	0.51	C70–72
Thyroid	53	1.5	3.0	2.7	0.18	0.32	147	3.5	9.1	7.8	0.63	0.77	C73
Adrenal gland	11	0.3	0.6	0.6	0.04	0.07	5	0.1	0.3	0.3	0.02	0.02	C74
Other endocrine	1	0.0	0.1	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C75
Hodgkin lymphoma	8	0.2	0.5	0.4	0.04	0.04	0	0.0	0.0	0.0	0.00	0.00	C81
Non-Hodgkin lymphoma	24	0.7	1.4	1.3	0.06	0.12	16	0.4	1.0	0.9	0.04	0.09	C82–86,C96
Immunoproliferative diseases	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C88
Multiple myeloma	2	0.1	0.1	0.1	0.01	0.01	7	0.2	0.4	0.4	0.00	0.07	C90
Lymphoid leukaemia	11	0.3	0.6	0.6	0.04	0.05	7	0.2	0.4	0.6	0.03	0.03	C91
Myeloid leukaemia	20	0.6	1.1	1.0	0.07	0.09	13	0.3	0.8	0.6	0.04	0.04	C92–94
Leukaemia unspecified	64	1.8	3.7	4.0	0.27	0.32	74	1.7	4.6	4.2	0.29	0.38	C95
Myeloproliferative disorders	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	MPD
Myelodysplastic syndromes	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	MPS
Other and unspecified	83	2.4	4.8	4.6	0.26	0.50	100	2.4	6.2	5.2	0.33	0.55	O&U
All sites	3515		201.8	180.2	8.94	21.06	4262		263.1	209.8	14.11	22.57	C00–96
All sites except C44	3498	100.0	200.8	179.4	8.90	21.00	4246	100.0	262.1	209.2	14.09	22.53	C00–96 exc. C44

*See note following population pyramid

China, Yueyanglou District, Yueyang City

CONTRIBUTORS

Jianxiang Yin
Yanfang Chen
Jianghong Luo
Ting Song
Sha Luo
Xiaoxia Lu



20 major cancers, ASR (World) per 100 000

Male		Female	
Trachea, bronchus, and lung	56.3	Breast	26.6
Liver	25.0	Cervix uteri	20.1
Colon	13.8	Trachea, bronchus, and lung	19.1
Stomach	13.3	Thyroid	9.5
Rectum	8.9	Liver	8.0
Oesophagus	7.7	Stomach	7.0
Bladder	7.0	Colon	6.8
Prostate	5.5	Ovary	6.5
Non-Hodgkin lymphoma	5.2	Rectum	4.9
Pancreas	5.0	Non-Hodgkin lymphoma	4.1
Nasopharynx	4.9	Kidney	3.4
Larynx	4.3	Brain and nervous system	3.3
Thyroid	4.0	Pancreas	3.3
Tongue	3.9	Lymphoid leukaemia	3.2
Gallbladder etc.	3.7	Gallbladder etc.	3.1
Kidney	3.4	Corpus uteri	2.9
Non-melanoma skin cancer	2.9	Nasopharynx	1.9
Lymphoid leukaemia	2.9	Non-melanoma skin cancer	1.8
Leukaemia unspecified	2.6	Multiple myeloma	1.8
Brain and nervous system	2.1	Uterus unspecified	1.2
All sites	194.9	All sites	149.0


China, Yueyanglou District, Yueyang City (2015–2017)

SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	
Lip	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C00
Tongue	45	2.2	5.7	3.9	0.34	0.42	3	0.2	0.4	0.2	0.01	0.01	C01–02
Mouth	17	0.8	2.1	1.5	0.13	0.17	3	0.2	0.4	0.2	0.01	0.01	C03–06
Salivary glands	2	0.1	0.3	0.2	0.01	0.01	0	0.0	0.0	0.0	0.00	0.00	C07–08
Tonsil	7	0.3	0.9	0.6	0.06	0.06	1	0.1	0.1	0.1	0.01	0.01	C09
Other oropharynx	2	0.1	0.3	0.2	0.02	0.02	0	0.0	0.0	0.0	0.00	0.00	C10
Nasopharynx	54	2.6	6.8	4.9	0.36	0.58	21	1.3	2.8	1.9	0.10	0.23	C11
Hypopharynx	6	0.3	0.8	0.6	0.06	0.07	0	0.0	0.0	0.0	0.00	0.00	C12–13
Pharynx unspecified	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C14
Oesophagus	82	3.9	10.3	7.7	0.51	0.97	8	0.5	1.1	0.7	0.04	0.08	C15
Stomach	146	7.0	18.4	13.3	0.68	1.63	73	4.7	9.6	7.0	0.42	0.88	C16
Small intestine	4	0.2	0.5	0.4	0.03	0.05	4	0.3	0.5	0.4	0.02	0.08	C17
Colon	151	7.2	19.0	13.8	0.60	1.81	75	4.8	9.9	6.8	0.32	0.81	C18
Rectum	99	4.7	12.5	8.9	0.50	1.01	54	3.5	7.1	4.9	0.23	0.58	C19–20
Anus	2	0.1	0.3	0.2	0.01	0.04	3	0.2	0.4	0.3	0.02	0.02	C21
Liver	281	13.4	35.4	25.0	1.44	2.92	86	5.5	11.3	8.0	0.35	0.97	C22
Gallbladder etc.	40	1.9	5.0	3.7	0.15	0.42	36	2.3	4.8	3.1	0.16	0.31	C23–24
Pancreas	54	2.6	6.8	5.0	0.32	0.63	35	2.2	4.6	3.3	0.18	0.43	C25
Nose, sinuses etc.	5	0.2	0.6	0.4	0.02	0.05	2	0.1	0.3	0.3	0.02	0.02	C30–31
Larynx	46	2.2	5.8	4.3	0.31	0.54	3	0.2	0.4	0.2	0.00	0.00	C32
Trachea, bronchus, and lung	615	29.4	77.4	56.3	2.73	7.04	208	13.3	27.4	19.1	0.92	2.31	C33–34
Other thoracic organs	5	0.2	0.6	0.5	0.03	0.07	2	0.1	0.3	0.2	0.02	0.02	C37–38
Bone	4	0.2	0.5	0.4	0.02	0.04	11	0.7	1.5	1.0	0.06	0.10	C40–41
Melanoma of skin	6	0.3	0.8	0.5	0.04	0.06	5	0.3	0.7	0.4	0.04	0.04	C43
Other skin	31	1.5	3.9	2.9	0.19	0.34	19	1.2	2.5	1.8	0.10	0.25	C44
Mesothelioma	1	0.0	0.1	0.1	0.01	0.01	2	0.1	0.3	0.2	0.00	0.03	C45
Kaposi sarcoma	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C46
Connective and soft tissue	5	0.2	0.6	0.5	0.03	0.07	2	0.1	0.3	0.2	0.02	0.02	C47+C49
Breast	6	0.3	0.8	0.5	0.05	0.05	303	19.4	40.0	26.6	2.10	2.93	C50
Vulva							1	0.1	0.1	0.1	0.01	0.01	C51
Vagina							0	0.0	0.0	0.0	0.00	0.00	C52
Cervix uteri							222	14.2	29.3	20.1	1.69	2.24	C53
Corpus uteri							32	2.0	4.2	2.9	0.22	0.36	C54
Uterus unspecified							12	0.8	1.6	1.2	0.04	0.18	C55
Ovary							66	4.2	8.7	6.5	0.39	0.84	C56
Other female genital organs							5	0.3	0.7	0.5	0.04	0.08	C57
Placenta							0	0.0	0.0	0.0	0.00	0.00	C58
Penis	3	0.1	0.4	0.3	0.02	0.02							C60
Prostate	60	2.9	7.5	5.5	0.16	0.76							C61
Testis	3	0.1	0.4	0.3	0.03	0.03							C62
Other male genital organs	0	0.0	0.0	0.0	0.00	0.00							C63
Kidney	39	1.9	4.9	3.4	0.18	0.37	34	2.2	4.5	3.4	0.15	0.45	C64
Renal pelvis	2	0.1	0.3	0.2	0.00	0.03	2	0.1	0.3	0.2	0.00	0.06	C65
Ureter	4	0.2	0.5	0.4	0.02	0.04	4	0.3	0.5	0.3	0.02	0.02	C66
Bladder	80	3.8	10.1	7.0	0.32	0.87	9	0.6	1.2	0.8	0.03	0.11	C67
Other urinary organs	1	0.0	0.1	0.1	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C68
Eye	2	0.1	0.3	0.4	0.01	0.04	0	0.0	0.0	0.0	0.00	0.00	C69
Brain and nervous system	22	1.1	2.8	2.1	0.17	0.21	29	1.9	3.8	3.3	0.22	0.37	C70–72
Thyroid	43	2.1	5.4	4.0	0.34	0.40	95	6.1	12.5	9.5	0.74	0.87	C73
Adrenal gland	3	0.1	0.4	0.3	0.02	0.04	1	0.1	0.1	0.1	0.01	0.01	C74
Other endocrine	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C75
Hodgkin lymphoma	3	0.1	0.4	0.3	0.02	0.02	3	0.2	0.4	0.6	0.04	0.04	C81
Non-Hodgkin lymphoma	58	2.8	7.3	5.2	0.34	0.58	40	2.6	5.3	4.1	0.26	0.43	C82–86,C96
Immunoproliferative diseases	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C88
Multiple myeloma	18	0.9	2.3	1.6	0.13	0.19	20	1.3	2.6	1.8	0.12	0.23	C90
Lymphoid leukaemia	21	1.0	2.6	2.9	0.14	0.20	22	1.4	2.9	3.2	0.18	0.27	C91
Myeloid leukaemia	12	0.6	1.5	1.3	0.07	0.17	10	0.6	1.3	1.1	0.06	0.14	C92–94
Leukaemia unspecified	24	1.1	3.0	2.6	0.13	0.21	8	0.5	1.1	1.1	0.04	0.08	C95
Myeloproliferative disorders	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	MPD
Myelodysplastic syndromes	2	0.1	0.3	0.2	0.01	0.02	2	0.1	0.3	0.2	0.01	0.03	MPS
Other and unspecified	8	0.4	1.0	0.7	0.05	0.07	7	0.4	0.9	0.9	0.06	0.06	O&U
All sites	2124		267.2	194.9	10.80	23.37	1583		208.9	149.0	9.48	17.04	C00–96
All sites except C44	2093	100.0	263.3	192.1	10.61	23.03	1564	100.0	206.4	147.2	9.38	16.79	C00–96 exc. C44

China, Yunmeng County

CONTRIBUTORS

Yan Liu
Hao Zhou
Guangshun Liu



20 major cancers, ASR (World) per 100 000

<i>Male</i>		<i>Female</i>	
Trachea, bronchus, and lung	73.9	Liver	34.4
Liver	62.7	Trachea, bronchus, and lung	28.1
Stomach	31.8	Breast	26.9
Oesophagus	14.0	Stomach	18.1
Rectum	13.4	Cervix uteri	15.6
Colon	7.8	Rectum	10.6
Bladder	5.5	Thyroid	9.7
Pancreas	5.4	Corpus uteri	9.2
Prostate	5.1	Ovary	7.0
Brain and nervous system	4.7	Colon	6.5
Nasopharynx	4.5	Oesophagus	3.8
Hodgkin lymphoma	3.1	Bone	3.8
Non-Hodgkin lymphoma	2.6	Pancreas	3.7
Bone	2.5	Brain and nervous system	3.2
Leukaemia unspecified	2.3	Nasopharynx	2.6
Other and unspecified	2.1	Uterus unspecified	2.3
Kidney	1.8	Other and unspecified	2.2
Thyroid	1.8	Non-Hodgkin lymphoma	2.0
Larynx	1.7	Gallbladder etc.	1.5
Pharynx unspecified	1.7	Hodgkin lymphoma	1.4
All sites	259.3	All sites	205.2


China, Yunmeng County (2013–2017)

SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	
Lip	1	0.0	0.1	0.1	0.00	0.00	1	0.0	0.1	0.1	0.01	0.01	C00
Tongue	3	0.1	0.2	0.2	0.01	0.01	4	0.1	0.3	0.2	0.03	0.03	C01–02
Mouth	8	0.2	0.6	0.5	0.04	0.07	8	0.2	0.6	0.5	0.04	0.06	C03–06
Salivary glands	9	0.2	0.7	0.6	0.05	0.05	7	0.2	0.5	0.4	0.04	0.04	C07–08
Tonsil	2	0.0	0.2	0.2	0.01	0.01	0	0.0	0.0	0.0	0.00	0.00	C09
Other oropharynx	6	0.1	0.5	0.4	0.03	0.04	1	0.0	0.1	0.1	0.00	0.01	C10
Nasopharynx	65	1.6	4.9	4.5	0.31	0.43	44	1.2	3.3	2.6	0.19	0.27	C11
Hypopharynx	3	0.1	0.2	0.2	0.01	0.03	0	0.0	0.0	0.0	0.00	0.00	C12–13
Pharynx unspecified	27	0.7	2.0	1.7	0.11	0.26	9	0.3	0.7	0.5	0.03	0.07	C14
Oesophagus	225	5.6	16.9	14.0	0.79	1.77	70	2.0	5.2	3.8	0.12	0.48	C15
Stomach	502	12.4	37.7	31.8	1.83	3.77	326	9.2	24.3	18.1	0.91	1.89	C16
Small intestine	12	0.3	0.9	0.7	0.04	0.09	12	0.3	0.9	0.7	0.06	0.09	C17
Colon	124	3.1	9.3	7.8	0.53	0.94	113	3.2	8.4	6.5	0.44	0.80	C18
Rectum	213	5.3	16.0	13.4	0.79	1.62	187	5.3	13.9	10.6	0.67	1.27	C19–20
Anus	1	0.0	0.1	0.1	0.00	0.00	2	0.1	0.1	0.1	0.02	0.02	C21
Liver	1015	25.1	76.1	62.7	4.31	7.55	603	17.0	45.0	34.4	1.99	4.37	C22
Gallbladder etc.	19	0.5	1.4	1.2	0.07	0.16	24	0.7	1.8	1.5	0.11	0.16	C23–24
Pancreas	87	2.2	6.5	5.4	0.29	0.74	61	1.7	4.5	3.7	0.28	0.41	C25
Nose, sinuses etc.	3	0.1	0.2	0.2	0.00	0.01	5	0.1	0.4	0.3	0.02	0.03	C30–31
Larynx	28	0.7	2.1	1.7	0.09	0.23	11	0.3	0.8	0.7	0.04	0.04	C32
Trachea, bronchus, and lung	1118	27.6	83.9	73.9	3.30	8.51	468	13.2	34.9	28.1	1.30	2.74	C33–34
Other thoracic organs	9	0.2	0.7	0.5	0.03	0.05	7	0.2	0.5	0.4	0.02	0.05	C37–38
Bone	39	1.0	2.9	2.5	0.20	0.27	60	1.7	4.5	3.8	0.29	0.39	C40–41
Melanoma of skin	13	0.3	1.0	0.8	0.06	0.10	17	0.5	1.3	1.2	0.07	0.13	C43
Other skin	8	0.2	0.6	0.5	0.04	0.05	9	0.3	0.7	0.7	0.03	0.03	C44
Mesothelioma	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C45
Kaposi sarcoma	1	0.0	0.1	0.1	0.00	0.01	0	0.0	0.0	0.0	0.00	0.00	C46
Connective and soft tissue	6	0.1	0.5	0.5	0.04	0.04	12	0.3	0.9	0.7	0.05	0.06	C47+C49
Breast	5	0.1	0.4	0.3	0.02	0.03	470	13.3	35.0	26.9	2.43	2.76	C50
Vulva							4	0.1	0.3	0.2	0.02	0.02	C51
Vagina							2	0.1	0.1	0.1	0.01	0.01	C52
Cervix uteri							278	7.9	20.7	15.6	1.35	1.63	C53
Corpus uteri							160	4.5	11.9	9.2	0.83	1.00	C54
Uterus unspecified							40	1.1	3.0	2.3	0.20	0.25	C55
Ovary							118	3.3	8.8	7.0	0.60	0.68	C56
Other female genital organs							9	0.3	0.7	0.5	0.05	0.05	C57
Placenta							0	0.0	0.0	0.0	0.00	0.00	C58
Penis	10	0.2	0.8	0.6	0.05	0.08							C60
Prostate	66	1.6	5.0	5.1	0.06	0.40							C61
Testis	1	0.0	0.1	0.1	0.00	0.00							C62
Other male genital organs	1	0.0	0.1	0.1	0.01	0.01							C63
Kidney	25	0.6	1.9	1.8	0.07	0.17	13	0.4	1.0	0.7	0.04	0.09	C64
Renal pelvis	7	0.2	0.5	0.4	0.01	0.05	3	0.1	0.2	0.2	0.01	0.02	C65
Ureter	0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.1	0.1	0.01	0.01	C66
Bladder	91	2.2	6.8	5.5	0.25	0.59	17	0.5	1.3	1.0	0.04	0.10	C67
Other urinary organs	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C68
Eye	1	0.0	0.1	0.1	0.01	0.01	6	0.2	0.4	0.3	0.02	0.03	C69
Brain and nervous system	74	1.8	5.6	4.7	0.34	0.52	57	1.6	4.3	3.2	0.27	0.35	C70–72
Thyroid	30	0.7	2.3	1.8	0.14	0.20	168	4.7	12.5	9.7	0.88	0.97	C73
Adrenal gland	2	0.0	0.2	0.1	0.01	0.02	4	0.1	0.3	0.2	0.02	0.03	C74
Other endocrine	0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.1	0.0	0.00	0.00	C75
Hodgkin lymphoma	49	1.2	3.7	3.1	0.22	0.40	24	0.7	1.8	1.4	0.11	0.15	C81
Non-Hodgkin lymphoma	43	1.1	3.2	2.6	0.20	0.33	34	1.0	2.5	2.0	0.14	0.22	C82–86,C96
Immunoproliferative diseases	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C88
Multiple myeloma	10	0.2	0.8	0.6	0.02	0.08	4	0.1	0.3	0.2	0.02	0.02	C90
Lymphoid leukaemia	17	0.4	1.3	1.2	0.08	0.10	14	0.4	1.0	1.1	0.08	0.08	C91
Myeloid leukaemia	12	0.3	0.9	0.7	0.05	0.10	8	0.2	0.6	0.4	0.03	0.06	C92–94
Leukaemia unspecified	31	0.8	2.3	2.3	0.17	0.18	17	0.5	1.3	1.1	0.07	0.10	C95
Myeloproliferative disorders	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	MPD
Myelodysplastic syndromes	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	MPS
Other and unspecified	31	0.8	2.3	2.1	0.11	0.17	34	1.0	2.5	2.2	0.14	0.22	O&U
All sites	4053		304.1	259.3	14.78	30.26	3547		264.5	205.2	14.15	22.30	C00–96
All sites except C44	4045	100.0	303.5	258.8	14.74	30.21	3538	100.0	263.8	204.5	14.11	22.27	C00–96 exc. C44

China, Yunyang District, Shiyan City

CONTRIBUTORS

Zuo Shun Yan



NOTES ON THE DATA

*Low levels of specificity of leukaemias.

20 major cancers, ASR (World) per 100 000

<i>Male</i>		<i>Female</i>	
Oesophagus	47.8	Oesophagus	23.2
Stomach	46.2	Breast	19.0
Trachea, bronchus, and lung	42.3	Stomach	19.0
Liver	32.0	Trachea, bronchus, and lung	18.5
Rectum	9.9	Liver	11.0
Colon	5.8	Cervix uteri	10.5
Brain and nervous system	3.5	Rectum	4.8
Leukaemia unspecified	2.3	Colon	4.1
Bone	2.2	Corpus uteri	3.2
Gallbladder etc.	2.2	Brain and nervous system	2.9
Non-Hodgkin lymphoma	2.2	Ovary	2.8
Nasopharynx	2.2	Thyroid	2.3
Myeloid leukaemia	2.0	Leukaemia unspecified	2.2
Other and unspecified	2.0	Other and unspecified	2.0
Prostate	1.5	Bladder	1.6
Pancreas	1.3	Myeloid leukaemia	1.2
Non-melanoma skin cancer	1.2	Gallbladder etc.	1.2
Bladder	1.1	Nasopharynx	1.1
Anus	1.1	Pancreas	1.0
Larynx	1.0	Kidney	1.0
All sites	216.8	All sites	141.4

*China, Yunyang District, Shiyang City (2015–2017)


SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	
Lip	1	0.0	0.1	0.1	0.01	0.01	2	0.1	0.2	0.2	0.01	0.01	C00
Tongue	5	0.2	0.6	0.4	0.03	0.05	4	0.3	0.5	0.4	0.02	0.07	C01–02
Mouth	5	0.2	0.6	0.4	0.03	0.04	1	0.1	0.1	0.1	0.00	0.03	C03–06
Salivary glands	3	0.1	0.3	0.2	0.02	0.02	3	0.2	0.4	0.2	0.00	0.03	C07–08
Tonsil	1	0.0	0.1	0.1	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C09
Other oropharynx	1	0.0	0.1	0.1	0.00	0.01	0	0.0	0.0	0.0	0.00	0.00	C10
Nasopharynx	22	0.9	2.5	2.2	0.14	0.26	11	0.7	1.4	1.1	0.09	0.12	C11
Hypopharynx	1	0.0	0.1	0.1	0.00	0.01	0	0.0	0.0	0.0	0.00	0.00	C12–13
Pharynx unspecified	1	0.0	0.1	0.1	0.01	0.01	0	0.0	0.0	0.0	0.00	0.00	C14
Oesophagus	529	22.2	60.0	47.8	2.30	6.65	246	16.5	30.4	23.2	1.05	3.02	C15
Stomach	514	21.6	58.3	46.2	2.25	6.26	210	14.1	25.9	19.0	0.89	2.16	C16
Small intestine	5	0.2	0.6	0.4	0.02	0.06	3	0.2	0.4	0.2	0.00	0.02	C17
Colon	64	2.7	7.3	5.8	0.24	0.68	41	2.7	5.1	4.1	0.22	0.53	C18
Rectum	114	4.8	12.9	9.9	0.59	1.30	53	3.5	6.5	4.8	0.31	0.60	C19–20
Anus	11	0.5	1.2	1.1	0.01	0.18	8	0.5	1.0	0.7	0.01	0.10	C21
Liver	364	15.3	41.3	32.0	1.92	3.95	119	8.0	14.7	11.0	0.47	1.26	C22
Gallbladder etc.	24	1.0	2.7	2.2	0.11	0.33	12	0.8	1.5	1.2	0.06	0.18	C23–24
Pancreas	14	0.6	1.6	1.3	0.06	0.18	9	0.6	1.1	1.0	0.06	0.17	C25
Nose, sinuses etc.	3	0.1	0.3	0.3	0.02	0.02	2	0.1	0.2	0.1	0.01	0.01	C30–31
Larynx	10	0.4	1.1	1.0	0.06	0.14	0	0.0	0.0	0.0	0.00	0.00	C32
Trachea, bronchus, and lung	471	19.7	53.4	42.3	1.92	5.72	209	14.0	25.8	18.5	0.79	2.14	C33–34
Other thoracic organs	6	0.3	0.7	0.5	0.04	0.07	8	0.5	1.0	0.7	0.04	0.06	C37–38
Bone	24	1.0	2.7	2.2	0.10	0.25	9	0.6	1.1	0.9	0.04	0.11	C40–41
Melanoma of skin	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C43
Other skin	12	0.5	1.4	1.2	0.03	0.14	5	0.3	0.6	0.4	0.03	0.04	C44
Mesothelioma	2	0.1	0.2	0.2	0.02	0.02	2	0.1	0.2	0.2	0.02	0.02	C45
Kaposi sarcoma	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C46
Connective and soft tissue	2	0.1	0.2	0.1	0.00	0.02	8	0.5	1.0	0.8	0.03	0.12	C47+C49
Breast	2	0.1	0.2	0.1	0.00	0.01	197	13.2	24.3	19.0	1.56	2.01	C50
Vulva							2	0.1	0.2	0.2	0.01	0.04	C51
Vagina							0	0.0	0.0	0.0	0.00	0.00	C52
Cervix uteri							108	7.2	13.3	10.5	0.85	1.14	C53
Corpus uteri							32	2.1	4.0	3.2	0.26	0.38	C54
Uterus unspecified							4	0.3	0.5	0.3	0.03	0.03	C55
Ovary							29	1.9	3.6	2.8	0.24	0.30	C56
Other female genital organs							2	0.1	0.2	0.2	0.01	0.04	C57
Placenta							0	0.0	0.0	0.0	0.00	0.00	C58
Penis	3	0.1	0.3	0.3	0.02	0.05							C60
Prostate	17	0.7	1.9	1.5	0.02	0.18							C61
Testis	3	0.1	0.3	0.3	0.01	0.04							C62
Other male genital organs	0	0.0	0.0	0.0	0.00	0.00							C63
Kidney	7	0.3	0.8	0.6	0.05	0.06	9	0.6	1.1	1.0	0.07	0.12	C64
Renal pelvis	0	0.0	0.0	0.0	0.00	0.00	1	0.1	0.1	0.1	0.00	0.00	C65
Ureter	3	0.1	0.3	0.3	0.02	0.05	1	0.1	0.1	0.1	0.01	0.01	C66
Bladder	13	0.5	1.5	1.1	0.05	0.15	16	1.1	2.0	1.6	0.09	0.22	C67
Other urinary organs	1	0.0	0.1	0.1	0.01	0.01	2	0.1	0.2	0.2	0.01	0.01	C68
Eye	2	0.1	0.2	0.2	0.01	0.01	1	0.1	0.1	0.1	0.00	0.01	C69
Brain and nervous system	36	1.5	4.1	3.5	0.17	0.48	30	2.0	3.7	2.9	0.22	0.32	C70–72
Thyroid	9	0.4	1.0	0.9	0.08	0.08	22	1.5	2.7	2.3	0.19	0.22	C73
Adrenal gland	1	0.0	0.1	0.1	0.01	0.01	0	0.0	0.0	0.0	0.00	0.00	C74
Other endocrine	1	0.0	0.1	0.1	0.00	0.01	0	0.0	0.0	0.0	0.00	0.00	C75
Hodgkin lymphoma	3	0.1	0.3	0.2	0.00	0.04	4	0.3	0.5	0.4	0.02	0.03	C81
Non-Hodgkin lymphoma	20	0.8	2.3	2.2	0.12	0.19	6	0.4	0.7	0.5	0.04	0.05	C82–86,C96
Immunoproliferative diseases	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C88
Multiple myeloma	3	0.1	0.3	0.2	0.02	0.03	4	0.3	0.5	0.5	0.02	0.06	C90
Lymphoid leukaemia	4	0.2	0.5	0.6	0.04	0.04	8	0.5	1.0	0.9	0.06	0.07	C91
Myeloid leukaemia	18	0.8	2.0	2.0	0.14	0.18	13	0.9	1.6	1.2	0.07	0.10	C92–94
Leukaemia unspecified	22	0.9	2.5	2.3	0.16	0.24	22	1.5	2.7	2.2	0.16	0.21	C95
Myeloproliferative disorders	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	MPD
Myelodysplastic syndromes	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	MPS
Other and unspecified	20	0.8	2.3	2.0	0.09	0.31	21	1.4	2.6	2.0	0.15	0.24	O&U
All sites	2397		271.8	216.8	10.98	28.63	1499		185.2	141.4	8.21	16.38	C00–96
All sites except C44	2385	100.0	270.4	215.6	10.95	28.49	1494	100.0	184.6	140.9	8.18	16.34	C00–96 exc. C44

*See note following population pyramid

China, Yuzhong District, Chongqing City

CONTRIBUTORS

Yushuang Ling
Yong Zhang
Yan Peng
Yi Zeng
Jia Wang
Hongxiu Tang
Ying Chen



20 major cancers, ASR (World) per 100 000

<i>Male</i>		<i>Female</i>	
Trachea, bronchus, and lung	78.9	Breast	37.8
Liver	27.4	Trachea, bronchus, and lung	28.6
Colon	19.1	Thyroid	15.6
Rectum	18.0	Colon	11.8
Stomach	15.1	Cervix uteri	11.1
Prostate	13.6	Rectum	9.6
Oesophagus	10.3	Stomach	8.7
Bladder	9.1	Liver	7.1
Non-Hodgkin lymphoma	8.4	Ovary	6.3
Pancreas	6.7	Corpus uteri	5.5
Thyroid	6.6	Kidney	5.2
Kidney	6.2	Non-Hodgkin lymphoma	4.5
Larynx	4.9	Myeloid leukaemia	3.7
Nasopharynx	4.1	Pancreas	3.5
Myeloid leukaemia	3.6	Other and unspecified	3.2
Lymphoid leukaemia	3.3	Brain and nervous system	2.8
Gallbladder etc.	3.3	Gallbladder etc.	2.6
Brain and nervous system	3.1	Multiple myeloma	2.4
Other and unspecified	2.7	Lymphoid leukaemia	2.1
Multiple myeloma	2.6	Bladder	1.9
All sites	265.2	All sites	189.7


China, Yuzhong District, Chongqing City (2013–2017)

SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	
Lip	1	0.0	0.1	0.0	0.00	0.00	2	0.0	0.1	0.0	0.00	0.00	C00
Tongue	19	0.3	1.2	1.0	0.05	0.13	17	0.4	1.0	0.7	0.04	0.09	C01–02
Mouth	36	0.6	2.2	1.4	0.11	0.17	13	0.3	0.8	0.5	0.02	0.05	C03–06
Salivary glands	10	0.2	0.6	0.4	0.04	0.04	9	0.2	0.6	0.4	0.04	0.05	C07–08
Tonsil	7	0.1	0.4	0.3	0.02	0.04	4	0.1	0.2	0.2	0.01	0.03	C09
Other oropharynx	10	0.2	0.6	0.4	0.04	0.06	1	0.0	0.1	0.0	0.00	0.00	C10
Nasopharynx	92	1.6	5.7	4.1	0.33	0.50	37	0.8	2.3	1.7	0.12	0.20	C11
Hypopharynx	26	0.4	1.6	1.1	0.09	0.13	3	0.1	0.2	0.1	0.00	0.00	C12–13
Pharynx unspecified	6	0.1	0.4	0.3	0.02	0.02	1	0.0	0.1	0.1	0.00	0.01	C14
Oesophagus	232	3.9	14.4	10.3	0.56	1.34	44	1.0	2.7	1.5	0.05	0.16	C15
Stomach	344	5.9	21.3	15.1	0.79	1.92	205	4.5	12.6	8.7	0.59	1.10	C16
Small intestine	30	0.5	1.9	1.2	0.09	0.15	27	0.6	1.7	1.0	0.04	0.14	C17
Colon	428	7.3	26.5	19.1	0.80	2.55	312	6.9	19.1	11.8	0.55	1.45	C18
Rectum	406	6.9	25.2	18.0	1.12	2.32	251	5.5	15.4	9.6	0.57	1.14	C19–20
Anus	4	0.1	0.2	0.1	0.00	0.02	5	0.1	0.3	0.2	0.01	0.02	C21
Liver	633	10.8	39.3	27.4	1.83	3.25	183	4.0	11.2	7.1	0.33	0.84	C22
Gallbladder etc.	69	1.2	4.3	3.3	0.18	0.47	76	1.7	4.7	2.6	0.12	0.28	C23–24
Pancreas	150	2.6	9.3	6.7	0.30	0.82	105	2.3	6.4	3.5	0.17	0.36	C25
Nose, sinuses etc.	12	0.2	0.7	0.6	0.02	0.06	5	0.1	0.3	0.1	0.01	0.01	C30–31
Larynx	109	1.9	6.8	4.9	0.26	0.65	5	0.1	0.3	0.3	0.01	0.05	C32
Trachea, bronchus, and lung	1726	29.4	107.0	78.9	4.14	10.63	756	16.7	46.4	28.6	1.34	3.52	C33–34
Other thoracic organs	21	0.4	1.3	1.2	0.05	0.11	15	0.3	0.9	0.6	0.04	0.07	C37–38
Bone	25	0.4	1.6	1.2	0.04	0.15	11	0.2	0.7	0.4	0.02	0.05	C40–41
Melanoma of skin	14	0.2	0.9	0.6	0.04	0.07	13	0.3	0.8	0.6	0.03	0.09	C43
Other skin	34	0.6	2.1	1.5	0.07	0.16	34	0.7	2.1	1.3	0.04	0.16	C44
Mesothelioma	16	0.3	1.0	0.7	0.06	0.07	10	0.2	0.6	0.4	0.02	0.04	C45
Kaposi sarcoma	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C46
Connective and soft tissue	17	0.3	1.1	1.0	0.06	0.10	14	0.3	0.9	0.8	0.06	0.07	C47+C49
Breast	11	0.2	0.7	0.5	0.03	0.06	861	19.0	52.8	37.8	3.09	4.35	C50
Vulva							11	0.2	0.7	0.5	0.04	0.06	C51
Vagina							6	0.1	0.4	0.3	0.02	0.04	C52
Cervix uteri							262	5.8	16.1	11.1	0.88	1.21	C53
Corpus uteri							123	2.7	7.5	5.5	0.47	0.69	C54
Uterus unspecified							13	0.3	0.8	0.6	0.04	0.06	C55
Ovary							136	3.0	8.3	6.3	0.49	0.76	C56
Other female genital organs							12	0.3	0.7	0.5	0.03	0.07	C57
Placenta							0	0.0	0.0	0.0	0.00	0.00	C58
Penis	9	0.2	0.6	0.3	0.01	0.04							C60
Prostate	337	5.7	20.9	13.6	0.26	1.51							C61
Testis	8	0.1	0.5	0.3	0.03	0.03							C62
Other male genital organs	3	0.1	0.2	0.1	0.01	0.01							C63
Kidney	149	2.5	9.2	6.2	0.39	0.74	110	2.4	6.7	5.2	0.32	0.65	C64
Renal pelvis	14	0.2	0.9	0.6	0.03	0.06	14	0.3	0.9	0.3	0.02	0.02	C65
Ureter	10	0.2	0.6	0.4	0.02	0.02	13	0.3	0.8	0.5	0.02	0.07	C66
Bladder	209	3.6	13.0	9.1	0.37	1.15	52	1.1	3.2	1.9	0.11	0.21	C67
Other urinary organs	3	0.1	0.2	0.1	0.00	0.03	2	0.0	0.1	0.1	0.00	0.00	C68
Eye	1	0.0	0.1	0.1	0.00	0.01	1	0.0	0.1	0.0	0.00	0.00	C69
Brain and nervous system	58	1.0	3.6	3.1	0.18	0.33	59	1.3	3.6	2.8	0.18	0.25	C70–72
Thyroid	141	2.4	8.7	6.6	0.48	0.65	335	7.4	20.6	15.6	1.24	1.60	C73
Adrenal gland	5	0.1	0.3	0.2	0.01	0.03	4	0.1	0.2	0.1	0.00	0.01	C74
Other endocrine	3	0.1	0.2	0.5	0.02	0.02	5	0.1	0.3	0.2	0.02	0.02	C75
Hodgkin lymphoma	14	0.2	0.9	0.7	0.04	0.09	9	0.2	0.6	0.5	0.02	0.06	C81
Non-Hodgkin lymphoma	185	3.1	11.5	8.4	0.48	0.97	105	2.3	6.4	4.5	0.26	0.51	C82–86,C96
Immunoproliferative diseases	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C88
Multiple myeloma	55	0.9	3.4	2.6	0.12	0.39	60	1.3	3.7	2.4	0.09	0.34	C90
Lymphoid leukaemia	55	0.9	3.4	3.3	0.19	0.31	34	0.7	2.1	2.1	0.08	0.22	C91
Myeloid leukaemia	79	1.3	4.9	3.6	0.21	0.34	83	1.8	5.1	3.7	0.23	0.46	C92–94
Leukaemia unspecified	19	0.3	1.2	0.9	0.03	0.13	16	0.4	1.0	0.9	0.05	0.07	C95
Myeloproliferative disorders	1	0.0	0.1	0.1	0.01	0.01	0	0.0	0.0	0.0	0.00	0.00	MPD
Myelodysplastic syndromes	5	0.1	0.3	0.2	0.02	0.02	3	0.1	0.2	0.1	0.00	0.01	MPS
Other and unspecified	63	1.1	3.9	2.7	0.14	0.29	83	1.8	5.1	3.2	0.14	0.34	O&U
All sites	5914		366.7	265.2	14.18	33.17	4570		280.4	189.7	12.13	22.11	C00–96
All sites except C44	5880	100.0	364.6	263.7	14.11	33.01	4536	100.0	278.3	188.4	12.08	21.95	C00–96 exc. C44

China, Zhanhuang County

CONTRIBUTORS

Jiao Wenbin
Wang Shuge
Hao Yuehong
Li Li
Lv Xiaohong



NOTES ON THE DATA

*No official mortality data. Rates based on low numbers due to small population.

20 major cancers, ASR (World) per 100 000

<i>Male</i>		<i>Female</i>	
Stomach	90.5	Stomach	30.0
Trachea, bronchus, and lung	34.1	Breast	18.8
Oesophagus	22.2	Trachea, bronchus, and lung	15.3
Liver	18.9	Oesophagus	14.1
Rectum	6.9	Cervix uteri	12.3
Colon	6.1	Liver	8.8
Kidney	4.5	Corpus uteri	6.7
Brain and nervous system	4.0	Ovary	6.4
Bladder	3.1	Colon	5.5
Non-Hodgkin lymphoma	2.5	Brain and nervous system	5.1
Pancreas	2.5	Rectum	4.8
Gallbladder etc.	2.4	Thyroid	4.5
Lymphoid leukaemia	2.1	Lymphoid leukaemia	3.1
Leukaemia unspecified	1.9	Kidney	2.8
Larynx	1.9	Non-Hodgkin lymphoma	2.4
Prostate	1.5	Pancreas	2.1
Myeloid leukaemia	1.5	Myeloid leukaemia	1.7
Other and unspecified	1.4	Other and unspecified	1.7
Testis	1.0	Gallbladder etc.	1.7
Thyroid	1.0	Vulva	1.3
All sites	220.3	All sites	160.0

*China, Zhanhuang County (2013–2017)


SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	
Lip	2	0.1	0.3	0.2	0.03	0.03	0	0.0	0.0	0.0	0.00	0.00	C00
Tongue	3	0.2	0.4	0.4	0.01	0.03	1	0.1	0.2	0.1	0.00	0.02	C01–02
Mouth	3	0.2	0.4	0.3	0.04	0.04	2	0.1	0.3	0.2	0.01	0.01	C03–06
Salivary glands	3	0.2	0.4	0.3	0.03	0.03	4	0.3	0.6	0.5	0.02	0.07	C07–08
Tonsil	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C09
Other oropharynx	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C10
Nasopharynx	5	0.3	0.7	0.8	0.04	0.10	6	0.4	0.9	0.8	0.06	0.06	C11
Hypopharynx	4	0.2	0.6	0.5	0.01	0.08	1	0.1	0.2	0.2	0.01	0.01	C12–13
Pharynx unspecified	1	0.1	0.1	0.1	0.01	0.01	0	0.0	0.0	0.0	0.00	0.00	C14
Oesophagus	194	10.3	27.8	22.2	1.29	2.81	128	9.6	19.9	14.1	0.67	1.89	C15
Stomach	779	41.5	111.5	90.5	5.27	11.76	270	20.2	42.1	30.0	1.55	3.69	C16
Small intestine	7	0.4	1.0	0.9	0.06	0.11	5	0.4	0.8	0.5	0.00	0.05	C17
Colon	51	2.7	7.3	6.1	0.37	0.62	48	3.6	7.5	5.5	0.28	0.73	C18
Rectum	59	3.1	8.4	6.9	0.41	0.89	41	3.1	6.4	4.8	0.29	0.62	C19–20
Anus	2	0.1	0.3	0.2	0.00	0.00	1	0.1	0.2	0.1	0.00	0.02	C21
Liver	159	8.5	22.8	18.9	1.12	2.43	72	5.4	11.2	8.8	0.54	1.01	C22
Gallbladder etc.	21	1.1	3.0	2.4	0.08	0.26	16	1.2	2.5	1.7	0.05	0.19	C23–24
Pancreas	22	1.2	3.2	2.5	0.14	0.32	18	1.3	2.8	2.1	0.09	0.24	C25
Nose, sinuses etc.	1	0.1	0.1	0.1	0.00	0.04	0	0.0	0.0	0.0	0.00	0.00	C30–31
Larynx	16	0.9	2.3	1.9	0.11	0.26	2	0.1	0.3	0.3	0.01	0.03	C32
Trachea, bronchus, and lung	295	15.7	42.2	34.1	1.99	4.26	136	10.2	21.2	15.3	1.03	1.97	C33–34
Other thoracic organs	2	0.1	0.3	0.3	0.01	0.03	4	0.3	0.6	0.5	0.03	0.09	C37–38
Bone	7	0.4	1.0	0.9	0.07	0.07	9	0.7	1.4	1.0	0.07	0.12	C40–41
Melanoma of skin	5	0.3	0.7	0.6	0.05	0.07	0	0.0	0.0	0.0	0.00	0.00	C43
Other skin	6	0.3	0.9	0.7	0.03	0.09	11	0.8	1.7	1.2	0.05	0.14	C44
Mesothelioma	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C45
Kaposi sarcoma	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C46
Connective and soft tissue	4	0.2	0.6	0.5	0.03	0.05	4	0.3	0.6	0.5	0.05	0.05	C47+C49
Breast	5	0.3	0.7	0.5	0.06	0.06	152	11.4	23.7	18.8	1.48	2.06	C50
Vulva							11	0.8	1.7	1.3	0.10	0.10	C51
Vagina							3	0.2	0.5	0.3	0.02	0.04	C52
Cervix uteri							99	7.4	15.4	12.3	1.03	1.39	C53
Corpus uteri							54	4.0	8.4	6.7	0.57	0.73	C54
Uterus unspecified							7	0.5	1.1	0.9	0.08	0.08	C55
Ovary							52	3.9	8.1	6.4	0.45	0.71	C56
Other female genital organs							3	0.2	0.5	0.5	0.04	0.04	C57
Placenta							1	0.1	0.2	0.1	0.01	0.01	C58
Penis	4	0.2	0.6	0.6	0.02	0.05							C60
Prostate	13	0.7	1.9	1.5	0.01	0.22							C61
Testis	7	0.4	1.0	1.0	0.07	0.09							C62
Other male genital organs	1	0.1	0.1	0.1	0.01	0.01							C63
Kidney	39	2.1	5.6	4.5	0.31	0.48	22	1.6	3.4	2.8	0.18	0.29	C64
Renal pelvis	0	0.0	0.0	0.0	0.00	0.00	1	0.1	0.2	0.1	0.02	0.02	C65
Ureter	2	0.1	0.3	0.2	0.03	0.03	1	0.1	0.2	0.1	0.00	0.03	C66
Bladder	26	1.4	3.7	3.1	0.14	0.35	10	0.7	1.6	1.1	0.03	0.16	C67
Other urinary organs	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C68
Eye	4	0.2	0.6	0.4	0.03	0.03	1	0.1	0.2	0.1	0.01	0.01	C69
Brain and nervous system	35	1.9	5.0	4.0	0.27	0.43	41	3.1	6.4	5.1	0.34	0.54	C70–72
Thyroid	9	0.5	1.3	1.0	0.09	0.11	36	2.7	5.6	4.5	0.39	0.42	C73
Adrenal gland	4	0.2	0.6	0.5	0.03	0.03	0	0.0	0.0	0.0	0.00	0.00	C74
Other endocrine	5	0.3	0.7	0.6	0.05	0.07	5	0.4	0.8	0.6	0.03	0.07	C75
Hodgkin lymphoma	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C81
Non-Hodgkin lymphoma	21	1.1	3.0	2.5	0.23	0.32	20	1.5	3.1	2.4	0.17	0.28	C82–86,C96
Immunoproliferative diseases	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C88
Multiple myeloma	3	0.2	0.4	0.3	0.03	0.03	4	0.3	0.6	0.5	0.06	0.06	C90
Lymphoid leukaemia	13	0.7	1.9	2.1	0.11	0.11	17	1.3	2.6	3.1	0.20	0.20	C91
Myeloid leukaemia	12	0.6	1.7	1.5	0.12	0.12	10	0.7	1.6	1.7	0.09	0.12	C92–94
Leukaemia unspecified	14	0.7	2.0	1.9	0.10	0.16	5	0.4	0.8	0.7	0.06	0.06	C95
Myeloproliferative disorders	1	0.1	0.1	0.1	0.01	0.01	0	0.0	0.0	0.0	0.00	0.00	MPD
Myelodysplastic syndromes	2	0.1	0.3	0.2	0.00	0.02	0	0.0	0.0	0.0	0.00	0.00	MPS
Other and unspecified	10	0.5	1.4	1.4	0.07	0.12	14	1.0	2.2	1.7	0.11	0.23	O&U
All sites	1881		269.3	220.3	12.98	27.23	1348		210.1	160.0	10.25	18.66	C00–96
All sites except C44	1875	100.0	268.5	219.6	12.95	27.14	1337	100.0	208.4	158.8	10.20	18.53	C00–96 exc. C44

*See note following population pyramid

China, Zhangjiagang City

CONTRIBUTORS

Minye Qin
Xiaofei Wang
Jing Qiu
Lixia Zhao



NOTES ON THE DATA

*No questionnaire.

20 major cancers, ASR (World) per 100 000

<i>Male</i>		<i>Female</i>	
Trachea, bronchus, and lung	59.4	Breast	29.9
Stomach	38.3	Trachea, bronchus, and lung	29.2
Liver	24.0	Thyroid	19.3
Oesophagus	16.7	Cervix uteri	14.7
Colon	13.9	Stomach	14.1
Rectum	10.7	Colon	9.5
Prostate	9.4	Liver	8.6
Pancreas	8.0	Rectum	6.1
Bladder	7.2	Corpus uteri	5.9
Non-Hodgkin lymphoma	6.2	Ovary	5.6
Thyroid	6.0	Pancreas	5.5
Kidney	5.4	Gallbladder etc.	5.3
Brain and nervous system	4.2	Oesophagus	4.4
Myeloid leukaemia	3.8	Non-Hodgkin lymphoma	4.0
Nasopharynx	3.8	Brain and nervous system	3.8
Gallbladder etc.	3.6	Kidney	2.1
Larynx	2.0	Myeloid leukaemia	1.6
Non-melanoma skin cancer	1.9	Bladder	1.5
Multiple myeloma	1.8	Multiple myeloma	1.5
Lymphoid leukaemia	1.6	Non-melanoma skin cancer	1.2
All sites	244.3	All sites	186.9

*China, Zhangjiagang City (2013–2017)


SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	
Lip	6	0.1	0.3	0.1	0.01	0.01	4	0.0	0.2	0.1	0.00	0.00	C00
Tongue	22	0.2	1.0	0.5	0.04	0.06	14	0.2	0.6	0.3	0.02	0.04	C01–02
Mouth	34	0.3	1.5	0.8	0.05	0.09	16	0.2	0.7	0.3	0.02	0.04	C03–06
Salivary glands	17	0.2	0.8	0.5	0.04	0.04	14	0.2	0.6	0.4	0.03	0.04	C07–08
Tonsil	8	0.1	0.4	0.2	0.00	0.01	4	0.0	0.2	0.1	0.00	0.01	C09
Other oropharynx	11	0.1	0.5	0.2	0.02	0.03	4	0.0	0.2	0.1	0.00	0.01	C10
Nasopharynx	155	1.4	6.9	3.8	0.27	0.42	49	0.6	2.1	1.1	0.08	0.12	C11
Hypopharynx	24	0.2	1.1	0.5	0.03	0.07	0	0.0	0.0	0.0	0.00	0.00	C12–13
Pharynx unspecified	6	0.1	0.3	0.1	0.01	0.01	1	0.0	0.0	0.0	0.00	0.00	C14
Oesophagus	796	7.2	35.2	16.7	0.82	2.14	265	3.1	11.3	4.4	0.14	0.54	C15
Stomach	1832	16.5	81.1	38.3	1.86	4.69	768	9.0	32.8	14.1	0.68	1.50	C16
Small intestine	56	0.5	2.5	1.2	0.04	0.14	45	0.5	1.9	0.8	0.03	0.08	C17
Colon	645	5.8	28.6	13.9	0.69	1.68	502	5.9	21.4	9.5	0.49	1.12	C18
Rectum	498	4.5	22.0	10.7	0.61	1.28	313	3.7	13.4	6.1	0.35	0.72	C19–20
Anus	10	0.1	0.4	0.2	0.01	0.02	8	0.1	0.3	0.1	0.00	0.00	C21
Liver	1040	9.4	46.0	24.0	1.71	2.71	441	5.2	18.8	8.6	0.47	0.97	C22
Gallbladder etc.	173	1.6	7.7	3.6	0.15	0.43	293	3.4	12.5	5.3	0.25	0.66	C23–24
Pancreas	392	3.5	17.4	8.0	0.34	0.90	325	3.8	13.9	5.5	0.23	0.62	C25
Nose, sinuses etc.	16	0.1	0.7	0.4	0.03	0.04	12	0.1	0.5	0.3	0.02	0.02	C30–31
Larynx	98	0.9	4.3	2.0	0.10	0.26	4	0.0	0.2	0.1	0.01	0.01	C32
Trachea, bronchus, and lung	2880	26.0	127.5	59.4	2.56	7.38	1480	17.3	63.1	29.2	1.72	3.40	C33–34
Other thoracic organs	51	0.5	2.3	1.2	0.08	0.13	36	0.4	1.5	0.9	0.07	0.10	C37–38
Bone	50	0.5	2.2	1.6	0.08	0.12	32	0.4	1.4	0.7	0.03	0.07	C40–41
Melanoma of skin	25	0.2	1.1	0.5	0.02	0.04	33	0.4	1.4	0.6	0.03	0.07	C43
Other skin	94	0.8	4.2	1.9	0.07	0.20	76	0.9	3.2	1.2	0.04	0.11	C44
Mesothelioma	3	0.0	0.1	0.1	0.01	0.01	4	0.0	0.2	0.1	0.01	0.02	C45
Kaposi sarcoma	1	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C46
Connective and soft tissue	41	0.4	1.8	1.0	0.05	0.11	31	0.4	1.3	0.9	0.05	0.10	C47+C49
Breast	13	0.1	0.6	0.3	0.01	0.03	1217	14.3	51.9	29.9	2.42	3.23	C50
Vulva							10	0.1	0.4	0.2	0.01	0.02	C51
Vagina							8	0.1	0.3	0.2	0.01	0.02	C52
Cervix uteri							579	6.8	24.7	14.7	1.26	1.52	C53
Corpus uteri							250	2.9	10.7	5.9	0.45	0.65	C54
Uterus unspecified							3	0.0	0.1	0.0	0.00	0.00	C55
Ovary							227	2.7	9.7	5.6	0.43	0.60	C56
Other female genital organs							23	0.3	1.0	0.5	0.04	0.06	C57
Placenta							0	0.0	0.0	0.0	0.00	0.00	C58
Penis	33	0.3	1.5	0.7	0.04	0.09							C60
Prostate	504	4.5	22.3	9.4	0.17	0.99							C61
Testis	10	0.1	0.4	0.3	0.03	0.03							C62
Other male genital organs	4	0.0	0.2	0.2	0.01	0.01							C63
Kidney	225	2.0	10.0	5.4	0.38	0.66	98	1.1	4.2	2.1	0.15	0.26	C64
Renal pelvis	23	0.2	1.0	0.6	0.03	0.08	14	0.2	0.6	0.3	0.02	0.03	C65
Ureter	23	0.2	1.0	0.5	0.03	0.07	12	0.1	0.5	0.2	0.01	0.03	C66
Bladder	346	3.1	15.3	7.2	0.30	0.88	76	0.9	3.2	1.5	0.07	0.17	C67
Other urinary organs	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C68
Eye	2	0.0	0.1	0.0	0.00	0.01	2	0.0	0.1	0.0	0.00	0.00	C69
Brain and nervous system	140	1.3	6.2	4.2	0.25	0.41	146	1.7	6.2	3.8	0.23	0.36	C70–72
Thyroid	186	1.7	8.2	6.0	0.49	0.54	637	7.5	27.2	19.3	1.60	1.78	C73
Adrenal gland	5	0.0	0.2	0.1	0.01	0.01	8	0.1	0.3	0.1	0.01	0.02	C74
Other endocrine	3	0.0	0.1	0.2	0.01	0.01	5	0.1	0.2	0.1	0.01	0.01	C75
Hodgkin lymphoma	4	0.0	0.2	0.1	0.00	0.02	4	0.0	0.2	0.1	0.00	0.01	C81
Non-Hodgkin lymphoma	253	2.3	11.2	6.2	0.40	0.72	180	2.1	7.7	4.0	0.23	0.45	C82–86,C96
Immunoproliferative diseases	2	0.0	0.1	0.0	0.00	0.00	2	0.0	0.1	0.0	0.01	0.01	C88
Multiple myeloma	84	0.8	3.7	1.8	0.10	0.22	69	0.8	2.9	1.5	0.08	0.20	C90
Lymphoid leukaemia	51	0.5	2.3	1.6	0.10	0.17	33	0.4	1.4	0.9	0.04	0.09	C91
Myeloid leukaemia	123	1.1	5.4	3.8	0.25	0.38	68	0.8	2.9	1.6	0.10	0.16	C92–94
Leukaemia unspecified	50	0.5	2.2	1.4	0.05	0.12	39	0.5	1.7	0.8	0.04	0.08	C95
Myeloproliferative disorders	16	0.1	0.7	0.6	0.03	0.06	32	0.4	1.4	0.8	0.04	0.07	MPD
Myelodysplastic syndromes	40	0.4	1.8	0.9	0.04	0.11	40	0.5	1.7	1.0	0.06	0.09	MPS
Other and unspecified	58	0.5	2.6	1.3	0.08	0.12	51	0.6	2.2	0.8	0.03	0.09	O&U
All sites	11182		495.0	244.3	12.52	28.80	8607		367.1	186.9	12.12	20.39	C00–96
All sites except C44	11088	100.0	490.8	242.4	12.45	28.60	8531	100.0	363.9	185.7	12.08	20.28	C00–96 exc. C44

*See note following population pyramid

China, Zhaoyuan City

CONTRIBUTORS

Yuting Zhai
Weiwei Ning



NOTES ON THE DATA

*Low levels of specificity of leukaemias.

20 major cancers, ASR (World) per 100 000

<i>Male</i>		<i>Female</i>	
Trachea, bronchus, and lung	61.8	Breast	32.9
Stomach	47.9	Trachea, bronchus, and lung	27.5
Liver	41.4	Stomach	18.0
Rectum	15.0	Liver	12.2
Colon	11.0	Cervix uteri	10.4
Oesophagus	8.1	Rectum	8.6
Bladder	8.1	Colon	8.3
Prostate	6.6	Thyroid	7.9
Brain and nervous system	6.5	Corpus uteri	7.6
Pancreas	6.4	Ovary	6.9
Kidney	4.7	Brain and nervous system	6.5
Non-Hodgkin lymphoma	4.1	Pancreas	3.8
Gallbladder etc.	3.4	Non-Hodgkin lymphoma	2.6
Leukaemia unspecified	2.7	Uterus unspecified	2.6
Thyroid	2.6	Leukaemia unspecified	2.5
Nasopharynx	2.1	Gallbladder etc.	2.2
Larynx	2.0	Kidney	2.1
Myeloid leukaemia	1.8	Bladder	1.6
Bone	1.5	Bone	1.6
Other and unspecified	1.4	Multiple myeloma	1.3
All sites	252.6	All sites	177.9

*China, Zhaoyuan City (2013–2017)


SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	
Lip	5	0.1	0.4	0.1	0.00	0.02	0	0.0	0.0	0.0	0.00	0.00	C00
Tongue	12	0.2	0.9	0.5	0.03	0.06	6	0.1	0.4	0.3	0.02	0.02	C01–02
Mouth	16	0.2	1.1	0.6	0.04	0.08	5	0.1	0.4	0.1	0.01	0.01	C03–06
Salivary glands	8	0.1	0.6	0.4	0.02	0.04	5	0.1	0.4	0.2	0.01	0.01	C07–08
Tonsil	5	0.1	0.4	0.2	0.02	0.03	0	0.0	0.0	0.0	0.00	0.00	C09
Other oropharynx	4	0.1	0.3	0.2	0.02	0.02	1	0.0	0.1	0.0	0.00	0.00	C10
Nasopharynx	50	0.7	3.6	2.1	0.15	0.24	14	0.3	1.0	0.5	0.04	0.06	C11
Hypopharynx	14	0.2	1.0	0.5	0.03	0.07	0	0.0	0.0	0.0	0.00	0.00	C12–13
Pharynx unspecified	2	0.0	0.1	0.1	0.01	0.01	1	0.0	0.1	0.0	0.00	0.01	C14
Oesophagus	234	3.4	16.6	8.1	0.44	0.96	27	0.6	1.9	0.7	0.03	0.05	C15
Stomach	1375	19.8	97.8	47.9	2.65	5.67	572	11.7	40.1	18.0	0.97	1.90	C16
Small intestine	21	0.3	1.5	0.7	0.06	0.09	14	0.3	1.0	0.5	0.03	0.07	C17
Colon	315	4.5	22.4	11.0	0.52	1.23	254	5.2	17.8	8.3	0.49	0.91	C18
Rectum	430	6.2	30.6	15.0	0.76	1.83	253	5.2	17.7	8.6	0.50	1.04	C19–20
Anus	1	0.0	0.1	0.0	0.00	0.00	3	0.1	0.2	0.1	0.01	0.01	C21
Liver	1078	15.5	76.7	41.4	3.06	4.57	365	7.4	25.6	12.2	0.74	1.45	C22
Gallbladder etc.	100	1.4	7.1	3.4	0.12	0.43	72	1.5	5.0	2.2	0.10	0.26	C23–24
Pancreas	190	2.7	13.5	6.4	0.32	0.70	132	2.7	9.2	3.8	0.13	0.43	C25
Nose, sinuses etc.	12	0.2	0.9	0.5	0.03	0.06	9	0.2	0.6	0.4	0.02	0.05	C30–31
Larynx	55	0.8	3.9	2.0	0.14	0.27	3	0.1	0.2	0.1	0.01	0.01	C32
Trachea, bronchus, and lung	1801	25.9	128.1	61.8	3.29	7.30	881	18.0	61.7	27.5	1.45	3.30	C33–34
Other thoracic organs	18	0.3	1.3	0.7	0.05	0.08	7	0.1	0.5	0.3	0.03	0.03	C37–38
Bone	31	0.4	2.2	1.5	0.08	0.14	38	0.8	2.7	1.6	0.10	0.16	C40–41
Melanoma of skin	13	0.2	0.9	0.5	0.04	0.07	9	0.2	0.6	0.4	0.02	0.04	C43
Other skin	39	0.6	2.8	1.3	0.06	0.11	38	0.8	2.7	1.0	0.05	0.09	C44
Mesothelioma	5	0.1	0.4	0.2	0.01	0.02	4	0.1	0.3	0.2	0.01	0.02	C45
Kaposi sarcoma	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C46
Connective and soft tissue	11	0.2	0.8	0.5	0.04	0.04	12	0.2	0.8	0.4	0.04	0.05	C47+C49
Breast	3	0.0	0.2	0.1	0.00	0.02	799	16.3	56.0	32.9	2.76	3.40	C50
Vulva							11	0.2	0.8	0.3	0.02	0.04	C51
Vagina							1	0.0	0.1	0.0	0.00	0.00	C52
Cervix uteri							242	4.9	17.0	10.4	0.91	1.05	C53
Corpus uteri							198	4.0	13.9	7.6	0.64	0.88	C54
Uterus unspecified							74	1.5	5.2	2.6	0.20	0.28	C55
Ovary							164	3.3	11.5	6.9	0.54	0.75	C56
Other female genital organs							3	0.1	0.2	0.1	0.00	0.02	C57
Placenta							3	0.1	0.2	0.2	0.01	0.01	C58
Penis	15	0.2	1.1	0.6	0.03	0.08							C60
Prostate	205	2.9	14.6	6.6	0.07	0.53							C61
Testis	13	0.2	0.9	0.7	0.05	0.06							C62
Other male genital organs	1	0.0	0.1	0.0	0.00	0.00							C63
Kidney	131	1.9	9.3	4.7	0.33	0.55	65	1.3	4.6	2.1	0.13	0.23	C64
Renal pelvis	12	0.2	0.9	0.4	0.01	0.06	5	0.1	0.4	0.2	0.00	0.02	C65
Ureter	14	0.2	1.0	0.5	0.02	0.07	8	0.2	0.6	0.3	0.01	0.04	C66
Bladder	235	3.4	16.7	8.1	0.35	0.89	55	1.1	3.9	1.6	0.07	0.17	C67
Other urinary organs	2	0.0	0.1	0.1	0.00	0.00	1	0.0	0.1	0.0	0.00	0.01	C68
Eye	0	0.0	0.0	0.0	0.00	0.00	3	0.1	0.2	0.3	0.01	0.01	C69
Brain and nervous system	131	1.9	9.3	6.5	0.43	0.56	165	3.4	11.6	6.5	0.39	0.66	C70–72
Thyroid	53	0.8	3.8	2.6	0.21	0.25	164	3.3	11.5	7.9	0.65	0.75	C73
Adrenal gland	3	0.0	0.2	0.1	0.01	0.01	0	0.0	0.0	0.0	0.00	0.00	C74
Other endocrine	22	0.3	1.6	0.9	0.07	0.11	21	0.4	1.5	0.9	0.07	0.09	C75
Hodgkin lymphoma	1	0.0	0.1	0.2	0.01	0.01	1	0.0	0.1	0.1	0.01	0.01	C81
Non-Hodgkin lymphoma	97	1.4	6.9	4.1	0.22	0.44	68	1.4	4.8	2.6	0.14	0.29	C82–86,C96
Immunoproliferative diseases	1	0.0	0.1	0.0	0.00	0.00	1	0.0	0.1	0.0	0.00	0.00	C88
Multiple myeloma	22	0.3	1.6	0.8	0.04	0.09	35	0.7	2.5	1.3	0.09	0.16	C90
Lymphoid leukaemia	18	0.3	1.3	1.0	0.05	0.09	13	0.3	0.9	1.0	0.05	0.07	C91
Myeloid leukaemia	35	0.5	2.5	1.8	0.11	0.15	24	0.5	1.7	0.9	0.04	0.10	C92–94
Leukaemia unspecified	62	0.9	4.4	2.7	0.18	0.25	47	1.0	3.3	2.5	0.14	0.21	C95
Myeloproliferative disorders	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	MPD
Myelodysplastic syndromes	35	0.5	2.5	1.3	0.07	0.12	14	0.3	1.0	0.4	0.03	0.04	MPS
Other and unspecified	37	0.5	2.6	1.4	0.06	0.14	36	0.7	2.5	1.1	0.06	0.10	O&U
All sites	6993		497.4	252.6	14.31	28.62	4946		346.6	177.9	11.80	19.36	C00–96
All sites except C44	6954	100.0	494.7	251.3	14.25	28.51	4908	100.0	343.9	176.9	11.75	19.27	C00–96 exc. C44

*See note following population pyramid

China, Zhengding County

CONTRIBUTORS

Zhang Yuwei
Guo Hai
Kang Yanling
Shi Yanxia
Wang Xiaoyue



NOTES ON THE DATA

*No official mortality data.

20 major cancers, ASR (World) per 100 000

<i>Male</i>		<i>Female</i>	
Trachea, bronchus, and lung	48.8	Breast	22.7
Stomach	39.8	Trachea, bronchus, and lung	20.8
Liver	29.9	Stomach	9.0
Oesophagus	14.4	Corpus uteri	7.3
Rectum	5.6	Thyroid	7.0
Colon	5.3	Cervix uteri	6.2
Bladder	4.2	Liver	6.1
Other and unspecified	3.9	Oesophagus	6.1
Prostate	3.2	Ovary	5.7
Kidney	3.1	Non-Hodgkin lymphoma	4.4
Non-Hodgkin lymphoma	3.1	Rectum	4.3
Thyroid	2.5	Colon	3.3
Pancreas	2.4	Brain and nervous system	2.5
Gallbladder etc.	2.1	Other and unspecified	2.5
Brain and nervous system	2.0	Lymphoid leukaemia	2.3
Non-melanoma skin cancer	1.8	Pancreas	2.1
Myeloid leukaemia	1.6	Non-melanoma skin cancer	1.6
Leukaemia unspecified	1.3	Kidney	1.6
Lymphoid leukaemia	1.2	Gallbladder etc.	1.5
Multiple myeloma	1.2	Myeloid leukaemia	1.3
All sites	186.6	All sites	128.9

*China, Zhengding County (2014–2017)


SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	
Lip	1	0.0	0.1	0.1	0.00	0.00	1	0.1	0.1	0.1	0.00	0.00	C00
Tongue	1	0.0	0.1	0.1	0.01	0.01	1	0.1	0.1	0.1	0.00	0.00	C01–02
Mouth	5	0.2	0.5	0.4	0.02	0.03	7	0.4	0.7	0.4	0.02	0.04	C03–06
Salivary glands	5	0.2	0.5	0.4	0.04	0.04	5	0.3	0.5	0.3	0.04	0.04	C07–08
Tonsil	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C09
Other oropharynx	1	0.0	0.1	0.1	0.01	0.01	0	0.0	0.0	0.0	0.00	0.00	C10
Nasopharynx	6	0.2	0.6	0.7	0.06	0.06	5	0.3	0.5	0.3	0.01	0.03	C11
Hypopharynx	4	0.2	0.4	0.3	0.02	0.04	0	0.0	0.0	0.0	0.00	0.00	C12–13
Pharynx unspecified	2	0.1	0.2	0.1	0.01	0.01	0	0.0	0.0	0.0	0.00	0.00	C14
Oesophagus	191	7.8	19.5	14.4	0.63	1.93	100	5.4	9.9	6.1	0.18	0.76	C15
Stomach	532	21.8	54.3	39.8	2.06	5.17	140	7.6	13.9	9.0	0.35	1.02	C16
Small intestine	5	0.2	0.5	0.3	0.01	0.02	4	0.2	0.4	0.2	0.02	0.02	C17
Colon	73	3.0	7.5	5.3	0.31	0.66	52	2.8	5.2	3.3	0.18	0.38	C18
Rectum	76	3.1	7.8	5.6	0.37	0.67	66	3.6	6.5	4.3	0.21	0.54	C19–20
Anus	1	0.0	0.1	0.1	0.00	0.00	3	0.2	0.3	0.2	0.01	0.03	C21
Liver	398	16.3	40.7	29.9	2.11	3.54	97	5.3	9.6	6.1	0.32	0.77	C22
Gallbladder etc.	29	1.2	3.0	2.1	0.14	0.24	24	1.3	2.4	1.5	0.02	0.22	C23–24
Pancreas	32	1.3	3.3	2.4	0.10	0.29	33	1.8	3.3	2.1	0.11	0.20	C25
Nose, sinuses etc.	2	0.1	0.2	0.1	0.01	0.01	3	0.2	0.3	0.2	0.00	0.02	C30–31
Larynx	15	0.6	1.5	1.1	0.06	0.17	1	0.1	0.1	0.1	0.00	0.02	C32
Trachea, bronchus, and lung	651	26.7	66.5	48.8	2.22	6.34	327	17.8	32.4	20.8	0.86	2.51	C33–34
Other thoracic organs	5	0.2	0.5	0.3	0.02	0.04	9	0.5	0.9	0.6	0.06	0.07	C37–38
Bone	8	0.3	0.8	0.8	0.05	0.06	7	0.4	0.7	0.7	0.04	0.07	C40–41
Melanoma of skin	4	0.2	0.4	0.3	0.02	0.04	8	0.4	0.8	0.5	0.05	0.05	C43
Other skin	23	0.9	2.3	1.8	0.06	0.08	27	1.5	2.7	1.6	0.05	0.15	C44
Mesothelioma	1	0.0	0.1	0.1	0.00	0.01	1	0.1	0.1	0.1	0.01	0.01	C45
Kaposi sarcoma	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C46
Connective and soft tissue	10	0.4	1.0	0.9	0.06	0.07	10	0.5	1.0	0.9	0.07	0.07	C47+C49
Breast	3	0.1	0.3	0.3	0.01	0.05	314	17.0	31.2	22.7	1.89	2.39	C50
Vulva							9	0.5	0.9	0.6	0.03	0.06	C51
Vagina							1	0.1	0.1	0.1	0.00	0.02	C52
Cervix uteri							84	4.6	8.3	6.2	0.49	0.65	C53
Corpus uteri							100	5.4	9.9	7.3	0.66	0.78	C54
Uterus unspecified							7	0.4	0.7	0.5	0.05	0.05	C55
Ovary							79	4.3	7.8	5.7	0.42	0.65	C56
Other female genital organs							3	0.2	0.3	0.2	0.01	0.02	C57
Placenta							0	0.0	0.0	0.0	0.00	0.00	C58
Penis	10	0.4	1.0	0.7	0.04	0.11							C60
Prostate	43	1.8	4.4	3.2	0.08	0.31							C61
Testis	3	0.1	0.3	0.3	0.02	0.02							C62
Other male genital organs	0	0.0	0.0	0.0	0.00	0.00							C63
Kidney	41	1.7	4.2	3.1	0.24	0.35	23	1.2	2.3	1.6	0.10	0.19	C64
Renal pelvis	1	0.0	0.1	0.1	0.00	0.02	0	0.0	0.0	0.0	0.00	0.00	C65
Ureter	3	0.1	0.3	0.2	0.01	0.03	6	0.3	0.6	0.4	0.04	0.06	C66
Bladder	56	2.3	5.7	4.2	0.23	0.47	16	0.9	1.6	1.1	0.05	0.13	C67
Other urinary organs	1	0.0	0.1	0.1	0.00	0.01	1	0.1	0.1	0.1	0.00	0.01	C68
Eye	1	0.0	0.1	0.1	0.01	0.01	0	0.0	0.0	0.0	0.00	0.00	C69
Brain and nervous system	27	1.1	2.8	2.0	0.16	0.22	35	1.9	3.5	2.5	0.17	0.27	C70–72
Thyroid	32	1.3	3.3	2.5	0.19	0.24	91	4.9	9.0	7.0	0.51	0.74	C73
Adrenal gland	2	0.1	0.2	0.2	0.01	0.02	2	0.1	0.2	0.1	0.01	0.01	C74
Other endocrine	1	0.0	0.1	0.1	0.00	0.01	0	0.0	0.0	0.0	0.00	0.00	C75
Hodgkin lymphoma	5	0.2	0.5	0.4	0.02	0.05	6	0.3	0.6	0.4	0.03	0.04	C81
Non-Hodgkin lymphoma	38	1.6	3.9	3.1	0.19	0.34	60	3.3	6.0	4.4	0.34	0.46	C82–86,C96
Immunoproliferative diseases	0	0.0	0.0	0.0	0.00	0.00	2	0.1	0.2	0.1	0.00	0.03	C88
Multiple myeloma	16	0.7	1.6	1.2	0.07	0.20	15	0.8	1.5	1.0	0.06	0.14	C90
Lymphoid leukaemia	12	0.5	1.2	1.2	0.05	0.13	17	0.9	1.7	2.3	0.12	0.12	C91
Myeloid leukaemia	18	0.7	1.8	1.6	0.10	0.18	16	0.9	1.6	1.3	0.11	0.13	C92–94
Leukaemia unspecified	13	0.5	1.3	1.3	0.06	0.13	8	0.4	0.8	0.9	0.07	0.07	C95
Myeloproliferative disorders	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	MPD
Myelodysplastic syndromes	5	0.2	0.5	0.4	0.04	0.04	4	0.2	0.4	0.3	0.01	0.04	MPS
Other and unspecified	52	2.1	5.3	3.9	0.19	0.52	39	2.1	3.9	2.5	0.15	0.23	O&U
All sites	2464		251.7	186.6	10.09	22.99	1869		185.4	128.9	7.93	14.32	C00–96
All sites except C44	2441	100.0	249.3	184.8	10.03	22.91	1842	100.0	182.7	127.3	7.87	14.17	C00–96 exc. C44

*See note following population pyramid

China, Zhongshan City

CONTRIBUTORS

Binfei Li
Kuangrong Wei
Zhiheng Liang
Zhuming Li
Ning Liu



NOTES ON THE DATA

*No DCO registrations.

†C67 (bladder cancer) includes neoplasms of uncertain or unknown behaviour together with invasive cancers.

20 major cancers, ASR (World) per 100 000

<i>Male</i>		<i>Female</i>	
Trachea, bronchus, and lung	59.6	Trachea, bronchus, and lung	31.7
Liver	43.4	Breast	30.8
Nasopharynx	19.4	Corpus uteri	17.0
Colon	16.6	Thyroid	15.6
Oesophagus	15.5	Colon	12.4
Rectum	12.9	Cervix uteri	10.0
Prostate	10.2	Liver	7.4
Stomach	9.4	Nasopharynx	6.7
Bladder	7.7	Rectum	6.6
Thyroid	5.2	Ovary	5.5
Non-Hodgkin lymphoma	5.1	Stomach	4.3
Larynx	4.6	Non-Hodgkin lymphoma	3.1
Pancreas	4.3	Non-melanoma skin cancer	3.0
Gallbladder etc.	4.0	Pancreas	2.5
Other and unspecified	3.8	Gallbladder etc.	2.3
Non-melanoma skin cancer	3.4	Myeloid leukaemia	2.2
Kidney	3.2	Other and unspecified	2.1
Hypopharynx	3.0	Kidney	1.8
Myeloid leukaemia	2.7	Lymphoid leukaemia	1.8
Tongue	2.6	Brain and nervous system	1.7
All sites	258.5	All sites	181.6

*China, Zhongshan City (2013–2017)


SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	
Lip	4	0.0	0.1	0.1	0.00	0.00	5	0.0	0.1	0.1	0.01	0.01	C00
Tongue	140	1.1	3.6	2.6	0.22	0.28	61	0.6	1.5	1.1	0.07	0.12	C01–02
Mouth	109	0.8	2.8	2.1	0.14	0.25	25	0.2	0.6	0.4	0.02	0.04	C03–06
Salivary glands	25	0.2	0.6	0.5	0.04	0.05	20	0.2	0.5	0.4	0.03	0.03	C07–08
Tonsil	18	0.1	0.5	0.3	0.03	0.04	3	0.0	0.1	0.1	0.01	0.01	C09
Other oropharynx	41	0.3	1.0	0.8	0.06	0.10	7	0.1	0.2	0.1	0.01	0.02	C10
Nasopharynx	1017	7.6	25.8	19.4	1.64	2.03	369	3.6	9.2	6.7	0.52	0.70	C11
Hypopharynx	159	1.2	4.0	3.0	0.27	0.34	5	0.0	0.1	0.1	0.01	0.01	C12–13
Pharynx unspecified	12	0.1	0.3	0.2	0.02	0.03	1	0.0	0.0	0.0	0.00	0.00	C14
Oesophagus	817	6.1	20.7	15.5	1.19	1.94	49	0.5	1.2	0.8	0.03	0.09	C15
Stomach	495	3.7	12.6	9.4	0.54	1.21	255	2.5	6.4	4.3	0.25	0.49	C16
Small intestine	62	0.5	1.6	1.2	0.07	0.16	45	0.4	1.1	0.8	0.04	0.11	C17
Colon	880	6.6	22.3	16.6	0.86	2.05	742	7.3	18.5	12.4	0.69	1.45	C18
Rectum	681	5.1	17.3	12.9	0.75	1.60	397	3.9	9.9	6.6	0.36	0.77	C19–20
Anus	6	0.0	0.2	0.1	0.01	0.01	10	0.1	0.2	0.2	0.01	0.02	C21
Liver	2289	17.2	58.1	43.4	3.24	5.12	440	4.3	11.0	7.4	0.39	0.92	C22
Gallbladder etc.	214	1.6	5.4	4.0	0.15	0.42	148	1.5	3.7	2.3	0.08	0.24	C23–24
Pancreas	230	1.7	5.8	4.3	0.23	0.48	160	1.6	4.0	2.5	0.08	0.30	C25
Nose, sinuses etc.	33	0.2	0.8	0.6	0.04	0.09	19	0.2	0.5	0.3	0.02	0.04	C30–31
Larynx	240	1.8	6.1	4.6	0.32	0.60	10	0.1	0.2	0.2	0.01	0.03	C32
Trachea, bronchus, and lung	3146	23.6	79.8	59.6	3.10	7.39	1911	18.8	47.7	31.7	1.60	3.80	C33–34
Other thoracic organs	56	0.4	1.4	1.1	0.08	0.11	30	0.3	0.7	0.6	0.05	0.06	C37–38
Bone	31	0.2	0.8	0.7	0.04	0.06	22	0.2	0.5	0.6	0.04	0.04	C40–41
Melanoma of skin	20	0.2	0.5	0.4	0.03	0.05	31	0.3	0.8	0.6	0.04	0.06	C43
Other skin	179	1.3	4.5	3.4	0.14	0.36	184	1.8	4.6	3.0	0.14	0.32	C44
Mesothelioma	8	0.1	0.2	0.2	0.01	0.02	5	0.0	0.1	0.1	0.01	0.01	C45
Kaposi sarcoma	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C46
Connective and soft tissue	50	0.4	1.3	1.0	0.07	0.11	40	0.4	1.0	0.7	0.05	0.08	C47+C49
Breast	9	0.1	0.2	0.2	0.01	0.02	1737	17.1	43.4	30.8	2.60	3.24	C50
Vulva							21	0.2	0.5	0.3	0.02	0.03	C51
Vagina							12	0.1	0.3	0.2	0.01	0.02	C52
Cervix uteri							559	5.5	14.0	10.0	0.83	1.13	C53
Corpus uteri							951	9.4	23.7	17.0	1.58	1.84	C54
Uterus unspecified							4	0.0	0.1	0.1	0.01	0.01	C55
Ovary							298	2.9	7.4	5.5	0.41	0.57	C56
Other female genital organs							15	0.1	0.4	0.3	0.02	0.03	C57
Placenta							1	0.0	0.0	0.0	0.00	0.00	C58
Penis	18	0.1	0.5	0.3	0.02	0.04							C60
Prostate	560	4.2	14.2	10.2	0.21	1.10							C61
Testis	31	0.2	0.8	0.7	0.05	0.05							C62
Other male genital organs	12	0.1	0.3	0.2	0.02	0.02							C63
Kidney	165	1.2	4.2	3.2	0.21	0.35	100	1.0	2.5	1.8	0.11	0.20	C64
Renal pelvis	28	0.2	0.7	0.5	0.03	0.05	15	0.1	0.4	0.2	0.01	0.04	C65
Ureter	36	0.3	0.9	0.7	0.03	0.06	12	0.1	0.3	0.2	0.00	0.02	C66
†Bladder	402	3.0	10.2	7.7	0.34	0.95	96	0.9	2.4	1.5	0.06	0.18	C67
Other urinary organs	0	0.0	0.0	0.0	0.00	0.00	2	0.0	0.0	0.0	0.00	0.00	C68
Eye	8	0.1	0.2	0.3	0.02	0.02	5	0.0	0.1	0.2	0.00	0.00	C69
Brain and nervous system	109	0.8	2.8	2.4	0.17	0.22	78	0.8	1.9	1.7	0.12	0.16	C70–72
Thyroid	268	2.0	6.8	5.2	0.44	0.50	826	8.1	20.6	15.6	1.27	1.45	C73
Adrenal gland	11	0.1	0.3	0.2	0.02	0.02	2	0.0	0.0	0.0	0.00	0.00	C74
Other endocrine	5	0.0	0.1	0.1	0.01	0.01	2	0.0	0.0	0.1	0.00	0.00	C75
Hodgkin lymphoma	19	0.1	0.5	0.4	0.03	0.04	13	0.1	0.3	0.3	0.02	0.02	C81
Non-Hodgkin lymphoma	243	1.8	6.2	5.1	0.33	0.56	170	1.7	4.2	3.1	0.20	0.34	C82–86,C96
Immunoproliferative diseases	15	0.1	0.4	0.3	0.01	0.04	10	0.1	0.2	0.2	0.01	0.03	C88
Multiple myeloma	82	0.6	2.1	1.5	0.07	0.19	59	0.6	1.5	1.0	0.06	0.12	C90
Lymphoid leukaemia	79	0.6	2.0	2.4	0.11	0.17	61	0.6	1.5	1.8	0.10	0.11	C91
Myeloid leukaemia	132	1.0	3.4	2.7	0.17	0.28	105	1.0	2.6	2.2	0.13	0.22	C92–94
Leukaemia unspecified	11	0.1	0.3	0.2	0.01	0.01	11	0.1	0.3	0.2	0.00	0.02	C95
Myeloproliferative disorders	33	0.2	0.8	0.6	0.04	0.08	30	0.3	0.7	0.5	0.03	0.07	MPD
Myelodysplastic syndromes	61	0.5	1.5	1.1	0.06	0.13	32	0.3	0.8	0.5	0.02	0.06	MPS
Other and unspecified	193	1.4	4.9	3.8	0.19	0.49	126	1.2	3.1	2.1	0.12	0.23	O&U
All sites	13492		342.4	258.5	15.89	30.27	10347		258.2	181.6	12.29	19.93	C00–96
All sites except C44	13313	100.0	337.9	255.1	15.75	29.91	10163	100.0	253.6	178.6	12.15	19.61	C00–96 exc. C44

*†See note following population pyramid

China, Zhongxiang City

CONTRIBUTORS

Huo Jun Rong
Zhao Li



20 major cancers, ASR (World) per 100 000

<i>Male</i>		<i>Female</i>	
Trachea, bronchus, and lung	49.8	Breast	24.6
Liver	29.9	Trachea, bronchus, and lung	20.4
Oesophagus	12.9	Cervix uteri	15.3
Stomach	10.3	Liver	9.8
Rectum	9.7	Thyroid	9.0
Colon	6.5	Brain and nervous system	7.1
Brain and nervous system	5.8	Rectum	6.6
Bladder	5.1	Ovary	5.5
Non-Hodgkin lymphoma	4.6	Stomach	4.7
Prostate	4.3	Colon	4.4
Pancreas	4.3	Oesophagus	3.9
Myeloid leukaemia	2.8	Non-Hodgkin lymphoma	3.6
Nasopharynx	2.7	Pancreas	3.3
Bone	2.6	Corpus uteri	2.0
Thyroid	2.3	Bone	2.0
Non-melanoma skin cancer	2.1	Myeloid leukaemia	1.8
Leukaemia unspecified	2.1	Non-melanoma skin cancer	1.8
Lymphoid leukaemia	2.0	Other and unspecified	1.4
Other and unspecified	1.8	Lymphoid leukaemia	1.4
Kidney	1.8	Bladder	1.3
All sites	177.9	All sites	144.2


China, Zhongxiang City (2013–2017)

SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	
Lip	3	0.1	0.1	0.1	0.00	0.00	2	0.0	0.1	0.1	0.00	0.01	C00
Tongue	9	0.2	0.4	0.3	0.02	0.04	5	0.1	0.2	0.1	0.00	0.02	C01–02
Mouth	29	0.5	1.1	0.9	0.05	0.11	6	0.1	0.2	0.2	0.01	0.03	C03–06
Salivary glands	45	0.8	1.8	1.3	0.11	0.14	40	0.8	1.6	1.2	0.10	0.13	C07–08
Tonsil	3	0.1	0.1	0.1	0.00	0.01	0	0.0	0.0	0.0	0.00	0.00	C09
Other oropharynx	12	0.2	0.5	0.4	0.03	0.05	3	0.1	0.1	0.1	0.01	0.01	C10
Nasopharynx	93	1.6	3.6	2.7	0.20	0.31	45	0.9	1.8	1.3	0.09	0.15	C11
Hypopharynx	4	0.1	0.2	0.1	0.01	0.02	1	0.0	0.0	0.0	0.00	0.00	C12–13
Pharynx unspecified	1	0.0	0.0	0.0	0.00	0.01	1	0.0	0.0	0.0	0.00	0.00	C14
Oesophagus	431	7.4	16.8	12.9	0.55	1.65	142	2.9	5.6	3.9	0.14	0.47	C15
Stomach	345	5.9	13.4	10.3	0.51	1.39	163	3.3	6.4	4.7	0.26	0.59	C16
Small intestine	22	0.4	0.9	0.6	0.04	0.08	18	0.4	0.7	0.5	0.03	0.07	C17
Colon	216	3.7	8.4	6.5	0.37	0.84	147	3.0	5.8	4.4	0.23	0.60	C18
Rectum	332	5.7	12.9	9.7	0.53	1.22	226	4.6	8.9	6.6	0.40	0.82	C19–20
Anus	5	0.1	0.2	0.1	0.01	0.01	3	0.1	0.1	0.1	0.00	0.01	C21
Liver	1054	18.0	41.1	29.9	1.87	3.53	354	7.2	14.0	9.8	0.52	1.21	C22
Gallbladder etc.	26	0.4	1.0	0.8	0.02	0.10	27	0.5	1.1	0.7	0.03	0.08	C23–24
Pancreas	141	2.4	5.5	4.3	0.23	0.58	115	2.3	4.5	3.3	0.17	0.41	C25
Nose, sinuses etc.	10	0.2	0.4	0.3	0.01	0.03	11	0.2	0.4	0.3	0.02	0.04	C30–31
Larynx	43	0.7	1.7	1.3	0.08	0.15	6	0.1	0.2	0.2	0.01	0.02	C32
Trachea, bronchus, and lung	1669	28.5	65.0	49.8	2.14	6.26	722	14.6	28.5	20.4	1.09	2.57	C33–34
Other thoracic organs	33	0.6	1.3	1.1	0.05	0.13	32	0.6	1.3	1.0	0.06	0.11	C37–38
Bone	83	1.4	3.2	2.6	0.15	0.30	60	1.2	2.4	2.0	0.13	0.20	C40–41
Melanoma of skin	23	0.4	0.9	0.8	0.05	0.07	21	0.4	0.8	0.8	0.04	0.07	C43
Other skin	68	1.2	2.6	2.1	0.10	0.21	62	1.3	2.4	1.8	0.09	0.19	C44
Mesothelioma	5	0.1	0.2	0.1	0.01	0.03	4	0.1	0.2	0.1	0.01	0.01	C45
Kaposi sarcoma	0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.0	0.0	0.00	0.00	C46
Connective and soft tissue	27	0.5	1.1	1.0	0.06	0.08	20	0.4	0.8	0.8	0.05	0.06	C47+C49
Breast	6	0.1	0.2	0.2	0.02	0.02	902	18.3	35.6	24.6	2.04	2.67	C50
Vulva							10	0.2	0.4	0.3	0.02	0.04	C51
Vagina							3	0.1	0.1	0.1	0.01	0.01	C52
Cervix uteri							555	11.2	21.9	15.3	1.22	1.66	C53
Corpus uteri							76	1.5	3.0	2.0	0.16	0.22	C54
Uterus unspecified							0	0.0	0.0	0.0	0.00	0.00	C55
Ovary							190	3.8	7.5	5.5	0.45	0.56	C56
Other female genital organs							10	0.2	0.4	0.3	0.02	0.04	C57
Placenta							5	0.1	0.2	0.2	0.01	0.01	C58
Penis	14	0.2	0.5	0.4	0.03	0.05							C60
Prostate	141	2.4	5.5	4.3	0.10	0.42							C61
Testis	9	0.2	0.4	0.2	0.02	0.02							C62
Other male genital organs	5	0.1	0.2	0.1	0.00	0.01							C63
Kidney	58	1.0	2.3	1.8	0.12	0.21	33	0.7	1.3	1.1	0.06	0.13	C64
Renal pelvis	8	0.1	0.3	0.3	0.01	0.03	5	0.1	0.2	0.2	0.00	0.02	C65
Ureter	13	0.2	0.5	0.4	0.01	0.06	6	0.1	0.2	0.2	0.01	0.02	C66
Bladder	174	3.0	6.8	5.1	0.22	0.57	48	1.0	1.9	1.3	0.07	0.15	C67
Other urinary organs	7	0.1	0.3	0.2	0.00	0.02	6	0.1	0.2	0.1	0.01	0.02	C68
Eye	6	0.1	0.2	0.2	0.01	0.01	15	0.3	0.6	0.6	0.04	0.05	C69
Brain and nervous system	180	3.1	7.0	5.8	0.38	0.62	222	4.5	8.8	7.1	0.55	0.75	C70–72
Thyroid	76	1.3	3.0	2.3	0.17	0.25	321	6.5	12.7	9.0	0.77	0.89	C73
Adrenal gland	3	0.1	0.1	0.1	0.01	0.01	3	0.1	0.1	0.2	0.01	0.01	C74
Other endocrine	11	0.2	0.4	0.4	0.03	0.04	12	0.2	0.5	0.5	0.03	0.04	C75
Hodgkin lymphoma	16	0.3	0.6	0.6	0.04	0.06	11	0.2	0.4	0.5	0.03	0.04	C81
Non-Hodgkin lymphoma	147	2.5	5.7	4.6	0.31	0.51	114	2.3	4.5	3.6	0.25	0.42	C82–86,C96
Immunoproliferative diseases	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C88
Multiple myeloma	51	0.9	2.0	1.6	0.09	0.18	37	0.7	1.5	1.2	0.09	0.16	C90
Lymphoid leukaemia	53	0.9	2.1	2.0	0.14	0.18	36	0.7	1.4	1.4	0.09	0.11	C91
Myeloid leukaemia	75	1.3	2.9	2.8	0.18	0.26	48	1.0	1.9	1.8	0.12	0.16	C92–94
Leukaemia unspecified	60	1.0	2.3	2.1	0.13	0.24	38	0.8	1.5	1.3	0.08	0.17	C95
Myeloproliferative disorders	1	0.0	0.0	0.0	0.00	0.00	3	0.1	0.1	0.1	0.00	0.01	MPD
Myelodysplastic syndromes	19	0.3	0.7	0.7	0.05	0.06	8	0.2	0.3	0.3	0.02	0.02	MPS
Other and unspecified	62	1.1	2.4	1.8	0.08	0.19	47	1.0	1.9	1.4	0.09	0.16	O&U
All sites	5927		230.9	177.9	9.37	21.35	5001		197.5	144.2	9.77	16.44	C00–96
All sites except C44	5859	100.0	228.2	175.8	9.27	21.14	4939	100.0	195.0	142.4	9.68	16.25	C00–96 exc. C44

China, Zhuanghe City

CONTRIBUTORS

Lina Wang
Jinhong Jiang
Xinyan Yang



NOTES ON THE DATA

*No questionnaire.

20 major cancers, ASR (World) per 100 000

<i>Male</i>		<i>Female</i>	
Trachea, bronchus, and lung	45.3	Trachea, bronchus, and lung	34.6
Stomach	35.0	Thyroid	32.5
Liver	29.9	Breast	29.2
Rectum	12.8	Cervix uteri	12.5
Colon	8.6	Stomach	12.4
Bladder	8.6	Liver	9.4
Thyroid	6.6	Rectum	8.2
Oesophagus	6.1	Colon	6.2
Pancreas	5.7	Corpus uteri	5.8
Brain and nervous system	4.3	Ovary	4.4
Kidney	4.1	Pancreas	3.8
Prostate	3.8	Brain and nervous system	3.2
Other and unspecified	2.9	Other and unspecified	2.3
Myeloid leukaemia	2.8	Kidney	2.2
Leukaemia unspecified	2.7	Non-melanoma skin cancer	2.1
Non-Hodgkin lymphoma	2.5	Bladder	1.9
Gallbladder etc.	2.2	Gallbladder etc.	1.8
Larynx	1.9	Myeloid leukaemia	1.7
Non-melanoma skin cancer	1.8	Lymphoid leukaemia	1.6
Bone	1.3	Non-Hodgkin lymphoma	1.5
All sites	200.4	All sites	188.4

*China, Zhuanghe City (2013–2017)


SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	
Lip	14	0.2	0.6	0.3	0.01	0.04	3	0.0	0.1	0.0	0.00	0.00	C00
Tongue	12	0.1	0.5	0.3	0.02	0.03	7	0.1	0.3	0.2	0.01	0.01	C01–02
Mouth	25	0.3	1.1	0.6	0.04	0.07	12	0.2	0.5	0.3	0.02	0.03	C03–06
Salivary glands	11	0.1	0.5	0.4	0.02	0.03	8	0.1	0.4	0.3	0.02	0.02	C07–08
Tonsil	4	0.0	0.2	0.1	0.01	0.01	1	0.0	0.0	0.0	0.00	0.00	C09
Other oropharynx	4	0.0	0.2	0.1	0.01	0.01	0	0.0	0.0	0.0	0.00	0.00	C10
Nasopharynx	45	0.5	2.0	1.1	0.09	0.11	25	0.3	1.1	0.7	0.06	0.07	C11
Hypopharynx	16	0.2	0.7	0.4	0.03	0.04	1	0.0	0.0	0.0	0.00	0.00	C12–13
Pharynx unspecified	6	0.1	0.3	0.1	0.01	0.02	2	0.0	0.1	0.0	0.00	0.00	C14
Oesophagus	284	3.2	12.6	6.1	0.30	0.80	44	0.6	2.0	0.8	0.03	0.08	C15
Stomach	1616	18.4	71.5	35.0	1.82	4.38	578	7.6	25.7	12.4	0.63	1.50	C16
Small intestine	17	0.2	0.8	0.4	0.03	0.04	17	0.2	0.8	0.4	0.02	0.07	C17
Colon	397	4.5	17.6	8.6	0.48	1.07	293	3.8	13.0	6.2	0.35	0.72	C18
Rectum	586	6.7	25.9	12.8	0.64	1.62	366	4.8	16.3	8.2	0.49	0.99	C19–20
Anus	2	0.0	0.1	0.0	0.00	0.00	2	0.0	0.1	0.1	0.00	0.01	C21
Liver	1307	14.9	57.9	29.9	2.07	3.49	439	5.7	19.5	9.4	0.45	1.15	C22
Gallbladder etc.	109	1.2	4.8	2.2	0.09	0.27	91	1.2	4.0	1.8	0.10	0.22	C23–24
Pancreas	269	3.1	11.9	5.7	0.28	0.66	172	2.2	7.6	3.8	0.17	0.48	C25
Nose, sinuses etc.	12	0.1	0.5	0.3	0.03	0.03	13	0.2	0.6	0.3	0.01	0.02	C30–31
Larynx	85	1.0	3.8	1.9	0.12	0.25	6	0.1	0.3	0.1	0.00	0.02	C32
Trachea, bronchus, and lung	2128	24.2	94.2	45.3	2.43	5.51	1610	21.1	71.5	34.6	1.87	4.17	C33–34
Other thoracic organs	15	0.2	0.7	0.5	0.03	0.04	11	0.1	0.5	0.4	0.03	0.03	C37–38
Bone	37	0.4	1.6	1.3	0.07	0.12	18	0.2	0.8	0.4	0.02	0.04	C40–41
Melanoma of skin	10	0.1	0.4	0.3	0.02	0.04	19	0.2	0.8	0.6	0.04	0.06	C43
Other skin	84	1.0	3.7	1.8	0.09	0.20	97	1.3	4.3	2.1	0.11	0.19	C44
Mesothelioma	2	0.0	0.1	0.0	0.00	0.00	4	0.1	0.2	0.1	0.01	0.01	C45
Kaposi sarcoma	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C46
Connective and soft tissue	32	0.4	1.4	1.2	0.07	0.10	20	0.3	0.9	0.5	0.05	0.05	C47+C49
Breast	10	0.1	0.4	0.2	0.01	0.03	1129	14.8	50.2	29.2	2.43	3.13	C50
Vulva							9	0.1	0.4	0.2	0.01	0.04	C51
Vagina							9	0.1	0.4	0.2	0.01	0.03	C52
Cervix uteri							480	6.3	21.3	12.5	1.02	1.32	C53
Corpus uteri							236	3.1	10.5	5.8	0.50	0.65	C54
Uterus unspecified							39	0.5	1.7	0.9	0.06	0.08	C55
Ovary							171	2.2	7.6	4.4	0.36	0.47	C56
Other female genital organs							23	0.3	1.0	0.5	0.05	0.05	C57
Placenta							1	0.0	0.0	0.0	0.00	0.00	C58
Penis	22	0.2	1.0	0.5	0.03	0.06							C60
Prostate	208	2.4	9.2	3.8	0.07	0.35							C61
Testis	10	0.1	0.4	0.3	0.02	0.02							C62
Other male genital organs	4	0.0	0.2	0.1	0.01	0.01							C63
Kidney	170	1.9	7.5	4.1	0.28	0.47	72	0.9	3.2	2.2	0.14	0.24	C64
Renal pelvis	25	0.3	1.1	0.5	0.03	0.07	19	0.2	0.8	0.4	0.02	0.04	C65
Ureter	25	0.3	1.1	0.5	0.03	0.05	28	0.4	1.2	0.6	0.03	0.08	C66
Bladder	410	4.7	18.2	8.6	0.40	1.01	91	1.2	4.0	1.9	0.10	0.21	C67
Other urinary organs	6	0.1	0.3	0.1	0.01	0.01	3	0.0	0.1	0.1	0.01	0.01	C68
Eye	5	0.1	0.2	0.3	0.01	0.02	3	0.0	0.1	0.1	0.01	0.01	C69
Brain and nervous system	138	1.6	6.1	4.3	0.26	0.41	120	1.6	5.3	3.2	0.20	0.35	C70–72
Thyroid	220	2.5	9.7	6.6	0.55	0.63	1099	14.4	48.8	32.5	2.77	3.03	C73
Adrenal gland	3	0.0	0.1	0.1	0.01	0.01	3	0.0	0.1	0.2	0.01	0.01	C74
Other endocrine	6	0.1	0.3	0.2	0.02	0.02	6	0.1	0.3	0.2	0.01	0.02	C75
Hodgkin lymphoma	5	0.1	0.2	0.3	0.02	0.02	6	0.1	0.3	0.2	0.02	0.02	C81
Non-Hodgkin lymphoma	93	1.1	4.1	2.5	0.14	0.28	60	0.8	2.7	1.5	0.12	0.18	C82–86,C96
Immunoproliferative diseases	1	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C88
Multiple myeloma	23	0.3	1.0	0.5	0.04	0.07	18	0.2	0.8	0.4	0.03	0.05	C90
Lymphoid leukaemia	33	0.4	1.5	1.2	0.07	0.12	21	0.3	0.9	1.6	0.08	0.10	C91
Myeloid leukaemia	70	0.8	3.1	2.8	0.17	0.23	59	0.8	2.6	1.7	0.13	0.17	C92–94
Leukaemia unspecified	97	1.1	4.3	2.7	0.14	0.23	54	0.7	2.4	1.3	0.08	0.16	C95
Myeloproliferative disorders	11	0.1	0.5	0.2	0.02	0.03	7	0.1	0.3	0.2	0.01	0.02	MPD
Myelodysplastic syndromes	30	0.3	1.3	0.7	0.04	0.09	18	0.2	0.8	0.6	0.03	0.06	MPS
Other and unspecified	131	1.5	5.8	2.9	0.15	0.32	102	1.3	4.5	2.3	0.14	0.25	O&U
All sites	8885		393.4	200.4	11.34	23.55	7745		344.2	188.4	12.85	20.74	C00–96
All sites except C44	8801	100.0	389.6	198.6	11.26	23.36	7648	100.0	339.9	186.3	12.74	20.55	C00–96 exc. C44

*See note following population pyramid

China, Zhuhai City

CONTRIBUTORS

Wenhua Mei
 Zhongwen Ye
 Shaoying Deng
 Guorong Chen
 Xiaouu Tang
 Yongyu Zhao
 Yang Pan



NOTES ON THE DATA

*No official mortality data.

20 major cancers, ASR (World) per 100 000

<i>Male</i>		<i>Female</i>	
Trachea, bronchus, and lung	48.8	Breast	35.7
Liver	35.9	Trachea, bronchus, and lung	28.0
Nasopharynx	17.2	Thyroid	17.5
Colon	17.0	Cervix uteri	12.0
Rectum	12.7	Colon	12.0
Stomach	10.8	Corpus uteri	8.6
Prostate	10.0	Liver	8.2
Oesophagus	6.7	Rectum	7.6
Bladder	6.2	Nasopharynx	7.3
Thyroid	5.9	Ovary	6.4
Non-Hodgkin lymphoma	5.5	Stomach	5.6
Brain and nervous system	4.6	Brain and nervous system	4.5
Kidney	4.3	Non-Hodgkin lymphoma	4.2
Pancreas	3.9	Pancreas	2.8
Lymphoid leukaemia	3.1	Myeloid leukaemia	2.6
Other and unspecified	2.9	Lymphoid leukaemia	2.5
Larynx	2.6	Other and unspecified	2.5
Non-melanoma skin cancer	2.5	Non-melanoma skin cancer	2.4
Myeloid leukaemia	2.4	Kidney	2.1
Gallbladder etc.	1.8	Oesophagus	1.8
All sites	222.3	All sites	191.2

*China, Zhuhai City (2013–2017)


SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	
Lip	1	0.0	0.0	0.0	0.00	0.00	3	0.0	0.1	0.1	0.00	0.01	C00
Tongue	56	0.7	2.0	1.5	0.11	0.19	25	0.4	0.9	0.7	0.06	0.08	C01–02
Mouth	34	0.4	1.2	1.0	0.07	0.13	15	0.2	0.5	0.4	0.02	0.06	C03–06
Salivary glands	28	0.4	1.0	0.7	0.05	0.08	18	0.3	0.7	0.6	0.04	0.05	C07–08
Tonsil	6	0.1	0.2	0.2	0.02	0.02	6	0.1	0.2	0.2	0.01	0.02	C09
Other oropharynx	8	0.1	0.3	0.2	0.01	0.02	3	0.0	0.1	0.1	0.01	0.01	C10
Nasopharynx	666	8.6	23.3	17.2	1.41	1.85	275	4.0	10.0	7.3	0.58	0.79	C11
Hypopharynx	29	0.4	1.0	0.9	0.06	0.13	7	0.1	0.3	0.2	0.01	0.02	C12–13
Pharynx unspecified	6	0.1	0.2	0.2	0.01	0.02	2	0.0	0.1	0.1	0.01	0.01	C14
Oesophagus	234	3.0	8.2	6.7	0.40	0.86	62	0.9	2.3	1.8	0.09	0.23	C15
Stomach	387	5.0	13.6	10.8	0.62	1.24	207	3.0	7.5	5.6	0.31	0.65	C16
Small intestine	45	0.6	1.6	1.2	0.09	0.14	39	0.6	1.4	1.1	0.07	0.13	C17
Colon	612	7.9	21.5	17.0	0.91	2.04	433	6.3	15.7	12.0	0.67	1.42	C18
Rectum	449	5.8	15.7	12.7	0.72	1.57	281	4.1	10.2	7.6	0.44	0.82	C19–20
Anus	9	0.1	0.3	0.3	0.01	0.03	4	0.1	0.1	0.1	0.01	0.01	C21
Liver	1317	16.9	46.2	35.9	2.51	4.25	288	4.2	10.5	8.2	0.39	0.98	C22
Gallbladder etc.	64	0.8	2.2	1.8	0.06	0.22	59	0.9	2.1	1.5	0.08	0.17	C23–24
Pancreas	135	1.7	4.7	3.9	0.20	0.49	99	1.4	3.6	2.8	0.17	0.30	C25
Nose, sinuses etc.	19	0.2	0.7	0.5	0.04	0.06	9	0.1	0.3	0.2	0.01	0.02	C30–31
Larynx	91	1.2	3.2	2.6	0.15	0.33	2	0.0	0.1	0.1	0.00	0.01	C32
Trachea, bronchus, and lung	1708	21.9	59.9	48.8	2.35	6.12	1004	14.5	36.5	28.0	1.49	3.48	C33–34
Other thoracic organs	28	0.4	1.0	0.8	0.05	0.10	23	0.3	0.8	0.6	0.04	0.06	C37–38
Bone	47	0.6	1.6	1.4	0.07	0.11	45	0.7	1.6	1.4	0.06	0.13	C40–41
Melanoma of skin	15	0.2	0.5	0.4	0.02	0.04	18	0.3	0.7	0.6	0.03	0.06	C43
Other skin	90	1.2	3.2	2.5	0.10	0.28	91	1.3	3.3	2.4	0.11	0.28	C44
Mesothelioma	8	0.1	0.3	0.2	0.02	0.02	8	0.1	0.3	0.3	0.01	0.04	C45
Kaposi sarcoma	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C46
Connective and soft tissue	34	0.4	1.2	1.1	0.07	0.09	33	0.5	1.2	1.2	0.07	0.10	C47+C49
Breast	6	0.1	0.2	0.2	0.01	0.02	1420	20.6	51.6	35.7	2.98	3.73	C50
Vulva							17	0.2	0.6	0.5	0.02	0.07	C51
Vagina							11	0.2	0.4	0.4	0.02	0.05	C52
Cervix uteri							452	6.5	16.4	12.0	0.97	1.37	C53
Corpus uteri							331	4.8	12.0	8.6	0.77	0.95	C54
Uterus unspecified							45	0.7	1.6	1.2	0.11	0.13	C55
Ovary							231	3.3	8.4	6.4	0.48	0.66	C56
Other female genital organs							14	0.2	0.5	0.4	0.03	0.04	C57
Placenta							5	0.1	0.2	0.1	0.01	0.01	C58
Penis	14	0.2	0.5	0.4	0.02	0.06							C60
Prostate	351	4.5	12.3	10.0	0.24	1.20							C61
Testis	25	0.3	0.9	0.8	0.05	0.06							C62
Other male genital organs	7	0.1	0.2	0.2	0.01	0.03							C63
Kidney	146	1.9	5.1	4.3	0.27	0.47	69	1.0	2.5	2.1	0.14	0.25	C64
Renal pelvis	8	0.1	0.3	0.2	0.01	0.03	7	0.1	0.3	0.2	0.01	0.01	C65
Ureter	14	0.2	0.5	0.4	0.01	0.06	9	0.1	0.3	0.2	0.01	0.02	C66
Bladder	220	2.8	7.7	6.2	0.24	0.72	57	0.8	2.1	1.5	0.06	0.16	C67
Other urinary organs	12	0.2	0.4	0.4	0.01	0.05	5	0.1	0.2	0.1	0.01	0.02	C68
Eye	5	0.1	0.2	0.3	0.02	0.02	12	0.2	0.4	0.7	0.03	0.04	C69
Brain and nervous system	140	1.8	4.9	4.6	0.26	0.46	143	2.1	5.2	4.5	0.30	0.45	C70–72
Thyroid	223	2.9	7.8	5.9	0.44	0.53	665	9.6	24.2	17.5	1.45	1.62	C73
Adrenal gland	9	0.1	0.3	0.3	0.01	0.03	5	0.1	0.2	0.1	0.00	0.01	C74
Other endocrine	10	0.1	0.4	0.5	0.02	0.03	7	0.1	0.3	0.2	0.01	0.02	C75
Hodgkin lymphoma	12	0.2	0.4	0.4	0.02	0.03	3	0.0	0.1	0.1	0.01	0.01	C81
Non-Hodgkin lymphoma	189	2.4	6.6	5.5	0.35	0.61	144	2.1	5.2	4.2	0.28	0.44	C82–86,C96
Immunoproliferative diseases	2	0.0	0.1	0.0	0.00	0.00	1	0.0	0.0	0.0	0.00	0.00	C88
Multiple myeloma	66	0.8	2.3	1.8	0.11	0.21	31	0.4	1.1	0.9	0.07	0.12	C90
Lymphoid leukaemia	80	1.0	2.8	3.1	0.17	0.23	56	0.8	2.0	2.5	0.15	0.16	C91
Myeloid leukaemia	78	1.0	2.7	2.4	0.17	0.20	77	1.1	2.8	2.6	0.16	0.26	C92–94
Leukaemia unspecified	30	0.4	1.1	0.9	0.05	0.07	29	0.4	1.1	1.0	0.04	0.08	C95
Myeloproliferative disorders	1	0.0	0.0	0.0	0.00	0.00	3	0.0	0.1	0.1	0.01	0.01	MPD
Myelodysplastic syndromes	0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.0	0.0	0.00	0.00	MPS
Other and unspecified	101	1.3	3.5	2.9	0.11	0.35	89	1.3	3.2	2.5	0.12	0.22	O&U
All sites	7875		276.0	222.3	12.79	25.94	6998		254.3	191.2	13.06	20.83	C00–96
All sites except C44	7785	100.0	272.9	219.8	12.69	25.65	6907	100.0	251.0	188.8	12.95	20.55	C00–96 exc. C44

*See note following population pyramid

India, Ahmedabad, Urban

CONTRIBUTORS

Shashank Pandya
Anand Shah



20 major cancers, ASR (World) per 100 000

<i>Male</i>		<i>Female</i>	
Mouth	20.7	Breast	24.9
Tongue	11.0	Cervix uteri	6.8
Trachea, bronchus, and lung	9.0	Ovary	4.3
Other and unspecified	6.2	Mouth	4.0
Oesophagus	5.4	Tongue	3.5
Prostate	4.2	Other and unspecified	3.3
Non-Hodgkin lymphoma	3.5	Oesophagus	3.1
Hypopharynx	3.0	Trachea, bronchus, and lung	2.3
Larynx	2.9	Corpus uteri	2.3
Myeloid leukaemia	2.6	Gallbladder etc.	2.1
Lymphoid leukaemia	2.5	Non-Hodgkin lymphoma	2.0
Colon	2.5	Myeloid leukaemia	1.7
Rectum	2.3	Thyroid	1.3
Brain and nervous system	1.8	Lymphoid leukaemia	1.3
Bladder	1.8	Rectum	1.2
Stomach	1.8	Colon	1.2
Liver	1.8	Brain and nervous system	1.2
Gallbladder etc.	1.5	Stomach	1.1
Kidney	1.5	Uterus unspecified	0.8
Tonsil	1.4	Kidney	0.8
All sites	101.3	All sites	79.2

India, Ahmedabad, Urban (2013–2016)

SITE	Male						Female						ICD-10
	§No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	0–74 (%)	§No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	0–74 (%)	
Lip	103	0.8	0.8	0.9	0.06	0.10	13	0.1	0.1	0.1	0.01	0.01	C00
Tongue	1425	11.7	10.7	11.0	0.85	1.23	414	4.5	3.5	3.5	0.27	0.39	C01–02
Mouth	2708	22.3	20.4	20.7	1.65	2.27	477	5.2	4.0	4.0	0.29	0.46	C03–06
Salivary glands	44	0.4	0.3	0.3	0.03	0.04	36	0.4	0.3	0.3	0.02	0.03	C07–08
Tonsil	163	1.3	1.2	1.4	0.10	0.17	22	0.2	0.2	0.2	0.01	0.02	C09
Other oropharynx	64	0.5	0.5	0.5	0.04	0.07	9	0.1	0.1	0.1	0.00	0.01	C10
Nasopharynx	34	0.3	0.3	0.3	0.02	0.02	14	0.2	0.1	0.1	0.01	0.01	C11
Hypopharynx	342	2.8	2.6	3.0	0.18	0.37	82	0.9	0.7	0.7	0.06	0.07	C12–13
Pharynx unspecified	103	0.8	0.8	0.9	0.06	0.10	13	0.1	0.1	0.1	0.01	0.01	C14
Oesophagus	617	5.1	4.7	5.4	0.34	0.69	350	3.8	2.9	3.1	0.20	0.38	C15
Stomach	209	1.7	1.6	1.8	0.12	0.22	128	1.4	1.1	1.1	0.08	0.13	C16
Small intestine	44	0.4	0.3	0.4	0.02	0.04	15	0.2	0.1	0.1	0.01	0.02	C17
Colon	295	2.4	2.2	2.5	0.15	0.29	137	1.5	1.1	1.2	0.08	0.14	C18
Rectum	273	2.2	2.1	2.3	0.14	0.28	148	1.6	1.2	1.2	0.08	0.14	C19–20
Anus	54	0.4	0.4	0.4	0.03	0.05	25	0.3	0.2	0.2	0.01	0.03	C21
Liver	198	1.6	1.5	1.8	0.10	0.23	57	0.6	0.5	0.5	0.03	0.06	C22
Gallbladder etc.	178	1.5	1.3	1.5	0.10	0.18	247	2.7	2.1	2.1	0.16	0.23	C23–24
Pancreas	121	1.0	0.9	1.1	0.07	0.14	62	0.7	0.5	0.6	0.03	0.07	C25
Nose, sinuses etc.	70	0.6	0.5	0.6	0.04	0.06	33	0.4	0.3	0.3	0.02	0.03	C30–31
Larynx	337	2.8	2.5	2.9	0.20	0.37	46	0.5	0.4	0.4	0.02	0.05	C32
Trachea, bronchus, and lung	988	8.1	7.4	9.0	0.51	1.17	251	2.7	2.1	2.3	0.15	0.29	C33–34
Other thoracic organs	23	0.2	0.2	0.2	0.02	0.02	14	0.2	0.1	0.1	0.01	0.01	C37–38
Bone	153	1.3	1.2	1.1	0.07	0.09	85	0.9	0.7	0.7	0.05	0.06	C40–41
Melanoma of skin	23	0.2	0.2	0.2	0.01	0.03	21	0.2	0.2	0.2	0.01	0.02	C43
Other skin	116	1.0	0.9	1.0	0.05	0.12	81	0.9	0.7	0.7	0.04	0.08	C44
Mesothelioma	15	0.1	0.1	0.1	0.00	0.02	5	0.1	0.0	0.0	0.00	0.00	C45
Kaposi sarcoma	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C46
Connective and soft tissue	82	0.7	0.6	0.7	0.04	0.08	81	0.9	0.7	0.7	0.05	0.07	C47+C49
Breast	94	0.8	0.7	0.8	0.05	0.09	2966	32.1	24.8	24.9	1.92	2.84	C50
Vulva							42	0.5	0.4	0.4	0.02	0.04	C51
Vagina							86	0.9	0.7	0.7	0.06	0.09	C52
Cervix uteri							820	8.9	6.8	6.8	0.54	0.78	C53
Corpus uteri							253	2.7	2.1	2.3	0.17	0.30	C54
Uterus unspecified							109	1.2	0.9	0.8	0.07	0.08	C55
Ovary							512	5.5	4.3	4.3	0.33	0.48	C56
Other female genital organs							14	0.2	0.1	0.1	0.00	0.02	C57
Placenta							7	0.1	0.1	0.0	0.00	0.00	C58
Penis	91	0.7	0.7	0.8	0.05	0.09							C60
Prostate	429	3.5	3.2	4.2	0.14	0.55							C61
Testis	74	0.6	0.6	0.5	0.04	0.04							C62
Other male genital organs	3	0.0	0.0	0.0	0.00	0.00							C63
Kidney	165	1.4	1.2	1.5	0.09	0.18	89	1.0	0.7	0.8	0.06	0.08	C64
Renal pelvis	1	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C65
Ureter	2	0.0	0.0	0.0	0.00	0.00	2	0.0	0.0	0.0	0.00	0.00	C66
Bladder	199	1.6	1.5	1.8	0.09	0.22	63	0.7	0.5	0.6	0.03	0.06	C67
Other urinary organs	4	0.0	0.0	0.0	0.00	0.00	7	0.1	0.1	0.1	0.00	0.01	C68
Eye	13	0.1	0.1	0.1	0.01	0.01	11	0.1	0.1	0.1	0.01	0.01	C69
Brain and nervous system	237	2.0	1.8	1.8	0.13	0.18	141	1.5	1.2	1.2	0.09	0.11	C70–72
Thyroid	73	0.6	0.6	0.5	0.04	0.05	172	1.9	1.4	1.3	0.10	0.13	C73
Adrenal gland	12	0.1	0.1	0.1	0.01	0.01	9	0.1	0.1	0.1	0.00	0.01	C74
Other endocrine	9	0.1	0.1	0.1	0.00	0.01	0	0.0	0.0	0.0	0.00	0.00	C75
Hodgkin lymphoma	117	1.0	0.9	0.9	0.06	0.07	67	0.7	0.6	0.5	0.04	0.05	C81
Non-Hodgkin lymphoma	413	3.4	3.1	3.5	0.20	0.39	232	2.5	1.9	2.0	0.14	0.22	C82–86,C96
Immunoproliferative diseases	2	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C88
Multiple myeloma	122	1.0	0.9	1.1	0.07	0.13	89	1.0	0.7	0.8	0.06	0.09	C90
Lymphoid leukaemia	289	2.4	2.2	2.5	0.13	0.24	129	1.4	1.1	1.3	0.06	0.11	C91
Myeloid leukaemia	341	2.8	2.6	2.6	0.19	0.27	209	2.3	1.7	1.7	0.12	0.17	C92–94
Leukaemia unspecified	66	0.5	0.5	0.6	0.03	0.05	30	0.3	0.3	0.3	0.02	0.03	C95
Myeloproliferative disorders	2	0.0	0.0	0.0	0.00	0.00	4	0.0	0.0	0.0	0.00	0.00	MPD
Myelodysplastic syndromes	7	0.1	0.1	0.1	0.00	0.01	4	0.0	0.0	0.0	0.00	0.01	MPS
Other and unspecified	716	5.9	5.4	6.2	0.40	0.75	376	4.1	3.1	3.3	0.23	0.38	O&U
All sites	12263		92.4	101.3	6.76	11.80	9309		77.7	79.2	5.77	8.96	C00–96
All sites except C44	12147	100.0	91.6	100.3	6.71	11.68	9228	100.0	77.0	78.5	5.73	8.88	C00–96 exc. C44


§Includes 6 cases of unknown age

§Includes 6 cases of unknown age

India, Aurangabad

CONTRIBUTORS

Vinay Deshmane
Shravani Koyande
B.K. Shewalkar



20 major cancers, ASR (World) per 100 000

<i>Male</i>		<i>Female</i>	
Mouth	12.6	Breast	25.2
Trachea, bronchus, and lung	9.1	Cervix uteri	14.6
Tongue	6.4	Ovary	4.1
Oesophagus	5.6	Trachea, bronchus, and lung	3.5
Larynx	4.2	Mouth	3.1
Prostate	3.0	Oesophagus	3.1
Hypopharynx	2.8	Corpus uteri	2.4
Stomach	2.6	Tongue	2.1
Rectum	2.4	Rectum	1.6
Lymphoid leukaemia	2.3	Non-Hodgkin lymphoma	1.4
Non-Hodgkin lymphoma	2.2	Stomach	1.3
Other and unspecified	2.2	Other and unspecified	1.2
Brain and nervous system	1.7	Lymphoid leukaemia	1.1
Bladder	1.7	Colon	1.1
Colon	1.7	Brain and nervous system	1.0
Liver	1.2	Bladder	0.9
Myeloid leukaemia	1.2	Myeloid leukaemia	0.8
Non-melanoma skin cancer	1.0	Non-melanoma skin cancer	0.7
Connective and soft tissue	0.8	Liver	0.6
Multiple myeloma	0.8	Hypopharynx	0.5
All sites	72.8	All sites	76.4


India, Aurangabad (2013–2017)

SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	
Lip	4	0.2	0.1	0.1	0.01	0.01	0	0.0	0.0	0.0	0.00	0.00	C00
Tongue	199	9.8	5.7	6.4	0.49	0.67	54	2.6	1.6	2.1	0.15	0.26	C01–02
Mouth	383	18.9	11.0	12.6	0.91	1.40	87	4.1	2.7	3.1	0.23	0.36	C03–06
Salivary glands	6	0.3	0.2	0.2	0.01	0.02	7	0.3	0.2	0.2	0.02	0.02	C07–08
Tonsil	13	0.6	0.4	0.5	0.04	0.05	11	0.5	0.3	0.4	0.01	0.06	C09
Other oropharynx	7	0.3	0.2	0.3	0.02	0.05	2	0.1	0.1	0.1	0.01	0.01	C10
Nasopharynx	5	0.2	0.1	0.2	0.00	0.04	0	0.0	0.0	0.0	0.00	0.00	C11
Hypopharynx	70	3.5	2.0	2.8	0.13	0.39	16	0.8	0.5	0.5	0.05	0.06	C12–13
Pharynx unspecified	4	0.2	0.1	0.1	0.01	0.02	4	0.2	0.1	0.1	0.01	0.02	C14
Oesophagus	144	7.1	4.1	5.6	0.32	0.70	79	3.8	2.4	3.1	0.18	0.43	C15
Stomach	70	3.5	2.0	2.6	0.13	0.34	35	1.7	1.1	1.3	0.10	0.15	C16
Small intestine	0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.0	0.0	0.00	0.00	C17
Colon	45	2.2	1.3	1.7	0.12	0.21	32	1.5	1.0	1.1	0.08	0.11	C18
Rectum	70	3.5	2.0	2.4	0.16	0.29	45	2.1	1.4	1.6	0.10	0.20	C19–20
Anus	11	0.5	0.3	0.4	0.02	0.05	8	0.4	0.2	0.2	0.02	0.02	C21
Liver	30	1.5	0.9	1.2	0.08	0.17	15	0.7	0.5	0.6	0.04	0.08	C22
Gallbladder etc.	2	0.1	0.1	0.1	0.01	0.01	7	0.3	0.2	0.2	0.01	0.03	C23–24
Pancreas	14	0.7	0.4	0.5	0.04	0.05	11	0.5	0.3	0.4	0.04	0.04	C25
Nose, sinuses etc.	13	0.6	0.4	0.4	0.03	0.05	11	0.5	0.3	0.4	0.02	0.05	C30–31
Larynx	109	5.4	3.1	4.2	0.31	0.51	13	0.6	0.4	0.5	0.03	0.05	C32
Trachea, bronchus, and lung	235	11.6	6.7	9.1	0.53	1.27	93	4.4	2.8	3.5	0.20	0.47	C33–34
Other thoracic organs	1	0.0	0.0	0.0	0.00	0.01	3	0.1	0.1	0.1	0.01	0.01	C37–38
Bone	22	1.1	0.6	0.6	0.03	0.06	9	0.4	0.3	0.3	0.02	0.02	C40–41
Melanoma of skin	2	0.1	0.1	0.1	0.00	0.01	3	0.1	0.1	0.1	0.01	0.01	C43
Other skin	29	1.4	0.8	1.0	0.06	0.09	22	1.0	0.7	0.7	0.04	0.07	C44
Mesothelioma	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C45
Kaposi sarcoma	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C46
Connective and soft tissue	27	1.3	0.8	0.8	0.06	0.09	17	0.8	0.5	0.5	0.03	0.05	C47+C49
Breast	18	0.9	0.5	0.6	0.04	0.06	700	33.3	21.3	25.2	2.08	2.82	C50
Vulva							10	0.5	0.3	0.4	0.03	0.06	C51
Vagina							11	0.5	0.3	0.5	0.02	0.07	C52
Cervix uteri							399	19.0	12.2	14.6	1.10	1.73	C53
Corpus uteri							61	2.9	1.9	2.4	0.17	0.33	C54
Uterus unspecified							1	0.0	0.0	0.0	0.00	0.00	C55
Ovary							114	5.4	3.5	4.1	0.31	0.49	C56
Other female genital organs							0	0.0	0.0	0.0	0.00	0.00	C57
Placenta							1	0.0	0.0	0.0	0.00	0.00	C58
Penis	11	0.5	0.3	0.4	0.03	0.03							C60
Prostate	71	3.5	2.0	3.0	0.09	0.40							C61
Testis	19	0.9	0.5	0.5	0.03	0.04							C62
Other male genital organs	0	0.0	0.0	0.0	0.00	0.00							C63
Kidney	17	0.8	0.5	0.7	0.02	0.10	7	0.3	0.2	0.3	0.03	0.03	C64
Renal pelvis	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C65
Ureter	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C66
Bladder	42	2.1	1.2	1.7	0.11	0.22	24	1.1	0.7	0.9	0.06	0.12	C67
Other urinary organs	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C68
Eye	4	0.2	0.1	0.1	0.01	0.01	1	0.0	0.0	0.0	0.00	0.00	C69
Brain and nervous system	56	2.8	1.6	1.7	0.12	0.15	34	1.6	1.0	1.0	0.07	0.10	C70–72
Thyroid	9	0.4	0.3	0.4	0.02	0.05	11	0.5	0.3	0.3	0.02	0.04	C73
Adrenal gland	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C74
Other endocrine	0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.0	0.0	0.00	0.00	C75
Hodgkin lymphoma	21	1.0	0.6	0.6	0.04	0.07	14	0.7	0.4	0.4	0.02	0.03	C81
Non-Hodgkin lymphoma	68	3.4	1.9	2.2	0.15	0.25	41	2.0	1.2	1.4	0.09	0.15	C82–86,C96
Immunoproliferative diseases	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C88
Multiple myeloma	22	1.1	0.6	0.8	0.05	0.12	4	0.2	0.1	0.1	0.01	0.01	C90
Lymphoid leukaemia	71	3.5	2.0	2.3	0.12	0.17	35	1.7	1.1	1.1	0.07	0.08	C91
Myeloid leukaemia	38	1.9	1.1	1.2	0.07	0.12	26	1.2	0.8	0.8	0.06	0.06	C92–94
Leukaemia unspecified	17	0.8	0.5	0.5	0.03	0.04	10	0.5	0.3	0.3	0.02	0.03	C95
Myeloproliferative disorders	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	MPD
Myelodysplastic syndromes	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	MPS
Other and unspecified	58	2.9	1.7	2.2	0.15	0.26	33	1.6	1.0	1.2	0.07	0.13	O&U
All sites	2057		58.9	72.8	4.61	8.64	2123		64.7	76.4	5.67	8.87	C00–96
All sites except C44	2028	100.0	58.1	71.8	4.55	8.55	2101	100.0	64.0	75.7	5.63	8.79	C00–96 exc. C44

India, Bangalore

CONTRIBUTORS

C. Ramachandra
C. Ramesh
C.R. Vijay
B.R. Gopalakrishnappa



20 major cancers, ASR (World) per 100 000

Male		Female	
Trachea, bronchus, and lung	13.5	Breast	45.1
Other and unspecified	10.1	Cervix uteri	18.4
Prostate	9.3	Ovary	10.7
Stomach	8.8	Other and unspecified	8.0
Oesophagus	7.2	Mouth	6.9
Liver	6.1	Corpus uteri	6.5
Non-Hodgkin lymphoma	6.0	Trachea, bronchus, and lung	6.1
Mouth	5.5	Oesophagus	5.5
Tongue	5.4	Stomach	5.3
Colon	4.7	Thyroid	5.3
Larynx	4.4	Non-Hodgkin lymphoma	4.0
Rectum	4.3	Colon	3.8
Brain and nervous system	4.0	Rectum	3.2
Hypopharynx	4.0	Brain and nervous system	3.0
Bladder	3.4	Myeloid leukaemia	2.3
Lymphoid leukaemia	3.0	Gallbladder etc.	2.3
Myeloid leukaemia	2.9	Liver	2.3
Kidney	2.5	Tongue	1.8
Pancreas	2.4	Lymphoid leukaemia	1.7
Thyroid	2.3	Multiple myeloma	1.6
All sites	129.8	All sites	159.5

India, Bangalore (2013–2015)

SITE	Male						Female						ICD-10
	§No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	§No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	
Lip	21	0.1	0.1	0.2	0.02	0.02	17	0.1	0.1	0.2	0.01	0.02	C00
Tongue	652	4.5	4.6	5.4	0.37	0.66	199	1.1	1.5	1.8	0.11	0.21	C01–02
Mouth	679	4.7	4.8	5.5	0.39	0.66	742	4.1	5.7	6.9	0.41	0.86	C03–06
Salivary glands	63	0.4	0.4	0.5	0.03	0.05	48	0.3	0.4	0.4	0.03	0.04	C07–08
Tonsil	150	1.0	1.1	1.4	0.10	0.17	27	0.2	0.2	0.2	0.01	0.03	C09
Other oropharynx	159	1.1	1.1	1.4	0.10	0.18	26	0.1	0.2	0.2	0.01	0.03	C10
Nasopharynx	70	0.5	0.5	0.6	0.04	0.06	33	0.2	0.3	0.3	0.02	0.02	C11
Hypopharynx	432	3.0	3.1	4.0	0.23	0.53	121	0.7	0.9	1.1	0.08	0.12	C12–13
Pharynx unspecified	41	0.3	0.3	0.4	0.02	0.04	15	0.1	0.1	0.1	0.01	0.02	C14
Oesophagus	758	5.2	5.4	7.2	0.38	0.95	577	3.2	4.4	5.5	0.30	0.71	C15
Stomach	977	6.7	6.9	8.8	0.47	1.12	589	3.3	4.5	5.3	0.32	0.64	C16
Small intestine	46	0.3	0.3	0.4	0.02	0.05	27	0.2	0.2	0.2	0.02	0.03	C17
Colon	525	3.6	3.7	4.7	0.22	0.59	409	2.3	3.1	3.8	0.22	0.46	C18
Rectum	502	3.4	3.6	4.3	0.24	0.52	367	2.0	2.8	3.2	0.20	0.41	C19–20
Anus	42	0.3	0.3	0.4	0.02	0.04	47	0.3	0.4	0.4	0.02	0.05	C21
Liver	651	4.5	4.6	6.1	0.27	0.80	244	1.4	1.9	2.3	0.14	0.27	C22
Gallbladder etc.	223	1.5	1.6	2.0	0.12	0.26	251	1.4	1.9	2.3	0.15	0.28	C23–24
Pancreas	256	1.8	1.8	2.4	0.12	0.30	173	1.0	1.3	1.6	0.10	0.19	C25
Nose, sinuses etc.	52	0.4	0.4	0.4	0.02	0.05	50	0.3	0.4	0.4	0.03	0.04	C30–31
Larynx	470	3.2	3.3	4.4	0.25	0.57	75	0.4	0.6	0.7	0.04	0.07	C32
Trachea, bronchus, and lung	1444	9.9	10.2	13.5	0.68	1.76	655	3.7	5.0	6.1	0.39	0.77	C33–34
Other thoracic organs	34	0.2	0.2	0.3	0.02	0.03	27	0.2	0.2	0.2	0.01	0.02	C37–38
Bone	216	1.5	1.5	1.7	0.11	0.16	156	0.9	1.2	1.3	0.08	0.11	C40–41
Melanoma of skin	42	0.3	0.3	0.4	0.03	0.05	35	0.2	0.3	0.3	0.02	0.04	C43
Other skin	104	0.7	0.7	0.9	0.05	0.10	97	0.5	0.7	0.8	0.05	0.09	C44
Mesothelioma	8	0.1	0.1	0.1	0.00	0.01	5	0.0	0.0	0.0	0.00	0.01	C45
Kaposi sarcoma	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C46
Connective and soft tissue	203	1.4	1.4	1.6	0.10	0.16	149	0.8	1.1	1.2	0.08	0.14	C47+C49
Breast	126	0.9	0.9	1.1	0.07	0.12	5186	29.0	39.6	45.1	3.35	5.26	C50
Vulva							52	0.3	0.4	0.5	0.02	0.05	C51
Vagina							77	0.4	0.6	0.7	0.05	0.09	C52
Cervix uteri							2047	11.4	15.6	18.4	1.32	2.21	C53
Corpus uteri							691	3.9	5.3	6.5	0.47	0.83	C54
Uterus unspecified							74	0.4	0.6	0.7	0.04	0.08	C55
Ovary							1206	6.7	9.2	10.7	0.76	1.31	C56
Other female genital organs							9	0.1	0.1	0.1	0.01	0.01	C57
Placenta							10	0.1	0.1	0.1	0.00	0.00	C58
Penis	109	0.7	0.8	0.9	0.06	0.11							C60
Prostate	946	6.5	6.7	9.3	0.24	1.09							C61
Testis	57	0.4	0.4	0.3	0.02	0.02							C62
Other male genital organs	3	0.0	0.0	0.0	0.00	0.00							C63
Kidney	276	1.9	2.0	2.5	0.15	0.28	127	0.7	1.0	1.2	0.07	0.14	C64
Renal pelvis	6	0.0	0.0	0.1	0.00	0.01	3	0.0	0.0	0.0	0.00	0.00	C65
Ureter	4	0.0	0.0	0.0	0.00	0.01	2	0.0	0.0	0.0	0.00	0.00	C66
Bladder	369	2.5	2.6	3.4	0.14	0.38	96	0.5	0.7	0.9	0.05	0.11	C67
Other urinary organs	7	0.0	0.0	0.1	0.00	0.01	2	0.0	0.0	0.0	0.00	0.00	C68
Eye	14	0.1	0.1	0.1	0.01	0.01	21	0.1	0.2	0.2	0.01	0.02	C69
Brain and nervous system	494	3.4	3.5	4.0	0.26	0.44	348	1.9	2.7	3.0	0.21	0.31	C70–72
Thyroid	305	2.1	2.2	2.4	0.15	0.27	711	4.0	5.4	5.3	0.38	0.54	C73
Adrenal gland	6	0.0	0.0	0.0	0.00	0.00	13	0.1	0.1	0.1	0.01	0.01	C74
Other endocrine	35	0.2	0.2	0.3	0.02	0.04	21	0.1	0.2	0.2	0.02	0.02	C75
Hodgkin lymphoma	205	1.4	1.5	1.6	0.11	0.15	113	0.6	0.9	0.9	0.05	0.11	C81
Non-Hodgkin lymphoma	707	4.8	5.0	6.0	0.36	0.69	447	2.5	3.4	4.0	0.24	0.46	C82–86,C96
Immunoproliferative diseases	2	0.0	0.0	0.0	0.00	0.00	1	0.0	0.0	0.0	0.00	0.00	C88
Multiple myeloma	241	1.7	1.7	2.3	0.11	0.29	171	1.0	1.3	1.6	0.10	0.20	C90
Lymphoid leukaemia	329	2.3	2.3	3.0	0.14	0.29	189	1.1	1.4	1.7	0.09	0.14	C91
Myeloid leukaemia	376	2.6	2.7	2.9	0.19	0.29	289	1.6	2.2	2.3	0.14	0.23	C92–94
Leukaemia unspecified	78	0.5	0.6	0.6	0.04	0.06	38	0.2	0.3	0.3	0.02	0.03	C95
Myeloproliferative disorders	6	0.0	0.0	0.1	0.00	0.00	1	0.0	0.0	0.0	0.00	0.00	MPD
Myelodysplastic syndromes	5	0.0	0.0	0.0	0.00	0.01	1	0.0	0.0	0.0	0.00	0.00	MPS
Other and unspecified	1163	8.0	8.2	10.1	0.55	1.17	896	5.0	6.8	8.0	0.45	0.89	O&U
All sites	14689		103.9	129.8	7.05	15.63	18003		137.3	159.5	10.76	18.76	C00–96
All sites except C44	14585	100.0	103.2	128.9	7.00	15.52	17906	100.0	136.6	158.7	10.71	18.67	C00–96 exc. C44


§Includes 2 cases of unknown age

§Includes 3 cases of unknown age

India, Barshi, Paranda, and Bhum

CONTRIBUTORS

R.A. Badwe
Rajesh Dikshit
N.S. Panse
B.M. Nene



20 major cancers, ASR (World) per 100 000

<i>Male</i>		<i>Female</i>	
Mouth	4.9	Cervix uteri	14.9
Other and unspecified	3.9	Breast	12.9
Liver	3.6	Ovary	4.1
Oesophagus	3.5	Other and unspecified	2.8
Brain and nervous system	2.9	Oesophagus	2.6
Prostate	2.9	Thyroid	2.1
Rectum	2.4	Trachea, bronchus, and lung	1.9
Stomach	2.3	Rectum	1.7
Trachea, bronchus, and lung	2.2	Stomach	1.5
Tongue	1.9	Non-melanoma skin cancer	1.4
Non-Hodgkin lymphoma	1.9	Mouth	1.4
Larynx	1.8	Brain and nervous system	1.2
Non-melanoma skin cancer	1.7	Tongue	1.0
Hypopharynx	1.5	Non-Hodgkin lymphoma	0.9
Bladder	1.4	Colon	0.9
Myeloid leukaemia	1.4	Myeloid leukaemia	0.8
Penis	1.3	Bone	0.8
Colon	1.0	Corpus uteri	0.8
Pancreas	1.0	Vagina	0.7
Bone	0.9	Liver	0.7
All sites	50.9	All sites	61.6


India, Barshi, Paranda, and Bhum (2013–2017)

SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	
Lip	4	0.6	0.3	0.2	0.00	0.02	3	0.4	0.2	0.2	0.01	0.02	C00
Tongue	27	3.8	2.0	1.9	0.14	0.22	14	1.7	1.1	1.0	0.08	0.12	C01–02
Mouth	65	9.0	4.8	4.9	0.41	0.58	19	2.3	1.6	1.4	0.09	0.15	C03–06
Salivary glands	4	0.6	0.3	0.3	0.03	0.03	2	0.2	0.2	0.1	0.00	0.02	C07–08
Tonsil	2	0.3	0.1	0.1	0.00	0.00	2	0.2	0.2	0.2	0.02	0.02	C09
Other oropharynx	1	0.1	0.1	0.0	0.00	0.00	1	0.1	0.1	0.1	0.01	0.01	C10
Nasopharynx	1	0.1	0.1	0.1	0.00	0.01	0	0.0	0.0	0.0	0.00	0.00	C11
Hypopharynx	24	3.3	1.8	1.5	0.06	0.20	5	0.6	0.4	0.4	0.04	0.05	C12–13
Pharynx unspecified	5	0.7	0.4	0.3	0.01	0.04	2	0.2	0.2	0.1	0.01	0.01	C14
Oesophagus	53	7.4	3.9	3.5	0.17	0.41	40	4.9	3.3	2.6	0.14	0.34	C15
Stomach	31	4.3	2.3	2.3	0.18	0.26	22	2.7	1.8	1.5	0.10	0.15	C16
Small intestine	2	0.3	0.1	0.1	0.00	0.02	0	0.0	0.0	0.0	0.00	0.00	C17
Colon	14	1.9	1.0	1.0	0.06	0.11	13	1.6	1.1	0.9	0.07	0.10	C18
Rectum	32	4.5	2.3	2.4	0.18	0.28	24	3.0	2.0	1.7	0.13	0.18	C19–20
Anus	3	0.4	0.2	0.2	0.01	0.03	5	0.6	0.4	0.3	0.02	0.04	C21
Liver	52	7.2	3.8	3.6	0.22	0.46	8	1.0	0.7	0.7	0.04	0.06	C22
Gallbladder etc.	11	1.5	0.8	0.8	0.07	0.11	9	1.1	0.7	0.6	0.02	0.07	C23–24
Pancreas	15	2.1	1.1	1.0	0.04	0.14	5	0.6	0.4	0.3	0.02	0.04	C25
Nose, sinuses etc.	1	0.1	0.1	0.1	0.00	0.01	0	0.0	0.0	0.0	0.00	0.00	C30–31
Larynx	27	3.8	2.0	1.8	0.10	0.22	2	0.2	0.2	0.1	0.01	0.02	C32
Trachea, bronchus, and lung	32	4.5	2.3	2.2	0.13	0.28	27	3.3	2.2	1.9	0.13	0.20	C33–34
Other thoracic organs	5	0.7	0.4	0.3	0.01	0.03	4	0.5	0.3	0.2	0.01	0.02	C37–38
Bone	13	1.8	1.0	0.9	0.08	0.10	10	1.2	0.8	0.8	0.07	0.08	C40–41
Melanoma of skin	1	0.1	0.1	0.1	0.01	0.01	2	0.2	0.2	0.1	0.01	0.01	C43
Other skin	23	3.2	1.7	1.7	0.13	0.19	20	2.5	1.6	1.4	0.11	0.17	C44
Mesothelioma	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C45
Kaposi sarcoma	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C46
Connective and soft tissue	3	0.4	0.2	0.2	0.01	0.02	5	0.6	0.4	0.4	0.03	0.03	C47+C49
Breast	4	0.6	0.3	0.2	0.01	0.05	170	20.9	13.9	12.9	1.02	1.48	C50
Vulva							4	0.5	0.3	0.3	0.01	0.03	C51
Vagina							9	1.1	0.7	0.7	0.08	0.08	C52
Cervix uteri							203	25.0	16.6	14.9	1.13	1.74	C53
Corpus uteri							11	1.4	0.9	0.8	0.04	0.11	C54
Uterus unspecified							0	0.0	0.0	0.0	0.00	0.00	C55
Ovary							56	6.9	4.6	4.1	0.31	0.46	C56
Other female genital organs							0	0.0	0.0	0.0	0.00	0.00	C57
Placenta							0	0.0	0.0	0.0	0.00	0.00	C58
Penis	18	2.5	1.3	1.3	0.10	0.14							C60
Prostate	49	6.8	3.6	2.9	0.09	0.40							C61
Testis	9	1.3	0.7	0.6	0.05	0.06							C62
Other male genital organs	0	0.0	0.0	0.0	0.00	0.00							C63
Kidney	3	0.4	0.2	0.2	0.01	0.03	7	0.9	0.6	0.6	0.04	0.04	C64
Renal pelvis	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C65
Ureter	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C66
Bladder	23	3.2	1.7	1.4	0.05	0.18	4	0.5	0.3	0.3	0.02	0.03	C67
Other urinary organs	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C68
Eye	1	0.1	0.1	0.1	0.01	0.01	2	0.2	0.2	0.3	0.01	0.01	C69
Brain and nervous system	39	5.4	2.9	2.9	0.22	0.29	15	1.8	1.2	1.2	0.09	0.11	C70–72
Thyroid	5	0.7	0.4	0.4	0.04	0.04	28	3.4	2.3	2.1	0.15	0.23	C73
Adrenal gland	0	0.0	0.0	0.0	0.00	0.00	1	0.1	0.1	0.1	0.00	0.00	C74
Other endocrine	1	0.1	0.1	0.1	0.00	0.01	0	0.0	0.0	0.0	0.00	0.00	C75
Hodgkin lymphoma	4	0.6	0.3	0.3	0.02	0.02	1	0.1	0.1	0.1	0.00	0.00	C81
Non-Hodgkin lymphoma	29	4.0	2.1	1.9	0.10	0.23	13	1.6	1.1	0.9	0.05	0.13	C82–86,C96
Immunoproliferative diseases	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C88
Multiple myeloma	10	1.4	0.7	0.7	0.04	0.09	4	0.5	0.3	0.3	0.02	0.03	C90
Lymphoid leukaemia	10	1.4	0.7	0.7	0.04	0.09	5	0.6	0.4	0.5	0.02	0.02	C91
Myeloid leukaemia	18	2.5	1.3	1.4	0.10	0.13	11	1.4	0.9	0.8	0.07	0.07	C92–94
Leukaemia unspecified	9	1.3	0.7	0.7	0.04	0.05	6	0.7	0.5	0.6	0.04	0.04	C95
Myeloproliferative disorders	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	MPD
Myelodysplastic syndromes	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	MPS
Other and unspecified	59	8.2	4.3	3.9	0.18	0.45	38	4.7	3.1	2.8	0.18	0.33	O&U
All sites	742		54.4	50.9	3.14	6.06	832		68.1	61.6	4.45	6.89	C00–96
All sites except C44	719	100.0	52.7	49.3	3.01	5.86	812	100.0	66.5	60.1	4.34	6.72	C00–96 exc. C44

India, Bhopal

CONTRIBUTORS

Reeni Malik
 Atul Shrivastava
 Arvind Rai
 O.P. Singh
 Aruna Kumar
 Shyam Agarwal
 Ravi Gupta
 Ajay Goyanka
 Divya Parashar
 Atul Sumaya



NOTES ON THE DATA

*No official mortality data.

20 major cancers, ASR (World) per 100 000

<i>Male</i>		<i>Female</i>	
Mouth	17.4	Breast	34.6
Trachea, bronchus, and lung	12.2	Cervix uteri	12.9
Tongue	9.1	Ovary	8.3
Larynx	6.4	Gallbladder etc.	6.2
Prostate	5.1	Mouth	5.8
Oesophagus	4.8	Tongue	4.5
Other and unspecified	4.6	Oesophagus	3.8
Hypopharynx	3.9	Trachea, bronchus, and lung	3.5
Non-Hodgkin lymphoma	3.6	Corpus uteri	3.3
Colon	2.7	Other and unspecified	2.6
Gallbladder etc.	2.6	Colon	2.4
Brain and nervous system	2.3	Non-Hodgkin lymphoma	1.9
Bladder	2.3	Rectum	1.5
Liver	2.1	Myeloid leukaemia	1.5
Lymphoid leukaemia	2.1	Non-melanoma skin cancer	1.4
Myeloid leukaemia	2.1	Liver	1.3
Stomach	2.1	Multiple myeloma	1.3
Rectum	1.8	Thyroid	1.3
Non-melanoma skin cancer	1.6	Connective and soft tissue	1.1
Multiple myeloma	1.6	Brain and nervous system	1.1
All sites	105.1	All sites	110.3

*India, Bhopal (2013–2015)


SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	
Lip	12	0.4	0.4	0.4	0.04	0.05	7	0.2	0.2	0.3	0.02	0.03	C00
Tongue	271	9.7	8.3	9.1	0.74	1.01	117	4.2	3.9	4.5	0.32	0.56	C01–02
Mouth	509	18.2	15.7	17.4	1.33	1.95	145	5.2	4.8	5.8	0.40	0.72	C03–06
Salivary glands	15	0.5	0.5	0.6	0.03	0.08	8	0.3	0.3	0.3	0.02	0.03	C07–08
Tonsil	42	1.5	1.3	1.6	0.12	0.18	4	0.1	0.1	0.1	0.01	0.01	C09
Other oropharynx	23	0.8	0.7	0.9	0.06	0.11	0	0.0	0.0	0.0	0.00	0.00	C10
Nasopharynx	16	0.6	0.5	0.6	0.05	0.06	1	0.0	0.0	0.0	0.00	0.00	C11
Hypopharynx	101	3.6	3.1	3.9	0.27	0.54	13	0.5	0.4	0.4	0.03	0.03	C12–13
Pharynx unspecified	4	0.1	0.1	0.1	0.02	0.02	2	0.1	0.1	0.1	0.01	0.01	C14
Oesophagus	122	4.4	3.8	4.8	0.32	0.62	95	3.4	3.1	3.8	0.28	0.48	C15
Stomach	55	2.0	1.7	2.1	0.15	0.28	24	0.9	0.8	1.0	0.05	0.15	C16
Small intestine	7	0.3	0.2	0.3	0.02	0.03	5	0.2	0.2	0.2	0.01	0.03	C17
Colon	74	2.6	2.3	2.7	0.19	0.29	59	2.1	2.0	2.4	0.17	0.29	C18
Rectum	50	1.8	1.5	1.8	0.10	0.21	40	1.4	1.3	1.5	0.10	0.19	C19–20
Anus	14	0.5	0.4	0.6	0.03	0.08	10	0.4	0.3	0.4	0.03	0.05	C21
Liver	54	1.9	1.7	2.1	0.13	0.28	31	1.1	1.0	1.3	0.07	0.19	C22
Gallbladder etc.	66	2.4	2.0	2.6	0.15	0.31	151	5.4	5.0	6.2	0.42	0.78	C23–24
Pancreas	30	1.1	0.9	1.1	0.08	0.15	26	0.9	0.9	1.1	0.08	0.15	C25
Nose, sinuses etc.	5	0.2	0.2	0.2	0.02	0.02	3	0.1	0.1	0.1	0.01	0.01	C30–31
Larynx	158	5.7	4.9	6.4	0.43	0.79	21	0.8	0.7	0.9	0.06	0.11	C32
Trachea, bronchus, and lung	303	10.8	9.3	12.2	0.72	1.59	85	3.0	2.8	3.5	0.24	0.43	C33–34
Other thoracic organs	1	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C37–38
Bone	30	1.1	0.9	0.9	0.06	0.06	27	1.0	0.9	0.9	0.06	0.07	C40–41
Melanoma of skin	3	0.1	0.1	0.1	0.00	0.00	3	0.1	0.1	0.1	0.01	0.01	C43
Other skin	42	1.5	1.3	1.6	0.08	0.19	37	1.3	1.2	1.4	0.09	0.15	C44
Mesothelioma	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C45
Kaposi sarcoma	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C46
Connective and soft tissue	36	1.3	1.1	1.2	0.08	0.09	31	1.1	1.0	1.1	0.08	0.09	C47+C49
Breast	36	1.3	1.1	1.3	0.08	0.15	900	32.1	29.8	34.6	2.78	4.00	C50
Vulva							9	0.3	0.3	0.3	0.01	0.03	C51
Vagina							12	0.4	0.4	0.5	0.03	0.07	C52
Cervix uteri							327	11.7	10.8	12.9	0.99	1.55	C53
Corpus uteri							78	2.8	2.6	3.3	0.24	0.41	C54
Uterus unspecified							9	0.3	0.3	0.3	0.03	0.03	C55
Ovary							216	7.7	7.2	8.3	0.61	0.95	C56
Other female genital organs							0	0.0	0.0	0.0	0.00	0.00	C57
Placenta							11	0.4	0.4	0.3	0.02	0.02	C58
Penis	18	0.6	0.6	0.7	0.04	0.08							C60
Prostate	121	4.3	3.7	5.1	0.15	0.64							C61
Testis	25	0.9	0.8	0.8	0.06	0.06							C62
Other male genital organs	0	0.0	0.0	0.0	0.00	0.00							C63
Kidney	36	1.3	1.1	1.4	0.08	0.13	20	0.7	0.7	0.8	0.07	0.07	C64
Renal pelvis	1	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C65
Ureter	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C66
Bladder	57	2.0	1.8	2.3	0.13	0.26	19	0.7	0.6	0.8	0.04	0.08	C67
Other urinary organs	1	0.0	0.0	0.0	0.01	0.01	0	0.0	0.0	0.0	0.00	0.00	C68
Eye	6	0.2	0.2	0.3	0.01	0.01	2	0.1	0.1	0.1	0.00	0.00	C69
Brain and nervous system	67	2.4	2.1	2.3	0.13	0.26	31	1.1	1.0	1.1	0.09	0.11	C70–72
Thyroid	14	0.5	0.4	0.5	0.03	0.05	38	1.4	1.3	1.3	0.11	0.14	C73
Adrenal gland	3	0.1	0.1	0.1	0.00	0.01	0	0.0	0.0	0.0	0.00	0.00	C74
Other endocrine	1	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C75
Hodgkin lymphoma	24	0.9	0.7	0.7	0.05	0.05	11	0.4	0.4	0.3	0.02	0.02	C81
Non-Hodgkin lymphoma	94	3.4	2.9	3.6	0.18	0.46	49	1.8	1.6	1.9	0.13	0.22	C82–86,C96
Immunoproliferative diseases	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C88
Multiple myeloma	40	1.4	1.2	1.6	0.09	0.23	31	1.1	1.0	1.3	0.09	0.18	C90
Lymphoid leukaemia	58	2.1	1.8	2.1	0.13	0.19	20	0.7	0.7	0.7	0.03	0.05	C91
Myeloid leukaemia	66	2.4	2.0	2.1	0.13	0.20	45	1.6	1.5	1.5	0.10	0.15	C92–94
Leukaemia unspecified	3	0.1	0.1	0.1	0.01	0.01	0	0.0	0.0	0.0	0.00	0.00	C95
Myeloproliferative disorders	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	MPD
Myelodysplastic syndromes	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	MPS
Other and unspecified	122	4.4	3.8	4.6	0.35	0.53	64	2.3	2.1	2.6	0.18	0.29	O&U
All sites	2836		87.3	105.1	6.93	12.35	2837		94.0	110.3	8.16	12.96	C00–96
All sites except C44	2794	100.0	86.0	103.5	6.85	12.15	2800	100.0	92.8	108.9	8.07	12.81	C00–96 exc. C44

*See note following population pyramid

India, Chandigarh

CONTRIBUTORS

Yogesh Chawla
 Jagat Ram
 J.S. Thakur
 Rakesh Kapoor
 Pankaj Malhotra
 S.P.S. Bhatia
 Kathirvel S.
 Pankaj Arora
 R.A. Badwe
 Rajesh Dikshit
 Atul Budukh
 T. Anbumani
 Pankaj Chaturvedi
 Prathamesh Pai
 G. Dewan



20 major cancers, ASR (World) per 100 000

<i>Male</i>		<i>Female</i>	
Trachea, bronchus, and lung	12.6	Breast	32.2
Prostate	10.3	Cervix uteri	8.1
Oesophagus	5.9	Corpus uteri	6.7
Bladder	5.6	Ovary	6.5
Mouth	4.9	Gallbladder etc.	5.6
Larynx	4.7	Trachea, bronchus, and lung	4.3
Non-Hodgkin lymphoma	4.4	Non-Hodgkin lymphoma	4.0
Tongue	4.3	Other and unspecified	2.4
Other and unspecified	3.9	Oesophagus	2.3
Colon	3.1	Multiple myeloma	2.0
Liver	2.7	Colon	2.0
Gallbladder etc.	2.6	Thyroid	1.9
Myeloid leukaemia	2.3	Brain and nervous system	1.9
Brain and nervous system	2.3	Myeloid leukaemia	1.8
Multiple myeloma	2.1	Kidney	1.7
Stomach	2.1	Mouth	1.4
Lymphoid leukaemia	2.0	Pancreas	1.4
Kidney	1.8	Lymphoid leukaemia	1.3
Rectum	1.8	Tongue	1.3
Hypopharynx	1.5	Rectum	1.2
All sites	94.4	All sites	100.9


India, Chandigarh (2013–2017)

SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	
Lip	5	0.2	0.2	0.2	0.01	0.03	2	0.1	0.1	0.1	0.01	0.01	C00
Tongue	112	5.1	3.5	4.3	0.32	0.50	28	1.3	1.1	1.3	0.09	0.15	C01–02
Mouth	120	5.5	3.8	4.9	0.32	0.53	31	1.4	1.2	1.4	0.10	0.16	C03–06
Salivary glands	11	0.5	0.3	0.4	0.03	0.04	6	0.3	0.2	0.2	0.02	0.02	C07–08
Tonsil	20	0.9	0.6	0.8	0.05	0.10	4	0.2	0.2	0.2	0.01	0.03	C09
Other oropharynx	19	0.9	0.6	0.9	0.04	0.12	1	0.0	0.0	0.0	0.00	0.00	C10
Nasopharynx	7	0.3	0.2	0.3	0.02	0.04	1	0.0	0.0	0.0	0.00	0.00	C11
Hypopharynx	33	1.5	1.0	1.5	0.10	0.20	7	0.3	0.3	0.3	0.01	0.04	C12–13
Pharynx unspecified	9	0.4	0.3	0.4	0.02	0.04	2	0.1	0.1	0.1	0.00	0.00	C14
Oesophagus	135	6.2	4.3	5.9	0.38	0.70	46	2.1	1.8	2.3	0.14	0.25	C15
Stomach	52	2.4	1.6	2.1	0.13	0.25	18	0.8	0.7	0.7	0.04	0.06	C16
Small intestine	22	1.0	0.7	0.8	0.05	0.09	10	0.5	0.4	0.5	0.02	0.06	C17
Colon	74	3.4	2.3	3.1	0.16	0.39	44	2.0	1.7	2.0	0.13	0.23	C18
Rectum	42	1.9	1.3	1.8	0.08	0.19	24	1.1	0.9	1.2	0.07	0.15	C19–20
Anus	16	0.7	0.5	0.7	0.03	0.08	12	0.5	0.5	0.5	0.02	0.05	C21
Liver	62	2.9	2.0	2.7	0.13	0.32	21	1.0	0.8	1.1	0.04	0.16	C22
Gallbladder etc.	59	2.7	1.9	2.6	0.13	0.33	126	5.8	4.8	5.6	0.39	0.62	C23–24
Pancreas	34	1.6	1.1	1.5	0.05	0.20	28	1.3	1.1	1.4	0.07	0.21	C25
Nose, sinuses etc.	8	0.4	0.3	0.3	0.03	0.04	3	0.1	0.1	0.2	0.00	0.02	C30–31
Larynx	105	4.8	3.3	4.7	0.29	0.56	12	0.5	0.5	0.5	0.04	0.07	C32
Trachea, bronchus, and lung	280	12.9	8.9	12.6	0.66	1.70	84	3.8	3.2	4.3	0.19	0.61	C33–34
Other thoracic organs	4	0.2	0.1	0.2	0.01	0.02	3	0.1	0.1	0.2	0.01	0.02	C37–38
Bone	20	0.9	0.6	0.6	0.04	0.04	21	1.0	0.8	0.8	0.04	0.07	C40–41
Melanoma of skin	5	0.2	0.2	0.2	0.01	0.02	4	0.2	0.2	0.2	0.02	0.02	C43
Other skin	29	1.3	0.9	1.3	0.05	0.14	21	1.0	0.8	1.0	0.04	0.10	C44
Mesothelioma	0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.0	0.0	0.00	0.00	C45
Kaposi sarcoma	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C46
Connective and soft tissue	20	0.9	0.6	0.8	0.03	0.08	15	0.7	0.6	0.6	0.04	0.05	C47+C49
Breast	11	0.5	0.3	0.5	0.02	0.08	713	32.6	27.2	32.2	2.13	3.90	C50
Vulva							8	0.4	0.3	0.4	0.02	0.04	C51
Vagina							7	0.3	0.3	0.3	0.02	0.02	C52
Cervix uteri							180	8.2	6.9	8.1	0.56	1.01	C53
Corpus uteri							136	6.2	5.2	6.7	0.44	0.85	C54
Uterus unspecified							16	0.7	0.6	0.7	0.04	0.08	C55
Ovary							145	6.6	5.5	6.5	0.45	0.82	C56
Other female genital organs							3	0.1	0.1	0.1	0.01	0.01	C57
Placenta							1	0.0	0.0	0.0	0.00	0.00	C58
Penis	16	0.7	0.5	0.7	0.03	0.07							C60
Prostate	204	9.4	6.5	10.3	0.21	1.11							C61
Testis	21	1.0	0.7	0.6	0.04	0.04							C62
Other male genital organs	1	0.0	0.0	0.0	0.00	0.00							C63
Kidney	43	2.0	1.4	1.8	0.12	0.21	34	1.6	1.3	1.7	0.09	0.20	C64
Renal pelvis	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C65
Ureter	1	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C66
Bladder	127	5.8	4.0	5.6	0.30	0.78	24	1.1	0.9	1.1	0.06	0.15	C67
Other urinary organs	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C68
Eye	4	0.2	0.1	0.2	0.01	0.02	4	0.2	0.2	0.2	0.01	0.01	C69
Brain and nervous system	64	2.9	2.0	2.3	0.15	0.26	44	2.0	1.7	1.9	0.14	0.22	C70–72
Thyroid	16	0.7	0.5	0.6	0.04	0.06	51	2.3	1.9	1.9	0.14	0.21	C73
Adrenal gland	0	0.0	0.0	0.0	0.00	0.00	2	0.1	0.1	0.1	0.00	0.00	C74
Other endocrine	2	0.1	0.1	0.1	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C75
Hodgkin lymphoma	25	1.1	0.8	0.8	0.05	0.08	10	0.5	0.4	0.4	0.02	0.04	C81
Non-Hodgkin lymphoma	106	4.9	3.4	4.4	0.23	0.48	83	3.8	3.2	4.0	0.23	0.47	C82–86,C96
Immunoproliferative diseases	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C88
Multiple myeloma	45	2.1	1.4	2.1	0.08	0.26	39	1.8	1.5	2.0	0.12	0.28	C90
Lymphoid leukaemia	54	2.5	1.7	2.0	0.11	0.17	29	1.3	1.1	1.3	0.09	0.11	C91
Myeloid leukaemia	62	2.9	2.0	2.3	0.14	0.24	47	2.2	1.8	1.8	0.14	0.19	C92–94
Leukaemia unspecified	9	0.4	0.3	0.3	0.02	0.05	4	0.2	0.2	0.2	0.02	0.02	C95
Myeloproliferative disorders	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	MPD
Myelodysplastic syndromes	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	MPS
Other and unspecified	90	4.1	2.8	3.9	0.22	0.54	51	2.3	1.9	2.4	0.11	0.26	O&U
All sites	2204		69.8	94.4	4.97	11.22	2206		84.0	100.9	6.40	12.09	C00–96
All sites except C44	2175	100.0	68.9	93.1	4.92	11.09	2185	100.0	83.2	99.9	6.36	11.99	C00–96 exc. C44

India, Chennai

CONTRIBUTORS

R. Swaminathan
V. Shanta
S. Balasubramanian
P. Sampath
R. Selvakumaran
J. Murugaiyan
T.S. Sambandam
T. Chandrakala
A. Parimala
N. Sridhar
D. Gandeepan



NOTES ON THE DATA

*No official mortality data.

20 major cancers, ASR (World) per 100 000

<i>Male</i>		<i>Female</i>	
Trachea, bronchus, and lung	12.1	Breast	44.1
Stomach	10.3	Cervix uteri	14.1
Mouth	10.2	Ovary	8.1
Prostate	8.5	Corpus uteri	6.7
Tongue	7.7	Other and unspecified	5.3
Other and unspecified	6.3	Stomach	5.2
Liver	4.8	Trachea, bronchus, and lung	4.5
Non-Hodgkin lymphoma	4.6	Mouth	3.9
Larynx	4.6	Colon	3.8
Colon	4.6	Oesophagus	3.2
Rectum	4.5	Rectum	3.1
Oesophagus	4.3	Non-Hodgkin lymphoma	3.1
Bladder	3.6	Thyroid	2.7
Hypopharynx	3.2	Tongue	2.5
Brain and nervous system	3.0	Brain and nervous system	2.2
Myeloid leukaemia	2.5	Myeloid leukaemia	2.1
Lymphoid leukaemia	2.4	Gallbladder etc.	1.7
Pancreas	2.2	Liver	1.7
Kidney	1.9	Lymphoid leukaemia	1.6
Gallbladder etc.	1.8	Pancreas	1.5
All sites	122.7	All sites	137.0

*India, Chennai (2013–2017)


SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	
Lip	57	0.4	0.5	0.4	0.04	0.04	28	0.2	0.2	0.2	0.01	0.03	C00
Tongue	1034	6.9	8.7	7.7	0.56	0.86	319	1.8	2.7	2.5	0.18	0.29	C01–02
Mouth	1358	9.1	11.4	10.2	0.74	1.13	506	2.9	4.2	3.9	0.25	0.46	C03–06
Salivary glands	84	0.6	0.7	0.7	0.04	0.08	55	0.3	0.5	0.4	0.03	0.05	C07–08
Tonsil	117	0.8	1.0	1.0	0.06	0.12	26	0.1	0.2	0.2	0.01	0.02	C09
Other oropharynx	211	1.4	1.8	1.7	0.12	0.21	38	0.2	0.3	0.3	0.01	0.03	C10
Nasopharynx	81	0.5	0.7	0.6	0.04	0.06	41	0.2	0.3	0.3	0.02	0.03	C11
Hypopharynx	394	2.6	3.3	3.2	0.19	0.39	189	1.1	1.6	1.4	0.11	0.14	C12–13
Pharynx unspecified	87	0.6	0.7	0.7	0.03	0.08	51	0.3	0.4	0.4	0.02	0.04	C14
Oesophagus	534	3.6	4.5	4.3	0.25	0.50	424	2.4	3.5	3.2	0.18	0.38	C15
Stomach	1267	8.5	10.6	10.3	0.60	1.22	676	3.9	5.6	5.2	0.32	0.63	C16
Small intestine	54	0.4	0.5	0.4	0.03	0.05	26	0.1	0.2	0.2	0.01	0.02	C17
Colon	558	3.7	4.7	4.6	0.23	0.55	490	2.8	4.1	3.8	0.23	0.44	C18
Rectum	557	3.7	4.7	4.5	0.25	0.52	412	2.4	3.4	3.1	0.19	0.36	C19–20
Anus	66	0.4	0.6	0.5	0.03	0.06	82	0.5	0.7	0.7	0.03	0.08	C21
Liver	577	3.9	4.8	4.8	0.23	0.60	209	1.2	1.7	1.7	0.09	0.19	C22
Gallbladder etc.	222	1.5	1.9	1.8	0.11	0.22	212	1.2	1.8	1.7	0.10	0.21	C23–24
Pancreas	275	1.8	2.3	2.2	0.13	0.26	186	1.1	1.6	1.5	0.09	0.19	C25
Nose, sinuses etc.	72	0.5	0.6	0.6	0.04	0.05	44	0.3	0.4	0.3	0.02	0.04	C30–31
Larynx	563	3.8	4.7	4.6	0.29	0.55	88	0.5	0.7	0.7	0.04	0.08	C32
Trachea, bronchus, and lung	1453	9.8	12.2	12.1	0.65	1.57	582	3.3	4.9	4.5	0.28	0.56	C33–34
Other thoracic organs	43	0.3	0.4	0.3	0.02	0.04	21	0.1	0.2	0.2	0.01	0.02	C37–38
Bone	144	1.0	1.2	1.2	0.08	0.10	105	0.6	0.9	0.9	0.05	0.08	C40–41
Melanoma of skin	50	0.3	0.4	0.4	0.02	0.04	50	0.3	0.4	0.4	0.03	0.04	C43
Other skin	168	1.1	1.4	1.4	0.08	0.17	128	0.7	1.1	1.0	0.05	0.11	C44
Mesothelioma	15	0.1	0.1	0.1	0.01	0.01	4	0.0	0.0	0.0	0.00	0.00	C45
Kaposi sarcoma	2	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C46
Connective and soft tissue	163	1.1	1.4	1.3	0.08	0.13	149	0.9	1.2	1.2	0.07	0.11	C47+C49
Breast	76	0.5	0.6	0.6	0.04	0.08	5819	33.2	48.6	44.1	3.29	5.06	C50
Vulva							56	0.3	0.5	0.5	0.02	0.06	C51
Vagina							68	0.4	0.6	0.6	0.04	0.08	C52
Cervix uteri							1804	10.3	15.1	14.1	1.02	1.70	C53
Corpus uteri							843	4.8	7.0	6.7	0.49	0.87	C54
Uterus unspecified							80	0.5	0.7	0.6	0.04	0.07	C55
Ovary							1054	6.0	8.8	8.1	0.59	0.93	C56
Other female genital organs							10	0.1	0.1	0.1	0.01	0.01	C57
Placenta							4	0.0	0.0	0.0	0.00	0.00	C58
Penis	133	0.9	1.1	1.1	0.06	0.12							C60
Prostate	981	6.6	8.2	8.5	0.18	0.92							C61
Testis	69	0.5	0.6	0.5	0.04	0.04							C62
Other male genital organs	3	0.0	0.0	0.0	0.00	0.00							C63
Kidney	229	1.5	1.9	1.9	0.12	0.23	137	0.8	1.1	1.1	0.07	0.14	C64
Renal pelvis	0	0.0	0.0	0.0	0.00	0.00	2	0.0	0.0	0.0	0.00	0.00	C65
Ureter	9	0.1	0.1	0.1	0.00	0.01	5	0.0	0.0	0.0	0.00	0.00	C66
Bladder	423	2.8	3.5	3.6	0.14	0.42	131	0.7	1.1	1.0	0.04	0.11	C67
Other urinary organs	13	0.1	0.1	0.1	0.00	0.02	3	0.0	0.0	0.0	0.00	0.00	C68
Eye	36	0.2	0.3	0.5	0.02	0.03	19	0.1	0.2	0.2	0.01	0.01	C69
Brain and nervous system	370	2.5	3.1	3.0	0.20	0.30	267	1.5	2.2	2.2	0.14	0.20	C70–72
Thyroid	165	1.1	1.4	1.3	0.08	0.14	378	2.2	3.2	2.7	0.20	0.28	C73
Adrenal gland	21	0.1	0.2	0.2	0.01	0.02	25	0.1	0.2	0.3	0.01	0.02	C74
Other endocrine	10	0.1	0.1	0.1	0.00	0.01	5	0.0	0.0	0.0	0.00	0.00	C75
Hodgkin lymphoma	146	1.0	1.2	1.2	0.08	0.10	107	0.6	0.9	0.9	0.06	0.08	C81
Non-Hodgkin lymphoma	553	3.7	4.6	4.6	0.25	0.48	381	2.2	3.2	3.1	0.19	0.34	C82–86,C96
Immunoproliferative diseases	4	0.0	0.0	0.0	0.00	0.00	3	0.0	0.0	0.0	0.00	0.00	C88
Multiple myeloma	216	1.5	1.8	1.8	0.09	0.20	149	0.9	1.2	1.2	0.08	0.14	C90
Lymphoid leukaemia	236	1.6	2.0	2.4	0.12	0.17	154	0.9	1.3	1.6	0.08	0.11	C91
Myeloid leukaemia	321	2.2	2.7	2.5	0.15	0.23	255	1.5	2.1	2.1	0.14	0.21	C92–94
Leukaemia unspecified	59	0.4	0.5	0.5	0.03	0.05	63	0.4	0.5	0.5	0.03	0.05	C95
Myeloproliferative disorders	1	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	MPD
Myelodysplastic syndromes	7	0.0	0.1	0.0	0.00	0.01	5	0.0	0.0	0.0	0.00	0.01	MPS
Other and unspecified	774	5.2	6.5	6.3	0.32	0.70	679	3.9	5.7	5.3	0.31	0.62	O&U
All sites	15061		126.1	122.7	6.90	13.91	17647		147.2	137.0	9.35	15.73	C00–96
All sites except C44	14893	100.0	124.7	121.3	6.83	13.74	17519	100.0	146.2	136.0	9.30	15.62	C00–96 exc. C44

*See note following population pyramid

India, Dibrugarh

CONTRIBUTORS

Adity Sharma
 Projnan Saikia
 M.S. Ali
 Zarika Ahmed
 Saurav Kumar Bhuyan
 Chakrapani Hazarika
 Saronga Boruah
 Rashmi Mahanta
 Rima Devi Singh



20 major cancers, ASR (World) per 100 000

<i>Male</i>		<i>Female</i>	
Oesophagus	14.4	Breast	15.3
Hypopharynx	10.5	Oesophagus	7.9
Stomach	6.3	Gallbladder etc.	7.8
Mouth	6.2	Ovary	6.9
Trachea, bronchus, and lung	5.0	Cervix uteri	4.6
Other and unspecified	4.5	Stomach	4.2
Gallbladder etc.	4.5	Mouth	2.7
Tongue	4.1	Other and unspecified	2.6
Liver	3.5	Hypopharynx	2.5
Colon	3.3	Trachea, bronchus, and lung	2.1
Rectum	3.0	Rectum	1.9
Larynx	2.3	Liver	1.9
Prostate	2.2	Colon	1.8
Pharynx unspecified	2.0	Tongue	1.4
Non-Hodgkin lymphoma	1.6	Corpus uteri	1.3
Tonsil	1.3	Non-Hodgkin lymphoma	1.2
Brain and nervous system	1.2	Thyroid	1.0
Penis	1.1	Multiple myeloma	0.9
Bladder	1.0	Non-melanoma skin cancer	0.9
Other oropharynx	0.9	Brain and nervous system	0.6
All sites	89.3	All sites	78.0


India, Dibrugarh (2013–2017)

SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	
Lip	25	1.0	0.7	0.9	0.05	0.12	7	0.3	0.2	0.2	0.02	0.03	C00
Tongue	114	4.6	3.2	4.1	0.24	0.50	37	1.6	1.1	1.4	0.09	0.18	C01–02
Mouth	174	7.0	4.9	6.2	0.37	0.78	80	3.5	2.3	2.7	0.22	0.32	C03–06
Salivary glands	8	0.3	0.2	0.3	0.01	0.03	5	0.2	0.1	0.1	0.01	0.01	C07–08
Tonsil	36	1.4	1.0	1.3	0.08	0.14	14	0.6	0.4	0.5	0.03	0.06	C09
Other oropharynx	25	1.0	0.7	0.9	0.06	0.12	9	0.4	0.3	0.3	0.02	0.04	C10
Nasopharynx	13	0.5	0.4	0.4	0.03	0.04	3	0.1	0.1	0.1	0.01	0.01	C11
Hypopharynx	291	11.6	8.2	10.5	0.68	1.29	66	2.9	1.9	2.5	0.18	0.35	C12–13
Pharynx unspecified	55	2.2	1.6	2.0	0.12	0.26	15	0.7	0.4	0.6	0.05	0.06	C14
Oesophagus	393	15.7	11.1	14.4	0.91	1.77	214	9.3	6.2	7.9	0.58	1.03	C15
Stomach	170	6.8	4.8	6.3	0.36	0.82	122	5.3	3.6	4.2	0.31	0.54	C16
Small intestine	6	0.2	0.2	0.2	0.02	0.02	9	0.4	0.3	0.3	0.02	0.03	C17
Colon	99	4.0	2.8	3.3	0.24	0.39	58	2.5	1.7	1.8	0.15	0.20	C18
Rectum	89	3.6	2.5	3.0	0.20	0.37	61	2.6	1.8	1.9	0.15	0.21	C19–20
Anus	12	0.5	0.3	0.4	0.02	0.05	4	0.2	0.1	0.2	0.01	0.01	C21
Liver	103	4.1	2.9	3.5	0.24	0.42	55	2.4	1.6	1.9	0.14	0.22	C22
Gallbladder etc.	123	4.9	3.5	4.5	0.28	0.57	229	9.9	6.7	7.8	0.61	0.94	C23–24
Pancreas	23	0.9	0.7	0.8	0.06	0.10	15	0.7	0.4	0.5	0.03	0.06	C25
Nose, sinuses etc.	8	0.3	0.2	0.3	0.01	0.03	9	0.4	0.3	0.3	0.02	0.03	C30–31
Larynx	62	2.5	1.8	2.3	0.14	0.28	18	0.8	0.5	0.6	0.05	0.06	C32
Trachea, bronchus, and lung	133	5.3	3.8	5.0	0.26	0.61	55	2.4	1.6	2.1	0.13	0.27	C33–34
Other thoracic organs	5	0.2	0.1	0.2	0.01	0.02	3	0.1	0.1	0.1	0.01	0.01	C37–38
Bone	29	1.2	0.8	0.9	0.07	0.11	16	0.7	0.5	0.5	0.04	0.04	C40–41
Melanoma of skin	4	0.2	0.1	0.1	0.01	0.01	1	0.0	0.0	0.0	0.00	0.00	C43
Other skin	20	0.8	0.6	0.7	0.04	0.08	24	1.0	0.7	0.9	0.05	0.10	C44
Mesothelioma	1	0.0	0.0	0.0	0.00	0.00	3	0.1	0.1	0.1	0.01	0.02	C45
Kaposi sarcoma	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C46
Connective and soft tissue	21	0.8	0.6	0.7	0.04	0.07	16	0.7	0.5	0.5	0.03	0.05	C47+C49
Breast	8	0.3	0.2	0.2	0.02	0.02	484	21.0	14.1	15.3	1.23	1.71	C50
Vulva							14	0.6	0.4	0.5	0.02	0.08	C51
Vagina							5	0.2	0.1	0.2	0.02	0.02	C52
Cervix uteri							137	5.9	4.0	4.6	0.41	0.51	C53
Corpus uteri							40	1.7	1.2	1.3	0.10	0.17	C54
Uterus unspecified							13	0.6	0.4	0.4	0.04	0.04	C55
Ovary							229	9.9	6.7	6.9	0.59	0.68	C56
Other female genital organs							8	0.3	0.2	0.2	0.02	0.02	C57
Placenta							2	0.1	0.1	0.0	0.00	0.00	C58
Penis	31	1.2	0.9	1.1	0.07	0.12							C60
Prostate	53	2.1	1.5	2.2	0.08	0.25							C61
Testis	31	1.2	0.9	0.8	0.04	0.08							C62
Other male genital organs	1	0.0	0.0	0.0	0.00	0.00							C63
Kidney	22	0.9	0.6	0.7	0.05	0.09	14	0.6	0.4	0.5	0.04	0.07	C64
Renal pelvis	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C65
Ureter	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C66
Bladder	28	1.1	0.8	1.0	0.05	0.10	9	0.4	0.3	0.3	0.02	0.04	C67
Other urinary organs	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C68
Eye	3	0.1	0.1	0.1	0.00	0.01	1	0.0	0.0	0.0	0.00	0.00	C69
Brain and nervous system	36	1.4	1.0	1.2	0.07	0.13	21	0.9	0.6	0.6	0.05	0.06	C70–72
Thyroid	10	0.4	0.3	0.3	0.03	0.03	32	1.4	0.9	1.0	0.09	0.12	C73
Adrenal gland	1	0.0	0.0	0.0	0.00	0.00	2	0.1	0.1	0.1	0.01	0.01	C74
Other endocrine	0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.0	0.0	0.00	0.00	C75
Hodgkin lymphoma	11	0.4	0.3	0.3	0.02	0.02	3	0.1	0.1	0.1	0.01	0.02	C81
Non-Hodgkin lymphoma	47	1.9	1.3	1.6	0.11	0.17	34	1.5	1.0	1.2	0.06	0.17	C82–86,C96
Immunoproliferative diseases	1	0.0	0.0	0.0	0.00	0.01	0	0.0	0.0	0.0	0.00	0.00	C88
Multiple myeloma	18	0.7	0.5	0.7	0.04	0.10	23	1.0	0.7	0.9	0.06	0.10	C90
Lymphoid leukaemia	20	0.8	0.6	0.6	0.04	0.04	14	0.6	0.4	0.5	0.02	0.02	C91
Myeloid leukaemia	27	1.1	0.8	0.8	0.06	0.07	15	0.7	0.4	0.4	0.03	0.03	C92–94
Leukaemia unspecified	4	0.2	0.1	0.1	0.01	0.01	2	0.1	0.1	0.1	0.00	0.00	C95
Myeloproliferative disorders	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	MPD
Myelodysplastic syndromes	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	MPS
Other and unspecified	129	5.2	3.7	4.5	0.26	0.51	76	3.3	2.2	2.6	0.20	0.28	O&U
All sites	2523		71.5	89.3	5.52	10.77	2327		67.7	78.0	5.98	9.02	C00–96
All sites except C44	2503	100.0	70.9	88.6	5.48	10.69	2303	100.0	67.0	77.1	5.93	8.92	C00–96 exc. C44

India, Dindigul, Ambilikkai

CONTRIBUTORS

R. Swaminathan
V. Shanta
R. Selvakumaran
P.O. Esmey
A. Elumalai
K. Ravichandran
G. Mahendran
C. Jerome Prabhu



NOTES ON THE DATA

*No official mortality data.

20 major cancers, ASR (World) per 100 000

<i>Male</i>		<i>Female</i>	
Other and unspecified	6.8	Cervix uteri	18.5
Trachea, bronchus, and lung	5.6	Breast	17.2
Stomach	5.3	Other and unspecified	6.3
Mouth	4.3	Ovary	4.4
Oesophagus	3.1	Stomach	3.0
Tongue	2.8	Corpus uteri	2.4
Larynx	2.6	Mouth	2.2
Rectum	2.4	Trachea, bronchus, and lung	1.8
Hypopharynx	1.9	Oesophagus	1.8
Brain and nervous system	1.9	Thyroid	1.6
Liver	1.8	Rectum	1.2
Prostate	1.7	Brain and nervous system	1.2
Non-Hodgkin lymphoma	1.6	Non-Hodgkin lymphoma	1.1
Bladder	1.5	Myeloid leukaemia	1.1
Colon	1.5	Tongue	0.9
Myeloid leukaemia	1.5	Hypopharynx	0.8
Lymphoid leukaemia	1.5	Colon	0.8
Penis	1.2	Lymphoid leukaemia	0.8
Other oropharynx	1.1	Non-melanoma skin cancer	0.7
Kidney	0.9	Connective and soft tissue	0.7
All sites	61.5	All sites	76.8

*India, Dindigul, Ambalikkai (2013–2017)


SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	
Lip	16	0.4	0.3	0.3	0.03	0.03	7	0.1	0.1	0.1	0.01	0.02	C00
Tongue	173	4.6	3.1	2.8	0.19	0.33	57	1.2	1.0	0.9	0.07	0.10	C01–02
Mouth	270	7.2	4.8	4.3	0.28	0.48	137	2.8	2.4	2.2	0.15	0.27	C03–06
Salivary glands	22	0.6	0.4	0.3	0.02	0.04	23	0.5	0.4	0.4	0.03	0.04	C07–08
Tonsil	49	1.3	0.9	0.8	0.06	0.10	5	0.1	0.1	0.1	0.00	0.01	C09
Other oropharynx	69	1.9	1.2	1.1	0.06	0.13	10	0.2	0.2	0.2	0.01	0.01	C10
Nasopharynx	21	0.6	0.4	0.3	0.03	0.03	13	0.3	0.2	0.2	0.02	0.02	C11
Hypopharynx	120	3.2	2.1	1.9	0.12	0.24	55	1.1	1.0	0.8	0.07	0.10	C12–13
Pharynx unspecified	24	0.6	0.4	0.4	0.03	0.04	19	0.4	0.3	0.3	0.02	0.04	C14
Oesophagus	192	5.2	3.4	3.1	0.17	0.39	114	2.3	2.0	1.8	0.13	0.22	C15
Stomach	335	9.0	5.9	5.3	0.38	0.63	195	4.0	3.4	3.0	0.22	0.35	C16
Small intestine	11	0.3	0.2	0.2	0.01	0.02	11	0.2	0.2	0.2	0.01	0.01	C17
Colon	96	2.6	1.7	1.5	0.10	0.18	53	1.1	0.9	0.8	0.07	0.09	C18
Rectum	149	4.0	2.6	2.4	0.17	0.27	78	1.6	1.4	1.2	0.08	0.14	C19–20
Anus	20	0.5	0.4	0.3	0.02	0.04	10	0.2	0.2	0.2	0.01	0.02	C21
Liver	107	2.9	1.9	1.8	0.09	0.24	41	0.8	0.7	0.7	0.04	0.08	C22
Gallbladder etc.	54	1.4	1.0	0.9	0.06	0.10	31	0.6	0.5	0.5	0.03	0.05	C23–24
Pancreas	48	1.3	0.8	0.8	0.07	0.08	36	0.7	0.6	0.6	0.04	0.07	C25
Nose, sinuses etc.	27	0.7	0.5	0.4	0.03	0.04	20	0.4	0.4	0.3	0.02	0.04	C30–31
Larynx	160	4.3	2.8	2.6	0.18	0.32	20	0.4	0.4	0.3	0.02	0.04	C32
Trachea, bronchus, and lung	347	9.3	6.1	5.6	0.35	0.69	118	2.4	2.1	1.8	0.14	0.21	C33–34
Other thoracic organs	6	0.2	0.1	0.1	0.01	0.01	8	0.2	0.1	0.1	0.01	0.01	C37–38
Bone	43	1.2	0.8	0.7	0.05	0.06	32	0.7	0.6	0.6	0.04	0.04	C40–41
Melanoma of skin	16	0.4	0.3	0.3	0.01	0.03	13	0.3	0.2	0.2	0.01	0.04	C43
Other skin	54	1.4	1.0	0.9	0.05	0.08	45	0.9	0.8	0.7	0.04	0.08	C44
Mesothelioma	2	0.1	0.0	0.0	0.00	0.00	3	0.1	0.1	0.0	0.00	0.00	C45
Kaposi sarcoma	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C46
Connective and soft tissue	32	0.9	0.6	0.5	0.04	0.06	41	0.8	0.7	0.7	0.05	0.06	C47+C49
Breast	16	0.4	0.3	0.3	0.01	0.03	1135	23.2	20.0	17.2	1.40	1.85	C50
Vulva							27	0.6	0.5	0.4	0.02	0.05	C51
Vagina							39	0.8	0.7	0.6	0.05	0.07	C52
Cervix uteri							1204	24.6	21.2	18.5	1.49	2.15	C53
Corpus uteri							157	3.2	2.8	2.4	0.20	0.30	C54
Uterus unspecified							13	0.3	0.2	0.2	0.02	0.02	C55
Ovary							286	5.8	5.0	4.4	0.36	0.48	C56
Other female genital organs							5	0.1	0.1	0.1	0.00	0.01	C57
Placenta							4	0.1	0.1	0.1	0.00	0.00	C58
Penis	76	2.0	1.3	1.2	0.07	0.16							C60
Prostate	104	2.8	1.8	1.7	0.05	0.21							C61
Testis	21	0.6	0.4	0.3	0.03	0.03							C62
Other male genital organs	1	0.0	0.0	0.0	0.00	0.00							C63
Kidney	54	1.4	1.0	0.9	0.06	0.10	19	0.4	0.3	0.3	0.02	0.04	C64
Renal pelvis	0	0.0	0.0	0.0	0.00	0.00	2	0.0	0.0	0.0	0.00	0.01	C65
Ureter	2	0.1	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C66
Bladder	95	2.5	1.7	1.5	0.09	0.19	42	0.9	0.7	0.7	0.03	0.09	C67
Other urinary organs	2	0.1	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C68
Eye	2	0.1	0.0	0.1	0.00	0.00	5	0.1	0.1	0.1	0.01	0.01	C69
Brain and nervous system	113	3.0	2.0	1.9	0.13	0.17	71	1.5	1.2	1.2	0.08	0.11	C70–72
Thyroid	48	1.3	0.8	0.7	0.05	0.09	111	2.3	2.0	1.6	0.13	0.16	C73
Adrenal gland	8	0.2	0.1	0.2	0.01	0.01	2	0.0	0.0	0.1	0.00	0.00	C74
Other endocrine	8	0.2	0.1	0.1	0.01	0.01	2	0.0	0.0	0.0	0.00	0.00	C75
Hodgkin lymphoma	32	0.9	0.6	0.6	0.03	0.05	20	0.4	0.4	0.3	0.02	0.03	C81
Non-Hodgkin lymphoma	95	2.5	1.7	1.6	0.12	0.17	64	1.3	1.1	1.1	0.08	0.11	C82–86,C96
Immunoproliferative diseases	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C88
Multiple myeloma	43	1.2	0.8	0.7	0.04	0.09	21	0.4	0.4	0.3	0.03	0.04	C90
Lymphoid leukaemia	75	2.0	1.3	1.5	0.08	0.11	38	0.8	0.7	0.8	0.04	0.05	C91
Myeloid leukaemia	90	2.4	1.6	1.5	0.12	0.13	66	1.3	1.2	1.1	0.08	0.10	C92–94
Leukaemia unspecified	12	0.3	0.2	0.2	0.01	0.01	9	0.2	0.2	0.2	0.01	0.01	C95
Myeloproliferative disorders	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	MPD
Myelodysplastic syndromes	1	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	MPS
Other and unspecified	419	11.2	7.4	6.8	0.42	0.74	401	8.2	7.0	6.3	0.45	0.66	O&U
All sites	3780		66.7	61.5	3.96	6.98	4938		86.8	76.8	5.88	8.48	C00–96
All sites except C44	3726	100.0	65.7	60.6	3.91	6.90	4893	100.0	86.0	76.0	5.84	8.40	C00–96 exc. C44

*See note following population pyramid

India, Kamrup Urban District

CONTRIBUTORS

A.C. Katakai
 Debabrata Barmon
 Jagannath Dev Sharma
 Debanjana Barman
 Arpita Sharma
 Manoj Kalita
 Ranjan Lahon
 Barsha Roy Deka
 Chinmoy Misra
 Kamal Kr. Deka



20 major cancers, ASR (World) per 100 000

<i>Male</i>		<i>Female</i>	
Oesophagus	30.8	Breast	27.9
Hypopharynx	21.1	Oesophagus	17.6
Trachea, bronchus, and lung	18.4	Gallbladder etc.	16.9
Stomach	13.8	Cervix uteri	14.9
Mouth	13.4	Ovary	9.6
Other and unspecified	12.5	Stomach	8.0
Prostate	11.0	Other and unspecified	7.6
Tongue	9.8	Mouth	6.9
Gallbladder etc.	8.4	Trachea, bronchus, and lung	6.7
Larynx	8.2	Thyroid	4.4
Liver	6.8	Rectum	4.3
Rectum	5.8	Colon	4.3
Non-Hodgkin lymphoma	5.6	Corpus uteri	4.2
Colon	5.5	Hypopharynx	3.7
Other oropharynx	4.6	Tongue	3.5
Tonsil	4.4	Liver	3.5
Non-melanoma skin cancer	3.8	Non-Hodgkin lymphoma	3.1
Bladder	3.6	Brain and nervous system	2.8
Pharynx unspecified	3.5	Pancreas	2.3
Pancreas	3.4	Non-melanoma skin cancer	2.1
All sites	218.8	All sites	173.7

India, Kamrup Urban District (2013–2016)


SITE	Male						Female						ICD-10
	§No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	0–74 (%)	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	0–74 (%)	
Lip	31	0.6	1.2	1.3	0.07	0.16	13	0.3	0.5	0.6	0.06	0.07	C00
Tongue	237	4.6	9.0	9.8	0.61	1.14	75	1.9	2.9	3.5	0.20	0.46	C01–02
Mouth	335	6.5	12.7	13.4	0.88	1.63	150	3.8	5.8	6.9	0.42	0.79	C03–06
Salivary glands	16	0.3	0.6	0.6	0.05	0.06	19	0.5	0.7	0.8	0.04	0.11	C07–08
Tonsil	108	2.1	4.1	4.4	0.28	0.48	37	0.9	1.4	1.7	0.12	0.19	C09
Other oropharynx	112	2.2	4.2	4.6	0.29	0.57	38	1.0	1.5	1.8	0.07	0.25	C10
Nasopharynx	20	0.4	0.8	0.8	0.04	0.10	13	0.3	0.5	0.6	0.05	0.07	C11
Hypopharynx	512	10.0	19.4	21.1	1.30	2.53	77	1.9	3.0	3.7	0.20	0.54	C12–13
Pharynx unspecified	79	1.5	3.0	3.5	0.16	0.44	21	0.5	0.8	1.0	0.06	0.11	C14
Oesophagus	733	14.3	27.8	30.8	1.79	3.76	371	9.4	14.4	17.6	1.15	2.32	C15
Stomach	325	6.4	12.3	13.8	0.76	1.71	183	4.6	7.1	8.0	0.48	0.89	C16
Small intestine	10	0.2	0.4	0.4	0.02	0.04	9	0.2	0.3	0.4	0.03	0.05	C17
Colon	134	2.6	5.1	5.5	0.30	0.65	91	2.3	3.5	4.3	0.19	0.54	C18
Rectum	147	2.9	5.6	5.8	0.35	0.67	102	2.6	4.0	4.3	0.30	0.47	C19–20
Anus	17	0.3	0.6	0.6	0.04	0.08	13	0.3	0.5	0.5	0.03	0.07	C21
Liver	155	3.0	5.9	6.8	0.32	0.89	82	2.1	3.2	3.5	0.22	0.34	C22
Gallbladder etc.	203	4.0	7.7	8.4	0.52	1.04	374	9.4	14.5	16.9	1.08	2.04	C23–24
Pancreas	80	1.6	3.0	3.4	0.20	0.43	47	1.2	1.8	2.3	0.11	0.29	C25
Nose, sinuses etc.	11	0.2	0.4	0.5	0.02	0.05	9	0.2	0.3	0.3	0.02	0.05	C30–31
Larynx	195	3.8	7.4	8.2	0.46	1.06	20	0.5	0.8	1.0	0.06	0.13	C32
Trachea, bronchus, and lung	409	8.0	15.5	18.4	0.86	2.33	148	3.7	5.7	6.7	0.47	0.77	C33–34
Other thoracic organs	18	0.4	0.7	0.7	0.06	0.11	5	0.1	0.2	0.2	0.01	0.03	C37–38
Bone	42	0.8	1.6	1.5	0.11	0.16	21	0.5	0.8	0.8	0.06	0.07	C40–41
Melanoma of skin	6	0.1	0.2	0.2	0.02	0.02	6	0.2	0.2	0.3	0.01	0.05	C43
Other skin	100	2.0	3.8	3.8	0.27	0.40	48	1.2	1.9	2.1	0.13	0.22	C44
Mesothelioma	3	0.1	0.1	0.1	0.01	0.02	0	0.0	0.0	0.0	0.00	0.00	C45
Kaposi sarcoma	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C46
Connective and soft tissue	19	0.4	0.7	0.7	0.03	0.09	20	0.5	0.8	0.8	0.05	0.06	C47+C49
Breast	18	0.4	0.7	0.7	0.05	0.08	705	17.8	27.3	27.9	2.09	3.22	C50
Vulva							10	0.3	0.4	0.4	0.03	0.03	C51
Vagina							15	0.4	0.6	0.7	0.05	0.09	C52
Cervix uteri							353	8.9	13.7	14.9	1.14	1.75	C53
Corpus uteri							96	2.4	3.7	4.2	0.29	0.49	C54
Uterus unspecified							8	0.2	0.3	0.3	0.03	0.03	C55
Ovary							238	6.0	9.2	9.6	0.71	1.07	C56
Other female genital organs							4	0.1	0.2	0.2	0.01	0.01	C57
Placenta							0	0.0	0.0	0.0	0.00	0.00	C58
Penis	28	0.5	1.1	1.2	0.07	0.16							C60
Prostate	222	4.3	8.4	11.0	0.31	1.26							C61
Testis	12	0.2	0.5	0.4	0.03	0.05							C62
Other male genital organs	1	0.0	0.0	0.1	0.00	0.01							C63
Kidney	61	1.2	2.3	2.6	0.16	0.30	27	0.7	1.0	1.3	0.08	0.18	C64
Renal pelvis	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C65
Ureter	2	0.0	0.1	0.1	0.01	0.01	0	0.0	0.0	0.0	0.00	0.00	C66
Bladder	79	1.5	3.0	3.6	0.18	0.43	24	0.6	0.9	1.1	0.05	0.13	C67
Other urinary organs	3	0.1	0.1	0.2	0.01	0.02	1	0.0	0.0	0.1	0.01	0.01	C68
Eye	3	0.1	0.1	0.2	0.01	0.01	3	0.1	0.1	0.2	0.01	0.02	C69
Brain and nervous system	86	1.7	3.3	3.3	0.20	0.35	66	1.7	2.6	2.8	0.20	0.28	C70–72
Thyroid	41	0.8	1.6	1.5	0.10	0.16	123	3.1	4.8	4.4	0.33	0.41	C73
Adrenal gland	8	0.2	0.3	0.3	0.02	0.04	2	0.1	0.1	0.1	0.01	0.01	C74
Other endocrine	1	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C75
Hodgkin lymphoma	21	0.4	0.8	0.8	0.04	0.08	19	0.5	0.7	0.7	0.05	0.06	C81
Non-Hodgkin lymphoma	135	2.6	5.1	5.6	0.28	0.65	72	1.8	2.8	3.1	0.22	0.35	C82–86,C96
Immunoproliferative diseases	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C88
Multiple myeloma	49	1.0	1.9	2.2	0.11	0.31	32	0.8	1.2	1.4	0.11	0.18	C90
Lymphoid leukaemia	25	0.5	0.9	1.1	0.07	0.08	16	0.4	0.6	0.7	0.05	0.05	C91
Myeloid leukaemia	28	0.5	1.1	1.0	0.06	0.07	23	0.6	0.9	0.9	0.07	0.11	C92–94
Leukaemia unspecified	31	0.6	1.2	1.2	0.07	0.14	14	0.4	0.5	0.6	0.03	0.06	C95
Myeloproliferative disorders	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	MPD
Myelodysplastic syndromes	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	MPS
Other and unspecified	307	6.0	11.6	12.5	0.75	1.44	167	4.2	6.5	7.6	0.43	1.00	O&U
All sites	5218		197.6	218.8	12.33	26.25	4010		155.4	173.7	11.63	20.50	C00–96
All sites except C44	5118	100.0	193.8	215.0	12.06	25.85	3962	100.0	153.5	171.7	11.50	20.28	C00–96 exc. C44

§Includes 1 case of unknown age

India, Kollam

CONTRIBUTORS

Rekha Appukkuttan Nair
Paul Sebastian
Mathew Aleyamma
P. Jayalakshmi
Sara George Preethi



20 major cancers, ASR (World) per 100 000

<i>Male</i>		<i>Female</i>	
Trachea, bronchus, and lung	23.4	Breast	31.3
Other and unspecified	8.9	Thyroid	13.2
Prostate	7.5	Cervix uteri	6.7
Mouth	6.5	Ovary	5.8
Liver	6.4	Other and unspecified	5.7
Stomach	6.1	Rectum	4.3
Rectum	6.1	Trachea, bronchus, and lung	3.9
Tongue	5.5	Mouth	3.6
Larynx	5.4	Corpus uteri	3.5
Non-Hodgkin lymphoma	4.7	Non-Hodgkin lymphoma	2.8
Oesophagus	4.4	Multiple myeloma	2.7
Colon	4.2	Colon	2.5
Bladder	3.9	Tongue	2.4
Multiple myeloma	3.7	Stomach	2.0
Thyroid	3.6	Brain and nervous system	1.9
Brain and nervous system	3.2	Myeloid leukaemia	1.9
Myeloid leukaemia	2.7	Oesophagus	1.5
Pancreas	2.6	Liver	1.4
Kidney	2.5	Non-melanoma skin cancer	1.4
Other oropharynx	2.4	Connective and soft tissue	1.3
All sites	131.5	All sites	109.6

India, Kollam (2013–2016)

SITE	Male						Female						ICD-10
	§No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	§No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	
Lip	4	0.0	0.1	0.1	0.00	0.01	16	0.2	0.3	0.2	0.01	0.02	C00
Tongue	353	4.4	7.1	5.5	0.38	0.68	188	2.4	3.3	2.4	0.14	0.29	C01–02
Mouth	422	5.2	8.5	6.5	0.43	0.79	292	3.7	5.2	3.6	0.18	0.40	C03–06
Salivary glands	47	0.6	0.9	0.8	0.06	0.08	51	0.6	0.9	0.7	0.05	0.07	C07–08
Tonsil	22	0.3	0.4	0.3	0.02	0.04	4	0.1	0.1	0.0	0.00	0.00	C09
Other oropharynx	151	1.9	3.0	2.4	0.16	0.30	9	0.1	0.2	0.1	0.01	0.01	C10
Nasopharynx	37	0.5	0.7	0.6	0.04	0.07	11	0.1	0.2	0.2	0.01	0.01	C11
Hypopharynx	141	1.7	2.8	2.2	0.12	0.27	12	0.2	0.2	0.2	0.01	0.02	C12–13
Pharynx unspecified	13	0.2	0.3	0.2	0.01	0.03	2	0.0	0.0	0.0	0.00	0.00	C14
Oesophagus	284	3.5	5.7	4.4	0.24	0.55	119	1.5	2.1	1.5	0.07	0.18	C15
Stomach	392	4.8	7.9	6.1	0.31	0.77	156	2.0	2.8	2.0	0.13	0.25	C16
Small intestine	32	0.4	0.6	0.5	0.04	0.05	23	0.3	0.4	0.3	0.02	0.04	C17
Colon	267	3.3	5.4	4.2	0.24	0.54	190	2.4	3.4	2.5	0.16	0.30	C18
Rectum	384	4.7	7.7	6.1	0.35	0.81	323	4.0	5.7	4.3	0.28	0.56	C19–20
Anus	8	0.1	0.2	0.1	0.01	0.02	9	0.1	0.2	0.1	0.00	0.01	C21
Liver	409	5.0	8.2	6.4	0.38	0.87	105	1.3	1.9	1.4	0.07	0.18	C22
Gallbladder etc.	93	1.1	1.9	1.4	0.08	0.18	76	1.0	1.3	1.0	0.06	0.12	C23–24
Pancreas	166	2.0	3.3	2.6	0.17	0.33	87	1.1	1.5	1.2	0.08	0.15	C25
Nose, sinuses etc.	36	0.4	0.7	0.6	0.04	0.07	13	0.2	0.2	0.2	0.01	0.02	C30–31
Larynx	349	4.3	7.0	5.4	0.31	0.67	18	0.2	0.3	0.2	0.01	0.02	C32
Trachea, bronchus, and lung	1492	18.4	29.9	23.4	1.23	3.16	294	3.7	5.2	3.9	0.23	0.48	C33–34
Other thoracic organs	18	0.2	0.4	0.4	0.02	0.03	9	0.1	0.2	0.1	0.01	0.01	C37–38
Bone	38	0.5	0.8	0.8	0.04	0.06	27	0.3	0.5	0.5	0.03	0.04	C40–41
Melanoma of skin	26	0.3	0.5	0.4	0.02	0.05	26	0.3	0.5	0.3	0.02	0.05	C43
Other skin	116	1.4	2.3	1.8	0.10	0.20	109	1.4	1.9	1.4	0.07	0.14	C44
Mesothelioma	2	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C45
Kaposi sarcoma	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C46
Connective and soft tissue	97	1.2	1.9	1.7	0.12	0.16	83	1.0	1.5	1.3	0.09	0.12	C47+C49
Breast	16	0.2	0.3	0.2	0.02	0.02	2359	29.6	41.8	31.3	2.52	3.44	C50
Vulva							5	0.1	0.1	0.1	0.01	0.01	C51
Vagina							11	0.1	0.2	0.1	0.01	0.01	C52
Cervix uteri							509	6.4	9.0	6.7	0.46	0.79	C53
Corpus uteri							263	3.3	4.7	3.5	0.28	0.43	C54
Uterus unspecified							22	0.3	0.4	0.3	0.02	0.03	C55
Ovary							417	5.2	7.4	5.8	0.39	0.67	C56
Other female genital organs							3	0.0	0.1	0.0	0.00	0.01	C57
Placenta							1	0.0	0.0	0.0	0.00	0.00	C58
Penis	43	0.5	0.9	0.6	0.04	0.08							C60
Prostate	477	5.9	9.6	7.5	0.18	1.00							C61
Testis	33	0.4	0.7	0.6	0.04	0.05							C62
Other male genital organs	0	0.0	0.0	0.0	0.00	0.00							C63
Kidney	152	1.9	3.0	2.5	0.15	0.30	48	0.6	0.9	0.8	0.05	0.08	C64
Renal pelvis	2	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C65
Ureter	3	0.0	0.1	0.0	0.00	0.00	2	0.0	0.0	0.0	0.00	0.00	C66
Bladder	251	3.1	5.0	3.9	0.20	0.50	42	0.5	0.7	0.5	0.03	0.08	C67
Other urinary organs	1	0.0	0.0	0.0	0.00	0.00	3	0.0	0.1	0.0	0.00	0.01	C68
Eye	6	0.1	0.1	0.2	0.01	0.01	7	0.1	0.1	0.2	0.01	0.01	C69
Brain and nervous system	183	2.3	3.7	3.2	0.22	0.32	123	1.5	2.2	1.9	0.13	0.19	C70–72
Thyroid	205	2.5	4.1	3.6	0.26	0.34	904	11.3	16.0	13.2	1.03	1.15	C73
Adrenal gland	3	0.0	0.1	0.1	0.00	0.01	4	0.1	0.1	0.1	0.00	0.00	C74
Other endocrine	1	0.0	0.0	0.0	0.00	0.00	1	0.0	0.0	0.0	0.00	0.00	C75
Hodgkin lymphoma	64	0.8	1.3	1.3	0.08	0.10	34	0.4	0.6	0.6	0.04	0.04	C81
Non-Hodgkin lymphoma	288	3.6	5.8	4.7	0.31	0.49	200	2.5	3.5	2.8	0.19	0.32	C82–86,C96
Immunoproliferative diseases	8	0.1	0.2	0.1	0.01	0.01	4	0.1	0.1	0.1	0.00	0.01	C88
Multiple myeloma	237	2.9	4.8	3.7	0.20	0.49	203	2.5	3.6	2.7	0.18	0.34	C90
Lymphoid leukaemia	85	1.0	1.7	1.9	0.10	0.13	62	0.8	1.1	1.3	0.07	0.09	C91
Myeloid leukaemia	153	1.9	3.1	2.7	0.18	0.28	131	1.6	2.3	1.9	0.12	0.22	C92–94
Leukaemia unspecified	27	0.3	0.5	0.5	0.03	0.05	22	0.3	0.4	0.4	0.02	0.03	C95
Myeloproliferative disorders	15	0.2	0.3	0.3	0.02	0.03	10	0.1	0.2	0.1	0.00	0.01	MPD
Myelodysplastic syndromes	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	MPS
Other and unspecified	569	7.0	11.4	8.9	0.43	1.08	445	5.6	7.9	5.7	0.28	0.70	O&U
All sites	8221		165.0	131.5	7.40	16.08	8087		143.5	109.6	7.62	12.19	C00–96
All sites except C44	8105	100.0	162.6	129.7	7.29	15.88	7978	100.0	141.5	108.3	7.54	12.05	C00–96 exc. C44


§Includes 7 cases of unknown age

§Includes 3 cases of unknown age

India, Manipur

CONTRIBUTORS

Sushma Khuraijam
 Madhubala Devi
 Kaushik Debnath
 Punyabati Devi
 Rajesh Singh Laishram
 H. Satyajyoti Singh
 O. Bijaya Devi



NOTES ON THE DATA

*No official mortality data.

20 major cancers, ASR (World) per 100 000

Male		Female	
Trachea, bronchus, and lung	13.0	Trachea, bronchus, and lung	11.9
Stomach	4.0	Breast	10.1
Nasopharynx	3.9	Cervix uteri	6.5
Oesophagus	3.7	Thyroid	4.7
Other and unspecified	3.4	Gallbladder etc.	4.0
Non-Hodgkin lymphoma	3.3	Ovary	3.2
Non-melanoma skin cancer	2.4	Non-Hodgkin lymphoma	3.0
Liver	2.3	Stomach	2.8
Larynx	2.1	Non-melanoma skin cancer	2.4
Rectum	2.0	Other and unspecified	2.3
Colon	1.9	Rectum	2.2
Gallbladder etc.	1.8	Nasopharynx	1.7
Tongue	1.5	Myeloid leukaemia	1.5
Bladder	1.5	Colon	1.4
Myeloid leukaemia	1.5	Oesophagus	1.2
Mouth	1.5	Liver	1.1
Prostate	1.2	Mouth	0.9
Hypopharynx	1.2	Bone	0.8
Thyroid	1.2	Larynx	0.7
Bone	1.0	Lymphoid leukaemia	0.7
All sites	63.4	All sites	71.1

*India, Manipur (2013–2016)


SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	
Lip	5	0.2	0.1	0.1	0.00	0.01	3	0.1	0.0	0.1	0.00	0.00	C00
Tongue	73	2.5	1.1	1.5	0.10	0.19	23	0.6	0.4	0.5	0.04	0.05	C01–02
Mouth	71	2.4	1.1	1.5	0.10	0.18	47	1.3	0.7	0.9	0.06	0.12	C03–06
Salivary glands	29	1.0	0.5	0.5	0.04	0.06	19	0.5	0.3	0.4	0.02	0.04	C07–08
Tonsil	33	1.1	0.5	0.7	0.04	0.10	11	0.3	0.2	0.2	0.02	0.03	C09
Other oropharynx	10	0.3	0.2	0.2	0.01	0.03	1	0.0	0.0	0.0	0.00	0.00	C10
Nasopharynx	193	6.6	3.0	3.9	0.27	0.47	94	2.7	1.5	1.7	0.13	0.19	C11
Hypopharynx	57	2.0	0.9	1.2	0.08	0.16	5	0.1	0.1	0.1	0.01	0.01	C12–13
Pharynx unspecified	1	0.0	0.0	0.0	0.00	0.00	4	0.1	0.1	0.1	0.01	0.01	C14
Oesophagus	168	5.8	2.6	3.7	0.21	0.48	53	1.5	0.8	1.2	0.05	0.17	C15
Stomach	192	6.6	3.0	4.0	0.24	0.50	133	3.8	2.1	2.8	0.16	0.35	C16
Small intestine	5	0.2	0.1	0.1	0.00	0.01	12	0.3	0.2	0.3	0.02	0.03	C17
Colon	94	3.2	1.5	1.9	0.11	0.22	67	1.9	1.1	1.4	0.06	0.17	C18
Rectum	99	3.4	1.5	2.0	0.12	0.23	106	3.0	1.7	2.2	0.14	0.27	C19–20
Anus	15	0.5	0.2	0.3	0.02	0.03	12	0.3	0.2	0.2	0.02	0.03	C21
Liver	110	3.8	1.7	2.3	0.14	0.30	54	1.5	0.9	1.1	0.07	0.15	C22
Gallbladder etc.	86	3.0	1.3	1.8	0.08	0.20	192	5.4	3.0	4.0	0.30	0.51	C23–24
Pancreas	29	1.0	0.5	0.6	0.04	0.08	22	0.6	0.3	0.5	0.03	0.06	C25
Nose, sinuses etc.	32	1.1	0.5	0.7	0.03	0.09	21	0.6	0.3	0.4	0.03	0.05	C30–31
Larynx	94	3.2	1.5	2.1	0.10	0.26	31	0.9	0.5	0.7	0.04	0.09	C32
Trachea, bronchus, and lung	568	19.5	8.9	13.0	0.44	1.76	532	15.0	8.4	11.9	0.52	1.60	C33–34
Other thoracic organs	6	0.2	0.1	0.1	0.01	0.01	1	0.0	0.0	0.0	0.00	0.00	C37–38
Bone	54	1.9	0.8	1.0	0.06	0.10	46	1.3	0.7	0.8	0.06	0.08	C40–41
Melanoma of skin	3	0.1	0.0	0.0	0.00	0.00	13	0.4	0.2	0.2	0.02	0.02	C43
Other skin	117	4.0	1.8	2.4	0.11	0.27	119	3.4	1.9	2.4	0.13	0.26	C44
Mesothelioma	1	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C45
Kaposi sarcoma	4	0.1	0.1	0.1	0.00	0.01	1	0.0	0.0	0.0	0.00	0.00	C46
Connective and soft tissue	45	1.5	0.7	0.8	0.05	0.09	39	1.1	0.6	0.6	0.05	0.05	C47+C49
Breast	9	0.3	0.1	0.2	0.01	0.03	572	16.1	9.1	10.1	0.82	1.07	C50
Vulva							24	0.7	0.4	0.5	0.03	0.06	C51
Vagina							2	0.1	0.0	0.0	0.00	0.00	C52
Cervix uteri							334	9.4	5.3	6.5	0.47	0.78	C53
Corpus uteri							29	0.8	0.5	0.6	0.04	0.07	C54
Uterus unspecified							28	0.8	0.4	0.5	0.04	0.05	C55
Ovary							187	5.3	3.0	3.2	0.27	0.34	C56
Other female genital organs							0	0.0	0.0	0.0	0.00	0.00	C57
Placenta							18	0.5	0.3	0.2	0.02	0.02	C58
Penis	35	1.2	0.5	0.7	0.05	0.10							C60
Prostate	52	1.8	0.8	1.2	0.03	0.17							C61
Testis	10	0.3	0.2	0.2	0.01	0.02							C62
Other male genital organs	0	0.0	0.0	0.0	0.00	0.00							C63
Kidney	31	1.1	0.5	0.7	0.04	0.08	21	0.6	0.3	0.4	0.02	0.05	C64
Renal pelvis	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C65
Ureter	1	0.0	0.0	0.0	0.00	0.00	3	0.1	0.0	0.1	0.00	0.00	C66
Bladder	68	2.3	1.1	1.5	0.06	0.20	17	0.5	0.3	0.4	0.02	0.05	C67
Other urinary organs	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C68
Eye	12	0.4	0.2	0.2	0.01	0.01	7	0.2	0.1	0.1	0.01	0.01	C69
Brain and nervous system	43	1.5	0.7	0.8	0.06	0.09	34	1.0	0.5	0.6	0.05	0.07	C70–72
Thyroid	68	2.3	1.1	1.2	0.08	0.12	282	8.0	4.5	4.7	0.36	0.49	C73
Adrenal gland	4	0.1	0.1	0.1	0.01	0.01	9	0.3	0.1	0.2	0.01	0.02	C74
Other endocrine	0	0.0	0.0	0.0	0.00	0.00	2	0.1	0.0	0.0	0.00	0.00	C75
Hodgkin lymphoma	15	0.5	0.2	0.3	0.02	0.04	11	0.3	0.2	0.2	0.01	0.02	C81
Non-Hodgkin lymphoma	167	5.7	2.6	3.3	0.21	0.37	152	4.3	2.4	3.0	0.21	0.34	C82–86,C96
Immunoproliferative diseases	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C88
Multiple myeloma	31	1.1	0.5	0.7	0.05	0.10	30	0.8	0.5	0.6	0.04	0.07	C90
Lymphoid leukaemia	42	1.4	0.7	0.7	0.04	0.07	37	1.0	0.6	0.7	0.03	0.05	C91
Myeloid leukaemia	79	2.7	1.2	1.5	0.08	0.15	85	2.4	1.3	1.5	0.10	0.15	C92–94
Leukaemia unspecified	4	0.1	0.1	0.1	0.01	0.01	1	0.0	0.0	0.0	0.00	0.00	C95
Myeloproliferative disorders	1	0.0	0.0	0.0	0.00	0.00	1	0.0	0.0	0.0	0.00	0.01	MPD
Myelodysplastic syndromes	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	MPS
Other and unspecified	158	5.4	2.5	3.4	0.16	0.44	117	3.3	1.9	2.3	0.14	0.29	O&U
All sites	3024		47.3	63.4	3.35	7.84	3664		58.0	71.1	4.69	8.37	C00–96
All sites except C44	2907	100.0	45.5	61.1	3.24	7.57	3545	100.0	56.1	68.7	4.56	8.10	C00–96 exc. C44

*See note following population pyramid

India, Meghalaya

CONTRIBUTORS

W.B. Langstieh
 H. Dkhar
 Badarisha R. Sohliya
 Laishram Purnima Devi
 R.S. Dympep
 Bantehsong Lang Langstieh
 Meghdalina Agnes Shabong
 Metalyne Nongrum
 Dienroimiar Arta Mylliempdah
 Lucina Wanniang
 Mardonald John Marbaniang



20 major cancers, ASR (World) per 100 000

<i>Male</i>		<i>Female</i>	
Oesophagus	55.6	Oesophagus	24.1
Hypopharynx	16.1	Mouth	9.7
Trachea, bronchus, and lung	13.7	Cervix uteri	7.8
Other and unspecified	13.1	Breast	7.2
Stomach	12.1	Stomach	6.7
Tongue	10.5	Other and unspecified	5.9
Larynx	10.3	Gallbladder etc.	4.6
Mouth	9.5	Trachea, bronchus, and lung	4.2
Tonsil	5.8	Ovary	2.2
Pharynx unspecified	5.2	Hypopharynx	2.2
Liver	3.5	Tongue	2.1
Other oropharynx	2.2	Larynx	1.6
Gallbladder etc.	2.0	Lip	1.4
Nasopharynx	1.9	Non-melanoma skin cancer	1.4
Non-melanoma skin cancer	1.7	Liver	1.4
Rectum	1.5	Colon	1.4
Prostate	1.5	Thyroid	1.4
Colon	1.5	Rectum	1.2
Bladder	1.4	Non-Hodgkin lymphoma	1.0
Non-Hodgkin lymphoma	1.2	Corpus uteri	0.8
All sites	180.1	All sites	98.1

India, Meghalaya (2013–2017)

SITE	Male						Female						ICD-10
	§No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 0–74 (%)		§No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 0–74 (%)		
Lip	18	0.4	0.3	0.8	0.06	0.09	40	1.4	0.8	1.4	0.05	0.19	C00
Tongue	308	6.4	5.9	10.5	0.89	1.17	61	2.1	1.2	2.1	0.15	0.25	C01–02
Mouth	247	5.1	4.8	9.5	0.71	1.17	268	9.2	5.1	9.7	0.54	1.21	C03–06
Salivary glands	7	0.1	0.1	0.3	0.02	0.02	9	0.3	0.2	0.3	0.02	0.02	C07–08
Tonsil	164	3.4	3.2	5.8	0.46	0.70	23	0.8	0.4	0.8	0.05	0.11	C09
Other oropharynx	60	1.2	1.2	2.2	0.18	0.27	4	0.1	0.1	0.1	0.01	0.02	C10
Nasopharynx	62	1.3	1.2	1.9	0.14	0.20	19	0.7	0.4	0.5	0.03	0.05	C11
Hypopharynx	438	9.1	8.4	16.1	1.22	1.90	64	2.2	1.2	2.2	0.18	0.26	C12–13
Pharynx unspecified	138	2.9	2.7	5.2	0.42	0.58	22	0.8	0.4	0.7	0.06	0.08	C14
Oesophagus	1518	31.4	29.3	55.6	4.41	6.32	680	23.3	13.0	24.1	1.90	2.94	C15
Stomach	295	6.1	5.7	12.1	0.66	1.59	206	7.1	3.9	6.7	0.43	0.75	C16
Small intestine	5	0.1	0.1	0.2	0.01	0.02	11	0.4	0.2	0.4	0.03	0.04	C17
Colon	39	0.8	0.8	1.5	0.09	0.19	44	1.5	0.8	1.4	0.09	0.15	C18
Rectum	42	0.9	0.8	1.5	0.09	0.19	38	1.3	0.7	1.2	0.08	0.14	C19–20
Anus	3	0.1	0.1	0.1	0.01	0.01	3	0.1	0.1	0.1	0.00	0.01	C21
Liver	84	1.7	1.6	3.5	0.23	0.44	42	1.4	0.8	1.4	0.09	0.17	C22
Gallbladder etc.	55	1.1	1.1	2.0	0.16	0.23	132	4.5	2.5	4.6	0.29	0.56	C23–24
Pancreas	22	0.5	0.4	0.9	0.07	0.08	22	0.8	0.4	0.8	0.03	0.11	C25
Nose, sinuses etc.	13	0.3	0.3	0.5	0.03	0.06	8	0.3	0.2	0.2	0.01	0.04	C30–31
Larynx	273	5.6	5.3	10.3	0.78	1.19	48	1.6	0.9	1.6	0.13	0.21	C32
Trachea, bronchus, and lung	323	6.7	6.2	13.7	0.85	1.84	113	3.9	2.2	4.2	0.26	0.52	C33–34
Other thoracic organs	12	0.2	0.2	0.5	0.04	0.04	3	0.1	0.1	0.1	0.00	0.02	C37–38
Bone	17	0.4	0.3	0.4	0.03	0.04	14	0.5	0.3	0.3	0.02	0.03	C40–41
Melanoma of skin	8	0.2	0.2	0.3	0.01	0.04	4	0.1	0.1	0.2	0.00	0.03	C43
Other skin	48	1.0	0.9	1.7	0.11	0.18	43	1.5	0.8	1.4	0.06	0.18	C44
Mesothelioma	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C45
Kaposi sarcoma	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C46
Connective and soft tissue	25	0.5	0.5	0.6	0.03	0.05	17	0.6	0.3	0.4	0.03	0.04	C47+C49
Breast	10	0.2	0.2	0.4	0.03	0.04	239	8.2	4.6	7.2	0.56	0.72	C50
Vulva							16	0.5	0.3	0.5	0.03	0.06	C51
Vagina							5	0.2	0.1	0.1	0.00	0.01	C52
Cervix uteri							258	8.8	4.9	7.8	0.62	0.83	C53
Corpus uteri							24	0.8	0.5	0.8	0.07	0.10	C54
Uterus unspecified							21	0.7	0.4	0.7	0.05	0.08	C55
Ovary							75	2.6	1.4	2.2	0.17	0.25	C56
Other female genital organs							3	0.1	0.1	0.1	0.01	0.01	C57
Placenta							2	0.1	0.0	0.0	0.00	0.00	C58
Penis	22	0.5	0.4	0.8	0.06	0.08							C60
Prostate	33	0.7	0.6	1.5	0.04	0.13							C61
Testis	9	0.2	0.2	0.2	0.01	0.01							C62
Other male genital organs	0	0.0	0.0	0.0	0.00	0.00							C63
Kidney	6	0.1	0.1	0.2	0.00	0.02	13	0.4	0.2	0.4	0.03	0.05	C64
Renal pelvis	1	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C65
Ureter	0	0.0	0.0	0.0	0.00	0.00	6	0.2	0.1	0.3	0.01	0.04	C66
Bladder	34	0.7	0.7	1.4	0.07	0.19	21	0.7	0.4	0.8	0.04	0.10	C67
Other urinary organs	2	0.0	0.0	0.1	0.00	0.01	0	0.0	0.0	0.0	0.00	0.00	C68
Eye	10	0.2	0.2	0.3	0.02	0.02	1	0.0	0.0	0.0	0.00	0.00	C69
Brain and nervous system	26	0.5	0.5	0.6	0.04	0.04	24	0.8	0.5	0.6	0.05	0.05	C70–72
Thyroid	27	0.6	0.5	0.8	0.06	0.09	55	1.9	1.1	1.4	0.11	0.14	C73
Adrenal gland	0	0.0	0.0	0.0	0.00	0.00	2	0.1	0.0	0.0	0.00	0.00	C74
Other endocrine	2	0.0	0.0	0.0	0.00	0.00	1	0.0	0.0	0.0	0.00	0.00	C75
Hodgkin lymphoma	9	0.2	0.2	0.2	0.02	0.02	3	0.1	0.1	0.1	0.00	0.01	C81
Non-Hodgkin lymphoma	40	0.8	0.8	1.2	0.09	0.13	29	1.0	0.6	1.0	0.06	0.11	C82–86,C96
Immunoproliferative diseases	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C88
Multiple myeloma	10	0.2	0.2	0.4	0.03	0.07	7	0.2	0.1	0.2	0.02	0.04	C90
Lymphoid leukaemia	21	0.4	0.4	0.4	0.02	0.02	7	0.2	0.1	0.2	0.02	0.02	C91
Myeloid leukaemia	32	0.7	0.6	0.8	0.05	0.07	21	0.7	0.4	0.6	0.06	0.06	C92–94
Leukaemia unspecified	6	0.1	0.1	0.2	0.01	0.02	6	0.2	0.1	0.2	0.02	0.02	C95
Myeloproliferative disorders	1	0.0	0.0	0.1	0.00	0.01	0	0.0	0.0	0.0	0.00	0.00	MPD
Myelodysplastic syndromes	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	MPS
Other and unspecified	362	7.5	7.0	13.1	0.96	1.51	184	6.3	3.5	5.9	0.37	0.70	O&U
All sites	4887		94.2	180.1	13.23	21.13	2961		56.8	98.1	6.86	11.56	C00–96
All sites except C44	4839	100.0	93.3	178.4	13.12	20.95	2918	100.0	55.9	96.7	6.79	11.38	C00–96 exc. C44


§Includes 2 cases of unknown age

§Includes 1 case of unknown age

India, Mizoram

CONTRIBUTORS

Eric Zomawia
 John Zohmingthanga
 C. Saia
 Jeremy L. Pautu
 B. Zothankima
 Lal Chhanhimi
 C. Lalchhandama
 T. Lalmangaihi
 Lalhmuchhuaka
 Lalawmpuii Pachuau
 Evelyn V.L. Hmangaihzuai



20 major cancers, ASR (World) per 100 000

<i>Male</i>		<i>Female</i>	
Stomach	38.8	Trachea, bronchus, and lung	27.6
Trachea, bronchus, and lung	32.5	Cervix uteri	23.0
Oesophagus	30.7	Breast	22.8
Other and unspecified	20.0	Stomach	18.1
Hypopharynx	10.9	Other and unspecified	16.4
Liver	10.2	Oesophagus	6.9
Rectum	6.2	Liver	5.7
Colon	5.7	Ovary	5.6
Nasopharynx	5.5	Rectum	4.7
Larynx	4.4	Gallbladder etc.	4.6
Prostate	4.0	Colon	4.3
Mouth	4.0	Thyroid	3.5
Non-Hodgkin lymphoma	3.4	Nasopharynx	3.1
Bladder	3.1	Corpus uteri	2.6
Tongue	3.0	Pancreas	2.6
Pancreas	2.9	Mouth	2.4
Gallbladder etc.	2.9	Brain and nervous system	2.4
Myeloid leukaemia	2.2	Non-Hodgkin lymphoma	2.1
Tonsil	2.1	Non-melanoma skin cancer	1.7
Brain and nervous system	1.9	Larynx	1.5
All sites	209.6	All sites	174.3


India, Mizoram (2013–2016)

SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	
Lip	2	0.1	0.1	0.1	0.01	0.01	7	0.2	0.3	0.5	0.03	0.06	C00
Tongue	55	1.6	2.3	3.0	0.24	0.34	17	0.6	0.7	1.1	0.07	0.13	C01–02
Mouth	72	2.0	3.0	4.0	0.33	0.42	42	1.4	1.8	2.4	0.14	0.25	C03–06
Salivary glands	9	0.3	0.4	0.5	0.04	0.07	9	0.3	0.4	0.5	0.05	0.05	C07–08
Tonsil	37	1.1	1.5	2.1	0.18	0.25	5	0.2	0.2	0.3	0.02	0.02	C09
Other oropharynx	13	0.4	0.5	0.7	0.06	0.07	0	0.0	0.0	0.0	0.00	0.00	C10
Nasopharynx	97	2.8	4.1	5.5	0.42	0.59	54	1.8	2.3	3.1	0.21	0.35	C11
Hypopharynx	190	5.4	7.9	10.9	0.93	1.26	24	0.8	1.0	1.4	0.12	0.17	C12–13
Pharynx unspecified	26	0.7	1.1	1.4	0.13	0.18	1	0.0	0.0	0.0	0.00	0.00	C14
Oesophagus	548	15.6	22.9	30.7	2.54	3.60	109	3.6	4.6	6.9	0.51	0.90	C15
Stomach	624	17.8	26.1	38.8	2.07	4.89	294	9.7	12.4	18.1	1.06	2.31	C16
Small intestine	10	0.3	0.4	0.6	0.05	0.08	4	0.1	0.2	0.3	0.02	0.05	C17
Colon	91	2.6	3.8	5.7	0.27	0.73	72	2.4	3.0	4.3	0.20	0.51	C18
Rectum	107	3.0	4.5	6.2	0.33	0.77	79	2.6	3.3	4.7	0.27	0.59	C19–20
Anus	2	0.1	0.1	0.1	0.01	0.03	5	0.2	0.2	0.3	0.01	0.01	C21
Liver	174	5.0	7.3	10.2	0.71	1.23	96	3.2	4.1	5.7	0.41	0.67	C22
Gallbladder etc.	47	1.3	2.0	2.9	0.16	0.36	76	2.5	3.2	4.6	0.22	0.58	C23–24
Pancreas	46	1.3	1.9	2.9	0.12	0.41	40	1.3	1.7	2.6	0.08	0.34	C25
Nose, sinuses etc.	8	0.2	0.3	0.5	0.02	0.07	5	0.2	0.2	0.3	0.02	0.04	C30–31
Larynx	75	2.1	3.1	4.4	0.31	0.57	24	0.8	1.0	1.5	0.06	0.20	C32
Trachea, bronchus, and lung	510	14.5	21.3	32.5	1.47	4.00	427	14.1	18.0	27.6	1.11	3.53	C33–34
Other thoracic organs	3	0.1	0.1	0.1	0.01	0.01	0	0.0	0.0	0.0	0.00	0.00	C37–38
Bone	12	0.3	0.5	0.6	0.04	0.04	16	0.5	0.7	0.9	0.05	0.10	C40–41
Melanoma of skin	4	0.1	0.2	0.3	0.01	0.04	3	0.1	0.1	0.2	0.00	0.03	C43
Other skin	31	0.9	1.3	1.9	0.06	0.21	29	1.0	1.2	1.7	0.07	0.20	C44
Mesothelioma	1	0.0	0.0	0.1	0.00	0.02	1	0.0	0.0	0.0	0.00	0.00	C45
Kaposi sarcoma	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C46
Connective and soft tissue	15	0.4	0.6	0.7	0.05	0.05	12	0.4	0.5	0.7	0.03	0.10	C47+C49
Breast	4	0.1	0.2	0.2	0.01	0.02	434	14.3	18.3	22.8	1.78	2.49	C50
Vulva							7	0.2	0.3	0.4	0.02	0.05	C51
Vagina							2	0.1	0.1	0.1	0.01	0.01	C52
Cervix uteri							463	15.3	19.5	23.0	1.98	2.35	C53
Corpus uteri							50	1.7	2.1	2.6	0.25	0.30	C54
Uterus unspecified							11	0.4	0.5	0.5	0.04	0.04	C55
Ovary							114	3.8	4.8	5.6	0.39	0.63	C56
Other female genital organs							0	0.0	0.0	0.0	0.00	0.00	C57
Placenta							4	0.1	0.2	0.1	0.01	0.01	C58
Penis	22	0.6	0.9	1.2	0.06	0.15							C60
Prostate	63	1.8	2.6	4.0	0.05	0.41							C61
Testis	6	0.2	0.3	0.2	0.01	0.01							C62
Other male genital organs	5	0.1	0.2	0.2	0.02	0.04							C63
Kidney	19	0.5	0.8	1.1	0.04	0.11	7	0.2	0.3	0.4	0.02	0.03	C64
Renal pelvis	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C65
Ureter	2	0.1	0.1	0.1	0.00	0.02	0	0.0	0.0	0.0	0.00	0.00	C66
Bladder	50	1.4	2.1	3.1	0.11	0.32	20	0.7	0.8	1.2	0.03	0.16	C67
Other urinary organs	1	0.0	0.0	0.1	0.00	0.02	1	0.0	0.0	0.1	0.01	0.01	C68
Eye	2	0.1	0.1	0.1	0.00	0.00	3	0.1	0.1	0.2	0.00	0.00	C69
Brain and nervous system	38	1.1	1.6	1.9	0.12	0.19	40	1.3	1.7	2.4	0.10	0.33	C70–72
Thyroid	25	0.7	1.0	1.5	0.05	0.19	70	2.3	3.0	3.5	0.23	0.37	C73
Adrenal gland	2	0.1	0.1	0.1	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C74
Other endocrine	1	0.0	0.0	0.0	0.00	0.00	1	0.0	0.0	0.0	0.00	0.00	C75
Hodgkin lymphoma	0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.0	0.1	0.01	0.01	C81
Non-Hodgkin lymphoma	62	1.8	2.6	3.4	0.18	0.38	39	1.3	1.6	2.1	0.15	0.27	C82–86,C96
Immunoproliferative diseases	0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.0	0.1	0.00	0.02	C88
Multiple myeloma	4	0.1	0.2	0.3	0.02	0.03	2	0.1	0.1	0.1	0.00	0.02	C90
Lymphoid leukaemia	25	0.7	1.0	1.2	0.06	0.10	19	0.6	0.8	0.9	0.03	0.07	C91
Myeloid leukaemia	45	1.3	1.9	2.2	0.16	0.23	28	0.9	1.2	1.4	0.09	0.14	C92–94
Leukaemia unspecified	23	0.7	1.0	1.2	0.06	0.14	17	0.6	0.7	0.8	0.04	0.06	C95
Myeloproliferative disorders	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	MPD
Myelodysplastic syndromes	1	0.0	0.0	0.1	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	MPS
Other and unspecified	336	9.6	14.1	20.0	1.00	2.22	273	9.0	11.5	16.4	0.91	1.90	O&U
All sites	3545		148.3	209.6	12.54	24.90	3058		129.0	174.3	10.91	20.52	C00–96
All sites except C44	3514	100.0	147.0	207.8	12.48	24.69	3029	100.0	127.8	172.6	10.84	20.32	C00–96 exc. C44

India, Mumbai

CONTRIBUTORS

Vinay Deshmane
Shravani Koyande



20 major cancers, ASR (World) per 100 000

Male		Female	
Trachea, bronchus, and lung	10.5	Breast	34.2
Mouth	10.3	Cervix uteri	7.9
Prostate	10.2	Ovary	7.1
Liver	6.8	Trachea, bronchus, and lung	5.8
Other and unspecified	5.4	Other and unspecified	4.9
Tongue	5.3	Corpus uteri	4.8
Non-Hodgkin lymphoma	4.7	Mouth	4.0
Stomach	4.6	Gallbladder etc.	3.5
Bladder	4.0	Colon	3.4
Colon	4.0	Non-Hodgkin lymphoma	3.4
Oesophagus	3.9	Liver	3.3
Larynx	3.7	Oesophagus	3.1
Brain and nervous system	3.6	Stomach	2.8
Rectum	3.2	Brain and nervous system	2.6
Pancreas	3.2	Rectum	2.3
Kidney	2.7	Pancreas	2.2
Gallbladder etc.	2.2	Thyroid	2.2
Myeloid leukaemia	2.2	Tongue	2.1
Lymphoid leukaemia	2.0	Myeloid leukaemia	1.7
Hypopharynx	1.8	Multiple myeloma	1.3
All sites	110.4	All sites	116.6

India, Mumbai (2013–2017)

SITE	Male						Female						ICD-10
	§No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	0–74 (%)	§No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	0–74 (%)	
Lip	153	0.5	0.5	0.5	0.03	0.05	75	0.2	0.3	0.2	0.01	0.03	C00
Tongue	1780	5.2	5.3	5.3	0.37	0.60	643	1.8	2.2	2.1	0.13	0.24	C01–02
Mouth	3478	10.2	10.3	10.3	0.77	1.19	1199	3.4	4.1	4.0	0.26	0.48	C03–06
Salivary glands	149	0.4	0.4	0.5	0.03	0.06	93	0.3	0.3	0.3	0.02	0.03	C07–08
Tonsil	201	0.6	0.6	0.6	0.04	0.07	47	0.1	0.2	0.2	0.01	0.02	C09
Other oropharynx	202	0.6	0.6	0.7	0.04	0.08	63	0.2	0.2	0.2	0.01	0.02	C10
Nasopharynx	129	0.4	0.4	0.4	0.03	0.04	45	0.1	0.2	0.1	0.01	0.01	C11
Hypopharynx	557	1.6	1.6	1.8	0.10	0.23	191	0.5	0.6	0.6	0.04	0.07	C12–13
Pharynx unspecified	173	0.5	0.5	0.6	0.03	0.06	69	0.2	0.2	0.2	0.01	0.03	C14
Oesophagus	1179	3.5	3.5	3.9	0.20	0.46	949	2.7	3.2	3.1	0.17	0.34	C15
Stomach	1413	4.2	4.2	4.6	0.23	0.54	842	2.4	2.9	2.8	0.15	0.32	C16
Small intestine	132	0.4	0.4	0.4	0.02	0.05	94	0.3	0.3	0.3	0.02	0.04	C17
Colon	1253	3.7	3.7	4.0	0.19	0.47	1049	3.0	3.6	3.4	0.18	0.39	C18
Rectum	1012	3.0	3.0	3.2	0.18	0.37	708	2.0	2.4	2.3	0.13	0.26	C19–20
Anus	136	0.4	0.4	0.4	0.03	0.05	82	0.2	0.3	0.3	0.02	0.03	C21
Liver	2060	6.1	6.1	6.8	0.32	0.83	999	2.8	3.4	3.3	0.17	0.40	C22
Gallbladder etc.	691	2.0	2.0	2.2	0.13	0.25	1078	3.1	3.7	3.5	0.22	0.41	C23–24
Pancreas	954	2.8	2.8	3.2	0.15	0.38	669	1.9	2.3	2.2	0.11	0.26	C25
Nose, sinuses etc.	173	0.5	0.5	0.5	0.04	0.06	77	0.2	0.3	0.3	0.01	0.04	C30–31
Larynx	1126	3.3	3.3	3.7	0.19	0.45	183	0.5	0.6	0.6	0.03	0.07	C32
Trachea, bronchus, and lung	3153	9.3	9.3	10.5	0.50	1.30	1734	4.9	5.9	5.8	0.28	0.70	C33–34
Other thoracic organs	42	0.1	0.1	0.1	0.01	0.02	25	0.1	0.1	0.1	0.00	0.01	C37–38
Bone	383	1.1	1.1	1.1	0.07	0.10	287	0.8	1.0	1.0	0.06	0.08	C40–41
Melanoma of skin	86	0.3	0.3	0.3	0.02	0.03	69	0.2	0.2	0.2	0.01	0.02	C43
Other skin	419	1.2	1.2	1.3	0.08	0.15	312	0.9	1.1	1.0	0.05	0.12	C44
Mesothelioma	13	0.0	0.0	0.0	0.00	0.01	3	0.0	0.0	0.0	0.00	0.00	C45
Kaposi sarcoma	1	0.0	0.0	0.0	0.00	0.00	1	0.0	0.0	0.0	0.00	0.00	C46
Connective and soft tissue	410	1.2	1.2	1.3	0.07	0.14	338	1.0	1.1	1.1	0.07	0.12	C47+C49
Breast	265	0.8	0.8	0.8	0.05	0.10	10588	30.1	35.9	34.2	2.34	3.92	C50
Vulva							101	0.3	0.3	0.3	0.02	0.04	C51
Vagina							157	0.4	0.5	0.5	0.03	0.06	C52
Cervix uteri							2426	6.9	8.2	7.9	0.58	0.93	C53
Corpus uteri							1419	4.0	4.8	4.8	0.32	0.62	C54
Uterus unspecified							196	0.6	0.7	0.6	0.03	0.07	C55
Ovary							2177	6.2	7.4	7.1	0.48	0.82	C56
Other female genital organs							32	0.1	0.1	0.1	0.01	0.01	C57
Placenta							18	0.1	0.1	0.0	0.00	0.00	C58
Penis		0.7	0.7	0.7	0.04	0.08							C60
Prostate	2958	8.7	8.8	10.2	0.22	1.13							C61
Testis	249	0.7	0.7	0.6	0.04	0.05							C62
Other male genital organs	14	0.0	0.0	0.0	0.00	0.00							C63
Kidney	845	2.5	2.5	2.7	0.16	0.32	377	1.1	1.3	1.3	0.08	0.14	C64
Renal pelvis	4	0.0	0.0	0.0	0.00	0.00	1	0.0	0.0	0.0	0.00	0.00	C65
Ureter	11	0.0	0.0	0.0	0.00	0.01	12	0.0	0.0	0.0	0.00	0.00	C66
Bladder	1209	3.6	3.6	4.0	0.16	0.46	360	1.0	1.2	1.2	0.05	0.13	C67
Other urinary organs	9	0.0	0.0	0.0	0.00	0.00	4	0.0	0.0	0.0	0.00	0.00	C68
Eye	28	0.1	0.1	0.1	0.01	0.01	27	0.1	0.1	0.1	0.01	0.01	C69
Brain and nervous system	1136	3.3	3.4	3.6	0.22	0.36	768	2.2	2.6	2.6	0.16	0.28	C70–72
Thyroid	317	0.9	0.9	0.9	0.06	0.10	728	2.1	2.5	2.2	0.16	0.22	C73
Adrenal gland	34	0.1	0.1	0.1	0.01	0.01	26	0.1	0.1	0.1	0.01	0.01	C74
Other endocrine	19	0.1	0.1	0.1	0.00	0.00	20	0.1	0.1	0.1	0.00	0.01	C75
Hodgkin lymphoma	320	0.9	0.9	1.0	0.06	0.08	196	0.6	0.7	0.6	0.04	0.06	C81
Non-Hodgkin lymphoma	1498	4.4	4.4	4.7	0.25	0.52	1031	2.9	3.5	3.4	0.20	0.39	C82–86,C96
Immunoproliferative diseases	1	0.0	0.0	0.0	0.00	0.00	4	0.0	0.0	0.0	0.00	0.00	C88
Multiple myeloma	512	1.5	1.5	1.7	0.07	0.21	398	1.1	1.4	1.3	0.07	0.17	C90
Lymphoid leukaemia	569	1.7	1.7	2.0	0.10	0.14	297	0.8	1.0	1.1	0.06	0.08	C91
Myeloid leukaemia	717	2.1	2.1	2.2	0.12	0.21	528	1.5	1.8	1.7	0.11	0.17	C92–94
Leukaemia unspecified	283	0.8	0.8	0.9	0.05	0.08	223	0.6	0.8	0.8	0.04	0.07	C95
Myeloproliferative disorders	9	0.0	0.0	0.0	0.00	0.00	2	0.0	0.0	0.0	0.00	0.00	MPD
Myelodysplastic syndromes	7	0.0	0.0	0.0	0.00	0.00	4	0.0	0.0	0.0	0.00	0.00	MPS
Other and unspecified	1684	5.0	5.0	5.4	0.30	0.64	1475	4.2	5.0	4.9	0.28	0.57	O&U
All sites	34379		101.7	110.4	5.75	12.57	35519		120.5	116.6	7.24	13.33	C00–96
All sites except C44	33960	100.0	100.5	109.1	5.68	12.42	35207	100.0	119.5	115.5	7.19	13.20	C00–96 exc. C44


§Includes 31 cases of unknown age

§Includes 25 cases of unknown age

India, New Delhi

CONTRIBUTORS

S.V. Suryanarayana Deo
 N. Manoharan
 G.K. Rath
 Rajeev Kumar Malhotra
 Ashok Kumar Singh
 Shambu Prasad Bhadola
 Indu Gaur
 S.K. Rai
 Sudha Saxena
 C.P. Singh Yadav
 Anand Sharma



NOTES ON THE DATA

*No official mortality data.

20 major cancers, ASR (World) per 100 000

<i>Male</i>		<i>Female</i>	
Trachea, bronchus, and lung	17.0	Breast	37.1
Prostate	12.2	Cervix uteri	13.0
Mouth	10.5	Gallbladder etc.	11.5
Tongue	8.9	Ovary	9.1
Other and unspecified	7.5	Corpus uteri	6.1
Larynx	6.9	Other and unspecified	5.2
Bladder	6.9	Trachea, bronchus, and lung	5.0
Oesophagus	6.3	Oesophagus	3.8
Non-Hodgkin lymphoma	5.8	Non-Hodgkin lymphoma	3.6
Gallbladder etc.	5.8	Tongue	3.1
Liver	4.7	Brain and nervous system	2.8
Brain and nervous system	4.3	Mouth	2.8
Colon	4.0	Colon	2.7
Lymphoid leukaemia	3.8	Stomach	2.5
Stomach	3.8	Liver	2.3
Myeloid leukaemia	2.9	Thyroid	2.1
Multiple myeloma	2.9	Rectum	2.1
Rectum	2.9	Myeloid leukaemia	2.0
Kidney	2.6	Lymphoid leukaemia	2.0
Pancreas	2.5	Pancreas	1.9
All sites	149.2	All sites	139.3

*India, New Delhi (2013–2015)

SITE	Male						Female						ICD-10
	§No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	0–74 (%)	§No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	0–74 (%)	
Lip	129	0.4	0.5	0.6	0.04	0.07	32	0.1	0.1	0.2	0.01	0.02	C00
Tongue	2062	6.5	7.3	8.9	0.64	1.05	630	2.1	2.5	3.1	0.21	0.34	C01–02
Mouth	2506	7.8	8.9	10.5	0.77	1.21	571	1.9	2.3	2.8	0.18	0.31	C03–06
Salivary glands	200	0.6	0.7	0.8	0.06	0.09	111	0.4	0.4	0.5	0.03	0.05	C07–08
Tonsil	444	1.4	1.6	2.1	0.15	0.27	77	0.3	0.3	0.4	0.02	0.04	C09
Other oropharynx	422	1.3	1.5	2.0	0.14	0.27	66	0.2	0.3	0.3	0.02	0.04	C10
Nasopharynx	123	0.4	0.4	0.5	0.03	0.06	66	0.2	0.3	0.3	0.02	0.04	C11
Hypopharynx	458	1.4	1.6	2.3	0.14	0.30	87	0.3	0.3	0.4	0.03	0.05	C12–13
Pharynx unspecified	112	0.4	0.4	0.5	0.04	0.06	33	0.1	0.1	0.1	0.01	0.02	C14
Oesophagus	1301	4.1	4.6	6.3	0.40	0.80	746	2.5	3.0	3.8	0.24	0.46	C15
Stomach	822	2.6	2.9	3.8	0.23	0.45	522	1.8	2.1	2.5	0.16	0.30	C16
Small intestine	344	1.1	1.2	1.6	0.09	0.17	207	0.7	0.8	1.0	0.05	0.10	C17
Colon	872	2.7	3.1	4.0	0.25	0.49	566	1.9	2.3	2.7	0.17	0.32	C18
Rectum	658	2.1	2.3	2.9	0.17	0.33	454	1.5	1.8	2.1	0.14	0.23	C19–20
Anus	153	0.5	0.5	0.7	0.04	0.09	73	0.2	0.3	0.3	0.02	0.04	C21
Liver	988	3.1	3.5	4.7	0.28	0.59	480	1.6	1.9	2.3	0.15	0.27	C22
Gallbladder etc.	1228	3.8	4.4	5.8	0.35	0.72	2394	8.2	9.6	11.5	0.82	1.36	C23–24
Pancreas	523	1.6	1.9	2.5	0.16	0.31	379	1.3	1.5	1.9	0.12	0.23	C25
Nose, sinuses etc.	121	0.4	0.4	0.5	0.03	0.06	59	0.2	0.2	0.2	0.02	0.03	C30–31
Larynx	1423	4.5	5.0	6.9	0.42	0.90	164	0.6	0.7	0.8	0.06	0.11	C32
Trachea, bronchus, and lung	3412	10.7	12.1	17.0	1.00	2.24	1008	3.4	4.0	5.0	0.32	0.61	C33–34
Other thoracic organs	77	0.2	0.3	0.3	0.02	0.03	57	0.2	0.2	0.3	0.01	0.03	C37–38
Bone	544	1.7	1.9	1.9	0.12	0.16	312	1.1	1.2	1.3	0.08	0.10	C40–41
Melanoma of skin	67	0.2	0.2	0.3	0.02	0.03	61	0.2	0.2	0.3	0.01	0.03	C43
Other skin	448	1.4	1.6	2.1	0.11	0.24	330	1.1	1.3	1.6	0.10	0.19	C44
Mesothelioma	11	0.0	0.0	0.1	0.00	0.01	7	0.0	0.0	0.0	0.00	0.00	C45
Kaposi sarcoma	4	0.0	0.0	0.0	0.00	0.00	1	0.0	0.0	0.0	0.00	0.00	C46
Connective and soft tissue	430	1.3	1.5	1.8	0.11	0.18	333	1.1	1.3	1.5	0.11	0.14	C47+C49
Breast	305	1.0	1.1	1.4	0.09	0.17	8048	27.5	32.2	37.1	2.78	4.28	C50
Vulva							129	0.4	0.5	0.6	0.04	0.07	C51
Vagina							95	0.3	0.4	0.4	0.03	0.05	C52
Cervix uteri							2799	9.5	11.2	13.0	1.01	1.53	C53
Corpus uteri							1203	4.1	4.8	6.1	0.43	0.79	C54
Uterus unspecified							92	0.3	0.4	0.4	0.03	0.05	C55
Ovary							2012	6.9	8.1	9.1	0.66	1.04	C56
Other female genital organs							20	0.1	0.1	0.1	0.01	0.01	C57
Placenta							38	0.1	0.2	0.1	0.01	0.01	C58
Penis	179	0.6	0.6	0.8	0.05	0.09							C60
Prostate	2155	6.7	7.6	12.2	0.33	1.49							C61
Testis	232	0.7	0.8	0.7	0.05	0.06							C62
Other male genital organs	42	0.1	0.1	0.2	0.01	0.03							C63
Kidney	551	1.7	2.0	2.6	0.16	0.31	256	0.9	1.0	1.2	0.08	0.13	C64
Renal pelvis	1	0.0	0.0	0.0	0.00	0.00	4	0.0	0.0	0.0	0.00	0.00	C65
Ureter	8	0.0	0.0	0.0	0.00	0.00	3	0.0	0.0	0.0	0.00	0.00	C66
Bladder	1355	4.2	4.8	6.9	0.33	0.84	290	1.0	1.2	1.5	0.07	0.18	C67
Other urinary organs	49	0.2	0.2	0.3	0.01	0.03	10	0.0	0.0	0.0	0.00	0.00	C68
Eye	113	0.4	0.4	0.5	0.03	0.03	68	0.2	0.3	0.4	0.02	0.02	C69
Brain and nervous system	1095	3.4	3.9	4.3	0.29	0.42	641	2.2	2.6	2.8	0.19	0.26	C70–72
Thyroid	259	0.8	0.9	1.0	0.07	0.10	509	1.7	2.0	2.1	0.15	0.22	C73
Adrenal gland	52	0.2	0.2	0.2	0.02	0.02	38	0.1	0.2	0.2	0.01	0.01	C74
Other endocrine	23	0.1	0.1	0.1	0.01	0.01	16	0.1	0.1	0.1	0.01	0.01	C75
Hodgkin lymphoma	467	1.5	1.7	1.7	0.11	0.14	227	0.8	0.9	1.0	0.06	0.10	C81
Non-Hodgkin lymphoma	1326	4.2	4.7	5.8	0.33	0.64	732	2.5	2.9	3.6	0.21	0.43	C82–86,C96
Immunoproliferative diseases	8	0.0	0.0	0.0	0.00	0.01	0	0.0	0.0	0.0	0.00	0.00	C88
Multiple myeloma	585	1.8	2.1	2.9	0.15	0.34	356	1.2	1.4	1.8	0.11	0.23	C90
Lymphoid leukaemia	899	2.8	3.2	3.8	0.20	0.30	418	1.4	1.7	2.0	0.11	0.15	C91
Myeloid leukaemia	733	2.3	2.6	2.9	0.18	0.28	468	1.6	1.9	2.0	0.13	0.21	C92–94
Leukaemia unspecified	454	1.4	1.6	1.8	0.11	0.16	262	0.9	1.0	1.1	0.07	0.10	C95
Myeloproliferative disorders	2	0.0	0.0	0.0	0.00	0.00	3	0.0	0.0	0.0	0.00	0.00	MPD
Myelodysplastic syndromes	5	0.0	0.0	0.0	0.00	0.00	5	0.0	0.0	0.0	0.00	0.00	MPS
Other and unspecified	1598	5.0	5.7	7.5	0.45	0.92	1077	3.7	4.3	5.2	0.34	0.61	O&U
All sites	32378		114.8	149.2	8.79	17.57	29645		118.8	139.3	9.69	15.97	C00–96
All sites except C44	31930	100.0	113.2	147.2	8.68	17.33	29315	100.0	117.4	137.8	9.59	15.78	C00–96 exc. C44

§Includes 208 cases of unknown age


§Includes 143 cases of unknown age

*See note following population pyramid

India, Poona

CONTRIBUTORS

Vinay Deshmane
Shravani Koyande
Kalpana Kulkarni



20 major cancers, ASR (World) per 100 000

<i>Male</i>		<i>Female</i>	
Prostate	8.6	Breast	31.7
Mouth	8.4	Cervix uteri	10.1
Trachea, bronchus, and lung	7.0	Ovary	6.6
Tongue	4.3	Corpus uteri	4.4
Non-Hodgkin lymphoma	4.0	Trachea, bronchus, and lung	4.1
Liver	3.8	Other and unspecified	3.6
Other and unspecified	3.7	Mouth	3.4
Colon	3.7	Colon	2.9
Rectum	3.6	Oesophagus	2.8
Oesophagus	3.6	Non-Hodgkin lymphoma	2.8
Brain and nervous system	3.5	Rectum	2.4
Larynx	3.5	Brain and nervous system	2.1
Stomach	3.4	Tongue	1.9
Bladder	3.3	Stomach	1.7
Kidney	2.4	Gallbladder etc.	1.6
Pancreas	2.0	Liver	1.6
Hypopharynx	1.3	Thyroid	1.5
Myeloid leukaemia	1.2	Pancreas	1.4
Multiple myeloma	1.2	Connective and soft tissue	1.0
Lymphoid leukaemia	1.1	Bladder	1.0
All sites	85.5	All sites	98.3

India, Poona (2013–2017)


SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	0–74 (%)	§No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	0–74 (%)	
Lip	49	0.5	0.3	0.4	0.03	0.05	18	0.2	0.1	0.2	0.01	0.02	C00
Tongue	578	5.6	3.9	4.3	0.32	0.47	228	1.9	1.7	1.9	0.13	0.22	C01–02
Mouth	1095	10.6	7.4	8.4	0.59	0.99	396	3.4	3.0	3.4	0.21	0.42	C03–06
Salivary glands	53	0.5	0.4	0.4	0.03	0.04	36	0.3	0.3	0.3	0.02	0.04	C07–08
Tonsil	34	0.3	0.2	0.3	0.02	0.04	3	0.0	0.0	0.0	0.00	0.00	C09
Other oropharynx	80	0.8	0.5	0.7	0.05	0.09	32	0.3	0.2	0.3	0.02	0.03	C10
Nasopharynx	37	0.4	0.3	0.3	0.02	0.03	24	0.2	0.2	0.2	0.01	0.03	C11
Hypopharynx	152	1.5	1.0	1.3	0.06	0.16	64	0.5	0.5	0.5	0.04	0.06	C12–13
Pharynx unspecified	39	0.4	0.3	0.3	0.02	0.04	12	0.1	0.1	0.1	0.01	0.01	C14
Oesophagus	409	4.0	2.8	3.6	0.18	0.46	333	2.8	2.5	2.8	0.16	0.31	C15
Stomach	408	4.0	2.8	3.4	0.18	0.41	202	1.7	1.5	1.7	0.10	0.19	C16
Small intestine	26	0.3	0.2	0.2	0.02	0.03	12	0.1	0.1	0.1	0.01	0.01	C17
Colon	447	4.3	3.0	3.7	0.18	0.42	332	2.8	2.5	2.9	0.14	0.34	C18
Rectum	449	4.3	3.0	3.6	0.21	0.43	282	2.4	2.1	2.4	0.13	0.30	C19–20
Anus	23	0.2	0.2	0.2	0.01	0.02	24	0.2	0.2	0.2	0.01	0.02	C21
Liver	433	4.2	2.9	3.8	0.15	0.48	184	1.6	1.4	1.6	0.09	0.20	C22
Gallbladder etc.	134	1.3	0.9	1.1	0.07	0.13	186	1.6	1.4	1.6	0.08	0.21	C23–24
Pancreas	240	2.3	1.6	2.0	0.11	0.23	164	1.4	1.2	1.4	0.08	0.17	C25
Nose, sinuses etc.	49	0.5	0.3	0.4	0.03	0.04	43	0.4	0.3	0.3	0.02	0.04	C30–31
Larynx	404	3.9	2.7	3.5	0.18	0.44	55	0.5	0.4	0.5	0.02	0.06	C32
Trachea, bronchus, and lung	812	7.9	5.5	7.0	0.36	0.92	476	4.1	3.6	4.1	0.23	0.51	C33–34
Other thoracic organs	8	0.1	0.1	0.1	0.01	0.01	3	0.0	0.0	0.0	0.00	0.00	C37–38
Bone	116	1.1	0.8	0.8	0.05	0.06	99	0.8	0.7	0.8	0.04	0.06	C40–41
Melanoma of skin	43	0.4	0.3	0.4	0.02	0.04	15	0.1	0.1	0.1	0.01	0.01	C43
Other skin	73	0.7	0.5	0.6	0.03	0.06	71	0.6	0.5	0.6	0.03	0.07	C44
Mesothelioma	6	0.1	0.0	0.1	0.00	0.01	2	0.0	0.0	0.0	0.00	0.00	C45
Kaposi sarcoma	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C46
Connective and soft tissue	135	1.3	0.9	1.1	0.05	0.12	131	1.1	1.0	1.0	0.07	0.11	C47+C49
Breast	137	1.3	0.9	1.1	0.08	0.13	3874	33.1	28.9	31.7	2.20	3.67	C50
Vulva							36	0.3	0.3	0.3	0.02	0.04	C51
Vagina							53	0.5	0.4	0.5	0.03	0.06	C52
Cervix uteri							1198	10.2	8.9	10.1	0.74	1.19	C53
Corpus uteri							499	4.3	3.7	4.4	0.29	0.57	C54
Uterus unspecified							38	0.3	0.3	0.3	0.02	0.04	C55
Ovary							788	6.7	5.9	6.6	0.44	0.81	C56
Other female genital organs							0	0.0	0.0	0.0	0.00	0.00	C57
Placenta							1	0.0	0.0	0.0	0.00	0.00	C58
Penis	105	1.0	0.7	0.9	0.04	0.11							C60
Prostate	952	9.2	6.4	8.6	0.17	1.02							C61
Testis	52	0.5	0.4	0.3	0.02	0.03							C62
Other male genital organs	0	0.0	0.0	0.0	0.00	0.00							C63
Kidney	286	2.8	1.9	2.4	0.15	0.29	118	1.0	0.9	1.0	0.07	0.13	C64
Renal pelvis	1	0.0	0.0	0.0	0.00	0.00	1	0.0	0.0	0.0	0.00	0.00	C65
Ureter	5	0.0	0.0	0.0	0.00	0.01	0	0.0	0.0	0.0	0.00	0.00	C66
Bladder	383	3.7	2.6	3.3	0.13	0.41	117	1.0	0.9	1.0	0.06	0.11	C67
Other urinary organs	2	0.0	0.0	0.0	0.00	0.00	2	0.0	0.0	0.0	0.00	0.00	C68
Eye	5	0.0	0.0	0.1	0.00	0.00	5	0.0	0.0	0.0	0.00	0.00	C69
Brain and nervous system	472	4.6	3.2	3.5	0.23	0.36	258	2.2	1.9	2.1	0.14	0.21	C70–72
Thyroid	107	1.0	0.7	0.8	0.05	0.09	205	1.8	1.5	1.5	0.11	0.16	C73
Adrenal gland	6	0.1	0.0	0.0	0.00	0.00	4	0.0	0.0	0.0	0.00	0.00	C74
Other endocrine	4	0.0	0.0	0.0	0.00	0.00	2	0.0	0.0	0.0	0.00	0.00	C75
Hodgkin lymphoma	103	1.0	0.7	0.7	0.05	0.07	59	0.5	0.4	0.4	0.02	0.04	C81
Non-Hodgkin lymphoma	500	4.8	3.4	4.0	0.21	0.45	330	2.8	2.5	2.8	0.14	0.34	C82–86,C96
Immunoproliferative diseases	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C88
Multiple myeloma	140	1.4	0.9	1.2	0.06	0.15	80	0.7	0.6	0.7	0.03	0.10	C90
Lymphoid leukaemia	140	1.4	0.9	1.1	0.06	0.09	88	0.8	0.7	0.8	0.04	0.06	C91
Myeloid leukaemia	159	1.5	1.1	1.2	0.06	0.11	129	1.1	1.0	1.0	0.06	0.09	C92–94
Leukaemia unspecified	49	0.5	0.3	0.4	0.02	0.03	33	0.3	0.2	0.3	0.02	0.02	C95
Myeloproliferative disorders	1	0.0	0.0	0.0	0.00	0.00	1	0.0	0.0	0.0	0.00	0.00	MPD
Myelodysplastic syndromes	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	MPS
Other and unspecified	454	4.4	3.1	3.7	0.20	0.42	424	3.6	3.2	3.6	0.22	0.41	O&U
All sites	10395		70.3	85.5	4.51	10.01	11770		87.8	98.3	6.35	11.50	C00–96
All sites except C44	10322	100.0	69.8	84.9	4.48	9.94	11699	100.0	87.3	97.7	6.32	11.43	C00–96 exc. C44

§Includes 2 cases of unknown age

India, Sangrur District

CONTRIBUTORS

Rajendra Badwe
Atul Budukh
J.S. Thakur
Prithviraj Kadam
Jagat Ram
Rajesh Dikshit



NOTES ON THE DATA

*No official mortality data.

20 major cancers, ASR (World) per 100 000

<i>Male</i>		<i>Female</i>	
Other and unspecified	7.6	Breast	19.1
Oesophagus	6.1	Cervix uteri	9.4
Liver	5.4	Oesophagus	5.3
Prostate	5.1	Ovary	5.2
Tongue	3.6	Other and unspecified	4.5
Trachea, bronchus, and lung	3.6	Gallbladder etc.	4.3
Larynx	3.1	Corpus uteri	2.1
Mouth	2.7	Trachea, bronchus, and lung	1.9
Bladder	2.5	Thyroid	1.9
Non-Hodgkin lymphoma	2.0	Brain and nervous system	1.7
Lymphoid leukaemia	1.7	Pancreas	1.3
Gallbladder etc.	1.7	Myeloid leukaemia	1.3
Pancreas	1.6	Liver	1.2
Myeloid leukaemia	1.6	Non-Hodgkin lymphoma	1.2
Hypopharynx	1.6	Kidney	1.1
Non-melanoma skin cancer	1.4	Colon	1.1
Kidney	1.4	Stomach	0.9
Brain and nervous system	1.3	Bone	0.9
Rectum	1.3	Non-melanoma skin cancer	0.8
Leukaemia unspecified	1.2	Tongue	0.7
All sites	67.3	All sites	74.1

*India, Sangrur District (2015–2017)


SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	
Lip	6	0.3	0.2	0.2	0.01	0.04	0	0.0	0.0	0.0	0.00	0.00	C00
Tongue	94	5.4	3.3	3.6	0.31	0.42	19	1.0	0.8	0.7	0.05	0.09	C01–02
Mouth	71	4.1	2.5	2.7	0.22	0.33	18	1.0	0.7	0.7	0.05	0.08	C03–06
Salivary glands	12	0.7	0.4	0.4	0.03	0.04	5	0.3	0.2	0.2	0.01	0.01	C07–08
Tonsil	17	1.0	0.6	0.6	0.05	0.07	4	0.2	0.2	0.2	0.01	0.02	C09
Other oropharynx	23	1.3	0.8	0.9	0.06	0.12	3	0.2	0.1	0.1	0.01	0.01	C10
Nasopharynx	10	0.6	0.4	0.4	0.03	0.05	7	0.4	0.3	0.3	0.02	0.04	C11
Hypopharynx	42	2.4	1.5	1.6	0.11	0.21	16	0.9	0.6	0.6	0.06	0.07	C12–13
Pharynx unspecified	5	0.3	0.2	0.2	0.02	0.02	0	0.0	0.0	0.0	0.00	0.00	C14
Oesophagus	162	9.3	5.8	6.1	0.40	0.72	132	7.2	5.3	5.3	0.38	0.65	C15
Stomach	31	1.8	1.1	1.2	0.11	0.13	24	1.3	1.0	0.9	0.06	0.09	C16
Small intestine	7	0.4	0.2	0.3	0.01	0.02	4	0.2	0.2	0.2	0.02	0.02	C17
Colon	28	1.6	1.0	1.0	0.08	0.09	27	1.5	1.1	1.1	0.09	0.11	C18
Rectum	35	2.0	1.2	1.3	0.11	0.14	11	0.6	0.4	0.5	0.04	0.05	C19–20
Anus	5	0.3	0.2	0.2	0.00	0.02	3	0.2	0.1	0.1	0.01	0.02	C21
Liver	139	7.9	5.0	5.4	0.39	0.68	30	1.6	1.2	1.2	0.10	0.14	C22
Gallbladder etc.	44	2.5	1.6	1.7	0.12	0.19	108	5.9	4.4	4.3	0.32	0.50	C23–24
Pancreas	42	2.4	1.5	1.6	0.12	0.21	32	1.7	1.3	1.3	0.11	0.15	C25
Nose, sinuses etc.	5	0.3	0.2	0.2	0.01	0.02	4	0.2	0.2	0.2	0.01	0.01	C30–31
Larynx	81	4.6	2.9	3.1	0.23	0.40	11	0.6	0.4	0.4	0.04	0.04	C32
Trachea, bronchus, and lung	92	5.3	3.3	3.6	0.27	0.47	47	2.6	1.9	1.9	0.15	0.21	C33–34
Other thoracic organs	1	0.1	0.0	0.0	0.00	0.00	3	0.2	0.1	0.1	0.01	0.01	C37–38
Bone	23	1.3	0.8	0.8	0.07	0.07	24	1.3	1.0	0.9	0.06	0.08	C40–41
Melanoma of skin	2	0.1	0.1	0.1	0.01	0.01	3	0.2	0.1	0.1	0.01	0.01	C43
Other skin	38	2.2	1.4	1.4	0.08	0.17	21	1.1	0.8	0.8	0.04	0.11	C44
Mesothelioma	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C45
Kaposi sarcoma	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C46
Connective and soft tissue	21	1.2	0.7	0.7	0.05	0.08	12	0.7	0.5	0.5	0.04	0.06	C47+C49
Breast	9	0.5	0.3	0.3	0.02	0.04	476	26.0	19.2	19.1	1.47	2.19	C50
Vulva							12	0.7	0.5	0.5	0.01	0.07	C51
Vagina							12	0.7	0.5	0.5	0.03	0.06	C52
Cervix uteri							235	12.8	9.5	9.4	0.78	1.01	C53
Corpus uteri							50	2.7	2.0	2.1	0.14	0.27	C54
Uterus unspecified							9	0.5	0.4	0.4	0.04	0.04	C55
Ovary							130	7.1	5.2	5.2	0.42	0.61	C56
Other female genital organs							0	0.0	0.0	0.0	0.00	0.00	C57
Placenta							0	0.0	0.0	0.0	0.00	0.00	C58
Penis		1.3	0.8	0.9	0.07	0.10							C60
Prostate	143	8.2	5.1	5.1	0.17	0.62							C61
Testis	14	0.8	0.5	0.4	0.03	0.03							C62
Other male genital organs	0	0.0	0.0	0.0	0.00	0.00							C63
Kidney	36	2.1	1.3	1.4	0.11	0.15	28	1.5	1.1	1.1	0.09	0.11	C64
Renal pelvis	0	0.0	0.0	0.0	0.00	0.00	2	0.1	0.1	0.1	0.01	0.01	C65
Ureter	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C66
Bladder	65	3.7	2.3	2.5	0.18	0.31	16	0.9	0.6	0.6	0.04	0.07	C67
Other urinary organs	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C68
Eye	3	0.2	0.1	0.1	0.00	0.00	2	0.1	0.1	0.1	0.00	0.00	C69
Brain and nervous system	35	2.0	1.2	1.3	0.10	0.14	42	2.3	1.7	1.8	0.14	0.15	C70–72
Thyroid	13	0.7	0.5	0.5	0.03	0.07	49	2.7	2.0	1.9	0.15	0.18	C73
Adrenal gland	1	0.1	0.0	0.1	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C74
Other endocrine	1	0.1	0.0	0.0	0.00	0.00	1	0.1	0.0	0.0	0.00	0.00	C75
Hodgkin lymphoma	9	0.5	0.3	0.3	0.02	0.02	12	0.7	0.5	0.5	0.04	0.05	C81
Non-Hodgkin lymphoma	52	3.0	1.9	2.0	0.16	0.21	31	1.7	1.2	1.2	0.09	0.13	C82–86,C96
Immunoproliferative diseases	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C88
Multiple myeloma	22	1.3	0.8	0.9	0.08	0.10	7	0.4	0.3	0.3	0.03	0.03	C90
Lymphoid leukaemia	45	2.6	1.6	1.7	0.10	0.14	12	0.7	0.5	0.5	0.03	0.05	C91
Myeloid leukaemia	45	2.6	1.6	1.6	0.10	0.16	32	1.7	1.3	1.3	0.10	0.13	C92–94
Leukaemia unspecified	35	2.0	1.2	1.2	0.09	0.12	12	0.7	0.5	0.4	0.03	0.04	C95
Myeloproliferative disorders	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	MPD
Myelodysplastic syndromes	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	MPS
Other and unspecified	201	11.5	7.2	7.6	0.48	0.93	113	6.2	4.6	4.5	0.29	0.52	O&U
All sites	1788		63.7	67.3	4.67	7.90	1851		74.6	74.1	5.64	8.29	C00–96
All sites except C44	1750	100.0	62.4	65.9	4.58	7.72	1830	100.0	73.7	73.3	5.60	8.18	C00–96 exc. C44

*See note following population pyramid

India, SAS Nagar

CONTRIBUTORS

Yogesh Chawla
 Jagat Ram
 J.S. Thakur
 Rakesh Kapoor
 Pankaj Malhotra
 S.P.S. Bhatia
 Kathirvel S.
 Pankaj Arora
 R.A. Badwe
 Rajesh Dikshit
 Atul Budukh
 T. Anbumani
 Pankaj Chaturvedi
 Prathamesh Pai
 H.S. Bali
 Jaspal Kaur
 Neelam Bhardwaj
 Manjit Singh



20 major cancers, ASR (World) per 100 000

<i>Male</i>		<i>Female</i>	
Prostate	8.1	Breast	30.5
Trachea, bronchus, and lung	7.9	Cervix uteri	10.2
Oesophagus	6.1	Ovary	7.2
Bladder	5.1	Corpus uteri	4.6
Other and unspecified	4.9	Gallbladder etc.	4.6
Mouth	4.4	Oesophagus	4.1
Tongue	3.9	Other and unspecified	3.8
Liver	3.8	Non-Hodgkin lymphoma	3.3
Larynx	3.7	Trachea, bronchus, and lung	2.3
Brain and nervous system	3.2	Myeloid leukaemia	2.0
Non-Hodgkin lymphoma	3.0	Colon	1.8
Myeloid leukaemia	2.4	Liver	1.8
Kidney	2.1	Thyroid	1.5
Lymphoid leukaemia	2.1	Tongue	1.4
Multiple myeloma	2.0	Multiple myeloma	1.4
Colon	1.9	Brain and nervous system	1.3
Gallbladder etc.	1.8	Lymphoid leukaemia	1.3
Pancreas	1.7	Kidney	1.2
Stomach	1.7	Pancreas	1.1
Rectum	1.4	Rectum	1.0
All sites	82.6	All sites	97.0


India, SAS Nagar (2013–2017)

SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	
Lip	7	0.4	0.2	0.3	0.01	0.04	1	0.0	0.0	0.0	0.00	0.00	C00
Tongue	95	4.8	3.1	3.9	0.31	0.45	34	1.5	1.2	1.4	0.10	0.17	C01–02
Mouth	105	5.3	3.4	4.4	0.38	0.53	22	1.0	0.8	1.0	0.07	0.13	C03–06
Salivary glands	14	0.7	0.5	0.6	0.05	0.06	7	0.3	0.3	0.3	0.03	0.03	C07–08
Tonsil	23	1.2	0.8	1.0	0.09	0.13	2	0.1	0.1	0.1	0.01	0.01	C09
Other oropharynx	13	0.7	0.4	0.6	0.06	0.06	6	0.3	0.2	0.2	0.01	0.03	C10
Nasopharynx	4	0.2	0.1	0.1	0.01	0.01	3	0.1	0.1	0.1	0.01	0.01	C11
Hypopharynx	27	1.4	0.9	1.2	0.09	0.16	5	0.2	0.2	0.2	0.02	0.02	C12–13
Pharynx unspecified	6	0.3	0.2	0.2	0.01	0.02	6	0.3	0.2	0.3	0.02	0.04	C14
Oesophagus	138	6.9	4.5	6.1	0.49	0.77	95	4.3	3.5	4.1	0.24	0.54	C15
Stomach	40	2.0	1.3	1.7	0.12	0.23	12	0.5	0.4	0.5	0.04	0.06	C16
Small intestine	18	0.9	0.6	0.7	0.04	0.07	8	0.4	0.3	0.4	0.02	0.06	C17
Colon	48	2.4	1.6	1.9	0.11	0.24	44	2.0	1.6	1.8	0.13	0.19	C18
Rectum	35	1.8	1.1	1.4	0.10	0.18	23	1.0	0.8	1.0	0.07	0.12	C19–20
Anus	14	0.7	0.5	0.6	0.05	0.09	9	0.4	0.3	0.4	0.02	0.05	C21
Liver	89	4.5	2.9	3.8	0.28	0.47	39	1.8	1.4	1.8	0.14	0.24	C22
Gallbladder etc.	44	2.2	1.4	1.8	0.13	0.23	104	4.7	3.8	4.6	0.36	0.53	C23–24
Pancreas	40	2.0	1.3	1.7	0.11	0.22	26	1.2	0.9	1.1	0.06	0.14	C25
Nose, sinuses etc.	8	0.4	0.3	0.3	0.02	0.03	3	0.1	0.1	0.1	0.01	0.02	C30–31
Larynx	82	4.1	2.7	3.7	0.35	0.45	17	0.8	0.6	0.7	0.06	0.08	C32
Trachea, bronchus, and lung	185	9.3	6.0	7.9	0.54	0.99	51	2.3	1.9	2.3	0.17	0.26	C33–34
Other thoracic organs	2	0.1	0.1	0.1	0.01	0.01	4	0.2	0.1	0.2	0.01	0.02	C37–38
Bone	28	1.4	0.9	0.9	0.06	0.06	10	0.5	0.4	0.4	0.03	0.04	C40–41
Melanoma of skin	0	0.0	0.0	0.0	0.00	0.00	2	0.1	0.1	0.1	0.00	0.00	C43
Other skin	23	1.2	0.8	0.8	0.02	0.08	19	0.9	0.7	0.8	0.04	0.07	C44
Mesothelioma	1	0.1	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C45
Kaposi sarcoma	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C46
Connective and soft tissue	17	0.9	0.6	0.7	0.06	0.07	20	0.9	0.7	0.7	0.03	0.07	C47+C49
Breast	8	0.4	0.3	0.3	0.01	0.02	695	31.4	25.4	30.5	2.53	3.52	C50
Vulva							9	0.4	0.3	0.4	0.03	0.05	C51
Vagina							7	0.3	0.3	0.3	0.03	0.04	C52
Cervix uteri							231	10.4	8.4	10.2	0.83	1.12	C53
Corpus uteri							101	4.6	3.7	4.6	0.39	0.56	C54
Uterus unspecified							19	0.9	0.7	0.9	0.09	0.10	C55
Ovary							164	7.4	6.0	7.2	0.59	0.82	C56
Other female genital organs							3	0.1	0.1	0.2	0.02	0.02	C57
Placenta							0	0.0	0.0	0.0	0.00	0.00	C58
Penis		0.5	0.3	0.4	0.03	0.05							C60
Prostate	203	10.2	6.6	8.1	0.31	1.02							C61
Testis	15	0.8	0.5	0.5	0.04	0.04							C62
Other male genital organs	1	0.1	0.0	0.0	0.00	0.00							C63
Kidney	50	2.5	1.6	2.1	0.15	0.25	28	1.3	1.0	1.2	0.08	0.13	C64
Renal pelvis	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C65
Ureter	1	0.1	0.0	0.1	0.01	0.01	0	0.0	0.0	0.0	0.00	0.00	C66
Bladder	122	6.1	4.0	5.1	0.33	0.65	22	1.0	0.8	1.0	0.05	0.17	C67
Other urinary organs	1	0.1	0.0	0.0	0.00	0.00	1	0.0	0.0	0.0	0.00	0.01	C68
Eye	7	0.4	0.2	0.3	0.01	0.01	2	0.1	0.1	0.1	0.00	0.00	C69
Brain and nervous system	85	4.3	2.8	3.2	0.24	0.30	34	1.5	1.2	1.3	0.11	0.13	C70–72
Thyroid	12	0.6	0.4	0.4	0.03	0.04	37	1.7	1.4	1.5	0.12	0.15	C73
Adrenal gland	2	0.1	0.1	0.1	0.01	0.01	2	0.1	0.1	0.1	0.01	0.01	C74
Other endocrine	1	0.1	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C75
Hodgkin lymphoma	25	1.3	0.8	0.9	0.06	0.06	13	0.6	0.5	0.5	0.03	0.03	C81
Non-Hodgkin lymphoma	74	3.7	2.4	3.0	0.20	0.37	75	3.4	2.7	3.3	0.21	0.42	C82–86,C96
Immunoproliferative diseases	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C88
Multiple myeloma	48	2.4	1.6	2.0	0.13	0.26	32	1.4	1.2	1.4	0.09	0.18	C90
Lymphoid leukaemia	54	2.7	1.8	2.1	0.12	0.19	31	1.4	1.1	1.3	0.08	0.10	C91
Myeloid leukaemia	64	3.2	2.1	2.4	0.17	0.25	51	2.3	1.9	2.0	0.15	0.18	C92–94
Leukaemia unspecified	12	0.6	0.4	0.5	0.03	0.04	13	0.6	0.5	0.6	0.03	0.05	C95
Myeloproliferative disorders	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	MPD
Myelodysplastic syndromes	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	MPS
Other and unspecified	119	6.0	3.9	4.9	0.32	0.60	88	4.0	3.2	3.8	0.25	0.43	O&U
All sites	2020		66.0	82.6	5.68	9.83	2230		81.4	97.0	7.44	11.16	C00–96
All sites except C44	1997	100.0	65.3	81.8	5.66	9.75	2211	100.0	80.7	96.3	7.40	11.09	C00–96 exc. C44

India, Tamil Nadu

CONTRIBUTORS

R. Swaminathan
 V. Shanta
 P. Sampath
 R. Selvakumaran
 J. Murugaiyan
 T.S. Sambandam
 T. Chandrakala
 R. Mahalakshmi
 A. Elumalai
 A. Parimala
 N. Sridhar
 K. Ravichandran
 D. Gandeepan
 K. Veeramani
 V. Dharumadurai
 G. Mahendran
 C. Jerome



NOTES ON THE DATA

*No official mortality data.

20 major cancers, ASR (World) per 100 000

<i>Male</i>		<i>Female</i>	
Stomach	6.3	Breast	21.5
Other and unspecified	5.8	Cervix uteri	18.1
Trachea, bronchus, and lung	5.7	Ovary	4.4
Mouth	5.6	Other and unspecified	4.3
Tongue	3.9	Mouth	3.2
Oesophagus	3.5	Stomach	2.9
Larynx	3.2	Corpus uteri	2.7
Prostate	2.8	Thyroid	2.2
Rectum	2.6	Trachea, bronchus, and lung	2.1
Hypopharynx	2.3	Oesophagus	2.0
Non-Hodgkin lymphoma	2.1	Rectum	1.7
Liver	2.0	Colon	1.3
Colon	1.9	Tongue	1.3
Brain and nervous system	1.7	Non-Hodgkin lymphoma	1.2
Bladder	1.7	Brain and nervous system	1.2
Other oropharynx	1.6	Myeloid leukaemia	1.1
Lymphoid leukaemia	1.6	Hypopharynx	1.1
Myeloid leukaemia	1.6	Lymphoid leukaemia	1.0
Penis	1.3	Non-melanoma skin cancer	0.8
Non-melanoma skin cancer	1.1	Gallbladder etc.	0.7
All sites	70.3	All sites	83.7

*India, Tamil Nadu (2013–2017)


SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	
Lip	497	0.4	0.3	0.2	0.02	0.03	390	0.2	0.2	0.2	0.01	0.02	C00
Tongue	8024	5.8	4.2	3.9	0.28	0.46	2745	1.6	1.4	1.3	0.10	0.15	C01–02
Mouth	11462	8.3	6.0	5.6	0.39	0.66	6638	3.8	3.5	3.2	0.21	0.39	C03–06
Salivary glands	892	0.6	0.5	0.4	0.03	0.05	699	0.4	0.4	0.3	0.03	0.03	C07–08
Tonsil	1125	0.8	0.6	0.6	0.04	0.07	223	0.1	0.1	0.1	0.01	0.01	C09
Other oropharynx	3229	2.3	1.7	1.6	0.11	0.20	462	0.3	0.2	0.2	0.01	0.03	C10
Nasopharynx	814	0.6	0.4	0.4	0.03	0.04	397	0.2	0.2	0.2	0.01	0.02	C11
Hypopharynx	4607	3.3	2.4	2.3	0.15	0.28	2404	1.4	1.3	1.1	0.09	0.12	C12–13
Pharynx unspecified	512	0.4	0.3	0.3	0.01	0.03	247	0.1	0.1	0.1	0.01	0.01	C14
Oesophagus	6941	5.0	3.6	3.5	0.22	0.43	4291	2.4	2.2	2.0	0.14	0.24	C15
Stomach	12821	9.3	6.7	6.3	0.43	0.78	6134	3.5	3.2	2.9	0.21	0.33	C16
Small intestine	448	0.3	0.2	0.2	0.01	0.03	286	0.2	0.1	0.1	0.01	0.01	C17
Colon	3873	2.8	2.0	1.9	0.12	0.22	2796	1.6	1.5	1.3	0.09	0.15	C18
Rectum	5275	3.8	2.7	2.6	0.16	0.30	3566	2.0	1.9	1.7	0.12	0.20	C19–20
Anus	766	0.6	0.4	0.4	0.03	0.04	630	0.4	0.3	0.3	0.02	0.04	C21
Liver	3907	2.8	2.0	2.0	0.11	0.24	1328	0.8	0.7	0.6	0.04	0.07	C22
Gallbladder etc.	1761	1.3	0.9	0.9	0.06	0.11	1543	0.9	0.8	0.7	0.05	0.09	C23–24
Pancreas	1908	1.4	1.0	0.9	0.07	0.11	1183	0.7	0.6	0.6	0.04	0.07	C25
Nose, sinuses etc.	915	0.7	0.5	0.4	0.03	0.05	555	0.3	0.3	0.3	0.02	0.03	C30–31
Larynx	6376	4.6	3.3	3.2	0.21	0.40	787	0.4	0.4	0.4	0.03	0.04	C32
Trachea, bronchus, and lung	11396	8.2	5.9	5.7	0.37	0.73	4408	2.5	2.3	2.1	0.15	0.25	C33–34
Other thoracic organs	407	0.3	0.2	0.2	0.01	0.02	268	0.2	0.1	0.1	0.01	0.01	C37–38
Bone	1577	1.1	0.8	0.8	0.05	0.07	1050	0.6	0.5	0.5	0.04	0.04	C40–41
Melanoma of skin	610	0.4	0.3	0.3	0.02	0.04	427	0.2	0.2	0.2	0.01	0.02	C43
Other skin	2209	1.6	1.2	1.1	0.07	0.13	1738	1.0	0.9	0.8	0.05	0.09	C44
Mesothelioma	65	0.0	0.0	0.0	0.00	0.00	38	0.0	0.0	0.0	0.00	0.00	C45
Kaposi sarcoma	7	0.0	0.0	0.0	0.00	0.00	1	0.0	0.0	0.0	0.00	0.00	C46
Connective and soft tissue	1804	1.3	0.9	0.9	0.06	0.09	1399	0.8	0.7	0.7	0.05	0.06	C47+C49
Breast	730	0.5	0.4	0.4	0.02	0.04	46578	26.6	24.2	21.5	1.75	2.36	C50
Vulva							796	0.5	0.4	0.4	0.02	0.05	C51
Vagina							1230	0.7	0.6	0.6	0.04	0.07	C52
Cervix uteri							38579	22.0	20.1	18.1	1.46	2.07	C53
Corpus uteri							5744	3.3	3.0	2.7	0.22	0.34	C54
Uterus unspecified							544	0.3	0.3	0.3	0.02	0.03	C55
Ovary							9467	5.4	4.9	4.4	0.35	0.49	C56
Other female genital organs							135	0.1	0.1	0.1	0.00	0.01	C57
Placenta							95	0.1	0.0	0.0	0.00	0.00	C58
Penis	2650	1.9	1.4	1.3	0.09	0.15							C60
Prostate	5331	3.9	2.8	2.8	0.09	0.34							C61
Testis	934	0.7	0.5	0.4	0.03	0.03							C62
Other male genital organs	45	0.0	0.0	0.0	0.00	0.00							C63
Kidney	1994	1.4	1.0	1.0	0.07	0.12	912	0.5	0.5	0.5	0.03	0.05	C64
Renal pelvis	14	0.0	0.0	0.0	0.00	0.00	15	0.0	0.0	0.0	0.00	0.00	C65
Ureter	58	0.0	0.0	0.0	0.00	0.00	27	0.0	0.0	0.0	0.00	0.00	C66
Bladder	3288	2.4	1.7	1.7	0.08	0.20	1063	0.6	0.6	0.5	0.03	0.06	C67
Other urinary organs	56	0.0	0.0	0.0	0.00	0.00	41	0.0	0.0	0.0	0.00	0.00	C68
Eye	205	0.1	0.1	0.1	0.01	0.01	174	0.1	0.1	0.1	0.01	0.01	C69
Brain and nervous system	3502	2.5	1.8	1.7	0.13	0.16	2390	1.4	1.2	1.2	0.09	0.10	C70–72
Thyroid	1893	1.4	1.0	0.9	0.06	0.10	4899	2.8	2.5	2.2	0.17	0.22	C73
Adrenal gland	206	0.1	0.1	0.1	0.01	0.01	186	0.1	0.1	0.1	0.01	0.01	C74
Other endocrine	102	0.1	0.1	0.0	0.00	0.00	83	0.0	0.0	0.0	0.00	0.00	C75
Hodgkin lymphoma	1333	1.0	0.7	0.7	0.04	0.06	672	0.4	0.3	0.3	0.02	0.03	C81
Non-Hodgkin lymphoma	4233	3.1	2.2	2.1	0.14	0.22	2526	1.4	1.3	1.2	0.09	0.13	C82–86,C96
Immunoproliferative diseases	2	0.0	0.0	0.0	0.00	0.00	2	0.0	0.0	0.0	0.00	0.00	C88
Multiple myeloma	1708	1.2	0.9	0.8	0.06	0.10	1155	0.7	0.6	0.6	0.04	0.07	C90
Lymphoid leukaemia	2630	1.9	1.4	1.6	0.09	0.11	1517	0.9	0.8	1.0	0.05	0.06	C91
Myeloid leukaemia	3199	2.3	1.7	1.6	0.11	0.14	2321	1.3	1.2	1.1	0.08	0.10	C92–94
Leukaemia unspecified	451	0.3	0.2	0.2	0.02	0.02	340	0.2	0.2	0.2	0.01	0.01	C95
Myeloproliferative disorders	16	0.0	0.0	0.0	0.00	0.00	5	0.0	0.0	0.0	0.00	0.00	MPD
Myelodysplastic syndromes	48	0.0	0.0	0.0	0.00	0.00	29	0.0	0.0	0.0	0.00	0.00	MPS
Other and unspecified	11511	8.3	6.0	5.8	0.34	0.66	9002	5.1	4.7	4.3	0.29	0.48	O&U
All sites	140367		73.1	70.3	4.50	8.13	177160		92.2	83.7	6.36	9.33	C00–96
All sites except C44	138158	100.0	71.9	69.2	4.44	8.01	175422	100.0	91.3	82.8	6.31	9.23	C00–96 exc. C44

*See note following population pyramid

India, Tripura

CONTRIBUTORS

Gautam Majumdar
Shanti Ranjan Paul
Tamal Paul
Priyotosh Dhar
Dipankar Sen
Abhijit Deb
Abhishek Singha
Rupan Nama
Bikash Debnath
Bikash Gon Choudhury
Anath Bhushan Debnath



NOTES ON THE DATA

*No official mortality data.

20 major cancers, ASR (World) per 100 000

Male		Female	
Trachea, bronchus, and lung	14.1	Cervix uteri	9.3
Oesophagus	6.2	Breast	8.2
Other and unspecified	6.1	Gallbladder etc.	5.9
Larynx	5.6	Mouth	3.5
Stomach	5.0	Trachea, bronchus, and lung	3.5
Mouth	4.7	Oesophagus	3.2
Tongue	4.4	Ovary	3.1
Hypopharynx	4.2	Other and unspecified	2.8
Gallbladder etc.	3.2	Stomach	2.1
Non-Hodgkin lymphoma	2.7	Liver	1.3
Tonsil	2.5	Tongue	1.2
Liver	1.9	Brain and nervous system	1.1
Bladder	1.6	Non-Hodgkin lymphoma	1.1
Colon	1.6	Colon	1.1
Rectum	1.5	Thyroid	1.0
Myeloid leukaemia	1.4	Myeloid leukaemia	1.0
Brain and nervous system	1.4	Larynx	0.9
Prostate	1.2	Rectum	0.9
Other oropharynx	1.2	Non-melanoma skin cancer	0.7
Non-melanoma skin cancer	1.0	Tonsil	0.6
All sites	82.2	All sites	59.1

*India, Tripura (2013–2016)

SITE	Male						Female						ICD-10
	§No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	0–74 (%)	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	0–74 (%)	
Lip	13	0.2	0.2	0.2	0.01	0.02	12	0.3	0.2	0.2	0.00	0.02	C00
Tongue	291	5.5	3.7	4.4	0.32	0.52	79	2.0	1.0	1.2	0.08	0.16	C01–02
Mouth	317	6.0	4.0	4.7	0.33	0.58	230	5.8	3.0	3.5	0.27	0.41	C03–06
Salivary glands	38	0.7	0.5	0.5	0.03	0.06	16	0.4	0.2	0.2	0.02	0.02	C07–08
Tonsil	161	3.0	2.0	2.5	0.16	0.29	38	1.0	0.5	0.6	0.05	0.07	C09
Other oropharynx	78	1.5	1.0	1.2	0.07	0.15	9	0.2	0.1	0.1	0.01	0.02	C10
Nasopharynx	36	0.7	0.5	0.5	0.03	0.06	21	0.5	0.3	0.3	0.03	0.03	C11
Hypopharynx	270	5.1	3.4	4.2	0.28	0.53	26	0.7	0.3	0.4	0.03	0.04	C12–13
Pharynx unspecified	46	0.9	0.6	0.7	0.04	0.09	4	0.1	0.1	0.1	0.00	0.00	C14
Oesophagus	405	7.6	5.1	6.2	0.46	0.79	197	4.9	2.6	3.2	0.24	0.41	C15
Stomach	323	6.1	4.1	5.0	0.34	0.64	147	3.7	1.9	2.1	0.16	0.24	C16
Small intestine	11	0.2	0.1	0.2	0.01	0.01	5	0.1	0.1	0.1	0.01	0.01	C17
Colon	106	2.0	1.3	1.6	0.12	0.17	73	1.8	1.0	1.1	0.08	0.13	C18
Rectum	101	1.9	1.3	1.5	0.10	0.18	64	1.6	0.8	0.9	0.06	0.09	C19–20
Anus	20	0.4	0.3	0.3	0.02	0.03	13	0.3	0.2	0.2	0.01	0.02	C21
Liver	127	2.4	1.6	1.9	0.13	0.25	84	2.1	1.1	1.3	0.09	0.16	C22
Gallbladder etc.	204	3.8	2.6	3.2	0.21	0.40	395	9.9	5.2	5.9	0.43	0.72	C23–24
Pancreas	57	1.1	0.7	0.9	0.06	0.11	40	1.0	0.5	0.6	0.04	0.06	C25
Nose, sinuses etc.	16	0.3	0.2	0.2	0.02	0.03	9	0.2	0.1	0.1	0.01	0.01	C30–31
Larynx	364	6.8	4.6	5.6	0.38	0.69	56	1.4	0.7	0.9	0.08	0.11	C32
Trachea, bronchus, and lung	873	16.4	11.1	14.1	0.82	1.81	220	5.5	2.9	3.5	0.20	0.46	C33–34
Other thoracic organs	15	0.3	0.2	0.2	0.01	0.04	9	0.2	0.1	0.1	0.01	0.01	C37–38
Bone	63	1.2	0.8	0.9	0.05	0.10	36	0.9	0.5	0.5	0.03	0.04	C40–41
Melanoma of skin	8	0.2	0.1	0.1	0.01	0.02	4	0.1	0.1	0.1	0.00	0.01	C43
Other skin	65	1.2	0.8	1.0	0.06	0.10	50	1.3	0.7	0.7	0.05	0.08	C44
Mesothelioma	13	0.2	0.2	0.2	0.01	0.02	2	0.1	0.0	0.0	0.00	0.00	C45
Kaposi sarcoma	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C46
Connective and soft tissue	43	0.8	0.5	0.6	0.05	0.07	28	0.7	0.4	0.4	0.03	0.05	C47+C49
Breast	21	0.4	0.3	0.3	0.02	0.04	596	14.9	7.8	8.2	0.71	0.85	C50
Vulva							20	0.5	0.3	0.3	0.02	0.02	C51
Vagina							12	0.3	0.2	0.2	0.01	0.02	C52
Cervix uteri							644	16.1	8.5	9.3	0.77	1.05	C53
Corpus uteri							38	1.0	0.5	0.6	0.05	0.06	C54
Uterus unspecified							31	0.8	0.4	0.4	0.03	0.03	C55
Ovary							219	5.5	2.9	3.1	0.26	0.33	C56
Other female genital organs							0	0.0	0.0	0.0	0.00	0.00	C57
Placenta							6	0.2	0.1	0.1	0.00	0.00	C58
Penis	49	0.9	0.6	0.7	0.05	0.07							C60
Prostate	76	1.4	1.0	1.2	0.06	0.15							C61
Testis	30	0.6	0.4	0.3	0.02	0.03							C62
Other male genital organs	1	0.0	0.0	0.0	0.00	0.00							C63
Kidney	58	1.1	0.7	0.9	0.05	0.10	16	0.4	0.2	0.2	0.02	0.02	C64
Renal pelvis	1	0.0	0.0	0.0	0.00	0.00	3	0.1	0.0	0.1	0.01	0.01	C65
Ureter	1	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C66
Bladder	102	1.9	1.3	1.6	0.10	0.19	13	0.3	0.2	0.2	0.02	0.02	C67
Other urinary organs	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C68
Eye	5	0.1	0.1	0.1	0.00	0.00	5	0.1	0.1	0.1	0.00	0.00	C69
Brain and nervous system	99	1.9	1.3	1.4	0.09	0.15	79	2.0	1.0	1.1	0.09	0.12	C70–72
Thyroid	42	0.8	0.5	0.6	0.03	0.07	72	1.8	0.9	1.0	0.07	0.11	C73
Adrenal gland	4	0.1	0.1	0.1	0.01	0.01	3	0.1	0.0	0.1	0.00	0.00	C74
Other endocrine	3	0.1	0.0	0.0	0.00	0.00	4	0.1	0.1	0.1	0.00	0.00	C75
Hodgkin lymphoma	30	0.6	0.4	0.4	0.02	0.03	17	0.4	0.2	0.2	0.02	0.02	C81
Non-Hodgkin lymphoma	189	3.6	2.4	2.7	0.19	0.31	76	1.9	1.0	1.1	0.08	0.12	C82–86,C96
Immunoproliferative diseases	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C88
Multiple myeloma	44	0.8	0.6	0.7	0.04	0.10	23	0.6	0.3	0.4	0.03	0.04	C90
Lymphoid leukaemia	53	1.0	0.7	0.8	0.05	0.07	29	0.7	0.4	0.4	0.03	0.03	C91
Myeloid leukaemia	109	2.1	1.4	1.4	0.10	0.12	74	1.9	1.0	1.0	0.07	0.09	C92–94
Leukaemia unspecified	6	0.1	0.1	0.1	0.01	0.01	6	0.2	0.1	0.1	0.01	0.01	C95
Myeloproliferative disorders	0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.0	0.0	0.00	0.00	MPD
Myelodysplastic syndromes	3	0.1	0.0	0.1	0.01	0.01	3	0.1	0.0	0.0	0.00	0.00	MPS
Other and unspecified	392	7.4	5.0	6.1	0.36	0.79	189	4.7	2.5	2.8	0.21	0.33	O&U
All sites	5382		68.2	82.2	5.37	10.02	4046		53.2	59.1	4.55	6.72	C00–96
All sites except C44	5317	100.0	67.4	81.2	5.31	9.92	3996	100.0	52.5	58.4	4.50	6.64	C00–96 exc. C44


§Includes 1 case of unknown age

*See note following population pyramid

India, Trivandrum

CONTRIBUTORS

Aleyamma Mathew
Preethi Sara George
M.C. Kalavathy



20 major cancers, ASR (World) per 100 000

<i>Male</i>		<i>Female</i>	
Trachea, bronchus, and lung	17.8	Breast	36.8
Other and unspecified	13.9	Thyroid	15.1
Prostate	9.8	Other and unspecified	10.1
Mouth	7.1	Ovary	7.3
Tongue	6.7	Cervix uteri	6.7
Liver	6.6	Corpus uteri	6.1
Rectum	6.0	Trachea, bronchus, and lung	4.9
Larynx	5.8	Rectum	3.9
Non-Hodgkin lymphoma	5.1	Colon	3.4
Stomach	5.1	Non-Hodgkin lymphoma	3.1
Bladder	4.9	Mouth	2.8
Colon	4.9	Tongue	2.3
Thyroid	4.1	Multiple myeloma	2.3
Oesophagus	4.0	Myeloid leukaemia	2.3
Multiple myeloma	3.5	Brain and nervous system	2.2
Kidney	3.1	Liver	1.7
Brain and nervous system	2.8	Stomach	1.7
Pancreas	2.8	Non-melanoma skin cancer	1.7
Non-melanoma skin cancer	2.4	Pancreas	1.6
Lymphoid leukaemia	2.4	Connective and soft tissue	1.4
All sites	140.1	All sites	130.3

India, Trivandrum (2013–2016)


SITE	Male						Female						ICD-10
	§No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	0–74 (%)	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	0–74 (%)	
Lip	25	0.2	0.4	0.3	0.01	0.04	23	0.2	0.3	0.2	0.01	0.02	C00
Tongue	545	5.0	8.6	6.7	0.46	0.77	217	1.9	3.1	2.3	0.13	0.29	C01–02
Mouth	583	5.4	9.2	7.1	0.42	0.86	259	2.2	3.7	2.8	0.13	0.37	C03–06
Salivary glands	72	0.7	1.1	0.9	0.06	0.12	65	0.6	0.9	0.8	0.06	0.08	C07–08
Tonsil	47	0.4	0.7	0.6	0.05	0.07	13	0.1	0.2	0.1	0.01	0.02	C09
Other oropharynx	184	1.7	2.9	2.3	0.14	0.30	20	0.2	0.3	0.2	0.01	0.02	C10
Nasopharynx	52	0.5	0.8	0.7	0.05	0.07	27	0.2	0.4	0.3	0.02	0.04	C11
Hypopharynx	143	1.3	2.3	1.8	0.10	0.23	28	0.2	0.4	0.3	0.03	0.03	C12–13
Pharynx unspecified	10	0.1	0.2	0.1	0.01	0.01	1	0.0	0.0	0.0	0.00	0.00	C14
Oesophagus	328	3.0	5.2	4.0	0.22	0.51	85	0.7	1.2	0.9	0.05	0.11	C15
Stomach	407	3.7	6.4	5.1	0.27	0.61	156	1.3	2.2	1.7	0.11	0.20	C16
Small intestine	26	0.2	0.4	0.3	0.01	0.04	20	0.2	0.3	0.2	0.01	0.02	C17
Colon	390	3.6	6.1	4.9	0.30	0.59	310	2.7	4.5	3.4	0.20	0.44	C18
Rectum	485	4.5	7.6	6.0	0.34	0.76	364	3.1	5.2	3.9	0.24	0.49	C19–20
Anus	24	0.2	0.4	0.3	0.02	0.03	18	0.2	0.3	0.2	0.01	0.02	C21
Liver	535	4.9	8.4	6.6	0.40	0.82	151	1.3	2.2	1.7	0.10	0.20	C22
Gallbladder etc.	120	1.1	1.9	1.5	0.08	0.19	112	1.0	1.6	1.2	0.06	0.15	C23–24
Pancreas	228	2.1	3.6	2.8	0.18	0.35	154	1.3	2.2	1.6	0.11	0.21	C25
Nose, sinuses etc.	39	0.4	0.6	0.5	0.03	0.05	33	0.3	0.5	0.4	0.02	0.04	C30–31
Larynx	466	4.3	7.3	5.8	0.33	0.75	32	0.3	0.5	0.3	0.02	0.04	C32
Trachea, bronchus, and lung	1440	13.2	22.7	17.8	1.02	2.27	464	4.0	6.7	4.9	0.29	0.62	C33–34
Other thoracic organs	19	0.2	0.3	0.2	0.02	0.02	16	0.1	0.2	0.2	0.01	0.02	C37–38
Bone	63	0.6	1.0	1.0	0.06	0.07	46	0.4	0.7	0.7	0.05	0.05	C40–41
Melanoma of skin	41	0.4	0.6	0.5	0.03	0.05	41	0.4	0.6	0.5	0.02	0.06	C43
Other skin	199	1.8	3.1	2.4	0.14	0.28	161	1.4	2.3	1.7	0.10	0.17	C44
Mesothelioma	3	0.0	0.0	0.0	0.00	0.01	2	0.0	0.0	0.0	0.00	0.00	C45
Kaposi sarcoma	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C46
Connective and soft tissue	144	1.3	2.3	2.0	0.12	0.19	119	1.0	1.7	1.4	0.10	0.13	C47+C49
Breast	84	0.8	1.3	1.1	0.07	0.11	3412	29.2	49.0	36.8	2.94	4.18	C50
Vulva							19	0.2	0.3	0.2	0.01	0.03	C51
Vagina							36	0.3	0.5	0.4	0.02	0.04	C52
Cervix uteri							630	5.4	9.0	6.7	0.46	0.78	C53
Corpus uteri							565	4.8	8.1	6.1	0.46	0.76	C54
Uterus unspecified							64	0.5	0.9	0.7	0.06	0.08	C55
Ovary							667	5.7	9.6	7.3	0.52	0.80	C56
Other female genital organs							4	0.0	0.1	0.0	0.00	0.00	C57
Placenta							0	0.0	0.0	0.0	0.00	0.00	C58
Penis	40	0.4	0.6	0.5	0.02	0.05							C60
Prostate	790	7.3	12.5	9.8	0.27	1.21							C61
Testis	56	0.5	0.9	0.8	0.06	0.07							C62
Other male genital organs	4	0.0	0.1	0.0	0.00	0.01							C63
Kidney	245	2.3	3.9	3.1	0.21	0.38	84	0.7	1.2	1.0	0.07	0.09	C64
Renal pelvis	4	0.0	0.1	0.0	0.00	0.01	1	0.0	0.0	0.0	0.00	0.00	C65
Ureter	5	0.0	0.1	0.1	0.00	0.01	3	0.0	0.0	0.0	0.00	0.00	C66
Bladder	398	3.7	6.3	4.9	0.22	0.64	89	0.8	1.3	0.9	0.06	0.11	C67
Other urinary organs	1	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C68
Eye	11	0.1	0.2	0.1	0.01	0.02	5	0.0	0.1	0.1	0.00	0.01	C69
Brain and nervous system	204	1.9	3.2	2.8	0.19	0.29	173	1.5	2.5	2.2	0.16	0.20	C70–72
Thyroid	305	2.8	4.8	4.1	0.29	0.38	1289	11.0	18.5	15.1	1.18	1.34	C73
Adrenal gland	7	0.1	0.1	0.1	0.01	0.01	7	0.1	0.1	0.1	0.01	0.01	C74
Other endocrine	2	0.0	0.0	0.0	0.00	0.00	3	0.0	0.0	0.0	0.00	0.00	C75
Hodgkin lymphoma	114	1.0	1.8	1.7	0.12	0.14	68	0.6	1.0	0.9	0.06	0.07	C81
Non-Hodgkin lymphoma	405	3.7	6.4	5.1	0.34	0.58	283	2.4	4.1	3.1	0.20	0.36	C82–86,C96
Immunoproliferative diseases	4	0.0	0.1	0.1	0.00	0.00	2	0.0	0.0	0.0	0.00	0.00	C88
Multiple myeloma	282	2.6	4.4	3.5	0.20	0.47	212	1.8	3.0	2.3	0.14	0.32	C90
Lymphoid leukaemia	139	1.3	2.2	2.4	0.12	0.18	70	0.6	1.0	1.2	0.06	0.09	C91
Myeloid leukaemia	166	1.5	2.6	2.4	0.15	0.23	194	1.7	2.8	2.3	0.16	0.22	C92–94
Leukaemia unspecified	45	0.4	0.7	0.7	0.03	0.05	41	0.4	0.6	0.5	0.03	0.05	C95
Myeloproliferative disorders	26	0.2	0.4	0.3	0.02	0.04	7	0.1	0.1	0.1	0.00	0.01	MPD
Myelodysplastic syndromes	5	0.0	0.1	0.1	0.01	0.01	9	0.1	0.1	0.1	0.00	0.01	MPS
Other and unspecified	1115	10.3	17.6	13.9	0.67	1.60	967	8.3	13.9	10.1	0.49	1.17	O&U
All sites	11075		174.6	140.1	7.90	16.53	11841		170.0	130.3	8.99	14.59	C00–96
All sites except C44	10876	100.0	171.4	137.7	7.76	16.25	11680	100.0	167.7	128.7	8.89	14.42	C00–96 exc. C44

§Includes 2 cases of unknown age

India, Wardha

CONTRIBUTORS

Nitin Gangane
 Sandip Shrivastav
 Manoj Chandak
 Kartar Singh
 Sudhir Gupta
 Kajal Mitra
 Sunita Vagha
 Virendra Vyas
 Sushil Mandhaniya
 Swapna Maliye



20 major cancers, ASR (World) per 100 000

Male		Female	
Mouth	10.2	Breast	21.2
Trachea, bronchus, and lung	4.7	Cervix uteri	8.5
Liver	4.4	Ovary	5.3
Oesophagus	4.2	Mouth	3.9
Tongue	3.8	Oesophagus	3.1
Brain and nervous system	3.2	Trachea, bronchus, and lung	2.9
Prostate	2.7	Thyroid	2.4
Non-melanoma skin cancer	2.3	Non-melanoma skin cancer	2.1
Non-Hodgkin lymphoma	2.2	Liver	1.9
Rectum	2.1	Brain and nervous system	1.7
Myeloid leukaemia	1.9	Corpus uteri	1.6
Larynx	1.9	Tongue	1.5
Bladder	1.7	Stomach	1.3
Lymphoid leukaemia	1.5	Myeloid leukaemia	1.3
Stomach	1.5	Colon	1.2
Other and unspecified	1.5	Non-Hodgkin lymphoma	1.2
Colon	1.5	Rectum	1.1
Penis	1.4	Lymphoid leukaemia	1.0
Kidney	1.2	Gallbladder etc.	0.9
Gallbladder etc.	1.1	Other and unspecified	0.8
All sites	67.3	All sites	72.7


India, Wardha (2013–2017)

SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	
Lip	32	1.3	0.9	0.8	0.05	0.10	12	0.5	0.4	0.3	0.01	0.05	C00
Tongue	151	6.2	4.4	3.8	0.29	0.43	56	2.1	1.7	1.5	0.13	0.18	C01–02
Mouth	392	16.0	11.5	10.2	0.79	1.14	151	5.8	4.7	3.9	0.25	0.48	C03–06
Salivary glands	26	1.1	0.8	0.7	0.02	0.08	20	0.8	0.6	0.5	0.04	0.05	C07–08
Tonsil	21	0.9	0.6	0.6	0.04	0.08	2	0.1	0.1	0.1	0.00	0.00	C09
Other oropharynx	9	0.4	0.3	0.2	0.01	0.04	2	0.1	0.1	0.1	0.01	0.01	C10
Nasopharynx	11	0.4	0.3	0.3	0.02	0.03	4	0.2	0.1	0.1	0.01	0.01	C11
Hypopharynx	27	1.1	0.8	0.7	0.02	0.09	17	0.7	0.5	0.4	0.02	0.05	C12–13
Pharynx unspecified	7	0.3	0.2	0.2	0.01	0.02	6	0.2	0.2	0.2	0.01	0.01	C14
Oesophagus	160	6.5	4.7	4.2	0.25	0.55	117	4.5	3.6	3.1	0.21	0.40	C15
Stomach	57	2.3	1.7	1.5	0.09	0.18	50	1.9	1.5	1.3	0.09	0.17	C16
Small intestine	15	0.6	0.4	0.4	0.02	0.05	8	0.3	0.2	0.2	0.02	0.02	C17
Colon	57	2.3	1.7	1.5	0.10	0.18	47	1.8	1.5	1.2	0.08	0.14	C18
Rectum	83	3.4	2.4	2.1	0.14	0.24	41	1.6	1.3	1.1	0.07	0.13	C19–20
Anus	13	0.5	0.4	0.3	0.02	0.03	6	0.2	0.2	0.1	0.01	0.02	C21
Liver	168	6.9	4.9	4.4	0.26	0.50	67	2.6	2.1	1.9	0.13	0.20	C22
Gallbladder etc.	41	1.7	1.2	1.1	0.07	0.14	34	1.3	1.0	0.9	0.05	0.11	C23–24
Pancreas	25	1.0	0.7	0.6	0.04	0.07	16	0.6	0.5	0.4	0.03	0.05	C25
Nose, sinuses etc.	15	0.6	0.4	0.4	0.02	0.07	4	0.2	0.1	0.1	0.01	0.01	C30–31
Larynx	70	2.9	2.1	1.9	0.09	0.28	11	0.4	0.3	0.3	0.01	0.04	C32
Trachea, bronchus, and lung	181	7.4	5.3	4.7	0.28	0.58	108	4.1	3.3	2.9	0.19	0.36	C33–34
Other thoracic organs	12	0.5	0.4	0.3	0.02	0.03	7	0.3	0.2	0.2	0.02	0.02	C37–38
Bone	28	1.1	0.8	0.8	0.04	0.08	26	1.0	0.8	0.7	0.04	0.06	C40–41
Melanoma of skin	10	0.4	0.3	0.3	0.01	0.02	11	0.4	0.3	0.3	0.02	0.03	C43
Other skin	88	3.6	2.6	2.3	0.12	0.28	78	3.0	2.4	2.1	0.14	0.24	C44
Mesothelioma	4	0.2	0.1	0.1	0.01	0.01	0	0.0	0.0	0.0	0.00	0.00	C45
Kaposi sarcoma	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C46
Connective and soft tissue	34	1.4	1.0	1.0	0.08	0.10	26	1.0	0.8	0.7	0.05	0.07	C47+C49
Breast	15	0.6	0.4	0.4	0.03	0.05	785	30.1	24.2	21.2	1.77	2.25	C50
Vulva							5	0.2	0.2	0.1	0.01	0.02	C51
Vagina							11	0.4	0.3	0.3	0.01	0.04	C52
Cervix uteri							316	12.1	9.8	8.5	0.62	0.98	C53
Corpus uteri							60	2.3	1.9	1.6	0.13	0.20	C54
Uterus unspecified							3	0.1	0.1	0.1	0.01	0.01	C55
Ovary							196	7.5	6.0	5.3	0.40	0.57	C56
Other female genital organs							2	0.1	0.1	0.0	0.00	0.00	C57
Placenta							0	0.0	0.0	0.0	0.00	0.00	C58
Penis	56	2.3	1.6	1.4	0.09	0.17							C60
Prostate	110	4.5	3.2	2.7	0.09	0.34							C61
Testis	30	1.2	0.9	0.8	0.06	0.07							C62
Other male genital organs	0	0.0	0.0	0.0	0.00	0.00							C63
Kidney	45	1.8	1.3	1.2	0.08	0.15	16	0.6	0.5	0.4	0.03	0.05	C64
Renal pelvis	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C65
Ureter	1	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C66
Bladder	64	2.6	1.9	1.7	0.10	0.22	18	0.7	0.6	0.5	0.02	0.05	C67
Other urinary organs	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C68
Eye	7	0.3	0.2	0.2	0.02	0.02	4	0.2	0.1	0.2	0.01	0.01	C69
Brain and nervous system	121	4.9	3.6	3.2	0.21	0.33	57	2.2	1.8	1.7	0.12	0.15	C70–72
Thyroid	30	1.2	0.9	0.8	0.05	0.10	91	3.5	2.8	2.4	0.17	0.23	C73
Adrenal gland	2	0.1	0.1	0.1	0.01	0.01	2	0.1	0.1	0.1	0.00	0.00	C74
Other endocrine	2	0.1	0.1	0.0	0.00	0.00	1	0.0	0.0	0.0	0.00	0.00	C75
Hodgkin lymphoma	24	1.0	0.7	0.7	0.05	0.06	13	0.5	0.4	0.3	0.03	0.04	C81
Non-Hodgkin lymphoma	82	3.3	2.4	2.2	0.16	0.25	47	1.8	1.5	1.2	0.07	0.15	C82–86,C96
Immunoproliferative diseases	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C88
Multiple myeloma	19	0.8	0.6	0.5	0.04	0.06	14	0.5	0.4	0.4	0.02	0.05	C90
Lymphoid leukaemia	41	1.7	1.2	1.5	0.08	0.10	26	1.0	0.8	1.0	0.06	0.07	C91
Myeloid leukaemia	73	3.0	2.1	1.9	0.14	0.19	49	1.9	1.5	1.3	0.09	0.13	C92–94
Leukaemia unspecified	24	1.0	0.7	0.7	0.05	0.07	16	0.6	0.5	0.6	0.03	0.03	C95
Myeloproliferative disorders	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	MPD
Myelodysplastic syndromes	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	MPS
Other and unspecified	56	2.3	1.6	1.5	0.09	0.18	30	1.1	0.9	0.8	0.05	0.11	O&U
All sites	2539		74.5	67.3	4.28	7.75	2689		83.0	72.7	5.33	8.04	C00–96
All sites except C44	2451	100.0	71.9	65.0	4.16	7.47	2611	100.0	80.6	70.7	5.19	7.80	C00–96 exc. C44

India, West Arunachal

CONTRIBUTORS

Sopai Tawsik
Shyam Tsering
Adishi Kri
Gamba Padu
Ngilyang Otung
Bablin Awillang
Hage Ampa
Habung Pampi
Munin Borgohain



20 major cancers, ASR (World) per 100 000

<i>Male</i>		<i>Female</i>	
Stomach	24.7	Stomach	15.9
Liver	22.0	Breast	9.1
Oesophagus	9.5	Cervix uteri	8.1
Trachea, bronchus, and lung	6.8	Liver	8.0
Nasopharynx	4.2	Thyroid	6.3
Larynx	3.5	Ovary	5.4
Non-Hodgkin lymphoma	2.9	Trachea, bronchus, and lung	5.2
Hypopharynx	2.5	Oesophagus	4.2
Mouth	2.2	Gallbladder etc.	3.7
Non-melanoma skin cancer	2.1	Colon	2.3
Gallbladder etc.	2.0	Non-melanoma skin cancer	2.0
Pancreas	1.5	Nasopharynx	2.0
Prostate	1.4	Melanoma of skin	1.9
Melanoma of skin	1.4	Rectum	1.5
Tongue	1.3	Non-Hodgkin lymphoma	1.3
Rectum	1.2	Connective and soft tissue	1.2
Colon	1.2	Mouth	1.1
Thyroid	1.0	Pancreas	1.0
Tonsil	0.9	Myeloid leukaemia	1.0
Myeloid leukaemia	0.9	Tongue	1.0
All sites	101.1	All sites	92.9


India, West Arunachal (2013–2016)

SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	
Lip	0	0.0	0.0	0.0	0.00	0.00	3	0.3	0.2	0.4	0.00	0.05	C00
Tongue	13	1.4	0.7	1.3	0.12	0.17	9	1.0	0.5	1.0	0.10	0.10	C01–02
Mouth	27	2.8	1.5	2.2	0.19	0.23	11	1.2	0.7	1.1	0.09	0.13	C03–06
Salivary glands	4	0.4	0.2	0.2	0.01	0.01	2	0.2	0.1	0.2	0.01	0.01	C07–08
Tonsil	9	0.9	0.5	0.9	0.12	0.12	1	0.1	0.1	0.0	0.00	0.00	C09
Other oropharynx	3	0.3	0.2	0.3	0.03	0.03	4	0.4	0.2	0.7	0.04	0.07	C10
Nasopharynx	42	4.4	2.4	4.2	0.27	0.50	21	2.4	1.2	2.0	0.16	0.21	C11
Hypopharynx	19	2.0	1.1	2.5	0.11	0.36	4	0.4	0.2	0.5	0.01	0.06	C12–13
Pharynx unspecified	3	0.3	0.2	0.3	0.03	0.03	1	0.1	0.1	0.1	0.01	0.01	C14
Oesophagus	83	8.7	4.7	9.5	0.71	1.23	30	3.4	1.8	4.2	0.23	0.57	C15
Stomach	229	23.9	13.1	24.7	1.72	3.15	142	15.9	8.4	15.9	1.39	1.63	C16
Small intestine	2	0.2	0.1	0.1	0.01	0.01	1	0.1	0.1	0.0	0.00	0.00	C17
Colon	12	1.3	0.7	1.2	0.06	0.14	18	2.0	1.1	2.3	0.17	0.31	C18
Rectum	17	1.8	1.0	1.2	0.09	0.14	14	1.6	0.8	1.5	0.12	0.17	C19–20
Anus	4	0.4	0.2	0.4	0.02	0.06	1	0.1	0.1	0.1	0.01	0.01	C21
Liver	201	21.0	11.5	22.0	1.46	2.93	71	8.0	4.2	8.0	0.62	0.94	C22
Gallbladder etc.	22	2.3	1.3	2.0	0.19	0.24	38	4.3	2.2	3.7	0.30	0.41	C23–24
Pancreas	16	1.7	0.9	1.5	0.12	0.12	8	0.9	0.5	1.0	0.10	0.15	C25
Nose, sinuses etc.	3	0.3	0.2	0.3	0.02	0.02	3	0.3	0.2	0.3	0.03	0.03	C30–31
Larynx	32	3.3	1.8	3.5	0.30	0.46	8	0.9	0.5	0.9	0.10	0.10	C32
Trachea, bronchus, and lung	60	6.3	3.4	6.8	0.49	0.87	38	4.3	2.2	5.2	0.36	0.75	C33–34
Other thoracic organs	5	0.5	0.3	0.5	0.03	0.07	2	0.2	0.1	0.3	0.00	0.06	C37–38
Bone	9	0.9	0.5	0.5	0.04	0.04	11	1.2	0.7	0.5	0.04	0.04	C40–41
Melanoma of skin	10	1.0	0.6	1.4	0.07	0.15	17	1.9	1.0	1.9	0.17	0.22	C43
Other skin	24	2.5	1.4	2.1	0.10	0.23	19	2.1	1.1	2.0	0.17	0.23	C44
Mesothelioma	1	0.1	0.1	0.1	0.01	0.01	0	0.0	0.0	0.0	0.00	0.00	C45
Kaposi sarcoma	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C46
Connective and soft tissue	5	0.5	0.3	0.7	0.03	0.10	10	1.1	0.6	1.2	0.09	0.17	C47+C49
Breast	3	0.3	0.2	0.3	0.03	0.03	106	11.9	6.3	9.1	0.71	0.95	C50
Vulva							7	0.8	0.4	0.9	0.05	0.10	C51
Vagina							2	0.2	0.1	0.3	0.00	0.04	C52
Cervix uteri							88	9.9	5.2	8.1	0.72	0.94	C53
Corpus uteri							3	0.3	0.2	0.5	0.03	0.08	C54
Uterus unspecified							8	0.9	0.5	0.5	0.04	0.04	C55
Ovary							62	6.9	3.7	5.4	0.34	0.50	C56
Other female genital organs							0	0.0	0.0	0.0	0.00	0.00	C57
Placenta							4	0.4	0.2	0.2	0.01	0.01	C58
Penis	5	0.5	0.3	0.4	0.03	0.03							C60
Prostate	10	1.0	0.6	1.4	0.08	0.22							C61
Testis	3	0.3	0.2	0.2	0.01	0.01							C62
Other male genital organs	1	0.1	0.1	0.0	0.00	0.00							C63
Kidney	4	0.4	0.2	0.4	0.05	0.05	6	0.7	0.4	0.7	0.05	0.09	C64
Renal pelvis	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C65
Ureter	0	0.0	0.0	0.0	0.00	0.00	1	0.1	0.1	0.1	0.01	0.01	C66
Bladder	8	0.8	0.5	0.8	0.07	0.07	1	0.1	0.1	0.1	0.02	0.02	C67
Other urinary organs	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C68
Eye	4	0.4	0.2	0.3	0.01	0.01	6	0.7	0.4	0.5	0.04	0.04	C69
Brain and nervous system	8	0.8	0.5	0.4	0.03	0.03	9	1.0	0.5	0.8	0.05	0.08	C70–72
Thyroid	13	1.4	0.7	1.0	0.07	0.10	72	8.1	4.3	6.3	0.52	0.63	C73
Adrenal gland	1	0.1	0.1	0.1	0.01	0.01	0	0.0	0.0	0.0	0.00	0.00	C74
Other endocrine	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C75
Hodgkin lymphoma	1	0.1	0.1	0.0	0.00	0.00	2	0.2	0.1	0.1	0.00	0.00	C81
Non-Hodgkin lymphoma	29	3.0	1.7	2.9	0.24	0.37	16	1.8	0.9	1.3	0.13	0.13	C82–86,C96
Immunoproliferative diseases	2	0.2	0.1	0.1	0.01	0.01	1	0.1	0.1	0.1	0.01	0.01	C88
Multiple myeloma	2	0.2	0.1	0.3	0.01	0.01	2	0.2	0.1	0.4	0.02	0.07	C90
Lymphoid leukaemia	6	0.6	0.3	0.3	0.02	0.02	11	1.2	0.7	0.9	0.07	0.07	C91
Myeloid leukaemia	15	1.6	0.9	0.9	0.08	0.08	10	1.1	0.6	1.0	0.11	0.11	C92–94
Leukaemia unspecified	3	0.3	0.2	0.1	0.01	0.01	5	0.6	0.3	0.3	0.03	0.03	C95
Myeloproliferative disorders	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	MPD
Myelodysplastic syndromes	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	MPS
Other and unspecified	10	1.0	0.6	0.9	0.04	0.12	3	0.3	0.2	0.3	0.01	0.04	O&U
All sites	983		56.1	101.1	7.14	12.59	912		53.9	92.9	7.32	10.43	C00–96
All sites except C44	959	100.0	54.7	99.0	7.04	12.35	893	100.0	52.8	90.8	7.14	10.20	C00–96 exc. C44

Iran (Islamic Republic of), Ardabil Province

CONTRIBUTORS

Farhad Pourfarzi
 Mohammadsadegh Soltan Mohammadzadeh
 Naghmeh Khaligh
 Hajar Gholami
 Ali Zohoori



NOTES ON THE DATA

*No official mortality data. High DCO%.

†C67 (bladder cancer) includes neoplasms of uncertain or unknown behaviour together with invasive cancers.

20 major cancers, ASR (World) per 100 000

Male		Female	
Stomach	36.4	Breast	21.2
Trachea, bronchus, and lung	17.1	Stomach	20.0
Non-melanoma skin cancer	15.0	Colon	10.2
Colon	14.0	Non-melanoma skin cancer	9.9
Prostate	12.9	Oesophagus	9.9
Oesophagus	10.9	Thyroid	6.6
Bladder	10.2	Trachea, bronchus, and lung	6.2
Brain and nervous system	7.0	Brain and nervous system	4.2
Non-Hodgkin lymphoma	4.9	Other and unspecified	4.2
Rectum	4.9	Ovary	4.1
Liver	4.8	Rectum	3.8
Kidney	4.2	Liver	3.0
Other and unspecified	4.2	Bladder	2.8
Lymphoid leukaemia	3.8	Pancreas	2.7
Pancreas	3.8	Non-Hodgkin lymphoma	2.5
Leukaemia unspecified	2.9	Corpus uteri	2.5
Larynx	2.9	Lymphoid leukaemia	2.4
Multiple myeloma	2.7	Kidney	2.3
Myeloid leukaemia	2.0	Cervix uteri	2.1
Thyroid	1.8	Gallbladder etc.	2.0
All sites	180.5	All sites	137.2

*Iran (Islamic Republic of), Ardabil Province (2015–2017)


SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	
Lip	11	0.4	0.6	0.6	0.05	0.07	1	0.0	0.1	0.1	0.00	0.02	C00
Tongue	8	0.3	0.4	0.5	0.03	0.06	12	0.5	0.6	0.5	0.02	0.03	C01–02
Mouth	4	0.1	0.2	0.2	0.01	0.03	5	0.2	0.3	0.3	0.03	0.03	C03–06
Salivary glands	6	0.2	0.3	0.3	0.03	0.03	4	0.2	0.2	0.2	0.01	0.02	C07–08
Tonsil	1	0.0	0.1	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C09
Other oropharynx	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C10
Nasopharynx	11	0.4	0.6	0.6	0.05	0.07	9	0.4	0.5	0.5	0.03	0.07	C11
Hypopharynx	2	0.1	0.1	0.1	0.01	0.03	2	0.1	0.1	0.1	0.01	0.01	C12–13
Pharynx unspecified	0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.1	0.0	0.00	0.00	C14
Oesophagus	200	6.5	10.2	10.9	0.49	1.34	181	7.5	9.7	9.9	0.46	1.16	C15
Stomach	680	22.1	34.8	36.4	1.38	4.36	371	15.3	19.9	20.0	0.82	2.48	C16
Small intestine	21	0.7	1.1	1.1	0.08	0.14	14	0.6	0.8	0.8	0.05	0.11	C17
Colon	252	8.2	12.9	14.0	0.88	1.70	190	7.8	10.2	10.2	0.58	1.22	C18
Rectum	88	2.9	4.5	4.9	0.30	0.57	71	2.9	3.8	3.8	0.27	0.43	C19–20
Anus	5	0.2	0.3	0.3	0.02	0.03	3	0.1	0.2	0.1	0.01	0.01	C21
Liver	94	3.0	4.8	4.8	0.21	0.51	57	2.3	3.1	3.0	0.18	0.31	C22
Gallbladder etc.	27	0.9	1.4	1.3	0.08	0.11	37	1.5	2.0	2.0	0.10	0.26	C23–24
Pancreas	67	2.2	3.4	3.8	0.19	0.49	51	2.1	2.7	2.7	0.15	0.28	C25
Nose, sinuses etc.	3	0.1	0.2	0.1	0.01	0.01	3	0.1	0.2	0.2	0.00	0.02	C30–31
Larynx	49	1.6	2.5	2.9	0.20	0.36	7	0.3	0.4	0.3	0.00	0.02	C32
Trachea, bronchus, and lung	304	9.9	15.5	17.1	0.94	2.18	121	5.0	6.5	6.2	0.32	0.63	C33–34
Other thoracic organs	6	0.2	0.3	0.3	0.02	0.02	6	0.2	0.3	0.4	0.02	0.04	C37–38
Bone	18	0.6	0.9	0.9	0.06	0.07	14	0.6	0.8	0.8	0.04	0.08	C40–41
Melanoma of skin	16	0.5	0.8	0.9	0.04	0.08	12	0.5	0.6	0.6	0.03	0.07	C43
Other skin	288	9.3	14.7	15.0	0.79	1.60	188	7.7	10.1	9.9	0.44	1.15	C44
Mesothelioma	1	0.0	0.1	0.1	0.01	0.01	1	0.0	0.1	0.1	0.01	0.01	C45
Kaposi sarcoma	11	0.4	0.6	0.5	0.01	0.05	2	0.1	0.1	0.1	0.01	0.01	C46
Connective and soft tissue	35	1.1	1.8	1.6	0.12	0.13	25	1.0	1.3	1.2	0.07	0.12	C47+C49
Breast	5	0.2	0.3	0.3	0.03	0.03	425	17.5	22.8	21.2	1.72	2.25	C50
Vulva							2	0.1	0.1	0.1	0.01	0.01	C51
Vagina							3	0.1	0.2	0.2	0.01	0.02	C52
Cervix uteri							41	1.7	2.2	2.1	0.15	0.21	C53
Corpus uteri							44	1.8	2.4	2.5	0.18	0.31	C54
Uterus unspecified							18	0.7	1.0	0.8	0.07	0.07	C55
Ovary							77	3.2	4.1	4.1	0.29	0.47	C56
Other female genital organs							5	0.2	0.3	0.3	0.02	0.05	C57
Placenta							0	0.0	0.0	0.0	0.00	0.00	C58
Penis	1	0.0	0.1	0.0	0.00	0.00							C60
Prostate	250	8.1	12.8	12.9	0.38	1.47							C61
Testis	27	0.9	1.4	1.2	0.08	0.10							C62
Other male genital organs	3	0.1	0.2	0.1	0.00	0.00							C63
Kidney	76	2.5	3.9	4.2	0.26	0.56	43	1.8	2.3	2.3	0.12	0.26	C64
Renal pelvis	6	0.2	0.3	0.3	0.01	0.04	5	0.2	0.3	0.2	0.01	0.01	C65
Ureter	3	0.1	0.2	0.2	0.01	0.01	0	0.0	0.0	0.0	0.00	0.00	C66
†Bladder	190	6.2	9.7	10.2	0.54	1.16	53	2.2	2.8	2.8	0.11	0.29	C67
Other urinary organs	2	0.1	0.1	0.1	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C68
Eye	4	0.1	0.2	0.2	0.01	0.02	4	0.2	0.2	0.2	0.01	0.03	C69
Brain and nervous system	132	4.3	6.7	7.0	0.46	0.74	80	3.3	4.3	4.2	0.23	0.40	C70–72
Thyroid	38	1.2	1.9	1.8	0.14	0.17	133	5.5	7.1	6.6	0.47	0.72	C73
Adrenal gland	4	0.1	0.2	0.2	0.02	0.02	5	0.2	0.3	0.3	0.02	0.02	C74
Other endocrine	2	0.1	0.1	0.1	0.00	0.00	1	0.0	0.1	0.1	0.01	0.01	C75
Hodgkin lymphoma	36	1.2	1.8	1.7	0.12	0.15	24	1.0	1.3	1.2	0.08	0.12	C81
Non-Hodgkin lymphoma	94	3.0	4.8	4.9	0.28	0.56	49	2.0	2.6	2.5	0.11	0.28	C82–86,C96
Immunoproliferative diseases	5	0.2	0.3	0.2	0.02	0.02	4	0.2	0.2	0.3	0.00	0.06	C88
Multiple myeloma	48	1.6	2.5	2.7	0.19	0.32	35	1.4	1.9	1.9	0.10	0.26	C90
Lymphoid leukaemia	65	2.1	3.3	3.8	0.18	0.50	42	1.7	2.3	2.4	0.14	0.28	C91
Myeloid leukaemia	38	1.2	1.9	2.0	0.14	0.19	23	0.9	1.2	1.2	0.10	0.13	C92–94
Leukaemia unspecified	56	1.8	2.9	2.9	0.15	0.28	30	1.2	1.6	1.6	0.08	0.13	C95
Myeloproliferative disorders	1	0.0	0.1	0.1	0.01	0.01	0	0.0	0.0	0.0	0.00	0.00	MPD
Myelodysplastic syndromes	0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.1	0.1	0.00	0.00	MPS
Other and unspecified	77	2.5	3.9	4.2	0.27	0.44	79	3.3	4.2	4.2	0.20	0.46	O&U
All sites	3371		172.4	180.5	9.31	20.83	2614		140.3	137.2	7.87	15.46	C00–96
All sites except C44	3083	100.0	157.6	165.5	8.52	19.24	2426	100.0	130.2	127.3	7.42	14.30	C00–96 exc.C44

*†See note following population pyramid

Iran (Islamic Republic of), Golestan Province

CONTRIBUTORS

Gholamreza Roshandel
 Shahryar Semnani
 Abdolreza Fazel
 Seyed Mehdi Sedaghat
 Mohammad Naeimi Tabiei
 Susan Hasanpour-Heidari
 Faezeh Salamat
 Fatemeh Ghasemi-Kebria
 Hamideh Sadeghzadeh
 Mahnaz Akbari
 Reza Malekzadeh



NOTES ON THE DATA

*No official mortality data.

20 major cancers, ASR (World) per 100 000

<i>Male</i>		<i>Female</i>	
Stomach	24.4	Breast	38.0
Trachea, bronchus, and lung	18.7	Stomach	11.7
Prostate	16.0	Oesophagus	10.6
Oesophagus	13.0	Colon	9.5
Colon	11.5	Trachea, bronchus, and lung	8.8
Non-melanoma skin cancer	10.2	Thyroid	6.6
Bladder	9.1	Non-melanoma skin cancer	6.1
Non-Hodgkin lymphoma	7.3	Ovary	5.8
Brain and nervous system	6.8	Brain and nervous system	5.5
Rectum	6.0	Rectum	4.4
Lymphoid leukaemia	5.6	Non-Hodgkin lymphoma	3.9
Other and unspecified	5.1	Other and unspecified	3.8
Liver	4.3	Corpus uteri	3.7
Pancreas	4.1	Cervix uteri	3.5
Larynx	3.9	Lymphoid leukaemia	3.4
Myeloid leukaemia	3.2	Leukaemia unspecified	3.0
Leukaemia unspecified	3.2	Liver	3.0
Multiple myeloma	2.7	Bladder	2.8
Kidney	2.6	Pancreas	2.6
Gallbladder etc.	2.4	Myeloid leukaemia	2.4
All sites	178.2	All sites	158.9

*Iran (Islamic Republic of), Golestan Province (2015–2017)

SITE	Male						Female						ICD-10
	§No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	§No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	
Lip	7	0.2	0.2	0.3	0.02	0.05	7	0.2	0.3	0.3	0.02	0.03	C00
Tongue	13	0.3	0.5	0.6	0.03	0.07	15	0.4	0.5	0.7	0.03	0.07	C01–02
Mouth	14	0.4	0.5	0.5	0.03	0.04	11	0.3	0.4	0.4	0.02	0.05	C03–06
Salivary glands	11	0.3	0.4	0.4	0.03	0.03	10	0.3	0.4	0.4	0.03	0.03	C07–08
Tonsil	0	0.0	0.0	0.0	0.00	0.00	2	0.1	0.1	0.1	0.00	0.02	C09
Other oropharynx	3	0.1	0.1	0.1	0.00	0.01	0	0.0	0.0	0.0	0.00	0.00	C10
Nasopharynx	19	0.5	0.7	0.7	0.05	0.09	9	0.2	0.3	0.3	0.03	0.03	C11
Hypopharynx	6	0.2	0.2	0.2	0.01	0.02	5	0.1	0.2	0.2	0.01	0.02	C12–13
Pharynx unspecified	3	0.1	0.1	0.1	0.01	0.02	2	0.1	0.1	0.1	0.01	0.01	C14
Oesophagus	291	7.5	10.3	13.0	0.51	1.46	244	6.1	8.7	10.6	0.49	1.25	C15
Stomach	530	13.7	18.8	24.4	1.08	2.94	282	7.1	10.1	11.7	0.57	1.33	C16
Small intestine	22	0.6	0.8	1.0	0.05	0.12	24	0.6	0.9	1.0	0.05	0.13	C17
Colon	264	6.8	9.4	11.5	0.67	1.42	229	5.8	8.2	9.5	0.60	1.17	C18
Rectum	138	3.6	4.9	6.0	0.38	0.76	112	2.8	4.0	4.4	0.30	0.51	C19–20
Anus	4	0.1	0.1	0.2	0.02	0.02	5	0.1	0.2	0.2	0.01	0.01	C21
Liver	99	2.6	3.5	4.3	0.26	0.51	68	1.7	2.4	3.0	0.11	0.38	C22
Gallbladder etc.	51	1.3	1.8	2.4	0.10	0.36	33	0.8	1.2	1.4	0.06	0.10	C23–24
Pancreas	90	2.3	3.2	4.1	0.19	0.50	61	1.5	2.2	2.6	0.11	0.28	C25
Nose, sinuses etc.	11	0.3	0.4	0.5	0.02	0.06	6	0.2	0.2	0.2	0.02	0.02	C30–31
Larynx	90	2.3	3.2	3.9	0.22	0.49	32	0.8	1.1	1.3	0.08	0.14	C32
Trachea, bronchus, and lung	418	10.8	14.8	18.7	1.07	2.32	212	5.3	7.6	8.8	0.47	1.00	C33–34
Other thoracic organs	11	0.3	0.4	0.5	0.03	0.06	9	0.2	0.3	0.4	0.01	0.05	C37–38
Bone	54	1.4	1.9	2.1	0.13	0.17	27	0.7	1.0	1.0	0.05	0.09	C40–41
Melanoma of skin	14	0.4	0.5	0.6	0.03	0.05	8	0.2	0.3	0.4	0.01	0.04	C43
Other skin	229	5.9	8.1	10.2	0.43	1.16	146	3.7	5.2	6.1	0.32	0.71	C44
Mesothelioma	1	0.0	0.0	0.1	0.01	0.01	1	0.0	0.0	0.0	0.00	0.00	C45
Kaposi sarcoma	5	0.1	0.2	0.3	0.02	0.04	3	0.1	0.1	0.1	0.01	0.01	C46
Connective and soft tissue	39	1.0	1.4	1.4	0.09	0.12	44	1.1	1.6	1.5	0.11	0.13	C47+C49
Breast	34	0.9	1.2	1.3	0.08	0.13	1082	27.2	38.8	38.0	3.19	3.93	C50
Vulva							1	0.0	0.0	0.0	0.00	0.00	C51
Vagina							6	0.2	0.2	0.3	0.01	0.03	C52
Cervix uteri							97	2.4	3.5	3.5	0.27	0.38	C53
Corpus uteri							88	2.2	3.2	3.7	0.28	0.48	C54
Uterus unspecified							65	1.6	2.3	2.4	0.18	0.28	C55
Ovary							154	3.9	5.5	5.8	0.42	0.66	C56
Other female genital organs							2	0.1	0.1	0.1	0.01	0.01	C57
Placenta							17	0.4	0.6	0.5	0.04	0.04	C58
Penis	0	0.0	0.0	0.0	0.00	0.00							C60
Prostate	337	8.7	12.0	16.0	0.42	1.87							C61
Testis	63	1.6	2.2	1.9	0.13	0.14							C62
Other male genital organs	2	0.1	0.1	0.1	0.00	0.02							C63
Kidney	59	1.5	2.1	2.6	0.13	0.34	54	1.4	1.9	2.1	0.15	0.25	C64
Renal pelvis	3	0.1	0.1	0.1	0.01	0.01	0	0.0	0.0	0.0	0.00	0.00	C65
Ureter	4	0.1	0.1	0.2	0.00	0.03	0	0.0	0.0	0.0	0.00	0.00	C66
Bladder	201	5.2	7.1	9.1	0.46	1.13	66	1.7	2.4	2.8	0.15	0.34	C67
Other urinary organs	4	0.1	0.1	0.2	0.00	0.03	1	0.0	0.0	0.0	0.00	0.00	C68
Eye	9	0.2	0.3	0.4	0.02	0.02	11	0.3	0.4	0.4	0.03	0.03	C69
Brain and nervous system	179	4.6	6.4	6.8	0.42	0.64	142	3.6	5.1	5.5	0.34	0.53	C70–72
Thyroid	51	1.3	1.8	2.0	0.14	0.21	200	5.0	7.2	6.6	0.52	0.60	C73
Adrenal gland	11	0.3	0.4	0.4	0.03	0.03	5	0.1	0.2	0.2	0.01	0.02	C74
Other endocrine	10	0.3	0.4	0.3	0.03	0.03	4	0.1	0.1	0.1	0.01	0.01	C75
Hodgkin lymphoma	47	1.2	1.7	1.8	0.14	0.15	46	1.2	1.6	1.6	0.10	0.12	C81
Non-Hodgkin lymphoma	179	4.6	6.4	7.3	0.51	0.85	103	2.6	3.7	3.9	0.25	0.37	C82–86,C96
Immunoproliferative diseases	1	0.0	0.0	0.0	0.00	0.00	3	0.1	0.1	0.1	0.01	0.01	C88
Multiple myeloma	61	1.6	2.2	2.7	0.13	0.37	45	1.1	1.6	1.8	0.14	0.18	C90
Lymphoid leukaemia	132	3.4	4.7	5.6	0.28	0.46	82	2.1	2.9	3.4	0.17	0.31	C91
Myeloid leukaemia	86	2.2	3.1	3.2	0.22	0.32	62	1.6	2.2	2.4	0.15	0.27	C92–94
Leukaemia unspecified	78	2.0	2.8	3.2	0.18	0.30	85	2.1	3.0	3.0	0.21	0.28	C95
Myeloproliferative disorders	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	MPD
Myelodysplastic syndromes	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	MPS
Other and unspecified	120	3.1	4.3	5.1	0.28	0.52	95	2.4	3.4	3.8	0.26	0.42	O&U
All sites	4108		145.9	178.2	9.12	20.52	4123		147.7	158.9	10.46	17.19	C00–96
All sites except C44	3879	100.0	137.8	168.0	8.68	19.36	3977	100.0	142.5	152.7	10.14	16.48	C00–96 exc.C44

§Includes 8 cases of unknown age


§Includes 9 cases of unknown age

*See note following population pyramid

Israel

CONTRIBUTORS

Barbara G. Silverman
Lital Keinan-Boker




NOTES ON THE DATA

†C67 (bladder cancer) includes neoplasms of uncertain or unknown behaviour together with invasive cancers.


20 major cancers, ASR (World) per 100 000

Male		Female	
Prostate	41.7	Breast	88.9
Trachea, bronchus, and lung	31.4	Colon	17.9
Bladder	24.7	Thyroid	16.7
Colon	20.8	Trachea, bronchus, and lung	15.3
Non-Hodgkin lymphoma	17.6	Corpus uteri	13.9
Melanoma of skin	12.2	Non-Hodgkin lymphoma	13.1
Kidney	10.5	Melanoma of skin	9.4
Rectum	9.5	Ovary	7.5
Pancreas	8.8	Pancreas	6.6
Stomach	8.5	Rectum	6.5
Other and unspecified	7.7	Other and unspecified	6.1
Brain and nervous system	6.3	Cervix uteri	5.4
Thyroid	5.9	Stomach	4.9
Multiple myeloma	5.2	Kidney	4.8
Lymphoid leukaemia	4.8	Brain and nervous system	4.6
Testis	4.6	Bladder	4.5
Larynx	3.7	Multiple myeloma	3.6
Hodgkin lymphoma	3.6	Hodgkin lymphoma	3.2
Myeloid leukaemia	3.6	Lymphoid leukaemia	2.9
Liver	3.6	Myeloid leukaemia	2.7
All sites	262.0	All sites	259.9

**NOTES ON THE DATA**

*No official mortality data.

†C67 (bladder cancer) includes neoplasms of uncertain or unknown behaviour together with invasive cancers.

**NOTES ON THE DATA**

*No official mortality data.

†C67 (bladder cancer) includes neoplasms of uncertain or unknown behaviour together with invasive cancers.

10 major cancers, ASR (World) per 100 000**Male**

Trachea, bronchus, and lung	47.9
Prostate	24.4
Bladder	23.6
Colon	19.9
Non-Hodgkin lymphoma	11.0
Rectum	8.9
Other and unspecified	8.6
Stomach	7.4
Pancreas	6.5
Larynx	6.0
All sites	227.7

Female

Breast	62.8
Colon	16.9
Corpus uteri	13.3
Thyroid	12.6
Non-Hodgkin lymphoma	10.2
Trachea, bronchus, and lung	7.8
Other and unspecified	5.6
Stomach	5.2
Rectum	5.2
Ovary	5.1
All sites	193.9

10 major cancers, ASR (World) per 100 000**Male**

Prostate	42.9
Trachea, bronchus, and lung	28.1
Bladder	24.7
Colon	20.4
Non-Hodgkin lymphoma	18.8
Melanoma of skin	13.8
Kidney	10.9
Rectum	9.3
Pancreas	9.1
Stomach	8.1
All sites	262.6

Female

Breast	93.6
Colon	17.8
Thyroid	17.7
Trachea, bronchus, and lung	16.3
Non-Hodgkin lymphoma	13.8
Corpus uteri	13.6
Melanoma of skin	10.8
Ovary	7.6
Pancreas	7.0
Rectum	6.5
All sites	269.3

Israel (2013–2017)

SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	
Lip	128	0.2	0.6	0.5	0.03	0.05	56	0.1	0.3	0.2	0.01	0.01	C00
Tongue	272	0.4	1.3	1.1	0.07	0.12	257	0.4	1.2	0.9	0.05	0.09	C01–02
Mouth	227	0.3	1.1	0.9	0.05	0.10	221	0.3	1.0	0.7	0.03	0.07	C03–06
Salivary glands	253	0.4	1.2	1.0	0.05	0.11	171	0.2	0.8	0.6	0.03	0.06	C07–08
Tonsil	96	0.1	0.5	0.4	0.03	0.05	23	0.0	0.1	0.1	0.01	0.01	C09
Other oropharynx	48	0.1	0.2	0.2	0.01	0.03	7	0.0	0.0	0.0	0.00	0.00	C10
Nasopharynx	196	0.3	0.9	0.9	0.07	0.09	63	0.1	0.3	0.3	0.02	0.03	C11
Hypopharynx	33	0.0	0.2	0.1	0.01	0.01	8	0.0	0.0	0.0	0.00	0.00	C12–13
Pharynx unspecified	22	0.0	0.1	0.1	0.00	0.01	10	0.0	0.0	0.0	0.00	0.00	C14
Oesophagus	416	0.6	2.0	1.6	0.08	0.19	295	0.4	1.4	0.8	0.04	0.09	C15
Stomach	2312	3.4	11.1	8.5	0.39	0.99	1563	2.1	7.4	4.9	0.26	0.55	C16
Small intestine	258	0.4	1.2	1.0	0.06	0.12	203	0.3	1.0	0.7	0.04	0.08	C17
Colon	5631	8.4	27.1	20.8	0.96	2.38	5810	8.0	27.5	17.9	0.92	1.99	C18
Rectum	2400	3.6	11.6	9.5	0.56	1.13	1900	2.6	9.0	6.5	0.40	0.75	C19–20
Anus	109	0.2	0.5	0.4	0.02	0.05	147	0.2	0.7	0.5	0.04	0.06	C21
Liver	917	1.4	4.4	3.6	0.20	0.42	559	0.8	2.6	1.6	0.07	0.17	C22
Gallbladder etc.	524	0.8	2.5	1.9	0.08	0.21	524	0.7	2.5	1.6	0.08	0.19	C23–24
Pancreas	2384	3.5	11.5	8.8	0.41	1.06	2314	3.2	10.9	6.6	0.27	0.75	C25
Nose, sinuses etc.	105	0.2	0.5	0.4	0.02	0.05	71	0.1	0.3	0.2	0.01	0.03	C30–31
Larynx	904	1.3	4.4	3.7	0.24	0.46	139	0.2	0.7	0.5	0.03	0.06	C32
Trachea, bronchus, and lung	8255	12.2	39.7	31.4	1.56	3.96	4817	6.6	22.8	15.3	0.77	1.92	C33–34
Other thoracic organs	132	0.2	0.6	0.6	0.04	0.06	94	0.1	0.4	0.4	0.02	0.04	C37–38
Bone	305	0.5	1.5	1.4	0.09	0.11	255	0.3	1.2	1.2	0.07	0.10	C40–41
Melanoma of skin	3100	4.6	14.9	12.2	0.69	1.37	2591	3.5	12.3	9.4	0.61	1.03	C43
Other skin	327	0.5	1.6	1.2	0.06	0.12	240	0.3	1.1	0.8	0.04	0.09	C44
Mesothelioma	176	0.3	0.8	0.6	0.02	0.08	55	0.1	0.3	0.2	0.01	0.02	C45
Kaposi sarcoma	381	0.6	1.8	1.3	0.04	0.15	155	0.2	0.7	0.4	0.01	0.04	C46
Connective and soft tissue	713	1.1	3.4	2.9	0.17	0.30	582	0.8	2.8	2.3	0.14	0.22	C47+C49
Breast	321	0.5	1.5	1.2	0.07	0.15	23152	31.7	109.5	88.9	6.33	10.39	C50
Vulva							345	0.5	1.6	1.0	0.05	0.10	C51
Vagina							86	0.1	0.4	0.3	0.01	0.03	C52
Cervix uteri							1302	1.8	6.2	5.4	0.43	0.55	C53
Corpus uteri							3912	5.4	18.5	13.9	0.88	1.82	C54
Uterus unspecified							167	0.2	0.8	0.6	0.03	0.06	C55
Ovary							2038	2.8	9.6	7.5	0.49	0.84	C56
Other female genital organs							243	0.3	1.1	0.8	0.04	0.09	C57
Placenta							17	0.0	0.1	0.1	0.01	0.01	C58
Penis	47	0.1	0.2	0.2	0.01	0.03							C60
Prostate	10956	16.3	52.7	41.7	1.68	5.86							C61
Testis	958	1.4	4.6	4.6	0.34	0.35							C62
Other male genital organs	12	0.0	0.1	0.1	0.00	0.00							C63
Kidney	2521	3.7	12.1	10.5	0.68	1.27	1323	1.8	6.3	4.8	0.30	0.55	C64
Renal pelvis	175	0.3	0.8	0.6	0.03	0.08	108	0.1	0.5	0.3	0.01	0.04	C65
Ureter	106	0.2	0.5	0.4	0.02	0.05	46	0.1	0.2	0.1	0.00	0.02	C66
†Bladder	6704	9.9	32.3	24.7	1.10	2.97	1498	2.1	7.1	4.5	0.22	0.52	C67
Other urinary organs	139	0.2	0.7	0.5	0.01	0.05	34	0.0	0.2	0.1	0.01	0.01	C68
Eye	96	0.1	0.5	0.4	0.02	0.04	82	0.1	0.4	0.3	0.02	0.03	C69
Brain and nervous system	1448	2.1	7.0	6.3	0.39	0.65	1182	1.6	5.6	4.6	0.29	0.45	C70–72
Thyroid	1326	2.0	6.4	5.9	0.43	0.63	3859	5.3	18.3	16.7	1.32	1.66	C73
Adrenal gland	87	0.1	0.4	0.4	0.02	0.03	85	0.1	0.4	0.4	0.02	0.03	C74
Other endocrine	18	0.0	0.1	0.1	0.01	0.01	21	0.0	0.1	0.1	0.01	0.01	C75
Hodgkin lymphoma	776	1.2	3.7	3.6	0.24	0.30	691	0.9	3.3	3.2	0.22	0.25	C81
Non-Hodgkin lymphoma	4337	6.4	20.9	17.6	1.02	1.93	3754	5.1	17.8	13.1	0.77	1.48	C82–86,C96
Immunoproliferative diseases	291	0.4	1.4	1.2	0.07	0.12	329	0.5	1.6	1.2	0.07	0.15	C88
Multiple myeloma	1385	2.1	6.7	5.2	0.26	0.63	1103	1.5	5.2	3.6	0.19	0.44	C90
Lymphoid leukaemia	1180	1.8	5.7	4.8	0.25	0.47	840	1.1	4.0	2.9	0.14	0.27	C91
Myeloid leukaemia	906	1.3	4.4	3.6	0.20	0.37	757	1.0	3.6	2.7	0.16	0.28	C92–94
Leukaemia unspecified	134	0.2	0.6	0.5	0.03	0.05	135	0.2	0.6	0.4	0.02	0.03	C95
Myeloproliferative disorders	409	0.6	2.0	1.6	0.08	0.19	341	0.5	1.6	1.1	0.05	0.12	MPD
Myelodysplastic syndromes	549	0.8	2.6	1.7	0.04	0.14	442	0.6	2.1	1.1	0.03	0.09	MPS
Other and unspecified	2242	3.3	10.8	7.7	0.30	0.77	2270	3.1	10.7	6.1	0.25	0.58	O&U
All sites	67747		326.1	262.0	13.35	30.93	73292		346.7	259.9	16.35	29.35	C00–96
All sites except C44	67420	100.0	324.5	260.8	13.29	30.81	73052	100.0	345.6	259.1	16.31	29.27	C00–96 exc. C44

†See note following population pyramid

*Israel: Arabs (2013–2017)

SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	
Lip	18	0.3	0.4	0.6	0.02	0.05	4	0.1	0.1	0.1	0.01	0.02	C00
Tongue	20	0.3	0.5	0.7	0.04	0.10	13	0.2	0.3	0.4	0.02	0.05	C01–02
Mouth	22	0.3	0.5	0.8	0.05	0.09	13	0.2	0.3	0.4	0.03	0.04	C03–06
Salivary glands	20	0.3	0.5	0.6	0.04	0.07	26	0.4	0.6	0.7	0.03	0.09	C07–08
Tonsil	7	0.1	0.2	0.2	0.02	0.04	2	0.0	0.0	0.1	0.00	0.01	C09
Other oropharynx	5	0.1	0.1	0.2	0.00	0.04	1	0.0	0.0	0.0	0.00	0.00	C10
Nasopharynx	32	0.5	0.7	1.0	0.06	0.12	6	0.1	0.1	0.2	0.01	0.02	C11
Hypopharynx	3	0.0	0.1	0.1	0.01	0.01	1	0.0	0.0	0.0	0.00	0.01	C12–13
Pharynx unspecified	4	0.1	0.1	0.1	0.01	0.02	0	0.0	0.0	0.0	0.00	0.00	C14
Oesophagus	24	0.4	0.5	0.9	0.04	0.14	17	0.3	0.4	0.5	0.02	0.04	C15
Stomach	222	3.3	5.0	7.4	0.37	0.88	176	2.6	4.1	5.2	0.30	0.57	C16
Small intestine	22	0.3	0.5	0.8	0.05	0.10	28	0.4	0.7	0.8	0.05	0.07	C17
Colon	571	8.4	13.0	19.9	0.97	2.47	561	8.4	13.0	16.9	0.91	1.94	C18
Rectum	271	4.0	6.2	8.9	0.52	1.01	176	2.6	4.1	5.2	0.29	0.57	C19–20
Anus	16	0.2	0.4	0.6	0.02	0.08	5	0.1	0.1	0.1	0.01	0.01	C21
Liver	116	1.7	2.6	4.1	0.24	0.53	49	0.7	1.1	1.5	0.08	0.16	C22
Gallbladder etc.	90	1.3	2.0	3.1	0.12	0.35	70	1.1	1.6	2.2	0.12	0.25	C23–24
Pancreas	182	2.7	4.1	6.5	0.29	0.87	134	2.0	3.1	4.2	0.20	0.50	C25
Nose, sinuses etc.	15	0.2	0.3	0.5	0.02	0.06	7	0.1	0.2	0.2	0.01	0.01	C30–31
Larynx	168	2.5	3.8	6.0	0.39	0.76	9	0.1	0.2	0.3	0.02	0.03	C32
Trachea, bronchus, and lung	1333	19.7	30.3	47.9	2.30	6.09	249	3.7	5.8	7.8	0.38	1.00	C33–34
Other thoracic organs	21	0.3	0.5	0.6	0.04	0.08	12	0.2	0.3	0.3	0.02	0.03	C37–38
Bone	44	0.6	1.0	0.9	0.06	0.06	50	0.8	1.2	1.1	0.07	0.09	C40–41
Melanoma of skin	51	0.8	1.2	1.6	0.10	0.16	29	0.4	0.7	0.8	0.06	0.07	C43
Other skin	20	0.3	0.5	0.6	0.04	0.07	18	0.3	0.4	0.5	0.03	0.04	C44
Mesothelioma	23	0.3	0.5	0.8	0.03	0.11	1	0.0	0.0	0.0	0.00	0.01	C45
Kaposi sarcoma	12	0.2	0.3	0.4	0.01	0.03	13	0.2	0.3	0.4	0.02	0.04	C46
Connective and soft tissue	89	1.3	2.0	2.4	0.16	0.23	77	1.2	1.8	2.0	0.12	0.17	C47+C49
Breast	21	0.3	0.5	0.7	0.04	0.09	2143	32.2	49.8	62.8	4.76	7.30	C50
Vulva							27	0.4	0.6	0.8	0.06	0.10	C51
Vagina							5	0.1	0.1	0.2	0.00	0.02	C52
Cervix uteri							121	1.8	2.8	3.3	0.26	0.35	C53
Corpus uteri							411	6.2	9.6	13.3	0.92	1.74	C54
Uterus unspecified							23	0.3	0.5	0.7	0.05	0.08	C55
Ovary							178	2.7	4.1	5.1	0.35	0.55	C56
Other female genital organs							18	0.3	0.4	0.6	0.02	0.08	C57
Placenta							1	0.0	0.0	0.0	0.00	0.00	C58
Penis	8	0.1	0.2	0.3	0.02	0.02							C60
Prostate	638	9.4	14.5	24.4	0.81	3.35							C61
Testis	134	2.0	3.0	3.0	0.23	0.23							C62
Other male genital organs	1	0.0	0.0	0.0	0.00	0.00							C63
Kidney	182	2.7	4.1	5.6	0.41	0.67	103	1.5	2.4	2.9	0.19	0.31	C64
Renal pelvis	22	0.3	0.5	0.8	0.04	0.12	14	0.2	0.3	0.4	0.01	0.06	C65
Ureter	7	0.1	0.2	0.2	0.01	0.03	1	0.0	0.0	0.0	0.00	0.00	C66
†Bladder	661	9.8	15.0	23.6	1.14	2.98	86	1.3	2.0	2.7	0.12	0.29	C67
Other urinary organs	17	0.3	0.4	0.6	0.00	0.05	0	0.0	0.0	0.0	0.00	0.00	C68
Eye	13	0.2	0.3	0.4	0.01	0.03	8	0.1	0.2	0.2	0.01	0.02	C69
Brain and nervous system	164	2.4	3.7	4.5	0.30	0.45	151	2.3	3.5	4.1	0.26	0.39	C70–72
Thyroid	144	2.1	3.3	4.0	0.29	0.42	503	7.6	11.7	12.6	0.99	1.16	C73
Adrenal gland	14	0.2	0.3	0.4	0.02	0.03	16	0.2	0.4	0.4	0.02	0.02	C74
Other endocrine	3	0.0	0.1	0.1	0.00	0.00	2	0.0	0.0	0.1	0.00	0.00	C75
Hodgkin lymphoma	144	2.1	3.3	3.3	0.22	0.27	150	2.3	3.5	3.5	0.24	0.28	C81
Non-Hodgkin lymphoma	368	5.4	8.4	11.0	0.69	1.17	344	5.2	8.0	10.2	0.61	1.20	C82–86,C96
Immunoproliferative diseases	31	0.5	0.7	0.9	0.05	0.08	24	0.4	0.6	0.7	0.04	0.08	C88
Multiple myeloma	152	2.2	3.5	5.3	0.30	0.63	118	1.8	2.7	3.7	0.21	0.47	C90
Lymphoid leukaemia	145	2.1	3.3	3.9	0.22	0.37	101	1.5	2.3	2.7	0.12	0.26	C91
Myeloid leukaemia	152	2.2	3.5	4.5	0.27	0.47	106	1.6	2.5	3.1	0.20	0.34	C92–94
Leukaemia unspecified	18	0.3	0.4	0.5	0.03	0.04	17	0.3	0.4	0.4	0.02	0.02	C95
Myeloproliferative disorders	45	0.7	1.0	1.6	0.07	0.21	30	0.5	0.7	0.9	0.05	0.10	MPD
Myelodysplastic syndromes	38	0.6	0.9	1.3	0.04	0.10	29	0.4	0.7	0.8	0.02	0.05	MPS
Other and unspecified	250	3.7	5.7	8.6	0.34	0.95	189	2.8	4.4	5.6	0.23	0.58	O&U
All sites	6793		154.4	227.7	11.55	27.38	6666		155.0	193.9	12.58	21.68	C00–96
All sites except C44	6773	100.0	154.0	227.1	11.50	27.31	6648	100.0	154.5	193.5	12.55	21.64	C00–96 exc. C44

*†See note following population pyramid

*Israel: Jews (2013–2017)


SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	
Lip	106	0.2	0.7	0.5	0.03	0.05	47	0.1	0.3	0.1	0.01	0.01	C00
Tongue	223	0.4	1.4	1.1	0.07	0.12	230	0.4	1.5	0.9	0.06	0.10	C01–02
Mouth	184	0.3	1.2	0.8	0.05	0.10	194	0.3	1.2	0.7	0.03	0.07	C03–06
Salivary glands	225	0.4	1.4	1.0	0.05	0.11	137	0.2	0.9	0.6	0.03	0.06	C07–08
Tonsil	76	0.1	0.5	0.4	0.03	0.05	19	0.0	0.1	0.1	0.01	0.01	C09
Other oropharynx	39	0.1	0.3	0.2	0.01	0.03	5	0.0	0.0	0.0	0.00	0.00	C10
Nasopharynx	160	0.3	1.0	0.9	0.07	0.09	51	0.1	0.3	0.2	0.02	0.03	C11
Hypopharynx	24	0.0	0.2	0.1	0.00	0.01	6	0.0	0.0	0.0	0.00	0.00	C12–13
Pharynx unspecified	18	0.0	0.1	0.1	0.00	0.01	10	0.0	0.1	0.0	0.00	0.00	C14
Oesophagus	356	0.6	2.3	1.6	0.08	0.19	262	0.4	1.7	0.9	0.04	0.10	C15
Stomach	1903	3.3	12.2	8.1	0.37	0.94	1248	2.0	7.9	4.6	0.24	0.51	C16
Small intestine	220	0.4	1.4	1.1	0.07	0.12	163	0.3	1.0	0.7	0.04	0.07	C17
Colon	4760	8.3	30.6	20.4	0.94	2.31	4929	7.9	31.1	17.8	0.90	1.97	C18
Rectum	1985	3.5	12.8	9.3	0.56	1.11	1589	2.5	10.0	6.5	0.41	0.76	C19–20
Anus	87	0.2	0.6	0.4	0.03	0.05	129	0.2	0.8	0.6	0.04	0.07	C21
Liver	726	1.3	4.7	3.3	0.18	0.38	468	0.8	3.0	1.6	0.06	0.16	C22
Gallbladder etc.	414	0.7	2.7	1.7	0.07	0.19	425	0.7	2.7	1.5	0.07	0.18	C23–24
Pancreas	2094	3.7	13.5	9.1	0.43	1.08	2083	3.3	13.1	7.0	0.28	0.80	C25
Nose, sinuses etc.	85	0.1	0.5	0.4	0.02	0.04	62	0.1	0.4	0.3	0.02	0.03	C30–31
Larynx	684	1.2	4.4	3.2	0.21	0.40	125	0.2	0.8	0.5	0.04	0.07	C32
Trachea, bronchus, and lung	6398	11.2	41.2	28.1	1.36	3.51	4344	7.0	27.4	16.3	0.84	2.05	C33–34
Other thoracic organs	101	0.2	0.7	0.5	0.04	0.05	75	0.1	0.5	0.4	0.02	0.04	C37–38
Bone	242	0.4	1.6	1.5	0.09	0.12	199	0.3	1.3	1.2	0.08	0.10	C40–41
Melanoma of skin	2921	5.1	18.8	13.8	0.80	1.56	2393	3.8	15.1	10.8	0.71	1.17	C43
Other skin	299	0.5	1.9	1.3	0.06	0.12	207	0.3	1.3	0.8	0.04	0.09	C44
Mesothelioma	152	0.3	1.0	0.6	0.03	0.08	51	0.1	0.3	0.2	0.01	0.02	C45
Kaposi sarcoma	364	0.6	2.3	1.5	0.05	0.17	142	0.2	0.9	0.4	0.01	0.04	C46
Connective and soft tissue	598	1.0	3.8	3.0	0.18	0.31	470	0.8	3.0	2.3	0.14	0.22	C47+C49
Breast	286	0.5	1.8	1.3	0.07	0.15	19802	31.7	125.0	93.6	6.66	10.95	C50
Vulva							296	0.5	1.9	1.1	0.05	0.10	C51
Vagina							75	0.1	0.5	0.3	0.01	0.03	C52
Cervix uteri							1027	1.6	6.5	5.4	0.44	0.55	C53
Corpus uteri							3229	5.2	20.4	13.6	0.85	1.79	C54
Uterus unspecified							125	0.2	0.8	0.5	0.03	0.06	C55
Ovary							1710	2.7	10.8	7.6	0.50	0.86	C56
Other female genital organs							209	0.3	1.3	0.8	0.04	0.09	C57
Placenta							15	0.0	0.1	0.1	0.01	0.01	C58
Penis	30	0.1	0.2	0.1	0.01	0.02							C60
Prostate	9711	17.0	62.5	42.9	1.77	6.04							C61
Testis	775	1.4	5.0	5.1	0.38	0.39							C62
Other male genital organs	9	0.0	0.1	0.0	0.00	0.00							C63
Kidney	2174	3.8	14.0	10.9	0.71	1.32	1104	1.8	7.0	4.9	0.31	0.56	C64
Renal pelvis	145	0.3	0.9	0.6	0.02	0.07	94	0.2	0.6	0.3	0.01	0.03	C65
Ureter	96	0.2	0.6	0.4	0.02	0.06	43	0.1	0.3	0.1	0.01	0.02	C66
†Bladder	5797	10.1	37.3	24.7	1.09	2.97	1354	2.2	8.5	4.8	0.24	0.56	C67
Other urinary organs	117	0.2	0.8	0.4	0.01	0.05	32	0.1	0.2	0.1	0.01	0.01	C68
Eye	79	0.1	0.5	0.4	0.02	0.04	69	0.1	0.4	0.3	0.02	0.03	C69
Brain and nervous system	1203	2.1	7.7	6.5	0.40	0.67	954	1.5	6.0	4.6	0.29	0.46	C70–72
Thyroid	1151	2.0	7.4	6.4	0.47	0.69	3178	5.1	20.1	17.7	1.40	1.77	C73
Adrenal gland	66	0.1	0.4	0.4	0.02	0.03	64	0.1	0.4	0.4	0.02	0.03	C74
Other endocrine	15	0.0	0.1	0.1	0.01	0.01	17	0.0	0.1	0.1	0.00	0.01	C75
Hodgkin lymphoma	602	1.1	3.9	3.7	0.25	0.31	509	0.8	3.2	3.1	0.21	0.25	C81
Non-Hodgkin lymphoma	3814	6.7	24.6	18.8	1.09	2.06	3272	5.2	20.6	13.8	0.82	1.56	C82–86,C96
Immunoproliferative diseases	255	0.4	1.6	1.2	0.08	0.13	293	0.5	1.8	1.3	0.08	0.17	C88
Multiple myeloma	1188	2.1	7.6	5.2	0.26	0.64	946	1.5	6.0	3.6	0.19	0.44	C90
Lymphoid leukaemia	993	1.7	6.4	4.8	0.26	0.48	709	1.1	4.5	3.0	0.15	0.28	C91
Myeloid leukaemia	725	1.3	4.7	3.4	0.19	0.35	605	1.0	3.8	2.6	0.15	0.26	C92–94
Leukaemia unspecified	111	0.2	0.7	0.6	0.03	0.05	114	0.2	0.7	0.4	0.02	0.03	C95
Myeloproliferative disorders	343	0.6	2.2	1.6	0.08	0.19	297	0.5	1.9	1.1	0.05	0.12	MPD
Myelodysplastic syndromes	493	0.9	3.2	1.8	0.04	0.15	396	0.6	2.5	1.1	0.03	0.10	MPS
Other and unspecified	1877	3.3	12.1	7.3	0.28	0.73	1983	3.2	12.5	6.2	0.26	0.57	O&U
All sites	57499		370.1	262.6	13.42	30.87	62584		394.9	269.3	16.99	30.43	C00–96
All sites except C44	57200	100.0	368.2	261.3	13.36	30.75	62377	100.0	393.6	268.4	16.94	30.34	C00–96 exc. C44

*†See note following population pyramid

Japan

CONTRIBUTORS

Hadrien Charvat



NOTES ON THE DATA

†C67 (bladder cancer) includes neoplasms of uncertain or unknown behaviour together with invasive cancers.

20 major cancers, ASR (World) per 100 000

<i>Male</i>		<i>Female</i>	
Stomach	50.2	Breast	66.8
Trachea, bronchus, and lung	43.3	Colon	20.0
Prostate	40.8	Stomach	18.6
Colon	28.8	Trachea, bronchus, and lung	17.3
Rectum	20.6	Corpus uteri	12.3
Liver	16.3	Cervix uteri	10.8
Oesophagus	12.0	Rectum	9.9
Pancreas	11.4	Thyroid	9.9
Non-Hodgkin lymphoma	9.4	Ovary	9.2
Kidney	8.6	Pancreas	7.4
Bladder	8.4	Non-Hodgkin lymphoma	6.8
Gallbladder etc.	6.1	Liver	5.3
Non-melanoma skin cancer	5.0	Gallbladder etc.	3.8
Myeloid leukaemia	4.2	Non-melanoma skin cancer	3.6
Thyroid	3.5	Kidney	3.2
Brain and nervous system	3.1	Myeloid leukaemia	2.6
Testis	2.9	Other and unspecified	2.4
Larynx	2.9	Brain and nervous system	2.4
Myelodysplastic syndromes	2.8	Oesophagus	2.0
Lymphoid leukaemia	2.7	Lymphoid leukaemia	2.0
All sites	311.5	All sites	234.3

Japan (2013–2015)

SITE	Male						Female						ICD-10
	§No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	§No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	
Lip	248	0.0	0.1	0.0	0.00	0.00	220	0.0	0.1	0.0	0.00	0.00	C00
Tongue	9347	0.6	5.0	2.4	0.16	0.28	5247	0.5	2.7	1.2	0.08	0.12	C01–02
Mouth	8080	0.5	4.4	1.7	0.09	0.21	6401	0.6	3.3	0.9	0.04	0.09	C03–06
Salivary glands	2884	0.2	1.6	0.7	0.05	0.08	1893	0.2	1.0	0.5	0.03	0.05	C07–08
Tonsil	1663	0.1	0.9	0.4	0.03	0.05	504	0.0	0.3	0.1	0.01	0.02	C09
Other oropharynx	4472	0.3	2.4	1.0	0.06	0.14	910	0.1	0.5	0.2	0.01	0.02	C10
Nasopharynx	1634	0.1	0.9	0.5	0.04	0.05	619	0.1	0.3	0.2	0.01	0.02	C11
Hypopharynx	11186	0.7	6.0	2.4	0.13	0.33	1019	0.1	0.5	0.2	0.01	0.03	C12–13
Pharynx unspecified	563	0.0	0.3	0.1	0.00	0.01	151	0.0	0.1	0.0	0.00	0.00	C14
Oesophagus	57783	3.8	31.1	12.0	0.59	1.59	11254	1.0	5.7	2.0	0.12	0.25	C15
Stomach	263846	17.3	142.2	50.2	2.16	6.07	120749	10.8	61.6	18.6	0.91	2.11	C16
Small intestine	6050	0.4	3.3	1.3	0.08	0.16	3686	0.3	1.9	0.7	0.04	0.08	C17
Colon	145517	9.5	78.4	28.8	1.35	3.43	128868	11.5	65.8	20.0	1.03	2.29	C18
Rectum	90239	5.9	48.6	20.6	1.23	2.56	50964	4.6	26.0	9.9	0.63	1.18	C19–20
Anus	1428	0.1	0.8	0.3	0.02	0.04	1476	0.1	0.8	0.3	0.02	0.03	C21
Liver	84102	5.5	45.3	16.3	0.75	1.91	42096	3.8	21.5	5.3	0.18	0.57	C22
Gallbladder etc.	35944	2.4	19.4	6.1	0.20	0.64	33940	3.0	17.3	3.8	0.13	0.37	C23–24
Pancreas	58129	3.8	31.3	11.4	0.53	1.36	54046	4.8	27.6	7.4	0.32	0.85	C25
Nose, sinuses etc.	3515	0.2	1.9	0.9	0.05	0.10	1993	0.2	1.0	0.4	0.02	0.04	C30–31
Larynx	14483	0.9	7.8	2.9	0.14	0.38	1147	0.1	0.6	0.2	0.01	0.03	C32
Trachea, bronchus, and lung	235889	15.5	127.1	43.3	1.70	5.14	111358	10.0	56.8	17.3	0.83	2.10	C33–34
Other thoracic organs	3404	0.2	1.8	1.0	0.07	0.11	2322	0.2	1.2	0.6	0.04	0.07	C37–38
Bone	1687	0.1	0.9	0.7	0.04	0.06	1395	0.1	0.7	0.6	0.04	0.05	C40–41
Melanoma of skin	2491	0.2	1.3	0.6	0.03	0.06	2724	0.2	1.4	0.6	0.04	0.06	C43
Other skin	27514	1.8	14.8	5.0	0.21	0.49	26992	2.4	13.8	3.6	0.17	0.35	C44
Mesothelioma	4091	0.3	2.2	0.8	0.03	0.10	941	0.1	0.5	0.1	0.01	0.02	C45
Kaposi sarcoma	133	0.0	0.1	0.1	0.00	0.00	13	0.0	0.0	0.0	0.00	0.00	C46
Connective and soft tissue	5097	0.3	2.7	1.5	0.09	0.15	4019	0.4	2.1	1.1	0.07	0.11	C47+C49
Breast	1583	0.1	0.9	0.3	0.02	0.04	237540	21.3	121.2	66.8	5.25	7.33	C50
Vulva							2600	0.2	1.3	0.4	0.02	0.04	C51
Vagina							945	0.1	0.5	0.2	0.01	0.02	C52
Cervix uteri							31924	2.9	16.3	10.8	0.86	1.05	C53
Corpus uteri							42110	3.8	21.5	12.3	1.04	1.38	C54
Uterus unspecified							1992	0.2	1.0	0.3	0.01	0.02	C55
Ovary							30949	2.8	15.8	9.2	0.73	0.97	C56
Other female genital organs							1311	0.1	0.7	0.3	0.02	0.04	C57
Placenta							142	0.0	0.1	0.1	0.01	0.01	C58
Penis	1368	0.1	0.7	0.2	0.01	0.03							C60
Prostate	227949	14.9	122.9	40.8	1.28	5.37							C61
Testis	5802	0.4	3.1	2.9	0.23	0.23							C62
Other male genital organs	1155	0.1	0.6	0.2	0.01	0.02							C63
Kidney	35520	2.3	19.1	8.6	0.54	1.01	15966	1.4	8.1	3.2	0.20	0.36	C64
Renal pelvis	7737	0.5	4.2	1.4	0.05	0.16	3895	0.3	2.0	0.5	0.02	0.05	C65
Ureter	6992	0.5	3.8	1.2	0.04	0.13	4109	0.4	2.1	0.5	0.01	0.05	C66
†Bladder	46885	3.1	25.3	8.4	0.32	0.93	15561	1.4	7.9	1.9	0.07	0.20	C67
Other urinary organs	511	0.0	0.3	0.1	0.00	0.01	415	0.0	0.2	0.0	0.00	0.00	C68
Eye	434	0.0	0.2	0.2	0.01	0.02	396	0.0	0.2	0.2	0.01	0.01	C69
Brain and nervous system	9037	0.6	4.9	3.1	0.19	0.28	7880	0.7	4.0	2.4	0.15	0.21	C70–72
Thyroid	11460	0.8	6.2	3.5	0.25	0.37	32153	2.9	16.4	9.9	0.74	1.02	C73
Adrenal gland	571	0.0	0.3	0.3	0.02	0.02	523	0.0	0.3	0.3	0.02	0.02	C74
Other endocrine	528	0.0	0.3	0.3	0.02	0.02	313	0.0	0.2	0.1	0.01	0.01	C75
Hodgkin lymphoma	2293	0.2	1.2	0.8	0.05	0.07	1512	0.1	0.8	0.6	0.04	0.05	C81
Non-Hodgkin lymphoma	42010	2.8	22.6	9.4	0.51	1.03	35875	3.2	18.3	6.8	0.40	0.76	C82–86,C96
Immunoproliferative diseases	3971	0.3	2.1	0.9	0.06	0.11	4208	0.4	2.1	0.9	0.06	0.11	C88
Multiple myeloma	10283	0.7	5.5	2.0	0.09	0.22	9756	0.9	5.0	1.4	0.07	0.17	C90
Lymphoid leukaemia	6392	0.4	3.4	2.7	0.14	0.21	5268	0.5	2.7	2.0	0.11	0.16	C91
Myeloid leukaemia	14809	1.0	8.0	4.2	0.25	0.42	9484	0.8	4.8	2.6	0.16	0.24	C92–94
Leukaemia unspecified	1255	0.1	0.7	0.3	0.01	0.02	1182	0.1	0.6	0.2	0.01	0.01	C95
Myeloproliferative disorders	4089	0.3	2.2	1.0	0.06	0.11	3412	0.3	1.7	0.7	0.04	0.08	MPD
Myelodysplastic syndromes	15879	1.0	8.6	2.8	0.10	0.28	9427	0.8	4.8	1.3	0.06	0.13	MPS
Other and unspecified	13393	0.9	7.2	2.6	0.11	0.26	16042	1.4	8.2	2.4	0.12	0.24	O&U
All sites	1553325		837.2	311.5	14.21	36.87	1143837		583.8	234.3	15.08	25.65	C00–96
All sites except C44	1525811	100.0	822.3	306.5	14.00	36.38	1116845	100.0	570.0	230.7	14.91	25.29	C00–96 exc. C44

§Includes 44 cases of unknown age


§Includes 18 cases of unknown age

†See note following population pyramid

Japan, Aichi Prefecture

CONTRIBUTORS

Hidemi Ito
 Michiyo Yamaguchi
 Kayoko Koide
 Sayomi Mori
 Yuriko Koyanagi
 Yukari Taniyama
 Keitaro Matsuo
 Kaichiro Sugiura
 Daisuke Furukawa



NOTES ON THE DATA

†C67 (bladder cancer) includes neoplasms of uncertain or unknown behaviour together with invasive cancers.

20 major cancers, ASR (World) per 100 000

<i>Male</i>		<i>Female</i>	
Stomach	43.9	Breast	61.6
Trachea, bronchus, and lung	42.7	Colon	20.9
Prostate	41.4	Stomach	16.7
Colon	27.3	Trachea, bronchus, and lung	16.6
Rectum	20.2	Cervix uteri	11.3
Bladder	15.8	Corpus uteri	11.3
Liver	13.3	Rectum	10.2
Pancreas	10.9	Thyroid	8.9
Non-Hodgkin lymphoma	9.5	Ovary	8.8
Oesophagus	9.4	Pancreas	6.9
Kidney	8.6	Non-Hodgkin lymphoma	6.9
Non-melanoma skin cancer	5.2	Liver	4.8
Gallbladder etc.	5.0	Non-melanoma skin cancer	3.9
Myeloid leukaemia	4.7	Gallbladder etc.	3.4
Thyroid	3.3	Bladder	3.2
Brain and nervous system	2.9	Kidney	2.9
Testis	2.8	Myeloid leukaemia	2.6
Myelodysplastic syndromes	2.7	Brain and nervous system	2.3
Lymphoid leukaemia	2.7	Other and unspecified	2.1
Larynx	2.5	Lymphoid leukaemia	2.0
All sites	301.2	All sites	224.1

Japan, Aichi Prefecture (2013–2015)


SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	
Lip	16	0.0	0.1	0.0	0.00	0.00	8	0.0	0.1	0.0	0.00	0.00	C00
Tongue	460	0.6	4.1	2.2	0.16	0.26	249	0.4	2.2	1.2	0.08	0.12	C01–02
Mouth	391	0.5	3.5	1.5	0.08	0.18	317	0.6	2.8	0.9	0.04	0.09	C03–06
Salivary glands	145	0.2	1.3	0.7	0.05	0.08	80	0.1	0.7	0.4	0.02	0.04	C07–08
Tonsil	33	0.0	0.3	0.2	0.01	0.02	15	0.0	0.1	0.1	0.00	0.01	C09
Other oropharynx	246	0.3	2.2	1.1	0.07	0.14	56	0.1	0.5	0.3	0.02	0.03	C10
Nasopharynx	86	0.1	0.8	0.5	0.04	0.05	33	0.1	0.3	0.2	0.01	0.02	C11
Hypopharynx	432	0.5	3.9	1.7	0.10	0.24	50	0.1	0.4	0.2	0.01	0.02	C12–13
Pharynx unspecified	17	0.0	0.2	0.1	0.00	0.00	9	0.0	0.1	0.0	0.00	0.00	C14
Oesophagus	2462	3.1	22.0	9.4	0.47	1.27	465	0.8	4.2	1.6	0.10	0.21	C15
Stomach	12335	15.5	110.3	43.9	1.89	5.30	5414	9.8	48.3	16.7	0.84	1.93	C16
Small intestine	293	0.4	2.6	1.2	0.07	0.14	189	0.3	1.7	0.7	0.04	0.08	C17
Colon	7498	9.4	67.1	27.3	1.26	3.23	6767	12.2	60.4	20.9	1.07	2.42	C18
Rectum	4882	6.1	43.7	20.2	1.17	2.53	2728	4.9	24.4	10.2	0.64	1.21	C19–20
Anus	100	0.1	0.9	0.4	0.03	0.04	74	0.1	0.7	0.3	0.02	0.04	C21
Liver	3712	4.7	33.2	13.3	0.59	1.55	1838	3.3	16.4	4.8	0.17	0.50	C22
Gallbladder etc.	1522	1.9	13.6	5.0	0.17	0.55	1480	2.7	13.2	3.4	0.11	0.33	C23–24
Pancreas	3019	3.8	27.0	10.9	0.48	1.32	2488	4.5	22.2	6.9	0.30	0.81	C25
Nose, sinuses etc.	168	0.2	1.5	0.7	0.03	0.08	92	0.2	0.8	0.4	0.03	0.04	C30–31
Larynx	708	0.9	6.3	2.5	0.11	0.33	60	0.1	0.5	0.2	0.01	0.03	C32
Trachea, bronchus, and lung	12403	15.6	110.9	42.7	1.66	5.12	5367	9.7	47.9	16.6	0.79	2.03	C33–34
Other thoracic organs	219	0.3	2.0	1.2	0.09	0.12	124	0.2	1.1	0.6	0.04	0.07	C37–38
Bone	83	0.1	0.7	0.7	0.04	0.05	67	0.1	0.6	0.5	0.03	0.04	C40–41
Melanoma of skin	122	0.2	1.1	0.5	0.03	0.05	127	0.2	1.1	0.5	0.03	0.05	C43
Other skin	1533	1.9	13.7	5.2	0.21	0.51	1463	2.6	13.1	3.9	0.18	0.38	C44
Mesothelioma	237	0.3	2.1	0.8	0.03	0.10	42	0.1	0.4	0.2	0.01	0.02	C45
Kaposi sarcoma	5	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C46
Connective and soft tissue	264	0.3	2.4	1.4	0.08	0.13	179	0.3	1.6	0.9	0.06	0.09	C47+C49
Breast	90	0.1	0.8	0.3	0.02	0.04	12033	21.7	107.4	61.6	4.82	6.71	C50
Vulva							131	0.2	1.2	0.3	0.01	0.03	C51
Vagina							40	0.1	0.4	0.2	0.01	0.01	C52
Cervix uteri							1868	3.4	16.7	11.3	0.91	1.12	C53
Corpus uteri							2104	3.8	18.8	11.3	0.96	1.29	C54
Uterus unspecified							80	0.1	0.7	0.2	0.01	0.02	C55
Ovary							1581	2.9	14.1	8.8	0.70	0.93	C56
Other female genital organs							46	0.1	0.4	0.2	0.02	0.03	C57
Placenta							7	0.0	0.1	0.1	0.00	0.00	C58
Penis	56	0.1	0.5	0.2	0.01	0.01							C60
Prostate	12364	15.6	110.6	41.4	1.32	5.53							C61
Testis	344	0.4	3.1	2.8	0.22	0.22							C62
Other male genital organs	77	0.1	0.7	0.3	0.01	0.03							C63
Kidney	1867	2.4	16.7	8.6	0.57	0.99	752	1.4	6.7	2.9	0.18	0.34	C64
Renal pelvis	411	0.5	3.7	1.4	0.04	0.16	211	0.4	1.9	0.6	0.03	0.08	C65
Ureter	382	0.5	3.4	1.3	0.05	0.14	190	0.3	1.7	0.4	0.01	0.05	C66
†Bladder	4560	5.7	40.8	15.8	0.64	1.82	1154	2.1	10.3	3.2	0.14	0.35	C67
Other urinary organs	20	0.0	0.2	0.1	0.00	0.00	13	0.0	0.1	0.0	0.00	0.00	C68
Eye	23	0.0	0.2	0.2	0.01	0.01	28	0.1	0.2	0.3	0.01	0.02	C69
Brain and nervous system	472	0.6	4.2	2.9	0.18	0.26	359	0.6	3.2	2.3	0.14	0.19	C70–72
Thyroid	617	0.8	5.5	3.3	0.25	0.36	1635	3.0	14.6	8.9	0.67	0.95	C73
Adrenal gland	23	0.0	0.2	0.2	0.01	0.01	26	0.0	0.2	0.3	0.02	0.02	C74
Other endocrine	30	0.0	0.3	0.3	0.02	0.02	14	0.0	0.1	0.1	0.01	0.01	C75
Hodgkin lymphoma	135	0.2	1.2	0.8	0.05	0.08	102	0.2	0.9	0.7	0.04	0.06	C81
Non-Hodgkin lymphoma	2350	3.0	21.0	9.5	0.51	1.02	1907	3.4	17.0	6.9	0.41	0.77	C82–86,C96
Immunoproliferative diseases	190	0.2	1.7	0.8	0.04	0.09	175	0.3	1.6	0.8	0.05	0.09	C88
Multiple myeloma	541	0.7	4.8	1.9	0.09	0.22	508	0.9	4.5	1.4	0.06	0.17	C90
Lymphoid leukaemia	346	0.4	3.1	2.7	0.14	0.21	239	0.4	2.1	2.0	0.11	0.15	C91
Myeloid leukaemia	879	1.1	7.9	4.7	0.28	0.44	513	0.9	4.6	2.6	0.17	0.24	C92–94
Leukaemia unspecified	66	0.1	0.6	0.3	0.01	0.02	55	0.1	0.5	0.2	0.01	0.02	C95
Myeloproliferative disorders	182	0.2	1.6	0.8	0.04	0.09	144	0.3	1.3	0.6	0.03	0.06	MPD
Myelodysplastic syndromes	820	1.0	7.3	2.7	0.09	0.27	425	0.8	3.8	1.2	0.05	0.12	MPS
Other and unspecified	687	0.9	6.1	2.5	0.10	0.24	756	1.4	6.8	2.1	0.09	0.19	O&U
All sites	80923		723.8	301.2	13.64	35.71	56877		507.8	224.1	14.35	24.61	C00–96
All sites except C44	79390	100.0	710.0	296.0	13.43	35.20	55414	100.0	494.8	220.2	14.17	24.23	C00–96 exc. C44

†See note following population pyramid

Japan, Akita Prefecture

CONTRIBUTORS

Tobori Fumio



NOTES ON THE DATA

*No questionnaire.

†C67 (bladder cancer) includes neoplasms of uncertain or unknown behaviour together with invasive cancers.

20 major cancers, ASR (World) per 100 000

<i>Male</i>		<i>Female</i>	
Stomach	72.2	Breast	67.8
Trachea, bronchus, and lung	41.0	Stomach	25.3
Prostate	39.7	Colon	24.6
Colon	38.1	Trachea, bronchus, and lung	16.5
Rectum	26.1	Corpus uteri	13.8
Oesophagus	16.7	Thyroid	13.4
Bladder	15.1	Rectum	11.9
Liver	11.8	Ovary	11.1
Pancreas	11.8	Cervix uteri	9.5
Kidney	9.1	Pancreas	7.6
Gallbladder etc.	8.8	Non-Hodgkin lymphoma	7.2
Non-Hodgkin lymphoma	8.1	Gallbladder etc.	5.1
Non-melanoma skin cancer	5.2	Non-melanoma skin cancer	3.8
Myeloid leukaemia	4.4	Liver	3.7
Testis	4.0	Kidney	3.1
Brain and nervous system	3.7	Bladder	2.7
Hypopharynx	3.6	Brain and nervous system	2.7
Larynx	3.2	Other and unspecified	2.6
Other and unspecified	3.1	Myeloid leukaemia	2.5
Thyroid	3.0	Oesophagus	1.9
All sites	358.0	All sites	255.7

*Japan, Akita Prefecture (2013–2015)


SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	
Lip	2	0.0	0.1	0.0	0.00	0.01	1	0.0	0.1	0.0	0.00	0.00	C00
Tongue	87	0.5	6.0	2.6	0.19	0.32	61	0.5	3.7	1.5	0.10	0.15	C01–02
Mouth	92	0.6	6.3	2.0	0.12	0.25	77	0.6	4.7	1.0	0.06	0.10	C03–06
Salivary glands	27	0.2	1.9	0.7	0.05	0.08	15	0.1	0.9	0.4	0.03	0.05	C07–08
Tonsil	15	0.1	1.0	0.4	0.02	0.06	4	0.0	0.2	0.1	0.00	0.01	C09
Other oropharynx	53	0.3	3.6	1.4	0.09	0.18	7	0.1	0.4	0.2	0.02	0.02	C10
Nasopharynx	21	0.1	1.4	0.7	0.05	0.08	9	0.1	0.5	0.3	0.02	0.03	C11
Hypopharynx	150	0.9	10.3	3.6	0.19	0.49	11	0.1	0.7	0.2	0.01	0.02	C12–13
Pharynx unspecified	4	0.0	0.3	0.1	0.00	0.01	1	0.0	0.1	0.0	0.00	0.00	C14
Oesophagus	806	4.9	55.2	16.7	0.80	2.08	115	1.0	7.0	1.9	0.11	0.25	C15
Stomach	3507	21.4	240.4	72.2	3.53	8.81	1696	14.3	102.9	25.3	1.26	2.90	C16
Small intestine	67	0.4	4.6	1.6	0.09	0.20	27	0.2	1.6	0.4	0.02	0.05	C17
Colon	1771	10.8	121.4	38.1	2.00	4.62	1621	13.7	98.3	24.6	1.31	2.86	C18
Rectum	1010	6.1	69.2	26.1	1.68	3.14	592	5.0	35.9	11.9	0.82	1.41	C19–20
Anus	14	0.1	1.0	0.4	0.02	0.04	13	0.1	0.8	0.3	0.02	0.03	C21
Liver	583	3.5	40.0	11.8	0.56	1.53	305	2.6	18.5	3.7	0.14	0.43	C22
Gallbladder etc.	520	3.2	35.6	8.8	0.31	0.93	514	4.3	31.2	5.1	0.16	0.51	C23–24
Pancreas	580	3.5	39.8	11.8	0.56	1.41	601	5.1	36.4	7.6	0.34	0.86	C25
Nose, sinuses etc.	37	0.2	2.5	0.9	0.05	0.11	24	0.2	1.5	0.4	0.03	0.05	C30–31
Larynx	154	0.9	10.6	3.2	0.16	0.42	9	0.1	0.5	0.1	0.00	0.02	C32
Trachea, bronchus, and lung	2187	13.3	149.9	41.0	1.75	4.73	1052	8.9	63.8	16.5	0.89	2.02	C33–34
Other thoracic organs	21	0.1	1.4	0.6	0.03	0.06	22	0.2	1.3	0.7	0.05	0.08	C37–38
Bone	6	0.0	0.4	0.2	0.01	0.02	9	0.1	0.5	0.5	0.04	0.05	C40–41
Melanoma of skin	30	0.2	2.1	0.9	0.05	0.09	30	0.3	1.8	0.4	0.02	0.04	C43
Other skin	274	1.7	18.8	5.2	0.23	0.49	306	2.6	18.6	3.8	0.16	0.37	C44
Mesothelioma	17	0.1	1.2	0.4	0.03	0.05	11	0.1	0.7	0.3	0.02	0.03	C45
Kaposi sarcoma	0	0.0	0.0	0.0	0.00	0.00	2	0.0	0.1	0.0	0.00	0.00	C46
Connective and soft tissue	49	0.3	3.4	1.5	0.09	0.17	36	0.3	2.2	1.4	0.07	0.09	C47+C49
Breast	26	0.2	1.8	0.6	0.03	0.08	2083	17.6	126.3	67.8	5.46	7.34	C50
Vulva							40	0.3	2.4	0.5	0.03	0.06	C51
Vagina							16	0.1	1.0	0.3	0.02	0.03	C52
Cervix uteri							207	1.7	12.6	9.5	0.75	0.85	C53
Corpus uteri							436	3.7	26.4	13.8	1.16	1.54	C54
Uterus unspecified							22	0.2	1.3	0.6	0.05	0.05	C55
Ovary							328	2.8	19.9	11.1	0.90	1.16	C56
Other female genital organs							20	0.2	1.2	0.6	0.05	0.07	C57
Placenta							0	0.0	0.0	0.0	0.00	0.00	C58
Penis	11	0.1	0.8	0.2	0.01	0.02							C60
Prostate	2075	12.6	142.2	39.7	1.32	5.46							C61
Testis	50	0.3	3.4	4.0	0.30	0.31							C62
Other male genital organs	7	0.0	0.5	0.1	0.00	0.01							C63
Kidney	350	2.1	24.0	9.1	0.59	1.03	158	1.3	9.6	3.1	0.20	0.34	C64
Renal pelvis	63	0.4	4.3	1.3	0.07	0.16	41	0.3	2.5	0.5	0.03	0.07	C65
Ureter	78	0.5	5.3	1.4	0.07	0.17	58	0.5	3.5	0.6	0.03	0.06	C66
†Bladder	788	4.8	54.0	15.1	0.65	1.74	224	1.9	13.6	2.7	0.11	0.31	C67
Other urinary organs	7	0.0	0.5	0.1	0.00	0.02	2	0.0	0.1	0.1	0.00	0.00	C68
Eye	3	0.0	0.2	0.0	0.00	0.00	5	0.0	0.3	0.6	0.02	0.03	C69
Brain and nervous system	93	0.6	6.4	3.7	0.22	0.30	86	0.7	5.2	2.7	0.16	0.23	C70–72
Thyroid	87	0.5	6.0	3.0	0.22	0.32	336	2.8	20.4	13.4	1.07	1.30	C73
Adrenal gland	6	0.0	0.4	0.2	0.02	0.02	3	0.0	0.2	0.1	0.01	0.01	C74
Other endocrine	6	0.0	0.4	0.4	0.03	0.03	3	0.0	0.2	0.1	0.01	0.01	C75
Hodgkin lymphoma	13	0.1	0.9	0.8	0.06	0.06	10	0.1	0.6	0.2	0.01	0.02	C81
Non-Hodgkin lymphoma	329	2.0	22.5	8.1	0.48	0.89	340	2.9	20.6	7.2	0.46	0.75	C82–86,C96
Immunoproliferative diseases	39	0.2	2.7	1.1	0.08	0.14	33	0.3	2.0	1.1	0.07	0.11	C88
Multiple myeloma	95	0.6	6.5	1.9	0.10	0.23	94	0.8	5.7	1.4	0.06	0.16	C90
Lymphoid leukaemia	38	0.2	2.6	2.5	0.13	0.18	33	0.3	2.0	1.6	0.08	0.11	C91
Myeloid leukaemia	113	0.7	7.7	4.4	0.29	0.41	84	0.7	5.1	2.5	0.17	0.24	C92–94
Leukaemia unspecified	26	0.2	1.8	0.9	0.04	0.04	26	0.2	1.6	0.4	0.02	0.03	C95
Myeloproliferative disorders	24	0.1	1.6	0.7	0.03	0.07	25	0.2	1.5	0.4	0.03	0.05	MPD
Myelodysplastic syndromes	122	0.7	8.4	2.5	0.09	0.28	97	0.8	5.9	1.2	0.05	0.12	MPS
Other and unspecified	164	1.0	11.2	3.1	0.14	0.30	176	1.5	10.7	2.6	0.14	0.25	O&U
All sites	16697		1144.4	358.0	17.62	42.60	12157		737.2	255.7	16.88	27.78	C00–96
All sites except C44	16423	100.0	1125.6	352.8	17.39	42.11	11851	100.0	718.7	251.9	16.72	27.41	C00–96 exc. C44

*†See note following population pyramid

Japan, Aomori Prefecture

CONTRIBUTORS

Asami Kawamura
Rina Tanaka
Masashi Matsuzaka



NOTES ON THE DATA

†C67 (bladder cancer) includes neoplasms of uncertain or unknown behaviour together with invasive cancers.

20 major cancers, ASR (World) per 100 000

<i>Male</i>		<i>Female</i>	
Stomach	59.3	Breast	77.9
Trachea, bronchus, and lung	47.7	Colon	24.3
Prostate	42.9	Stomach	20.6
Colon	38.2	Trachea, bronchus, and lung	17.0
Rectum	28.8	Corpus uteri	16.0
Liver	17.0	Rectum	12.0
Bladder	15.4	Ovary	11.7
Pancreas	13.3	Thyroid	11.3
Oesophagus	12.3	Cervix uteri	9.3
Kidney	9.5	Pancreas	8.3
Gallbladder etc.	9.0	Non-Hodgkin lymphoma	6.3
Non-Hodgkin lymphoma	8.5	Liver	5.8
Non-melanoma skin cancer	5.2	Gallbladder etc.	5.1
Myeloid leukaemia	4.2	Non-melanoma skin cancer	3.7
Brain and nervous system	3.5	Bladder	3.7
Larynx	3.5	Kidney	3.4
Thyroid	3.4	Brain and nervous system	2.8
Testis	3.2	Myeloid leukaemia	2.7
Myelodysplastic syndromes	3.0	Other and unspecified	2.6
Other and unspecified	3.0	Lymphoid leukaemia	1.9
All sites	360.5	All sites	264.9

Japan, Aomori Prefecture (2013–2017)

SITE	Male						Female						ICD-10
	§No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	0–74 (%)	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	0–74 (%)	
Lip	7	0.0	0.2	0.0	0.00	0.00	6	0.0	0.2	0.0	0.00	0.00	C00
Tongue	189	0.6	6.2	2.6	0.17	0.31	116	0.5	3.3	1.4	0.10	0.13	C01–02
Mouth	155	0.5	5.1	1.8	0.09	0.26	130	0.5	3.8	0.9	0.04	0.09	C03–06
Salivary glands	60	0.2	2.0	0.9	0.06	0.09	34	0.1	1.0	0.3	0.02	0.04	C07–08
Tonsil	37	0.1	1.2	0.5	0.04	0.07	13	0.1	0.4	0.1	0.01	0.02	C09
Other oropharynx	71	0.2	2.3	0.8	0.04	0.11	13	0.1	0.4	0.1	0.00	0.01	C10
Nasopharynx	32	0.1	1.0	0.6	0.04	0.06	14	0.1	0.4	0.2	0.02	0.02	C11
Hypopharynx	231	0.7	7.5	2.9	0.18	0.38	17	0.1	0.5	0.2	0.01	0.02	C12–13
Pharynx unspecified	5	0.0	0.2	0.1	0.00	0.01	2	0.0	0.1	0.0	0.00	0.00	C14
Oesophagus	1097	3.4	35.8	12.3	0.60	1.61	179	0.7	5.2	1.7	0.11	0.20	C15
Stomach	5674	17.5	184.9	59.3	2.63	7.22	2766	11.2	79.8	20.6	1.00	2.36	C16
Small intestine	113	0.3	3.7	1.5	0.09	0.17	64	0.3	1.8	0.7	0.05	0.07	C17
Colon	3559	11.0	116.0	38.2	1.78	4.63	3258	13.2	94.0	24.3	1.22	2.73	C18
Rectum	2326	7.2	75.8	28.8	1.77	3.57	1238	5.0	35.7	12.0	0.76	1.44	C19–20
Anus	16	0.0	0.5	0.2	0.01	0.02	27	0.1	0.8	0.3	0.02	0.03	C21
Liver	1525	4.7	49.7	17.0	0.90	2.04	879	3.6	25.4	5.8	0.22	0.66	C22
Gallbladder etc.	981	3.0	32.0	9.0	0.32	0.98	944	3.8	27.2	5.1	0.18	0.52	C23–24
Pancreas	1244	3.8	40.5	13.3	0.61	1.62	1322	5.3	38.1	8.3	0.33	0.95	C25
Nose, sinuses etc.	73	0.2	2.4	1.1	0.06	0.13	36	0.1	1.0	0.6	0.03	0.04	C30–31
Larynx	314	1.0	10.2	3.5	0.15	0.46	18	0.1	0.5	0.2	0.01	0.01	C32
Trachea, bronchus, and lung	4776	14.7	155.7	47.7	1.91	5.71	2194	8.9	63.3	17.0	0.80	2.12	C33–34
Other thoracic organs	53	0.2	1.7	1.1	0.06	0.10	33	0.1	1.0	0.3	0.02	0.04	C37–38
Bone	30	0.1	1.0	0.7	0.05	0.06	30	0.1	0.9	0.5	0.03	0.04	C40–41
Melanoma of skin	51	0.2	1.7	0.6	0.04	0.06	64	0.3	1.8	0.6	0.04	0.06	C43
Other skin	532	1.6	17.3	5.2	0.19	0.49	600	2.4	17.3	3.7	0.16	0.36	C44
Mesothelioma	38	0.1	1.2	0.4	0.03	0.06	10	0.0	0.3	0.1	0.01	0.01	C45
Kaposi sarcoma	1	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C46
Connective and soft tissue	108	0.3	3.5	2.1	0.13	0.19	83	0.3	2.4	1.1	0.06	0.12	C47+C49
Breast	36	0.1	1.2	0.4	0.03	0.05	4995	20.2	144.1	77.9	6.22	8.41	C50
Vulva							66	0.3	1.9	0.4	0.01	0.04	C51
Vagina							19	0.1	0.5	0.2	0.02	0.02	C52
Cervix uteri							491	2.0	14.2	9.3	0.74	0.88	C53
Corpus uteri							1013	4.1	29.2	16.0	1.35	1.74	C54
Uterus unspecified							37	0.1	1.1	0.2	0.01	0.02	C55
Ovary							716	2.9	20.7	11.7	0.96	1.21	C56
Other female genital organs							27	0.1	0.8	0.4	0.04	0.06	C57
Placenta							3	0.0	0.1	0.1	0.01	0.01	C58
Penis	28	0.1	0.9	0.2	0.00	0.03							C60
Prostate	4521	13.9	147.4	42.9	1.27	5.55							C61
Testis	86	0.3	2.8	3.2	0.23	0.24							C62
Other male genital organs	18	0.1	0.6	0.2	0.01	0.02							C63
Kidney	727	2.2	23.7	9.5	0.57	1.10	388	1.6	11.2	3.4	0.19	0.39	C64
Renal pelvis	164	0.5	5.3	1.6	0.07	0.18	78	0.3	2.3	0.4	0.01	0.04	C65
Ureter	187	0.6	6.1	1.7	0.07	0.18	115	0.5	3.3	0.7	0.02	0.08	C66
†Bladder	1539	4.7	50.2	15.4	0.66	1.78	556	2.2	16.0	3.7	0.16	0.42	C67
Other urinary organs	15	0.0	0.5	0.2	0.02	0.03	11	0.0	0.3	0.0	0.00	0.00	C68
Eye	10	0.0	0.3	0.3	0.02	0.02	9	0.0	0.3	0.2	0.01	0.02	C69
Brain and nervous system	179	0.6	5.8	3.5	0.22	0.32	159	0.6	4.6	2.8	0.17	0.24	C70–72
Thyroid	210	0.6	6.8	3.4	0.24	0.37	649	2.6	18.7	11.3	0.87	1.11	C73
Adrenal gland	11	0.0	0.4	0.1	0.01	0.01	19	0.1	0.5	0.6	0.03	0.03	C74
Other endocrine	4	0.0	0.1	0.1	0.01	0.01	5	0.0	0.1	0.2	0.01	0.01	C75
Hodgkin lymphoma	53	0.2	1.7	1.3	0.09	0.11	29	0.1	0.8	0.6	0.04	0.05	C81
Non-Hodgkin lymphoma	678	2.1	22.1	8.5	0.47	0.94	673	2.7	19.4	6.3	0.38	0.73	C82–86,C96
Immunoproliferative diseases	53	0.2	1.7	0.6	0.04	0.08	63	0.3	1.8	0.8	0.06	0.09	C88
Multiple myeloma	162	0.5	5.3	1.6	0.06	0.18	192	0.8	5.5	1.3	0.06	0.14	C90
Lymphoid leukaemia	83	0.3	2.7	1.9	0.11	0.16	70	0.3	2.0	1.9	0.10	0.13	C91
Myeloid leukaemia	264	0.8	8.6	4.2	0.26	0.43	182	0.7	5.3	2.7	0.17	0.24	C92–94
Leukaemia unspecified	23	0.1	0.7	0.3	0.01	0.02	35	0.1	1.0	0.2	0.01	0.02	C95
Myeloproliferative disorders	87	0.3	2.8	1.2	0.07	0.13	90	0.4	2.6	1.1	0.07	0.13	MPD
Myelodysplastic syndromes	305	0.9	9.9	3.0	0.13	0.32	199	0.8	5.7	1.5	0.07	0.17	MPS
Other and unspecified	273	0.8	8.9	3.0	0.14	0.30	356	1.4	10.3	2.6	0.14	0.29	O&U
All sites	33014		1076.1	360.5	16.75	42.96	25335		731.0	264.9	17.18	28.85	C00–96
All sites except C44	32482	100.0	1058.7	355.3	16.56	42.47	24735	100.0	713.6	261.2	17.02	28.48	C00–96 exc. C44


§Includes 1 case of unknown age

†See note following population pyramid

Japan, Gunma Prefecture

CONTRIBUTORS

Moki Fumitaka



NOTES ON THE DATA

†C67 (bladder cancer) includes neoplasms of uncertain or unknown behaviour together with invasive cancers.

20 major cancers, ASR (World) per 100 000

<i>Male</i>		<i>Female</i>	
Prostate	46.6	Breast	65.3
Stomach	46.2	Colon	19.5
Trachea, bronchus, and lung	39.7	Stomach	17.3
Colon	27.7	Trachea, bronchus, and lung	15.5
Rectum	22.1	Corpus uteri	12.8
Liver	14.7	Cervix uteri	11.6
Bladder	13.9	Rectum	10.2
Pancreas	9.4	Ovary	9.2
Oesophagus	9.0	Thyroid	8.9
Non-Hodgkin lymphoma	8.2	Pancreas	6.6
Kidney	7.2	Non-Hodgkin lymphoma	5.7
Gallbladder etc.	6.7	Liver	5.5
Non-melanoma skin cancer	5.0	Gallbladder etc.	4.0
Testis	3.9	Kidney	3.5
Myeloid leukaemia	3.5	Non-melanoma skin cancer	3.4
Brain and nervous system	3.3	Bladder	3.1
Myelodysplastic syndromes	3.1	Myeloid leukaemia	2.6
Larynx	2.9	Brain and nervous system	2.6
Thyroid	2.5	Other and unspecified	2.0
Tongue	2.3	Oesophagus	1.8
All sites	302.8	All sites	228.0

Japan, Gunma Prefecture (2013–2015)


SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	
Lip	8	0.0	0.3	0.1	0.01	0.01	4	0.0	0.1	0.0	0.00	0.00	C00
Tongue	141	0.6	4.8	2.3	0.15	0.28	91	0.5	3.0	1.5	0.10	0.15	C01–02
Mouth	124	0.5	4.2	1.6	0.08	0.20	107	0.6	3.6	1.0	0.05	0.10	C03–06
Salivary glands	53	0.2	1.8	0.8	0.04	0.08	28	0.2	0.9	0.3	0.02	0.03	C07–08
Tonsil	25	0.1	0.9	0.4	0.02	0.05	4	0.0	0.1	0.0	0.00	0.01	C09
Other oropharynx	56	0.2	1.9	0.8	0.04	0.11	15	0.1	0.5	0.2	0.01	0.03	C10
Nasopharynx	17	0.1	0.6	0.3	0.01	0.03	9	0.1	0.3	0.1	0.01	0.01	C11
Hypopharynx	124	0.5	4.2	1.6	0.07	0.21	16	0.1	0.5	0.2	0.01	0.03	C12–13
Pharynx unspecified	6	0.0	0.2	0.1	0.00	0.00	3	0.0	0.1	0.0	0.00	0.00	C14
Oesophagus	742	3.1	25.4	8.9	0.40	1.16	172	1.0	5.7	1.8	0.09	0.22	C15
Stomach	4015	16.5	137.6	46.2	1.87	5.56	1748	10.3	58.1	17.3	0.86	1.95	C16
Small intestine	93	0.4	3.2	1.3	0.09	0.16	57	0.3	1.9	0.7	0.05	0.09	C17
Colon	2276	9.4	78.0	27.7	1.27	3.30	2043	12.0	67.9	19.5	0.92	2.17	C18
Rectum	1599	6.6	54.8	22.1	1.24	2.75	827	4.9	27.5	10.2	0.66	1.20	C19–20
Anus	27	0.1	0.9	0.4	0.01	0.04	18	0.1	0.6	0.2	0.01	0.02	C21
Liver	1221	5.0	41.8	14.7	0.69	1.80	679	4.0	22.6	5.5	0.18	0.56	C22
Gallbladder etc.	644	2.6	22.1	6.7	0.23	0.70	606	3.6	20.1	4.0	0.14	0.36	C23–24
Pancreas	774	3.2	26.5	9.4	0.44	1.11	793	4.7	26.4	6.6	0.27	0.74	C25
Nose, sinuses etc.	59	0.2	2.0	1.0	0.06	0.11	43	0.3	1.4	0.5	0.04	0.05	C30–31
Larynx	245	1.0	8.4	2.9	0.12	0.38	21	0.1	0.7	0.2	0.01	0.03	C32
Trachea, bronchus, and lung	3564	14.7	122.1	39.7	1.48	4.70	1607	9.4	53.4	15.5	0.70	1.91	C33–34
Other thoracic organs	45	0.2	1.5	0.9	0.07	0.10	30	0.2	1.0	0.5	0.04	0.05	C37–38
Bone	33	0.1	1.1	0.8	0.05	0.06	28	0.2	0.9	0.7	0.05	0.06	C40–41
Melanoma of skin	30	0.1	1.0	0.3	0.01	0.04	45	0.3	1.5	0.7	0.05	0.07	C43
Other skin	435	1.8	14.9	5.0	0.22	0.49	427	2.5	14.2	3.4	0.15	0.31	C44
Mesothelioma	34	0.1	1.2	0.4	0.02	0.06	12	0.1	0.4	0.1	0.00	0.02	C45
Kaposi sarcoma	2	0.0	0.1	0.1	0.01	0.01	0	0.0	0.0	0.0	0.00	0.00	C46
Connective and soft tissue	89	0.4	3.1	1.7	0.11	0.16	56	0.3	1.9	0.8	0.05	0.09	C47+C49
Breast	22	0.1	0.8	0.3	0.02	0.04	3604	21.1	119.8	65.3	5.12	7.18	C50
Vulva							35	0.2	1.2	0.4	0.02	0.03	C51
Vagina							18	0.1	0.6	0.2	0.01	0.03	C52
Cervix uteri							506	3.0	16.8	11.6	0.90	1.13	C53
Corpus uteri							661	3.9	22.0	12.8	1.07	1.43	C54
Uterus unspecified							21	0.1	0.7	0.2	0.01	0.02	C55
Ovary							472	2.8	15.7	9.2	0.75	0.98	C56
Other female genital organs							12	0.1	0.4	0.2	0.01	0.02	C57
Placenta							2	0.0	0.1	0.1	0.01	0.01	C58
Penis	23	0.1	0.8	0.2	0.00	0.02							C60
Prostate	4201	17.3	144.0	46.6	1.54	6.10							C61
Testis	116	0.5	4.0	3.9	0.29	0.31							C62
Other male genital organs	21	0.1	0.7	0.3	0.02	0.03							C63
Kidney	476	2.0	16.3	7.2	0.48	0.87	265	1.6	8.8	3.5	0.22	0.40	C64
Renal pelvis	87	0.4	3.0	0.9	0.02	0.12	75	0.4	2.5	0.6	0.02	0.06	C65
Ureter	105	0.4	3.6	1.1	0.03	0.14	47	0.3	1.6	0.3	0.00	0.03	C66
†Bladder	1222	5.0	41.9	13.9	0.57	1.59	356	2.1	11.8	3.1	0.14	0.34	C67
Other urinary organs	6	0.0	0.2	0.1	0.00	0.01	3	0.0	0.1	0.0	0.00	0.00	C68
Eye	2	0.0	0.1	0.2	0.01	0.01	2	0.0	0.1	0.0	0.00	0.00	C69
Brain and nervous system	149	0.6	5.1	3.3	0.21	0.29	122	0.7	4.1	2.6	0.15	0.22	C70–72
Thyroid	118	0.5	4.0	2.5	0.18	0.24	413	2.4	13.7	8.9	0.70	0.88	C73
Adrenal gland	5	0.0	0.2	0.1	0.00	0.00	6	0.0	0.2	0.2	0.01	0.01	C74
Other endocrine	11	0.0	0.4	0.5	0.03	0.03	2	0.0	0.1	0.1	0.00	0.01	C75
Hodgkin lymphoma	32	0.1	1.1	0.6	0.04	0.06	20	0.1	0.7	0.5	0.03	0.04	C81
Non-Hodgkin lymphoma	598	2.5	20.5	8.2	0.42	0.90	483	2.8	16.1	5.7	0.33	0.64	C82–86,C96
Immunoproliferative diseases	48	0.2	1.6	0.6	0.04	0.07	73	0.4	2.4	1.0	0.07	0.11	C88
Multiple myeloma	180	0.7	6.2	2.3	0.12	0.26	155	0.9	5.2	1.5	0.07	0.18	C90
Lymphoid leukaemia	62	0.3	2.1	1.8	0.10	0.12	48	0.3	1.6	1.3	0.07	0.10	C91
Myeloid leukaemia	219	0.9	7.5	3.5	0.21	0.35	153	0.9	5.1	2.6	0.17	0.26	C92–94
Leukaemia unspecified	17	0.1	0.6	0.4	0.02	0.03	16	0.1	0.5	0.3	0.02	0.02	C95
Myeloproliferative disorders	80	0.3	2.7	1.2	0.07	0.14	54	0.3	1.8	0.7	0.04	0.08	MPD
Myelodysplastic syndromes	277	1.1	9.5	3.1	0.12	0.33	143	0.8	4.8	1.4	0.06	0.12	MPS
Other and unspecified	184	0.8	6.3	2.0	0.07	0.20	215	1.3	7.1	2.0	0.10	0.20	O&U
All sites	24742		847.9	302.8	13.46	35.92	17471		580.6	228.0	14.62	24.81	C00–96
All sites except C44	24307	100.0	833.0	297.7	13.23	35.43	17044	100.0	566.4	224.6	14.47	24.50	C00–96 exc. C44

†See note following population pyramid

Japan, Hiroshima Prefecture

CONTRIBUTORS

Kotaro Ozasa
 Hiromi Sugiyama
 Shinichi Kohata
 Hiroshi Sasaki
 Koichi Fujikawa
 Masaharu Tamaki
 Yukio Takeshima
 Hiroki Kajihara
 Makoto Matsumura



NOTES ON THE DATA

†C67 (bladder cancer) includes neoplasms of uncertain or unknown behaviour together with invasive cancers.

20 major cancers, ASR (World) per 100 000

<i>Male</i>		<i>Female</i>	
Stomach	58.0	Breast	72.3
Trachea, bronchus, and lung	46.6	Colon	22.0
Prostate	45.6	Stomach	21.0
Colon	31.4	Trachea, bronchus, and lung	19.6
Rectum	22.1	Thyroid	16.8
Bladder	22.0	Corpus uteri	13.7
Liver	20.8	Rectum	11.5
Oesophagus	12.4	Cervix uteri	9.9
Pancreas	12.0	Ovary	8.8
Non-Hodgkin lymphoma	11.7	Non-Hodgkin lymphoma	8.1
Kidney	10.3	Pancreas	7.9
Thyroid	5.7	Liver	6.1
Non-melanoma skin cancer	5.6	Kidney	4.0
Myeloid leukaemia	5.3	Bladder	4.0
Gallbladder etc.	5.0	Non-melanoma skin cancer	4.0
Myelodysplastic syndromes	4.1	Gallbladder etc.	3.4
Brain and nervous system	3.7	Myeloid leukaemia	3.1
Testis	2.8	Brain and nervous system	2.6
Larynx	2.8	Other and unspecified	2.4
Lymphoid leukaemia	2.8	Oesophagus	2.1
All sites	364.0	All sites	264.9

Japan, Hiroshima Prefecture (2014–2017)


SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	
Lip	10	0.0	0.2	0.1	0.00	0.01	14	0.0	0.2	0.1	0.00	0.01	C00
Tongue	293	0.5	5.3	2.4	0.14	0.28	186	0.5	3.2	1.4	0.10	0.14	C01–02
Mouth	291	0.5	5.3	2.0	0.10	0.24	211	0.5	3.6	1.0	0.05	0.10	C03–06
Salivary glands	114	0.2	2.1	1.0	0.07	0.11	89	0.2	1.5	0.7	0.05	0.07	C07–08
Tonsil	57	0.1	1.0	0.5	0.04	0.07	13	0.0	0.2	0.1	0.01	0.01	C09
Other oropharynx	127	0.2	2.3	1.1	0.08	0.13	24	0.1	0.4	0.2	0.01	0.02	C10
Nasopharynx	43	0.1	0.8	0.5	0.04	0.05	10	0.0	0.2	0.0	0.00	0.01	C11
Hypopharynx	370	0.7	6.7	2.7	0.16	0.36	38	0.1	0.7	0.3	0.02	0.03	C12–13
Pharynx unspecified	12	0.0	0.2	0.1	0.00	0.01	1	0.0	0.0	0.0	0.00	0.00	C14
Oesophagus	1800	3.3	32.8	12.4	0.63	1.64	355	0.9	6.1	2.1	0.13	0.26	C15
Stomach	9257	17.0	168.6	58.0	2.52	7.15	4345	11.2	74.3	21.0	1.00	2.45	C16
Small intestine	267	0.5	4.9	2.0	0.11	0.22	160	0.4	2.7	1.0	0.06	0.11	C17
Colon	4784	8.8	87.1	31.4	1.50	3.84	4391	11.3	75.1	22.0	1.12	2.53	C18
Rectum	2905	5.3	52.9	22.1	1.31	2.79	1760	4.5	30.1	11.5	0.74	1.38	C19–20
Anus	44	0.1	0.8	0.3	0.02	0.03	41	0.1	0.7	0.2	0.01	0.02	C21
Liver	3356	6.2	61.1	20.8	0.94	2.46	1575	4.1	26.9	6.1	0.19	0.64	C22
Gallbladder etc.	950	1.7	17.3	5.0	0.17	0.50	923	2.4	15.8	3.4	0.14	0.34	C23–24
Pancreas	1873	3.4	34.1	12.0	0.55	1.45	1855	4.8	31.7	7.9	0.33	0.92	C25
Nose, sinuses etc.	111	0.2	2.0	1.1	0.07	0.12	50	0.1	0.9	0.3	0.02	0.03	C30–31
Larynx	423	0.8	7.7	2.8	0.12	0.36	29	0.1	0.5	0.2	0.01	0.03	C32
Trachea, bronchus, and lung	7735	14.2	140.8	46.6	1.88	5.63	3813	9.8	65.2	19.6	0.94	2.46	C33–34
Other thoracic organs	131	0.2	2.4	1.3	0.09	0.14	83	0.2	1.4	0.6	0.04	0.07	C37–38
Bone	58	0.1	1.1	0.8	0.05	0.07	66	0.2	1.1	0.9	0.06	0.07	C40–41
Melanoma of skin	61	0.1	1.1	0.5	0.03	0.05	82	0.2	1.4	0.6	0.04	0.06	C43
Other skin	1000	1.8	18.2	5.6	0.21	0.56	995	2.6	17.0	4.0	0.18	0.38	C44
Mesothelioma	179	0.3	3.3	1.0	0.02	0.11	26	0.1	0.4	0.1	0.00	0.01	C45
Kaposi sarcoma	3	0.0	0.1	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C46
Connective and soft tissue	160	0.3	2.9	1.4	0.09	0.15	143	0.4	2.4	1.4	0.08	0.11	C47+C49
Breast	67	0.1	1.2	0.4	0.02	0.05	7869	20.3	134.6	72.3	5.63	8.01	C50
Vulva							78	0.2	1.3	0.3	0.01	0.04	C51
Vagina							34	0.1	0.6	0.2	0.02	0.02	C52
Cervix uteri							865	2.2	14.8	9.9	0.81	0.96	C53
Corpus uteri							1362	3.5	23.3	13.7	1.17	1.51	C54
Uterus unspecified							31	0.1	0.5	0.1	0.00	0.01	C55
Ovary							892	2.3	15.3	8.8	0.69	0.93	C56
Other female genital organs							42	0.1	0.7	0.3	0.02	0.04	C57
Placenta							4	0.0	0.1	0.1	0.00	0.01	C58
Penis	55	0.1	1.0	0.3	0.01	0.03							C60
Prostate	7906	14.5	144.0	45.6	1.47	5.92							C61
Testis	158	0.3	2.9	2.8	0.22	0.22							C62
Other male genital organs	41	0.1	0.7	0.2	0.01	0.03							C63
Kidney	1257	2.3	22.9	10.3	0.66	1.24	578	1.5	9.9	4.0	0.26	0.45	C64
Renal pelvis	356	0.7	6.5	2.1	0.09	0.25	133	0.3	2.3	0.5	0.02	0.06	C65
Ureter	287	0.5	5.2	1.5	0.04	0.15	183	0.5	3.1	0.6	0.01	0.05	C66
†Bladder	3654	6.7	66.5	22.0	0.91	2.58	938	2.4	16.0	4.0	0.16	0.46	C67
Other urinary organs	22	0.0	0.4	0.2	0.01	0.01	13	0.0	0.2	0.0	0.00	0.00	C68
Eye	17	0.0	0.3	0.3	0.02	0.02	19	0.0	0.3	0.3	0.01	0.01	C69
Brain and nervous system	285	0.5	5.2	3.7	0.22	0.31	255	0.7	4.4	2.6	0.17	0.22	C70–72
Thyroid	546	1.0	9.9	5.7	0.41	0.62	1607	4.1	27.5	16.8	1.27	1.78	C73
Adrenal gland	17	0.0	0.3	0.3	0.01	0.02	18	0.0	0.3	0.4	0.02	0.02	C74
Other endocrine	20	0.0	0.4	0.5	0.03	0.03	7	0.0	0.1	0.1	0.01	0.01	C75
Hodgkin lymphoma	71	0.1	1.3	0.7	0.04	0.06	35	0.1	0.6	0.5	0.03	0.04	C81
Non-Hodgkin lymphoma	1586	2.9	28.9	11.7	0.62	1.26	1374	3.5	23.5	8.1	0.46	0.89	C82–86,C96
Immunoproliferative diseases	220	0.4	4.0	1.8	0.11	0.20	234	0.6	4.0	1.8	0.12	0.23	C88
Multiple myeloma	367	0.7	6.7	2.3	0.11	0.25	389	1.0	6.7	1.8	0.08	0.20	C90
Lymphoid leukaemia	183	0.3	3.3	2.8	0.14	0.20	136	0.4	2.3	1.9	0.11	0.14	C91
Myeloid leukaemia	540	1.0	9.8	5.3	0.33	0.51	362	0.9	6.2	3.1	0.19	0.29	C92–94
Leukaemia unspecified	25	0.0	0.5	0.3	0.01	0.01	24	0.1	0.4	0.1	0.00	0.01	C95
Myeloproliferative disorders	224	0.4	4.1	1.8	0.11	0.20	170	0.4	2.9	1.4	0.09	0.15	MPD
Myelodysplastic syndromes	737	1.4	13.4	4.1	0.14	0.41	448	1.2	7.7	1.9	0.08	0.18	MPS
Other and unspecified	337	0.6	6.1	2.3	0.11	0.24	466	1.2	8.0	2.4	0.13	0.26	O&U
All sites	55392		1008.6	364.0	16.83	43.34	39844		681.6	264.9	16.91	29.26	C00–96
All sites except C44	54392	100.0	990.4	358.4	16.61	42.79	38849	100.0	664.5	260.9	16.73	28.88	C00–96 exc. C44

†See note following population pyramid

Japan, Miyagi Prefecture

CONTRIBUTORS

Seiki Kanemura



NOTES ON THE DATA

†C67 (bladder cancer) includes neoplasms of uncertain or unknown behaviour together with invasive cancers.

20 major cancers, ASR (World) per 100 000

Male		Female	
Stomach	61.3	Breast	74.6
Trachea, bronchus, and lung	44.4	Colon	22.0
Prostate	39.9	Stomach	21.7
Colon	30.2	Trachea, bronchus, and lung	17.7
Rectum	22.2	Thyroid	14.6
Bladder	15.6	Corpus uteri	13.0
Oesophagus	14.0	Rectum	11.0
Liver	13.4	Ovary	10.0
Pancreas	12.0	Cervix uteri	8.7
Kidney	9.9	Pancreas	7.8
Non-Hodgkin lymphoma	9.7	Non-Hodgkin lymphoma	7.3
Gallbladder etc.	6.4	Liver	4.2
Non-melanoma skin cancer	4.7	Bladder	3.7
Thyroid	4.2	Gallbladder etc.	3.6
Myeloid leukaemia	3.8	Non-melanoma skin cancer	3.4
Connective and soft tissue	3.7	Kidney	3.4
Testis	3.4	Connective and soft tissue	3.4
Brain and nervous system	3.1	Myeloid leukaemia	2.8
Lymphoid leukaemia	2.9	Brain and nervous system	2.8
Tongue	2.9	Lymphoid leukaemia	2.4
All sites	337.9	All sites	257.9

Japan, Miyagi Prefecture (2013–2017)


SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	
Lip	7	0.0	0.1	0.0	0.00	0.00	9	0.0	0.2	0.0	0.00	0.00	C00
Tongue	340	0.7	6.0	2.9	0.18	0.34	219	0.6	3.7	1.6	0.11	0.16	C01–02
Mouth	234	0.5	4.1	1.7	0.10	0.21	205	0.6	3.4	1.0	0.05	0.12	C03–06
Salivary glands	80	0.2	1.4	0.7	0.05	0.08	59	0.2	1.0	0.5	0.03	0.06	C07–08
Tonsil	41	0.1	0.7	0.3	0.02	0.04	18	0.0	0.3	0.2	0.01	0.02	C09
Other oropharynx	154	0.3	2.7	1.2	0.07	0.15	34	0.1	0.6	0.3	0.02	0.03	C10
Nasopharynx	46	0.1	0.8	0.4	0.03	0.04	19	0.1	0.3	0.2	0.01	0.01	C11
Hypopharynx	340	0.7	6.0	2.5	0.13	0.34	35	0.1	0.6	0.3	0.01	0.03	C12–13
Pharynx unspecified	9	0.0	0.2	0.0	0.00	0.00	3	0.0	0.1	0.0	0.00	0.00	C14
Oesophagus	2156	4.3	37.9	14.0	0.62	1.81	427	1.2	7.2	2.2	0.10	0.28	C15
Stomach	9649	19.4	169.7	61.3	2.63	7.60	4261	11.6	71.5	21.7	1.04	2.51	C16
Small intestine	194	0.4	3.4	1.4	0.09	0.18	96	0.3	1.6	0.6	0.03	0.07	C17
Colon	4593	9.2	80.8	30.2	1.43	3.63	4426	12.1	74.2	22.0	1.14	2.45	C18
Rectum	2891	5.8	50.8	22.2	1.38	2.77	1696	4.6	28.4	11.0	0.73	1.27	C19–20
Anus	43	0.1	0.8	0.3	0.02	0.03	40	0.1	0.7	0.2	0.01	0.02	C21
Liver	2066	4.2	36.3	13.4	0.63	1.64	1036	2.8	17.4	4.2	0.14	0.45	C22
Gallbladder etc.	1167	2.3	20.5	6.4	0.22	0.67	1007	2.7	16.9	3.6	0.12	0.36	C23–24
Pancreas	1863	3.7	32.8	12.0	0.54	1.47	1736	4.7	29.1	7.8	0.34	0.88	C25
Nose, sinuses etc.	127	0.3	2.2	1.1	0.07	0.13	75	0.2	1.3	0.5	0.03	0.05	C30–31
Larynx	398	0.8	7.0	2.6	0.13	0.34	31	0.1	0.5	0.2	0.01	0.02	C32
Trachea, bronchus, and lung	7351	14.8	129.3	44.4	1.73	5.35	3398	9.3	57.0	17.7	0.82	2.20	C33–34
Other thoracic organs	103	0.2	1.8	1.0	0.06	0.10	85	0.2	1.4	0.8	0.05	0.09	C37–38
Bone	66	0.1	1.2	0.9	0.06	0.07	56	0.2	0.9	0.7	0.04	0.06	C40–41
Melanoma of skin	84	0.2	1.5	0.7	0.04	0.08	84	0.2	1.4	0.7	0.04	0.07	C43
Other skin	832	1.7	14.6	4.7	0.18	0.45	832	2.3	14.0	3.4	0.15	0.30	C44
Mesothelioma	102	0.2	1.8	0.6	0.03	0.08	19	0.1	0.3	0.1	0.00	0.01	C45
Kaposi sarcoma	1	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C46
Connective and soft tissue	357	0.7	6.3	3.7	0.26	0.39	330	0.9	5.5	3.4	0.24	0.36	C47+C49
Breast	55	0.1	1.0	0.3	0.01	0.03	7962	21.7	133.5	74.6	5.86	8.18	C50
Vulva							73	0.2	1.2	0.3	0.02	0.03	C51
Vagina							17	0.0	0.3	0.1	0.01	0.01	C52
Cervix uteri							763	2.1	12.8	8.7	0.70	0.84	C53
Corpus uteri							1344	3.7	22.5	13.0	1.09	1.44	C54
Uterus unspecified							63	0.2	1.1	0.3	0.01	0.04	C55
Ovary							1015	2.8	17.0	10.0	0.79	1.06	C56
Other female genital organs							37	0.1	0.6	0.3	0.03	0.04	C57
Placenta							5	0.0	0.1	0.1	0.01	0.01	C58
Penis	40	0.1	0.7	0.2	0.01	0.03							C60
Prostate	6654	13.4	117.0	39.9	1.32	5.29							C61
Testis	199	0.4	3.5	3.4	0.26	0.26							C62
Other male genital organs	35	0.1	0.6	0.2	0.01	0.03							C63
Kidney	1226	2.5	21.6	9.9	0.65	1.17	528	1.4	8.9	3.4	0.20	0.40	C64
Renal pelvis	227	0.5	4.0	1.4	0.07	0.17	110	0.3	1.8	0.5	0.02	0.05	C65
Ureter	193	0.4	3.4	1.1	0.05	0.12	140	0.4	2.3	0.5	0.01	0.06	C66
†Bladder	2518	5.1	44.3	15.6	0.71	1.80	771	2.1	12.9	3.7	0.19	0.38	C67
Other urinary organs	13	0.0	0.2	0.1	0.00	0.00	6	0.0	0.1	0.0	0.00	0.00	C68
Eye	12	0.0	0.2	0.2	0.01	0.01	11	0.0	0.2	0.3	0.01	0.02	C69
Brain and nervous system	278	0.6	4.9	3.1	0.19	0.29	232	0.6	3.9	2.8	0.16	0.23	C70–72
Thyroid	413	0.8	7.3	4.2	0.31	0.45	1291	3.5	21.7	14.6	1.15	1.46	C73
Adrenal gland	15	0.0	0.3	0.3	0.02	0.02	15	0.0	0.3	0.2	0.01	0.02	C74
Other endocrine	22	0.0	0.4	0.5	0.03	0.03	7	0.0	0.1	0.0	0.00	0.01	C75
Hodgkin lymphoma	74	0.1	1.3	0.9	0.06	0.08	38	0.1	0.6	0.5	0.03	0.04	C81
Non-Hodgkin lymphoma	1286	2.6	22.6	9.7	0.55	1.07	1077	2.9	18.1	7.3	0.45	0.83	C82–86,C96
Immunoproliferative diseases	98	0.2	1.7	0.7	0.04	0.08	149	0.4	2.5	1.1	0.07	0.14	C88
Multiple myeloma	313	0.6	5.5	2.0	0.09	0.24	287	0.8	4.8	1.4	0.07	0.16	C90
Lymphoid leukaemia	194	0.4	3.4	2.9	0.16	0.23	161	0.4	2.7	2.4	0.12	0.18	C91
Myeloid leukaemia	395	0.8	6.9	3.8	0.23	0.38	274	0.7	4.6	2.8	0.18	0.23	C92–94
Leukaemia unspecified	27	0.1	0.5	0.2	0.01	0.02	29	0.1	0.5	0.1	0.00	0.01	C95
Myeloproliferative disorders	169	0.3	3.0	1.3	0.07	0.15	130	0.4	2.2	0.8	0.04	0.10	MPD
Myelodysplastic syndromes	463	0.9	8.1	2.8	0.12	0.30	296	0.8	5.0	1.4	0.06	0.12	MPS
Other and unspecified	402	0.8	7.1	2.4	0.09	0.23	419	1.1	7.0	1.8	0.08	0.19	O&U
All sites	50615		890.0	337.9	15.76	40.49	37486		628.6	257.9	16.68	28.17	C00–96
All sites except C44	49783	100.0	875.4	333.2	15.58	40.04	36654	100.0	614.7	254.5	16.53	27.87	C00–96 exc. C44

†See note following population pyramid

Japan, Osaka Prefecture

CONTRIBUTORS

Isao Miyashiro
Kayo Nakata
Mari Kajiwara Saito
Mizuki Kato



NOTES ON THE DATA

†C67 (bladder cancer) includes neoplasms of uncertain or unknown behaviour together with invasive cancers.

20 major cancers, ASR (World) per 100 000

<i>Male</i>		<i>Female</i>	
Stomach	56.2	Breast	66.8
Trachea, bronchus, and lung	47.8	Colon	20.9
Prostate	40.5	Stomach	20.7
Colon	29.6	Trachea, bronchus, and lung	19.0
Rectum	21.6	Corpus uteri	12.6
Liver	20.1	Cervix uteri	11.8
Bladder	17.5	Rectum	10.7
Oesophagus	13.7	Ovary	8.6
Pancreas	11.5	Thyroid	8.2
Non-Hodgkin lymphoma	9.6	Pancreas	7.5
Kidney	9.0	Non-Hodgkin lymphoma	7.0
Gallbladder etc.	5.7	Liver	6.7
Non-melanoma skin cancer	4.9	Non-melanoma skin cancer	3.8
Myeloid leukaemia	4.3	Gallbladder etc.	3.6
Thyroid	3.4	Bladder	3.5
Larynx	3.3	Kidney	3.4
Brain and nervous system	3.0	Oesophagus	2.8
Lymphoid leukaemia	2.8	Myeloid leukaemia	2.5
Testis	2.7	Lymphoid leukaemia	2.3
Myelodysplastic syndromes	2.7	Other and unspecified	2.3
All sites	339.8	All sites	242.7

Japan, Osaka Prefecture (2013–2015)

SITE	Male						Female						ICD-10
	§No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	
Lip	10	0.0	0.1	0.0	0.00	0.00	14	0.0	0.1	0.0	0.00	0.00	C00
Tongue	680	0.6	5.3	2.6	0.18	0.31	370	0.5	2.7	1.2	0.09	0.14	C01–02
Mouth	590	0.5	4.6	1.8	0.09	0.22	466	0.6	3.4	1.1	0.06	0.12	C03–06
Salivary glands	181	0.2	1.4	0.7	0.04	0.08	125	0.2	0.9	0.5	0.03	0.05	C07–08
Tonsil	170	0.2	1.3	0.7	0.06	0.08	49	0.1	0.4	0.2	0.01	0.02	C09
Other oropharynx	302	0.3	2.4	1.0	0.06	0.13	55	0.1	0.4	0.2	0.02	0.02	C10
Nasopharynx	127	0.1	1.0	0.6	0.04	0.06	48	0.1	0.3	0.2	0.01	0.02	C11
Hypopharynx	804	0.7	6.3	2.6	0.15	0.35	91	0.1	0.7	0.3	0.03	0.04	C12–13
Pharynx unspecified	33	0.0	0.3	0.1	0.00	0.01	11	0.0	0.1	0.0	0.00	0.00	C14
Oesophagus	4341	3.9	34.0	13.7	0.73	1.82	963	1.2	7.0	2.8	0.18	0.33	C15
Stomach	19828	17.7	155.2	56.2	2.46	6.86	8808	11.1	64.1	20.7	1.01	2.40	C16
Small intestine	472	0.4	3.7	1.6	0.10	0.19	300	0.4	2.2	0.9	0.06	0.10	C17
Colon	10073	9.0	78.8	29.6	1.37	3.59	8896	11.3	64.7	20.9	1.06	2.39	C18
Rectum	6486	5.8	50.8	21.6	1.25	2.71	3723	4.7	27.1	10.7	0.68	1.30	C19–20
Anus	127	0.1	1.0	0.4	0.02	0.05	133	0.2	1.0	0.3	0.02	0.03	C21
Liver	7073	6.3	55.4	20.1	0.92	2.32	3502	4.4	25.5	6.7	0.22	0.71	C22
Gallbladder etc.	2142	1.9	16.8	5.7	0.22	0.63	1984	2.5	14.4	3.6	0.13	0.37	C23–24
Pancreas	3869	3.4	30.3	11.5	0.57	1.38	3556	4.5	25.9	7.5	0.31	0.87	C25
Nose, sinuses etc.	240	0.2	1.9	0.9	0.06	0.10	149	0.2	1.1	0.4	0.03	0.04	C30–31
Larynx	1094	1.0	8.6	3.3	0.17	0.44	91	0.1	0.7	0.3	0.02	0.03	C32
Trachea, bronchus, and lung	17301	15.4	135.4	47.8	1.93	5.76	8382	10.6	61.0	19.0	0.87	2.28	C33–34
Other thoracic organs	215	0.2	1.7	1.0	0.06	0.10	112	0.1	0.8	0.5	0.03	0.05	C37–38
Bone	111	0.1	0.9	0.7	0.05	0.06	77	0.1	0.6	0.5	0.03	0.04	C40–41
Melanoma of skin	170	0.2	1.3	0.6	0.03	0.06	174	0.2	1.3	0.6	0.04	0.06	C43
Other skin	1679	1.5	13.1	4.9	0.22	0.50	1696	2.1	12.3	3.8	0.18	0.39	C44
Mesothelioma	425	0.4	3.3	1.2	0.05	0.15	122	0.2	0.9	0.3	0.01	0.03	C45
Kaposi sarcoma	15	0.0	0.1	0.1	0.01	0.01	1	0.0	0.0	0.0	0.00	0.00	C46
Connective and soft tissue	346	0.3	2.7	1.4	0.08	0.14	278	0.4	2.0	1.2	0.07	0.11	C47+C49
Breast	123	0.1	1.0	0.4	0.02	0.05	16603	21.0	120.8	66.8	5.25	7.34	C50
Vulva							172	0.2	1.3	0.3	0.01	0.03	C51
Vagina							61	0.1	0.4	0.2	0.01	0.02	C52
Cervix uteri							2458	3.1	17.9	11.8	0.95	1.16	C53
Corpus uteri							2940	3.7	21.4	12.6	1.06	1.41	C54
Uterus unspecified							104	0.1	0.8	0.2	0.00	0.01	C55
Ovary							2015	2.5	14.7	8.6	0.68	0.91	C56
Other female genital organs							94	0.1	0.7	0.3	0.02	0.04	C57
Placenta							10	0.0	0.1	0.1	0.01	0.01	C58
Penis	107	0.1	0.8	0.3	0.02	0.04							C60
Prostate	15607	13.9	122.1	40.5	1.24	5.30							C61
Testis	369	0.3	2.9	2.7	0.22	0.22							C62
Other male genital organs	90	0.1	0.7	0.3	0.02	0.03							C63
Kidney	2522	2.2	19.7	9.0	0.58	1.05	1131	1.4	8.2	3.4	0.20	0.38	C64
Renal pelvis	527	0.5	4.1	1.5	0.07	0.18	258	0.3	1.9	0.5	0.01	0.05	C65
Ureter	458	0.4	3.6	1.2	0.04	0.13	278	0.4	2.0	0.5	0.01	0.05	C66
†Bladder	6269	5.6	49.1	17.5	0.74	2.07	1605	2.0	11.7	3.5	0.17	0.39	C67
Other urinary organs	32	0.0	0.3	0.1	0.00	0.01	32	0.0	0.2	0.1	0.00	0.00	C68
Eye	28	0.0	0.2	0.2	0.01	0.02	19	0.0	0.1	0.2	0.01	0.01	C69
Brain and nervous system	585	0.5	4.6	3.0	0.18	0.27	468	0.6	3.4	2.0	0.13	0.18	C70–72
Thyroid	784	0.7	6.1	3.4	0.24	0.35	2043	2.6	14.9	8.2	0.58	0.88	C73
Adrenal gland	31	0.0	0.2	0.3	0.01	0.02	31	0.0	0.2	0.3	0.01	0.02	C74
Other endocrine	45	0.0	0.4	0.5	0.03	0.03	21	0.0	0.2	0.1	0.01	0.01	C75
Hodgkin lymphoma	168	0.1	1.3	0.8	0.06	0.09	127	0.2	0.9	0.6	0.04	0.05	C81
Non-Hodgkin lymphoma	2812	2.5	22.0	9.6	0.51	1.03	2424	3.1	17.6	7.0	0.41	0.79	C82–86,C96
Immunoproliferative diseases	263	0.2	2.1	0.8	0.04	0.10	265	0.3	1.9	0.9	0.06	0.11	C88
Multiple myeloma	602	0.5	4.7	1.8	0.09	0.20	573	0.7	4.2	1.4	0.07	0.16	C90
Lymphoid leukaemia	458	0.4	3.6	2.8	0.15	0.23	412	0.5	3.0	2.3	0.13	0.18	C91
Myeloid leukaemia	1017	0.9	8.0	4.3	0.26	0.43	640	0.8	4.7	2.5	0.16	0.23	C92–94
Leukaemia unspecified	71	0.1	0.6	0.3	0.01	0.02	57	0.1	0.4	0.1	0.00	0.00	C95
Myeloproliferative disorders	254	0.2	2.0	0.8	0.05	0.10	209	0.3	1.5	0.7	0.04	0.08	MPD
Myelodysplastic syndromes	1004	0.9	7.9	2.7	0.10	0.26	513	0.6	3.7	1.2	0.06	0.11	MPS
Other and unspecified	872	0.8	6.8	2.6	0.11	0.26	1032	1.3	7.5	2.3	0.11	0.23	O&U
All sites	114002		892.2	339.8	15.70	40.61	80771		587.6	242.7	15.45	26.77	C00–96
All sites except C44	112323	100.0	879.0	334.9	15.48	40.10	79075	100.0	575.2	239.0	15.27	26.38	C00–96 exc. C44


§Includes 5 cases of unknown age

†See note following population pyramid

Republic of Korea

CONTRIBUTORS

Kyu-Won Jung
 Young-Joo Won
 Hyun-Joo Kong
 Seri Hong
 Kang Hyun Lee
 Eun Sook Lee



20 major cancers, ASR (World) per 100 000

<i>Male</i>		<i>Female</i>	
Stomach	51.1	Thyroid	68.5
Trachea, bronchus, and lung	43.6	Breast	51.2
Liver	29.9	Stomach	21.0
Prostate	27.5	Trachea, bronchus, and lung	15.4
Colon	23.2	Colon	14.0
Rectum	19.0	Cervix uteri	9.3
Thyroid	18.0	Rectum	9.1
Kidney	8.6	Liver	8.1
Pancreas	8.5	Ovary	6.6
Bladder	8.4	Corpus uteri	6.5
Gallbladder etc.	8.2	Pancreas	5.7
Non-Hodgkin lymphoma	7.4	Gallbladder etc.	5.5
Oesophagus	5.6	Non-melanoma skin cancer	5.1
Non-melanoma skin cancer	5.5	Non-Hodgkin lymphoma	4.7
Myeloid leukaemia	3.8	Kidney	3.6
Brain and nervous system	3.2	Brain and nervous system	2.7
Larynx	2.8	Myeloid leukaemia	2.5
Other and unspecified	2.2	Other and unspecified	1.8
Lymphoid leukaemia	2.0	Lymphoid leukaemia	1.6
Multiple myeloma	2.0	Bladder	1.5
All sites	304.6	All sites	261.2


Republic of Korea (2013–2017)

SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	
Lip	126	0.0	0.1	0.1	0.00	0.01	82	0.0	0.1	0.0	0.00	0.00	C00
Tongue	2408	0.4	1.9	1.3	0.09	0.14	1314	0.2	1.0	0.6	0.04	0.06	C01–02
Mouth	2014	0.3	1.6	1.0	0.06	0.12	1216	0.2	1.0	0.5	0.03	0.06	C03–06
Salivary glands	1468	0.3	1.2	0.8	0.05	0.09	1220	0.2	1.0	0.7	0.05	0.07	C07–08
Tonsil	1997	0.3	1.6	1.0	0.07	0.13	311	0.1	0.2	0.1	0.01	0.02	C09
Other oropharynx	459	0.1	0.4	0.2	0.01	0.03	59	0.0	0.0	0.0	0.00	0.00	C10
Nasopharynx	1599	0.3	1.3	0.9	0.06	0.09	504	0.1	0.4	0.3	0.02	0.03	C11
Hypopharynx	2001	0.3	1.6	1.0	0.05	0.13	137	0.0	0.1	0.1	0.00	0.01	C12–13
Pharynx unspecified	145	0.0	0.1	0.1	0.00	0.01	27	0.0	0.0	0.0	0.00	0.00	C14
Oesophagus	11160	1.9	8.8	5.6	0.26	0.71	1143	0.2	0.9	0.4	0.02	0.05	C15
Stomach	101421	17.5	79.7	51.1	2.88	6.28	49580	9.3	38.9	21.0	1.24	2.39	C16
Small intestine	2526	0.4	2.0	1.3	0.08	0.15	1770	0.3	1.4	0.8	0.05	0.09	C17
Colon	46002	7.9	36.2	23.2	1.16	2.80	34846	6.6	27.4	14.0	0.74	1.60	C18
Rectum	37469	6.4	29.5	19.0	1.12	2.27	21705	4.1	17.0	9.1	0.55	1.02	C19–20
Anus	581	0.1	0.5	0.3	0.02	0.03	845	0.2	0.7	0.3	0.02	0.04	C21
Liver	59464	10.2	46.7	29.9	1.89	3.54	20175	3.8	15.8	8.1	0.41	0.96	C22
Gallbladder etc.	16557	2.8	13.0	8.2	0.29	0.94	15342	2.9	12.0	5.5	0.21	0.63	C23–24
Pancreas	16847	2.9	13.2	8.5	0.40	1.01	15088	2.8	11.8	5.7	0.25	0.66	C25
Nose, sinuses etc.	1170	0.2	0.9	0.6	0.04	0.07	708	0.1	0.6	0.3	0.02	0.03	C30–31
Larynx	5581	1.0	4.4	2.8	0.14	0.36	360	0.1	0.3	0.1	0.01	0.02	C32
Trachea, bronchus, and lung	87856	15.1	69.1	43.6	1.57	5.21	38711	7.3	30.4	15.4	0.79	1.79	C33–34
Other thoracic organs	2151	0.4	1.7	1.3	0.08	0.13	1481	0.3	1.2	0.8	0.06	0.08	C37–38
Bone	1432	0.2	1.1	1.1	0.07	0.08	1287	0.2	1.0	0.9	0.06	0.07	C40–41
Melanoma of skin	1384	0.2	1.1	0.7	0.04	0.08	1563	0.3	1.2	0.7	0.04	0.07	C43
Other skin	10938	1.9	8.6	5.5	0.24	0.59	14486	2.7	11.4	5.1	0.19	0.50	C44
Mesothelioma	469	0.1	0.4	0.2	0.01	0.03	224	0.0	0.2	0.1	0.01	0.01	C45
Kaposi sarcoma	222	0.0	0.2	0.1	0.00	0.01	76	0.0	0.1	0.0	0.00	0.00	C46
Connective and soft tissue	3164	0.5	2.5	1.9	0.11	0.18	2357	0.4	1.9	1.4	0.09	0.13	C47+C49
Breast	433	0.1	0.3	0.2	0.01	0.02	99706	18.8	78.3	51.2	4.31	5.33	C50
Vulva							784	0.1	0.6	0.3	0.02	0.04	C51
Vagina							381	0.1	0.3	0.2	0.01	0.02	C52
Cervix uteri							18109	3.4	14.2	9.3	0.72	0.93	C53
Corpus uteri							12774	2.4	10.0	6.5	0.55	0.70	C54
Uterus unspecified							807	0.2	0.6	0.4	0.03	0.04	C55
Ovary							12720	2.4	10.0	6.6	0.50	0.68	C56
Other female genital organs							689	0.1	0.5	0.3	0.02	0.04	C57
Placenta							179	0.0	0.1	0.1	0.01	0.01	C58
Penis	353	0.1	0.3	0.2	0.01	0.02							C60
Prostate	55137	9.5	43.3	27.5	0.83	3.57							C61
Testis	1360	0.2	1.1	1.0	0.07	0.07							C62
Other male genital organs	448	0.1	0.4	0.2	0.01	0.03							C63
Kidney	16516	2.8	13.0	8.6	0.57	0.99	7581	1.4	6.0	3.6	0.24	0.40	C64
Renal pelvis	1782	0.3	1.4	0.9	0.04	0.10	770	0.1	0.6	0.3	0.01	0.03	C65
Ureter	1784	0.3	1.4	0.9	0.03	0.10	1082	0.2	0.8	0.4	0.01	0.05	C66
Bladder	16890	2.9	13.3	8.4	0.32	0.95	4126	0.8	3.2	1.5	0.06	0.16	C67
Other urinary organs	428	0.1	0.3	0.2	0.01	0.03	276	0.1	0.2	0.1	0.00	0.01	C68
Eye	331	0.1	0.3	0.3	0.02	0.02	281	0.1	0.2	0.3	0.01	0.02	C69
Brain and nervous system	5048	0.9	4.0	3.2	0.20	0.29	4450	0.8	3.5	2.7	0.16	0.24	C70–72
Thyroid	32129	5.5	25.3	18.0	1.47	1.75	121217	22.8	95.1	68.5	5.71	6.61	C73
Adrenal gland	421	0.1	0.3	0.4	0.02	0.03	365	0.1	0.3	0.3	0.02	0.02	C74
Other endocrine	300	0.1	0.2	0.3	0.02	0.02	211	0.0	0.2	0.1	0.01	0.01	C75
Hodgkin lymphoma	893	0.2	0.7	0.6	0.04	0.05	530	0.1	0.4	0.4	0.02	0.03	C81
Non-Hodgkin lymphoma	12818	2.2	10.1	7.4	0.42	0.76	9391	1.8	7.4	4.7	0.28	0.48	C82–86,C96
Immunoproliferative diseases	2477	0.4	1.9	1.3	0.09	0.15	2727	0.5	2.1	1.4	0.11	0.15	C88
Multiple myeloma	3963	0.7	3.1	2.0	0.10	0.24	3495	0.7	2.7	1.4	0.07	0.18	C90
Lymphoid leukaemia	2203	0.4	1.7	2.0	0.11	0.14	1743	0.3	1.4	1.6	0.09	0.11	C91
Myeloid leukaemia	6496	1.1	5.1	3.8	0.23	0.38	4594	0.9	3.6	2.5	0.16	0.25	C92–94
Leukaemia unspecified	635	0.1	0.5	0.4	0.02	0.03	632	0.1	0.5	0.3	0.01	0.02	C95
Myeloproliferative disorders	3111	0.5	2.4	1.7	0.09	0.19	2683	0.5	2.1	1.2	0.08	0.14	MPD
Myelodysplastic syndromes	3231	0.6	2.5	1.7	0.07	0.19	2076	0.4	1.6	0.9	0.05	0.10	MPS
Other and unspecified	4205	0.7	3.3	2.2	0.09	0.21	4407	0.8	3.5	1.8	0.09	0.17	O&U
All sites	592003		465.3	304.6	15.70	35.56	545403		428.1	261.2	18.29	27.36	C00–96
All sites except C44	581065	100.0	456.7	299.0	15.46	34.97	530917	100.0	416.7	256.1	18.10	26.86	C00–96 exc. C44

Republic of Korea, Busan

CONTRIBUTORS

Kim Chang Hoon
Choi Soon Young



NOTES ON THE DATA

*No questionnaire.

20 major cancers, ASR (World) per 100 000

<i>Male</i>		<i>Female</i>	
Stomach	52.8	Thyroid	85.1
Trachea, bronchus, and lung	41.5	Breast	50.5
Liver	35.7	Stomach	22.8
Prostate	26.1	Colon	14.6
Colon	25.1	Trachea, bronchus, and lung	14.4
Rectum	19.2	Cervix uteri	10.7
Thyroid	17.8	Liver	9.5
Bladder	9.3	Rectum	9.1
Gallbladder etc.	8.9	Ovary	7.2
Pancreas	8.9	Gallbladder etc.	6.8
Kidney	8.8	Corpus uteri	6.0
Non-Hodgkin lymphoma	7.0	Pancreas	5.4
Oesophagus	6.1	Non-melanoma skin cancer	4.8
Non-melanoma skin cancer	5.5	Non-Hodgkin lymphoma	4.6
Myeloid leukaemia	3.7	Kidney	3.8
Brain and nervous system	3.2	Brain and nervous system	3.3
Larynx	3.1	Myeloid leukaemia	2.7
Other and unspecified	2.5	Other and unspecified	1.8
Lymphoid leukaemia	2.2	Bladder	1.8
Connective and soft tissue	1.7	Lymphoid leukaemia	1.7
All sites	313.3	All sites	283.1

*Republic of Korea, Busan (2013–2017)


SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	
Lip	11	0.0	0.1	0.1	0.00	0.01	6	0.0	0.1	0.0	0.00	0.00	C00
Tongue	200	0.4	2.3	1.4	0.10	0.16	90	0.2	1.0	0.6	0.04	0.06	C01–02
Mouth	148	0.3	1.7	1.0	0.06	0.11	89	0.2	1.0	0.5	0.03	0.06	C03–06
Salivary glands	109	0.2	1.3	0.8	0.06	0.09	86	0.2	1.0	0.6	0.05	0.06	C07–08
Tonsil	168	0.4	2.0	1.1	0.08	0.14	35	0.1	0.4	0.2	0.02	0.03	C09
Other oropharynx	33	0.1	0.4	0.2	0.01	0.03	3	0.0	0.0	0.0	0.00	0.00	C10
Nasopharynx	106	0.2	1.2	0.8	0.06	0.08	45	0.1	0.5	0.3	0.02	0.03	C11
Hypopharynx	152	0.3	1.8	1.0	0.05	0.13	10	0.0	0.1	0.1	0.00	0.01	C12–13
Pharynx unspecified	14	0.0	0.2	0.1	0.01	0.01	2	0.0	0.0	0.0	0.00	0.00	C14
Oesophagus	946	2.1	11.0	6.1	0.32	0.78	100	0.2	1.1	0.5	0.03	0.05	C15
Stomach	7933	17.7	92.5	52.8	3.07	6.51	3921	9.3	44.6	22.8	1.41	2.59	C16
Small intestine	198	0.4	2.3	1.4	0.08	0.16	128	0.3	1.5	0.8	0.05	0.09	C17
Colon	3742	8.4	43.6	25.1	1.25	3.04	2687	6.4	30.6	14.6	0.79	1.72	C18
Rectum	2808	6.3	32.7	19.2	1.16	2.27	1565	3.7	17.8	9.1	0.57	1.04	C19–20
Anus	34	0.1	0.4	0.2	0.02	0.03	67	0.2	0.8	0.4	0.02	0.04	C21
Liver	5276	11.8	61.5	35.7	2.27	4.12	1824	4.3	20.8	9.5	0.43	1.10	C22
Gallbladder etc.	1364	3.1	15.9	8.9	0.32	1.05	1391	3.3	15.8	6.8	0.26	0.78	C23–24
Pancreas	1340	3.0	15.6	8.9	0.45	1.06	1063	2.5	12.1	5.4	0.22	0.63	C25
Nose, sinuses etc.	93	0.2	1.1	0.7	0.04	0.07	57	0.1	0.6	0.3	0.01	0.04	C30–31
Larynx	470	1.1	5.5	3.1	0.17	0.39	38	0.1	0.4	0.2	0.01	0.02	C32
Trachea, bronchus, and lung	6308	14.1	73.5	41.5	1.52	4.99	2741	6.5	31.2	14.4	0.70	1.65	C33–34
Other thoracic organs	148	0.3	1.7	1.2	0.07	0.12	96	0.2	1.1	0.7	0.05	0.07	C37–38
Bone	105	0.2	1.2	1.2	0.07	0.09	88	0.2	1.0	0.9	0.05	0.07	C40–41
Melanoma of skin	84	0.2	1.0	0.6	0.03	0.06	89	0.2	1.0	0.5	0.03	0.06	C43
Other skin	811	1.8	9.5	5.5	0.26	0.58	919	2.2	10.5	4.8	0.19	0.47	C44
Mesothelioma	40	0.1	0.5	0.3	0.01	0.04	21	0.0	0.2	0.1	0.01	0.02	C45
Kaposi sarcoma	8	0.0	0.1	0.1	0.00	0.00	3	0.0	0.0	0.0	0.00	0.00	C46
Connective and soft tissue	224	0.5	2.6	1.7	0.11	0.18	177	0.4	2.0	1.4	0.09	0.14	C47+C49
Breast	29	0.1	0.3	0.2	0.01	0.02	7174	17.0	81.6	50.5	4.22	5.25	C50
Vulva							43	0.1	0.5	0.3	0.01	0.03	C51
Vagina							25	0.1	0.3	0.2	0.01	0.02	C52
Cervix uteri							1491	3.5	17.0	10.7	0.84	1.05	C53
Corpus uteri							903	2.1	10.3	6.0	0.51	0.65	C54
Uterus unspecified							70	0.2	0.8	0.4	0.03	0.04	C55
Ovary							987	2.3	11.2	7.2	0.56	0.73	C56
Other female genital organs							44	0.1	0.5	0.3	0.02	0.03	C57
Placenta							6	0.0	0.1	0.1	0.00	0.00	C58
Penis	22	0.0	0.3	0.2	0.00	0.02							C60
Prostate	4012	9.0	46.8	26.1	0.79	3.33							C61
Testis	114	0.3	1.3	1.3	0.09	0.10							C62
Other male genital organs	41	0.1	0.5	0.3	0.01	0.03							C63
Kidney	1262	2.8	14.7	8.8	0.55	1.02	600	1.4	6.8	3.8	0.25	0.44	C64
Renal pelvis	162	0.4	1.9	1.1	0.05	0.12	77	0.2	0.9	0.4	0.01	0.05	C65
Ureter	144	0.3	1.7	0.9	0.03	0.12	65	0.2	0.7	0.3	0.01	0.04	C66
Bladder	1391	3.1	16.2	9.3	0.34	1.04	344	0.8	3.9	1.8	0.07	0.20	C67
Other urinary organs	49	0.1	0.6	0.3	0.01	0.04	28	0.1	0.3	0.1	0.00	0.02	C68
Eye	26	0.1	0.3	0.3	0.02	0.02	16	0.0	0.2	0.2	0.01	0.02	C69
Brain and nervous system	367	0.8	4.3	3.2	0.20	0.30	404	1.0	4.6	3.3	0.19	0.30	C70–72
Thyroid	2210	4.9	25.8	17.8	1.44	1.75	11004	26.1	125.2	85.1	7.19	8.29	C73
Adrenal gland	21	0.0	0.2	0.2	0.01	0.02	29	0.1	0.3	0.3	0.02	0.02	C74
Other endocrine	31	0.1	0.4	0.4	0.02	0.03	19	0.0	0.2	0.2	0.01	0.01	C75
Hodgkin lymphoma	66	0.1	0.8	0.6	0.04	0.05	36	0.1	0.4	0.3	0.02	0.03	C81
Non-Hodgkin lymphoma	900	2.0	10.5	7.0	0.40	0.72	680	1.6	7.7	4.6	0.26	0.48	C82–86,C96
Immunoproliferative diseases	156	0.3	1.8	1.1	0.08	0.13	197	0.5	2.2	1.4	0.11	0.14	C88
Multiple myeloma	235	0.5	2.7	1.6	0.07	0.21	258	0.6	2.9	1.4	0.08	0.19	C90
Lymphoid leukaemia	158	0.4	1.8	2.2	0.12	0.15	127	0.3	1.4	1.7	0.09	0.12	C91
Myeloid leukaemia	440	1.0	5.1	3.7	0.22	0.36	332	0.8	3.8	2.7	0.17	0.25	C92–94
Leukaemia unspecified	63	0.1	0.7	0.5	0.02	0.04	63	0.1	0.7	0.4	0.02	0.04	C95
Myeloproliferative disorders	194	0.4	2.3	1.4	0.08	0.16	182	0.4	2.1	1.2	0.08	0.13	MPD
Myelodysplastic syndromes	201	0.4	2.3	1.4	0.06	0.16	150	0.4	1.7	1.0	0.05	0.11	MPS
Other and unspecified	347	0.8	4.0	2.5	0.10	0.26	326	0.8	3.7	1.8	0.09	0.19	O&U
All sites	45514		530.4	313.3	16.43	36.53	43021		489.4	283.1	20.01	29.69	C00–96
All sites except C44	44703	100.0	521.0	307.8	16.17	35.95	42102	100.0	479.0	278.3	19.82	29.22	C00–96 exc. C44

*See note following population pyramid

Republic of Korea, Daegu

CONTRIBUTORS

Nam-Soo Hong
Jin-Hee Lee



NOTES ON THE DATA

*No questionnaire.

20 major cancers, ASR (World) per 100 000

<i>Male</i>		<i>Female</i>	
Stomach	48.6	Thyroid	87.3
Trachea, bronchus, and lung	46.4	Breast	50.8
Liver	28.8	Stomach	20.8
Prostate	27.1	Trachea, bronchus, and lung	15.0
Colon	23.1	Colon	13.6
Rectum	19.6	Cervix uteri	10.2
Thyroid	19.5	Rectum	9.8
Gallbladder etc.	9.4	Liver	7.5
Kidney	9.1	Ovary	6.8
Pancreas	7.9	Gallbladder etc.	5.9
Bladder	7.3	Corpus uteri	5.9
Non-Hodgkin lymphoma	7.1	Pancreas	5.3
Non-melanoma skin cancer	6.3	Non-melanoma skin cancer	4.9
Oesophagus	5.3	Non-Hodgkin lymphoma	4.7
Myeloid leukaemia	4.2	Kidney	3.7
Brain and nervous system	3.4	Myeloid leukaemia	2.7
Larynx	2.7	Brain and nervous system	2.5
Other and unspecified	2.4	Other and unspecified	1.7
Connective and soft tissue	2.0	Lymphoid leukaemia	1.6
Lymphoid leukaemia	1.9	Bladder	1.4
All sites	306.9	All sites	278.5

*Republic of Korea, Daegu (2013–2017)


SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	
Lip	8	0.0	0.1	0.1	0.00	0.01	3	0.0	0.0	0.0	0.00	0.00	C00
Tongue	104	0.4	1.7	1.1	0.08	0.12	70	0.3	1.1	0.7	0.05	0.07	C01–02
Mouth	113	0.4	1.8	1.2	0.06	0.15	49	0.2	0.8	0.5	0.03	0.05	C03–06
Salivary glands	82	0.3	1.3	1.0	0.06	0.10	68	0.2	1.1	0.7	0.05	0.07	C07–08
Tonsil	92	0.3	1.5	0.9	0.07	0.12	16	0.1	0.3	0.1	0.01	0.02	C09
Other oropharynx	13	0.0	0.2	0.1	0.01	0.02	2	0.0	0.0	0.0	0.00	0.00	C10
Nasopharynx	74	0.3	1.2	0.9	0.06	0.09	22	0.1	0.4	0.2	0.01	0.03	C11
Hypopharynx	93	0.3	1.5	1.0	0.05	0.14	4	0.0	0.1	0.0	0.00	0.01	C12–13
Pharynx unspecified	13	0.0	0.2	0.1	0.01	0.01	1	0.0	0.0	0.0	0.00	0.00	C14
Oesophagus	499	1.8	8.1	5.3	0.26	0.68	52	0.2	0.8	0.4	0.03	0.05	C15
Stomach	4599	16.7	74.9	48.6	2.76	5.90	2398	8.7	38.6	20.8	1.22	2.34	C16
Small intestine	110	0.4	1.8	1.1	0.08	0.13	92	0.3	1.5	0.8	0.05	0.09	C17
Colon	2157	7.8	35.1	23.1	1.14	2.77	1673	6.0	26.9	13.6	0.69	1.54	C18
Rectum	1850	6.7	30.1	19.6	1.20	2.35	1127	4.1	18.1	9.8	0.59	1.07	C19–20
Anus	21	0.1	0.3	0.2	0.01	0.02	40	0.1	0.6	0.3	0.03	0.04	C21
Liver	2736	9.9	44.6	28.8	1.81	3.39	901	3.3	14.5	7.5	0.37	0.86	C22
Gallbladder etc.	884	3.2	14.4	9.4	0.32	1.07	791	2.9	12.7	5.9	0.20	0.67	C23–24
Pancreas	753	2.7	12.3	7.9	0.38	0.96	654	2.4	10.5	5.3	0.24	0.57	C25
Nose, sinuses etc.	57	0.2	0.9	0.6	0.04	0.07	33	0.1	0.5	0.3	0.02	0.04	C30–31
Larynx	259	0.9	4.2	2.7	0.13	0.33	26	0.1	0.4	0.2	0.01	0.02	C32
Trachea, bronchus, and lung	4359	15.8	71.0	46.4	1.69	5.61	1862	6.7	29.9	15.0	0.75	1.72	C33–34
Other thoracic organs	104	0.4	1.7	1.3	0.08	0.13	69	0.2	1.1	0.8	0.06	0.07	C37–38
Bone	84	0.3	1.4	1.4	0.09	0.10	74	0.3	1.2	1.0	0.07	0.09	C40–41
Melanoma of skin	44	0.2	0.7	0.5	0.03	0.05	66	0.2	1.1	0.6	0.04	0.06	C43
Other skin	588	2.1	9.6	6.3	0.23	0.69	642	2.3	10.3	4.9	0.18	0.47	C44
Mesothelioma	15	0.1	0.2	0.1	0.01	0.02	5	0.0	0.1	0.1	0.00	0.01	C45
Kaposi sarcoma	12	0.0	0.2	0.1	0.01	0.01	2	0.0	0.0	0.0	0.00	0.00	C46
Connective and soft tissue	151	0.5	2.5	2.0	0.11	0.18	105	0.4	1.7	1.2	0.08	0.11	C47+C49
Breast	21	0.1	0.3	0.2	0.01	0.02	4989	18.0	80.2	50.8	4.26	5.30	C50
Vulva							41	0.1	0.7	0.4	0.02	0.04	C51
Vagina							21	0.1	0.3	0.2	0.01	0.02	C52
Cervix uteri							997	3.6	16.0	10.2	0.80	1.03	C53
Corpus uteri							601	2.2	9.7	5.9	0.50	0.65	C54
Uterus unspecified							28	0.1	0.5	0.3	0.02	0.03	C55
Ovary							661	2.4	10.6	6.8	0.53	0.69	C56
Other female genital organs							40	0.1	0.6	0.4	0.02	0.04	C57
Placenta							9	0.0	0.1	0.1	0.01	0.01	C58
Penis	22	0.1	0.4	0.2	0.01	0.02							C60
Prostate	2542	9.2	41.4	27.1	0.83	3.56							C61
Testis	75	0.3	1.2	1.2	0.09	0.09							C62
Other male genital organs	22	0.1	0.4	0.2	0.01	0.03							C63
Kidney	840	3.0	13.7	9.1	0.59	1.04	400	1.4	6.4	3.7	0.26	0.44	C64
Renal pelvis	72	0.3	1.2	0.7	0.03	0.09	30	0.1	0.5	0.2	0.01	0.02	C65
Ureter	110	0.4	1.8	1.2	0.04	0.14	71	0.3	1.1	0.6	0.01	0.07	C66
Bladder	685	2.5	11.2	7.3	0.28	0.81	185	0.7	3.0	1.4	0.05	0.16	C67
Other urinary organs	14	0.1	0.2	0.1	0.01	0.01	17	0.1	0.3	0.1	0.00	0.02	C68
Eye	14	0.1	0.2	0.2	0.01	0.02	11	0.0	0.2	0.3	0.01	0.02	C69
Brain and nervous system	253	0.9	4.1	3.4	0.21	0.31	192	0.7	3.1	2.5	0.15	0.21	C70–72
Thyroid	1668	6.1	27.2	19.5	1.60	1.88	7666	27.7	123.3	87.3	7.33	8.28	C73
Adrenal gland	20	0.1	0.3	0.5	0.02	0.03	15	0.1	0.2	0.3	0.02	0.02	C74
Other endocrine	17	0.1	0.3	0.3	0.02	0.02	6	0.0	0.1	0.1	0.01	0.01	C75
Hodgkin lymphoma	44	0.2	0.7	0.6	0.04	0.05	26	0.1	0.4	0.4	0.02	0.03	C81
Non-Hodgkin lymphoma	589	2.1	9.6	7.1	0.40	0.74	439	1.6	7.1	4.7	0.28	0.47	C82–86,C96
Immunoproliferative diseases	130	0.5	2.1	1.4	0.10	0.17	130	0.5	2.1	1.3	0.10	0.15	C88
Multiple myeloma	177	0.6	2.9	1.9	0.09	0.24	172	0.6	2.8	1.4	0.07	0.17	C90
Lymphoid leukaemia	102	0.4	1.7	1.9	0.10	0.13	78	0.3	1.3	1.6	0.09	0.11	C91
Myeloid leukaemia	330	1.2	5.4	4.2	0.26	0.40	238	0.9	3.8	2.7	0.18	0.27	C92–94
Leukaemia unspecified	23	0.1	0.4	0.3	0.01	0.02	21	0.1	0.3	0.2	0.01	0.02	C95
Myeloproliferative disorders	139	0.5	2.3	1.6	0.09	0.18	116	0.4	1.9	1.2	0.07	0.12	MPD
Myelodysplastic syndromes	159	0.6	2.6	1.8	0.08	0.19	93	0.3	1.5	0.9	0.06	0.10	MPS
Other and unspecified	213	0.8	3.5	2.4	0.10	0.25	221	0.8	3.6	1.7	0.08	0.16	O&U
All sites	28155		458.4	306.9	15.81	35.67	28361		456.1	278.5	19.77	28.72	C00–96
All sites except C44	27567	100.0	448.9	300.6	15.58	34.98	27719	100.0	445.8	273.6	19.60	28.25	C00–96 exc. C44

*See note following population pyramid

Republic of Korea, Daejeon

CONTRIBUTORS

Yeong Taek Kim
Yu Ri Kim
Hye Jin Yu



NOTES ON THE DATA

*No questionnaire.

20 major cancers, ASR (World) per 100 000

<i>Male</i>		<i>Female</i>	
Stomach	59.1	Thyroid	72.0
Trachea, bronchus, and lung	42.1	Breast	51.2
Prostate	26.8	Stomach	24.0
Liver	25.2	Trachea, bronchus, and lung	17.7
Colon	23.5	Colon	14.5
Thyroid	18.6	Rectum	9.2
Rectum	18.3	Cervix uteri	8.9
Kidney	9.3	Liver	7.5
Gallbladder etc.	8.5	Ovary	6.4
Pancreas	7.6	Corpus uteri	6.1
Non-Hodgkin lymphoma	7.3	Pancreas	5.8
Bladder	6.1	Gallbladder etc.	5.5
Non-melanoma skin cancer	5.4	Non-Hodgkin lymphoma	4.9
Oesophagus	4.8	Non-melanoma skin cancer	4.6
Myeloid leukaemia	4.3	Kidney	3.7
Brain and nervous system	3.3	Brain and nervous system	3.5
Larynx	2.9	Myeloid leukaemia	2.7
Multiple myeloma	2.2	Immunoproliferative diseases	1.8
Myelodysplastic syndromes	2.0	Other and unspecified	1.6
Myeloproliferative disorders	1.9	Connective and soft tissue	1.5
All sites	303.1	All sites	269.3

*Republic of Korea, Daejeon (2013–2017)


SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	
Lip	2	0.0	0.1	0.0	0.00	0.01	0	0.0	0.0	0.0	0.00	0.00	C00
Tongue	49	0.3	1.3	0.9	0.06	0.10	32	0.2	0.8	0.6	0.04	0.05	C01–02
Mouth	49	0.3	1.3	1.0	0.05	0.13	33	0.2	0.9	0.5	0.02	0.06	C03–06
Salivary glands	46	0.3	1.2	1.0	0.07	0.10	33	0.2	0.9	0.7	0.05	0.07	C07–08
Tonsil	62	0.4	1.6	1.2	0.08	0.15	6	0.0	0.2	0.1	0.01	0.01	C09
Other oropharynx	8	0.1	0.2	0.2	0.01	0.02	1	0.0	0.0	0.0	0.00	0.00	C10
Nasopharynx	35	0.2	0.9	0.7	0.06	0.08	13	0.1	0.3	0.2	0.02	0.02	C11
Hypopharynx	36	0.2	1.0	0.7	0.03	0.09	2	0.0	0.1	0.0	0.00	0.00	C12–13
Pharynx unspecified	4	0.0	0.1	0.1	0.00	0.01	0	0.0	0.0	0.0	0.00	0.00	C14
Oesophagus	251	1.6	6.6	4.8	0.20	0.63	26	0.2	0.7	0.4	0.01	0.04	C15
Stomach	3119	20.3	82.6	59.1	3.39	7.30	1483	9.8	39.2	24.0	1.46	2.73	C16
Small intestine	63	0.4	1.7	1.2	0.09	0.15	39	0.3	1.0	0.6	0.04	0.06	C17
Colon	1225	8.0	32.4	23.5	1.18	2.89	926	6.1	24.5	14.5	0.77	1.69	C18
Rectum	964	6.3	25.5	18.3	1.08	2.24	588	3.9	15.6	9.2	0.56	0.99	C19–20
Anus	15	0.1	0.4	0.3	0.02	0.03	16	0.1	0.4	0.3	0.02	0.02	C21
Liver	1361	8.9	36.1	25.2	1.63	2.93	490	3.2	13.0	7.5	0.36	0.84	C22
Gallbladder etc.	438	2.9	11.6	8.5	0.31	0.99	376	2.5	9.9	5.5	0.19	0.64	C23–24
Pancreas	395	2.6	10.5	7.6	0.34	0.84	393	2.6	10.4	5.8	0.25	0.65	C25
Nose, sinuses etc.	24	0.2	0.6	0.5	0.02	0.06	19	0.1	0.5	0.3	0.02	0.03	C30–31
Larynx	152	1.0	4.0	2.9	0.13	0.39	6	0.0	0.2	0.1	0.00	0.01	C32
Trachea, bronchus, and lung	2175	14.2	57.6	42.1	1.60	5.20	1127	7.4	29.8	17.7	0.92	2.06	C33–34
Other thoracic organs	60	0.4	1.6	1.4	0.08	0.12	57	0.4	1.5	1.1	0.07	0.13	C37–38
Bone	41	0.3	1.1	1.2	0.07	0.09	27	0.2	0.7	0.6	0.04	0.05	C40–41
Melanoma of skin	43	0.3	1.1	0.8	0.06	0.08	53	0.3	1.4	0.9	0.05	0.11	C43
Other skin	274	1.8	7.3	5.4	0.23	0.60	324	2.1	8.6	4.6	0.16	0.42	C44
Mesothelioma	19	0.1	0.5	0.3	0.02	0.05	6	0.0	0.2	0.1	0.01	0.02	C45
Kaposi sarcoma	5	0.0	0.1	0.1	0.00	0.01	0	0.0	0.0	0.0	0.00	0.00	C46
Connective and soft tissue	87	0.6	2.3	1.8	0.10	0.16	63	0.4	1.7	1.5	0.10	0.12	C47+C49
Breast	11	0.1	0.3	0.2	0.02	0.03	2901	19.1	76.7	51.2	4.25	5.36	C50
Vulva							23	0.2	0.6	0.4	0.02	0.04	C51
Vagina							9	0.1	0.2	0.1	0.01	0.01	C52
Cervix uteri							497	3.3	13.1	8.9	0.65	0.88	C53
Corpus uteri							348	2.3	9.2	6.1	0.54	0.67	C54
Uterus unspecified							25	0.2	0.7	0.4	0.04	0.04	C55
Ovary							343	2.3	9.1	6.4	0.48	0.65	C56
Other female genital organs							12	0.1	0.3	0.2	0.02	0.02	C57
Placenta							5	0.0	0.1	0.1	0.01	0.01	C58
Penis	11	0.1	0.3	0.2	0.01	0.02							C60
Prostate	1360	8.9	36.0	26.8	0.84	3.56							C61
Testis	35	0.2	0.9	1.0	0.06	0.07							C62
Other male genital organs	15	0.1	0.4	0.3	0.01	0.01							C63
Kidney	488	3.2	12.9	9.3	0.61	1.12	217	1.4	5.7	3.7	0.28	0.40	C64
Renal pelvis	40	0.3	1.1	0.8	0.04	0.10	11	0.1	0.3	0.2	0.01	0.02	C65
Ureter	46	0.3	1.2	0.9	0.03	0.11	31	0.2	0.8	0.5	0.01	0.06	C66
Bladder	320	2.1	8.5	6.1	0.26	0.63	92	0.6	2.4	1.3	0.04	0.14	C67
Other urinary organs	7	0.0	0.2	0.1	0.00	0.02	4	0.0	0.1	0.0	0.00	0.00	C68
Eye	14	0.1	0.4	0.5	0.02	0.05	12	0.1	0.3	0.4	0.02	0.02	C69
Brain and nervous system	156	1.0	4.1	3.3	0.20	0.32	151	1.0	4.0	3.5	0.23	0.30	C70–72
Thyroid	964	6.3	25.5	18.6	1.55	1.83	3753	24.7	99.3	72.0	6.02	6.89	C73
Adrenal gland	15	0.1	0.4	0.5	0.03	0.03	15	0.1	0.4	0.4	0.02	0.04	C74
Other endocrine	14	0.1	0.4	0.4	0.02	0.03	5	0.0	0.1	0.1	0.01	0.01	C75
Hodgkin lymphoma	23	0.1	0.6	0.5	0.04	0.05	14	0.1	0.4	0.3	0.02	0.03	C81
Non-Hodgkin lymphoma	346	2.3	9.2	7.3	0.40	0.78	271	1.8	7.2	4.9	0.28	0.53	C82–86,C96
Immunoproliferative diseases	87	0.6	2.3	1.6	0.12	0.19	104	0.7	2.8	1.8	0.14	0.22	C88
Multiple myeloma	114	0.7	3.0	2.2	0.10	0.26	83	0.5	2.2	1.3	0.07	0.15	C90
Lymphoid leukaemia	58	0.4	1.5	1.6	0.10	0.13	54	0.4	1.4	1.4	0.08	0.12	C91
Myeloid leukaemia	198	1.3	5.2	4.3	0.25	0.41	129	0.9	3.4	2.7	0.16	0.26	C92–94
Leukaemia unspecified	15	0.1	0.4	0.3	0.01	0.01	8	0.1	0.2	0.1	0.00	0.01	C95
Myeloproliferative disorders	99	0.6	2.6	1.9	0.09	0.24	79	0.5	2.1	1.4	0.08	0.15	MPD
Myelodysplastic syndromes	100	0.7	2.6	2.0	0.11	0.21	52	0.3	1.4	0.9	0.04	0.10	MPS
Other and unspecified	91	0.6	2.4	1.9	0.09	0.16	102	0.7	2.7	1.6	0.08	0.17	O&U
All sites	15629		414.0	303.1	15.94	35.82	15489		409.7	269.3	18.78	28.14	C00–96
All sites except C44	15355	100.0	406.7	297.8	15.71	35.23	15165	100.0	401.1	264.6	18.62	27.72	C00–96 exc. C44

*See note following population pyramid

Republic of Korea, Gwangju

CONTRIBUTORS

Sun-Seog Kweon
Min-Ho Shin



NOTES ON THE DATA

*No questionnaire.

20 major cancers, ASR (World) per 100 000

<i>Male</i>		<i>Female</i>	
Stomach	48.9	Thyroid	74.7
Trachea, bronchus, and lung	40.3	Breast	46.7
Liver	32.5	Stomach	23.0
Prostate	27.4	Trachea, bronchus, and lung	15.2
Colon	21.6	Colon	13.3
Thyroid	20.5	Cervix uteri	10.0
Rectum	17.4	Liver	8.4
Pancreas	8.2	Rectum	8.3
Non-Hodgkin lymphoma	8.0	Pancreas	6.5
Kidney	7.7	Corpus uteri	6.4
Gallbladder etc.	7.7	Ovary	5.8
Bladder	6.6	Gallbladder etc.	5.2
Non-melanoma skin cancer	4.9	Non-melanoma skin cancer	4.8
Oesophagus	4.5	Non-Hodgkin lymphoma	4.6
Myeloid leukaemia	3.6	Kidney	3.1
Brain and nervous system	3.0	Myeloid leukaemia	2.4
Larynx	2.9	Brain and nervous system	2.4
Lymphoid leukaemia	2.7	Other and unspecified	1.9
Other and unspecified	2.1	Multiple myeloma	1.5
Myeloproliferative disorders	2.1	Lymphoid leukaemia	1.5
All sites	295.6	All sites	262.0

*Republic of Korea, Gwangju (2013–2017)


SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	
Lip	2	0.0	0.1	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C00
Tongue	55	0.4	1.5	1.2	0.08	0.11	42	0.3	1.1	0.6	0.04	0.07	C01–02
Mouth	41	0.3	1.1	0.8	0.06	0.09	43	0.3	1.2	0.7	0.05	0.09	C03–06
Salivary glands	40	0.3	1.1	0.8	0.05	0.09	30	0.2	0.8	0.5	0.04	0.05	C07–08
Tonsil	46	0.3	1.3	0.9	0.08	0.11	3	0.0	0.1	0.1	0.00	0.01	C09
Other oropharynx	26	0.2	0.7	0.6	0.03	0.09	5	0.0	0.1	0.1	0.01	0.01	C10
Nasopharynx	38	0.3	1.0	0.8	0.06	0.08	13	0.1	0.4	0.2	0.02	0.02	C11
Hypopharynx	43	0.3	1.2	1.0	0.04	0.13	2	0.0	0.1	0.0	0.00	0.00	C12–13
Pharynx unspecified	3	0.0	0.1	0.1	0.00	0.01	3	0.0	0.1	0.0	0.00	0.00	C14
Oesophagus	224	1.6	6.2	4.5	0.19	0.58	19	0.1	0.5	0.3	0.02	0.04	C15
Stomach	2442	17.2	67.4	48.9	2.86	6.07	1397	9.8	37.9	23.0	1.41	2.54	C16
Small intestine	75	0.5	2.1	1.5	0.09	0.17	45	0.3	1.2	0.8	0.05	0.10	C17
Colon	1078	7.6	29.8	21.6	1.09	2.67	855	6.0	23.2	13.3	0.69	1.52	C18
Rectum	856	6.0	23.6	17.4	1.09	2.11	522	3.7	14.2	8.3	0.48	0.92	C19–20
Anus	7	0.0	0.2	0.1	0.00	0.01	17	0.1	0.5	0.3	0.01	0.04	C21
Liver	1624	11.5	44.8	32.5	1.97	3.81	538	3.8	14.6	8.4	0.42	0.96	C22
Gallbladder etc.	377	2.7	10.4	7.7	0.28	0.88	360	2.5	9.8	5.2	0.20	0.59	C23–24
Pancreas	403	2.8	11.1	8.2	0.42	1.02	420	2.9	11.4	6.5	0.31	0.77	C25
Nose, sinuses etc.	33	0.2	0.9	0.7	0.04	0.08	15	0.1	0.4	0.2	0.02	0.03	C30–31
Larynx	140	1.0	3.9	2.9	0.17	0.38	8	0.1	0.2	0.1	0.01	0.02	C32
Trachea, bronchus, and lung	1970	13.9	54.4	40.3	1.56	4.86	965	6.8	26.2	15.2	0.78	1.75	C33–34
Other thoracic organs	65	0.5	1.8	1.4	0.09	0.14	47	0.3	1.3	1.0	0.07	0.11	C37–38
Bone	33	0.2	0.9	0.8	0.05	0.06	31	0.2	0.8	0.8	0.05	0.07	C40–41
Melanoma of skin	28	0.2	0.8	0.6	0.04	0.07	39	0.3	1.1	0.6	0.03	0.08	C43
Other skin	246	1.7	6.8	4.9	0.22	0.52	336	2.4	9.1	4.8	0.17	0.45	C44
Mesothelioma	4	0.0	0.1	0.1	0.01	0.01	9	0.1	0.2	0.2	0.02	0.02	C45
Kaposi sarcoma	2	0.0	0.1	0.0	0.00	0.00	2	0.0	0.1	0.0	0.00	0.00	C46
Connective and soft tissue	69	0.5	1.9	1.5	0.11	0.15	67	0.5	1.8	1.5	0.10	0.14	C47+C49
Breast	13	0.1	0.4	0.3	0.01	0.03	2504	17.5	67.9	46.7	3.93	4.87	C50
Vulva							14	0.1	0.4	0.2	0.01	0.02	C51
Vagina							8	0.1	0.2	0.1	0.01	0.01	C52
Cervix uteri							525	3.7	14.2	10.0	0.81	0.97	C53
Corpus uteri							345	2.4	9.4	6.4	0.53	0.69	C54
Uterus unspecified							13	0.1	0.4	0.2	0.02	0.02	C55
Ovary							311	2.2	8.4	5.8	0.45	0.56	C56
Other female genital organs							13	0.1	0.4	0.2	0.02	0.03	C57
Placenta							2	0.0	0.1	0.0	0.00	0.00	C58
Penis	5	0.0	0.1	0.1	0.00	0.01							C60
Prostate	1345	9.5	37.1	27.4	0.79	3.63							C61
Testis	29	0.2	0.8	0.9	0.05	0.07							C62
Other male genital organs	8	0.1	0.2	0.2	0.01	0.03							C63
Kidney	385	2.7	10.6	7.7	0.54	0.91	182	1.3	4.9	3.1	0.21	0.36	C64
Renal pelvis	45	0.3	1.2	0.9	0.04	0.09	20	0.1	0.5	0.3	0.00	0.02	C65
Ureter	41	0.3	1.1	0.8	0.02	0.10	25	0.2	0.7	0.4	0.02	0.05	C66
Bladder	333	2.4	9.2	6.6	0.24	0.71	72	0.5	2.0	0.9	0.02	0.07	C67
Other urinary organs	7	0.0	0.2	0.2	0.00	0.02	6	0.0	0.2	0.1	0.00	0.01	C68
Eye	9	0.1	0.2	0.4	0.02	0.02	11	0.1	0.3	0.5	0.03	0.03	C69
Brain and nervous system	120	0.8	3.3	3.0	0.17	0.26	111	0.8	3.0	2.4	0.12	0.24	C70–72
Thyroid	1009	7.1	27.9	20.5	1.70	1.97	3715	26.0	100.7	74.7	6.22	7.17	C73
Adrenal gland	9	0.1	0.2	0.3	0.01	0.02	8	0.1	0.2	0.4	0.02	0.02	C74
Other endocrine	5	0.0	0.1	0.2	0.01	0.01	4	0.0	0.1	0.1	0.01	0.01	C75
Hodgkin lymphoma	26	0.2	0.7	0.7	0.04	0.05	14	0.1	0.4	0.3	0.02	0.03	C81
Non-Hodgkin lymphoma	345	2.4	9.5	8.0	0.46	0.82	247	1.7	6.7	4.6	0.25	0.50	C82–86,C96
Immunoproliferative diseases	64	0.5	1.8	1.3	0.09	0.15	70	0.5	1.9	1.3	0.10	0.14	C88
Multiple myeloma	97	0.7	2.7	2.0	0.10	0.27	91	0.6	2.5	1.5	0.07	0.21	C90
Lymphoid leukaemia	77	0.5	2.1	2.7	0.14	0.16	44	0.3	1.2	1.5	0.09	0.10	C91
Myeloid leukaemia	166	1.2	4.6	3.6	0.23	0.36	121	0.8	3.3	2.4	0.17	0.23	C92–94
Leukaemia unspecified	9	0.1	0.2	0.2	0.00	0.01	7	0.0	0.2	0.3	0.02	0.02	C95
Myeloproliferative disorders	99	0.7	2.7	2.1	0.12	0.23	87	0.6	2.4	1.5	0.09	0.16	MPD
Myelodysplastic syndromes	89	0.6	2.5	1.8	0.07	0.22	75	0.5	2.0	1.3	0.08	0.15	MPS
Other and unspecified	100	0.7	2.8	2.1	0.09	0.22	126	0.9	3.4	1.9	0.09	0.18	O&U
All sites	14405		397.7	295.6	15.65	34.69	14604		395.9	262.0	18.38	27.25	C00–96
All sites except C44	14159	100.0	390.9	290.7	15.43	34.17	14268	100.0	386.8	257.2	18.21	26.79	C00–96 exc. C44

*See note following population pyramid

Republic of Korea, Incheon

CONTRIBUTORS

Woo-Chul Kim
Moon-Hee Lee
Sung-Taek Jung
Hawn-Cheol Kim
Suck-Jin Choi



NOTES ON THE DATA

†C67 (bladder cancer) includes neoplasms of uncertain or unknown behaviour together with invasive cancers.

20 major cancers, ASR (World) per 100 000

<i>Male</i>		<i>Female</i>	
Stomach	49.2	Thyroid	65.1
Trachea, bronchus, and lung	41.1	Breast	52.0
Liver	26.7	Stomach	19.3
Colon	23.9	Trachea, bronchus, and lung	15.1
Prostate	22.9	Colon	14.5
Rectum	18.3	Cervix uteri	9.2
Thyroid	16.4	Rectum	8.8
Bladder	11.6	Liver	8.1
Kidney	8.3	Corpus uteri	6.4
Pancreas	7.7	Ovary	6.4
Non-Hodgkin lymphoma	7.3	Pancreas	5.6
Gallbladder etc.	7.2	Gallbladder etc.	4.7
Oesophagus	5.0	Non-Hodgkin lymphoma	4.4
Non-melanoma skin cancer	4.6	Non-melanoma skin cancer	4.3
Myeloid leukaemia	3.5	Kidney	3.8
Brain and nervous system	2.9	Brain and nervous system	2.7
Larynx	2.7	Myeloid leukaemia	2.5
Other and unspecified	2.2	Other and unspecified	2.0
Lymphoid leukaemia	2.2	Bladder	2.0
Connective and soft tissue	2.1	Multiple myeloma	1.5
All sites	288.2	All sites	254.4

Republic of Korea, Incheon (2013–2017)


SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	
Lip	4	0.0	0.1	0.0	0.00	0.01	5	0.0	0.1	0.0	0.00	0.00	C00
Tongue	123	0.4	1.7	1.2	0.08	0.14	60	0.2	0.8	0.5	0.03	0.06	C01–02
Mouth	111	0.4	1.5	1.0	0.05	0.11	67	0.2	0.9	0.6	0.03	0.07	C03–06
Salivary glands	71	0.2	1.0	0.7	0.04	0.07	62	0.2	0.9	0.6	0.04	0.06	C07–08
Tonsil	89	0.3	1.2	0.8	0.07	0.10	19	0.1	0.3	0.2	0.01	0.02	C09
Other oropharynx	25	0.1	0.3	0.2	0.01	0.03	8	0.0	0.1	0.1	0.00	0.01	C10
Nasopharynx	77	0.3	1.0	0.7	0.06	0.08	21	0.1	0.3	0.2	0.02	0.02	C11
Hypopharynx	102	0.3	1.4	1.0	0.04	0.12	5	0.0	0.1	0.0	0.00	0.01	C12–13
Pharynx unspecified	8	0.0	0.1	0.1	0.00	0.01	3	0.0	0.0	0.0	0.00	0.00	C14
Oesophagus	520	1.8	7.1	5.0	0.24	0.64	65	0.2	0.9	0.5	0.04	0.06	C15
Stomach	5240	17.9	71.4	49.2	2.85	6.11	2381	8.4	32.8	19.3	1.14	2.15	C16
Small intestine	111	0.4	1.5	1.0	0.06	0.12	86	0.3	1.2	0.7	0.04	0.08	C17
Colon	2483	8.5	33.9	23.9	1.19	2.90	1845	6.5	25.4	14.5	0.80	1.66	C18
Rectum	1956	6.7	26.7	18.3	1.12	2.19	1105	3.9	15.2	8.8	0.53	1.00	C19–20
Anus	22	0.1	0.3	0.2	0.01	0.03	46	0.2	0.6	0.4	0.02	0.05	C21
Liver	2907	9.9	39.6	26.7	1.77	3.17	1007	3.5	13.9	8.1	0.43	0.99	C22
Gallbladder etc.	751	2.6	10.2	7.2	0.28	0.80	635	2.2	8.7	4.7	0.20	0.54	C23–24
Pancreas	805	2.8	11.0	7.7	0.37	0.91	743	2.6	10.2	5.6	0.27	0.63	C25
Nose, sinuses etc.	67	0.2	0.9	0.6	0.05	0.06	40	0.1	0.6	0.4	0.02	0.04	C30–31
Larynx	281	1.0	3.8	2.7	0.10	0.38	9	0.0	0.1	0.1	0.00	0.01	C32
Trachea, bronchus, and lung	4217	14.4	57.5	41.1	1.50	4.90	1933	6.8	26.6	15.1	0.79	1.78	C33–34
Other thoracic organs	101	0.3	1.4	1.1	0.07	0.12	96	0.3	1.3	0.9	0.07	0.10	C37–38
Bone	90	0.3	1.2	1.2	0.08	0.09	66	0.2	0.9	0.9	0.05	0.07	C40–41
Melanoma of skin	71	0.2	1.0	0.7	0.03	0.07	79	0.3	1.1	0.7	0.04	0.07	C43
Other skin	479	1.6	6.5	4.6	0.21	0.49	590	2.1	8.1	4.3	0.17	0.43	C44
Mesothelioma	30	0.1	0.4	0.3	0.01	0.04	14	0.0	0.2	0.1	0.01	0.01	C45
Kaposi sarcoma	25	0.1	0.3	0.2	0.01	0.03	5	0.0	0.1	0.0	0.00	0.00	C46
Connective and soft tissue	184	0.6	2.5	2.1	0.12	0.20	125	0.4	1.7	1.5	0.09	0.12	C47+C49
Breast	29	0.1	0.4	0.3	0.01	0.04	5818	20.5	80.1	52.0	4.36	5.43	C50
Vulva							47	0.2	0.6	0.4	0.02	0.05	C51
Vagina							23	0.1	0.3	0.2	0.01	0.02	C52
Cervix uteri							1014	3.6	14.0	9.2	0.70	0.93	C53
Corpus uteri							715	2.5	9.8	6.4	0.55	0.69	C54
Uterus unspecified							47	0.2	0.6	0.4	0.03	0.04	C55
Ovary							693	2.4	9.5	6.4	0.48	0.65	C56
Other female genital organs							36	0.1	0.5	0.3	0.02	0.04	C57
Placenta							12	0.0	0.2	0.1	0.01	0.01	C58
Penis	11	0.0	0.1	0.1	0.00	0.00							C60
Prostate	2311	7.9	31.5	22.9	0.66	2.95							C61
Testis	78	0.3	1.1	0.9	0.07	0.07							C62
Other male genital organs	26	0.1	0.4	0.3	0.01	0.04							C63
Kidney	867	3.0	11.8	8.3	0.56	0.94	424	1.5	5.8	3.8	0.26	0.41	C64
Renal pelvis	86	0.3	1.2	0.8	0.04	0.09	51	0.2	0.7	0.4	0.01	0.05	C65
Ureter	86	0.3	1.2	0.8	0.02	0.10	53	0.2	0.7	0.4	0.01	0.06	C66
†Bladder	1192	4.1	16.3	11.6	0.47	1.35	263	0.9	3.6	2.0	0.08	0.23	C67
Other urinary organs	17	0.1	0.2	0.2	0.01	0.02	7	0.0	0.1	0.0	0.00	0.00	C68
Eye	13	0.0	0.2	0.3	0.01	0.02	11	0.0	0.2	0.1	0.01	0.01	C69
Brain and nervous system	254	0.9	3.5	2.9	0.19	0.26	245	0.9	3.4	2.7	0.16	0.25	C70–72
Thyroid	1694	5.8	23.1	16.4	1.32	1.59	6747	23.7	92.9	65.1	5.41	6.44	C73
Adrenal gland	24	0.1	0.3	0.4	0.02	0.03	21	0.1	0.3	0.2	0.02	0.02	C74
Other endocrine	25	0.1	0.3	0.4	0.02	0.03	11	0.0	0.2	0.1	0.01	0.01	C75
Hodgkin lymphoma	43	0.1	0.6	0.6	0.04	0.05	34	0.1	0.5	0.4	0.03	0.03	C81
Non-Hodgkin lymphoma	679	2.3	9.3	7.3	0.41	0.73	483	1.7	6.6	4.4	0.26	0.45	C82–86,C96
Immunoproliferative diseases	103	0.4	1.4	1.0	0.07	0.11	127	0.4	1.7	1.1	0.08	0.13	C88
Multiple myeloma	187	0.6	2.5	1.8	0.08	0.21	184	0.6	2.5	1.5	0.08	0.18	C90
Lymphoid leukaemia	133	0.5	1.8	2.2	0.12	0.16	89	0.3	1.2	1.5	0.08	0.11	C91
Myeloid leukaemia	327	1.1	4.5	3.5	0.21	0.33	253	0.9	3.5	2.5	0.15	0.24	C92–94
Leukaemia unspecified	23	0.1	0.3	0.2	0.01	0.02	20	0.1	0.3	0.2	0.01	0.01	C95
Myeloproliferative disorders	197	0.7	2.7	2.0	0.10	0.21	126	0.4	1.7	1.1	0.06	0.12	MPD
Myelodysplastic syndromes	162	0.6	2.2	1.6	0.07	0.18	93	0.3	1.3	0.8	0.04	0.09	MPS
Other and unspecified	220	0.8	3.0	2.2	0.08	0.24	262	0.9	3.6	2.0	0.10	0.22	O&U
All sites	29737		405.4	288.2	15.03	33.68	29029		399.6	254.4	17.88	26.97	C00–96
All sites except C44	29258	100.0	398.9	283.6	14.82	33.19	28439	100.0	391.5	250.1	17.71	26.54	C00–96 exc. C44

†See note following population pyramid

Republic of Korea, Jeju

CONTRIBUTORS

Chul-Min Park
Yeong-Ja Yang



20 major cancers, ASR (World) per 100 000

<i>Male</i>		<i>Female</i>	
Stomach	42.7	Thyroid	51.5
Trachea, bronchus, and lung	42.5	Breast	42.0
Liver	35.9	Stomach	18.7
Prostate	31.4	Colon	15.3
Colon	27.6	Trachea, bronchus, and lung	14.1
Rectum	16.4	Cervix uteri	10.8
Thyroid	13.7	Liver	9.6
Kidney	9.0	Rectum	7.7
Bladder	7.8	Gallbladder etc.	7.4
Gallbladder etc.	7.7	Ovary	6.2
Oesophagus	7.6	Pancreas	5.9
Pancreas	7.4	Non-melanoma skin cancer	5.1
Non-Hodgkin lymphoma	5.3	Corpus uteri	4.8
Non-melanoma skin cancer	4.7	Non-Hodgkin lymphoma	4.3
Brain and nervous system	4.1	Kidney	3.9
Myeloid leukaemia	3.5	Brain and nervous system	2.8
Larynx	3.0	Myeloid leukaemia	2.7
Other and unspecified	2.5	Lymphoid leukaemia	2.2
Lymphoid leukaemia	2.4	Myeloproliferative disorders	1.9
Multiple myeloma	2.4	Connective and soft tissue	1.7
All sites	301.6	All sites	233.7


Republic of Korea, Jeju (2013–2017)

SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	
Lip	1	0.0	0.1	0.0	0.00	0.00	4	0.1	0.3	0.1	0.00	0.01	C00
Tongue	30	0.4	2.0	1.4	0.11	0.13	16	0.3	1.0	0.7	0.05	0.07	C01–02
Mouth	25	0.4	1.6	1.0	0.05	0.12	9	0.2	0.6	0.3	0.02	0.03	C03–06
Salivary glands	10	0.1	0.7	0.5	0.04	0.06	14	0.2	0.9	0.6	0.05	0.06	C07–08
Tonsil	27	0.4	1.8	1.2	0.10	0.14	6	0.1	0.4	0.2	0.02	0.02	C09
Other oropharynx	8	0.1	0.5	0.3	0.03	0.04	1	0.0	0.1	0.1	0.01	0.01	C10
Nasopharynx	35	0.5	2.3	1.5	0.10	0.15	7	0.1	0.5	0.3	0.02	0.03	C11
Hypopharynx	33	0.5	2.1	1.3	0.07	0.18	0	0.0	0.0	0.0	0.00	0.00	C12–13
Pharynx unspecified	1	0.0	0.1	0.0	0.00	0.01	0	0.0	0.0	0.0	0.00	0.00	C14
Oesophagus	177	2.6	11.5	7.6	0.49	0.92	9	0.2	0.6	0.4	0.04	0.05	C15
Stomach	1000	14.5	65.0	42.7	2.60	5.09	561	9.7	36.8	18.7	1.09	1.98	C16
Small intestine	36	0.5	2.3	1.4	0.09	0.15	11	0.2	0.7	0.3	0.02	0.04	C17
Colon	653	9.5	42.4	27.6	1.50	3.33	471	8.2	30.9	15.3	0.91	1.67	C18
Rectum	385	5.6	25.0	16.4	1.09	1.94	219	3.8	14.4	7.7	0.53	0.83	C19–20
Anus	8	0.1	0.5	0.3	0.02	0.04	12	0.2	0.8	0.4	0.03	0.04	C21
Liver	849	12.3	55.2	35.9	2.42	4.15	306	5.3	20.1	9.6	0.51	1.13	C22
Gallbladder etc.	178	2.6	11.6	7.7	0.28	0.94	270	4.7	17.7	7.4	0.24	0.80	C23–24
Pancreas	178	2.6	11.6	7.4	0.35	0.87	182	3.2	11.9	5.9	0.31	0.66	C25
Nose, sinuses etc.	16	0.2	1.0	0.6	0.04	0.07	9	0.2	0.6	0.4	0.02	0.02	C30–31
Larynx	73	1.1	4.7	3.0	0.17	0.37	4	0.1	0.3	0.1	0.01	0.01	C32
Trachea, bronchus, and lung	1026	14.9	66.7	42.5	1.60	5.23	444	7.7	29.1	14.1	0.77	1.65	C33–34
Other thoracic organs	37	0.5	2.4	2.0	0.11	0.17	16	0.3	1.0	0.6	0.05	0.07	C37–38
Bone	24	0.3	1.6	1.5	0.08	0.12	21	0.4	1.4	1.3	0.09	0.11	C40–41
Melanoma of skin	14	0.2	0.9	0.6	0.04	0.05	25	0.4	1.6	0.9	0.03	0.07	C43
Other skin	114	1.7	7.4	4.7	0.13	0.51	216	3.7	14.2	5.1	0.12	0.43	C44
Mesothelioma	4	0.1	0.3	0.2	0.01	0.02	3	0.1	0.2	0.1	0.01	0.01	C45
Kaposi sarcoma	4	0.1	0.3	0.2	0.00	0.02	1	0.0	0.1	0.0	0.00	0.01	C46
Connective and soft tissue	37	0.5	2.4	1.8	0.10	0.22	30	0.5	2.0	1.7	0.11	0.14	C47+C49
Breast	5	0.1	0.3	0.2	0.01	0.01	942	16.3	61.8	42.0	3.60	4.40	C50
Vulva							9	0.2	0.6	0.4	0.02	0.06	C51
Vagina							6	0.1	0.4	0.2	0.01	0.03	C52
Cervix uteri							244	4.2	16.0	10.8	0.88	1.05	C53
Corpus uteri							118	2.0	7.7	4.8	0.41	0.53	C54
Uterus unspecified							6	0.1	0.4	0.2	0.02	0.02	C55
Ovary							142	2.5	9.3	6.2	0.48	0.65	C56
Other female genital organs							4	0.1	0.3	0.2	0.01	0.02	C57
Placenta							3	0.1	0.2	0.2	0.01	0.01	C58
Penis	5	0.1	0.3	0.2	0.00	0.03							C60
Prostate	763	11.1	49.6	31.4	0.95	4.08							C61
Testis	11	0.2	0.7	0.8	0.06	0.06							C62
Other male genital organs	1	0.0	0.1	0.0	0.00	0.00							C63
Kidney	210	3.0	13.7	9.0	0.56	1.07	91	1.6	6.0	3.9	0.25	0.37	C64
Renal pelvis	19	0.3	1.2	0.8	0.03	0.12	19	0.3	1.2	0.5	0.03	0.04	C65
Ureter	14	0.2	0.9	0.5	0.01	0.05	11	0.2	0.7	0.4	0.01	0.06	C66
Bladder	188	2.7	12.2	7.8	0.37	0.86	43	0.7	2.8	1.1	0.05	0.11	C67
Other urinary organs	4	0.1	0.3	0.2	0.00	0.04	0	0.0	0.0	0.0	0.00	0.00	C68
Eye	1	0.0	0.1	0.1	0.01	0.01	5	0.1	0.3	0.4	0.02	0.02	C69
Brain and nervous system	73	1.1	4.7	4.1	0.26	0.35	58	1.0	3.8	2.8	0.19	0.24	C70–72
Thyroid	295	4.3	19.2	13.7	1.11	1.38	1042	18.0	68.3	51.5	4.26	5.02	C73
Adrenal gland	8	0.1	0.5	0.4	0.02	0.05	7	0.1	0.5	0.3	0.02	0.02	C74
Other endocrine	5	0.1	0.3	0.4	0.02	0.03	2	0.0	0.1	0.1	0.00	0.00	C75
Hodgkin lymphoma	6	0.1	0.4	0.3	0.03	0.03	3	0.1	0.2	0.2	0.01	0.01	C81
Non-Hodgkin lymphoma	114	1.7	7.4	5.3	0.31	0.63	103	1.8	6.8	4.3	0.27	0.46	C82–86,C96
Immunoproliferative diseases	17	0.2	1.1	0.8	0.05	0.09	20	0.3	1.3	0.8	0.07	0.08	C88
Multiple myeloma	61	0.9	4.0	2.4	0.12	0.25	38	0.7	2.5	1.2	0.06	0.14	C90
Lymphoid leukaemia	30	0.4	2.0	2.4	0.10	0.15	26	0.5	1.7	2.2	0.11	0.15	C91
Myeloid leukaemia	74	1.1	4.8	3.5	0.23	0.34	56	1.0	3.7	2.7	0.18	0.26	C92–94
Leukaemia unspecified	6	0.1	0.4	0.2	0.00	0.03	12	0.2	0.8	0.3	0.00	0.02	C95
Myeloproliferative disorders	37	0.5	2.4	1.8	0.12	0.20	47	0.8	3.1	1.9	0.12	0.17	MPD
Myelodysplastic syndromes	29	0.4	1.9	1.3	0.04	0.14	28	0.5	1.8	1.1	0.07	0.14	MPS
Other and unspecified	57	0.8	3.7	2.5	0.10	0.23	38	0.7	2.5	1.1	0.05	0.11	O&U
All sites	7016		456.1	301.6	16.12	35.28	5990		392.7	233.7	16.32	24.12	C00–96
All sites except C44	6902	100.0	448.7	296.9	15.99	34.77	5774	100.0	378.5	228.7	16.19	23.70	C00–96 exc. C44

Republic of Korea, Seoul

CONTRIBUTORS

Kyu-Won Jung
Young-Joo Won
Hyun-Joo Kong



20 major cancers, ASR (World) per 100 000

<i>Male</i>		<i>Female</i>	
Stomach	46.2	Thyroid	64.7
Trachea, bronchus, and lung	39.4	Breast	57.5
Prostate	30.2	Stomach	19.3
Liver	26.8	Trachea, bronchus, and lung	16.0
Colon	24.4	Colon	14.5
Thyroid	20.2	Rectum	8.9
Rectum	18.2	Cervix uteri	8.5
Bladder	9.2	Corpus uteri	7.5
Kidney	8.7	Liver	7.4
Pancreas	8.6	Ovary	7.1
Non-Hodgkin lymphoma	8.0	Pancreas	6.0
Gallbladder etc.	7.5	Gallbladder etc.	4.8
Non-melanoma skin cancer	5.2	Non-Hodgkin lymphoma	4.8
Oesophagus	5.2	Non-melanoma skin cancer	4.5
Myeloid leukaemia	3.9	Kidney	3.7
Brain and nervous system	3.3	Brain and nervous system	2.6
Larynx	2.4	Myeloid leukaemia	2.4
Connective and soft tissue	2.1	Other and unspecified	1.8
Multiple myeloma	2.1	Immunoproliferative diseases	1.7
Lymphoid leukaemia	2.0	Bladder	1.7
All sites	298.8	All sites	263.1


Republic of Korea, Seoul (2013–2017)

SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	
Lip	18	0.0	0.1	0.0	0.00	0.01	10	0.0	0.0	0.0	0.00	0.00	C00
Tongue	554	0.5	2.3	1.5	0.11	0.17	285	0.3	1.1	0.7	0.05	0.08	C01–02
Mouth	407	0.4	1.7	1.1	0.06	0.12	231	0.2	0.9	0.5	0.03	0.05	C03–06
Salivary glands	278	0.3	1.1	0.8	0.05	0.09	252	0.2	1.0	0.7	0.05	0.07	C07–08
Tonsil	484	0.4	2.0	1.3	0.09	0.16	64	0.1	0.3	0.2	0.01	0.02	C09
Other oropharynx	70	0.1	0.3	0.2	0.01	0.02	15	0.0	0.1	0.0	0.00	0.00	C10
Nasopharynx	316	0.3	1.3	0.9	0.07	0.09	83	0.1	0.3	0.2	0.02	0.02	C11
Hypopharynx	328	0.3	1.3	0.9	0.05	0.11	18	0.0	0.1	0.0	0.00	0.00	C12–13
Pharynx unspecified	20	0.0	0.1	0.1	0.00	0.01	2	0.0	0.0	0.0	0.00	0.00	C14
Oesophagus	1976	1.8	8.1	5.2	0.25	0.68	220	0.2	0.9	0.5	0.03	0.05	C15
Stomach	17407	16.1	71.6	46.2	2.55	5.71	8421	8.2	33.5	19.3	1.16	2.19	C16
Small intestine	469	0.4	1.9	1.3	0.07	0.14	351	0.3	1.4	0.8	0.05	0.09	C17
Colon	9180	8.5	37.8	24.4	1.22	2.93	6657	6.5	26.5	14.5	0.75	1.66	C18
Rectum	6790	6.3	27.9	18.2	1.10	2.19	3894	3.8	15.5	8.9	0.55	0.99	C19–20
Anus	150	0.1	0.6	0.4	0.02	0.05	189	0.2	0.8	0.4	0.02	0.05	C21
Liver	10084	9.3	41.5	26.8	1.75	3.14	3376	3.3	13.4	7.4	0.36	0.84	C22
Gallbladder etc.	2823	2.6	11.6	7.5	0.27	0.89	2332	2.3	9.3	4.8	0.18	0.54	C23–24
Pancreas	3242	3.0	13.3	8.6	0.39	1.04	2810	2.7	11.2	6.0	0.26	0.68	C25
Nose, sinuses etc.	191	0.2	0.8	0.5	0.03	0.06	125	0.1	0.5	0.3	0.02	0.03	C30–31
Larynx	923	0.9	3.8	2.4	0.13	0.31	61	0.1	0.2	0.1	0.01	0.02	C32
Trachea, bronchus, and lung	14904	13.8	61.3	39.4	1.46	4.66	7316	7.1	29.1	16.0	0.83	1.90	C33–34
Other thoracic organs	436	0.4	1.8	1.3	0.09	0.14	299	0.3	1.2	0.8	0.06	0.08	C37–38
Bone	265	0.2	1.1	1.0	0.06	0.08	275	0.3	1.1	1.0	0.06	0.08	C40–41
Melanoma of skin	262	0.2	1.1	0.7	0.04	0.08	287	0.3	1.1	0.7	0.04	0.08	C43
Other skin	1910	1.8	7.9	5.2	0.25	0.55	2126	2.1	8.5	4.5	0.17	0.44	C44
Mesothelioma	104	0.1	0.4	0.3	0.01	0.04	43	0.0	0.2	0.1	0.01	0.01	C45
Kaposi sarcoma	65	0.1	0.3	0.2	0.01	0.02	17	0.0	0.1	0.0	0.00	0.00	C46
Connective and soft tissue	668	0.6	2.7	2.1	0.12	0.20	489	0.5	1.9	1.5	0.10	0.14	C47+C49
Breast	91	0.1	0.4	0.2	0.01	0.03	22250	21.6	88.6	57.5	4.76	6.06	C50
Vulva							166	0.2	0.7	0.4	0.02	0.04	C51
Vagina							67	0.1	0.3	0.1	0.01	0.02	C52
Cervix uteri							3283	3.2	13.1	8.5	0.66	0.84	C53
Corpus uteri							2935	2.9	11.7	7.5	0.63	0.82	C54
Uterus unspecified							154	0.1	0.6	0.4	0.03	0.04	C55
Ovary							2670	2.6	10.6	7.1	0.53	0.74	C56
Other female genital organs							153	0.1	0.6	0.4	0.03	0.04	C57
Placenta							47	0.0	0.2	0.2	0.01	0.01	C58
Penis	65	0.1	0.3	0.2	0.01	0.02							C60
Prostate	11555	10.7	47.5	30.2	0.91	3.93							C61
Testis	318	0.3	1.3	1.2	0.08	0.08							C62
Other male genital organs	87	0.1	0.4	0.2	0.01	0.03							C63
Kidney	3196	3.0	13.1	8.7	0.57	0.97	1501	1.5	6.0	3.7	0.24	0.42	C64
Renal pelvis	382	0.4	1.6	1.0	0.04	0.12	159	0.2	0.6	0.3	0.01	0.03	C65
Ureter	379	0.4	1.6	1.0	0.04	0.11	203	0.2	0.8	0.4	0.01	0.05	C66
Bladder	3480	3.2	14.3	9.2	0.34	1.04	825	0.8	3.3	1.7	0.07	0.19	C67
Other urinary organs	76	0.1	0.3	0.2	0.01	0.02	52	0.1	0.2	0.1	0.00	0.02	C68
Eye	42	0.0	0.2	0.2	0.01	0.02	50	0.0	0.2	0.3	0.01	0.02	C69
Brain and nervous system	956	0.9	3.9	3.3	0.20	0.29	856	0.8	3.4	2.6	0.16	0.23	C70–72
Thyroid	7027	6.5	28.9	20.2	1.65	1.94	23189	22.5	92.3	64.7	5.35	6.22	C73
Adrenal gland	68	0.1	0.3	0.4	0.02	0.02	65	0.1	0.3	0.3	0.02	0.02	C74
Other endocrine	45	0.0	0.2	0.2	0.01	0.01	45	0.0	0.2	0.1	0.01	0.01	C75
Hodgkin lymphoma	200	0.2	0.8	0.7	0.04	0.06	132	0.1	0.5	0.5	0.03	0.04	C81
Non-Hodgkin lymphoma	2604	2.4	10.7	8.0	0.45	0.81	1861	1.8	7.4	4.8	0.29	0.50	C82–86,C96
Immunoproliferative diseases	549	0.5	2.3	1.5	0.10	0.17	675	0.7	2.7	1.7	0.13	0.20	C88
Multiple myeloma	787	0.7	3.2	2.1	0.10	0.25	642	0.6	2.6	1.4	0.07	0.18	C90
Lymphoid leukaemia	414	0.4	1.7	2.0	0.11	0.14	336	0.3	1.3	1.7	0.09	0.12	C91
Myeloid leukaemia	1291	1.2	5.3	3.9	0.23	0.39	851	0.8	3.4	2.4	0.14	0.23	C92–94
Leukaemia unspecified	93	0.1	0.4	0.3	0.02	0.03	108	0.1	0.4	0.3	0.01	0.02	C95
Myeloproliferative disorders	591	0.5	2.4	1.7	0.09	0.18	506	0.5	2.0	1.3	0.07	0.13	MPD
Myelodysplastic syndromes	573	0.5	2.4	1.6	0.06	0.18	355	0.3	1.4	0.9	0.05	0.09	MPS
Other and unspecified	688	0.6	2.8	2.0	0.08	0.18	723	0.7	2.9	1.8	0.09	0.17	O&U
All sites	109881		452.0	298.8	15.47	34.69	105107		418.5	263.1	18.38	27.61	C00–96
All sites except C44	107971	100.0	444.1	293.6	15.22	34.14	102981	100.0	410.0	258.6	18.21	27.17	C00–96 exc. C44

Republic of Korea, Ulsan

CONTRIBUTORS

Cheol-In Yoo
 Yangho Kim
 Chang Sun Sim
 Kyoung Sook Jeong
 A. Ram Kim
 Joo Hyun Sung



20 major cancers, ASR (World) per 100 000

<i>Male</i>		<i>Female</i>	
Stomach	51.9	Thyroid	81.6
Trachea, bronchus, and lung	47.9	Breast	50.1
Liver	31.5	Stomach	22.1
Prostate	23.2	Trachea, bronchus, and lung	17.2
Colon	20.8	Colon	14.8
Rectum	18.4	Rectum	9.6
Thyroid	17.3	Liver	8.8
Kidney	9.5	Cervix uteri	7.5
Gallbladder etc.	9.3	Gallbladder etc.	7.2
Pancreas	9.1	Ovary	6.8
Non-Hodgkin lymphoma	7.7	Corpus uteri	6.2
Bladder	7.4	Pancreas	5.8
Oesophagus	5.5	Non-melanoma skin cancer	5.5
Non-melanoma skin cancer	5.4	Non-Hodgkin lymphoma	4.8
Myeloid leukaemia	3.9	Kidney	3.7
Brain and nervous system	3.2	Brain and nervous system	2.9
Larynx	2.9	Myeloid leukaemia	2.9
Myelodysplastic syndromes	2.4	Immunoproliferative diseases	1.8
Connective and soft tissue	2.0	Connective and soft tissue	1.8
Multiple myeloma	1.9	Other and unspecified	1.6
All sites	305.4	All sites	280.5


Republic of Korea, Ulsan (2013–2017)

SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	
Lip	4	0.0	0.1	0.1	0.00	0.01	3	0.0	0.1	0.1	0.00	0.00	C00
Tongue	43	0.4	1.4	1.2	0.07	0.11	28	0.2	1.0	0.7	0.04	0.07	C01–02
Mouth	26	0.2	0.9	0.7	0.04	0.07	18	0.2	0.6	0.4	0.02	0.04	C03–06
Salivary glands	39	0.3	1.3	0.9	0.07	0.11	36	0.3	1.3	0.9	0.06	0.10	C07–08
Tonsil	36	0.3	1.2	0.8	0.07	0.10	14	0.1	0.5	0.3	0.03	0.04	C09
Other oropharynx	6	0.1	0.2	0.2	0.01	0.02	2	0.0	0.1	0.0	0.00	0.00	C10
Nasopharynx	53	0.5	1.8	1.2	0.10	0.13	15	0.1	0.5	0.4	0.02	0.04	C11
Hypopharynx	41	0.4	1.4	1.1	0.05	0.13	3	0.0	0.1	0.1	0.00	0.01	C12–13
Pharynx unspecified	4	0.0	0.1	0.1	0.01	0.02	0	0.0	0.0	0.0	0.00	0.00	C14
Oesophagus	202	1.8	6.8	5.5	0.26	0.70	23	0.2	0.8	0.5	0.02	0.05	C15
Stomach	2015	18.0	67.6	51.9	2.99	6.37	962	8.4	34.2	22.1	1.33	2.50	C16
Small intestine	63	0.6	2.1	1.5	0.11	0.16	38	0.3	1.4	0.9	0.06	0.11	C17
Colon	780	7.0	26.2	20.8	1.05	2.49	654	5.7	23.3	14.8	0.75	1.75	C18
Rectum	712	6.4	23.9	18.4	1.05	2.16	413	3.6	14.7	9.6	0.56	1.16	C19–20
Anus	12	0.1	0.4	0.3	0.01	0.03	22	0.2	0.8	0.5	0.02	0.06	C21
Liver	1244	11.1	41.7	31.5	1.94	3.64	383	3.3	13.6	8.8	0.40	1.06	C22
Gallbladder etc.	325	2.9	10.9	9.3	0.36	1.13	311	2.7	11.1	7.2	0.32	0.87	C23–24
Pancreas	320	2.9	10.7	9.1	0.40	1.06	255	2.2	9.1	5.8	0.28	0.67	C25
Nose, sinuses etc.	32	0.3	1.1	0.9	0.05	0.10	13	0.1	0.5	0.4	0.03	0.05	C30–31
Larynx	110	1.0	3.7	2.9	0.14	0.39	8	0.1	0.3	0.2	0.00	0.02	C32
Trachea, bronchus, and lung	1653	14.8	55.5	47.9	1.60	5.77	756	6.6	26.9	17.2	0.93	1.98	C33–34
Other thoracic organs	46	0.4	1.5	1.3	0.09	0.12	24	0.2	0.9	0.9	0.06	0.06	C37–38
Bone	24	0.2	0.8	0.9	0.05	0.06	24	0.2	0.9	0.8	0.06	0.06	C40–41
Melanoma of skin	26	0.2	0.9	0.6	0.04	0.08	24	0.2	0.9	0.5	0.03	0.06	C43
Other skin	188	1.7	6.3	5.4	0.23	0.54	251	2.2	8.9	5.5	0.19	0.54	C44
Mesothelioma	14	0.1	0.5	0.4	0.01	0.04	3	0.0	0.1	0.1	0.00	0.01	C45
Kaposi sarcoma	2	0.0	0.1	0.1	0.00	0.01	0	0.0	0.0	0.0	0.00	0.00	C46
Connective and soft tissue	71	0.6	2.4	2.0	0.13	0.22	55	0.5	2.0	1.8	0.11	0.15	C47+C49
Breast	5	0.0	0.2	0.1	0.01	0.02	2166	18.9	77.1	50.1	4.23	5.19	C50
Vulva							12	0.1	0.4	0.3	0.01	0.04	C51
Vagina							11	0.1	0.4	0.2	0.02	0.03	C52
Cervix uteri							313	2.7	11.1	7.5	0.59	0.78	C53
Corpus uteri							267	2.3	9.5	6.2	0.55	0.68	C54
Uterus unspecified							11	0.1	0.4	0.2	0.02	0.03	C55
Ovary							281	2.4	10.0	6.8	0.48	0.69	C56
Other female genital organs							10	0.1	0.4	0.2	0.01	0.02	C57
Placenta							3	0.0	0.1	0.1	0.01	0.01	C58
Penis	9	0.1	0.3	0.2	0.01	0.03							C60
Prostate	797	7.1	26.7	23.2	0.78	2.86							C61
Testis	33	0.3	1.1	1.0	0.07	0.08							C62
Other male genital organs	10	0.1	0.3	0.3	0.02	0.03							C63
Kidney	377	3.4	12.6	9.5	0.60	1.12	161	1.4	5.7	3.7	0.27	0.40	C64
Renal pelvis	27	0.2	0.9	0.7	0.03	0.09	12	0.1	0.4	0.3	0.01	0.04	C65
Ureter	36	0.3	1.2	1.1	0.03	0.13	24	0.2	0.9	0.5	0.01	0.05	C66
Bladder	267	2.4	9.0	7.4	0.31	0.80	69	0.6	2.5	1.5	0.06	0.16	C67
Other urinary organs	15	0.1	0.5	0.4	0.01	0.06	8	0.1	0.3	0.2	0.01	0.02	C68
Eye	9	0.1	0.3	0.3	0.01	0.02	6	0.1	0.2	0.2	0.01	0.01	C69
Brain and nervous system	109	1.0	3.7	3.2	0.21	0.27	95	0.8	3.4	2.9	0.19	0.25	C70–72
Thyroid	739	6.6	24.8	17.3	1.45	1.67	3287	28.7	116.9	81.6	6.78	8.03	C73
Adrenal gland	9	0.1	0.3	0.4	0.02	0.03	9	0.1	0.3	0.4	0.02	0.02	C74
Other endocrine	7	0.1	0.2	0.2	0.02	0.02	5	0.0	0.2	0.1	0.01	0.01	C75
Hodgkin lymphoma	19	0.2	0.6	0.6	0.04	0.05	7	0.1	0.2	0.2	0.01	0.02	C81
Non-Hodgkin lymphoma	272	2.4	9.1	7.7	0.44	0.73	184	1.6	6.5	4.8	0.28	0.53	C82–86,C96
Immunoproliferative diseases	65	0.6	2.2	1.5	0.12	0.16	72	0.6	2.6	1.8	0.14	0.21	C88
Multiple myeloma	74	0.7	2.5	1.9	0.09	0.20	53	0.5	1.9	1.3	0.07	0.16	C90
Lymphoid leukaemia	44	0.4	1.5	1.5	0.09	0.11	28	0.2	1.0	1.1	0.06	0.07	C91
Myeloid leukaemia	136	1.2	4.6	3.9	0.21	0.36	100	0.9	3.6	2.9	0.17	0.34	C92–94
Leukaemia unspecified	7	0.1	0.2	0.2	0.01	0.02	9	0.1	0.3	0.4	0.02	0.03	C95
Myeloproliferative disorders	70	0.6	2.3	1.8	0.11	0.24	53	0.5	1.9	1.4	0.10	0.15	MPD
Myelodysplastic syndromes	84	0.8	2.8	2.4	0.11	0.23	59	0.5	2.1	1.5	0.10	0.14	MPS
Other and unspecified	58	0.5	1.9	1.6	0.08	0.17	70	0.6	2.5	1.6	0.07	0.14	O&U
All sites	11369		381.4	305.4	15.81	35.29	11723		417.0	280.5	19.61	29.70	C00–96
All sites except C44	11181	100.0	375.1	300.0	15.58	34.76	11472	100.0	408.1	275.0	19.42	29.15	C00–96 exc. C44

Kuwait

CONTRIBUTORS

Amani Abdulhamid ElBasmii
 Howida A. Habib
 Sherin Ezzat
 Boaz Glory Rajakumari
 Sosa Biby
 Hadeel A.A. Almutawa




NOTES ON THE DATA

†C67 (bladder cancer) includes neoplasms of uncertain or unknown behaviour together with invasive cancers.

20 major cancers, ASR (World) per 100 000

<i>Male</i>		<i>Female</i>	
Prostate	14.9	Breast	53.0
Trachea, bronchus, and lung	10.6	Corpus uteri	10.0
Colon	8.4	Thyroid	9.5
Bladder	6.9	Colon	9.3
Non-Hodgkin lymphoma	4.6	Non-Hodgkin lymphoma	4.9
Liver	4.3	Ovary	4.4
Rectum	3.9	Rectum	4.0
Stomach	3.3	Trachea, bronchus, and lung	4.0
Pancreas	3.3	Cervix uteri	3.5
Lymphoid leukaemia	3.2	Other and unspecified	3.5
Kidney	2.6	Pancreas	3.2
Myeloid leukaemia	2.5	Myeloid leukaemia	2.5
Thyroid	2.4	Stomach	2.4
Multiple myeloma	2.1	Liver	2.3
Other and unspecified	2.1	Hodgkin lymphoma	2.1
Hodgkin lymphoma	1.9	Bladder	2.1
Brain and nervous system	1.9	Lymphoid leukaemia	2.0
Larynx	1.9	Multiple myeloma	2.0
Non-melanoma skin cancer	1.4	Kidney	1.9
Gallbladder etc.	1.1	Brain and nervous system	1.7
All sites	94.1	All sites	139.9

**NOTES ON THE DATA**


*No official mortality data.

†C67 (bladder cancer) includes neoplasms of uncertain or unknown behaviour together with invasive cancers.

10 major cancers, ASR (World) per 100 000

Male	
Prostate	19.5
Trachea, bronchus, and lung	14.9
Colon	12.7
Non-Hodgkin lymphoma	8.7
Bladder	8.2
Rectum	6.4
Liver	5.8
Pancreas	5.2
Kidney	5.2
Thyroid	4.8
All sites	138.0

Female	
Breast	64.0
Thyroid	15.2
Corpus uteri	12.4
Colon	11.7
Non-Hodgkin lymphoma	6.1
Rectum	4.8
Ovary	4.5
Trachea, bronchus, and lung	3.8
Other and unspecified	3.6
Cervix uteri	3.3
All sites	166.7

**NOTES ON THE DATA**

*No official mortality data.

†C67 (bladder cancer) includes neoplasms of uncertain or unknown behaviour together with invasive cancers.

10 major cancers, ASR (World) per 100 000

Male	
Prostate	12.8
Trachea, bronchus, and lung	8.5
Bladder	7.0
Colon	6.7
Liver	3.1
Stomach	3.0
Lymphoid leukaemia	2.9
Rectum	2.9
Non-Hodgkin lymphoma	2.9
Myeloid leukaemia	2.6
All sites	77.8

Female	
Breast	45.3
Colon	6.9
Corpus uteri	6.3
Thyroid	6.3
Ovary	4.4
Trachea, bronchus, and lung	4.4
Non-Hodgkin lymphoma	4.0
Cervix uteri	3.9
Rectum	3.6
Other and unspecified	3.5
All sites	121.0

Kuwait (2013–2017)

SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	
Lip	4	0.1	0.0	0.1	0.00	0.00	1	0.0	0.0	0.0	0.00	0.00	C00
Tongue	76	1.3	0.6	0.9	0.05	0.10	24	0.3	0.3	0.4	0.03	0.05	C01–02
Mouth	67	1.1	0.5	0.7	0.05	0.10	28	0.4	0.3	0.6	0.03	0.04	C03–06
Salivary glands	26	0.4	0.2	0.3	0.01	0.04	8	0.1	0.1	0.1	0.01	0.01	C07–08
Tonsil	4	0.1	0.0	0.0	0.00	0.00	2	0.0	0.0	0.0	0.00	0.00	C09
Other oropharynx	6	0.1	0.0	0.1	0.01	0.01	0	0.0	0.0	0.0	0.00	0.00	C10
Nasopharynx	68	1.1	0.5	0.8	0.05	0.09	20	0.3	0.2	0.3	0.03	0.04	C11
Hypopharynx	5	0.1	0.0	0.1	0.00	0.00	6	0.1	0.1	0.1	0.00	0.01	C12–13
Pharynx unspecified	1	0.0	0.0	0.0	0.00	0.00	1	0.0	0.0	0.0	0.00	0.01	C14
Oesophagus	53	0.9	0.4	1.1	0.03	0.13	23	0.3	0.3	0.6	0.03	0.06	C15
Stomach	201	3.3	1.6	3.3	0.12	0.43	117	1.6	1.4	2.4	0.13	0.33	C16
Small intestine	39	0.6	0.3	0.6	0.03	0.08	25	0.3	0.3	0.4	0.03	0.05	C17
Colon	517	8.5	4.0	8.4	0.36	1.07	410	5.5	5.1	9.3	0.50	1.13	C18
Rectum	270	4.4	2.1	3.9	0.17	0.50	191	2.5	2.4	4.0	0.24	0.48	C19–20
Anus	13	0.2	0.1	0.1	0.01	0.01	12	0.2	0.1	0.3	0.02	0.03	C21
Liver	237	3.9	1.9	4.2	0.20	0.53	80	1.1	1.0	2.3	0.06	0.24	C22
Gallbladder etc.	79	1.3	0.6	1.1	0.05	0.10	51	0.7	0.6	1.4	0.06	0.16	C23–24
Pancreas	193	3.2	1.5	3.3	0.13	0.35	124	1.7	1.5	3.2	0.14	0.40	C25
Nose, sinuses etc.	15	0.2	0.1	0.2	0.01	0.02	12	0.2	0.1	0.2	0.01	0.01	C30–31
Larynx	106	1.7	0.8	1.9	0.08	0.19	10	0.1	0.1	0.2	0.02	0.03	C32
Trachea, bronchus, and lung	524	8.6	4.1	10.6	0.32	1.36	165	2.2	2.0	4.0	0.15	0.48	C33–34
Other thoracic organs	24	0.4	0.2	0.3	0.01	0.03	12	0.2	0.1	0.3	0.01	0.05	C37–38
Bone	51	0.8	0.4	0.5	0.03	0.04	36	0.5	0.4	0.6	0.03	0.06	C40–41
Melanoma of skin	23	0.4	0.2	0.2	0.02	0.03	16	0.2	0.2	0.2	0.01	0.03	C43
Other skin	92	1.5	0.7	1.4	0.06	0.17	62	0.8	0.8	1.1	0.06	0.13	C44
Mesothelioma	38	0.6	0.3	0.6	0.03	0.09	22	0.3	0.3	0.5	0.03	0.06	C45
Kaposi sarcoma	11	0.2	0.1	0.3	0.00	0.05	4	0.1	0.0	0.1	0.00	0.01	C46
Connective and soft tissue	85	1.4	0.7	0.9	0.06	0.08	58	0.8	0.7	0.8	0.05	0.08	C47+C49
Breast	30	0.5	0.2	0.4	0.01	0.06	2976	39.7	36.7	53.0	3.71	6.23	C50
Vulva							20	0.3	0.2	0.4	0.02	0.05	C51
Vagina							6	0.1	0.1	0.1	0.00	0.01	C52
Cervix uteri							257	3.4	3.2	3.5	0.26	0.34	C53
Corpus uteri							426	5.7	5.3	10.0	0.57	1.37	C54
Uterus unspecified							34	0.5	0.4	0.7	0.05	0.10	C55
Ovary							237	3.2	2.9	4.4	0.26	0.56	C56
Other female genital organs							6	0.1	0.1	0.1	0.01	0.02	C57
Placenta							2	0.0	0.0	0.0	0.00	0.00	C58
Penis	2	0.0	0.0	0.0	0.00	0.00							C60
Prostate	604	10.0	4.7	14.9	0.36	1.87							C61
Testis	144	2.4	1.1	0.8	0.06	0.06							C62
Other male genital organs	5	0.1	0.0	0.1	0.00	0.01							C63
Kidney	206	3.4	1.6	2.6	0.13	0.33	95	1.3	1.2	1.9	0.10	0.23	C64
Renal pelvis	3	0.0	0.0	0.1	0.00	0.01	3	0.0	0.0	0.1	0.00	0.01	C65
Ureter	4	0.1	0.0	0.1	0.00	0.01	1	0.0	0.0	0.0	0.00	0.00	C66
†Bladder	383	6.3	3.0	6.9	0.26	0.76	74	1.0	0.9	2.1	0.05	0.25	C67
Other urinary organs	1	0.0	0.0	0.0	0.00	0.00	1	0.0	0.0	0.0	0.00	0.00	C68
Eye	5	0.1	0.0	0.1	0.00	0.01	6	0.1	0.1	0.1	0.00	0.00	C69
Brain and nervous system	203	3.3	1.6	1.9	0.13	0.17	96	1.3	1.2	1.7	0.09	0.18	C70–72
Thyroid	271	4.5	2.1	2.4	0.16	0.25	798	10.6	9.8	9.5	0.76	0.90	C73
Adrenal gland	8	0.1	0.1	0.1	0.00	0.01	6	0.1	0.1	0.1	0.01	0.01	C74
Other endocrine	6	0.1	0.0	0.1	0.00	0.00	5	0.1	0.1	0.1	0.01	0.01	C75
Hodgkin lymphoma	217	3.6	1.7	1.9	0.12	0.15	153	2.0	1.9	2.1	0.13	0.17	C81
Non-Hodgkin lymphoma	387	6.4	3.0	4.6	0.24	0.47	266	3.5	3.3	4.9	0.33	0.59	C82–86,C96
Immunoproliferative diseases	12	0.2	0.1	0.1	0.01	0.01	18	0.2	0.2	0.3	0.03	0.04	C88
Multiple myeloma	137	2.3	1.1	2.1	0.10	0.28	86	1.1	1.1	2.0	0.10	0.28	C90
Lymphoid leukaemia	243	4.0	1.9	3.2	0.15	0.27	120	1.6	1.5	2.0	0.10	0.14	C91
Myeloid leukaemia	257	4.2	2.0	2.5	0.14	0.24	159	2.1	2.0	2.5	0.15	0.23	C92–94
Leukaemia unspecified	28	0.5	0.2	0.6	0.01	0.04	18	0.2	0.2	0.4	0.01	0.03	C95
Myeloproliferative disorders	20	0.3	0.2	0.3	0.02	0.03	15	0.2	0.2	0.3	0.01	0.03	MPD
Myelodysplastic syndromes	13	0.2	0.1	0.4	0.00	0.05	9	0.1	0.1	0.2	0.00	0.02	MPS
Other and unspecified	144	2.4	1.1	2.1	0.10	0.23	146	1.9	1.8	3.5	0.16	0.41	O&U
All sites	6161		48.2	94.1	3.90	10.94	7559		93.2	139.9	8.63	16.19	C00–96
All sites except C44	6069	100.0	47.5	92.7	3.84	10.76	7497	100.0	92.5	138.7	8.57	16.06	C00–96 exc. C44

†See note following population pyramid

*Kuwait: Kuwaitis (2013–2017)

SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	
Lip	0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.0	0.0	0.00	0.00	C00
Tongue	16	0.6	0.5	0.9	0.05	0.10	10	0.2	0.3	0.4	0.04	0.04	C01–02
Mouth	15	0.6	0.5	0.7	0.04	0.08	10	0.2	0.3	0.4	0.02	0.02	C03–06
Salivary glands	7	0.3	0.2	0.3	0.02	0.04	5	0.1	0.2	0.2	0.01	0.01	C07–08
Tonsil	1	0.0	0.0	0.0	0.00	0.00	1	0.0	0.0	0.0	0.00	0.00	C09
Other oropharynx	4	0.2	0.1	0.3	0.01	0.04	0	0.0	0.0	0.0	0.00	0.00	C10
Nasopharynx	33	1.3	1.0	1.7	0.13	0.21	16	0.4	0.5	0.6	0.05	0.07	C11
Hypopharynx	1	0.0	0.0	0.0	0.00	0.00	1	0.0	0.0	0.1	0.00	0.01	C12–13
Pharynx unspecified	0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.0	0.1	0.00	0.01	C14
Oesophagus	32	1.2	1.0	2.0	0.08	0.24	15	0.4	0.5	0.7	0.03	0.06	C15
Stomach	78	3.0	2.5	4.4	0.21	0.54	63	1.5	1.9	2.7	0.17	0.35	C16
Small intestine	12	0.5	0.4	0.8	0.04	0.12	16	0.4	0.5	0.6	0.04	0.07	C17
Colon	223	8.6	7.0	12.7	0.72	1.57	267	6.5	8.1	11.7	0.69	1.36	C18
Rectum	117	4.5	3.7	6.4	0.38	0.78	110	2.7	3.3	4.8	0.32	0.56	C19–20
Anus	3	0.1	0.1	0.2	0.01	0.01	7	0.2	0.2	0.3	0.02	0.04	C21
Liver	98	3.8	3.1	5.8	0.30	0.71	50	1.2	1.5	2.3	0.07	0.26	C22
Gallbladder etc.	30	1.2	0.9	1.5	0.07	0.13	30	0.7	0.9	1.4	0.07	0.15	C23–24
Pancreas	94	3.6	3.0	5.2	0.27	0.56	69	1.7	2.1	3.2	0.15	0.40	C25
Nose, sinuses etc.	4	0.2	0.1	0.2	0.01	0.01	5	0.1	0.2	0.2	0.01	0.01	C30–31
Larynx	42	1.6	1.3	2.6	0.14	0.28	5	0.1	0.2	0.2	0.02	0.03	C32
Trachea, bronchus, and lung	242	9.3	7.6	14.9	0.61	1.99	83	2.0	2.5	3.8	0.12	0.41	C33–34
Other thoracic organs	9	0.3	0.3	0.3	0.02	0.02	7	0.2	0.2	0.3	0.01	0.04	C37–38
Bone	24	0.9	0.8	0.8	0.05	0.06	16	0.4	0.5	0.5	0.03	0.03	C40–41
Melanoma of skin	5	0.2	0.2	0.2	0.01	0.03	7	0.2	0.2	0.3	0.01	0.02	C43
Other skin	23	0.9	0.7	1.2	0.08	0.15	30	0.7	0.9	1.2	0.06	0.14	C44
Mesothelioma	15	0.6	0.5	0.9	0.06	0.11	13	0.3	0.4	0.6	0.03	0.07	C45
Kaposi sarcoma	8	0.3	0.3	0.6	0.01	0.12	2	0.0	0.1	0.1	0.01	0.01	C46
Connective and soft tissue	28	1.1	0.9	1.1	0.08	0.10	27	0.7	0.8	0.9	0.06	0.09	C47+C49
Breast	15	0.6	0.5	0.8	0.04	0.11	1568	38.3	47.7	64.0	4.61	7.37	C50
Vulva							13	0.3	0.4	0.5	0.03	0.06	C51
Vagina							2	0.0	0.1	0.1	0.00	0.00	C52
Cervix uteri							90	2.2	2.7	3.3	0.24	0.33	C53
Corpus uteri							272	6.6	8.3	12.4	0.72	1.69	C54
Uterus unspecified							22	0.5	0.7	1.0	0.09	0.12	C55
Ovary							108	2.6	3.3	4.5	0.26	0.59	C56
Other female genital organs							4	0.1	0.1	0.2	0.01	0.03	C57
Placenta							0	0.0	0.0	0.0	0.00	0.00	C58
Penis	0	0.0	0.0	0.0	0.00	0.00							C60
Prostate	303	11.6	9.6	19.5	0.62	2.56							C61
Testis	76	2.9	2.4	2.4	0.18	0.18							C62
Other male genital organs	2	0.1	0.1	0.1	0.01	0.03							C63
Kidney	99	3.8	3.1	5.2	0.30	0.63	59	1.4	1.8	2.5	0.14	0.29	C64
Renal pelvis	2	0.1	0.1	0.1	0.00	0.02	2	0.0	0.1	0.1	0.00	0.01	C65
Ureter	1	0.0	0.0	0.1	0.00	0.01	1	0.0	0.0	0.0	0.00	0.00	C66
†Bladder	148	5.7	4.7	8.2	0.42	0.89	45	1.1	1.4	2.1	0.07	0.26	C67
Other urinary organs	0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.0	0.0	0.00	0.00	C68
Eye	2	0.1	0.1	0.1	0.00	0.01	4	0.1	0.1	0.1	0.01	0.01	C69
Brain and nervous system	71	2.7	2.2	3.0	0.24	0.29	53	1.3	1.6	2.0	0.12	0.21	C70–72
Thyroid	110	4.2	3.5	4.8	0.36	0.49	448	10.9	13.6	15.2	1.26	1.40	C73
Adrenal gland	3	0.1	0.1	0.2	0.01	0.02	5	0.1	0.2	0.2	0.02	0.02	C74
Other endocrine	2	0.1	0.1	0.1	0.00	0.00	2	0.0	0.1	0.1	0.01	0.01	C75
Hodgkin lymphoma	109	4.2	3.4	3.6	0.27	0.29	91	2.2	2.8	2.8	0.18	0.23	C81
Non-Hodgkin lymphoma	187	7.2	5.9	8.7	0.56	0.90	157	3.8	4.8	6.1	0.42	0.70	C82–86,C96
Immunoproliferative diseases	6	0.2	0.2	0.3	0.03	0.03	13	0.3	0.4	0.5	0.05	0.06	C88
Multiple myeloma	61	2.3	1.9	3.5	0.24	0.47	47	1.1	1.4	2.0	0.11	0.26	C90
Lymphoid leukaemia	108	4.2	3.4	4.1	0.21	0.39	59	1.4	1.8	1.9	0.09	0.13	C91
Myeloid leukaemia	74	2.8	2.3	3.0	0.20	0.30	82	2.0	2.5	3.0	0.18	0.28	C92–94
Leukaemia unspecified	12	0.5	0.4	0.7	0.00	0.05	10	0.2	0.3	0.5	0.00	0.04	C95
Myeloproliferative disorders	3	0.1	0.1	0.1	0.01	0.01	11	0.3	0.3	0.4	0.03	0.05	MPD
Myelodysplastic syndromes	5	0.2	0.2	0.3	0.00	0.05	5	0.1	0.2	0.2	0.00	0.02	MPS
Other and unspecified	61	2.3	1.9	3.1	0.17	0.36	82	2.0	2.5	3.6	0.16	0.39	O&U
All sites	2624		82.9	138.0	7.27	16.10	4123		125.5	166.7	10.85	18.79	C00–96
All sites except C44	2601	100.0	82.2	136.8	7.19	15.94	4093	100.0	124.6	165.5	10.79	18.64	C00–96 exc. C44

*†See note following population pyramid

*Kuwait: Non-Kuwaitis (2013–2017)

SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	
Lip	4	0.1	0.0	0.2	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C00
Tongue	60	1.7	0.6	0.8	0.05	0.11	14	0.4	0.3	0.6	0.03	0.08	C01–02
Mouth	52	1.5	0.5	0.7	0.05	0.11	18	0.5	0.4	0.8	0.04	0.07	C03–06
Salivary glands	19	0.5	0.2	0.2	0.01	0.04	3	0.1	0.1	0.1	0.01	0.01	C07–08
Tonsil	3	0.1	0.0	0.1	0.01	0.01	1	0.0	0.0	0.0	0.00	0.00	C09
Other oropharynx	2	0.1	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C10
Nasopharynx	35	1.0	0.4	0.4	0.03	0.05	4	0.1	0.1	0.1	0.02	0.02	C11
Hypopharynx	4	0.1	0.0	0.1	0.01	0.01	5	0.1	0.1	0.2	0.01	0.01	C12–13
Pharynx unspecified	1	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C14
Oesophagus	21	0.6	0.2	0.5	0.02	0.07	8	0.2	0.2	0.4	0.03	0.05	C15
Stomach	123	3.5	1.3	3.0	0.10	0.39	54	1.6	1.1	2.4	0.11	0.34	C16
Small intestine	27	0.8	0.3	0.6	0.03	0.07	9	0.3	0.2	0.2	0.02	0.02	C17
Colon	294	8.5	3.1	6.7	0.27	0.89	143	4.2	3.0	6.9	0.36	0.89	C18
Rectum	153	4.4	1.6	2.9	0.13	0.41	81	2.4	1.7	3.6	0.19	0.42	C19–20
Anus	10	0.3	0.1	0.1	0.01	0.01	5	0.1	0.1	0.1	0.02	0.02	C21
Liver	139	4.0	1.4	3.1	0.16	0.43	30	0.9	0.6	2.2	0.05	0.21	C22
Gallbladder etc.	49	1.4	0.5	0.8	0.05	0.09	21	0.6	0.4	1.5	0.06	0.18	C23–24
Pancreas	99	2.9	1.0	2.1	0.10	0.25	55	1.6	1.1	3.5	0.15	0.40	C25
Nose, sinuses etc.	11	0.3	0.1	0.2	0.01	0.03	7	0.2	0.1	0.1	0.01	0.01	C30–31
Larynx	64	1.8	0.7	1.6	0.06	0.17	5	0.1	0.1	0.2	0.02	0.02	C32
Trachea, bronchus, and lung	282	8.1	2.9	8.5	0.25	1.00	82	2.4	1.7	4.4	0.21	0.63	C33–34
Other thoracic organs	15	0.4	0.2	0.3	0.01	0.04	5	0.1	0.1	0.3	0.01	0.06	C37–38
Bone	27	0.8	0.3	0.4	0.03	0.03	20	0.6	0.4	0.9	0.02	0.12	C40–41
Melanoma of skin	18	0.5	0.2	0.2	0.02	0.02	9	0.3	0.2	0.2	0.01	0.04	C43
Other skin	69	2.0	0.7	1.9	0.06	0.19	32	0.9	0.7	1.2	0.07	0.10	C44
Mesothelioma	23	0.7	0.2	0.5	0.02	0.10	9	0.3	0.2	0.5	0.04	0.04	C45
Kaposi sarcoma	3	0.1	0.0	0.1	0.00	0.00	2	0.1	0.0	0.2	0.00	0.03	C46
Connective and soft tissue	57	1.6	0.6	0.9	0.06	0.09	31	0.9	0.6	0.8	0.04	0.09	C47+C49
Breast	15	0.4	0.2	0.4	0.01	0.05	1408	41.4	29.2	45.3	3.16	5.22	C50
Vulva							7	0.2	0.1	0.4	0.01	0.05	C51
Vagina							4	0.1	0.1	0.2	0.00	0.02	C52
Cervix uteri							167	4.9	3.5	3.9	0.29	0.37	C53
Corpus uteri							154	4.5	3.2	6.3	0.39	0.86	C54
Uterus unspecified							12	0.4	0.2	0.5	0.02	0.10	C55
Ovary							129	3.8	2.7	4.4	0.25	0.52	C56
Other female genital organs							2	0.1	0.0	0.1	0.01	0.01	C57
Placenta							2	0.1	0.0	0.0	0.00	0.00	C58
Penis	2	0.1	0.0	0.0	0.00	0.00							C60
Prostate	301	8.7	3.1	12.8	0.29	1.50							C61
Testis	68	2.0	0.7	0.5	0.03	0.03							C62
Other male genital organs	3	0.1	0.0	0.0	0.00	0.00							C63
Kidney	107	3.1	1.1	1.6	0.09	0.20	36	1.1	0.7	1.5	0.07	0.18	C64
Renal pelvis	1	0.0	0.0	0.1	0.00	0.02	1	0.0	0.0	0.1	0.00	0.02	C65
Ureter	3	0.1	0.0	0.1	0.00	0.01	0	0.0	0.0	0.0	0.00	0.00	C66
†Bladder	235	6.8	2.4	7.0	0.22	0.76	29	0.9	0.6	2.3	0.03	0.24	C67
Other urinary organs	1	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C68
Eye	3	0.1	0.0	0.1	0.00	0.00	2	0.1	0.0	0.1	0.00	0.00	C69
Brain and nervous system	132	3.8	1.4	1.9	0.11	0.14	43	1.3	0.9	1.5	0.08	0.16	C70–72
Thyroid	161	4.6	1.7	1.7	0.11	0.20	350	10.3	7.3	6.3	0.48	0.61	C73
Adrenal gland	5	0.1	0.1	0.1	0.00	0.00	1	0.0	0.0	0.0	0.00	0.00	C74
Other endocrine	4	0.1	0.0	0.1	0.00	0.00	3	0.1	0.1	0.1	0.00	0.00	C75
Hodgkin lymphoma	108	3.1	1.1	1.6	0.08	0.12	62	1.8	1.3	1.6	0.11	0.12	C81
Non-Hodgkin lymphoma	200	5.8	2.1	2.9	0.17	0.31	109	3.2	2.3	4.0	0.27	0.50	C82–86,C96
Immunoproliferative diseases	6	0.2	0.1	0.1	0.01	0.01	5	0.1	0.1	0.2	0.03	0.03	C88
Multiple myeloma	76	2.2	0.8	1.8	0.06	0.20	39	1.1	0.8	2.2	0.10	0.35	C90
Lymphoid leukaemia	135	3.9	1.4	2.9	0.14	0.22	61	1.8	1.3	2.2	0.11	0.16	C91
Myeloid leukaemia	183	5.3	1.9	2.6	0.14	0.23	77	2.3	1.6	2.2	0.13	0.19	C92–94
Leukaemia unspecified	16	0.5	0.2	0.3	0.01	0.02	8	0.2	0.2	0.3	0.01	0.01	C95
Myeloproliferative disorders	17	0.5	0.2	0.4	0.02	0.05	4	0.1	0.1	0.2	0.00	0.02	MPD
Myelodysplastic syndromes	8	0.2	0.1	0.5	0.00	0.05	4	0.1	0.1	0.2	0.00	0.02	MPS
Other and unspecified	83	2.4	0.9	1.9	0.09	0.16	64	1.9	1.3	3.5	0.17	0.47	O&U
All sites	3537		36.8	77.8	3.13	8.90	3436		71.3	121.0	7.27	14.07	C00–96
All sites except C44	3468	100.0	36.1	75.9	3.07	8.71	3404	100.0	70.6	119.8	7.20	13.97	C00–96 exc. C44

*†See note following population pyramid

Philippines, Manila

CONTRIBUTORS

Rachael B. Rosario
 Adriano V. Laudico
 Maria Rica Mirasol-Lumague
 Edmund Cedric A. Orlina
 Cynthia A. Mapua



NOTES ON THE DATA

*No official mortality data.

†C67 (bladder cancer) includes neoplasms of uncertain or unknown behaviour together with invasive cancers.

20 major cancers, ASR (World) per 100 000

<i>Male</i>		<i>Female</i>	
Trachea, bronchus, and lung	29.6	Breast	56.1
Prostate	23.6	Cervix uteri	14.4
Colon	16.2	Thyroid	12.7
Liver	16.1	Trachea, bronchus, and lung	12.0
Rectum	10.1	Ovary	11.4
Other and unspecified	8.4	Colon	10.8
Non-Hodgkin lymphoma	4.8	Corpus uteri	9.6
Stomach	4.5	Other and unspecified	7.3
Pancreas	4.3	Rectum	5.6
Nasopharynx	4.3	Liver	5.5
Kidney	4.1	Pancreas	3.9
Thyroid	3.5	Non-Hodgkin lymphoma	3.8
Larynx	3.5	Stomach	2.8
Bladder	3.0	Uterus unspecified	2.5
Non-melanoma skin cancer	2.7	Myeloid leukaemia	2.4
Myeloid leukaemia	2.7	Non-melanoma skin cancer	2.0
Lymphoid leukaemia	2.3	Kidney	1.9
Brain and nervous system	2.3	Brain and nervous system	1.7
Oesophagus	2.2	Connective and soft tissue	1.6
Connective and soft tissue	1.7	Lymphoid leukaemia	1.6
All sites	165.5	All sites	184.1

*Philippines, Manila (2013–2017)

SITE	Male						Female						ICD-10
	§No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	0–74 (%)	§No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	0–74 (%)	
Lip	2	0.0	0.0	0.0	0.00	0.00	5	0.0	0.0	0.0	0.00	0.00	C00
Tongue	148	0.9	0.9	1.4	0.08	0.16	108	0.4	0.6	0.8	0.05	0.08	C01–02
Mouth	79	0.5	0.5	0.7	0.05	0.08	82	0.3	0.5	0.6	0.02	0.07	C03–06
Salivary glands	73	0.4	0.4	0.6	0.04	0.06	93	0.4	0.6	0.6	0.04	0.07	C07–08
Tonsil	60	0.4	0.4	0.6	0.03	0.08	20	0.1	0.1	0.1	0.01	0.01	C09
Other oropharynx	23	0.1	0.1	0.2	0.01	0.03	15	0.1	0.1	0.1	0.01	0.01	C10
Nasopharynx	548	3.3	3.3	4.3	0.30	0.48	211	0.8	1.3	1.4	0.10	0.15	C11
Hypopharynx	28	0.2	0.2	0.3	0.02	0.04	12	0.0	0.1	0.1	0.00	0.01	C12–13
Pharynx unspecified	37	0.2	0.2	0.3	0.02	0.04	16	0.1	0.1	0.1	0.01	0.01	C14
Oesophagus	218	1.3	1.3	2.2	0.10	0.29	69	0.3	0.4	0.5	0.02	0.05	C15
Stomach	434	2.6	2.6	4.5	0.20	0.54	368	1.4	2.2	2.8	0.13	0.32	C16
Small intestine	58	0.4	0.4	0.6	0.03	0.06	39	0.1	0.2	0.3	0.01	0.03	C17
Colon	1590	9.6	9.7	16.2	0.74	1.89	1451	5.5	8.6	10.8	0.52	1.23	C18
Rectum	1063	6.4	6.5	10.1	0.57	1.27	762	2.9	4.5	5.6	0.32	0.68	C19–20
Anus	19	0.1	0.1	0.2	0.01	0.01	24	0.1	0.1	0.2	0.01	0.01	C21
Liver	1672	10.1	10.2	16.1	0.88	1.93	724	2.8	4.3	5.5	0.23	0.62	C22
Gallbladder etc.	149	0.9	0.9	1.6	0.07	0.17	185	0.7	1.1	1.4	0.07	0.15	C23–24
Pancreas	418	2.5	2.5	4.3	0.21	0.49	501	1.9	3.0	3.9	0.14	0.44	C25
Nose, sinuses etc.	78	0.5	0.5	0.6	0.04	0.07	55	0.2	0.3	0.4	0.02	0.04	C30–31
Larynx	325	2.0	2.0	3.5	0.15	0.46	58	0.2	0.3	0.4	0.02	0.06	C32
Trachea, bronchus, and lung	2696	16.3	16.4	29.6	1.16	3.62	1579	6.0	9.4	12.0	0.56	1.38	C33–34
Other thoracic organs	48	0.3	0.3	0.4	0.02	0.04	54	0.2	0.3	0.4	0.02	0.05	C37–38
Bone	193	1.2	1.2	1.4	0.09	0.12	126	0.5	0.7	0.8	0.05	0.06	C40–41
Melanoma of skin	45	0.3	0.3	0.4	0.02	0.04	47	0.2	0.3	0.3	0.02	0.04	C43
Other skin	273	1.7	1.7	2.7	0.13	0.34	267	1.0	1.6	2.0	0.08	0.21	C44
Mesothelioma	2	0.0	0.0	0.0	0.00	0.00	1	0.0	0.0	0.0	0.00	0.00	C45
Kaposi sarcoma	13	0.1	0.1	0.1	0.01	0.01	1	0.0	0.0	0.0	0.00	0.00	C46
Connective and soft tissue	211	1.3	1.3	1.7	0.10	0.17	223	0.9	1.3	1.6	0.10	0.17	C47+C49
Breast	97	0.6	0.6	0.9	0.05	0.11	8133	31.1	48.3	56.1	4.09	6.41	C50
Vulva							56	0.2	0.3	0.4	0.01	0.04	C51
Vagina							27	0.1	0.2	0.2	0.01	0.02	C52
Cervix uteri							2208	8.4	13.1	14.4	1.15	1.55	C53
Corpus uteri							1390	5.3	8.3	9.6	0.77	1.16	C54
Uterus unspecified							365	1.4	2.2	2.5	0.19	0.30	C55
Ovary							1698	6.5	10.1	11.4	0.85	1.27	C56
Other female genital organs							18	0.1	0.1	0.1	0.01	0.02	C57
Placenta							17	0.1	0.1	0.1	0.01	0.01	C58
Penis	35	0.2	0.2	0.3	0.02	0.03							C60
Prostate	1867	11.3	11.4	23.6	0.57	2.53							C61
Testis	143	0.9	0.9	0.9	0.06	0.07							C62
Other male genital organs	5	0.0	0.0	0.1	0.00	0.01							C63
Kidney	445	2.7	2.7	4.1	0.27	0.50	254	1.0	1.5	1.9	0.10	0.22	C64
Renal pelvis	1	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C65
Ureter	0	0.0	0.0	0.0	0.00	0.00	4	0.0	0.0	0.0	0.00	0.00	C66
†Bladder	275	1.7	1.7	3.0	0.11	0.32	169	0.6	1.0	1.3	0.05	0.13	C67
Other urinary organs	2	0.0	0.0	0.0	0.00	0.00	4	0.0	0.0	0.0	0.00	0.00	C68
Eye	39	0.2	0.2	0.3	0.01	0.02	38	0.1	0.2	0.3	0.01	0.02	C69
Brain and nervous system	300	1.8	1.8	2.3	0.13	0.24	262	1.0	1.6	1.7	0.10	0.16	C70–72
Thyroid	464	2.8	2.8	3.5	0.25	0.39	2033	7.8	12.1	12.7	0.97	1.34	C73
Adrenal gland	7	0.0	0.0	0.0	0.00	0.00	15	0.1	0.1	0.1	0.00	0.01	C74
Other endocrine	11	0.1	0.1	0.0	0.00	0.00	11	0.0	0.1	0.1	0.00	0.01	C75
Hodgkin lymphoma	102	0.6	0.6	0.6	0.04	0.05	96	0.4	0.6	0.5	0.03	0.04	C81
Non-Hodgkin lymphoma	583	3.5	3.5	4.8	0.26	0.48	539	2.1	3.2	3.8	0.21	0.43	C82–86,C96
Immunoproliferative diseases	6	0.0	0.0	0.1	0.00	0.01	5	0.0	0.0	0.0	0.00	0.00	C88
Multiple myeloma	92	0.6	0.6	1.0	0.04	0.12	125	0.5	0.7	1.0	0.05	0.11	C90
Lymphoid leukaemia	350	2.1	2.1	2.3	0.12	0.15	227	0.9	1.3	1.6	0.08	0.10	C91
Myeloid leukaemia	349	2.1	2.1	2.7	0.15	0.24	359	1.4	2.1	2.4	0.13	0.24	C92–94
Leukaemia unspecified	211	1.3	1.3	1.6	0.09	0.13	219	0.8	1.3	1.4	0.09	0.13	C95
Myeloproliferative disorders	32	0.2	0.2	0.2	0.01	0.02	28	0.1	0.2	0.2	0.01	0.02	MPD
Myelodysplastic syndromes	23	0.1	0.1	0.3	0.01	0.02	21	0.1	0.1	0.2	0.00	0.01	MPS
Other and unspecified	864	5.2	5.3	8.4	0.40	0.99	1022	3.9	6.1	7.3	0.42	0.83	O&U
All sites	16806		102.2	165.5	7.66	18.94	26439		157.1	184.1	11.91	20.53	C00–96
All sites except C44	16533	100.0	100.6	162.8	7.54	18.60	26172	100.0	155.6	182.2	11.83	20.32	C00–96 exc.C44

§Includes 14 cases of unknown age


§Includes 17 cases of unknown age

*†See note following population pyramid

Qatar: Qatari

CONTRIBUTORS

Amid Abu Hmaidan
Al Hareth M. Al Khater



NOTES ON THE DATA

*Rates based on low numbers due to small population.

†C67 (bladder cancer) includes neoplasms of uncertain or unknown behaviour together with invasive cancers.

10 major cancers, ASR (World) per 100 000

<i>Male</i>		<i>Female</i>	
Prostate	25.5	Breast	61.2
Colon	17.2	Corpus uteri	13.7
Trachea, bronchus, and lung	16.2	Colon	12.7
Bladder	9.6	Thyroid	11.8
Liver	9.3	Ovary	7.8
Non-Hodgkin lymphoma	8.4	Rectum	6.6
Brain and nervous system	6.9	Liver	5.2
Rectum	4.9	Trachea, bronchus, and lung	5.1
Lymphoid leukaemia	4.7	Cervix uteri	5.1
Stomach	4.7	Uterus unspecified	3.9
All sites	159.1	All sites	179.8

*Qatar: Qatari (2013–2017)

SITE	Male						Female						ICD-10
	§No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	0–74 (%)	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	0–74 (%)	
Lip	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C00
Tongue	6	0.9	0.9	1.3	0.10	0.16	2	0.2	0.3	0.5	0.01	0.07	C01–02
Mouth	5	0.8	0.7	1.2	0.06	0.14	4	0.5	0.6	1.0	0.02	0.16	C03–06
Salivary glands	2	0.3	0.3	0.4	0.04	0.04	3	0.3	0.4	0.4	0.03	0.03	C07–08
Tonsil	3	0.5	0.4	0.8	0.05	0.11	0	0.0	0.0	0.0	0.00	0.00	C09
Other oropharynx	4	0.6	0.6	1.0	0.11	0.11	0	0.0	0.0	0.0	0.00	0.00	C10
Nasopharynx	11	1.7	1.6	2.6	0.23	0.31	2	0.2	0.3	0.3	0.03	0.03	C11
Hypopharynx	3	0.5	0.4	0.7	0.08	0.08	0	0.0	0.0	0.0	0.00	0.00	C12–13
Pharynx unspecified	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C14
Oesophagus	2	0.3	0.3	0.5	0.03	0.03	3	0.3	0.4	0.8	0.00	0.07	C15
Stomach	19	2.9	2.7	4.7	0.15	0.70	18	2.1	2.5	3.7	0.13	0.30	C16
Small intestine	4	0.6	0.6	1.0	0.07	0.13	3	0.3	0.4	0.7	0.04	0.09	C17
Colon	67	10.1	9.5	17.2	0.88	2.08	61	7.1	8.5	12.7	1.05	1.51	C18
Rectum	21	3.2	3.0	4.9	0.29	0.52	28	3.2	3.9	6.6	0.33	0.93	C19–20
Anus	3	0.5	0.4	0.8	0.02	0.08	0	0.0	0.0	0.0	0.00	0.00	C21
Liver	34	5.1	4.8	9.3	0.43	1.07	21	2.4	2.9	5.2	0.21	0.58	C22
Gallbladder etc.	5	0.8	0.7	1.4	0.05	0.21	8	0.9	1.1	2.3	0.05	0.34	C23–24
Pancreas	16	2.4	2.3	4.1	0.18	0.53	13	1.5	1.8	3.1	0.10	0.47	C25
Nose, sinuses etc.	2	0.3	0.3	0.4	0.04	0.04	1	0.1	0.1	0.2	0.01	0.01	C30–31
Larynx	9	1.4	1.3	2.0	0.11	0.11	1	0.1	0.1	0.3	0.03	0.03	C32
Trachea, bronchus, and lung	63	9.5	9.0	16.2	0.96	2.05	22	2.6	3.1	5.1	0.16	0.58	C33–34
Other thoracic organs	2	0.3	0.3	0.4	0.01	0.01	2	0.2	0.3	0.3	0.03	0.03	C37–38
Bone	7	1.1	1.0	1.2	0.07	0.13	3	0.3	0.4	0.4	0.03	0.03	C40–41
Melanoma of skin	2	0.3	0.3	0.4	0.01	0.01	5	0.6	0.7	0.9	0.05	0.05	C43
Other skin	16	2.4	2.3	3.9	0.19	0.52	12	1.4	1.7	2.9	0.09	0.27	C44
Mesothelioma	1	0.2	0.1	0.2	0.03	0.03	0	0.0	0.0	0.0	0.00	0.00	C45
Kaposi sarcoma	3	0.5	0.4	0.6	0.01	0.01	0	0.0	0.0	0.0	0.00	0.00	C46
Connective and soft tissue	11	1.7	1.6	1.5	0.10	0.10	13	1.5	1.8	2.4	0.13	0.26	C47+C49
Breast	4	0.6	0.6	0.8	0.05	0.05	305	35.4	42.5	61.2	4.56	7.17	C50
Vulva							1	0.1	0.1	0.3	0.03	0.03	C51
Vagina							1	0.1	0.1	0.3	0.00	0.06	C52
Cervix uteri							23	2.7	3.2	5.1	0.34	0.66	C53
Corpus uteri							59	6.8	8.2	13.7	0.98	1.70	C54
Uterus unspecified							17	2.0	2.4	3.9	0.28	0.59	C55
Ovary							37	4.3	5.2	7.8	0.44	0.94	C56
Other female genital organs							1	0.1	0.1	0.2	0.02	0.02	C57
Placenta							0	0.0	0.0	0.0	0.00	0.00	C58
Penis		0.3	0.3	0.7	0.00	0.14							C60
Prostate	88	13.3	12.5	25.5	1.09	3.19							C61
Testis	18	2.7	2.6	2.5	0.19	0.19							C62
Other male genital organs	2	0.3	0.3	0.6	0.04	0.04							C63
Kidney	15	2.3	2.1	3.3	0.25	0.32	18	2.1	2.5	3.5	0.24	0.42	C64
Renal pelvis	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C65
Ureter	1	0.2	0.1	0.3	0.04	0.04	0	0.0	0.0	0.0	0.00	0.00	C66
†Bladder	35	5.3	5.0	9.6	0.28	1.14	9	1.0	1.3	2.3	0.08	0.28	C67
Other urinary organs	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C68
Eye	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C69
Brain and nervous system	33	5.0	4.7	6.9	0.36	0.93	19	2.2	2.6	3.2	0.23	0.29	C70–72
Thyroid	13	2.0	1.9	2.7	0.12	0.26	66	7.7	9.2	11.8	0.84	1.32	C73
Adrenal gland	4	0.6	0.6	0.5	0.03	0.03	3	0.3	0.4	0.4	0.02	0.02	C74
Other endocrine	0	0.0	0.0	0.0	0.00	0.00	1	0.1	0.1	0.2	0.02	0.02	C75
Hodgkin lymphoma	30	4.5	4.3	4.6	0.32	0.32	17	2.0	2.4	2.5	0.18	0.18	C81
Non-Hodgkin lymphoma	40	6.0	5.7	8.4	0.50	0.89	20	2.3	2.8	3.7	0.30	0.35	C82–86,C96
Immunoproliferative diseases	1	0.2	0.1	0.2	0.02	0.02	3	0.3	0.4	0.5	0.06	0.06	C88
Multiple myeloma	7	1.1	1.0	1.5	0.07	0.07	5	0.6	0.7	1.0	0.06	0.12	C90
Lymphoid leukaemia	26	3.9	3.7	4.7	0.22	0.51	13	1.5	1.8	2.1	0.11	0.17	C91
Myeloid leukaemia	17	2.6	2.4	2.9	0.19	0.19	13	1.5	1.8	2.1	0.15	0.23	C92–94
Leukaemia unspecified	0	0.0	0.0	0.0	0.00	0.00	1	0.1	0.1	0.3	0.00	0.06	C95
Myeloproliferative disorders	15	2.3	2.1	3.0	0.22	0.39	7	0.8	1.0	1.1	0.08	0.08	MPD
Myelodysplastic syndromes	2	0.3	0.3	0.6	0.07	0.07	1	0.1	0.1	0.3	0.00	0.06	MPS
Other and unspecified	6	0.9	0.9	1.1	0.03	0.09	9	1.0	1.3	2.2	0.08	0.27	O&U
All sites	680		96.9	159.1	8.38	18.15	874		121.8	179.8	11.67	20.96	C00–96
All sites except C44	664	100.0	94.6	155.2	8.19	17.63	862	100.0	120.1	176.9	11.58	20.69	C00–96 exc.C44


§Includes 2 cases of unknown age

*†See note following population pyramid

Singapore

CONTRIBUTORS

Ling Li Foo
Bee Guat Lee
Eric Lee
Simin Kuo




NOTES ON THE DATA

†C67 (bladder cancer) includes neoplasms of uncertain or unknown behaviour together with invasive cancers.

20 major cancers, ASR (World) per 100 000

<i>Male</i>		<i>Female</i>	
Trachea, bronchus, and lung	32.9	Breast	69.3
Prostate	32.3	Colon	18.2
Colon	22.7	Corpus uteri	16.9
Liver	18.0	Trachea, bronchus, and lung	15.6
Rectum	15.5	Thyroid	10.3
Non-melanoma skin cancer	12.4	Ovary	10.1
Non-Hodgkin lymphoma	10.0	Rectum	8.9
Stomach	9.9	Non-melanoma skin cancer	8.1
Kidney	8.5	Cervix uteri	7.1
Bladder	7.9	Non-Hodgkin lymphoma	6.7
Nasopharynx	7.5	Stomach	5.9
Pancreas	6.9	Liver	5.4
Thyroid	3.7	Pancreas	5.3
Myeloid leukaemia	3.5	Kidney	4.0
Lymphoid leukaemia	3.1	Myeloid leukaemia	2.6
Oesophagus	3.1	Nasopharynx	2.6
Brain and nervous system	3.0	Other and unspecified	2.5
Other and unspecified	2.9	Brain and nervous system	2.4
Larynx	2.6	Gallbladder etc.	2.1
Myeloproliferative disorders	2.6	Lymphoid leukaemia	1.9
All sites	236.7	All sites	225.1

**NOTES ON THE DATA**


†C67 (bladder cancer) includes neoplasms of uncertain or unknown behaviour together with invasive cancers.

10 major cancers, ASR (World) per 100 000**Male**

Prostate	33.8
Trachea, bronchus, and lung	33.5
Colon	24.3
Liver	18.9
Rectum	16.3
Non-melanoma skin cancer	12.2
Stomach	10.7
Non-Hodgkin lymphoma	9.3
Kidney	9.1
Nasopharynx	8.8
All sites	243.8

Female

Breast	70.3
Colon	19.1
Corpus uteri	17.1
Trachea, bronchus, and lung	16.6
Thyroid	10.3
Ovary	9.8
Rectum	8.9
Non-melanoma skin cancer	8.5
Cervix uteri	7.0
Stomach	6.4
All sites	228.1

**NOTES ON THE DATA**


†C67 (bladder cancer) includes neoplasms of uncertain or unknown behaviour together with invasive cancers.

10 major cancers, ASR (World) per 100 000**Male**

Prostate	20.6
Trachea, bronchus, and lung	19.1
Colon	11.8
Liver	11.7
Rectum	9.0
Non-Hodgkin lymphoma	7.3
Stomach	6.7
Bladder	6.5
Kidney	6.2
Pancreas	4.2
All sites	154.4

Female

Breast	65.6
Corpus uteri	17.5
Thyroid	9.9
Colon	9.1
Ovary	8.6
Rectum	6.6
Trachea, bronchus, and lung	6.4
Non-Hodgkin lymphoma	5.8
Pancreas	4.8
Cervix uteri	4.2
All sites	185.1

**NOTES ON THE DATA**

†C67 (bladder cancer) includes neoplasms of uncertain or unknown behaviour together with invasive cancers.

10 major cancers, ASR (World) per 100 000**Male**

Trachea, bronchus, and lung	37.3
Prostate	22.6
Colon	18.1
Non-Hodgkin lymphoma	15.8
Liver	15.7
Rectum	13.8
Bladder	8.7
Kidney	6.4
Stomach	5.9
Nasopharynx	5.4
All sites	210.3

Female

Breast	64.8
Corpus uteri	17.5
Colon	16.0
Ovary	13.9
Trachea, bronchus, and lung	12.5
Non-Hodgkin lymphoma	10.4
Thyroid	9.5
Rectum	9.0
Cervix uteri	8.7
Liver	5.7
All sites	218.7

Singapore (2013–2017)

SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	
Lip	5	0.0	0.1	0.0	0.00	0.00	1	0.0	0.0	0.0	0.00	0.00	C00
Tongue	258	0.8	2.7	1.8	0.12	0.21	156	0.4	1.6	1.0	0.07	0.11	C01–02
Mouth	164	0.5	1.7	1.1	0.05	0.13	104	0.3	1.0	0.6	0.03	0.07	C03–06
Salivary glands	112	0.3	1.2	0.8	0.05	0.08	91	0.3	0.9	0.6	0.04	0.06	C07–08
Tonsil	95	0.3	1.0	0.6	0.05	0.08	31	0.1	0.3	0.2	0.01	0.02	C09
Other oropharynx	57	0.2	0.6	0.4	0.02	0.04	6	0.0	0.1	0.0	0.00	0.00	C10
Nasopharynx	1088	3.3	11.4	7.5	0.60	0.84	381	1.1	3.8	2.6	0.20	0.28	C11
Hypopharynx	114	0.3	1.2	0.7	0.03	0.08	12	0.0	0.1	0.1	0.00	0.01	C12–13
Pharynx unspecified	4	0.0	0.0	0.0	0.00	0.00	1	0.0	0.0	0.0	0.00	0.00	C14
Oesophagus	472	1.4	4.9	3.1	0.14	0.39	96	0.3	1.0	0.5	0.02	0.04	C15
Stomach	1515	4.6	15.8	9.9	0.39	1.08	1102	3.2	11.1	5.9	0.26	0.60	C16
Small intestine	166	0.5	1.7	1.1	0.06	0.12	121	0.3	1.2	0.7	0.04	0.08	C17
Colon	3449	10.4	36.0	22.7	1.01	2.67	3271	9.4	32.9	18.2	0.86	2.01	C18
Rectum	2344	7.1	24.5	15.5	0.85	1.91	1538	4.4	15.5	8.9	0.50	1.01	C19–20
Anus	107	0.3	1.1	0.7	0.04	0.10	73	0.2	0.7	0.4	0.02	0.04	C21
Liver	2751	8.3	28.7	18.0	0.87	2.13	1022	2.9	10.3	5.4	0.17	0.56	C22
Gallbladder etc.	362	1.1	3.8	2.4	0.10	0.29	378	1.1	3.8	2.1	0.08	0.24	C23–24
Pancreas	1062	3.2	11.1	6.9	0.31	0.82	942	2.7	9.5	5.3	0.25	0.61	C25
Nose, sinuses etc.	111	0.3	1.2	0.8	0.05	0.09	65	0.2	0.7	0.4	0.03	0.04	C30–31
Larynx	407	1.2	4.2	2.6	0.13	0.33	34	0.1	0.3	0.2	0.01	0.02	C32
Trachea, bronchus, and lung	5055	15.3	52.7	32.9	1.20	3.78	2830	8.1	28.5	15.6	0.73	1.71	C33–34
Other thoracic organs	169	0.5	1.8	1.4	0.09	0.14	103	0.3	1.0	0.6	0.04	0.08	C37–38
Bone	76	0.2	0.8	0.8	0.05	0.07	68	0.2	0.7	0.7	0.04	0.05	C40–41
Melanoma of skin	107	0.3	1.1	0.7	0.04	0.07	63	0.2	0.6	0.4	0.03	0.05	C43
Other skin	1882	5.7	19.6	12.4	0.49	1.27	1518	4.4	15.3	8.1	0.29	0.78	C44
Mesothelioma	86	0.3	0.9	0.6	0.02	0.07	23	0.1	0.2	0.1	0.01	0.02	C45
Kaposi sarcoma	25	0.1	0.3	0.2	0.02	0.02	0	0.0	0.0	0.0	0.00	0.00	C46
Connective and soft tissue	261	0.8	2.7	2.0	0.13	0.21	215	0.6	2.2	1.6	0.09	0.16	C47+C49
Breast	38	0.1	0.4	0.3	0.01	0.03	10741	30.9	108.1	69.3	5.27	7.74	C50
Vulva							118	0.3	1.2	0.7	0.03	0.08	C51
Vagina							61	0.2	0.6	0.4	0.02	0.05	C52
Cervix uteri							1083	3.1	10.9	7.1	0.52	0.76	C53
Corpus uteri							2609	7.5	26.3	16.9	1.35	1.91	C54
Uterus unspecified							7	0.0	0.1	0.0	0.00	0.00	C55
Ovary							1489	4.3	15.0	10.1	0.78	1.04	C56
Other female genital organs							48	0.1	0.5	0.3	0.02	0.03	C57
Placenta							18	0.1	0.2	0.2	0.01	0.01	C58
Penis	67	0.2	0.7	0.5	0.02	0.06							C60
Prostate	4908	14.8	51.2	32.3	0.99	4.28							C61
Testis	206	0.6	2.1	2.1	0.15	0.15							C62
Other male genital organs	70	0.2	0.7	0.4	0.02	0.05							C63
Kidney	1250	3.8	13.0	8.5	0.51	1.01	625	1.8	6.3	4.0	0.23	0.46	C64
Renal pelvis	98	0.3	1.0	0.7	0.02	0.08	63	0.2	0.6	0.3	0.01	0.03	C65
Ureter	82	0.2	0.9	0.5	0.02	0.06	66	0.2	0.7	0.3	0.01	0.04	C66
†Bladder	1214	3.7	12.7	7.9	0.30	0.87	349	1.0	3.5	1.9	0.08	0.21	C67
Other urinary organs	5	0.0	0.1	0.0	0.00	0.00	9	0.0	0.1	0.0	0.00	0.01	C68
Eye	27	0.1	0.3	0.3	0.02	0.02	25	0.1	0.3	0.3	0.02	0.02	C69
Brain and nervous system	360	1.1	3.8	3.0	0.18	0.28	284	0.8	2.9	2.4	0.14	0.20	C70–72
Thyroid	505	1.5	5.3	3.7	0.28	0.39	1434	4.1	14.4	10.3	0.78	1.01	C73
Adrenal gland	26	0.1	0.3	0.3	0.01	0.02	23	0.1	0.2	0.3	0.02	0.02	C74
Other endocrine	29	0.1	0.3	0.3	0.02	0.02	20	0.1	0.2	0.1	0.01	0.01	C75
Hodgkin lymphoma	99	0.3	1.0	1.0	0.06	0.08	93	0.3	0.9	1.0	0.07	0.07	C81
Non-Hodgkin lymphoma	1351	4.1	14.1	10.0	0.55	1.08	991	2.8	10.0	6.7	0.38	0.72	C82–86,C96
Immunoproliferative diseases	124	0.4	1.3	0.8	0.05	0.10	116	0.3	1.2	0.7	0.05	0.08	C88
Multiple myeloma	301	0.9	3.1	2.0	0.10	0.25	257	0.7	2.6	1.5	0.07	0.16	C90
Lymphoid leukaemia	270	0.8	2.8	3.1	0.16	0.22	176	0.5	1.8	1.9	0.10	0.14	C91
Myeloid leukaemia	454	1.4	4.7	3.5	0.19	0.34	358	1.0	3.6	2.6	0.15	0.24	C92–94
Leukaemia unspecified	26	0.1	0.3	0.2	0.01	0.02	22	0.1	0.2	0.1	0.01	0.01	C95
Myeloproliferative disorders	381	1.2	4.0	2.6	0.14	0.30	270	0.8	2.7	1.7	0.10	0.19	MPD
Myelodysplastic syndromes	306	0.9	3.2	2.0	0.06	0.20	231	0.7	2.3	1.2	0.04	0.12	MPS
Other and unspecified	433	1.3	4.5	2.9	0.11	0.27	464	1.3	4.7	2.5	0.10	0.23	O&U
All sites	34934		364.5	236.7	10.86	27.22	36295		365.4	225.1	14.21	24.26	C00–96
All sites except C44	33052	100.0	344.9	224.3	10.37	25.95	34777	100.0	350.1	217.0	13.93	23.48	C00–96 exc. C44

†See note following population pyramid

Singapore: Chinese (2013–2017)

SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	
Lip	4	0.0	0.1	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C00
Tongue	214	0.8	3.0	1.9	0.13	0.22	106	0.4	1.4	0.9	0.06	0.09	C01–02
Mouth	130	0.5	1.8	1.1	0.06	0.13	69	0.2	0.9	0.5	0.02	0.06	C03–06
Salivary glands	94	0.3	1.3	0.9	0.05	0.09	73	0.3	1.0	0.6	0.04	0.06	C07–08
Tonsil	74	0.3	1.0	0.6	0.05	0.08	26	0.1	0.4	0.2	0.01	0.02	C09
Other oropharynx	43	0.2	0.6	0.4	0.02	0.04	5	0.0	0.1	0.0	0.00	0.00	C10
Nasopharynx	975	3.5	13.8	8.8	0.70	0.97	344	1.2	4.6	3.0	0.24	0.32	C11
Hypopharynx	104	0.4	1.5	0.8	0.04	0.09	8	0.0	0.1	0.1	0.00	0.01	C12–13
Pharynx unspecified	3	0.0	0.0	0.0	0.00	0.00	1	0.0	0.0	0.0	0.00	0.00	C14
Oesophagus	418	1.5	5.9	3.4	0.16	0.42	85	0.3	1.1	0.5	0.02	0.05	C15
Stomach	1333	4.8	18.8	10.7	0.41	1.16	989	3.5	13.3	6.4	0.27	0.64	C16
Small intestine	133	0.5	1.9	1.1	0.06	0.12	87	0.3	1.2	0.6	0.03	0.07	C17
Colon	2993	10.8	42.3	24.3	1.08	2.84	2838	10.0	38.2	19.1	0.90	2.10	C18
Rectum	1977	7.2	27.9	16.3	0.90	2.01	1263	4.4	17.0	8.9	0.51	1.01	C19–20
Anus	87	0.3	1.2	0.7	0.04	0.10	60	0.2	0.8	0.4	0.02	0.04	C21
Liver	2329	8.4	32.9	18.9	0.90	2.21	873	3.1	11.8	5.5	0.17	0.57	C22
Gallbladder etc.	298	1.1	4.2	2.4	0.10	0.29	312	1.1	4.2	2.0	0.08	0.23	C23–24
Pancreas	915	3.3	12.9	7.3	0.33	0.86	812	2.9	10.9	5.5	0.26	0.64	C25
Nose, sinuses etc.	97	0.4	1.4	0.9	0.05	0.10	59	0.2	0.8	0.5	0.04	0.05	C30–31
Larynx	335	1.2	4.7	2.7	0.13	0.33	29	0.1	0.4	0.2	0.01	0.02	C32
Trachea, bronchus, and lung	4213	15.3	59.5	33.5	1.20	3.79	2485	8.8	33.5	16.6	0.78	1.83	C33–34
Other thoracic organs	141	0.5	2.0	1.4	0.09	0.14	87	0.3	1.2	0.7	0.04	0.08	C37–38
Bone	59	0.2	0.8	0.8	0.05	0.07	50	0.2	0.7	0.7	0.04	0.05	C40–41
Melanoma of skin	59	0.2	0.8	0.5	0.03	0.04	51	0.2	0.7	0.4	0.03	0.05	C43
Other skin	1518	5.5	21.5	12.2	0.42	1.20	1338	4.7	18.0	8.5	0.28	0.82	C44
Mesothelioma	81	0.3	1.1	0.6	0.02	0.08	16	0.1	0.2	0.1	0.01	0.01	C45
Kaposi sarcoma	15	0.1	0.2	0.2	0.01	0.01	0	0.0	0.0	0.0	0.00	0.00	C46
Connective and soft tissue	197	0.7	2.8	2.0	0.12	0.20	174	0.6	2.3	1.6	0.09	0.16	C47+C49
Breast	29	0.1	0.4	0.3	0.01	0.03	8604	30.3	115.9	70.3	5.37	7.82	C50
Vulva							102	0.4	1.4	0.7	0.03	0.08	C51
Vagina							54	0.2	0.7	0.4	0.02	0.05	C52
Cervix uteri							850	3.0	11.4	7.0	0.52	0.76	C53
Corpus uteri							2075	7.3	28.0	17.1	1.37	1.91	C54
Uterus unspecified							6	0.0	0.1	0.1	0.00	0.01	C55
Ovary							1130	4.0	15.2	9.8	0.77	1.00	C56
Other female genital organs							27	0.1	0.4	0.2	0.02	0.02	C57
Placenta							14	0.0	0.2	0.2	0.01	0.01	C58
Penis	55	0.2	0.8	0.5	0.02	0.06							C60
Prostate	4229	15.3	59.8	33.8	1.05	4.49							C61
Testis	129	0.5	1.8	1.8	0.13	0.13							C62
Other male genital organs	62	0.2	0.9	0.5	0.03	0.06							C63
Kidney	1063	3.9	15.0	9.1	0.55	1.07	518	1.8	7.0	4.2	0.25	0.47	C64
Renal pelvis	87	0.3	1.2	0.7	0.02	0.09	55	0.2	0.7	0.3	0.01	0.03	C65
Ureter	73	0.3	1.0	0.6	0.02	0.06	57	0.2	0.8	0.4	0.01	0.04	C66
†Bladder	973	3.5	13.8	7.8	0.29	0.86	292	1.0	3.9	1.9	0.08	0.20	C67
Other urinary organs	4	0.0	0.1	0.0	0.00	0.00	8	0.0	0.1	0.1	0.01	0.01	C68
Eye	21	0.1	0.3	0.3	0.02	0.02	20	0.1	0.3	0.3	0.01	0.02	C69
Brain and nervous system	274	1.0	3.9	3.0	0.17	0.28	219	0.8	2.9	2.3	0.14	0.20	C70–72
Thyroid	394	1.4	5.6	3.7	0.28	0.40	1123	4.0	15.1	10.3	0.79	1.03	C73
Adrenal gland	20	0.1	0.3	0.3	0.01	0.02	19	0.1	0.3	0.3	0.02	0.02	C74
Other endocrine	25	0.1	0.4	0.4	0.02	0.03	16	0.1	0.2	0.1	0.01	0.01	C75
Hodgkin lymphoma	61	0.2	0.9	0.8	0.05	0.06	57	0.2	0.8	0.9	0.06	0.06	C81
Non-Hodgkin lymphoma	997	3.6	14.1	9.3	0.50	1.01	747	2.6	10.1	6.2	0.35	0.66	C82–86,C96
Immunoproliferative diseases	98	0.4	1.4	0.8	0.05	0.10	99	0.3	1.3	0.8	0.05	0.08	C88
Multiple myeloma	211	0.8	3.0	1.7	0.07	0.22	168	0.6	2.3	1.1	0.05	0.13	C90
Lymphoid leukaemia	203	0.7	2.9	3.0	0.15	0.22	131	0.5	1.8	1.7	0.09	0.14	C91
Myeloid leukaemia	351	1.3	5.0	3.5	0.19	0.33	285	1.0	3.8	2.6	0.15	0.24	C92–94
Leukaemia unspecified	22	0.1	0.3	0.2	0.01	0.02	16	0.1	0.2	0.1	0.01	0.01	C95
Myeloproliferative disorders	282	1.0	4.0	2.4	0.13	0.28	202	0.7	2.7	1.5	0.08	0.17	MPD
Myelodysplastic syndromes	252	0.9	3.6	2.0	0.06	0.21	198	0.7	2.7	1.3	0.04	0.13	MPS
Other and unspecified	360	1.3	5.1	3.0	0.12	0.29	390	1.4	5.3	2.5	0.10	0.22	O&U
All sites	29114		411.5	243.8	11.08	27.94	29722		400.4	228.1	14.39	24.54	C00–96
All sites except C44	27596	100.0	390.0	231.6	10.67	26.74	28384	100.0	382.3	219.7	14.11	23.72	C00–96 exc. C44

†See note following population pyramid

Singapore: Indian (2013–2017)

SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	
Lip	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C00
Tongue	20	1.3	2.2	1.9	0.13	0.26	24	1.2	2.8	2.1	0.16	0.26	C01–02
Mouth	23	1.4	2.5	2.1	0.09	0.24	27	1.4	3.1	2.3	0.13	0.23	C03–06
Salivary glands	2	0.1	0.2	0.1	0.01	0.01	6	0.3	0.7	0.5	0.04	0.04	C07–08
Tonsil	10	0.6	1.1	0.7	0.07	0.07	3	0.2	0.3	0.3	0.03	0.03	C09
Other oropharynx	10	0.6	1.1	1.0	0.04	0.13	0	0.0	0.0	0.0	0.00	0.00	C10
Nasopharynx	14	0.9	1.5	1.2	0.09	0.17	2	0.1	0.2	0.2	0.01	0.01	C11
Hypopharynx	8	0.5	0.9	0.7	0.04	0.06	1	0.1	0.1	0.1	0.00	0.03	C12–13
Pharynx unspecified	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C14
Oesophagus	25	1.6	2.7	2.3	0.12	0.31	5	0.3	0.6	0.4	0.02	0.06	C15
Stomach	77	4.8	8.5	6.7	0.35	0.76	43	2.2	5.0	3.9	0.30	0.45	C16
Small intestine	18	1.1	2.0	1.5	0.10	0.16	21	1.1	2.4	2.0	0.12	0.25	C17
Colon	125	7.9	13.7	11.8	0.56	1.54	100	5.2	11.6	9.1	0.41	1.04	C18
Rectum	97	6.1	10.6	9.0	0.51	1.12	72	3.7	8.3	6.6	0.36	0.72	C19–20
Anus	5	0.3	0.5	0.5	0.03	0.09	1	0.1	0.1	0.1	0.01	0.01	C21
Liver	124	7.8	13.6	11.7	0.61	1.44	36	1.9	4.2	3.2	0.09	0.27	C22
Gallbladder etc.	21	1.3	2.3	2.1	0.09	0.24	31	1.6	3.6	3.0	0.13	0.38	C23–24
Pancreas	47	3.0	5.2	4.2	0.22	0.45	50	2.6	5.8	4.8	0.23	0.54	C25
Nose, sinuses etc.	5	0.3	0.5	0.6	0.03	0.04	4	0.2	0.5	0.3	0.02	0.02	C30–31
Larynx	32	2.0	3.5	3.2	0.10	0.44	3	0.2	0.3	0.2	0.01	0.01	C32
Trachea, bronchus, and lung	197	12.4	21.6	19.1	0.80	2.51	68	3.5	7.9	6.4	0.23	0.78	C33–34
Other thoracic organs	6	0.4	0.7	0.5	0.05	0.05	1	0.1	0.1	0.1	0.00	0.02	C37–38
Bone	5	0.3	0.5	0.7	0.04	0.07	6	0.3	0.7	0.7	0.04	0.04	C40–41
Melanoma of skin	4	0.3	0.4	0.4	0.01	0.08	1	0.1	0.1	0.1	0.01	0.01	C43
Other skin	28	1.8	3.1	2.6	0.09	0.29	31	1.6	3.6	2.6	0.12	0.26	C44
Mesothelioma	2	0.1	0.2	0.2	0.02	0.02	2	0.1	0.2	0.2	0.01	0.01	C45
Kaposi sarcoma	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C46
Connective and soft tissue	24	1.5	2.6	2.4	0.14	0.26	12	0.6	1.4	1.3	0.08	0.13	C47+C49
Breast	6	0.4	0.7	0.5	0.04	0.04	716	36.9	82.9	65.6	4.75	7.59	C50
Vulva							4	0.2	0.5	0.3	0.03	0.03	C51
Vagina							2	0.1	0.2	0.2	0.01	0.03	C52
Cervix uteri							45	2.3	5.2	4.2	0.26	0.44	C53
Corpus uteri							193	10.0	22.3	17.5	1.40	2.23	C54
Uterus unspecified							1	0.1	0.1	0.1	0.01	0.01	C55
Ovary							91	4.7	10.5	8.6	0.58	0.92	C56
Other female genital organs							8	0.4	0.9	0.8	0.05	0.12	C57
Placenta							0	0.0	0.0	0.0	0.00	0.00	C58
Penis	5	0.3	0.5	0.5	0.03	0.08							C60
Prostate	205	12.9	22.5	20.6	0.64	2.73							C61
Testis	25	1.6	2.7	2.9	0.20	0.20							C62
Other male genital organs	1	0.1	0.1	0.1	0.00	0.00							C63
Kidney	71	4.5	7.8	6.2	0.37	0.74	31	1.6	3.6	2.9	0.16	0.41	C64
Renal pelvis	3	0.2	0.3	0.3	0.01	0.03	1	0.1	0.1	0.1	0.01	0.01	C65
Ureter	3	0.2	0.3	0.2	0.00	0.00	4	0.2	0.5	0.4	0.01	0.04	C66
†Bladder	69	4.3	7.6	6.5	0.26	0.78	27	1.4	3.1	2.5	0.11	0.36	C67
Other urinary organs	0	0.0	0.0	0.0	0.00	0.00	1	0.1	0.1	0.1	0.01	0.01	C68
Eye	0	0.0	0.0	0.0	0.00	0.00	1	0.1	0.1	0.3	0.01	0.01	C69
Brain and nervous system	32	2.0	3.5	3.1	0.21	0.30	23	1.2	2.7	3.0	0.15	0.19	C70–72
Thyroid	28	1.8	3.1	2.5	0.16	0.29	104	5.4	12.0	9.9	0.67	1.04	C73
Adrenal gland	0	0.0	0.0	0.0	0.00	0.00	2	0.1	0.2	0.4	0.02	0.02	C74
Other endocrine	1	0.1	0.1	0.1	0.01	0.01	1	0.1	0.1	0.2	0.01	0.01	C75
Hodgkin lymphoma	15	0.9	1.6	1.5	0.11	0.14	7	0.4	0.8	0.9	0.06	0.06	C81
Non-Hodgkin lymphoma	74	4.7	8.1	7.3	0.39	0.80	54	2.8	6.3	5.8	0.33	0.58	C82–86,C96
Immunoproliferative diseases	7	0.4	0.8	0.5	0.05	0.05	0	0.0	0.0	0.0	0.00	0.00	C88
Multiple myeloma	26	1.6	2.9	2.2	0.12	0.22	23	1.2	2.7	2.2	0.13	0.21	C90
Lymphoid leukaemia	27	1.7	3.0	3.7	0.19	0.25	16	0.8	1.9	2.6	0.14	0.18	C91
Myeloid leukaemia	24	1.5	2.6	2.0	0.13	0.20	21	1.1	2.4	2.1	0.11	0.20	C92–94
Leukaemia unspecified	1	0.1	0.1	0.1	0.01	0.01	2	0.1	0.2	0.2	0.02	0.02	C95
Myeloproliferative disorders	18	1.1	2.0	1.6	0.11	0.18	13	0.7	1.5	1.2	0.07	0.17	MPD
Myelodysplastic syndromes	18	1.1	2.0	1.6	0.06	0.15	10	0.5	1.2	0.9	0.05	0.08	MPS
Other and unspecified	30	1.9	3.3	2.6	0.13	0.23	18	0.9	2.1	1.8	0.07	0.21	O&U
All sites	1618		177.6	154.4	7.57	18.24	1969		227.9	185.1	11.81	20.76	C00–96
All sites except C44	1590	100.0	174.5	151.8	7.48	17.95	1938	100.0	224.3	182.4	11.70	20.50	C00–96 exc. C44

†See note following population pyramid

Singapore: Malay (2013–2017)


SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	
Lip	1	0.0	0.1	0.1	0.01	0.01	0	0.0	0.0	0.0	0.00	0.00	C00
Tongue	13	0.4	1.0	0.8	0.06	0.11	21	0.6	1.6	1.1	0.10	0.12	C01–02
Mouth	8	0.3	0.6	0.6	0.02	0.10	6	0.2	0.5	0.3	0.04	0.04	C03–06
Salivary glands	11	0.4	0.8	0.7	0.03	0.06	9	0.2	0.7	0.6	0.04	0.06	C07–08
Tonsil	6	0.2	0.5	0.4	0.02	0.08	2	0.1	0.2	0.1	0.01	0.02	C09
Other oropharynx	2	0.1	0.2	0.1	0.01	0.01	1	0.0	0.1	0.0	0.00	0.00	C10
Nasopharynx	89	2.9	6.9	5.4	0.41	0.59	31	0.8	2.4	1.9	0.16	0.19	C11
Hypopharynx	2	0.1	0.2	0.2	0.00	0.02	1	0.0	0.1	0.0	0.01	0.01	C12–13
Pharynx unspecified	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C14
Oesophagus	25	0.8	1.9	1.6	0.08	0.18	4	0.1	0.3	0.2	0.01	0.02	C15
Stomach	90	2.9	6.9	5.9	0.32	0.64	51	1.4	3.9	2.8	0.16	0.34	C16
Small intestine	15	0.5	1.2	1.0	0.04	0.13	11	0.3	0.8	0.7	0.04	0.08	C17
Colon	281	9.1	21.7	18.1	0.91	2.07	284	7.8	21.7	16.0	0.87	1.85	C18
Rectum	219	7.1	16.9	13.8	0.79	1.55	160	4.4	12.2	9.0	0.43	1.13	C19–20
Anus	14	0.5	1.1	0.9	0.04	0.13	11	0.3	0.8	0.6	0.04	0.07	C21
Liver	252	8.1	19.4	15.7	0.93	1.81	96	2.6	7.3	5.7	0.21	0.64	C22
Gallbladder etc.	35	1.1	2.7	2.3	0.10	0.27	31	0.8	2.4	1.8	0.07	0.22	C23–24
Pancreas	70	2.3	5.4	4.6	0.21	0.58	72	2.0	5.5	4.1	0.18	0.50	C25
Nose, sinuses etc.	6	0.2	0.5	0.3	0.03	0.04	2	0.1	0.2	0.1	0.00	0.00	C30–31
Larynx	35	1.1	2.7	2.3	0.11	0.28	2	0.1	0.2	0.1	0.00	0.02	C32
Trachea, bronchus, and lung	557	18.0	43.0	37.3	1.48	4.55	231	6.3	17.6	12.5	0.70	1.30	C33–34
Other thoracic organs	17	0.5	1.3	1.3	0.08	0.12	12	0.3	0.9	0.7	0.04	0.07	C37–38
Bone	5	0.2	0.4	0.4	0.02	0.02	12	0.3	0.9	0.8	0.06	0.08	C40–41
Melanoma of skin	4	0.1	0.3	0.2	0.02	0.02	5	0.1	0.4	0.3	0.02	0.02	C43
Other skin	65	2.1	5.0	4.6	0.17	0.57	69	1.9	5.3	3.9	0.14	0.40	C44
Mesothelioma	3	0.1	0.2	0.2	0.02	0.03	5	0.1	0.4	0.3	0.02	0.05	C45
Kaposi sarcoma	6	0.2	0.5	0.4	0.03	0.03	0	0.0	0.0	0.0	0.00	0.00	C46
Connective and soft tissue	29	0.9	2.2	1.9	0.14	0.17	22	0.6	1.7	1.5	0.07	0.19	C47+C49
Breast	2	0.1	0.2	0.1	0.01	0.01	1125	30.7	85.9	64.8	4.98	7.23	C50
Vulva							10	0.3	0.8	0.6	0.04	0.07	C51
Vagina							5	0.1	0.4	0.3	0.01	0.04	C52
Cervix uteri							143	3.9	10.9	8.7	0.67	0.88	C53
Corpus uteri							301	8.2	23.0	17.5	1.42	1.91	C54
Uterus unspecified							0	0.0	0.0	0.0	0.00	0.00	C55
Ovary							238	6.5	18.2	13.9	1.06	1.49	C56
Other female genital organs							12	0.3	0.9	0.6	0.06	0.06	C57
Placenta							4	0.1	0.3	0.3	0.02	0.02	C58
Penis	3	0.1	0.2	0.2	0.00	0.00							C60
Prostate	323	10.4	24.9	22.6	0.51	2.68							C61
Testis	40	1.3	3.1	2.9	0.20	0.20							C62
Other male genital organs	6	0.2	0.5	0.3	0.02	0.02							C63
Kidney	98	3.2	7.6	6.4	0.37	0.85	65	1.8	5.0	3.8	0.22	0.47	C64
Renal pelvis	5	0.2	0.4	0.3	0.02	0.02	6	0.2	0.5	0.4	0.02	0.04	C65
Ureter	5	0.2	0.4	0.3	0.02	0.04	5	0.1	0.4	0.3	0.00	0.02	C66
†Bladder	131	4.2	10.1	8.7	0.32	0.94	21	0.6	1.6	1.2	0.07	0.14	C67
Other urinary organs	1	0.0	0.1	0.0	0.01	0.01	0	0.0	0.0	0.0	0.00	0.00	C68
Eye	4	0.1	0.3	0.3	0.02	0.02	3	0.1	0.2	0.3	0.02	0.02	C69
Brain and nervous system	40	1.3	3.1	3.0	0.16	0.28	35	1.0	2.7	2.6	0.14	0.19	C70–72
Thyroid	69	2.2	5.3	4.4	0.32	0.45	153	4.2	11.7	9.5	0.62	0.82	C73
Adrenal gland	5	0.2	0.4	0.5	0.03	0.03	2	0.1	0.2	0.3	0.01	0.01	C74
Other endocrine	1	0.0	0.1	0.1	0.00	0.00	3	0.1	0.2	0.2	0.01	0.01	C75
Hodgkin lymphoma	21	0.7	1.6	1.5	0.09	0.12	27	0.7	2.1	1.9	0.13	0.13	C81
Non-Hodgkin lymphoma	234	7.6	18.0	15.8	0.88	1.77	169	4.6	12.9	10.4	0.60	1.17	C82–86,C96
Immunoproliferative diseases	18	0.6	1.4	1.1	0.05	0.15	11	0.3	0.8	0.7	0.04	0.11	C88
Multiple myeloma	55	1.8	4.2	3.6	0.22	0.47	57	1.6	4.4	3.2	0.14	0.35	C90
Lymphoid leukaemia	32	1.0	2.5	3.0	0.15	0.21	23	0.6	1.8	2.3	0.13	0.13	C91
Myeloid leukaemia	64	2.1	4.9	4.6	0.24	0.46	46	1.3	3.5	3.1	0.17	0.32	C92–94
Leukaemia unspecified	3	0.1	0.2	0.2	0.02	0.02	4	0.1	0.3	0.2	0.01	0.01	C95
Myeloproliferative disorders	70	2.3	5.4	4.6	0.25	0.55	45	1.2	3.4	2.7	0.16	0.29	MPD
Myelodysplastic syndromes	30	1.0	2.3	2.0	0.06	0.15	18	0.5	1.4	1.0	0.04	0.10	MPS
Other and unspecified	38	1.2	2.9	2.7	0.10	0.21	46	1.3	3.5	2.6	0.10	0.30	O&U
All sites	3158		243.5	210.3	10.14	23.84	3728		284.5	218.7	14.33	23.75	C00–96
All sites except C44	3093	100.0	238.5	205.6	9.97	23.27	3659	100.0	279.3	214.7	14.19	23.35	C00–96 exc. C44

†See note following population pyramid

Thailand, Bangkok

CONTRIBUTORS

Sakarn Bunnag
Suleeporn Sangrajrang
Krittika Suwanrungruang
Rangsiya Buasom
Supakorn Pitakkarnkul
Patravoot Vatanasapt
Nisit Singhakosit



20 major cancers, ASR (World) per 100 000

<i>Male</i>		<i>Female</i>	
Trachea, bronchus, and lung	20.1	Breast	36.3
Liver	18.0	Trachea, bronchus, and lung	9.8
Prostate	13.7	Cervix uteri	9.6
Colon	11.3	Colon	8.2
Rectum	8.2	Corpus uteri	6.2
Non-Hodgkin lymphoma	5.1	Thyroid	6.1
Bladder	4.5	Liver	6.0
Other and unspecified	4.3	Ovary	6.0
Oesophagus	3.0	Rectum	4.5
Nasopharynx	2.9	Non-Hodgkin lymphoma	4.0
Non-melanoma skin cancer	2.6	Other and unspecified	3.2
Pancreas	2.6	Non-melanoma skin cancer	2.5
Stomach	2.5	Stomach	2.2
Larynx	2.2	Pancreas	1.9
Kidney	2.2	Brain and nervous system	1.4
Brain and nervous system	1.9	Bladder	1.3
Tongue	1.9	Gallbladder etc.	1.3
Myeloid leukaemia	1.7	Myeloid leukaemia	1.2
Thyroid	1.7	Lymphoid leukaemia	1.2
Lymphoid leukaemia	1.6	Leukaemia unspecified	1.0
All sites	127.7	All sites	125.0


Thailand, Bangkok (2013–2016)

SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	
Lip	18	0.1	0.1	0.1	0.00	0.01	38	0.1	0.2	0.2	0.00	0.01	C00
Tongue	345	1.6	2.2	1.9	0.14	0.23	185	0.7	1.1	0.8	0.05	0.09	C01–02
Mouth	248	1.2	1.6	1.4	0.08	0.18	142	0.5	0.9	0.6	0.04	0.06	C03–06
Salivary glands	98	0.5	0.6	0.5	0.03	0.06	91	0.3	0.5	0.4	0.02	0.05	C07–08
Tonsil	136	0.6	0.9	0.7	0.05	0.08	46	0.2	0.3	0.2	0.01	0.02	C09
Other oropharynx	68	0.3	0.4	0.3	0.03	0.04	12	0.0	0.1	0.1	0.00	0.01	C10
Nasopharynx	570	2.7	3.7	2.9	0.23	0.34	202	0.8	1.2	0.9	0.07	0.09	C11
Hypopharynx	209	1.0	1.4	1.2	0.07	0.15	15	0.1	0.1	0.1	0.00	0.01	C12–13
Pharynx unspecified	23	0.1	0.1	0.1	0.01	0.02	6	0.0	0.0	0.0	0.00	0.00	C14
Oesophagus	533	2.5	3.5	3.0	0.19	0.39	96	0.4	0.6	0.4	0.02	0.05	C15
Stomach	433	2.0	2.8	2.5	0.13	0.28	483	1.8	2.9	2.2	0.12	0.26	C16
Small intestine	62	0.3	0.4	0.3	0.02	0.04	59	0.2	0.4	0.3	0.01	0.03	C17
Colon	1921	9.1	12.5	11.3	0.54	1.36	1817	6.8	10.9	8.2	0.42	0.92	C18
Rectum	1394	6.6	9.0	8.2	0.42	1.03	971	3.6	5.8	4.5	0.26	0.54	C19–20
Anus	50	0.2	0.3	0.3	0.02	0.03	61	0.2	0.4	0.3	0.01	0.04	C21
Liver	3177	15.0	20.6	18.0	1.13	2.21	1319	4.9	7.9	6.0	0.28	0.70	C22
Gallbladder etc.	228	1.1	1.5	1.3	0.07	0.15	288	1.1	1.7	1.3	0.06	0.15	C23–24
Pancreas	439	2.1	2.8	2.6	0.12	0.33	408	1.5	2.5	1.9	0.08	0.22	C25
Nose, sinuses etc.	83	0.4	0.5	0.4	0.03	0.05	58	0.2	0.3	0.3	0.02	0.02	C30–31
Larynx	379	1.8	2.5	2.2	0.12	0.27	42	0.2	0.3	0.2	0.01	0.02	C32
Trachea, bronchus, and lung	3405	16.1	22.1	20.1	0.96	2.42	2158	8.0	13.0	9.8	0.50	1.14	C33–34
Other thoracic organs	95	0.4	0.6	0.5	0.03	0.05	63	0.2	0.4	0.3	0.02	0.04	C37–38
Bone	119	0.6	0.8	0.9	0.05	0.07	87	0.3	0.5	0.5	0.03	0.05	C40–41
Melanoma of skin	37	0.2	0.2	0.2	0.01	0.02	58	0.2	0.3	0.3	0.02	0.03	C43
Other skin	450	2.1	2.9	2.6	0.10	0.28	555	2.1	3.3	2.5	0.09	0.27	C44
Mesothelioma	10	0.0	0.1	0.0	0.00	0.00	6	0.0	0.0	0.0	0.00	0.00	C45
Kaposi sarcoma	18	0.1	0.1	0.1	0.01	0.01	1	0.0	0.0	0.0	0.00	0.00	C46
Connective and soft tissue	245	1.2	1.6	1.5	0.08	0.15	212	0.8	1.3	1.0	0.07	0.10	C47+C49
Breast	73	0.3	0.5	0.4	0.03	0.05	8219	30.6	49.4	36.3	2.78	4.13	C50
Vulva							48	0.2	0.3	0.2	0.01	0.03	C51
Vagina							33	0.1	0.2	0.2	0.01	0.02	C52
Cervix uteri							2184	8.1	13.1	9.6	0.69	1.08	C53
Corpus uteri							1349	5.0	8.1	6.2	0.45	0.77	C54
Uterus unspecified							60	0.2	0.4	0.3	0.02	0.03	C55
Ovary							1299	4.8	7.8	6.0	0.46	0.64	C56
Other female genital organs							18	0.1	0.1	0.1	0.01	0.01	C57
Placenta							27	0.1	0.2	0.2	0.01	0.01	C58
Penis	73	0.3	0.5	0.4	0.02	0.04							C60
Prostate	2146	10.1	13.9	13.7	0.38	1.74							C61
Testis	85	0.4	0.6	0.5	0.03	0.04							C62
Other male genital organs	12	0.1	0.1	0.1	0.00	0.01							C63
Kidney	379	1.8	2.5	2.2	0.12	0.26	199	0.7	1.2	1.0	0.05	0.10	C64
Renal pelvis	25	0.1	0.2	0.2	0.01	0.02	23	0.1	0.1	0.1	0.00	0.01	C65
Ureter	31	0.1	0.2	0.2	0.01	0.02	43	0.2	0.3	0.2	0.01	0.02	C66
Bladder	729	3.4	4.7	4.5	0.16	0.53	294	1.1	1.8	1.3	0.05	0.14	C67
Other urinary organs	7	0.0	0.0	0.0	0.00	0.01	3	0.0	0.0	0.0	0.00	0.00	C68
Eye	15	0.1	0.1	0.1	0.01	0.01	18	0.1	0.1	0.2	0.01	0.01	C69
Brain and nervous system	288	1.4	1.9	1.9	0.12	0.17	241	0.9	1.4	1.4	0.08	0.13	C70–72
Thyroid	311	1.5	2.0	1.7	0.11	0.17	1361	5.1	8.2	6.1	0.47	0.60	C73
Adrenal gland	20	0.1	0.1	0.2	0.01	0.01	18	0.1	0.1	0.2	0.01	0.01	C74
Other endocrine	22	0.1	0.1	0.2	0.01	0.02	9	0.0	0.1	0.1	0.00	0.01	C75
Hodgkin lymphoma	65	0.3	0.4	0.4	0.03	0.03	61	0.2	0.4	0.3	0.02	0.03	C81
Non-Hodgkin lymphoma	873	4.1	5.7	5.1	0.28	0.56	849	3.2	5.1	4.0	0.22	0.45	C82–86,C96
Immunoproliferative diseases	26	0.1	0.2	0.2	0.01	0.02	15	0.1	0.1	0.1	0.00	0.01	C88
Multiple myeloma	189	0.9	1.2	1.1	0.05	0.13	197	0.7	1.2	0.9	0.04	0.12	C90
Lymphoid leukaemia	208	1.0	1.4	1.6	0.08	0.13	179	0.7	1.1	1.2	0.06	0.10	C91
Myeloid leukaemia	273	1.3	1.8	1.7	0.09	0.16	241	0.9	1.4	1.2	0.07	0.11	C92–94
Leukaemia unspecified	166	0.8	1.1	1.2	0.06	0.10	173	0.6	1.0	1.0	0.06	0.09	C95
Myeloproliferative disorders	60	0.3	0.4	0.3	0.02	0.04	39	0.1	0.2	0.2	0.01	0.02	MPD
Myelodysplastic syndromes	48	0.2	0.3	0.3	0.00	0.03	47	0.2	0.3	0.2	0.01	0.03	MPS
Other and unspecified	731	3.4	4.7	4.3	0.21	0.50	685	2.6	4.1	3.2	0.17	0.35	O&U
All sites	21648		140.5	127.7	6.56	15.04	27411		164.9	125.0	8.06	13.97	C00–96
All sites except C44	21198	100.0	137.6	125.1	6.46	14.75	26856	100.0	161.5	122.5	7.97	13.70	C00–96 exc. C44

Thailand, Chiang Mai

CONTRIBUTORS

Imjai Chitapanarux
 Puttachart Maneesai
 Narate Waisri
 Panrada Tansiri
 Chirapong Hanprakopsuk
 Varunee Khamsan
 Malisa Pongsombat



NOTES ON THE DATA

*No official mortality data.

20 major cancers, ASR (World) per 100 000

<i>Male</i>		<i>Female</i>	
Liver	35.9	Breast	35.6
Trachea, bronchus, and lung	34.7	Trachea, bronchus, and lung	21.4
Colon	10.8	Cervix uteri	14.2
Rectum	8.5	Liver	12.5
Prostate	8.2	Colon	7.4
Non-Hodgkin lymphoma	7.0	Thyroid	5.9
Stomach	6.1	Ovary	5.6
Bladder	6.0	Corpus uteri	5.5
Other and unspecified	5.4	Non-Hodgkin lymphoma	5.4
Non-melanoma skin cancer	4.5	Rectum	5.2
Myeloid leukaemia	3.6	Stomach	4.5
Pancreas	3.0	Non-melanoma skin cancer	4.4
Kidney	2.6	Other and unspecified	3.6
Nasopharynx	2.6	Myeloid leukaemia	2.8
Brain and nervous system	2.5	Pancreas	2.3
Oesophagus	2.1	Brain and nervous system	2.2
Myelodysplastic syndromes	2.1	Myelodysplastic syndromes	2.1
Lymphoid leukaemia	2.0	Gallbladder etc.	2.0
Myeloproliferative disorders	2.0	Bladder	1.9
Gallbladder etc.	1.9	Lymphoid leukaemia	1.6
All sites	172.1	All sites	160.6

*Thailand, Chiang Mai (2013–2017)


SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	
Lip	7	0.1	0.2	0.1	0.00	0.01	11	0.1	0.3	0.1	0.00	0.02	C00
Tongue	103	1.1	2.7	1.9	0.13	0.21	45	0.5	1.1	0.7	0.05	0.07	C01–02
Mouth	93	1.0	2.4	1.6	0.10	0.20	57	0.6	1.4	0.8	0.04	0.09	C03–06
Salivary glands	32	0.3	0.8	0.6	0.04	0.06	28	0.3	0.7	0.4	0.03	0.05	C07–08
Tonsil	51	0.5	1.3	1.0	0.06	0.12	7	0.1	0.2	0.1	0.00	0.00	C09
Other oropharynx	23	0.2	0.6	0.4	0.03	0.04	6	0.1	0.1	0.1	0.00	0.00	C10
Nasopharynx	137	1.5	3.6	2.6	0.19	0.30	78	0.8	1.9	1.3	0.11	0.13	C11
Hypopharynx	61	0.6	1.6	1.1	0.06	0.14	11	0.1	0.3	0.2	0.01	0.02	C12–13
Pharynx unspecified	2	0.0	0.1	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C14
Oesophagus	120	1.3	3.1	2.1	0.14	0.26	28	0.3	0.7	0.4	0.01	0.05	C15
Stomach	358	3.8	9.3	6.1	0.39	0.69	299	3.0	7.3	4.5	0.28	0.49	C16
Small intestine	18	0.2	0.5	0.3	0.03	0.04	18	0.2	0.4	0.3	0.02	0.03	C17
Colon	620	6.6	16.2	10.8	0.62	1.30	502	5.0	12.3	7.4	0.44	0.87	C18
Rectum	483	5.1	12.6	8.5	0.52	1.02	353	3.5	8.6	5.2	0.34	0.60	C19–20
Anus	26	0.3	0.7	0.5	0.03	0.06	21	0.2	0.5	0.3	0.02	0.03	C21
Liver	2045	21.8	53.3	35.9	2.48	4.30	867	8.7	21.2	12.5	0.73	1.50	C22
Gallbladder etc.	116	1.2	3.0	1.9	0.11	0.22	146	1.5	3.6	2.0	0.09	0.22	C23–24
Pancreas	178	1.9	4.6	3.0	0.18	0.33	152	1.5	3.7	2.3	0.12	0.29	C25
Nose, sinuses etc.	32	0.3	0.8	0.6	0.04	0.08	25	0.3	0.6	0.5	0.03	0.05	C30–31
Larynx	101	1.1	2.6	1.7	0.11	0.20	14	0.1	0.3	0.2	0.01	0.03	C32
Trachea, bronchus, and lung	2022	21.5	52.7	34.7	1.61	4.41	1489	15.0	36.4	21.4	0.95	2.62	C33–34
Other thoracic organs	16	0.2	0.4	0.4	0.03	0.03	2	0.0	0.0	0.0	0.00	0.00	C37–38
Bone	25	0.3	0.7	0.6	0.04	0.05	32	0.3	0.8	0.8	0.05	0.06	C40–41
Melanoma of skin	28	0.3	0.7	0.5	0.03	0.07	31	0.3	0.8	0.5	0.03	0.05	C43
Other skin	280	3.0	7.3	4.5	0.19	0.41	324	3.3	7.9	4.4	0.18	0.42	C44
Mesothelioma	2	0.0	0.1	0.0	0.00	0.01	1	0.0	0.0	0.0	0.00	0.00	C45
Kaposi sarcoma	15	0.2	0.4	0.4	0.03	0.03	1	0.0	0.0	0.0	0.00	0.00	C46
Connective and soft tissue	52	0.6	1.4	1.1	0.07	0.10	51	0.5	1.2	1.1	0.06	0.10	C47+C49
Breast	15	0.2	0.4	0.3	0.01	0.03	2237	22.5	54.7	35.6	2.87	3.90	C50
Vulva							51	0.5	1.2	0.7	0.04	0.08	C51
Vagina							4	0.0	0.1	0.1	0.01	0.01	C52
Cervix uteri							854	8.6	20.9	14.2	1.13	1.44	C53
Corpus uteri							363	3.6	8.9	5.5	0.44	0.64	C54
Uterus unspecified							15	0.2	0.4	0.2	0.02	0.02	C55
Ovary							333	3.3	8.1	5.6	0.44	0.57	C56
Other female genital organs							14	0.1	0.3	0.2	0.01	0.03	C57
Placenta							2	0.0	0.0	0.1	0.00	0.00	C58
Penis	71	0.8	1.9	1.3	0.07	0.16							C60
Prostate	495	5.3	12.9	8.2	0.23	1.02							C61
Testis	22	0.2	0.6	0.5	0.04	0.04							C62
Other male genital organs	2	0.0	0.1	0.0	0.00	0.00							C63
Kidney	141	1.5	3.7	2.6	0.17	0.32	73	0.7	1.8	1.2	0.06	0.14	C64
Renal pelvis	13	0.1	0.3	0.3	0.01	0.04	5	0.1	0.1	0.1	0.01	0.01	C65
Ureter	10	0.1	0.3	0.2	0.01	0.02	11	0.1	0.3	0.1	0.01	0.01	C66
Bladder	349	3.7	9.1	6.0	0.28	0.73	132	1.3	3.2	1.9	0.08	0.23	C67
Other urinary organs	4	0.0	0.1	0.1	0.00	0.01	5	0.1	0.1	0.1	0.00	0.01	C68
Eye	20	0.2	0.5	0.7	0.03	0.05	9	0.1	0.2	0.2	0.01	0.01	C69
Brain and nervous system	115	1.2	3.0	2.5	0.16	0.22	104	1.0	2.5	2.2	0.12	0.20	C70–72
Thyroid	95	1.0	2.5	1.9	0.10	0.20	316	3.2	7.7	5.9	0.43	0.57	C73
Adrenal gland	9	0.1	0.2	0.2	0.01	0.02	9	0.1	0.2	0.3	0.02	0.02	C74
Other endocrine	6	0.1	0.2	0.2	0.01	0.01	3	0.0	0.1	0.1	0.01	0.01	C75
Hodgkin lymphoma	35	0.4	0.9	0.7	0.04	0.08	21	0.2	0.5	0.5	0.03	0.04	C81
Non-Hodgkin lymphoma	372	4.0	9.7	7.0	0.43	0.72	338	3.4	8.3	5.4	0.32	0.59	C82–86,C96
Immunoproliferative diseases	28	0.3	0.7	0.5	0.03	0.06	27	0.3	0.7	0.5	0.03	0.06	C88
Multiple myeloma	64	0.7	1.7	1.1	0.06	0.15	64	0.6	1.6	1.0	0.05	0.13	C90
Lymphoid leukaemia	60	0.6	1.6	2.0	0.11	0.12	52	0.5	1.3	1.6	0.09	0.11	C91
Myeloid leukaemia	173	1.8	4.5	3.6	0.20	0.35	145	1.5	3.5	2.8	0.18	0.25	C92–94
Leukaemia unspecified	10	0.1	0.3	0.2	0.01	0.02	17	0.2	0.4	0.3	0.02	0.03	C95
Myeloproliferative disorders	107	1.1	2.8	2.0	0.14	0.20	75	0.8	1.8	1.3	0.08	0.12	MPD
Myelodysplastic syndromes	119	1.3	3.1	2.1	0.09	0.23	151	1.5	3.7	2.1	0.09	0.23	MPS
Other and unspecified	301	3.2	7.9	5.4	0.28	0.65	243	2.4	5.9	3.6	0.17	0.43	O&U
All sites	9682		252.5	172.1	9.82	20.16	10272		251.1	160.6	10.38	17.66	C00–96
All sites except C44	9402	100.0	245.2	167.6	9.63	19.75	9948	100.0	243.1	156.2	10.20	17.24	C00–96 exc. C44

*See note following population pyramid

Thailand, Khon Kaen

CONTRIBUTORS

Patravoot Vatanasapt
Krittika Suwanrungruang
Chalongpon Santhong
Yada Soakosol
Sopita Pituso
Thanawat Tongya



NOTES ON THE DATA

*No official mortality data.

20 major cancers, ASR (World) per 100 000

<i>Male</i>		<i>Female</i>	
Liver	39.3	Breast	25.8
Trachea, bronchus, and lung	17.1	Liver	12.3
Gallbladder etc.	8.2	Cervix uteri	8.9
Colon	6.8	Trachea, bronchus, and lung	7.5
Rectum	6.4	Ovary	5.8
Non-Hodgkin lymphoma	6.2	Thyroid	5.8
Other and unspecified	5.5	Colon	5.7
Prostate	5.1	Rectum	4.8
Non-melanoma skin cancer	3.6	Corpus uteri	4.5
Nasopharynx	3.2	Non-melanoma skin cancer	4.3
Bladder	3.2	Gallbladder etc.	4.1
Myeloid leukaemia	3.0	Non-Hodgkin lymphoma	3.7
Stomach	2.7	Other and unspecified	3.1
Brain and nervous system	1.8	Myeloid leukaemia	2.3
Oesophagus	1.6	Stomach	2.2
Lymphoid leukaemia	1.6	Lymphoid leukaemia	1.6
Larynx	1.5	Myelodysplastic syndromes	1.5
Myelodysplastic syndromes	1.5	Brain and nervous system	1.5
Tongue	1.5	Pancreas	1.0
Multiple myeloma	1.4	Mouth	0.9
All sites	136.8	All sites	118.5

*Thailand, Khon Kaen (2013–2017)


SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	
Lip	17	0.2	0.4	0.3	0.01	0.03	65	0.9	1.5	0.8	0.01	0.09	C00
Tongue	91	1.1	2.2	1.5	0.12	0.16	54	0.7	1.2	0.8	0.06	0.08	C01–02
Mouth	59	0.7	1.4	0.9	0.06	0.10	75	1.0	1.7	0.9	0.03	0.08	C03–06
Salivary glands	24	0.3	0.6	0.4	0.03	0.04	22	0.3	0.5	0.3	0.03	0.04	C07–08
Tonsil	34	0.4	0.8	0.6	0.05	0.06	3	0.0	0.1	0.1	0.00	0.00	C09
Other oropharynx	10	0.1	0.2	0.1	0.01	0.01	0	0.0	0.0	0.0	0.00	0.00	C10
Nasopharynx	185	2.3	4.4	3.2	0.26	0.36	53	0.7	1.2	0.8	0.06	0.09	C11
Hypopharynx	41	0.5	1.0	0.7	0.04	0.08	4	0.1	0.1	0.1	0.00	0.01	C12–13
Pharynx unspecified	6	0.1	0.1	0.1	0.01	0.01	0	0.0	0.0	0.0	0.00	0.00	C14
Oesophagus	100	1.3	2.4	1.6	0.12	0.20	15	0.2	0.3	0.2	0.01	0.02	C15
Stomach	168	2.1	4.0	2.7	0.15	0.33	140	1.8	3.1	2.2	0.16	0.25	C16
Small intestine	18	0.2	0.4	0.3	0.02	0.03	14	0.2	0.3	0.2	0.01	0.03	C17
Colon	415	5.2	10.0	6.8	0.41	0.79	415	5.5	9.3	5.7	0.34	0.68	C18
Rectum	399	5.0	9.6	6.4	0.37	0.76	343	4.5	7.7	4.8	0.29	0.60	C19–20
Anus	16	0.2	0.4	0.3	0.02	0.03	7	0.1	0.2	0.1	0.01	0.01	C21
Liver	2437	30.5	58.6	39.3	2.63	4.57	926	12.2	20.8	12.3	0.59	1.53	C22
Gallbladder etc.	522	6.5	12.5	8.2	0.35	1.02	307	4.1	6.9	4.1	0.23	0.49	C23–24
Pancreas	78	1.0	1.9	1.3	0.08	0.14	74	1.0	1.7	1.0	0.05	0.13	C25
Nose, sinuses etc.	19	0.2	0.5	0.3	0.02	0.04	13	0.2	0.3	0.2	0.01	0.03	C30–31
Larynx	96	1.2	2.3	1.5	0.10	0.20	3	0.0	0.1	0.1	0.00	0.00	C32
Trachea, bronchus, and lung	1071	13.4	25.7	17.1	0.86	2.00	546	7.2	12.2	7.5	0.45	0.88	C33–34
Other thoracic organs	21	0.3	0.5	0.4	0.04	0.04	12	0.2	0.3	0.2	0.01	0.02	C37–38
Bone	32	0.4	0.8	0.7	0.05	0.06	23	0.3	0.5	0.5	0.03	0.04	C40–41
Melanoma of skin	26	0.3	0.6	0.4	0.01	0.05	28	0.4	0.6	0.4	0.02	0.04	C43
Other skin	221	2.8	5.3	3.6	0.17	0.40	325	4.3	7.3	4.3	0.22	0.47	C44
Mesothelioma	0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.0	0.0	0.00	0.00	C45
Kaposi sarcoma	1	0.0	0.0	0.0	0.00	0.00	1	0.0	0.0	0.0	0.00	0.00	C46
Connective and soft tissue	37	0.5	0.9	0.7	0.05	0.07	41	0.5	0.9	0.8	0.05	0.08	C47+C49
Breast	19	0.2	0.5	0.3	0.02	0.03	1664	22.0	37.3	25.8	2.11	2.74	C50
Vulva							17	0.2	0.4	0.2	0.01	0.03	C51
Vagina							14	0.2	0.3	0.2	0.01	0.02	C52
Cervix uteri							552	7.3	12.4	8.9	0.67	0.92	C53
Corpus uteri							306	4.0	6.9	4.5	0.37	0.53	C54
Uterus unspecified							20	0.3	0.4	0.3	0.02	0.03	C55
Ovary							363	4.8	8.1	5.8	0.46	0.60	C56
Other female genital organs							7	0.1	0.2	0.1	0.01	0.01	C57
Placenta							10	0.1	0.2	0.3	0.02	0.02	C58
Penis	74	0.9	1.8	1.3	0.08	0.14							C60
Prostate	324	4.1	7.8	5.1	0.17	0.62							C61
Testis	39	0.5	0.9	1.1	0.07	0.08							C62
Other male genital organs	1	0.0	0.0	0.0	0.00	0.00							C63
Kidney	70	0.9	1.7	1.2	0.08	0.13	40	0.5	0.9	0.6	0.04	0.06	C64
Renal pelvis	5	0.1	0.1	0.1	0.00	0.01	1	0.0	0.0	0.0	0.00	0.00	C65
Ureter	2	0.0	0.0	0.0	0.00	0.00	2	0.0	0.0	0.0	0.00	0.00	C66
Bladder	203	2.5	4.9	3.2	0.15	0.39	51	0.7	1.1	0.7	0.04	0.08	C67
Other urinary organs	1	0.0	0.0	0.0	0.00	0.00	1	0.0	0.0	0.0	0.00	0.00	C68
Eye	7	0.1	0.2	0.2	0.01	0.02	15	0.2	0.3	0.5	0.02	0.03	C69
Brain and nervous system	80	1.0	1.9	1.8	0.12	0.15	62	0.8	1.4	1.5	0.09	0.12	C70–72
Thyroid	63	0.8	1.5	1.2	0.09	0.12	322	4.3	7.2	5.8	0.43	0.54	C73
Adrenal gland	6	0.1	0.1	0.3	0.01	0.01	8	0.1	0.2	0.3	0.02	0.02	C74
Other endocrine	3	0.0	0.1	0.1	0.00	0.00	2	0.0	0.0	0.0	0.00	0.00	C75
Hodgkin lymphoma	18	0.2	0.4	0.4	0.03	0.03	15	0.2	0.3	0.3	0.02	0.03	C81
Non-Hodgkin lymphoma	348	4.4	8.4	6.2	0.37	0.69	250	3.3	5.6	3.7	0.24	0.41	C82–86,C96
Immunoproliferative diseases	4	0.1	0.1	0.1	0.00	0.01	6	0.1	0.1	0.1	0.01	0.01	C88
Multiple myeloma	89	1.1	2.1	1.4	0.09	0.18	66	0.9	1.5	0.9	0.06	0.12	C90
Lymphoid leukaemia	52	0.7	1.2	1.6	0.08	0.10	52	0.7	1.2	1.6	0.09	0.10	C91
Myeloid leukaemia	152	1.9	3.7	3.0	0.18	0.28	132	1.7	3.0	2.3	0.15	0.20	C92–94
Leukaemia unspecified	30	0.4	0.7	0.8	0.04	0.06	19	0.3	0.4	0.4	0.02	0.04	C95
Myeloproliferative disorders	52	0.7	1.2	0.9	0.06	0.11	49	0.6	1.1	0.7	0.04	0.08	MPD
Myelodysplastic syndromes	96	1.2	2.3	1.5	0.07	0.16	116	1.5	2.6	1.5	0.04	0.20	MPS
Other and unspecified	329	4.1	7.9	5.5	0.31	0.63	225	3.0	5.0	3.1	0.18	0.36	O&U
All sites	8211		197.3	136.8	8.09	15.53	7897		177.0	118.5	7.85	13.00	C00–96
All sites except C44	7990	100.0	192.0	133.2	7.92	15.13	7572	100.0	169.7	114.2	7.64	12.53	C00–96 exc. C44

*See note following population pyramid

Thailand, Lampang

CONTRIBUTORS

Donsuk Pongnikorn
Weerawat Ukranun
Karnchana Daoprasert



20 major cancers, ASR (World) per 100 000

<i>Male</i>		<i>Female</i>	
Liver	40.9	Breast	31.6
Trachea, bronchus, and lung	37.5	Trachea, bronchus, and lung	20.3
Colon	9.5	Liver	15.7
Rectum	9.5	Cervix uteri	12.5
Prostate	8.4	Colon	9.0
Non-Hodgkin lymphoma	8.3	Thyroid	6.1
Non-melanoma skin cancer	5.0	Non-Hodgkin lymphoma	5.7
Stomach	5.0	Corpus uteri	5.1
Gallbladder etc.	4.3	Rectum	5.0
Other and unspecified	4.2	Non-melanoma skin cancer	5.0
Bladder	4.2	Ovary	4.8
Myeloid leukaemia	3.4	Stomach	3.8
Nasopharynx	3.4	Other and unspecified	3.2
Pancreas	3.1	Myeloid leukaemia	3.1
Brain and nervous system	2.5	Gallbladder etc.	3.1
Kidney	2.3	Pancreas	2.8
Oesophagus	2.0	Brain and nervous system	2.4
Lymphoid leukaemia	2.0	Lymphoid leukaemia	1.7
Tongue	1.8	Bladder	1.7
Multiple myeloma	1.7	Tongue	1.3
All sites	174.5	All sites	157.5


Thailand, Lampang (2013–2017)

SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	
Lip	6	0.1	0.3	0.1	0.01	0.01	5	0.1	0.3	0.2	0.00	0.03	C00
Tongue	53	1.0	2.9	1.8	0.14	0.21	43	0.9	2.2	1.3	0.08	0.13	C01–02
Mouth	45	0.9	2.4	1.5	0.09	0.20	38	0.8	2.0	0.9	0.04	0.08	C03–06
Salivary glands	23	0.5	1.2	0.8	0.05	0.07	15	0.3	0.8	0.5	0.04	0.05	C07–08
Tonsil	9	0.2	0.5	0.3	0.02	0.03	6	0.1	0.3	0.1	0.00	0.01	C09
Other oropharynx	9	0.2	0.5	0.3	0.02	0.04	1	0.0	0.1	0.0	0.00	0.00	C10
Nasopharynx	94	1.8	5.1	3.4	0.25	0.37	35	0.7	1.8	1.2	0.08	0.13	C11
Hypopharynx	18	0.4	1.0	0.6	0.04	0.08	3	0.1	0.2	0.1	0.01	0.02	C12–13
Pharynx unspecified	0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.1	0.0	0.00	0.00	C14
Oesophagus	61	1.2	3.3	2.0	0.12	0.24	11	0.2	0.6	0.3	0.02	0.02	C15
Stomach	158	3.1	8.6	5.0	0.26	0.57	130	2.6	6.8	3.8	0.27	0.44	C16
Small intestine	14	0.3	0.8	0.4	0.03	0.06	16	0.3	0.8	0.5	0.03	0.06	C17
Colon	293	5.8	15.9	9.5	0.54	1.06	301	6.1	15.7	9.0	0.58	1.04	C18
Rectum	284	5.6	15.4	9.5	0.53	1.22	174	3.5	9.1	5.0	0.28	0.62	C19–20
Anus	11	0.2	0.6	0.4	0.03	0.04	11	0.2	0.6	0.3	0.02	0.03	C21
Liver	1242	24.4	67.4	40.9	2.73	4.87	549	11.1	28.7	15.7	0.88	1.90	C22
Gallbladder etc.	134	2.6	7.3	4.3	0.22	0.54	120	2.4	6.3	3.1	0.16	0.33	C23–24
Pancreas	98	1.9	5.3	3.1	0.16	0.37	100	2.0	5.2	2.8	0.14	0.35	C25
Nose, sinuses etc.	10	0.2	0.5	0.3	0.02	0.04	13	0.3	0.7	0.4	0.03	0.04	C30–31
Larynx	39	0.8	2.1	1.2	0.06	0.12	12	0.2	0.6	0.3	0.01	0.05	C32
Trachea, bronchus, and lung	1177	23.1	63.9	37.5	1.51	4.82	724	14.6	37.9	20.3	0.86	2.58	C33–34
Other thoracic organs	4	0.1	0.2	0.3	0.01	0.01	2	0.0	0.1	0.0	0.01	0.01	C37–38
Bone	13	0.3	0.7	0.6	0.04	0.05	20	0.4	1.0	0.9	0.07	0.08	C40–41
Melanoma of skin	16	0.3	0.9	0.5	0.03	0.07	17	0.3	0.9	0.7	0.04	0.07	C43
Other skin	169	3.3	9.2	5.0	0.20	0.46	179	3.6	9.4	5.0	0.22	0.48	C44
Mesothelioma	0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.1	0.0	0.00	0.00	C45
Kaposi sarcoma	2	0.0	0.1	0.1	0.01	0.01	1	0.0	0.1	0.0	0.00	0.00	C46
Connective and soft tissue	32	0.6	1.7	1.2	0.09	0.13	30	0.6	1.6	1.1	0.08	0.09	C47+C49
Breast	11	0.2	0.6	0.4	0.03	0.04	1004	20.3	52.5	31.6	2.52	3.53	C50
Vulva							18	0.4	0.9	0.5	0.02	0.06	C51
Vagina							5	0.1	0.3	0.1	0.01	0.01	C52
Cervix uteri							392	7.9	20.5	12.5	1.03	1.32	C53
Corpus uteri							169	3.4	8.8	5.1	0.40	0.63	C54
Uterus unspecified							1	0.0	0.1	0.0	0.00	0.00	C55
Ovary							152	3.1	7.9	4.8	0.41	0.50	C56
Other female genital organs							3	0.1	0.2	0.1	0.01	0.01	C57
Placenta							8	0.2	0.4	0.3	0.03	0.03	C58
Penis	34	0.7	1.8	1.2	0.07	0.13							C60
Prostate	276	5.4	15.0	8.4	0.21	1.05							C61
Testis	11	0.2	0.6	0.5	0.04	0.04							C62
Other male genital organs	1	0.0	0.1	0.0	0.00	0.01							C63
Kidney	64	1.3	3.5	2.3	0.11	0.27	23	0.5	1.2	0.7	0.03	0.10	C64
Renal pelvis	19	0.4	1.0	0.6	0.05	0.07	5	0.1	0.3	0.1	0.01	0.02	C65
Ureter	4	0.1	0.2	0.1	0.00	0.01	4	0.1	0.2	0.1	0.01	0.02	C66
Bladder	139	2.7	7.5	4.2	0.17	0.38	62	1.3	3.2	1.7	0.05	0.20	C67
Other urinary organs	2	0.0	0.1	0.1	0.00	0.00	2	0.0	0.1	0.1	0.00	0.01	C68
Eye	7	0.1	0.4	0.2	0.01	0.02	7	0.1	0.4	0.7	0.03	0.04	C69
Brain and nervous system	63	1.2	3.4	2.5	0.14	0.28	65	1.3	3.4	2.4	0.17	0.23	C70–72
Thyroid	34	0.7	1.8	1.4	0.07	0.13	164	3.3	8.6	6.1	0.46	0.56	C73
Adrenal gland	2	0.0	0.1	0.1	0.01	0.01	8	0.2	0.4	0.6	0.04	0.04	C74
Other endocrine	1	0.0	0.1	0.0	0.00	0.00	2	0.0	0.1	0.1	0.00	0.00	C75
Hodgkin lymphoma	17	0.3	0.9	1.0	0.07	0.07	8	0.2	0.4	0.3	0.02	0.03	C81
Non-Hodgkin lymphoma	234	4.6	12.7	8.3	0.47	0.97	183	3.7	9.6	5.7	0.34	0.60	C82–86,C96
Immunoproliferative diseases	9	0.2	0.5	0.3	0.01	0.04	10	0.2	0.5	0.4	0.03	0.04	C88
Multiple myeloma	54	1.1	2.9	1.7	0.11	0.19	28	0.6	1.5	0.8	0.05	0.10	C90
Lymphoid leukaemia	29	0.6	1.6	2.0	0.10	0.15	25	0.5	1.3	1.7	0.09	0.12	C91
Myeloid leukaemia	74	1.5	4.0	3.4	0.19	0.28	73	1.5	3.8	3.1	0.18	0.27	C92–94
Leukaemia unspecified	11	0.2	0.6	0.4	0.02	0.04	7	0.1	0.4	0.2	0.01	0.01	C95
Myeloproliferative disorders	6	0.1	0.3	0.2	0.01	0.03	9	0.2	0.5	0.3	0.01	0.03	MPD
Myelodysplastic syndromes	15	0.3	0.8	0.5	0.02	0.06	15	0.3	0.8	0.4	0.01	0.05	MPS
Other and unspecified	123	2.4	6.7	4.2	0.17	0.50	113	2.3	5.9	3.2	0.15	0.41	O&U
All sites	5254		285.0	174.5	9.32	20.44	5123		267.9	157.5	10.04	17.59	C00–96
All sites except C44	5085	100.0	275.9	169.5	9.11	19.98	4944	100.0	258.5	152.6	9.82	17.12	C00–96 exc. C44

Thailand, Lopburi Province

CONTRIBUTORS

Metee Wongsena
Atit Leklob
Ittirit Khumfong
Arunee Kovitpisitsakul



20 major cancers, ASR (World) per 100 000

<i>Male</i>		<i>Female</i>	
Liver	43.7	Breast	47.0
Trachea, bronchus, and lung	28.6	Cervix uteri	18.4
Colon	16.1	Liver	14.7
Prostate	14.8	Trachea, bronchus, and lung	12.5
Non-Hodgkin lymphoma	12.5	Colon	11.9
Rectum	11.2	Non-Hodgkin lymphoma	9.7
Oesophagus	7.9	Ovary	8.1
Mouth	6.5	Corpus uteri	7.8
Bladder	6.1	Rectum	7.3
Other and unspecified	5.8	Thyroid	6.6
Non-melanoma skin cancer	5.8	Non-melanoma skin cancer	6.0
Stomach	5.0	Mouth	5.7
Tongue	4.6	Other and unspecified	4.2
Larynx	3.6	Brain and nervous system	4.0
Pancreas	3.4	Stomach	3.7
Leukaemia unspecified	3.4	Myeloproliferative disorders	2.9
Brain and nervous system	3.4	Bone	2.8
Myeloproliferative disorders	3.2	Leukaemia unspecified	2.5
Hypopharynx	2.8	Gallbladder etc.	2.5
Myeloid leukaemia	2.7	Tongue	2.4
All sites	222.0	All sites	204.7


Thailand, Lopburi Province (2013–2017)

SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	
Lip	11	0.2	0.6	0.5	0.02	0.07	31	0.6	1.6	1.2	0.04	0.08	C00
Tongue	108	2.2	5.7	4.6	0.35	0.53	62	1.2	3.3	2.4	0.17	0.24	C01–02
Mouth	146	3.0	7.7	6.5	0.46	0.69	144	2.8	7.6	5.7	0.36	0.57	C03–06
Salivary glands	26	0.5	1.4	1.1	0.08	0.14	37	0.7	2.0	1.6	0.12	0.14	C07–08
Tonsil	25	0.5	1.3	1.1	0.08	0.11	6	0.1	0.3	0.2	0.03	0.03	C09
Other oropharynx	21	0.4	1.1	0.9	0.09	0.11	4	0.1	0.2	0.2	0.02	0.02	C10
Nasopharynx	53	1.1	2.8	2.3	0.19	0.25	28	0.5	1.5	1.0	0.08	0.11	C11
Hypopharynx	69	1.4	3.6	2.8	0.22	0.33	11	0.2	0.6	0.4	0.03	0.03	C12–13
Pharynx unspecified	11	0.2	0.6	0.4	0.04	0.04	3	0.1	0.2	0.1	0.01	0.01	C14
Oesophagus	185	3.7	9.7	7.9	0.58	0.97	30	0.6	1.6	1.1	0.08	0.12	C15
Stomach	117	2.4	6.2	5.0	0.29	0.58	100	2.0	5.3	3.7	0.22	0.44	C16
Small intestine	10	0.2	0.5	0.5	0.03	0.06	11	0.2	0.6	0.4	0.03	0.05	C17
Colon	375	7.6	19.7	16.1	0.91	1.94	322	6.3	17.0	11.9	0.73	1.37	C18
Rectum	265	5.4	13.9	11.2	0.63	1.35	194	3.8	10.2	7.3	0.44	0.88	C19–20
Anus	13	0.3	0.7	0.5	0.03	0.06	9	0.2	0.5	0.4	0.02	0.04	C21
Liver	1018	20.6	53.6	43.7	2.90	5.15	401	7.8	21.1	14.7	0.84	1.75	C22
Gallbladder etc.	59	1.2	3.1	2.5	0.16	0.28	71	1.4	3.7	2.5	0.13	0.27	C23–24
Pancreas	78	1.6	4.1	3.4	0.15	0.38	51	1.0	2.7	1.9	0.12	0.20	C25
Nose, sinuses etc.	27	0.5	1.4	1.1	0.07	0.12	15	0.3	0.8	0.6	0.05	0.05	C30–31
Larynx	84	1.7	4.4	3.6	0.27	0.43	7	0.1	0.4	0.3	0.01	0.03	C32
Trachea, bronchus, and lung	678	13.7	35.7	28.6	1.37	3.24	347	6.8	18.3	12.5	0.66	1.48	C33–34
Other thoracic organs	25	0.5	1.3	1.1	0.06	0.10	16	0.3	0.8	0.5	0.04	0.05	C37–38
Bone	47	0.9	2.5	2.1	0.16	0.22	65	1.3	3.4	2.8	0.21	0.27	C40–41
Melanoma of skin	28	0.6	1.5	1.2	0.04	0.12	36	0.7	1.9	1.4	0.10	0.14	C43
Other skin	134	2.7	7.1	5.8	0.25	0.53	165	3.2	8.7	6.0	0.27	0.57	C44
Mesothelioma	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C45
Kaposi sarcoma	4	0.1	0.2	0.2	0.01	0.02	1	0.0	0.1	0.0	0.01	0.01	C46
Connective and soft tissue	55	1.1	2.9	2.6	0.15	0.24	50	1.0	2.6	2.3	0.15	0.21	C47+C49
Breast	22	0.4	1.2	1.0	0.07	0.10	1214	23.7	64.0	47.0	3.88	4.98	C50
Vulva							20	0.4	1.1	0.7	0.06	0.06	C51
Vagina							9	0.2	0.5	0.4	0.02	0.05	C52
Cervix uteri							478	9.3	25.2	18.4	1.44	1.91	C53
Corpus uteri							204	4.0	10.8	7.8	0.66	0.86	C54
Uterus unspecified							21	0.4	1.1	0.8	0.07	0.08	C55
Ovary							204	4.0	10.8	8.1	0.65	0.88	C56
Other female genital organs							4	0.1	0.2	0.2	0.01	0.01	C57
Placenta							2	0.0	0.1	0.1	0.01	0.01	C58
Penis	32	0.6	1.7	1.3	0.09	0.15							C60
Prostate	342	6.9	18.0	14.8	0.45	1.44							C61
Testis	25	0.5	1.3	1.2	0.07	0.10							C62
Other male genital organs	7	0.1	0.4	0.4	0.02	0.02							C63
Kidney	39	0.8	2.1	1.8	0.13	0.20	23	0.4	1.2	0.8	0.05	0.10	C64
Renal pelvis	3	0.1	0.2	0.2	0.00	0.01	1	0.0	0.1	0.1	0.00	0.00	C65
Ureter	2	0.0	0.1	0.1	0.00	0.02	1	0.0	0.1	0.0	0.00	0.00	C66
Bladder	142	2.9	7.5	6.1	0.24	0.61	42	0.8	2.2	1.4	0.07	0.14	C67
Other urinary organs	0	0.0	0.0	0.0	0.00	0.00	2	0.0	0.1	0.1	0.00	0.00	C68
Eye	10	0.2	0.5	0.5	0.03	0.04	11	0.2	0.6	0.5	0.04	0.04	C69
Brain and nervous system	74	1.5	3.9	3.4	0.26	0.31	98	1.9	5.2	4.0	0.29	0.40	C70–72
Thyroid	48	1.0	2.5	2.1	0.15	0.24	157	3.1	8.3	6.6	0.50	0.64	C73
Adrenal gland	2	0.0	0.1	0.1	0.01	0.01	2	0.0	0.1	0.1	0.01	0.01	C74
Other endocrine	3	0.1	0.2	0.2	0.01	0.01	7	0.1	0.4	0.3	0.02	0.03	C75
Hodgkin lymphoma	7	0.1	0.4	0.3	0.03	0.03	4	0.1	0.2	0.2	0.01	0.02	C81
Non-Hodgkin lymphoma	262	5.3	13.8	12.5	0.67	1.20	226	4.4	11.9	9.7	0.59	0.94	C82–86,C96
Immunoproliferative diseases	1	0.0	0.1	0.0	0.00	0.00	2	0.0	0.1	0.0	0.00	0.00	C88
Multiple myeloma	26	0.5	1.4	1.1	0.08	0.13	18	0.4	0.9	0.6	0.03	0.07	C90
Lymphoid leukaemia	18	0.4	0.9	1.1	0.06	0.06	13	0.3	0.7	0.7	0.04	0.07	C91
Myeloid leukaemia	56	1.1	2.9	2.7	0.17	0.29	39	0.8	2.1	1.8	0.09	0.20	C92–94
Leukaemia unspecified	63	1.3	3.3	3.4	0.18	0.29	55	1.1	2.9	2.5	0.12	0.18	C95
Myeloproliferative disorders	66	1.3	3.5	3.2	0.17	0.33	64	1.3	3.4	2.9	0.17	0.26	MPD
Myelodysplastic syndromes	26	0.5	1.4	1.2	0.03	0.12	31	0.6	1.6	1.3	0.05	0.10	MPS
Other and unspecified	135	2.7	7.1	5.8	0.31	0.60	111	2.2	5.9	4.2	0.26	0.43	O&U
All sites	5083		267.4	222.0	12.81	24.35	5280		278.4	204.7	14.11	21.63	C00–96
All sites except C44	4949	100.0	260.4	216.2	12.56	23.82	5115	100.0	269.7	198.7	13.84	21.06	C00–96 exc. C44

Thailand, Songkhla

CONTRIBUTORS

Sarayut Lucien Geater
Paradee Prechawittayakul



NOTES ON THE DATA

*No official mortality data.

20 major cancers, ASR (World) per 100 000

<i>Male</i>		<i>Female</i>	
Trachea, bronchus, and lung	24.9	Breast	31.3
Liver	15.9	Cervix uteri	10.4
Colon	11.1	Trachea, bronchus, and lung	10.2
Prostate	10.0	Thyroid	8.0
Oesophagus	8.5	Colon	7.5
Rectum	7.2	Ovary	5.9
Non-Hodgkin lymphoma	6.4	Corpus uteri	5.5
Other and unspecified	5.6	Liver	5.2
Bladder	5.2	Rectum	4.9
Non-melanoma skin cancer	4.2	Non-Hodgkin lymphoma	4.6
Tongue	3.9	Non-melanoma skin cancer	4.3
Larynx	3.3	Other and unspecified	2.9
Brain and nervous system	3.1	Myeloid leukaemia	2.2
Mouth	2.9	Brain and nervous system	1.6
Myeloid leukaemia	2.8	Pancreas	1.6
Stomach	2.5	Stomach	1.6
Nasopharynx	2.5	Lymphoid leukaemia	1.5
Hypopharynx	2.5	Multiple myeloma	1.3
Lymphoid leukaemia	2.2	Connective and soft tissue	1.2
Pancreas	2.1	Gallbladder etc.	1.2
All sites	147.3	All sites	124.3

*Thailand, Songkhla (2013–2017)


SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	
Lip	8	0.1	0.2	0.2	0.01	0.02	6	0.1	0.2	0.1	0.00	0.00	C00
Tongue	160	2.7	4.7	3.9	0.26	0.49	42	0.7	1.2	0.8	0.06	0.08	C01–02
Mouth	123	2.1	3.6	2.9	0.18	0.33	33	0.6	0.9	0.6	0.03	0.07	C03–06
Salivary glands	22	0.4	0.6	0.6	0.05	0.06	19	0.3	0.5	0.4	0.03	0.05	C07–08
Tonsil	64	1.1	1.9	1.5	0.09	0.19	7	0.1	0.2	0.1	0.01	0.01	C09
Other oropharynx	50	0.8	1.5	1.2	0.08	0.14	2	0.0	0.1	0.0	0.00	0.00	C10
Nasopharynx	98	1.7	2.9	2.5	0.22	0.27	33	0.6	0.9	0.7	0.06	0.07	C11
Hypopharynx	100	1.7	2.9	2.5	0.18	0.29	10	0.2	0.3	0.2	0.01	0.01	C12–13
Pharynx unspecified	10	0.2	0.3	0.2	0.01	0.02	2	0.0	0.1	0.0	0.00	0.01	C14
Oesophagus	344	5.8	10.0	8.5	0.53	1.05	36	0.6	1.0	0.7	0.04	0.09	C15
Stomach	104	1.8	3.0	2.5	0.15	0.29	80	1.4	2.2	1.6	0.10	0.17	C16
Small intestine	17	0.3	0.5	0.4	0.02	0.04	7	0.1	0.2	0.1	0.01	0.01	C17
Colon	468	7.9	13.6	11.1	0.57	1.36	388	6.8	10.8	7.5	0.47	0.86	C18
Rectum	299	5.1	8.7	7.2	0.41	0.92	242	4.2	6.7	4.9	0.28	0.59	C19–20
Anus	17	0.3	0.5	0.4	0.01	0.04	14	0.2	0.4	0.3	0.01	0.04	C21
Liver	649	11.0	18.9	15.9	1.17	1.87	263	4.6	7.3	5.2	0.28	0.60	C22
Gallbladder etc.	55	0.9	1.6	1.3	0.09	0.14	68	1.2	1.9	1.2	0.06	0.13	C23–24
Pancreas	86	1.5	2.5	2.1	0.11	0.23	87	1.5	2.4	1.6	0.10	0.17	C25
Nose, sinuses etc.	25	0.4	0.7	0.6	0.04	0.06	17	0.3	0.5	0.4	0.03	0.03	C30–31
Larynx	140	2.4	4.1	3.3	0.21	0.41	7	0.1	0.2	0.1	0.01	0.01	C32
Trachea, bronchus, and lung	1040	17.6	30.3	24.9	1.31	3.14	526	9.2	14.6	10.2	0.60	1.22	C33–34
Other thoracic organs	9	0.2	0.3	0.2	0.02	0.02	3	0.1	0.1	0.1	0.01	0.01	C37–38
Bone	31	0.5	0.9	0.9	0.05	0.08	26	0.5	0.7	0.7	0.05	0.06	C40–41
Melanoma of skin	19	0.3	0.6	0.5	0.02	0.05	27	0.5	0.7	0.6	0.04	0.07	C43
Other skin	190	3.2	5.5	4.2	0.21	0.42	253	4.4	7.0	4.3	0.16	0.48	C44
Mesothelioma	0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.0	0.0	0.00	0.00	C45
Kaposi sarcoma	1	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C46
Connective and soft tissue	44	0.7	1.3	1.1	0.07	0.12	56	1.0	1.6	1.2	0.09	0.12	C47+C49
Breast	8	0.1	0.2	0.2	0.02	0.02	1465	25.7	40.6	31.3	2.56	3.42	C50
Vulva							22	0.4	0.6	0.4	0.02	0.05	C51
Vagina							8	0.1	0.2	0.2	0.02	0.02	C52
Cervix uteri							485	8.5	13.5	10.4	0.81	1.16	C53
Corpus uteri							253	4.4	7.0	5.5	0.45	0.69	C54
Uterus unspecified							30	0.5	0.8	0.7	0.06	0.08	C55
Ovary							264	4.6	7.3	5.9	0.46	0.60	C56
Other female genital organs							9	0.2	0.2	0.2	0.02	0.03	C57
Placenta							2	0.0	0.1	0.0	0.00	0.00	C58
Penis	67	1.1	1.9	1.5	0.07	0.17							C60
Prostate	443	7.5	12.9	10.0	0.21	1.27							C61
Testis	28	0.5	0.8	0.7	0.06	0.06							C62
Other male genital organs	7	0.1	0.2	0.2	0.01	0.03							C63
Kidney	69	1.2	2.0	1.7	0.09	0.22	40	0.7	1.1	0.8	0.05	0.08	C64
Renal pelvis	11	0.2	0.3	0.3	0.01	0.02	8	0.1	0.2	0.2	0.01	0.02	C65
Ureter	2	0.0	0.1	0.0	0.00	0.00	3	0.1	0.1	0.0	0.00	0.00	C66
Bladder	223	3.8	6.5	5.2	0.22	0.62	37	0.6	1.0	0.7	0.03	0.07	C67
Other urinary organs	2	0.0	0.1	0.0	0.00	0.00	1	0.0	0.0	0.0	0.00	0.00	C68
Eye	9	0.2	0.3	0.3	0.02	0.02	8	0.1	0.2	0.3	0.01	0.02	C69
Brain and nervous system	113	1.9	3.3	3.1	0.21	0.29	70	1.2	1.9	1.6	0.09	0.17	C70–72
Thyroid	73	1.2	2.1	1.8	0.12	0.19	340	6.0	9.4	8.0	0.61	0.73	C73
Adrenal gland	5	0.1	0.1	0.2	0.01	0.01	5	0.1	0.1	0.1	0.01	0.01	C74
Other endocrine	2	0.0	0.1	0.1	0.00	0.01	3	0.1	0.1	0.1	0.01	0.01	C75
Hodgkin lymphoma	27	0.5	0.8	0.7	0.05	0.05	23	0.4	0.6	0.6	0.04	0.06	C81
Non-Hodgkin lymphoma	267	4.5	7.8	6.4	0.39	0.68	217	3.8	6.0	4.6	0.27	0.50	C82–86,C96
Immunoproliferative diseases	9	0.2	0.3	0.2	0.02	0.02	6	0.1	0.2	0.1	0.01	0.01	C88
Multiple myeloma	71	1.2	2.1	1.7	0.10	0.20	63	1.1	1.7	1.3	0.07	0.19	C90
Lymphoid leukaemia	72	1.2	2.1	2.2	0.11	0.19	41	0.7	1.1	1.5	0.07	0.10	C91
Myeloid leukaemia	107	1.8	3.1	2.8	0.15	0.26	94	1.6	2.6	2.2	0.14	0.22	C92–94
Leukaemia unspecified	46	0.8	1.3	1.2	0.06	0.10	35	0.6	1.0	0.7	0.03	0.08	C95
Myeloproliferative disorders	18	0.3	0.5	0.4	0.01	0.05	12	0.2	0.3	0.2	0.01	0.03	MPD
Myelodysplastic syndromes	7	0.1	0.2	0.2	0.01	0.02	1	0.0	0.0	0.0	0.00	0.00	MPS
Other and unspecified	231	3.9	6.7	5.6	0.32	0.68	154	2.7	4.3	2.9	0.17	0.32	O&U
All sites	6090		177.2	147.3	8.34	17.25	5954		165.1	124.3	8.60	13.66	C00–96
All sites except C44	5900	100.0	171.6	143.1	8.13	16.83	5701	100.0	158.1	120.0	8.44	13.18	C00–96 exc. C44

*See note following population pyramid

Turkey, Antalya

CONTRIBUTORS

Hülya Karakılıç
 Özlem Gündüz Göktepe
 Derya Akgül Kanalcı
 Gülşen Kurt
 Songül Çatalbaş
 Gülfem Öztekin
 Gülşen Aksoy
 Hamide Tüfekçi Yetkin
 Ayla Karaca
 Nurten Eryiğit
 Mürvet Artuk Uçar



20 major cancers, ASR (World) per 100 000

<i>Male</i>		<i>Female</i>	
Trachea, bronchus, and lung	47.3	Breast	42.1
Prostate	34.4	Non-melanoma skin cancer	22.3
Non-melanoma skin cancer	31.5	Thyroid	15.0
Bladder	19.8	Corpus uteri	11.1
Colon	11.9	Trachea, bronchus, and lung	8.6
Stomach	10.8	Colon	7.4
Rectum	9.5	Ovary	6.0
Non-Hodgkin lymphoma	8.3	Non-Hodgkin lymphoma	5.6
Pancreas	6.7	Stomach	5.3
Kidney	6.6	Cervix uteri	5.1
Brain and nervous system	5.8	Rectum	4.9
Larynx	5.4	Brain and nervous system	4.9
Liver	4.6	Pancreas	4.3
Lymphoid leukaemia	4.5	Kidney	3.1
Thyroid	3.8	Lymphoid leukaemia	3.1
Myeloid leukaemia	3.7	Myelodysplastic syndromes	3.1
Other and unspecified	3.5	Myeloid leukaemia	2.9
Myelodysplastic syndromes	3.3	Myeloproliferative disorders	2.6
Multiple myeloma	3.3	Other and unspecified	2.4
Testis	3.2	Multiple myeloma	2.3
All sites	253.1	All sites	181.9


Turkey, Antalya (2013–2017)

SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	
Lip	96	0.7	1.7	1.5	0.09	0.17	25	0.2	0.4	0.4	0.02	0.04	C00
Tongue	43	0.3	0.7	0.7	0.05	0.09	34	0.3	0.6	0.5	0.03	0.06	C01–02
Mouth	54	0.4	0.9	0.8	0.06	0.10	42	0.4	0.7	0.6	0.04	0.06	C03–06
Salivary glands	42	0.3	0.7	0.7	0.05	0.08	36	0.3	0.6	0.6	0.04	0.06	C07–08
Tonsil	18	0.1	0.3	0.3	0.02	0.04	4	0.0	0.1	0.1	0.00	0.01	C09
Other oropharynx	3	0.0	0.1	0.0	0.00	0.01	1	0.0	0.0	0.0	0.00	0.00	C10
Nasopharynx	92	0.7	1.6	1.4	0.11	0.15	30	0.3	0.5	0.5	0.04	0.06	C11
Hypopharynx	21	0.2	0.4	0.4	0.02	0.05	7	0.1	0.1	0.1	0.00	0.01	C12–13
Pharynx unspecified	0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.0	0.0	0.00	0.00	C14
Oesophagus	80	0.6	1.4	1.3	0.07	0.15	49	0.5	0.9	0.7	0.05	0.07	C15
Stomach	672	5.0	11.7	10.8	0.58	1.29	365	3.5	6.5	5.3	0.30	0.60	C16
Small intestine	54	0.4	0.9	0.9	0.04	0.10	36	0.3	0.6	0.5	0.03	0.06	C17
Colon	732	5.4	12.8	11.9	0.62	1.45	490	4.6	8.7	7.4	0.40	0.87	C18
Rectum	587	4.4	10.2	9.5	0.54	1.18	331	3.1	5.9	4.9	0.30	0.55	C19–20
Anus	30	0.2	0.5	0.5	0.03	0.07	23	0.2	0.4	0.3	0.02	0.03	C21
Liver	280	2.1	4.9	4.6	0.25	0.55	110	1.0	2.0	1.7	0.09	0.19	C22
Gallbladder etc.	136	1.0	2.4	2.2	0.10	0.30	132	1.3	2.3	1.9	0.09	0.20	C23–24
Pancreas	411	3.1	7.2	6.7	0.36	0.80	289	2.7	5.1	4.3	0.19	0.53	C25
Nose, sinuses etc.	20	0.1	0.3	0.3	0.02	0.03	12	0.1	0.2	0.2	0.01	0.02	C30–31
Larynx	328	2.4	5.7	5.4	0.37	0.72	21	0.2	0.4	0.3	0.02	0.03	C32
Trachea, bronchus, and lung	2853	21.2	49.7	47.3	2.70	6.19	569	5.4	10.1	8.6	0.56	1.03	C33–34
Other thoracic organs	33	0.2	0.6	0.5	0.03	0.07	22	0.2	0.4	0.3	0.02	0.04	C37–38
Bone	56	0.4	1.0	1.0	0.06	0.07	43	0.4	0.8	0.7	0.04	0.06	C40–41
Melanoma of skin	114	0.8	2.0	1.8	0.11	0.21	80	0.8	1.4	1.2	0.06	0.13	C43
Other skin	1938	14.4	33.8	31.5	1.42	3.61	1523	14.4	27.1	22.3	1.12	2.46	C44
Mesothelioma	30	0.2	0.5	0.5	0.03	0.06	26	0.2	0.5	0.4	0.02	0.05	C45
Kaposi sarcoma	54	0.4	0.9	0.8	0.03	0.09	30	0.3	0.5	0.4	0.01	0.03	C46
Connective and soft tissue	117	0.9	2.0	1.9	0.11	0.21	90	0.9	1.6	1.5	0.09	0.14	C47+C49
Breast	24	0.2	0.4	0.4	0.02	0.04	2840	26.9	50.5	42.1	3.31	4.63	C50
Vulva							32	0.3	0.6	0.5	0.02	0.06	C51
Vagina							7	0.1	0.1	0.1	0.01	0.01	C52
Cervix uteri							348	3.3	6.2	5.1	0.41	0.56	C53
Corpus uteri							723	6.9	12.9	11.1	0.86	1.35	C54
Uterus unspecified							19	0.2	0.3	0.3	0.02	0.04	C55
Ovary							398	3.8	7.1	6.0	0.45	0.66	C56
Other female genital organs							32	0.3	0.6	0.5	0.04	0.06	C57
Placenta							7	0.1	0.1	0.1	0.01	0.01	C58
Penis	4	0.0	0.1	0.1	0.01	0.01							C60
Prostate	2016	15.0	35.1	34.4	1.37	4.61							C61
Testis	208	1.5	3.6	3.2	0.23	0.25							C62
Other male genital organs	7	0.1	0.1	0.1	0.01	0.01							C63
Kidney	408	3.0	7.1	6.6	0.46	0.81	200	1.9	3.6	3.1	0.19	0.35	C64
Renal pelvis	28	0.2	0.5	0.5	0.02	0.06	11	0.1	0.2	0.2	0.01	0.02	C65
Ureter	11	0.1	0.2	0.2	0.01	0.01	3	0.0	0.1	0.0	0.00	0.00	C66
Bladder	1204	9.0	21.0	19.8	0.93	2.50	158	1.5	2.8	2.3	0.11	0.25	C67
Other urinary organs	13	0.1	0.2	0.2	0.01	0.03	4	0.0	0.1	0.1	0.00	0.01	C68
Eye	28	0.2	0.5	0.5	0.03	0.04	16	0.2	0.3	0.3	0.02	0.03	C69
Brain and nervous system	352	2.6	6.1	5.8	0.37	0.61	299	2.8	5.3	4.9	0.30	0.50	C70–72
Thyroid	252	1.9	4.4	3.8	0.29	0.42	1008	9.6	17.9	15.0	1.22	1.44	C73
Adrenal gland	18	0.1	0.3	0.3	0.02	0.02	19	0.2	0.3	0.4	0.02	0.03	C74
Other endocrine	6	0.0	0.1	0.1	0.01	0.01	8	0.1	0.1	0.1	0.01	0.01	C75
Hodgkin lymphoma	106	0.8	1.8	1.8	0.12	0.16	81	0.8	1.4	1.4	0.09	0.11	C81
Non-Hodgkin lymphoma	504	3.8	8.8	8.3	0.46	0.90	365	3.5	6.5	5.6	0.33	0.63	C82–86,C96
Immunoproliferative diseases	18	0.1	0.3	0.3	0.02	0.03	22	0.2	0.4	0.4	0.03	0.04	C88
Multiple myeloma	199	1.5	3.5	3.3	0.15	0.40	151	1.4	2.7	2.3	0.15	0.29	C90
Lymphoid leukaemia	238	1.8	4.1	4.5	0.23	0.38	162	1.5	2.9	3.1	0.17	0.24	C91
Myeloid leukaemia	221	1.6	3.9	3.7	0.21	0.36	183	1.7	3.3	2.9	0.17	0.30	C92–94
Leukaemia unspecified	8	0.1	0.1	0.2	0.01	0.02	6	0.1	0.1	0.1	0.00	0.01	C95
Myeloproliferative disorders	193	1.4	3.4	3.1	0.19	0.35	174	1.7	3.1	2.6	0.17	0.30	MPD
Myelodysplastic syndromes	200	1.5	3.5	3.3	0.12	0.40	204	1.9	3.6	3.1	0.16	0.36	MPS
Other and unspecified	213	1.6	3.7	3.5	0.19	0.40	166	1.6	3.0	2.4	0.10	0.27	O&U
All sites	15373		267.9	253.1	13.39	30.66	12067		214.5	181.9	11.98	19.96	C00–96
All sites except C44	13435	100.0	234.2	221.7	11.97	27.05	10544	100.0	187.5	159.6	10.86	17.50	C00–96 exc. C44

Turkey, Bursa

CONTRIBUTORS

Fevzi Yavuzylmaz
Yunuz Arslan
Mustafa Çetin
Gayz Cantekin Akpınar
Seda Alasağ
Deniz Ayvaz
Yasemin Durgut
Melin Kırbyık
Ayşe Kahraman
Havva Muti



NOTES ON THE DATA

†C67 (bladder cancer) includes neoplasms of uncertain or unknown behaviour together with invasive cancers.

20 major cancers, ASR (World) per 100 000

<i>Male</i>		<i>Female</i>	
Trachea, bronchus, and lung	67.4	Breast	40.7
Prostate	28.0	Corpus uteri	12.3
Bladder	21.5	Thyroid	11.5
Stomach	16.8	Colon	8.9
Colon	15.6	Trachea, bronchus, and lung	8.1
Rectum	10.2	Stomach	7.5
Pancreas	7.0	Ovary	6.6
Larynx	6.5	Rectum	5.4
Brain and nervous system	6.2	Cervix uteri	4.5
Non-Hodgkin lymphoma	5.8	Brain and nervous system	4.1
Kidney	5.8	Non-Hodgkin lymphoma	4.0
Other and unspecified	5.6	Pancreas	3.8
Testis	4.3	Kidney	3.2
Liver	4.0	Other and unspecified	3.0
Lymphoid leukaemia	3.6	Myeloid leukaemia	2.4
Thyroid	3.1	Lymphoid leukaemia	2.4
Myeloid leukaemia	2.9	Bladder	2.3
Gallbladder etc.	2.0	Gallbladder etc.	1.8
Oesophagus	2.0	Multiple myeloma	1.5
Multiple myeloma	1.8	Liver	1.5
All sites	239.7	All sites	150.7

Turkey, Bursa (2013–2017)


SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	
Lip	109	0.6	1.5	1.3	0.07	0.15	22	0.2	0.3	0.2	0.01	0.02	C00
Tongue	50	0.3	0.7	0.6	0.04	0.08	42	0.3	0.6	0.5	0.03	0.06	C01–02
Mouth	39	0.2	0.5	0.5	0.04	0.07	36	0.3	0.5	0.4	0.03	0.05	C03–06
Salivary glands	43	0.2	0.6	0.5	0.03	0.07	29	0.2	0.4	0.3	0.02	0.03	C07–08
Tonsil	18	0.1	0.3	0.2	0.02	0.03	7	0.1	0.1	0.1	0.00	0.01	C09
Other oropharynx	7	0.0	0.1	0.1	0.01	0.01	2	0.0	0.0	0.0	0.00	0.00	C10
Nasopharynx	117	0.6	1.6	1.4	0.12	0.15	56	0.4	0.8	0.7	0.05	0.06	C11
Hypopharynx	20	0.1	0.3	0.3	0.01	0.04	20	0.2	0.3	0.2	0.02	0.03	C12–13
Pharynx unspecified	4	0.0	0.1	0.0	0.00	0.00	3	0.0	0.0	0.0	0.00	0.01	C14
Oesophagus	160	0.9	2.2	2.0	0.11	0.26	117	0.9	1.6	1.3	0.08	0.14	C15
Stomach	1339	7.1	18.8	16.8	0.93	1.98	685	5.2	9.7	7.5	0.41	0.87	C16
Small intestine	48	0.3	0.7	0.6	0.04	0.07	37	0.3	0.5	0.4	0.02	0.04	C17
Colon	1243	6.6	17.5	15.6	0.82	1.88	809	6.1	11.4	8.9	0.50	1.05	C18
Rectum	819	4.4	11.5	10.2	0.61	1.24	498	3.8	7.0	5.4	0.33	0.61	C19–20
Anus	25	0.1	0.4	0.3	0.02	0.03	15	0.1	0.2	0.2	0.01	0.02	C21
Liver	310	1.7	4.4	4.0	0.20	0.48	141	1.1	2.0	1.5	0.06	0.15	C22
Gallbladder etc.	164	0.9	2.3	2.0	0.13	0.24	174	1.3	2.5	1.8	0.10	0.21	C23–24
Pancreas	549	2.9	7.7	7.0	0.34	0.89	357	2.7	5.0	3.8	0.17	0.43	C25
Nose, sinuses etc.	27	0.1	0.4	0.4	0.02	0.04	15	0.1	0.2	0.2	0.02	0.02	C30–31
Larynx	522	2.8	7.3	6.5	0.46	0.84	46	0.3	0.6	0.5	0.04	0.06	C32
Trachea, bronchus, and lung	5293	28.2	74.4	67.4	3.84	8.82	735	5.6	10.4	8.1	0.49	0.98	C33–34
Other thoracic organs	16	0.1	0.2	0.2	0.01	0.02	11	0.1	0.2	0.1	0.01	0.01	C37–38
Bone	57	0.3	0.8	0.8	0.05	0.06	46	0.3	0.6	0.7	0.04	0.05	C40–41
Melanoma of skin	130	0.7	1.8	1.6	0.11	0.18	106	0.8	1.5	1.2	0.07	0.12	C43
Other skin	33	0.2	0.5	0.4	0.02	0.05	38	0.3	0.5	0.5	0.03	0.04	C44
Mesothelioma	71	0.4	1.0	0.9	0.04	0.11	52	0.4	0.7	0.6	0.03	0.07	C45
Kaposi sarcoma	56	0.3	0.8	0.7	0.02	0.08	21	0.2	0.3	0.2	0.01	0.02	C46
Connective and soft tissue	120	0.6	1.7	1.6	0.09	0.15	114	0.9	1.6	1.4	0.10	0.13	C47+C49
Breast	49	0.3	0.7	0.6	0.03	0.08	3587	27.2	50.6	40.7	3.16	4.46	C50
Vulva							39	0.3	0.5	0.4	0.01	0.04	C51
Vagina							13	0.1	0.2	0.2	0.01	0.02	C52
Cervix uteri							394	3.0	5.6	4.5	0.37	0.49	C53
Corpus uteri							1056	8.0	14.9	12.3	0.96	1.55	C54
Uterus unspecified							25	0.2	0.4	0.3	0.02	0.03	C55
Ovary							576	4.4	8.1	6.6	0.49	0.73	C56
Other female genital organs							37	0.3	0.5	0.4	0.03	0.05	C57
Placenta							3	0.0	0.0	0.0	0.00	0.00	C58
Penis	1	0.0	0.0	0.0	0.00	0.00							C60
Prostate	2163	11.5	30.4	28.0	0.88	3.58							C61
Testis	331	1.8	4.7	4.3	0.30	0.30							C62
Other male genital organs	3	0.0	0.0	0.0	0.00	0.00							C63
Kidney	461	2.5	6.5	5.8	0.36	0.69	268	2.0	3.8	3.2	0.21	0.36	C64
Renal pelvis	21	0.1	0.3	0.3	0.01	0.04	6	0.0	0.1	0.1	0.00	0.00	C65
Ureter	14	0.1	0.2	0.2	0.01	0.02	2	0.0	0.0	0.0	0.00	0.00	C66
†Bladder	1685	9.0	23.7	21.5	1.07	2.73	211	1.6	3.0	2.3	0.10	0.27	C67
Other urinary organs	7	0.0	0.1	0.1	0.00	0.01	6	0.0	0.1	0.1	0.00	0.01	C68
Eye	17	0.1	0.2	0.3	0.01	0.03	15	0.1	0.2	0.2	0.01	0.01	C69
Brain and nervous system	474	2.5	6.7	6.2	0.40	0.64	326	2.5	4.6	4.1	0.25	0.41	C70–72
Thyroid	262	1.4	3.7	3.1	0.25	0.31	970	7.4	13.7	11.5	0.95	1.06	C73
Adrenal gland	22	0.1	0.3	0.4	0.02	0.03	21	0.2	0.3	0.4	0.02	0.02	C74
Other endocrine	5	0.0	0.1	0.1	0.00	0.01	5	0.0	0.1	0.1	0.00	0.01	C75
Hodgkin lymphoma	133	0.7	1.9	1.8	0.12	0.15	101	0.8	1.4	1.4	0.09	0.12	C81
Non-Hodgkin lymphoma	458	2.4	6.4	5.8	0.38	0.64	344	2.6	4.8	4.0	0.23	0.43	C82–86,C96
Immunoproliferative diseases	12	0.1	0.2	0.2	0.01	0.02	10	0.1	0.1	0.1	0.01	0.01	C88
Multiple myeloma	145	0.8	2.0	1.8	0.10	0.24	143	1.1	2.0	1.5	0.08	0.18	C90
Lymphoid leukaemia	232	1.2	3.3	3.6	0.18	0.26	149	1.1	2.1	2.4	0.12	0.18	C91
Myeloid leukaemia	219	1.2	3.1	2.9	0.17	0.28	192	1.5	2.7	2.4	0.15	0.24	C92–94
Leukaemia unspecified	25	0.1	0.4	0.4	0.01	0.03	20	0.2	0.3	0.3	0.01	0.02	C95
Myeloproliferative disorders	127	0.7	1.8	1.6	0.11	0.18	85	0.6	1.2	1.0	0.08	0.11	MPD
Myelodysplastic syndromes	80	0.4	1.1	1.0	0.04	0.12	72	0.5	1.0	0.7	0.03	0.08	MPS
Other and unspecified	447	2.4	6.3	5.6	0.27	0.68	295	2.2	4.2	3.0	0.11	0.32	O&U
All sites	18782		264.0	239.7	12.91	29.09	13205		186.1	150.7	10.21	16.50	C00–96
All sites except C44	18749	100.0	263.5	239.3	12.89	29.04	13167	100.0	185.6	150.2	10.18	16.46	C00–96 exc. C44

†See note following population pyramid

Turkey, Edirne

CONTRIBUTORS

Mustafa Ishak Yıldırım
Merve Dogan Canbulat
Ümit Akin
Ayşe Beller
Tijen Oztürk Taşkin
Filiz Güler
Remziye Akin
Zulfiye Yazici
Gülbiye Ozgür
Yelda Karabaş



NOTES ON THE DATA

*No official mortality data.

†C67 (bladder cancer) includes neoplasms of uncertain or unknown behaviour together with invasive cancers.

20 major cancers, ASR (World) per 100 000

<i>Male</i>		<i>Female</i>	
Trachea, bronchus, and lung	91.6	Breast	42.6
Non-melanoma skin cancer	36.9	Thyroid	38.5
Prostate	29.7	Non-melanoma skin cancer	25.7
Bladder	24.1	Corpus uteri	12.9
Stomach	15.5	Colon	9.2
Colon	14.6	Trachea, bronchus, and lung	9.1
Larynx	9.8	Ovary	7.7
Rectum	9.1	Stomach	6.6
Pancreas	8.9	Rectum	6.1
Thyroid	8.9	Cervix uteri	5.4
Other and unspecified	8.3	Pancreas	5.2
Liver	7.6	Brain and nervous system	4.9
Kidney	6.9	Other and unspecified	4.2
Brain and nervous system	6.2	Non-Hodgkin lymphoma	4.2
Non-Hodgkin lymphoma	6.1	Kidney	3.4
Myeloproliferative disorders	3.7	Multiple myeloma	3.0
Testis	3.4	Bladder	2.6
Lymphoid leukaemia	3.2	Myeloid leukaemia	2.5
Connective and soft tissue	3.0	Lymphoid leukaemia	2.1
Multiple myeloma	2.8	Connective and soft tissue	2.0
All sites	324.4	All sites	216.9

*Turkey, Edirne (2013–2017)


SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	
Lip	13	0.3	1.3	0.8	0.06	0.09	1	0.0	0.1	0.0	0.00	0.00	C00
Tongue	17	0.4	1.7	1.1	0.06	0.16	6	0.2	0.6	0.4	0.03	0.04	C01–02
Mouth	13	0.3	1.3	0.9	0.06	0.12	3	0.1	0.3	0.2	0.01	0.02	C03–06
Salivary glands	12	0.3	1.2	0.8	0.04	0.11	9	0.3	0.9	0.6	0.04	0.06	C07–08
Tonsil	6	0.1	0.6	0.4	0.03	0.05	1	0.0	0.1	0.0	0.00	0.00	C09
Other oropharynx	1	0.0	0.1	0.1	0.01	0.01	0	0.0	0.0	0.0	0.00	0.00	C10
Nasopharynx	20	0.4	2.0	1.6	0.12	0.17	5	0.2	0.5	0.3	0.04	0.04	C11
Hypopharynx	7	0.2	0.7	0.5	0.04	0.06	1	0.0	0.1	0.0	0.00	0.00	C12–13
Pharynx unspecified	1	0.0	0.1	0.1	0.01	0.01	0	0.0	0.0	0.0	0.00	0.00	C14
Oesophagus	34	0.8	3.3	2.1	0.13	0.25	9	0.3	0.9	0.5	0.04	0.07	C15
Stomach	245	5.5	24.1	15.5	0.78	1.99	116	3.9	11.7	6.6	0.28	0.86	C16
Small intestine	6	0.1	0.6	0.3	0.00	0.03	7	0.2	0.7	0.4	0.03	0.05	C17
Colon	237	5.3	23.3	14.6	0.77	1.67	170	5.8	17.1	9.2	0.49	1.11	C18
Rectum	149	3.3	14.6	9.1	0.51	1.05	106	3.6	10.7	6.1	0.39	0.66	C19–20
Anus	4	0.1	0.4	0.2	0.01	0.04	1	0.0	0.1	0.0	0.00	0.00	C21
Liver	120	2.7	11.8	7.6	0.44	0.87	31	1.1	3.1	1.8	0.08	0.20	C22
Gallbladder etc.	20	0.4	2.0	1.3	0.04	0.18	31	1.1	3.1	1.7	0.10	0.18	C23–24
Pancreas	139	3.1	13.7	8.9	0.50	1.11	98	3.3	9.9	5.2	0.28	0.64	C25
Nose, sinuses etc.	6	0.1	0.6	0.4	0.04	0.05	5	0.2	0.5	0.3	0.03	0.04	C30–31
Larynx	157	3.5	15.4	9.8	0.75	1.24	18	0.6	1.8	1.1	0.07	0.15	C32
Trachea, bronchus, and lung	1457	32.6	143.1	91.6	5.79	11.79	160	5.4	16.1	9.1	0.58	1.06	C33–34
Other thoracic organs	11	0.2	1.1	0.8	0.03	0.09	3	0.1	0.3	0.2	0.01	0.01	C37–38
Bone	8	0.2	0.8	0.8	0.05	0.06	3	0.1	0.3	0.3	0.02	0.02	C40–41
Melanoma of skin	34	0.8	3.3	2.2	0.15	0.25	28	0.9	2.8	1.7	0.13	0.18	C43
Other skin	597	13.3	58.6	36.9	1.77	4.34	491	16.6	49.5	25.7	1.33	2.77	C44
Mesothelioma	5	0.1	0.5	0.3	0.02	0.02	2	0.1	0.2	0.1	0.00	0.03	C45
Kaposi sarcoma	14	0.3	1.4	0.9	0.02	0.13	13	0.4	1.3	0.7	0.02	0.08	C46
Connective and soft tissue	41	0.9	4.0	3.0	0.20	0.30	23	0.8	2.3	2.0	0.12	0.18	C47+C49
Breast	12	0.3	1.2	0.7	0.03	0.08	631	21.4	63.6	42.6	3.36	4.63	C50
Vulva							13	0.4	1.3	0.8	0.03	0.09	C51
Vagina							1	0.0	0.1	0.1	0.01	0.01	C52
Cervix uteri							80	2.7	8.1	5.4	0.45	0.59	C53
Corpus uteri							200	6.8	20.2	12.9	0.92	1.70	C54
Uterus unspecified							22	0.7	2.2	1.3	0.11	0.17	C55
Ovary							116	3.9	11.7	7.7	0.58	0.90	C56
Other female genital organs							6	0.2	0.6	0.3	0.03	0.04	C57
Placenta							0	0.0	0.0	0.0	0.00	0.00	C58
Penis		0.0	0.2	0.1	0.01	0.01							C60
Prostate	485	10.8	47.6	29.7	1.11	3.95							C61
Testis	41	0.9	4.0	3.4	0.24	0.29							C62
Other male genital organs	1	0.0	0.1	0.1	0.01	0.01							C63
Kidney	97	2.2	9.5	6.9	0.47	0.76	51	1.7	5.1	3.4	0.24	0.38	C64
Renal pelvis	5	0.1	0.5	0.3	0.02	0.04	0	0.0	0.0	0.0	0.00	0.00	C65
Ureter	4	0.1	0.4	0.3	0.02	0.03	0	0.0	0.0	0.0	0.00	0.00	C66
†Bladder	397	8.9	39.0	24.1	1.20	2.82	48	1.6	4.8	2.6	0.15	0.29	C67
Other urinary organs	4	0.1	0.4	0.3	0.01	0.05	2	0.1	0.2	0.1	0.00	0.01	C68
Eye	5	0.1	0.5	0.3	0.01	0.04	5	0.2	0.5	0.3	0.02	0.02	C69
Brain and nervous system	85	1.9	8.3	6.2	0.40	0.58	70	2.4	7.1	4.9	0.30	0.52	C70–72
Thyroid	122	2.7	12.0	8.9	0.64	0.96	514	17.4	51.8	38.5	3.27	3.86	C73
Adrenal gland	3	0.1	0.3	0.3	0.02	0.02	3	0.1	0.3	0.4	0.02	0.02	C74
Other endocrine	2	0.0	0.2	0.1	0.00	0.01	3	0.1	0.3	0.2	0.01	0.01	C75
Hodgkin lymphoma	22	0.5	2.2	2.0	0.13	0.17	14	0.5	1.4	1.2	0.08	0.10	C81
Non-Hodgkin lymphoma	86	1.9	8.4	6.1	0.34	0.72	68	2.3	6.9	4.2	0.28	0.42	C82–86,C96
Immunoproliferative diseases	3	0.1	0.3	0.2	0.00	0.02	3	0.1	0.3	0.2	0.02	0.02	C88
Multiple myeloma	45	1.0	4.4	2.8	0.18	0.31	54	1.8	5.4	3.0	0.18	0.36	C90
Lymphoid leukaemia	36	0.8	3.5	3.2	0.19	0.26	24	0.8	2.4	2.1	0.11	0.20	C91
Myeloid leukaemia	40	0.9	3.9	2.6	0.12	0.31	40	1.4	4.0	2.5	0.15	0.31	C92–94
Leukaemia unspecified	4	0.1	0.4	0.4	0.02	0.02	4	0.1	0.4	0.4	0.02	0.05	C95
Myeloproliferative disorders	51	1.1	5.0	3.7	0.26	0.37	31	1.1	3.1	1.9	0.11	0.22	MPD
Myelodysplastic syndromes	14	0.3	1.4	0.8	0.02	0.10	21	0.7	2.1	1.3	0.09	0.17	MPS
Other and unspecified	132	2.9	13.0	8.3	0.40	1.01	77	2.6	7.8	4.2	0.21	0.50	O&U
All sites	5072		498.2	324.4	18.30	39.21	3442		347.0	216.9	14.90	24.08	C00–96
All sites except C44	4475	100.0	439.6	287.5	16.52	34.87	2951	100.0	297.5	191.2	13.57	21.32	C00–96 exc. C44

*†See note following population pyramid

Turkey, Erzurum

CONTRIBUTORS

E. Füsün Karaşahin
Duygu Has
Tayyar Çelik
Murat Akçay
Sibel Yılmaz



NOTES ON THE DATA

*No official mortality data.

†C67 (bladder cancer) includes neoplasms of uncertain or unknown behaviour together with invasive cancers.

20 major cancers, ASR (World) per 100 000

<i>Male</i>		<i>Female</i>	
Trachea, bronchus, and lung	51.4	Thyroid	36.9
Stomach	39.2	Breast	30.2
Prostate	34.6	Stomach	17.9
Non-melanoma skin cancer	24.8	Non-melanoma skin cancer	14.3
Bladder	19.7	Oesophagus	10.3
Oesophagus	9.6	Trachea, bronchus, and lung	8.9
Colon	9.4	Colon	8.1
Non-Hodgkin lymphoma	9.2	Ovary	7.2
Thyroid	7.7	Non-Hodgkin lymphoma	6.0
Larynx	7.4	Brain and nervous system	5.6
Kidney	6.8	Corpus uteri	5.1
Brain and nervous system	6.4	Pancreas	4.9
Pancreas	5.9	Kidney	4.3
Liver	5.0	Cervix uteri	3.9
Lymphoid leukaemia	4.5	Other and unspecified	3.5
Rectum	4.0	Rectum	3.4
Other and unspecified	3.5	Liver	3.0
Myeloid leukaemia	3.3	Myeloproliferative disorders	2.7
Myeloproliferative disorders	3.1	Lymphoid leukaemia	2.4
Testis	3.0	Bladder	2.3
All sites	280.0	All sites	197.6

*Turkey, Erzurum (2013–2017)


SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	
Lip	26	0.6	1.4	1.4	0.10	0.13	1	0.0	0.1	0.1	0.01	0.01	C00
Tongue	9	0.2	0.5	0.5	0.03	0.06	9	0.2	0.5	0.4	0.02	0.04	C01–02
Mouth	8	0.2	0.4	0.5	0.02	0.07	7	0.2	0.4	0.3	0.03	0.03	C03–06
Salivary glands	9	0.2	0.5	0.4	0.03	0.04	10	0.3	0.5	0.5	0.04	0.06	C07–08
Tonsil	2	0.0	0.1	0.1	0.00	0.01	1	0.0	0.1	0.0	0.00	0.00	C09
Other oropharynx	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C10
Nasopharynx	30	0.6	1.6	1.6	0.14	0.18	7	0.2	0.4	0.3	0.01	0.04	C11
Hypopharynx	5	0.1	0.3	0.3	0.02	0.03	3	0.1	0.2	0.1	0.01	0.01	C12–13
Pharynx unspecified	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C14
Oesophagus	184	3.9	9.6	9.6	0.46	1.06	219	5.9	11.5	10.3	0.58	1.23	C15
Stomach	721	15.3	37.7	39.2	1.96	4.95	393	10.6	20.6	17.9	0.91	2.19	C16
Small intestine	19	0.4	1.0	1.0	0.09	0.11	20	0.5	1.1	0.9	0.04	0.12	C17
Colon	179	3.8	9.4	9.4	0.53	1.05	170	4.6	8.9	8.1	0.47	0.94	C18
Rectum	72	1.5	3.8	4.0	0.20	0.51	73	2.0	3.8	3.4	0.22	0.38	C19–20
Anus	5	0.1	0.3	0.2	0.01	0.02	8	0.2	0.4	0.3	0.01	0.04	C21
Liver	92	2.0	4.8	5.0	0.21	0.65	66	1.8	3.5	3.0	0.15	0.31	C22
Gallbladder etc.	29	0.6	1.5	1.5	0.08	0.15	25	0.7	1.3	1.1	0.07	0.14	C23–24
Pancreas	111	2.4	5.8	5.9	0.27	0.73	111	3.0	5.8	4.9	0.24	0.55	C25
Nose, sinuses etc.	8	0.2	0.4	0.5	0.03	0.06	4	0.1	0.2	0.2	0.01	0.03	C30–31
Larynx	131	2.8	6.9	7.4	0.42	0.97	3	0.1	0.2	0.1	0.00	0.01	C32
Trachea, bronchus, and lung	922	19.6	48.2	51.4	2.81	6.73	204	5.5	10.7	8.9	0.45	0.87	C33–34
Other thoracic organs	5	0.1	0.3	0.3	0.03	0.04	11	0.3	0.6	0.5	0.03	0.07	C37–38
Bone	26	0.6	1.4	1.3	0.08	0.11	16	0.4	0.8	0.8	0.07	0.08	C40–41
Melanoma of skin	26	0.6	1.4	1.3	0.04	0.16	29	0.8	1.5	1.4	0.08	0.13	C43
Other skin	464	9.9	24.3	24.8	1.27	3.02	317	8.6	16.6	14.3	0.70	1.59	C44
Mesothelioma	6	0.1	0.3	0.3	0.02	0.03	10	0.3	0.5	0.5	0.04	0.06	C45
Kaposi sarcoma	14	0.3	0.7	0.7	0.02	0.06	8	0.2	0.4	0.4	0.01	0.05	C46
Connective and soft tissue	36	0.8	1.9	1.9	0.09	0.20	16	0.4	0.8	0.9	0.07	0.08	C47+C49
Breast	12	0.3	0.6	0.7	0.06	0.11	575	15.5	30.2	30.2	2.36	3.29	C50
Vulva							11	0.3	0.6	0.5	0.03	0.06	C51
Vagina							5	0.1	0.3	0.3	0.02	0.02	C52
Cervix uteri							74	2.0	3.9	3.9	0.32	0.43	C53
Corpus uteri							98	2.6	5.1	5.1	0.38	0.65	C54
Uterus unspecified							12	0.3	0.6	0.6	0.02	0.07	C55
Ovary							139	3.8	7.3	7.2	0.54	0.77	C56
Other female genital organs							2	0.1	0.1	0.1	0.01	0.01	C57
Placenta							0	0.0	0.0	0.0	0.00	0.00	C58
Penis	1	0.0	0.1	0.1	0.01	0.01							C60
Prostate	645	13.7	33.8	34.6	1.28	4.54							C61
Testis	59	1.3	3.1	3.0	0.21	0.23							C62
Other male genital organs	1	0.0	0.1	0.1	0.00	0.00							C63
Kidney	122	2.6	6.4	6.8	0.47	0.81	82	2.2	4.3	4.3	0.33	0.51	C64
Renal pelvis	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C65
Ureter	2	0.0	0.1	0.1	0.01	0.01	0	0.0	0.0	0.0	0.00	0.00	C66
†Bladder	362	7.7	18.9	19.7	1.00	2.49	51	1.4	2.7	2.3	0.12	0.25	C67
Other urinary organs	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C68
Eye	4	0.1	0.2	0.2	0.01	0.01	5	0.1	0.3	0.3	0.03	0.03	C69
Brain and nervous system	122	2.6	6.4	6.4	0.43	0.60	114	3.1	6.0	5.6	0.35	0.55	C70–72
Thyroid	139	3.0	7.3	7.7	0.67	0.86	689	18.6	36.2	36.9	3.07	3.62	C73
Adrenal gland	2	0.0	0.1	0.1	0.01	0.01	2	0.1	0.1	0.1	0.01	0.01	C74
Other endocrine	3	0.1	0.2	0.2	0.01	0.02	10	0.3	0.5	0.5	0.04	0.05	C75
Hodgkin lymphoma	42	0.9	2.2	2.3	0.17	0.19	21	0.6	1.1	1.1	0.08	0.11	C81
Non-Hodgkin lymphoma	174	3.7	9.1	9.2	0.59	0.92	120	3.2	6.3	6.0	0.40	0.63	C82–86,C96
Immunoproliferative diseases	1	0.0	0.1	0.0	0.00	0.00	3	0.1	0.2	0.2	0.02	0.02	C88
Multiple myeloma	50	1.1	2.6	2.9	0.19	0.37	37	1.0	1.9	1.9	0.12	0.27	C90
Lymphoid leukaemia	82	1.7	4.3	4.5	0.25	0.45	50	1.4	2.6	2.4	0.11	0.19	C91
Myeloid leukaemia	62	1.3	3.2	3.3	0.17	0.31	41	1.1	2.2	2.1	0.11	0.20	C92–94
Leukaemia unspecified	5	0.1	0.3	0.3	0.02	0.02	2	0.1	0.1	0.1	0.00	0.01	C95
Myeloproliferative disorders	57	1.2	3.0	3.1	0.20	0.36	52	1.4	2.7	2.7	0.23	0.28	MPD
Myelodysplastic syndromes	13	0.3	0.7	0.6	0.01	0.04	3	0.1	0.2	0.1	0.00	0.02	MPS
Other and unspecified	67	1.4	3.5	3.5	0.15	0.40	77	2.1	4.0	3.5	0.18	0.39	O&U
All sites	5166		270.3	280.0	14.88	33.91	4016		210.9	197.6	13.14	21.50	C00–96
All sites except C44	4702	100.0	246.1	255.2	13.60	30.89	3699	100.0	194.3	183.4	12.44	19.91	C00–96 exc. C44

*†See note following population pyramid

Turkey, Eskişehir

CONTRIBUTORS

Belgin Kurnalı
 Nilufer Karagöz
 Emel Duran
 Gülay Dokuyucu
 Sibel Başgül
 Hürriyet Uysal



NOTES ON THE DATA

†C67 (bladder cancer) includes neoplasms of uncertain or unknown behaviour together with invasive cancers.

20 major cancers, ASR (World) per 100 000

Male		Female	
Trachea, bronchus, and lung	62.3	Breast	46.3
Prostate	32.0	Thyroid	35.4
Non-melanoma skin cancer	28.0	Non-melanoma skin cancer	17.8
Bladder	23.4	Corpus uteri	15.4
Colon	14.7	Colon	9.2
Stomach	12.4	Trachea, bronchus, and lung	7.9
Rectum	11.0	Ovary	6.4
Thyroid	8.3	Non-Hodgkin lymphoma	5.9
Non-Hodgkin lymphoma	7.5	Stomach	5.8
Larynx	7.0	Rectum	5.4
Kidney	6.7	Pancreas	3.9
Pancreas	6.2	Bladder	3.8
Brain and nervous system	5.4	Cervix uteri	3.8
Other and unspecified	4.6	Lymphoid leukaemia	3.5
Testis	3.7	Brain and nervous system	3.5
Liver	3.4	Kidney	3.3
Myeloid leukaemia	3.3	Multiple myeloma	3.2
Multiple myeloma	3.0	Other and unspecified	2.9
Lymphoid leukaemia	3.0	Myeloid leukaemia	2.8
Mesothelioma	2.9	Connective and soft tissue	1.6
All sites	273.1	All sites	205.8

Turkey, Eskişehir (2013–2017)


SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	
Lip	11	0.2	0.5	0.4	0.02	0.04	2	0.0	0.1	0.0	0.00	0.00	C00
Tongue	17	0.3	0.8	0.7	0.04	0.07	22	0.4	1.1	0.7	0.06	0.07	C01–02
Mouth	18	0.3	0.9	0.7	0.07	0.07	13	0.2	0.6	0.4	0.03	0.05	C03–06
Salivary glands	15	0.2	0.7	0.6	0.04	0.06	12	0.2	0.6	0.4	0.03	0.05	C07–08
Tonsil	2	0.0	0.1	0.1	0.00	0.00	1	0.0	0.0	0.0	0.00	0.00	C09
Other oropharynx	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C10
Nasopharynx	44	0.7	2.1	1.7	0.14	0.18	17	0.3	0.8	0.7	0.05	0.06	C11
Hypopharynx	18	0.3	0.9	0.7	0.04	0.07	3	0.1	0.1	0.1	0.01	0.01	C12–13
Pharynx unspecified	3	0.0	0.1	0.1	0.01	0.01	0	0.0	0.0	0.0	0.00	0.00	C14
Oesophagus	48	0.7	2.3	1.8	0.10	0.22	18	0.3	0.9	0.6	0.04	0.05	C15
Stomach	335	5.2	16.2	12.4	0.64	1.54	178	3.3	8.6	5.8	0.32	0.66	C16
Small intestine	18	0.3	0.9	0.7	0.05	0.09	7	0.1	0.3	0.2	0.01	0.02	C17
Colon	392	6.0	19.0	14.7	0.70	1.92	283	5.3	13.6	9.2	0.54	1.04	C18
Rectum	296	4.6	14.3	11.0	0.64	1.45	165	3.1	7.9	5.4	0.34	0.64	C19–20
Anus	20	0.3	1.0	0.7	0.03	0.10	9	0.2	0.4	0.3	0.01	0.03	C21
Liver	90	1.4	4.4	3.4	0.21	0.38	44	0.8	2.1	1.4	0.07	0.19	C22
Gallbladder etc.	35	0.5	1.7	1.3	0.05	0.16	43	0.8	2.1	1.3	0.05	0.17	C23–24
Pancreas	167	2.6	8.1	6.2	0.27	0.79	124	2.3	6.0	3.9	0.16	0.48	C25
Nose, sinuses etc.	8	0.1	0.4	0.3	0.01	0.04	5	0.1	0.2	0.2	0.01	0.02	C30–31
Larynx	187	2.9	9.0	7.0	0.48	0.91	10	0.2	0.5	0.3	0.02	0.02	C32
Trachea, bronchus, and lung	1658	25.6	80.2	62.3	3.73	8.24	245	4.6	11.8	7.9	0.48	0.95	C33–34
Other thoracic organs	6	0.1	0.3	0.2	0.02	0.04	8	0.1	0.4	0.3	0.02	0.04	C37–38
Bone	24	0.4	1.2	1.1	0.07	0.09	13	0.2	0.6	0.6	0.04	0.05	C40–41
Melanoma of skin	48	0.7	2.3	1.8	0.10	0.21	45	0.8	2.2	1.6	0.10	0.18	C43
Other skin	774	11.9	37.4	28.0	1.41	3.19	588	11.0	28.3	17.8	0.83	2.02	C44
Mesothelioma	78	1.2	3.8	2.9	0.14	0.40	48	0.9	2.3	1.5	0.06	0.21	C45
Kaposi sarcoma	21	0.3	1.0	0.8	0.03	0.09	10	0.2	0.5	0.3	0.01	0.01	C46
Connective and soft tissue	54	0.8	2.6	2.1	0.14	0.24	43	0.8	2.1	1.6	0.13	0.18	C47+C49
Breast	14	0.2	0.7	0.5	0.03	0.07	1303	24.4	62.7	46.3	3.54	5.14	C50
Vulva							19	0.4	0.9	0.6	0.02	0.07	C51
Vagina							6	0.1	0.3	0.2	0.01	0.02	C52
Cervix uteri							102	1.9	4.9	3.8	0.30	0.39	C53
Corpus uteri							447	8.4	21.5	15.4	1.13	1.91	C54
Uterus unspecified							3	0.1	0.1	0.1	0.01	0.01	C55
Ovary							184	3.4	8.9	6.4	0.47	0.72	C56
Other female genital organs							21	0.4	1.0	0.7	0.06	0.08	C57
Placenta							3	0.1	0.1	0.1	0.01	0.01	C58
Penis	0	0.0	0.0	0.0	0.00	0.00							C60
Prostate	869	13.4	42.0	32.0	1.21	4.37							C61
Testis	91	1.4	4.4	3.7	0.28	0.29							C62
Other male genital organs	0	0.0	0.0	0.0	0.00	0.00							C63
Kidney	172	2.7	8.3	6.7	0.42	0.83	90	1.7	4.3	3.3	0.22	0.38	C64
Renal pelvis	11	0.2	0.5	0.4	0.02	0.06	5	0.1	0.2	0.2	0.01	0.02	C65
Ureter	4	0.1	0.2	0.2	0.00	0.03	0	0.0	0.0	0.0	0.00	0.00	C66
†Bladder	633	9.8	30.6	23.4	1.16	3.03	124	2.3	6.0	3.8	0.19	0.47	C67
Other urinary organs	5	0.1	0.2	0.2	0.01	0.03	1	0.0	0.0	0.0	0.00	0.01	C68
Eye	5	0.1	0.2	0.2	0.01	0.03	10	0.2	0.5	0.4	0.03	0.04	C69
Brain and nervous system	132	2.0	6.4	5.4	0.35	0.58	91	1.7	4.4	3.5	0.23	0.33	C70–72
Thyroid	214	3.3	10.4	8.3	0.67	0.89	941	17.6	45.3	35.4	2.97	3.52	C73
Adrenal gland	4	0.1	0.2	0.2	0.01	0.02	9	0.2	0.4	0.5	0.03	0.03	C74
Other endocrine	4	0.1	0.2	0.1	0.01	0.02	8	0.1	0.4	0.3	0.02	0.03	C75
Hodgkin lymphoma	52	0.8	2.5	2.3	0.14	0.21	31	0.6	1.5	1.3	0.08	0.10	C81
Non-Hodgkin lymphoma	188	2.9	9.1	7.5	0.45	0.82	171	3.2	8.2	5.9	0.40	0.65	C82–86,C96
Immunoproliferative diseases	8	0.1	0.4	0.3	0.02	0.02	3	0.1	0.1	0.1	0.00	0.01	C88
Multiple myeloma	84	1.3	4.1	3.0	0.14	0.36	97	1.8	4.7	3.2	0.19	0.41	C90
Lymphoid leukaemia	64	1.0	3.1	3.0	0.13	0.31	73	1.4	3.5	3.5	0.19	0.30	C91
Myeloid leukaemia	87	1.3	4.2	3.3	0.19	0.35	80	1.5	3.9	2.8	0.21	0.27	C92–94
Leukaemia unspecified	14	0.2	0.7	0.6	0.02	0.07	7	0.1	0.3	0.3	0.01	0.04	C95
Myeloproliferative disorders	61	0.9	3.0	2.5	0.17	0.25	42	0.8	2.0	1.4	0.08	0.15	MPD
Myelodysplastic syndromes	31	0.5	1.5	1.1	0.04	0.14	19	0.4	0.9	0.7	0.04	0.08	MPS
Other and unspecified	126	1.9	6.1	4.6	0.22	0.58	93	1.7	4.5	2.9	0.15	0.34	O&U
All sites	7260		351.2	273.1	14.88	33.97	5939		286.0	205.8	14.04	22.76	C00–96
All sites except C44	6486	100.0	313.7	245.0	13.47	30.78	5351	100.0	257.6	188.0	13.21	20.74	C00–96 exc. C44

†See note following population pyramid

Turkey, Gaziantep

CONTRIBUTORS

Derya Bağcı
Ege Hamavioğlu
Fatma Akgöllü
Ebru Bilgiç
Özgül Kıvanç Çeri
Samet Oğur
Suna Gürsel
Zeynep İlaslan
Hatice Gül İncili
Nesrin Özer
Sondilek Demir



NOTES ON THE DATA

†C67 (bladder cancer) includes neoplasms of uncertain or unknown behaviour together with invasive cancers.

20 major cancers, ASR (World) per 100 000

<i>Male</i>		<i>Female</i>	
Trachea, bronchus, and lung	44.0	Breast	33.3
Prostate	25.2	Thyroid	22.7
Non-melanoma skin cancer	20.8	Non-melanoma skin cancer	16.0
Bladder	19.3	Corpus uteri	8.5
Stomach	10.5	Trachea, bronchus, and lung	6.2
Non-Hodgkin lymphoma	8.4	Brain and nervous system	5.9
Colon	8.2	Ovary	5.9
Liver	8.1	Colon	5.8
Thyroid	7.0	Non-Hodgkin lymphoma	5.6
Larynx	7.0	Cervix uteri	5.4
Pancreas	6.0	Stomach	5.2
Brain and nervous system	6.0	Pancreas	3.9
Myeloproliferative disorders	5.9	Other and unspecified	3.7
Rectum	5.6	Gallbladder etc.	3.3
Kidney	5.6	Rectum	3.2
Other and unspecified	5.0	Myeloid leukaemia	3.2
Lymphoid leukaemia	4.9	Myeloproliferative disorders	3.1
Myeloid leukaemia	3.8	Kidney	3.1
Multiple myeloma	3.4	Lymphoid leukaemia	2.7
Gallbladder etc.	3.4	Liver	2.6
All sites	229.4	All sites	165.2

Turkey, Gaziantep (2013–2017)


SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	
Lip	48	0.7	1.0	1.5	0.08	0.18	25	0.4	0.5	0.7	0.02	0.09	C00
Tongue	10	0.1	0.2	0.3	0.02	0.03	12	0.2	0.3	0.3	0.02	0.03	C01–02
Mouth	15	0.2	0.3	0.5	0.02	0.06	9	0.1	0.2	0.2	0.01	0.02	C03–06
Salivary glands	20	0.3	0.4	0.6	0.02	0.08	16	0.3	0.3	0.4	0.03	0.04	C07–08
Tonsil	12	0.2	0.2	0.3	0.03	0.04	2	0.0	0.0	0.1	0.00	0.00	C09
Other oropharynx	2	0.0	0.0	0.1	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C10
Nasopharynx	47	0.6	1.0	1.2	0.09	0.13	14	0.2	0.3	0.3	0.02	0.03	C11
Hypopharynx	7	0.1	0.1	0.2	0.01	0.03	3	0.0	0.1	0.1	0.00	0.01	C12–13
Pharynx unspecified	1	0.0	0.0	0.0	0.00	0.00	1	0.0	0.0	0.0	0.00	0.00	C14
Oesophagus	36	0.5	0.7	1.1	0.06	0.13	22	0.4	0.5	0.6	0.05	0.06	C15
Stomach	361	5.0	7.4	10.5	0.57	1.24	211	3.5	4.4	5.2	0.32	0.60	C16
Small intestine	17	0.2	0.3	0.5	0.03	0.05	20	0.3	0.4	0.5	0.03	0.05	C17
Colon	291	4.0	6.0	8.2	0.49	0.90	234	3.8	4.9	5.8	0.38	0.65	C18
Rectum	192	2.6	3.9	5.6	0.33	0.68	127	2.1	2.7	3.2	0.19	0.37	C19–20
Anus	15	0.2	0.3	0.4	0.03	0.06	9	0.1	0.2	0.2	0.02	0.02	C21
Liver	268	3.7	5.5	8.1	0.44	1.00	99	1.6	2.1	2.6	0.11	0.32	C22
Gallbladder etc.	114	1.6	2.3	3.4	0.17	0.40	127	2.1	2.7	3.3	0.13	0.42	C23–24
Pancreas	199	2.7	4.1	6.0	0.31	0.76	158	2.6	3.3	3.9	0.20	0.41	C25
Nose, sinuses etc.	20	0.3	0.4	0.5	0.04	0.05	12	0.2	0.3	0.3	0.02	0.03	C30–31
Larynx	231	3.2	4.7	7.0	0.45	0.88	14	0.2	0.3	0.4	0.03	0.06	C32
Trachea, bronchus, and lung	1429	19.7	29.3	44.0	2.48	5.80	243	4.0	5.1	6.2	0.33	0.77	C33–34
Other thoracic organs	29	0.4	0.6	0.8	0.06	0.08	11	0.2	0.2	0.3	0.02	0.04	C37–38
Bone	46	0.6	0.9	1.0	0.06	0.09	25	0.4	0.5	0.5	0.03	0.05	C40–41
Melanoma of skin	43	0.6	0.9	1.2	0.08	0.15	40	0.7	0.8	1.0	0.05	0.12	C43
Other skin	677	9.3	13.9	20.8	0.83	2.37	646	10.6	13.5	16.0	0.74	1.81	C44
Mesothelioma	32	0.4	0.7	0.9	0.05	0.13	26	0.4	0.5	0.7	0.04	0.08	C45
Kaposi sarcoma	7	0.1	0.1	0.2	0.01	0.02	4	0.1	0.1	0.1	0.01	0.02	C46
Connective and soft tissue	69	1.0	1.4	1.8	0.12	0.18	48	0.8	1.0	1.1	0.08	0.11	C47+C49
Breast	12	0.2	0.2	0.3	0.01	0.04	1352	22.2	28.3	33.3	2.62	3.62	C50
Vulva							16	0.3	0.3	0.4	0.02	0.04	C51
Vagina							7	0.1	0.1	0.2	0.01	0.04	C52
Cervix uteri							212	3.5	4.4	5.4	0.41	0.62	C53
Corpus uteri							312	5.1	6.5	8.5	0.63	1.08	C54
Uterus unspecified							9	0.1	0.2	0.2	0.02	0.03	C55
Ovary							232	3.8	4.9	5.9	0.44	0.65	C56
Other female genital organs							5	0.1	0.1	0.1	0.01	0.01	C57
Placenta							2	0.0	0.0	0.0	0.00	0.00	C58
Penis	0	0.0	0.0	0.0	0.00	0.00							C60
Prostate	767	10.6	15.7	25.2	0.76	3.20							C61
Testis	150	2.1	3.1	2.9	0.21	0.22							C62
Other male genital organs	2	0.0	0.0	0.1	0.00	0.01							C63
Kidney	204	2.8	4.2	5.6	0.36	0.63	125	2.1	2.6	3.1	0.18	0.35	C64
Renal pelvis	5	0.1	0.1	0.2	0.01	0.02	3	0.0	0.1	0.1	0.00	0.01	C65
Ureter	3	0.0	0.1	0.1	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C66
†Bladder	633	8.7	13.0	19.3	0.98	2.42	84	1.4	1.8	2.1	0.11	0.26	C67
Other urinary organs	5	0.1	0.1	0.2	0.00	0.03	2	0.0	0.0	0.1	0.01	0.01	C68
Eye	14	0.2	0.3	0.3	0.02	0.03	7	0.1	0.1	0.2	0.01	0.01	C69
Brain and nervous system	248	3.4	5.1	6.0	0.40	0.63	252	4.1	5.3	5.9	0.40	0.61	C70–72
Thyroid	287	4.0	5.9	7.0	0.58	0.76	986	16.2	20.7	22.7	1.87	2.23	C73
Adrenal gland	11	0.2	0.2	0.2	0.02	0.02	13	0.2	0.3	0.3	0.01	0.02	C74
Other endocrine	12	0.2	0.2	0.3	0.01	0.02	4	0.1	0.1	0.1	0.01	0.01	C75
Hodgkin lymphoma	109	1.5	2.2	2.4	0.17	0.19	45	0.7	0.9	1.0	0.07	0.08	C81
Non-Hodgkin lymphoma	310	4.3	6.4	8.4	0.43	0.94	226	3.7	4.7	5.6	0.31	0.63	C82–86,C96
Immunoproliferative diseases	3	0.0	0.1	0.1	0.00	0.02	5	0.1	0.1	0.1	0.01	0.01	C88
Multiple myeloma	110	1.5	2.3	3.4	0.16	0.44	83	1.4	1.7	2.2	0.14	0.25	C90
Lymphoid leukaemia	194	2.7	4.0	4.9	0.22	0.49	115	1.9	2.4	2.7	0.12	0.26	C91
Myeloid leukaemia	151	2.1	3.1	3.8	0.20	0.39	136	2.2	2.8	3.2	0.19	0.34	C92–94
Leukaemia unspecified	10	0.1	0.2	0.3	0.01	0.03	9	0.1	0.2	0.2	0.00	0.02	C95
Myeloproliferative disorders	238	3.3	4.9	5.9	0.39	0.63	131	2.2	2.7	3.1	0.19	0.33	MPD
Myelodysplastic syndromes	45	0.6	0.9	1.4	0.04	0.15	46	0.8	1.0	1.1	0.05	0.12	MPS
Other and unspecified	171	2.4	3.5	5.0	0.24	0.56	150	2.5	3.1	3.7	0.17	0.41	O&U
All sites	7932		162.8	229.4	12.08	27.36	6727		140.9	165.2	10.89	18.27	C00–96
All sites except C44	7255	100.0	148.9	208.7	11.25	24.99	6081	100.0	127.4	149.2	10.16	16.45	C00–96 exc. C44

†See note following population pyramid

Turkey, Izmir

CONTRIBUTORS

Ismail Cankut Yakut
Sultan Eser
Mustafa Savaş



NOTES ON THE DATA

*No official mortality data.

†C67 (bladder cancer) includes neoplasms of uncertain or unknown behaviour together with invasive cancers.

20 major cancers, ASR (World) per 100 000

<i>Male</i>		<i>Female</i>	
Trachea, bronchus, and lung	75.8	Breast	53.2
Prostate	37.9	Thyroid	30.1
Non-melanoma skin cancer	33.5	Non-melanoma skin cancer	24.3
Bladder	25.7	Trachea, bronchus, and lung	12.5
Colon	15.6	Corpus uteri	11.5
Stomach	13.2	Colon	10.2
Rectum	10.3	Ovary	7.2
Kidney	8.1	Stomach	6.2
Thyroid	8.1	Non-Hodgkin lymphoma	5.9
Non-Hodgkin lymphoma	8.0	Rectum	5.7
Larynx	7.7	Cervix uteri	5.4
Pancreas	6.8	Brain and nervous system	5.0
Brain and nervous system	6.6	Pancreas	4.6
Myeloproliferative disorders	6.3	Other and unspecified	4.0
Other and unspecified	5.9	Kidney	3.9
Liver	5.2	Bladder	3.8
Lymphoid leukaemia	4.9	Myeloproliferative disorders	3.3
Testis	4.5	Lymphoid leukaemia	3.2
Myeloid leukaemia	3.8	Myeloid leukaemia	3.1
Multiple myeloma	3.4	Multiple myeloma	2.6
All sites	318.8	All sites	228.2

*Turkey, Izmir (2013–2017)

SITE	Male						Female						ICD-10
	§No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	§No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	
Lip	145	0.4	1.4	1.1	0.06	0.11	38	0.1	0.4	0.2	0.01	0.02	C00
Tongue	140	0.4	1.3	1.1	0.07	0.13	92	0.3	0.9	0.6	0.04	0.08	C01–02
Mouth	120	0.3	1.2	0.9	0.06	0.11	89	0.3	0.9	0.6	0.03	0.07	C03–06
Salivary glands	89	0.2	0.9	0.7	0.04	0.07	73	0.2	0.7	0.5	0.03	0.05	C07–08
Tonsil	48	0.1	0.5	0.4	0.02	0.05	4	0.0	0.0	0.0	0.00	0.00	C09
Other oropharynx	26	0.1	0.3	0.2	0.01	0.03	4	0.0	0.0	0.0	0.00	0.00	C10
Nasopharynx	177	0.5	1.7	1.4	0.10	0.15	55	0.2	0.5	0.4	0.03	0.04	C11
Hypopharynx	53	0.1	0.5	0.4	0.03	0.05	31	0.1	0.3	0.2	0.02	0.02	C12–13
Pharynx unspecified	10	0.0	0.1	0.1	0.00	0.01	2	0.0	0.0	0.0	0.00	0.00	C14
Oesophagus	288	0.8	2.8	2.2	0.12	0.28	179	0.6	1.7	1.2	0.07	0.14	C15
Stomach	1760	4.7	16.9	13.2	0.72	1.56	971	3.3	9.3	6.2	0.37	0.69	C16
Small intestine	96	0.3	0.9	0.7	0.05	0.08	69	0.2	0.7	0.5	0.03	0.05	C17
Colon	2062	5.5	19.8	15.6	0.78	1.91	1586	5.4	15.2	10.2	0.57	1.13	C18
Rectum	1371	3.7	13.2	10.3	0.58	1.30	875	3.0	8.4	5.7	0.36	0.66	C19–20
Anus	31	0.1	0.3	0.2	0.02	0.03	29	0.1	0.3	0.2	0.01	0.02	C21
Liver	680	1.8	6.5	5.2	0.28	0.64	328	1.1	3.1	2.0	0.08	0.23	C22
Gallbladder etc.	315	0.8	3.0	2.4	0.12	0.30	319	1.1	3.1	2.0	0.09	0.24	C23–24
Pancreas	900	2.4	8.7	6.8	0.33	0.84	746	2.6	7.1	4.6	0.22	0.54	C25
Nose, sinuses etc.	75	0.2	0.7	0.6	0.04	0.07	46	0.2	0.4	0.3	0.02	0.04	C30–31
Larynx	1012	2.7	9.7	7.7	0.50	0.97	83	0.3	0.8	0.6	0.04	0.06	C32
Trachea, bronchus, and lung	10050	27.0	96.7	75.8	4.18	9.85	1915	6.6	18.3	12.5	0.74	1.51	C33–34
Other thoracic organs	66	0.2	0.6	0.5	0.03	0.05	59	0.2	0.6	0.4	0.03	0.05	C37–38
Bone	121	0.3	1.2	1.1	0.07	0.09	85	0.3	0.8	0.8	0.06	0.06	C40–41
Melanoma of skin	294	0.8	2.8	2.2	0.14	0.25	271	0.9	2.6	1.9	0.12	0.20	C43
Other skin	4471	12.0	43.0	33.5	1.49	3.82	3903	13.4	37.3	24.3	1.21	2.71	C44
Mesothelioma	94	0.3	0.9	0.7	0.04	0.09	72	0.2	0.7	0.5	0.03	0.06	C45
Kaposi sarcoma	95	0.3	0.9	0.7	0.04	0.07	39	0.1	0.4	0.2	0.01	0.03	C46
Connective and soft tissue	229	0.6	2.2	1.9	0.13	0.17	206	0.7	2.0	1.7	0.10	0.15	C47+C49
Breast	75	0.2	0.7	0.6	0.04	0.08	7582	26.0	72.5	53.2	4.06	5.80	C50
Vulva							104	0.4	1.0	0.7	0.03	0.09	C51
Vagina							25	0.1	0.2	0.2	0.01	0.02	C52
Cervix uteri							759	2.6	7.3	5.4	0.44	0.57	C53
Corpus uteri							1642	5.6	15.7	11.5	0.86	1.45	C54
Uterus unspecified							53	0.2	0.5	0.4	0.02	0.04	C55
Ovary							1000	3.4	9.6	7.2	0.53	0.77	C56
Other female genital organs							95	0.3	0.9	0.6	0.05	0.07	C57
Placenta							7	0.0	0.1	0.1	0.00	0.00	C58
Penis	8	0.0	0.1	0.1	0.00	0.01							C60
Prostate	4991	13.4	48.0	37.9	1.58	4.91							C61
Testis	543	1.5	5.2	4.5	0.33	0.34							C62
Other male genital organs	8	0.0	0.1	0.1	0.00	0.01							C63
Kidney	1066	2.9	10.3	8.1	0.52	0.95	553	1.9	5.3	3.9	0.25	0.44	C64
Renal pelvis	62	0.2	0.6	0.5	0.02	0.06	23	0.1	0.2	0.2	0.01	0.02	C65
Ureter	32	0.1	0.3	0.2	0.01	0.03	15	0.1	0.1	0.1	0.00	0.01	C66
†Bladder	3415	9.2	32.9	25.7	1.23	3.18	605	2.1	5.8	3.8	0.18	0.45	C67
Other urinary organs	38	0.1	0.4	0.3	0.01	0.04	8	0.0	0.1	0.1	0.00	0.01	C68
Eye	37	0.1	0.4	0.4	0.02	0.03	37	0.1	0.4	0.3	0.02	0.03	C69
Brain and nervous system	810	2.2	7.8	6.6	0.42	0.67	654	2.2	6.3	5.0	0.31	0.49	C70–72
Thyroid	1064	2.9	10.2	8.1	0.63	0.86	3948	13.5	37.8	30.1	2.46	2.89	C73
Adrenal gland	32	0.1	0.3	0.4	0.02	0.03	36	0.1	0.3	0.4	0.02	0.03	C74
Other endocrine	15	0.0	0.1	0.1	0.01	0.01	32	0.1	0.3	0.3	0.02	0.02	C75
Hodgkin lymphoma	282	0.8	2.7	2.4	0.17	0.21	182	0.6	1.7	1.6	0.11	0.13	C81
Non-Hodgkin lymphoma	998	2.7	9.6	8.0	0.46	0.88	837	2.9	8.0	5.9	0.35	0.65	C82–86,C96
Immunoproliferative diseases	59	0.2	0.6	0.4	0.02	0.05	67	0.2	0.6	0.5	0.03	0.06	C88
Multiple myeloma	450	1.2	4.3	3.4	0.18	0.44	390	1.3	3.7	2.6	0.15	0.34	C90
Lymphoid leukaemia	526	1.4	5.1	4.9	0.26	0.43	356	1.2	3.4	3.2	0.17	0.28	C91
Myeloid leukaemia	468	1.3	4.5	3.8	0.22	0.38	408	1.4	3.9	3.1	0.19	0.31	C92–94
Leukaemia unspecified	59	0.2	0.6	0.5	0.02	0.04	60	0.2	0.6	0.4	0.02	0.04	C95
Myeloproliferative disorders	799	2.1	7.7	6.3	0.44	0.66	471	1.6	4.5	3.3	0.21	0.35	MPD
Myelodysplastic syndromes	299	0.8	2.9	2.2	0.05	0.23	327	1.1	3.1	2.0	0.07	0.23	MPS
Other and unspecified	791	2.1	7.6	5.9	0.28	0.64	665	2.3	6.4	4.0	0.19	0.46	O&U
All sites	41745		401.6	318.8	16.98	38.26	33110		316.8	228.2	15.10	24.92	C00–96
All sites except C44	37274	100.0	358.6	285.3	15.49	34.44	29207	100.0	279.4	203.9	13.89	22.21	C00–96 exc. C44

§Includes 6 cases of unknown age


§Includes 9 cases of unknown age

*†See note following population pyramid

Turkey, Malatya

CONTRIBUTORS

Selma Felek
Cafer Topçu Öz
Ahmet Azdemir
Perihan Karaman
Yasemin Uygan
Ferhan Çınar
Mustafa Atılan
Hatice Bulut
Lale Dalkaya
Yüksel Öğüt
Hasan Sığircı



NOTES ON THE DATA

†C67 (bladder cancer) includes neoplasms of uncertain or unknown behaviour together with invasive cancers.

20 major cancers, ASR (World) per 100 000

<i>Male</i>		<i>Female</i>	
Trachea, bronchus, and lung	36.7	Breast	34.8
Non-melanoma skin cancer	28.1	Thyroid	19.9
Prostate	28.1	Non-melanoma skin cancer	16.9
Bladder	17.6	Corpus uteri	8.9
Stomach	13.2	Trachea, bronchus, and lung	7.6
Colon	8.4	Colon	6.5
Non-Hodgkin lymphoma	7.7	Ovary	5.6
Rectum	6.9	Stomach	4.7
Pancreas	6.1	Non-Hodgkin lymphoma	3.9
Kidney	5.5	Kidney	3.5
Liver	4.7	Rectum	3.5
Brain and nervous system	4.5	Myeloid leukaemia	3.0
Thyroid	4.4	Brain and nervous system	2.9
Larynx	4.3	Lymphoid leukaemia	2.8
Lymphoid leukaemia	4.1	Other and unspecified	2.7
Testis	3.9	Pancreas	2.5
Myeloid leukaemia	3.6	Cervix uteri	2.4
Other and unspecified	3.2	Gallbladder etc.	1.9
Multiple myeloma	3.0	Bladder	1.8
Hodgkin lymphoma	2.6	Multiple myeloma	1.6
All sites	215.1	All sites	151.5

Turkey, Malatya (2013–2017)


SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	
Lip	9	0.2	0.5	0.4	0.02	0.03	4	0.1	0.2	0.2	0.01	0.02	C00
Tongue	14	0.3	0.7	0.6	0.03	0.07	7	0.2	0.4	0.3	0.04	0.04	C01–02
Mouth	11	0.3	0.6	0.5	0.04	0.05	10	0.3	0.5	0.4	0.03	0.03	C03–06
Salivary glands	12	0.3	0.6	0.6	0.04	0.08	11	0.4	0.6	0.4	0.02	0.05	C07–08
Tonsil	4	0.1	0.2	0.2	0.01	0.01	0	0.0	0.0	0.0	0.00	0.00	C09
Other oropharynx	0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.1	0.0	0.00	0.00	C10
Nasopharynx	19	0.5	1.0	0.9	0.06	0.10	8	0.3	0.4	0.4	0.02	0.03	C11
Hypopharynx	6	0.1	0.3	0.3	0.01	0.05	6	0.2	0.3	0.3	0.02	0.02	C12–13
Pharynx unspecified	1	0.0	0.1	0.1	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C14
Oesophagus	21	0.5	1.1	1.0	0.04	0.13	10	0.3	0.5	0.4	0.05	0.05	C15
Stomach	295	7.2	15.3	13.2	0.61	1.60	127	4.0	6.5	4.7	0.22	0.54	C16
Small intestine	8	0.2	0.4	0.4	0.02	0.06	10	0.3	0.5	0.4	0.02	0.04	C17
Colon	183	4.5	9.5	8.4	0.42	1.01	169	5.4	8.7	6.5	0.36	0.73	C18
Rectum	147	3.6	7.6	6.9	0.44	0.87	84	2.7	4.3	3.5	0.22	0.41	C19–20
Anus	16	0.4	0.8	0.8	0.05	0.10	5	0.2	0.3	0.2	0.01	0.02	C21
Liver	99	2.4	5.1	4.7	0.27	0.56	35	1.1	1.8	1.4	0.06	0.14	C22
Gallbladder etc.	57	1.4	3.0	2.5	0.12	0.26	51	1.6	2.6	1.9	0.11	0.22	C23–24
Pancreas	137	3.3	7.1	6.1	0.33	0.73	64	2.0	3.3	2.5	0.12	0.32	C25
Nose, sinuses etc.	8	0.2	0.4	0.4	0.03	0.05	2	0.1	0.1	0.1	0.01	0.01	C30–31
Larynx	91	2.2	4.7	4.3	0.26	0.56	2	0.1	0.1	0.1	0.01	0.01	C32
Trachea, bronchus, and lung	792	19.3	41.0	36.7	2.09	4.70	202	6.4	10.4	7.6	0.38	0.89	C33–34
Other thoracic organs	14	0.3	0.7	0.6	0.03	0.09	4	0.1	0.2	0.2	0.01	0.02	C37–38
Bone	26	0.6	1.3	1.3	0.08	0.10	18	0.6	0.9	0.8	0.06	0.08	C40–41
Melanoma of skin	30	0.7	1.6	1.3	0.04	0.16	25	0.8	1.3	1.0	0.07	0.09	C43
Other skin	630	15.4	32.6	28.1	1.25	3.33	458	14.6	23.6	16.9	0.76	1.92	C44
Mesothelioma	19	0.5	1.0	0.9	0.05	0.10	17	0.5	0.9	0.7	0.06	0.08	C45
Kaposi sarcoma	1	0.0	0.1	0.1	0.00	0.00	3	0.1	0.2	0.1	0.00	0.01	C46
Connective and soft tissue	45	1.1	2.3	2.2	0.13	0.23	29	0.9	1.5	1.3	0.09	0.13	C47+C49
Breast	6	0.1	0.3	0.3	0.02	0.04	776	24.7	40.0	34.8	2.77	3.62	C50
Vulva							8	0.3	0.4	0.4	0.02	0.04	C51
Vagina							2	0.1	0.1	0.1	0.01	0.01	C52
Cervix uteri							53	1.7	2.7	2.4	0.21	0.27	C53
Corpus uteri							196	6.2	10.1	8.9	0.71	1.11	C54
Uterus unspecified							15	0.5	0.8	0.6	0.04	0.06	C55
Ovary							127	4.0	6.5	5.6	0.41	0.63	C56
Other female genital organs							9	0.3	0.5	0.4	0.04	0.05	C57
Placenta							0	0.0	0.0	0.0	0.00	0.00	C58
Penis	1	0.0	0.1	0.0	0.01	0.01							C60
Prostate	638	15.6	33.0	28.1	0.91	3.30							C61
Testis	83	2.0	4.3	3.9	0.27	0.28							C62
Other male genital organs	2	0.0	0.1	0.1	0.01	0.01							C63
Kidney	114	2.8	5.9	5.5	0.39	0.63	84	2.7	4.3	3.5	0.24	0.38	C64
Renal pelvis	6	0.1	0.3	0.3	0.02	0.02	0	0.0	0.0	0.0	0.00	0.00	C65
Ureter	4	0.1	0.2	0.2	0.01	0.04	1	0.0	0.1	0.0	0.01	0.01	C66
†Bladder	398	9.7	20.6	17.6	0.89	2.08	51	1.6	2.6	1.8	0.08	0.19	C67
Other urinary organs	1	0.0	0.1	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C68
Eye	7	0.2	0.4	0.3	0.01	0.02	4	0.1	0.2	0.2	0.01	0.02	C69
Brain and nervous system	99	2.4	5.1	4.5	0.31	0.45	66	2.1	3.4	2.9	0.20	0.26	C70–72
Thyroid	96	2.3	5.0	4.4	0.38	0.41	438	13.9	22.6	19.9	1.63	2.00	C73
Adrenal gland	5	0.1	0.3	0.3	0.02	0.02	7	0.2	0.4	0.4	0.02	0.02	C74
Other endocrine	1	0.0	0.1	0.0	0.01	0.01	5	0.2	0.3	0.3	0.02	0.03	C75
Hodgkin lymphoma	53	1.3	2.7	2.6	0.18	0.22	28	0.9	1.4	1.4	0.09	0.13	C81
Non-Hodgkin lymphoma	166	4.1	8.6	7.7	0.46	0.84	96	3.1	4.9	3.9	0.22	0.44	C82–86,C96
Immunoproliferative diseases	11	0.3	0.6	0.5	0.03	0.05	4	0.1	0.2	0.2	0.01	0.02	C88
Multiple myeloma	66	1.6	3.4	3.0	0.19	0.38	40	1.3	2.1	1.6	0.11	0.19	C90
Lymphoid leukaemia	78	1.9	4.0	4.1	0.20	0.37	54	1.7	2.8	2.8	0.12	0.23	C91
Myeloid leukaemia	76	1.9	3.9	3.6	0.22	0.36	66	2.1	3.4	3.0	0.18	0.29	C92–94
Leukaemia unspecified	20	0.5	1.0	0.8	0.02	0.06	9	0.3	0.5	0.3	0.02	0.02	C95
Myeloproliferative disorders	14	0.3	0.7	0.7	0.04	0.10	19	0.6	1.0	0.8	0.04	0.09	MPD
Myelodysplastic syndromes	10	0.2	0.5	0.4	0.02	0.05	7	0.2	0.4	0.3	0.02	0.03	MPS
Other and unspecified	75	1.8	3.9	3.2	0.15	0.34	72	2.3	3.7	2.7	0.14	0.30	O&U
All sites	4725		244.6	215.1	11.25	25.08	3599		185.4	151.5	10.12	16.33	C00–96
All sites except C44	4095	100.0	212.0	187.0	9.99	21.75	3141	100.0	161.8	134.6	9.36	14.41	C00–96 exc. C44

†See note following population pyramid

Turkey, Samsun

CONTRIBUTORS

Merve Altınışık
Yasar Cavusoglu
Azize Sanlı Bayram
Gulnaz Kaplan Bas
Nurten Meydan Yıldırım
Seyhan Guven
Unzile Sonnur Ozturk
Ayla Altun
Sema Elikara
Nevzat Bakan
Belgin Ucar



NOTES ON THE DATA

†C67 (bladder cancer) includes neoplasms of uncertain or unknown behaviour together with invasive cancers.

20 major cancers, ASR (World) per 100 000

<i>Male</i>		<i>Female</i>	
Trachea, bronchus, and lung	59.7	Breast	40.7
Prostate	38.5	Thyroid	22.2
Non-melanoma skin cancer	25.2	Non-melanoma skin cancer	16.1
Bladder	19.6	Corpus uteri	10.5
Stomach	17.2	Colon	8.5
Colon	13.0	Trachea, bronchus, and lung	7.7
Rectum	10.4	Ovary	7.0
Kidney	8.9	Stomach	6.6
Non-Hodgkin lymphoma	8.6	Non-Hodgkin lymphoma	6.2
Larynx	8.5	Rectum	6.1
Pancreas	6.9	Kidney	4.7
Other and unspecified	5.8	Brain and nervous system	4.2
Brain and nervous system	5.8	Pancreas	3.9
Thyroid	5.6	Myeloid leukaemia	3.4
Testis	4.7	Cervix uteri	3.4
Lymphoid leukaemia	4.0	Other and unspecified	3.2
Liver	3.6	Lymphoid leukaemia	2.7
Myeloid leukaemia	3.6	Multiple myeloma	2.6
Multiple myeloma	3.5	Bladder	2.6
Lip	2.9	Connective and soft tissue	1.7
All sites	279.0	All sites	180.2

Turkey, Samsun (2013–2017)


SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	
Lip	119	1.2	3.8	2.9	0.16	0.38	25	0.4	0.8	0.4	0.01	0.05	C00
Tongue	31	0.3	1.0	0.8	0.05	0.10	34	0.5	1.0	0.7	0.04	0.09	C01–02
Mouth	24	0.2	0.8	0.6	0.04	0.06	16	0.2	0.5	0.3	0.02	0.03	C03–06
Salivary glands	21	0.2	0.7	0.5	0.03	0.06	13	0.2	0.4	0.3	0.03	0.03	C07–08
Tonsil	12	0.1	0.4	0.3	0.02	0.04	4	0.1	0.1	0.1	0.01	0.01	C09
Other oropharynx	2	0.0	0.1	0.1	0.01	0.01	1	0.0	0.0	0.0	0.00	0.00	C10
Nasopharynx	50	0.5	1.6	1.3	0.09	0.14	14	0.2	0.4	0.3	0.03	0.03	C11
Hypopharynx	6	0.1	0.2	0.2	0.00	0.02	5	0.1	0.2	0.1	0.01	0.02	C12–13
Pharynx unspecified	1	0.0	0.0	0.0	0.00	0.00	1	0.0	0.0	0.0	0.00	0.00	C14
Oesophagus	113	1.1	3.6	2.7	0.14	0.31	53	0.7	1.6	1.1	0.08	0.12	C15
Stomach	709	6.9	22.3	17.2	1.02	2.12	326	4.6	10.0	6.6	0.33	0.74	C16
Small intestine	30	0.3	0.9	0.7	0.04	0.07	25	0.4	0.8	0.5	0.03	0.05	C17
Colon	536	5.2	16.9	13.0	0.65	1.53	399	5.6	12.3	8.5	0.50	0.99	C18
Rectum	430	4.2	13.6	10.4	0.57	1.25	292	4.1	9.0	6.1	0.37	0.73	C19–20
Anus	3	0.0	0.1	0.1	0.00	0.01	13	0.2	0.4	0.3	0.01	0.04	C21
Liver	147	1.4	4.6	3.6	0.18	0.46	72	1.0	2.2	1.5	0.07	0.17	C22
Gallbladder etc.	61	0.6	1.9	1.5	0.08	0.18	69	1.0	2.1	1.4	0.08	0.17	C23–24
Pancreas	283	2.7	8.9	6.9	0.37	0.85	196	2.7	6.0	3.9	0.21	0.43	C25
Nose, sinuses etc.	16	0.2	0.5	0.4	0.02	0.04	11	0.2	0.3	0.2	0.01	0.02	C30–31
Larynx	349	3.4	11.0	8.5	0.59	1.06	18	0.3	0.6	0.4	0.02	0.03	C32
Trachea, bronchus, and lung	2439	23.7	76.9	59.7	3.46	7.92	359	5.0	11.1	7.7	0.46	0.96	C33–34
Other thoracic organs	8	0.1	0.3	0.2	0.01	0.02	3	0.0	0.1	0.1	0.00	0.01	C37–38
Bone	30	0.3	0.9	1.0	0.06	0.07	22	0.3	0.7	0.7	0.05	0.05	C40–41
Melanoma of skin	74	0.7	2.3	1.8	0.11	0.19	54	0.8	1.7	1.2	0.06	0.14	C43
Other skin	1061	10.3	33.4	25.2	1.21	2.89	815	11.4	25.1	16.1	0.77	1.82	C44
Mesothelioma	20	0.2	0.6	0.5	0.03	0.06	6	0.1	0.2	0.1	0.01	0.02	C45
Kaposi sarcoma	52	0.5	1.6	1.2	0.04	0.13	27	0.4	0.8	0.5	0.02	0.05	C46
Connective and soft tissue	81	0.8	2.6	2.3	0.14	0.22	64	0.9	2.0	1.7	0.12	0.16	C47+C49
Breast	17	0.2	0.5	0.4	0.02	0.05	1724	24.2	53.1	40.7	3.17	4.44	C50
Vulva							24	0.3	0.7	0.5	0.02	0.04	C51
Vagina							4	0.1	0.1	0.1	0.00	0.01	C52
Cervix uteri							140	2.0	4.3	3.4	0.28	0.37	C53
Corpus uteri							459	6.4	14.1	10.5	0.83	1.30	C54
Uterus unspecified							9	0.1	0.3	0.2	0.02	0.02	C55
Ovary							301	4.2	9.3	7.0	0.51	0.77	C56
Other female genital organs							12	0.2	0.4	0.3	0.02	0.04	C57
Placenta							1	0.0	0.0	0.0	0.00	0.00	C58
Penis	1	0.0	0.0	0.0	0.00	0.00							C60
Prostate	1611	15.7	50.8	38.5	1.38	5.14							C61
Testis	154	1.5	4.9	4.7	0.34	0.34							C62
Other male genital organs	4	0.0	0.1	0.1	0.01	0.01							C63
Kidney	360	3.5	11.3	8.9	0.62	1.04	196	2.7	6.0	4.7	0.34	0.52	C64
Renal pelvis	14	0.1	0.4	0.3	0.02	0.03	7	0.1	0.2	0.1	0.01	0.02	C65
Ureter	12	0.1	0.4	0.3	0.01	0.03	1	0.0	0.0	0.0	0.00	0.00	C66
†Bladder	819	8.0	25.8	19.6	0.98	2.37	125	1.8	3.8	2.6	0.14	0.29	C67
Other urinary organs	6	0.1	0.2	0.1	0.01	0.02	0	0.0	0.0	0.0	0.00	0.00	C68
Eye	8	0.1	0.3	0.2	0.02	0.02	11	0.2	0.3	0.2	0.01	0.02	C69
Brain and nervous system	221	2.1	7.0	5.8	0.41	0.60	173	2.4	5.3	4.2	0.28	0.44	C70–72
Thyroid	215	2.1	6.8	5.6	0.47	0.59	868	12.2	26.7	22.2	1.84	2.19	C73
Adrenal gland	8	0.1	0.3	0.3	0.02	0.02	4	0.1	0.1	0.2	0.01	0.01	C74
Other endocrine	5	0.0	0.2	0.1	0.01	0.02	4	0.1	0.1	0.1	0.01	0.01	C75
Hodgkin lymphoma	64	0.6	2.0	1.8	0.12	0.15	60	0.8	1.8	1.7	0.11	0.13	C81
Non-Hodgkin lymphoma	340	3.3	10.7	8.6	0.53	0.95	278	3.9	8.6	6.2	0.38	0.66	C82–86,C96
Immunoproliferative diseases	6	0.1	0.2	0.1	0.01	0.02	7	0.1	0.2	0.2	0.02	0.02	C88
Multiple myeloma	146	1.4	4.6	3.5	0.22	0.46	119	1.7	3.7	2.6	0.17	0.36	C90
Lymphoid leukaemia	126	1.2	4.0	4.0	0.22	0.33	90	1.3	2.8	2.7	0.15	0.21	C91
Myeloid leukaemia	138	1.3	4.3	3.6	0.21	0.38	145	2.0	4.5	3.4	0.21	0.35	C92–94
Leukaemia unspecified	15	0.1	0.5	0.4	0.02	0.04	5	0.1	0.2	0.1	0.00	0.00	C95
Myeloproliferative disorders	66	0.6	2.1	1.7	0.12	0.20	50	0.7	1.5	1.2	0.08	0.15	MPD
Myelodysplastic syndromes	43	0.4	1.4	1.0	0.02	0.10	32	0.4	1.0	0.6	0.02	0.08	MPS
Other and unspecified	247	2.4	7.8	5.8	0.26	0.68	164	2.3	5.0	3.2	0.14	0.33	O&U
All sites	11354		357.8	279.0	15.19	33.77	7950		244.8	180.2	12.11	19.75	C00–96
All sites except C44	10293	100.0	324.4	253.9	13.98	30.88	7135	100.0	219.7	164.1	11.34	17.93	C00–96 exc. C44

†See note following population pyramid

Turkey, Trabzon

CONTRIBUTORS

Nurşen Üçüncü
Ayşe Türkköylü
Melek Erden
Nazan Kalay
Nejla Kurt
Ayşe Muhcu
Özgül Özbayrak
Hanım Bektaş
Erdal Aydın
Zafer Özkan
Fatma Yanık



NOTES ON THE DATA

†C67 (bladder cancer) includes neoplasms of uncertain or unknown behaviour together with invasive cancers.

20 major cancers, ASR (World) per 100 000

<i>Male</i>		<i>Female</i>	
Trachea, bronchus, and lung	60.4	Thyroid	55.2
Prostate	41.6	Breast	38.3
Non-melanoma skin cancer	31.1	Non-melanoma skin cancer	19.6
Bladder	28.8	Corpus uteri	10.1
Stomach	23.5	Colon	9.5
Colon	14.1	Stomach	9.1
Thyroid	13.2	Trachea, bronchus, and lung	6.9
Non-Hodgkin lymphoma	11.0	Ovary	6.8
Kidney	10.3	Non-Hodgkin lymphoma	6.5
Rectum	9.6	Rectum	5.1
Larynx	6.5	Brain and nervous system	4.8
Pancreas	6.4	Kidney	4.7
Testis	6.3	Pancreas	3.9
Brain and nervous system	6.2	Lymphoid leukaemia	3.8
Lymphoid leukaemia	5.7	Cervix uteri	3.7
Liver	5.5	Myeloproliferative disorders	3.3
Myeloproliferative disorders	5.0	Bladder	3.2
Other and unspecified	4.8	Myeloid leukaemia	2.9
Myeloid leukaemia	4.4	Other and unspecified	2.7
Multiple myeloma	4.2	Multiple myeloma	2.5
All sites	319.3	All sites	219.6

Turkey, Trabzon (2013–2017)

SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0–64 (%)	Cum. rates 0–74 (%)	
Lip	0	0.0	0.0	0.0	0.00	0.00	2	0.0	0.1	0.1	0.00	0.00	C00
Tongue	16	0.2	0.8	0.6	0.05	0.07	25	0.5	1.3	0.8	0.04	0.12	C01–02
Mouth	12	0.2	0.6	0.5	0.04	0.06	17	0.3	0.9	0.5	0.03	0.04	C03–06
Salivary glands	10	0.1	0.5	0.4	0.02	0.05	11	0.2	0.6	0.4	0.04	0.04	C07–08
Tonsil	4	0.1	0.2	0.2	0.01	0.03	0	0.0	0.0	0.0	0.00	0.00	C09
Other oropharynx	1	0.0	0.1	0.0	0.00	0.01	0	0.0	0.0	0.0	0.00	0.00	C10
Nasopharynx	28	0.4	1.5	1.2	0.10	0.12	11	0.2	0.6	0.4	0.03	0.04	C11
Hypopharynx	4	0.1	0.2	0.2	0.01	0.02	1	0.0	0.1	0.0	0.00	0.00	C12–13
Pharynx unspecified	1	0.0	0.1	0.0	0.00	0.01	0	0.0	0.0	0.0	0.00	0.00	C14
Oesophagus	31	0.4	1.6	1.2	0.07	0.13	17	0.3	0.9	0.5	0.02	0.06	C15
Stomach	590	8.3	30.9	23.5	1.32	2.82	301	5.6	15.4	9.1	0.49	1.05	C16
Small intestine	12	0.2	0.6	0.5	0.05	0.05	19	0.4	1.0	0.7	0.05	0.07	C17
Colon	352	4.9	18.5	14.1	0.77	1.72	302	5.6	15.5	9.5	0.56	1.00	C18
Rectum	240	3.4	12.6	9.6	0.58	1.15	160	3.0	8.2	5.1	0.31	0.57	C19–20
Anus	4	0.1	0.2	0.2	0.01	0.02	4	0.1	0.2	0.1	0.01	0.01	C21
Liver	137	1.9	7.2	5.5	0.30	0.71	49	0.9	2.5	1.3	0.05	0.15	C22
Gallbladder etc.	25	0.4	1.3	1.0	0.04	0.12	30	0.6	1.5	0.9	0.04	0.10	C23–24
Pancreas	166	2.3	8.7	6.4	0.34	0.74	141	2.6	7.2	3.9	0.18	0.45	C25
Nose, sinuses etc.	8	0.1	0.4	0.3	0.01	0.04	7	0.1	0.4	0.3	0.02	0.04	C30–31
Larynx	163	2.3	8.5	6.5	0.42	0.82	5	0.1	0.3	0.2	0.01	0.02	C32
Trachea, bronchus, and lung	1514	21.3	79.4	60.4	3.07	7.86	226	4.2	11.6	6.9	0.37	0.84	C33–34
Other thoracic organs	4	0.1	0.2	0.2	0.02	0.02	7	0.1	0.4	0.3	0.01	0.03	C37–38
Bone	18	0.3	0.9	0.9	0.05	0.06	12	0.2	0.6	0.6	0.03	0.05	C40–41
Melanoma of skin	57	0.8	3.0	2.3	0.13	0.29	52	1.0	2.7	1.6	0.09	0.14	C43
Other skin	820	11.5	43.0	31.1	1.25	3.43	684	12.7	35.0	19.6	0.88	2.14	C44
Mesothelioma	19	0.3	1.0	0.8	0.03	0.10	5	0.1	0.3	0.2	0.01	0.02	C45
Kaposi sarcoma	30	0.4	1.6	1.2	0.04	0.14	25	0.5	1.3	0.6	0.01	0.08	C46
Connective and soft tissue	55	0.8	2.9	2.4	0.14	0.26	59	1.1	3.0	2.5	0.17	0.22	C47+C49
Breast	15	0.2	0.8	0.6	0.01	0.09	957	17.7	49.0	38.3	3.05	4.07	C50
Vulva							5	0.1	0.3	0.1	0.01	0.01	C51
Vagina							7	0.1	0.4	0.2	0.01	0.02	C52
Cervix uteri							95	1.8	4.9	3.7	0.28	0.40	C53
Corpus uteri							272	5.0	13.9	10.1	0.82	1.22	C54
Uterus unspecified							20	0.4	1.0	0.7	0.07	0.10	C55
Ovary							205	3.8	10.5	6.8	0.47	0.73	C56
Other female genital organs							9	0.2	0.5	0.4	0.03	0.04	C57
Placenta							0	0.0	0.0	0.0	0.00	0.00	C58
Penis	0	0.0	0.0	0.0	0.00	0.00							C60
Prostate	1065	15.0	55.9	41.6	1.53	5.39							C61
Testis	134	1.9	7.0	6.3	0.48	0.48							C62
Other male genital organs	1	0.0	0.1	0.0	0.00	0.00							C63
Kidney	245	3.4	12.9	10.3	0.61	1.33	125	2.3	6.4	4.7	0.32	0.54	C64
Renal pelvis	5	0.1	0.3	0.2	0.00	0.03	0	0.0	0.0	0.0	0.00	0.00	C65
Ureter	3	0.0	0.2	0.1	0.01	0.01	1	0.0	0.1	0.0	0.00	0.00	C66
†Bladder	744	10.5	39.0	28.8	1.44	3.51	114	2.1	5.8	3.2	0.12	0.35	C67
Other urinary organs	2	0.0	0.1	0.1	0.00	0.00	1	0.0	0.1	0.0	0.00	0.01	C68
Eye	5	0.1	0.3	0.3	0.01	0.02	4	0.1	0.2	0.2	0.01	0.02	C69
Brain and nervous system	142	2.0	7.4	6.2	0.37	0.62	115	2.1	5.9	4.8	0.34	0.47	C70–72
Thyroid	307	4.3	16.1	13.2	1.07	1.46	1297	24.0	66.4	55.2	4.77	5.46	C73
Adrenal gland	11	0.2	0.6	0.7	0.04	0.04	6	0.1	0.3	0.3	0.02	0.02	C74
Other endocrine	1	0.0	0.1	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C75
Hodgkin lymphoma	48	0.7	2.5	2.3	0.16	0.20	32	0.6	1.6	1.5	0.09	0.11	C81
Non-Hodgkin lymphoma	252	3.5	13.2	11.0	0.65	1.15	185	3.4	9.5	6.5	0.40	0.73	C82–86,C96
Immunoproliferative diseases	8	0.1	0.4	0.3	0.01	0.03	2	0.0	0.1	0.1	0.00	0.01	C88
Multiple myeloma	107	1.5	5.6	4.2	0.18	0.56	77	1.4	3.9	2.5	0.13	0.36	C90
Lymphoid leukaemia	110	1.5	5.8	5.7	0.30	0.45	84	1.6	4.3	3.8	0.20	0.28	C91
Myeloid leukaemia	102	1.4	5.4	4.4	0.26	0.41	74	1.4	3.8	2.9	0.20	0.27	C92–94
Leukaemia unspecified	17	0.2	0.9	0.6	0.02	0.05	14	0.3	0.7	0.5	0.02	0.05	C95
Myeloproliferative disorders	119	1.7	6.2	5.0	0.33	0.55	84	1.6	4.3	3.3	0.24	0.36	MPD
Myelodysplastic syndromes	43	0.6	2.3	1.6	0.04	0.21	32	0.6	1.6	0.8	0.02	0.08	MPS
Other and unspecified	126	1.8	6.6	4.8	0.20	0.49	99	1.8	5.1	2.7	0.09	0.29	O&U
All sites	7933		416.1	319.3	16.60	37.96	6088		311.8	219.6	15.19	23.33	C00–96
All sites except C44	7113	100.0	373.1	288.2	15.35	34.52	5404	100.0	276.8	200.0	14.31	21.19	C00–96 exc. C44

†See note following population pyramid