

6. References

- Acharyya, S.K. (2002) Arsenic contamination in groundwater affecting major parts of southern West Bengal and parts of western Chhattisgarh: Source and mobilization process. *Current Sci.*, **82**, 740–744
- Agahian, B., Lee, J.S., Nelson, J.H. & Johns, R.E. (1990) Arsenic levels in fingernails as a biological indicator of exposure to arsenic. *Am. Ind. Hyg. Assoc. J.*, **51**, 646–651
- Ahmad, S.A., Bandaranayake, D., Khan, A.W., Hadi, S.K., Uddin, G. & Halim, M.A. (1997) Arsenic contamination in ground water and arsenicosis in Bangladesh. *Int. J. environ. Health Res.*, **7**, 271–276
- Ahmad, S., Anderson, W.L. & Kitchin, K.T. (1999) Dimethylarsinic acid effects on DNA damage and oxidative stress related biochemical parameters in B6C3F1 mice. *Cancer Lett.*, **139**, 129–135
- Ahmad, S.A., Sayed, M.H.S.U., Hadi, S.A., Faruquee, M.H., Khan, M.H., Jalil, M.A., Ahmed, R. & Khan, A.W. (1999) Arsenicosis in a village in Bangladesh. *Int. J. environ. Health Res.*, **9**, 187–195
- Ahmad, S., Kitchin, K.T. & Cullen, W.R. (2000) Arsenic species that cause release of iron from ferritin and generation of activated oxygen. *Arch. Biochem. Biophys.*, **382**, 195–202
- Ahmad, S.A., Sayed, M.H.S.U., Barua, S., Khan, M.H., Faruquee, M.H., Jalil, A., Hadi, S.A. & Talukder, H.K. (2001) Arsenic in drinking water and pregnancy outcomes. *Environ. Health Perspect.*, **109**, 629–631
- Alam, M.G.M., Allinson, G., Stagnitti, F., Tanaka, A. & Westbrooke, M. (2002) Arsenic contamination in Bangladesh groundwater: A major environmental and social disaster. *Int. J. environ. Health Res.*, **12**, 236–253
- Alam, M.G.M., Snow, E.T. & Tanaka, A. (2003) Arsenic and heavy metal contamination of vegetables grown in Samta village, Bangladesh. *Sci. total Environ.*, **308**, 83–96
- Alonso, H. (1992) Arsenic enrichment in superficial waters. II Region northern Chile. In: *Proceedings of an International Seminar on Arsenic in the Environment and its Incidence on Health*, Santiago, Universidad de Chile, pp. 101–108
- Aposhian, H.V., Gurzau, E.S., Le, X.C., Gurzau, A., Healy, S.M., Lu, X., Ma, M., Yip, L., Zakharyan, R.A., Maiorino, R.M., Dart, R.C., Tircus, M.G., Gonzalez-Ramirez, D., Morgan, D.L., Avram, D. & Aposhian, M.M. (2000a) Occurrence of monomethylarsonous acid in urine of humans exposed to inorganic arsenic. *Chem. Res. Toxicol.*, **13**, 693–697
- Aposhian, H.V., Zheng, B., Aposhian, M.M., Le, X.C., Cebrian, M.E., Cullen, W., Zakharyan, R.A., Ma, M., Dart, R.C., Cheng, Z., Andrewes, P., Yip, L., O'Malley, G.F., Maiorino, R.M., Van Voorhies, W., Healy, S.M. & Titcomb, A. (2000b) DMPS–arsenic challenge test. II. Modulation of arsenic species, including monomethylarsonous acid (MMA^{III}), excreted in human urine. *Toxicol. appl. Pharmacol.*, **165**, 74–83
- Aragones Sanz, N., Palacios Diez, M., Avello de Miguel, A., Gomez Rodriguez, P., Martinez Cortes, M. & Rodriguez Bernabeu, M.J. (2001) [Nivel de arsénico en abastecimientos de agua de consumo de origen subterráneo en la comunidad de Madrid.] *Rev. esp. Salud. publica*, **75**, 421–432 (in Spanish)

- Arguello, R.A., Cenget, D.D. & Tello, E.E. (1938) [Cancer and arsenicism in the endemic region of Córdoba.] *Rev. Argentina Dermatofisiol.*, **22**, 461–470 (in Spanish)
- Armienta, M.A., Rodriguez, R. & Cruz, O. (1997) Arsenic content in hair of people exposed to natural arsenic polluted groundwater at Zimapán, México. *Bull. environ. Contam. Toxicol.*, **59**, 583–589
- Aschengrau, A., Zierler, S. & Cohen, A. (1989) Quality of community drinking water and the occurrence of spontaneous abortion. *Arch. environ. Health*, **44**, 283–290
- Asmuss, M., Mullenders, L.H.F., Eker, A. & Hartwig, A. (2000) Differential effects of toxic metal compounds on the activities of Fpg and XPA, two zinc finger proteins involved in DNA repair. *Carcinogenesis*, **21**, 2097–2104
- Ballantyne, J.M. & Moore, J.N. (1988) Arsenic geochemistry in geothermal systems. *Geochim. cosmochim. Acta*, **52**, 475–483
- Barchowsky, A., Dudek, E.J., Treadwell, M.D. & Wetterhahn, K.E. (1996) Arsenic induces oxidant stress and NF-κB activation in cultured aortic endothelial cells. *Free rad. Biol. Med.*, **21**, 783–790
- Basu, D., Dasgupta, J., Mukherjee, A. & Guha Mazumder, D.N. (1996) Chronic neuropathy due to arsenic intoxication from geo-chemical source — A five-year follow-up study. *JANEI*, **1**, 45–48
- Basu, A., Mahata, J., Gupta, S. & Giri, A.K. (2001) Genetic toxicology of a paradoxical human carcinogen, arsenic: A review. *Mutat. Res.*, **488**, 171–194
- Basu, A., Mahata, J., Roy, A.K., Sarkar, J.N., Poddar, G., Nandy, A.K., Sarkar, P.K., Dutta, P.K., Banerjee, A., Das, M., Ray, K., Roychaudhury, S., Natarajan, A.T., Nilsson, R. & Giri, A.K. (2002) Enhanced frequency of micronuclei in individuals exposed to arsenic through drinking water in West Bengal, India. *Mutat. Res.*, **516**, 29–40
- Bates, M.N., Smith, A.H. & Cantor, K.P. (1995) Case-control study of bladder cancer and arsenic in drinking water. *Am. J. Epidemiol.*, **141**, 523–530
- Bauman, J.W., Liu, J. & Klaassen, C.D. (1993) Production of metallothionein and heat-shock proteins in response to metals. *Fundam. appl. Toxicol.*, **21**, 15–22
- Baxley, M.N., Hood, R.D., Vedel, G.C., Harrison, W.P. & Szczech, G.M. (1981) Prenatal toxicity of orally administered sodium arsenite in mice. *Bull. environ. Contam. Toxicol.*, **26**, 749–756
- Beckman, G., Beckman, L. & Nordenson, I. (1977) Chromosome aberrations in workers exposed to arsenic. *Environ. Health Perspect.*, **19**, 145–146
- Benramdane, L., Accominti, M., Fanton, L., Malicier, D. & Vallon, J.-J. (1999) Arsenic speciation in human organs following fatal arsenic trioxide poisoning — A case report. *Clin. Chem.*, **45**, 301–306
- Berg, J.W. & Burbank, F. (1972) Correlations between carcinogenic trace metals in water supplies and cancer mortality. *Ann. N.Y. Acad. Sci.*, **199**, 249–264
- Berg, M., Tran, H.C., Nguyen, T.C., Pham, H.V., Schertenleib, R. & Giger, W. (2001) Arsenic contamination of groundwater and drinking water in Vietnam. A human health threat. *Environ. Sci. Technol.*, **35**, 2621–2626
- Bergoglio, R.M. (1964) [Mortality in zones with arsenical water in the Province of Córdoba, Argentine Republic.] *Pren. méd. Argent.*, **51**, 994–998 (in Spanish)
- Bernstam, L. & Nriagu, J. (2000) Molecular aspects of arsenic stress. *J. Toxicol. environ. Health*, **B3**, 293–322
- Bernstam, L., Lan, C.-H., Lee, J. & Nriagu, J.O. (2002) Effects of arsenic on human keratinocytes: Morphological, physiological, and precursor incorporation studies. *Environ. Res.*, **A89**, 220–235

- Bertolero, F., Pozzi, G., Sabbioni, E. & Saffiotti, U. (1987) Cellular uptake and metabolic reduction of pentavalent to trivalent arsenic as determinants of cytotoxicity and morphological transformation. *Carcinogenesis*, **8**, 803–808
- Bhattacharya, P., Chatterjee, D. & Jacks, G. (1997) Occurrence of arsenic-contaminated ground-water in alluvial aquifers from delta plains, eastern India: Options for safe drinking water supply. *Int. J. Water Resour. Dev.*, **13**, 79–92
- Bhattacharya, P., Larsson, M., Leiss, A., Jacks, G., Sracek, A. & Chatterjee, D. (1998) Genesis of arseniferous groundwater in the alluvial aquifers of Bengal delta plains and strategies for low-cost remediation. In: *International Conference on Arsenic Pollution of Ground Water in Bangladesh: Causes, Effects and Remedies*, Dhaka, Dhaka Community Hospital Trust, pp. 120–123
- Biagini, R.E. (1972) [Chronic hydroarsenicism and mortality from malignant cancers.] *Semanas med.*, **141**, 812–816 (in Spanish)
- Biggs, M.L., Kalman, D.A., Moore, L.E., Hopenhayn-Rich, C., Smith, M.T. & Smith, A.H. (1997) Relationship of urinary arsenic to intake estimates and a biomarker of effect, bladder cell micronuclei. *Mutat. Res.*, **386**, 185–195
- Biswas, B.K., Dhar, R.K., Samanta, G., Mandal, B.K., Chakraborti, D., Faruk, I., Islam, K.S., Chowdhury, M.M., Islam, A. & Roy, S. (1998) Detailed study report of Samta, one of the arsenic-affected villages of Jessore District, Bangladesh. *Current Sci.*, **74**, 134–145
- Biswas, S., Talukder, G. & Sharma, A. (1999) Prevention of cytotoxic effects of arsenic by short-term dietary supplementation with selenium in mice in vivo. *Mutat. Res.*, **441**, 155–160
- Black, M.M. (1967) Prolonged ingestion of arsenic. *Pharma J.*, **9 December**, 593–597
- Blackwell, R.Q., Yang, T.H. & Ai, I. (1961) Preliminary report on arsenic level in water and food from the endemic Blackfoot area. *J. formos. med. Assoc.*, **60**, 1139–1140
- Blakley, B.R. (1987) The effect of arsenic on urethan-induced adenoma formation in Swiss mice. *Can. J. vet. Res.*, **51**, 240–243
- Borgoño, J.M. & Greiber, R. (1971) [Epidemiological study of arsenic poisoning in the city of Antofagasta.] *Rev. méd. Chile*, **99**, 702–707 (in Spanish)
- Borgoño, J.M., Vicent, P., Venturino, H. & Infante, A. (1977) Arsenic in the drinking water of the city of Antofagasta: Epidemiological and clinical study before and after the installation of a treatment plant. *Environ. Health Perspect.*, **19**, 103–105
- Borgoño, J.M., Venturino, H. & Vicent, P. (1980) [Clinical and epidemiologic study of arsenicism in northern Chile.] *Rev. méd. Chile*, **108**, 1039–1048 (in Spanish)
- Borzsonyi, M., Bereczky, A., Rudnai, P., Csanady, M. & Horvath, A. (1992) Epidemiological studies on human subjects exposed to arsenic in drinking water in Southeast Hungary. *Arch. Toxicol.*, **66**, 77–78
- Boyle, R.W. & Jonasson, I.R. (1973) The geochemistry of arsenic and its use as an indicator element in geochemical prospecting. *J. geochem. Explor.*, **2**, 251–296
- Braman, R.S. & Foreback, C.C. (1973) Methylated forms of arsenic in the environment. *Science*, **182**, 1247–1249
- Bronaugh, R.L., Stewart, R.F. & Congdon, E.R. (1982) Methods for *in vitro* percutaneous absorption studies. II. Animal models for human skin. *Toxicol. appl. Pharmacol.*, **62**, 481–488
- Brown, J.L. & Kitchin, K.T. (1996) Arsenite, but not cadmium, induces ornithine decarboxylase and heme oxygenase activity in rat liver: Relevance to arsenic carcinogenesis. *Cancer Lett.*, **98**, 227–231

- Brown, M.M., Rhyne, B.C. & Goyer, R.A. (1976) Intracellular effects of chronic arsenic administration on renal proximal tubule cells. *J. Toxicol. environ. Health*, **1**, 505–514
- Buchet, J.P. & Lauwerys, R. (1985) Study of inorganic arsenic methylation by rat liver in vitro: Relevance for the interpretation of observations in man. *Arch. Toxicol.*, **57**, 125–129
- Buchet, J.P. & Lauwerys, R. (1988) Role of thiols in the *in vitro* methylation of inorganic arsenic by rat liver cytosol. *Biochem. Pharmacol.*, **37**, 3149–3153
- Buchet, J.P., Lauwerys, R. & Roels, H. (1981) Comparison of the urinary excretion of arsenic metabolites after a single dose of sodium arsenite, monomethylarsonate or dimethylarsinate in man. *Int. Arch. occup. environ. Health*, **48**, 71–79
- Burk, D. & Beaudoin, A.R. (1977) Arsenate-induced renal agenesis in rats. *Teratology*, **16**, 247–259
- Caceres, L., Gruttner, E. & Contreras, R. (1992) Water recycling in arid regions — Chilean case. *Ambio*, **21**, 138–144
- Calderon, R.L., Hudgens, E., Le, X.C., Schreinemachers, D. & Thomas, D.J. (1999) Excretion of arsenic in urine as a function of exposure to arsenic in drinking water. *Environ. Health Perspect.*, **107**, 663–667
- Calderón, J., Navarro, M.E., Jimenez-Capdeville, M.E., Santos-Diaz, M.A., Golden, A., Rodriguez-Leyva, I., Borja-Aburto, V. & Diaz-Barriga, F. (2001) Exposure to arsenic and lead and neuropsychological development in Mexican children. *Environ. Res.*, **A85**, 69–76
- Caltabiano, M.M., Koestler, T.P., Poste, G. & Greig, R.G. (1986) Induction of 32- and 34-kDa stress proteins by sodium arsenite, heavy metals, and thiol-reactive agents. *J. biol. Chem.*, **261**, 13381–13386
- Cantor, K.P., Hoover, R., Hartge, P., Mason, T.J., Silverman, D.T., Altman, R., Austin, D.F., Child, M.A., Key, C.R., Marrett, L.D., Myers, M.H., Narayana, A.S., Levin, L.I., Sullivan, J.W., Swanson, G.M., Thomas, D.B. & West, D.W. (1987) Bladder cancer, drinking water source, and tap water consumption: A case-control study. *J. natl Cancer Inst.*, **79**, 1269–1279
- Cao, S. (1996) [Current status of inorganic arsenic contamination in mainland China.] *Chinese J. public Health*, **15** (Suppl. 3), S6–S10 (in Chinese)
- Carpenter, S.J. (1987) Developmental analysis of cephalic axial dysraphic disorders. *Anat. Embryol.*, **176**, 345–365
- Cavigelli, M., Li, W.W., Lin, A., Su, B., Yoshioka, K. & Karin, M. (1996) The tumor promoter arsenite stimulates AP-1 activity by inhibiting a JNK phosphatase. *EMBO J.*, **15**, 6269–6279
- Cebrián, M.E., Albores, A., Aguilar, M. & Blakely, E. (1983) Chronic arsenic poisoning in the north of Mexico. *Hum. Toxicol.*, **2**, 121–133
- Cebrián, M.E., Albores, A., Connelly, J.C. & Bridges, J.W. (1988) Assessment of arsenic effects on cytosolic heme status using tryptophan pyrrolase as an index. *J. biochem. Toxicol.*, **3**, 77–86
- Cebrián, M.E., Albores, A., García-Vargas, G., Del Razo, L.M. & Ostrosky-Wegman, P. (1994) Chronic arsenic poisoning in humans: The case of Mexico. In: O’Nriagu, J., ed., *Arsenic in the Environment*, Part II, *Human Health and Ecosystem Effects*, New York, John Wiley & Sons, pp. 93–107
- Chaineau, E., Binet, S., Pol, D., Chatellier, G. & Meininger, V. (1990) Embryotoxic effects of sodium arsenite and sodium arsenate on mouse embryos in culture. *Teratology*, **41**, 105–112
- Chakraborti, D., Samanta, G., Mandal, B.K., Roy Chowdhury, T., Chanda, C.R., Biswas, B.K., Dhar, R.K., Basu, G.K. & Saha, K.C. (1998) Calcutta’s industrial pollution: Groundwater arsenic contamination in a residential area and sufferings of people due to industrial effluent discharge — An eight-year study report. *Current Sci.*, **74**, 346–355

- Chakraborti, D., Biswas, B.K., Basu, G.K., Chowdhury, U.K., Roy Chowdhury, T., Lodh, D., Chanda, C.R., Mandal, B.K., Samanta, G., Chakraborti, K., Rahman, M.M., Paul, K., Roy, S., Kabir, S., Ahmed, B., Das, R., Salim, M. & Quamruzzaman, Q. (1999a) Possible arsenic contamination of free groundwater source in Bangladesh. *J. surface Sci. Technol.*, **15**, 180–188
- Chakraborti, D., Biswas, B.K., Roy Chowdhury, T., Basu, G.K., Mandal, B.K., Chowdhury, U.K., Mukherjee, S.C., Gupta, J.P., Chowdhury, S.R. & Rathore, K.C. (1999b) Arsenic groundwater contamination and sufferings of people in Rajnandgaon district, Madhya Pradesh, India. *Current Sci.*, **77**, 502–504
- Chakraborti, D., Rahman, M.M., Paul, K., Chowdhury, U.K., Sengupta, M.K., Lodh, D., Chanda, C.R., Saha, K.C. & Mukherjee, S.C. (2002) Arsenic calamity in the Indian subcontinent — What lessons have been learned? *Talanta*, **58**, 3–22
- Chakraborti, D., Mukherjee, S.C., Pati, S., Sengupta, M.K., Rahman, M.M., Chowdhury, U.K., Lodh, D., Chanda, C.R., Chakraborti, A.K. & Basu, G.K. (2003a) Arsenic groundwater contamination in Middle Ganga Plain, Bihar, India: A future danger. *Environ. Health Perspect.*, **111**, 1194–1201
- Chakraborti, D., Rahman, M.M., Paul, K., Chowdhury, U.K. & Quamruzzaman, Q. (2003b) Groundwater arsenic contamination. In: *The Encyclopedia of Water Science*, New York, Marcel Dekker, pp. 324–329
- Chakraborty, A.K. & Saha K.C. (1987) Arsenical dermatosis from tubewell water in West Bengal. *Indian J. med. Res.*, **85**, 326–334
- Chatterjee, A., Das, D. & Chakraborti, D. (1993) A study of ground water contamination by arsenic in the residential area of Behala, Calcutta due to industrial pollution. *Environ. Pollut.*, **80**, 57–65
- Chatterjee, A., Das, D., Mandal, B.K., Roy Chowdhury, T., Samanta, G. & Chakraborti, D. (1995) Arsenic in ground water in six districts of West Bengal, India: The biggest arsenic calamity in the world, Part I. Arsenic species in drinking water and urine of the affected people. *Analyst*, **120**, 645–650
- Chatterjee, A., Shibata, Y., Yoshinaga, J. & Morita, M. (2000) Determination of arsenic compounds by high-performance liquid chromatography-ultrasonic nebulizer-high power nitrogen-micro-wave-induced plasma mass spectrometry: An accepted coupling. *Anal. Chem.*, **72**, 4402–4412
- Chávez, A., Pérez Hidalgo, C., Tovar, E. & Garmilla, M. (1964) [Studies in a community with chronic endemic arsenicism.] *Salud pública Méx.*, **6**, 435–441 (in Spanish)
- Chen, C.-J. & Chiou, H.-Y. (2001) Chen and Chiou Respond to ‘Arsenic and cancer of the urinary tract’ by Cantor. *Am. J. Epidemiol.*, **153**, 422–423
- Chen, H.-W. & Edwards, M. (1997) Arsenic occurrence and speciation in United States drinking waters: Implications for water utilities. In: *Proceedings of the Water Quality Technology Conference*, Denver, CO, American Water Works Association, pp. 468–484
- Chen, C.-J. & Wang, C.-J. (1990) Ecological correlation between arsenic level in well water and age-adjusted mortality from malignant neoplasms. *Cancer Res.*, **50**, 5470–5474
- Chen, K.P., Wu, H.Y. & Wu, T.C. (1962) Epidemiologic studies on blackfoot disease in Taiwan. 3. Physicochemical characteristics of drinking water in endemic blackfoot disease areas. *Mem. Coll. Med. natl Taiwan Univ.*, **8**, 115–129
- Chen, C.-J., Chuang, Y.-C., Lin, T.-M. & Wu, H.-Y. (1985) Malignant neoplasms among residents of a blackfoot disease-endemic area in Taiwan: High-arsenic artesian well water and cancers. *Cancer Res.*, **45**, 5895–5899

- Chen, B., Burt, C.T., Goering, P.L., Fowler, B.A. & London, R.E. (1986) In vivo ^{31}P nuclear magnetic resonance studies of arsenite induced changes in hepatic phosphate levels. *Biochem. biophys. Res. Commun.*, **139**, 228–234
- Chen, C.-J., Chuang, Y.-C., You, S.-L., Lin, T.-M. & Wu, H.-Y. (1986) A retrospective study on malignant neoplasms of bladder, lung and liver in blackfoot disease endemic area in Taiwan. *Br. J. Cancer*, **53**, 399–405
- Chen, C.-J., Kuo, T.-L. & Wu, M.-M. (1988a) Arsenic and cancers. *Lancet*, **i**, 414–415
- Chen, C.-J., Wu, M.-M., Lee, S.-S., Wang, J.-D., Cheng, S.-H. & Wu, H.-Y. (1988b) Atherogenicity and carcinogenicity of high-arsenic artesian well water. Multiple risk factors and related malignant neoplasms of blackfoot disease. *Arteriosclerosis*, **8**, 452–460
- Chen, C.-J., Lin, L.-J., Hsueh, Y.-M., Chiou, H.-Y., Liaw, K.-F., Horng, S.-F., Chiang, M.-H., Tseng, C.-H. & Tai, T.-Y. (1994) Ischemic heart disease induced by ingested inorganic arsenic. In: Chappell, W.R., Abernathy, C.O. & Cothorn, C.R., eds, *Arsenic Exposure and Health*, Northwood, IL, Science and Technology Letters, pp. 83–90
- Chen, C.-J., Hsueh, Y.-M., Lai, M.-S., Shyu, M.-P., Chen, S.-Y., Wu, M.-M., Kuo, T.-L. & Tai, T.-Y. (1995) Increased prevalence of hypertension and long-term arsenic exposure. *Hypertension*, **25**, 53–60
- Chen, C.-J., Chiou, H.-Y., Chiang, M.-H., Lin, L.-J. & Tai, T.-Y. (1996) Dose-response relationship between ischemic heart disease mortality and long-term arsenic exposure. *Arterioscler. Thromb. vasc. Biol.*, **16**, 504–510
- Chen, C.-J., Chiou, H.-Y., Huang, W.-I., Chen, S.-Y., Hsueh, Y.-M., Tseng, C.-H., Lin, L.-J., Shyu, M.-P. & Lai, M.-S. (1997) Systemic non-carcinogenic effects and developmental toxicity of inorganic arsenic. In: Abernathy, C.O., Calderon, R.L. & Chappell, W.R., eds, *Arsenic Exposure and Health Effects*, London, Chapman & Hall, pp. 124–134
- Chen, Y.-C., Lin-Shiau, S.-Y. & Lin, J.-K. (1998) Involvement of reactive oxygen species and caspase 3 activation in arsenite-induced apoptosis. *J. cell. Physiol.*, **177**, 324–333
- Chen, K.-L.B., Amarasirivardena, C.J. & Christiani, D.C. (1999) Determination of total arsenic concentrations in nails by inductively coupled plasma mass spectrometry. *Biol. trace Element Res.*, **67**, 109–125
- Chen, Y., Megosh, L.C., Gilmour, S.K., Sawicki, J.A. & O'Brien, T.G. (2000) K6/ODC transgenic mice as a sensitive model for carcinogen identification. *Toxicol. Lett.*, **116**, 27–35
- Chen, H., Liu, J., Zhao, C.Q., Diwan, B.A., Merrick, B.A. & Waalkes, M.P. (2001) Association of c-myc overexpression and hyperproliferation with arsenite-induced malignant transformation. *Toxicol. appl. Pharmacol.*, **175**, 260–268
- Chen, G.-C., Guan, L.-S., Hu, W.-L. & Wang, Z.-Y. (2002) Functional repression of estrogen receptor α by arsenic trioxide in human breast cancer cells. *Anticancer Res.*, **22**, 633–638
- Chen, Y.-C., Amarasirivardena, C.J., Hsueh, Y.-M. & Christiani, D.C. (2002) Stability of arsenic species and insoluble arsenic in human urine. *Cancer Epidemiol. Biomarkers Prev.*, **11**, 1427–1433
- Chiang, J., Hermosilla, A.P., Rojas, H. & Henríquez, C. (1990) [Determination of arsenic in individuals exposed to high pollution levels.] *Rev. Chil. Nutr.*, **18**, 39–50 (in Spanish)
- Chiang, H.S., Guo, H.R., Hong, C.L., Lin, S.M. & Lee, E.F. (1993) The incidence of bladder cancer in the black foot disease endemic area in Taiwan. *Br. J. Urol.*, **71**, 274–278
- Chilean Institute of National Standards (1984) [*Standards for Potable Water*], Santiago (in Spanish)

- Chiou, H.-Y., Hsueh, Y.-M., Liaw, K.-F., Horng, S.-F., Chiang, M.-H., Pu, Y.-S., Lin, J.S.-N., Huang, C.-H. & Chen, C.-J. (1995) Incidence of internal cancers and ingested inorganic arsenic: A seven-year follow-up study in Taiwan. *Cancer Res.*, **55**, 1296–1300
- Chiou, H.-Y., Hsueh, Y.-M., Hsieh, L.-L., Hsu, L.-I., Hsu, Y.-H., Hsieh, F.-I., Wei, M.-L., Chen, H.-C., Yang, H.-T., Leu, L.-C., Chu, T.-H., Chen-Wu, C., Yang, M.-H. & Chen, C.-J. (1997b) Arsenic methylation capacity, body retention, and null genotypes of glutathione S-transferase M1 and T1 among current arsenic-exposed residents in Taiwan. *Mutat. Res.*, **386**, 197–207
- Chiou, H.-Y., Huang, W.-I., Su, C.-L., Chang, S.-F., Hsu, Y.-H. & Chen, C.-J. (1997a) Dose-response relationship between prevalence of cerebrovascular disease and ingested inorganic arsenic. *Stroke*, **28**, 1717–1723
- Chiou, H.Y., Chiou, S.T., Hsu, Y.H., Chou, Y.L., Tseng, C.H., Wei, M.L. & Chen, C.J. (2001) Incidence of transitional cell carcinoma and arsenic in drinking water: A follow-up study of 8102 residents in an arseniasis-endemic area in northeastern Taiwan. *Am. J. Epidemiol.*, **153**, 411–418
- Choprapawon, C. & Porapakkham, Y. (2001) Occurrence of cancer in arsenic contaminated area, Ronpibool District, Nakorn Sritthmarat Province, Thailand. In: Chappell, W.R., Abernathy, C.O. & Calderon, R.L., eds, *Arsenic Exposure and Health Effects IV*, New York, Elsevier Science, pp. 201–206
- Choprapawon, C. & Rodcline, A. (1997) Chronic arsenic poisoning in Ronpibool Nakhon Sri Thammarat, the Southern Province of Thailand. In: Abernathy, C.O., Calderon, R.L. & Chappell, W.R., eds, *Arsenic Exposure and Health Effects*, London, Chapman & Hall, pp. 69–77
- Chouchane, S. & Snow, E.T. (2001) In vitro effect of arsenical compounds on glutathione-related enzymes. *Chem. Res. Toxicol.*, **14**, 517–522
- Chowdhury, T.R., Mandal, B.K., Samanta, G., Basu, G.K., Chowdhury, P.P., Chanda, C.R., Karan, N.K., Lodh, D., Dhar, R.K., Das, D., Saha, K.C. & Chakraborti, D. (1997) Arsenic in ground-water in six districts of West Bengal, India: The biggest arsenic calamity in the world: The status report up to August, 1995. In: Abernathy, C.O., Calderon, R.L. & Chappell, W.R., eds, *Arsenic Exposure and Health Effects*, London, Chapman & Hall, pp. 93–111
- Chowdhury, U.K., Biswas, B.K., Roy Chowdhury, T., Samanta, G., Mandal, B.K., Basu, G.C., Chanda, C.R., Lodh, D., Saha, K.C., Mukherjee, S.K., Roy, S., Kabir, S., Quamruzzaman, Q. & Chakraborti, D. (2000a) Groundwater arsenic contamination in Bangladesh and West Bengal, India. *Environ. Health Perspect.*, **108**, 393–397
- Chowdhury, U.K., Biswas, B.K., Roy Chowdhury, T., Mandal, B.K., Samanta, G., Basu, G.K., Chanda, C.R., Lodh, D., Saha, K.C., Chakraborti, D., Mukherjee, S.C., Roy, S., Kabir, S. & Quamruzzaman, Q. (2000b) Arsenic groundwater contamination and sufferings of people in West Bengal-India and Bangladesh. In: Roussel, A.M., Anderson, R.A. & Favrier, A.E., eds, *Trace Elements in Man and Animals 10*, New York, Kluwer Academic/Plenum, pp. 645–650
- Chowdhury, U.K., Rahman, M.M., Mondal, B.K., Paul, K., Lodh, D., Biswas, B.K., Basu, G.K., Chanda, C.R., Saha, K.C., Mukherjee, S.C., Roy, S., Das, R., Kaies, I., Barua, A.K., Palit, S.K., Quamruzzaman, Q. & Chakraborti, D. (2001) Groundwater arsenic contamination and human suffering in West Bengal, India and Bangladesh. *Environ. Sci.*, **8**, 393–415
- Chowdhury, U.K., Rahman, M.M., Sengupta, M.K., Lodh, D., Chanda, R.C., Roy, S., Quamruzzaman, Q., Tokunaga, H., Ando, M. & Chakraborti, D. (2003) Pattern of excretion of arsenic compounds [arsenite, arsenate, MMA (V), DMA(V)] in urine of children compared to adults from an arsenic exposed area in Bangladesh. *Environ. Sci. Health*, **A38**, 87–113

- Chung, J.S., Kalman, D.A., Moore, L.E., Kosnett, M.J., Arroyo, A.P., Beeris, M., Guha Mazumder, D.N., Hernandez, A.L. & Smith, A.H. (2002) Family correlations of arsenic methylation patterns in children and parents exposed to high concentrations of arsenic in drinking water. *Environ. Health Perspect.*, **110**, 729–733
- Cohen, S.M., Arnold, L.L., Uzvolgyi, E., Cano, M., St John, M., Yamamoto, S., Lu, X. & Le, X.C. (2002) Possible role of dimethylarsinous acid in dimethylarsinic acid-induced urothelial toxicity and regeneration in the rat. *Chem. Res. Toxicol.*, **15**, 1150–1157
- Colbourne, P., Alloway, B.J. & Thornton, I. (1975) Arsenic and heavy metals in soils associated with regional geochemical anomalies in South-West England. *Sci. total Environ.*, **4**, 359–363
- Committee Constituted by Government of West Bengal (1994) *Report on Arsenic Pollution in Groundwater in West Bengal* (PHE-1/716/3D-1/88), Bengal, PHE Department
- CONAMA (2000) [Technical Information Sheet: Analysis of Human Exposure to Arsenic in Large Cities] (Study No. 21–0022–002), Santiago, Ed. P. Pino Z. (in Spanish)
- Concha, G., Vogler, G., Nermell, B. & Vahter, M. (1998a) Low-level arsenic excretion in breast milk of native Andean women exposed to high levels of arsenic in the drinking water. *Int. Arch. occup. environ. Health*, **71**, 42–46
- Concha, G., Nermell, B. & Vahter, M.V. (1998b) Metabolism of inorganic arsenic in children with chronic high arsenic exposure in northern Argentina. *Environ. Health Perspect.*, **106**, 355–359
- Concha, G., Vogler, G., Lezcano, D., Nermell, B. & Vahter, M. (1998c) Exposure to inorganic arsenic metabolites during early human development. *Toxicol. Sci.*, **44**, 185–190
- Concha, G., Vogler, G., Nermell, B. & Vahter, M. (2002) Intra-individual variation in the metabolism of inorganic arsenic. *Int. Arch. occup. environ. Health*, **75**, 576–580
- COSUDE (2000) [Determination of National Baseline Content of Arsenic in Respirable Particulate Material] (Proyecto CONAMA No. 22–0023–09), Santiago (in Spanish)
- Cowlishaw, J.L., Pollard, E.J., Cowen, A.E. & Powell, L.W. (1979) Liver disease associated with chronic arsenic ingestion. *Aust. N.Z. J. Med.*, **9**, 310–313
- Crecelius, E.A. (1977) Changes in the chemical speciation of arsenic following ingestion by man. *Environ. Health Perspect.*, **19**, 147–150
- Crecelius, E.A. (1978) Modification of the arsenic speciation technique using hydride generation. *Anal. Chem.*, **50**, 826–827
- Cross, J.D., Dale, I.M., Leslie, A.C.D. & Smith, H. (1979) Industrial exposure to arsenic. *J. radioanal. Chem.*, **48**, 197–208
- Cruz, A.C., Fomsgaard, I.S. & Lacayo, J. (1994) Lead, arsenic, cadmium and copper in Lake Asososca, Nicaragua. *Sci. total Environ.*, **155**, 229–236
- Csanaky, I. & Gregus, Z. (2001) Effect of phosphate transporter and methylation inhibitor drugs on the disposition of arsenate and arsenite in rats. *Toxicol. Sci.*, **63**, 29–36
- Csanaky, I. & Gregus, Z. (2002) Species variations in the biliary and urinary excretion of arsenate and arsenite and their metabolites. *Comp. Biochem. Physiol.*, **C131**, 355–365
- Cullen, W.R. & Reimer, K.J. (1989) Arsenic speciation in the environment. *Chem. Rev.*, **89**, 713–764
- Cuzick, J., Evans, S., Gillman, M. & Price Evans, D.A. (1982) Medicinal arsenic and internal malignancies. *Br. J. Cancer*, **45**, 904–911
- Cuzick, J., Sasieni, P. & Evans, S. (1992) Ingested arsenic, keratoses, and bladder cancer. *Am. J. Epidemiol.*, **136**, 417–421
- Dang, H.S., Jaiswal, D.D. & Somasundaram, S. (1983) Distribution of arsenic in human tissues and milk. *Sci. total Environ.*, **29**, 171–175

- Das, D., Chatterjee, A., Samanta, G., Mandal, B., Roy Chowdhury, T., Samanta, G., Chowdhury, P.P., Chanda, C., Basu, G., Lodh, D., Nandi, S., Chakraborty, T., Mandal, S., Bhattacharya, S.M. & Chakraborti, D. (1994) Arsenic contamination in groundwater in six districts of West Bengal, India: The biggest arsenic calamity in the world. *Analyst*, **119**, 168N–170N
- Das, D., Chatterjee, A., Mandal, B.K., Samanta, G., Chakraborti, D. & Chanda, B. (1995) Arsenic in ground water in six districts of West Bengal, India: The biggest arsenic calamity in the world. Part 2. Arsenic concentration in drinking water, hair, nails, urine, skin-scale and liver tissue (biopsy) of the affected people. *Analyst*, **120**, 917–924
- Das, D., Samanta, G., Mandal, B.K., Roy Chowdhury, T., Chanda, C.R., Chowdhury, P.P., Basu, G.K. & Chakraborti, D. (1996) Arsenic in groundwater in six districts of West Bengal, India. *Environ. Geochem. Health*, **18**, 5–15
- Datta, D.V. (1976) Arsenic and non-cirrhotic portal hypertension (Letter to the Editor). *Lancet*, **i**, 433
- Datta, D.V. & Kaul, M.K. (1976) Arsenic content of tubewell water in villages in northern India. A concept of arsenicosis. *J. Assoc. Phys. India*, **24**, 599–604
- Datta, D.V., Mitra, S.K., Chhuttani, P.N. & Chakravarti, R.N. (1979) Chronic oral arsenic intoxication as a possible aetiological factor in idiopathic portal hypertension (non-cirrhotic portal fibrosis) in India. *Gut*, **20**, 378–384
- Davis, M.K., Reich, K.D. & Tikkanen, M.W. (1994) Nationwide and California arsenic occurrence studies. In: Chappell, W.R., Abernathy, C.O. & Cothorn, C.R., eds., *Arsenic Exposure and Health Effects*, Northwood, IL, Science and Technology Letters, pp. 31–40
- De Kimpe, J., Cornelis, R., Mees, L. & Vanholder, R. (1996) Basal metabolism of intraperitoneally injected carrier-free ^{74}As -labeled arsenate in rabbits. *Fundam. appl. Toxicol.*, **34**, 240–248
- De Kimpe, J., Cornelis, R. & Vanholder, R. (1999) In vitro methylation of arsenite by rabbit liver cytosol: Effect of metal ions, metal chelating agents, methyltransferase inhibitors and uremic toxins. *Drug chem. Toxicol.*, **22**, 613–628
- Deknudt, G., Léonard, A., Arany, J., Jenar-Du Buisson, G. & Delavignette, E. (1986) *In vivo* studies in male mice on the mutagenic effects of inorganic arsenic. *Mutagenesis*, **1**, 33–34
- Del Razo, L.M., Arellano, M.A. & Cebríán, M.E. (1990) The oxidation states of arsenic in well-water from a chronic arsenicism area of northern Mexico. *Environ. Pollut.*, **64**, 143–153
- Del Razo, L.M., García-Vargas, G.G., Vargas, H., Albores, A., Gonsebatt, M.E., Montero, R., Ostrosky-Wegman, P., Kelsh, M. & Cebríán, M.E. (1997) Altered profile of urinary arsenic metabolites in adults with chronic arsenicism. A pilot study. *Arch. Toxicol.*, **71**, 211–217
- Del Razo, L.M., Aguilar, C., Sierra-Santoyo, A. & Cebríán, M.E. (1999) Interference in the quantitation of methylated arsenic species in human urine. *J. anal. Toxicol.*, **23**, 103–107
- Del Razo, L.M., Styblo, M., Cullen, W.R. & Thomas, D.J. (2001a) Determination of trivalent methylated arsenicals in biological matrices. *Toxicol. appl. Pharmacol.*, **174**, 282–293
- Del Razo, L.M., Quintanilla-Vega, B., Brambila-Colombres, E., Calderón-Aranda, E.S., Manno, M. & Albores, A. (2001b) Stress proteins induced by arsenic. *Toxicol. appl. Pharmacol.*, **177**, 132–148
- Delnomdedieu, M., Basti, M.M., Otvos, J.D. & Thomas, D.J. (1993) Transfer of arsenite from glutathione to dithiols: A model of interaction. *Chem. Res. Toxicol.*, **6**, 598–602
- Delnomdedieu, M., Basti, M.M., Styblo, M., Otvos, J.D. & Thomas, D.J. (1994a) Complexation of arsenic species in rabbit erythrocytes. *Chem. Res. Toxicol.*, **7**, 621–627

- Delnomdedieu, M., Basti, M.M., Ottos, J.D. & Thomas, D.J. (1994b) Reduction and binding of arsenate and dimethylarsinate by glutathione: A magnetic resonance study. *Chem.-biol. Interact.*, **90**, 139–155
- Devasagayam, T.P.A., Steenken, S., Obendorf, M.S.W., Schulz, W.A. & Sies, H. (1991) Formation of 8-hydroxy(deoxy)guanosine and generation of strand breaks at guanine residues in DNA by singlet oxygen. *Biochemistry*, **30**, 6283–6289
- Dhaka Community Hospital Trust and School of Environmental Studies (1998) *International Conference on Arsenic Pollution of Groundwater in Bangladesh: Causes, Effects and Remedies*, Dhaka
- Dhar, R.K., Biswas, B.K., Samanta, G., Mandal, B.K., Chakraborti, D., Roy, S., Jafar, A., Islam, A., Ara, G., Kabir, S., Khan, A.W., Ahmed, S.A. & Hadi, S.A. (1997) Groundwater arsenic calamity in Bangladesh. *Current Sci.*, **73**, 48–59
- Diáz-Barriga, F., Santos, M.A., Mejía, J.J., Batres, L., Yáñez, L., Carrizales, L., Vera, E., Del Razo, L.M. & Cebrián, M.E. (1993) Arsenic and cadmium exposure in children living near a smelter complex in San Luis Potosí, Mexico. *Environ. Res.*, **62**, 242–250
- Domingo, J.L., Bosque, M.A. & Piera, V. (1991) *meso*-2,3-Dimercaptosuccinic acid and prevention of arsenite embryotoxicity and teratogenicity in the mouse. *Fundam. appl. Toxicol.*, **17**, 314–320
- Dulout, F.N., Grillo, C.A., Seoane, A.I., Maderna, C.R., Nilsson, R., Vahter, M., Darroudi, F. & Natarajan, A.T. (1996) Chromosomal aberrations in peripheral blood lymphocytes from native Andean women and children from northwestern Argentina exposed to arsenic in drinking water. *Mutat. Res.*, **370**, 151–158
- Durham, N.F. & Kosmus, W. (2003) Analytical considerations of arsenic contamination in water. *Asian environ. Technol.*, **7**(2), April/May
- Eastmond, D.A. & Tucker, J.D. (1989) Identification of aneuploidy-inducing agents using cyto-kinetics-blocked human lymphocytes and an antikinetochore antibody. *Environ. mol. Mutag.*, **13**, 34–43
- Eguchi, N., Kuroda, K. & Endo, G. (1997) Metabolites of arsenic induced tetraploids and mitotic arrest in cultured cells. *Arch. environ. Contam. Toxicol.*, **32**, 141–145
- Engel, R.R. & Smith, A.H. (1994) Arsenic in drinking water and mortality from vascular disease: An ecologic analysis in 30 counties in the United States. *Arch. environ. Health*, **49**, 418–427
- Engel, R.R., Hoppenhayn-Rich, C., Receveur, O. & Smith, A.H. (1994) Vascular effects of chronic arsenic exposure: A review. *Epidemiol. Rev.*, **16**, 184–209
- Ercal, N., Gurer-Orhan, H. & Aykin-Burns, N. (2001) Toxic metals and oxidative stress. Part I: Mechanisms involved in metal-induced oxidative damage. *Current Top. med. Chem.*, **1**, 529–539
- Erickson, B.E. (2003) Field kits fail to provide accurate measure of arsenic in groundwater. *Environ. Sci. Technol.*, **37**, 35A–38A
- Estrov, Z., Manna, S.K., Harris, D., Van, Q., Estey, E.H., Kantarjian, H.M., Talpaz, M. & Aggarwal, B.B. (1999) Phenylarsine oxide blocks interleukin-1 β -induced activation of the nuclear transcription factor NF- κ B, inhibits proliferation, and induces apoptosis of acute myelogenous leukemia cells. *Blood*, **94**, 2844–2853
- European Commission (1998) *European Union Directive on the Quality of Water Intended for Human Consumption* (Council Directive 98/83/EC), Brussels

- Farago, M.E., Thornton, I., Kavanagh, P., Elliott, P. & Leonardi, G.S. (1997) Health aspects of human exposure to high arsenic concentrations in soil in south-west England. In: Abernathy, C.O., Calderon, R.L. & Chappell, W.R., eds, *Arsenic Exposure and Health Effects*, New York, Chapman & Hall, pp. 210–226
- Feldmann, J., Lai, V.W.-M., Cullen, W.R., Ma, M., Lu, X. & Le, X.C. (1999) Sample preparation and storage can change arsenic speciation in human urine. *Clin. Chem.*, **45**, 1988–1997
- Ferreccio, C., González, C., Solari, J. & Noder, C. (1996) [Lung cancer in workers exposed to arsenic: A case-control study.] *Rev. méd. Chile*, **124**, 119–123 (in Spanish)
- Ferreccio, C., González, C., Milosavlevic, V., Marshall, G., Sancha, A.M. & Smith, A.H. (2000) Lung cancer and arsenic concentrations in drinking water in Chile. *Epidemiology*, **11**, 673–679
- Fisher, D.L. (1982) Cultured rat embryo accumulation of DNA, RNA, and protein following maternal administration of sodium arsenite. *Environ. Res.*, **28**, 1–9
- Flynn, H.C., McMahon, V., Diaz, G.C., Demergasso, C.S., Corbisier, P., Meharg, A.A. & Paton, G.I. (2002) Assessment of bioavailable arsenic and copper in soils and sediments from the Antofagasta region of northern Chile. *Sci. total Environ.*, **286**, 51–59
- Foà, V., Colombi, A., Maroni, M., Buratti, M. & Calzaferri, G. (1984) The speciation of the chemical forms of arsenic in the biological monitoring of exposure to inorganic arsenic, *Sci. total Environ.*, **34**, 241–259
- Focazio, M.J., Welch, A.H., Watkins, S.A., Helsel, D.R. & Horn, M.A. (2000) *A Retrospective Analysis on the Occurrence of Arsenic in Ground-water Resources of the United States and Limitations in Drinking-water-supply Characterizations* (Water-Resources Investigations Report 99-4279), Reston, VA, Office of Water Quality, US Geological Survey
- Foust, R.D., Jr, Mohapatra, P., Compton, A.-M. & Reifel, J. (2000) Groundwater arsenic in the Verde Valley in Central Arizona. In: Bhattacharya, P. & Welch, A.H., eds., *Arsenic in Ground-water of Sedimentary Aquifers, 31st International Geological Congress, Rio de Janeiro, Brazil*, pp. 43–46
- Fowler, B.A., Woods, J.S. & Schiller, C.M. (1977) Ultrastructural and biochemical effects of prolonged oral arsenic exposure on liver mitochondria of rats. *Environ. Health Perspect.*, **19**, 197–204
- Fowler, B.A., Woods, J.S. & Schiller, C.M. (1979) Studies of hepatic mitochondrial structure and function. Morphometric and biochemical evaluation of *in vivo* perturbation by arsenate. *Lab. Invest.*, **41**, 313–320
- Francesconi, K.A. & Kuehnelt, D. (2002) Arsenic compounds in the environment. In: Frankenberger, W.T., Jr, ed., *Environmental Chemistry of Arsenic*, New York, Marcel Dekker, pp. 51–94
- Franklin, M., Bean, W.B. & Hardin, R.C. (1950) Fowler's solution as an etiologic agent in cirrhosis. *Am. J. med. Sci.*, **219**, 589–596
- Freeman, G.B., Schoof, R.A., Ruby, M.V., Davis, A.O., Dill, J.A., Liao, S.C., Lapin, C.A. & Bergstrom, P.D. (1995) Bioavailability of arsenic in soil and house dust impacted by smelter activities following oral administration in cynomolgus monkeys. *Fundam. appl. Toxicol.*, **28**, 215–222
- Frey, M.M. & Edwards, M.A. (1997) Surveying arsenic occurrence. *J. Am. Water Works Assoc.*, **89**, 105–117

- Gallagher, P.A., Schwegel, C.A., Wei, X. & Creed, J.T. (2001) Speciation and preservation of inorganic arsenic in drinking water sources using EDTA with IC separation and ICP-MS detection. *J. environ. Monit.*, **3**, 371–376
- Garai, R., Chakraborty, A.K., Dey, S.B. & Saha, K.C. (1984) Chronic arsenic poisoning from tube-well water. *J. Indian med. Assoc.*, **82**, 34–35
- García-Vargas, G.G. & Hernández-Zavala, A. (1996) Urinary porphyrins and heme biosynthetic enzyme activities measured by HPLC in arsenic toxicity. *Biomed. Chromatogr.*, **10**, 278–284
- García-Vargas, G.G., Del Razo, L.M., Cebrián, M.E., Albores, A., Ostrosky-Wegman, P., Montero, R., Gonsebatt, M.E., Lim, C.K. & De Matteis, F. (1994) Altered urinary porphyrin excretion in a human population chronically exposed to arsenic in Mexico. *Hum. exp. Toxicol.*, **13**, 839–847
- Garland, M., Morris, J.S., Rosner, B.A., Stampfer, M.J., Spate, V.L., Baskett, C.J., Willett, W.C. & Hunter, D.J. (1993) Toenail trace element levels as biomarkers: Reproducibility over a 6-year period. *Cancer Epidemiol. Biomarkers Prev.*, **2**, 493–497. Erratum in: *Cancer Epidemiol. Biomarkers Prev.*, **3**, 523 (1994)
- Garland, M., Morris, J.S., Colditz, G.A., Stampfer, M.J., Spate, V.L., Baskett, C.K., Rosner, B., Speizer, F.E., Willett, W.C. & Hunter, D.J. (1996) Toenail trace element levels and breast cancer: A prospective study. *Am. J. Epidemiol.*, **144**, 653–660
- Gebel, T. (1998) Suppression of arsenic-induced chromosome mutagenicity by antimony. *Mutat. Res.*, **412**, 213–218
- Gebel, T.W. (2001) Genotoxicity of arsenical compounds. *Int. J. Hyg. environ Health*, **203**, 249–262
- Gebel, T., Christensen, S. & Dunkelberg, H. (1997) Comparative and environmental genotoxicity of antimony and arsenic. *Anticancer Res.*, **17**, 2603–2607
- Geiszinger, A., Goessler, W. & Kosmus, W. (2002) Organoarsenic compounds in plants and soil on top of an ore vein. *Appl. organometal. Chem.*, **16**, 245–249
- George, G.M., Frahm, L.J. & McDonnell, J.P. (1973) Dry ashing method for determination of total arsenic in animal tissues: Collaborative study. *J. Am. off. anal. Chem.*, **56**, 793–797
- German, J. (1984) Embryonic stress hypothesis of teratogenesis. *Am. J. Med.*, **76**, 293–301
- German, J., Louie, E. & Banerjee, D. (1986) The heat-shock response in vivo: Experimental induction during mammalian organogenesis. *Teratog. Carcinog. Mutag.*, **6**, 555–562
- Germolec, D.R., Yoshida, T., Gaido, K., Wilmer, J.L., Simeonova, P.P., Kayama, F., Burleson, F., Dong, W., Lange, R.W. & Luster, M.I. (1996) Arsenic induces overexpression of growth factors in human keratinocytes. *Toxicol. appl. Pharmacol.*, **141**, 308–318
- Germolec, D.R., Spalding, J., Boorman, G.A., Wilmer, J.L., Yoshida, T., Simeonova, P.P., Brucolieri, A., Kayama, F., Gaido, K., Tennant, R., Burleson, F., Dong, W., Lang, R.W. & Luster, M.I. (1997) Arsenic can mediate skin neoplasia by chronic stimulation of keratinocyte-derived growth factors. *Mutat. Res.*, **386**, 209–218
- Germolec, D.R., Spalding, J., Yu, H.-S., Chen, G.S., Simeonova, P.P., Humble, M.C., Brucolieri, A., Boorman, G.A., Foley, J.F., Yoshida, T. & Luster, M.I. (1998) Arsenic enhancement of skin neoplasia by chronic stimulation of growth factors. *Am. J. Pathol.*, **153**, 1775–1785
- Geubel, A.P., Mairlot, M.C., Buchet, J.P., Dive, C. & Lauwers, R. (1988) Abnormal methylation capacity in human liver cirrhosis. *Int. J. clin. pharmacol. Res.*, **8**, 117–122
- Goessler, W. & Kuehnelt, D. (2002) Analytical methods for the determination of arsenic and arsenic compounds in the environment. In: Frankenberger, W.T., Jr, ed., *Environmental Chemistry of Arsenic*, New York, Marcel Dekker, pp. 27–50

- Gómez-Arroyo, S., Armienta, M.A., Cortés-Eslava, J. & Villalobos-Pietrini, R. (1997) Sister chromatid exchanges in *Vicia faba* induced by arsenic-contaminated drinking water from Zimapán, Hidalgo, Mexico. *Mutat. Res.*, **394**, 1–7
- Gong, Z., Lu, X., Cullen, W.R. & Le, X.C. (2001) Unstable trivalent arsenic metabolites, mono-methylarsonous acid and dimethylarsinous acid. *J. anal. at. Spectrom.*, **16**, 1409–1413
- Gonsebatt, M.E., Vega, L., Herrera, L.A., Montero, R., Rojas, E., Cebrián, M.E. & Ostrosky-Wegman, P. (1992) Inorganic arsenic effects on human lymphocyte stimulation and proliferation. *Mutat. Res.*, **283**, 91–95
- Gonsebatt, M.E., Vega, L., Montero, R., García-Vargas, G., Del Razo, L.M., Albores, A., Cebrián, M.E. & Ostrosky-Wegman, P. (1994) Lymphocyte replicating ability in individuals exposed to arsenic via drinking water. *Mutat. Res.*, **313**, 293–299
- Gonsebatt, M.E., Vega, L., Salazar, A.M., Montero, R., Guzmán, P., Blas, J., Del Razo, L.M., García-Vargas, G., Albores, A., Cebrián, M.E., Kelsh, M. & Ostrosky-Wegman, P. (1997) Cytogenetic effects in human exposure to arsenic. *Mutat. Res.*, **386**, 219–228
- Gonzalez Amarales, E. (1970) [Arsenicism in Antofagasta.] *Bol. Inst. bacteriol. Chile*, 30–38 (in Spanish)
- Graham, J.H. & Helwig, E.B. (1959) Bowen's disease and its relationship to systemic cancer. *Am. med. Assoc. Arch. Dermatol.*, **80**, 133–159
- Gregus, Z., Gyurasic, A. & Csanaky, I. (2000) Biliary and urinary excretion of inorganic arsenic: Monomethylarsonous acid as a major biliary metabolite in rats. *Toxicol. Sci.*, **56**, 18–25
- Grobe, J.W. (1977) Expert-testimony and therapeutic findings and observations in wine-dressers of the Mosel-region with late sequelae of arsenic intoxication. *Berufsdermatosen*, **25**, 124–130
- Guha Mazumder, D.N. (2001a) Arsenic and liver disease. *J. Indian med. Assoc.*, **99**, 311–320
- Guha Mazumder, D.N. (2001b) Clinical aspects of chronic arsenic toxicity. *J. Assoc. Physicians India*, **49**, 650–655
- Guha Mazumder, D.N., Chakraborty, A.K., Ghose, A., Gupta, J.D., Chakraborty, D.P., Dey, S.B. & Chattopadhyay, N. (1988) Chronic arsenic toxicity from drinking tubewell water in rural West Bengal. *Bull. World Health Org.*, **66**, 499–506
- Guha Mazumder, D.N., Das Gupta, J., Chakraborty, A.K., Chatterjee, A., Das, D. & Chakraborti, D. (1992) Environmental pollution and chronic arsenicosis in south Calcutta. *Bull. World Health Org.*, **70**, 481–485
- Guha Mazumder, D.N., Das Gupta, J., Santra, A., Pal, A., Ghose, A., Sarkar, S., Chattopadhyaya, N. & Chakraborti, D. (1997) Non-cancer effects of chronic arsenicosis with special reference to liver damage. In: Abernathy, C.O., Calderon, R.L. & Chappell, W.R., eds, *Arsenic Exposure and Health Effects*, London, Chapman & Hall, pp. 112–123
- Guha Mazumder, D.N., De, B.K., Santra, A., Das Gupta, J., Ghosh, A., Pal, A., Roy, B., Pal, S. & Saha, J. (1998a) Clinical manifestations of chronic arsenic toxicity: Its natural history and therapy: Experience of study in West Bengal, India. In: *International Conference on Arsenic Pollution of Ground Water in Bangladesh: Causes, Effects and Remedies*, Dhaka, Dhaka Community Hospital Trust, pp. 91–93
- Guha Mazumder, D.N., Das Gupta, J., Santra, A., Pal, A., Ghose, A. & Sarkar, S. (1998b) Chronic arsenic toxicity in West Bengal — The worst calamity in the world. *J. Indian med. Assoc.*, **96**, 4–7

- Guha Mazumder, D.N., Haque, R., Ghosh, N., De, B.K., Santra, A., Chakraborty, D. & Smith, A.H. (1998c) Arsenic levels in drinking water and the prevalence of skin lesions in West Bengal, India. *Int. J. Epidemiol.*, **27**, 871–877
- Guha Mazumder, D.N., De, B.K., Santra, A., Dasgupta, J., Ghosh, N., Roy, B.K., Ghoshal, U.C., Saha, J., Chatterjee, A., Dutta, S., Haque, R., Smith, A.H., Chakraborty, D., Angle, C.R. & Centeno, J.A. (1999) Chronic arsenic toxicity: Epidemiology, natural history and treatment. In: Chappell, W.R., Abernathy, C.O. & Calderon, R.L., eds, *Arsenic Exposure and Health Effects*, Amsterdam, Elsevier Science, pp. 335–347
- Guha Mazumder, D.N., Haque, R., Ghosh, N., De, B.K., Santra, A., Chakraborti, D. & Smith, A.H. (2000) Arsenic in drinking water and the prevalence of respiratory effects in West Bengal, India. *Int. J. Epidemiol.*, **29**, 1047–1052
- Guha Mazumder, D.N., De, B.K., Santra, A., Ghosh, N., Das, S., Lahiri, S. & Das, T. (2001a) Randomized placebo-controlled trial of 2,3-dimercapto-1-propanesulfonate (DMPS) in therapy of chronic arsenicosis due to drinking arsenic-contaminated water. *Clin. Toxicol.*, **39**, 665–674
- Guha Mazumder, D.N., Ghosh, N., De, B.K., Santra, A., Das, S., Lahiri, S., Haque, R., Smith, A.H. & Chakraborti, D. (2001b) Epidemiological study on various non-carcinomatous manifestations of chronic arsenic toxicity in a district of West Bengal. In: Chappell, W.R., Abernathy, C.O. & Calderon, R.L., eds, *Arsenic Exposure and Health Effects IV*, Amsterdam, Elsevier, pp. 153–164
- Guo, H.-R., Chiang, H.-S., Hu, H., Lipsitz, S.R. & Monson, R.R. (1997) Arsenic in drinking water and incidence of urinary cancers. *Epidemiology*, **8**, 545–550
- Guo, H.-R., Lipsitz, S.R., Hu, H. & Monson, R.R. (1998) Using ecological data to estimate a regression model for individual data: The association between arsenic in drinking water and incidence of skin cancer. *Environ. Res.*, **A79**, 82–93
- Guo, H.-R., Yu, H.-S., Hu, H. & Monson, R.R. (2001) Arsenic in drinking water and skin cancers: Cell-type specificity (Taiwan, R.O.C.). *Cancer Causes Control*, **12**, 909–916
- Guo, X., Fujino, Y., Kaneko, S., Wu, K., Xia, Y. & Yoshimura, T. (2001) Arsenic contamination of groundwater and prevalence of arsenical dermatosis in the Hetao plain area, Inner Mongolia, China. *Mol. cell. Biochem.*, **222**, 137–140
- Gurzau, E.S. & Gurzau, A.E. (2001) Arsenic in drinking water from groundwater in Transylvania, Romania: An overview. In: Chappell, W.R., Abernathy, C.O. & Calderon, R.L., eds, *Arsenic Exposure and Health Effects IV*, New York, Elsevier Science, pp. 181–184
- Hale, M. (1981) Pathfinder applications of arsenic, antimony and bismuth in geochemical exploration. *J. geochem. Explor.*, **15**, 307–323
- Hamadeh, H.K., Vargas, M., Lee, E. & Menzel, D.B. (1999) Arsenic disrupts cellular levels of p53 and mdm2: A potential mechanism of carcinogenesis. *Biochem. biophys. Res. Commun.*, **263**, 446–449
- Hantson, P., Verellen-Dumoulin, C., Libouton, J.M., Leonard, A., Leonard, E.D. & Mahieu, P. (1996) Sister chromatid exchanges in human peripheral blood lymphocytes after ingestion of high doses of arsenicals. *Int. Arch. occup. environ. Health*, **68**, 342–344
- Haque, R., Guha Mazumder, D.N., Samanta, S., Ghosh, N., Kalman, D., Smith, M.M., Mitra, S., Santra, A., Lahiri, S., Das, S., De, B.K. & Smith, A.H. (2003) Arsenic in drinking water and skin lesions: Dose-response data from West Bengal, India. *Epidemiology*, **14**, 174–182
- Harrington, J.M., Middaugh, J.P., Morse, D.L. & Housworth, J. (1978) A survey of a population exposed to high concentrations of arsenic in well water in Fairbanks, Alaska. *Am. J. Epidemiol.*, **108**, 377–385

- Harrington-Brock, K., Cabrera, M., Collard, D.D., Doerr, C.L., McConnell, R., Moore, M.M., Sandoval, H. & Fuscoe, J.C. (1999) Effects of arsenic exposure on the frequency of *HPRT*-mutant lymphocytes in a population of copper roasters in Antofagasta, Chile: A pilot study. *Mutat. Res.*, **431**, 247–257
- Harrison, M.T. & McCoy, K.L. (2001) Immunosuppression by arsenic: A comparison of cathepsin L inhibition and apoptosis. *Int. Immunopharmacol.*, **1**, 647–656
- Hartwig, A., Gröblinghoff, U.D., Beyersmann, D., Natarajan, A.T., Filon, R. & Mullenders, L.H.F. (1997) Interaction of arsenic(III) with nucleotide excision repair in UV-irradiated human fibroblasts. *Carcinogenesis*, **18**, 399–405
- Hartwig, A., Pelzer, A., Asmuss, M. & Bürkle, A. (2003) Very low concentrations of arsenite suppress poly(ADP-ribosylation) in mammalian cells. *Int. J. Cancer*, **104**, 1–6
- Hasegawa, H., Sohrin, Y., Matsui, M., Hojo, M. & Kawashima, M. (1994) Speciation of arsenic in natural waters by solvent extraction and hydride generation atomic absorption spectrometry. *Anal. Chem.*, **66**, 3247–3252
- Hasegawa, H., Matsui, M., Okamura, S., Hojo, M., Iwasaki, N. & Sohrin, Y. (1999) Arsenic speciation including ‘hidden’ arsenic in natural waters. *Appl. organometal. Chem.*, **13**, 113–119
- Hayashi, H., Kanisawa, M., Yamanaka, K., Ito, T., Ueda, N., Ohji, H., Okudela, K., Okada, S. & Kitamura, H. (1998) Dimethylarsinic acid, a main metabolite of inorganic arsenics, has tumorigenicity and progression effects in the pulmonary tumors of A/J mice. *Cancer Lett.*, **125**, 83–88
- Health Canada (1992) *Guidelines for Canadian Drinking Water Quality — Supporting Documentation for Arsenic*, Ottawa
- Health Canada (2003) *Summary of Guidelines for Canadian Drinking Water Quality*, Ottawa
- Healy, S.M., Casarez, E.A., Ayala-Fierro, F. & Aposhian, H.V. (1998) Enzymatic methylation of arsenic compounds. V. Arsenite methyltransferase activity in tissues of mice. *Toxicol. appl. Pharmacol.*, **148**, 65–70
- Healy, S.M., Wildfang, E., Zakharyan, R.A. & Aposhian, H.V. (1999) Diversity of inorganic arsenite biotransformation. *Biol. trace Elem. Res.*, **68**, 249–266
- Hei, T.K., Liu, S.X. & Waldren, C. (1998) Mutagenicity of arsenic in mammalian cells: Role of reactive oxygen species. *Proc. natl Acad. Sci. USA*, **95**, 8103–8107
- Hernández-Zavala, A., Del Razo, L.M., García-Vargas, G.G., Aguilar, C., Borja, V.H., Albores, A. & Cebrián, M.E. (1999) Altered activity of heme biosynthesis pathway enzymes in individuals chronically exposed to arsenic in Mexico. *Arch. Toxicol.*, **73**, 90–95
- Hickey, C.W., Roper, D.S. & Buckland, S.J. (1995) Metal concentrations of resident and transplanted freshwater mussels *Hyridella menziesi* (Unionacea: Hyriidae) and sediments in the Waikato River, New Zealand. *Sci. total Environ.*, **175**, 163–177
- Hindmarsh, J.T. (2002) Caveats in hair analysis in chronic arsenic poisoning. *Clin. Biochem.*, **35**, 1–11
- Hindmarsh, J.T., McLetchie, O.R., Heffernan, L.P.M., Hayne, O.A., Ellenberger, H.A., McCurdy, R.F. & Thiebaux, H.J. (1977) Electromyographic abnormalities in chronic environmental arsenicalism. *J. anal. Toxicol.*, **1**, 270–276
- Hinwood, A., Bannister, R., Shugg, A. & Sim, M. (1998) Environmental arsenic in rural Victoria: An update. *Water, July/August*, 34–36
- Hinwood, A.L., Jolley, D.J. & Sim, M.R. (1999) Cancer incidence and high environmental arsenic concentrations in rural populations: Results of an ecological study. *Int. J. environ. Health Res.*, **9**, 131–141

- Hirata, M., Tanaka, A., Hisanaga, A. & Ishinishi, N. (1990) Effects of glutathione depletion on the acute nephrotoxic potential of arsenite and on arsenic metabolism in hamsters. *Toxicol. appl. Pharmacol.*, **106**, 469–481
- Honda, K.-I., Hatayama, T., Takahashi, K.-I. & Yukioka, M. (1992) Heat shock proteins in human and mouse embryonic cells after exposure to heat shock or teratogenic agents. *Teratog. Carcinog. Mutag.*, **11**, 235–244
- Hood, R.D. & Bishop, S.L. (1972) Teratogenic effects of sodium arsenate in mice. *Arch. environ. Health*, **24**, 62–65
- Hood, R.D. & Harrison, W.P. (1982) Effects of prenatal arsenite exposure in the hamster. *Bull. environ. Contam. Toxicol.*, **29**, 671–678
- Hood, R.D. & Vedel-Macander, G.C. (1984) Evaluation of the effect of BAL (2,3-dimercaptopropanol) on arsenite-induced teratogenesis in mice. *Toxicol. appl. Pharmacol.*, **73**, 1–7
- Hood, R.D., Harrison, W.P. & Vedel, G.C. (1982) Evaluation of arsenic metabolites for prenatal effects in the hamster. *Bull. environ. Contam. Toxicol.*, **29**, 679–687
- Hopenhayn-Rich, C., Smith, A.H. & Goeden, H.M. (1993) Human studies do not support the methylation threshold hypothesis for the toxicity of inorganic arsenic. *Environ. Res.*, **60**, 161–177
- Hopenhayn-Rich, C., Biggs, M.L., Fuchs, A., Bergoglio, R., Tello, E.E., Nicoll, H. & Smith, A.H. (1996a) Bladder cancer mortality associated with arsenic in drinking water in Argentina. *Epidemiology*, **7**, 117–124
- Hopenhayn-Rich, C., Biggs, M.L., Kalman, D.A., Moore, L.E. & Smith, A.H. (1996b) Arsenic methylation patterns before and after changing from high to lower concentrations of arsenic in drinking water. *Environ. Health Perspect.*, **104**, 1200–1207
- Hopenhayn-Rich, C., Biggs, M.L., Smith, A.H., Kalman, D.A. & Moore, L.E. (1996c) Methylation study of a population environmentally exposed to arsenic in drinking water. *Environ. Health Perspect.*, **104**, 620–628
- Hopenhayn-Rich, C., Biggs, M.L. & Smith, A.H. (1998) Lung and kidney cancer mortality associated with arsenic in drinking water in Córdoba, Argentina. *Int. J. Epidemiol.*, **27**, 561–569
- Hopenhayn-Rich, C., Browning, S., Hertz-Pannier, I., Ferreccio, C., Peralta, C. & Gibb, H. (2000) Chronic arsenic exposure and risk of infant mortality in two areas in Chile. *Environ. Health Perspect.*, **108**, 667–673
- Hotta, N. (1989) [Clinical aspects of chronic arsenic poisoning due to environmental and occupational pollution in and around a small refining spot.] *Nippon Taishitsugaku Zasshi* [Jpn. J. Const. Med.], **53**, 49–70 (in Japanese)
- Hsueh, Y.-M., Cheng, G.-S., Wu, M.-M., Yu, H.-S., Kuo, T.-L. & Chen, C.-J. (1995) Multiple risk factors associated with arsenic-induced skin cancer: Effects of chronic liver disease and mal-nutritional status. *Br. J. Cancer*, **71**, 109–114
- Hsueh, Y.-M., Chiou, H.-Y., Huang, Y.-L., Wu, W.-L., Huang, C.-C., Yang, M.-H., Lue, L.-C., Chen, G.-S. & Chen, C.-J. (1997) Serum β-carotene level, arsenic methylation capability, and incidence of skin cancer. *Cancer Epidemiol. Biomarkers Prev.*, **6**, 589–596
- Hsueh, Y.-M., Huang, Y.-L., Huang, C.-C., Wu, W.-L., Chen, H.-M., Yang, M.-H., Lue, L.-C. & Chen, C.-J. (1998) Urinary levels of inorganic and organic arsenic metabolites among residents in an arseniasis-hyperendemic area in Taiwan. *J. Toxicol. environ. Health*, **A54**, 431–444
- Huang, R.Y., Lee, T.C. & Jan, K.Y. (1986) Cycloheximide suppresses the enhancing effect of sodium arsenite on the clastogenicity of ethyl methanesulphonate. *Mutagenesis*, **1**, 467–470
- Hughes, M.F. (2002) Arsenic toxicity and potential mechanisms of action. *Toxicol. Lett.*, **133**, 1–16

- Hughes, M.F. & Kenyon, E.M. (1998) Dose-dependent effects on the disposition of monomethylarsonic acid and dimethylarsinic acid in the mouse after intravenous administration. *J. Toxicol. environ. Health*, **A53**, 95–112
- Hughes, M.F., Mitchell C.T., Edwards, B.C. & Rahman, M.S. (1995) In vitro percutaneous absorption of dimethylarsinic acid in mice. *J. Toxicol. environ. Health*, **45**, 279–290
- Hughes, M.F., Del Razo, L.M. & Kenyon, E.M. (2000) Dose-dependent effects on tissue distribution and metabolism of dimethylarsinic acid in the mouse after intravenous administration. *Toxicology*, **143**, 155–166
- Hutchinson, J. (1888) On some examples of arsenic-keratosis of the skin and of arsenic-cancer. *Trans. pathol. Soc. London*, **39**, 352–393
- IARC (1980) *IARC Monographs on the Evaluation of the Carcinogenic Risk of Chemicals to Humans*, Vol. 23, *Some Metals and Metallic Compounds*, Lyon, IARCP*ress*, pp. 39–143
- IARC (1987) *IARC Monographs on the Evaluation of Carcinogenic Risks to Humans*, Suppl. 7, *Overall Evaluations of Carcinogenicity: An Updating of IARC Monographs Volumes 1 to 42*, Lyon, IARCP*ress*, pp. 100–106
- Infante-Rivard, C., Olson, E., Jacques, L. & Ayotte, P. (2001) Drinking water contaminants and childhood leukemia. *Epidemiology*, **12**, 13–19
- Ishinishi, N., Tomita, M. & Hisanaga, A. (1980) Study on chronic toxicity of arsenic trioxide in rats with special reference to the liver damages. *Fukuoka Acta med.*, **71**, 27–40
- Ishinishi, N., Yamamoto, A., Hisanga, A. & Imamasu, T. (1983) Tumorigenicity of arsenic trioxide to the lung in Syrian golden hamsters by intermittent instillations. *Cancer Lett.*, **21**, 141–147
- Jaafar, R., Omar, I., Jidon, A.J., Wan-Khamizar, B.W.K., Siti-Aishah, B.M.A. & Sharifah-Noor-Akmal, S.H. (1993) Skin cancer caused by chronic arsenical poisoning — A report of three cases. *Med. J. Malaysia*, **48**, 86–92
- Jäättelä, M. (1999) Escaping cell death: Survival proteins in cancer. *Exp. Cell Res.*, **248**, 30–43
- Jackson, R. & Grainge, J.W. (1975) Arsenic and cancer. *Can. med. Assoc. J.*, **113**, 396–399
- Jamett, A., Santander, M., Peña, L., Muñoz, L. & Gras, N. (1992) Arsenic levels in hair samples of inhabitants of the secind region of Chile. In: *Proceedings of an International Seminar on Arsenic in the Environment and its Incidence on Health*, Santiago, Universidad de Chile, pp. 87–90
- Jha, A.N., Noditi, M., Nilsson, R. & Natarajan, A.T. (1992) Genotoxic effects of sodium arsenite on human cells. *Mutat. Res.*, **284**, 215–221
- Jiang, G., Lu, X., Gong, Z., Cullen, W.R. & Le, X.C. (2003) Trivalent arsenic species: Analysis, stability, and interaction with a protein. In: Chappell, W.R., Abernathy, C.O. & Calderon, R.L., eds, *Arsenic Exposure and Health Effects*, Elsevier Science, 51–67
- Johnston, D., Oppermann, H., Jackson, J. & Levinson, W. (1980) Induction of four proteins in chick embryo cells by sodium arsenite. *J. biol. Chem.*, **255**, 6975–6980
- Kaltreider, R.C., Pesce, C.A., Ihnat, M.A., Lariviere, J.P. & Hamilton, J.W. (1999) Differential effects of arsenic(III) and chromium(VI) on nuclear transcription factor binding. *Mol. Carcinog.*, **25**, 219–229
- Karagas, M.R., Morris, J.S., Weiss, J.E., Spate, V., Baskett, C. & Greenberg, E.R. (1996) Toenail samples as an indicator of drinking water arsenic exposure. *Cancer Epidemiol. Biomarkers Prev.*, **5**, 849–852
- Karagas, M.R., Tosteson, T.D., Blum, J., Morris, J.S., Baron, J.A. & Klaue, B. (1998) Design of an epidemiologic study of drinking water arsenic exposure and skin and bladder cancer risk in a U.S. population. *Environ. Health Perspect.*, **106** (Suppl. 4), 1047–1050

- Karagas, M.R., Tosteson, T.D., Blum, J., Klaue, B., Weiss, J.E., Stannard, V., Spate, V. & Morris, J.S. (2000) Measurement of low levels of arsenic exposure: A comparison of water and toenail concentrations. *Am. J. Epidemiol.*, **152**, 84–90
- Karagas, M.R., Le, C.X., Morris, S., Blum, J., Lu, X., Spate, V., Carey, M., Stannard, V., Klaue, B. & Tosteson, T.D. (2001a) Markers of low level arsenic exposure for evaluating human cancer risks in a US population. *Int. J. occup. Med. Environ. Health*, **14**, 171–175
- Karagas, M.R., Stukel, T.A., Morris, J.S., Tosteson, T.D., Weiss, J.E., Spencer, S.K. & Greenberg, E.R. (2001b) Skin cancer risk in relation to toenail arsenic concentrations in a US population-based case-control study. *Am. J. Epidemiol.*, **153**, 559–565
- Karagas, M.R., Stukel, T.A. & Tosteson, T.D. (2002) Assessment of cancer risk and environmental levels of arsenic in New Hampshire. *Int. J. Hyg. environ. Health*, **205**, 85–94
- Kasai, H. & Nishimura, S. (1984) Hydroxylation of deoxyguanosine at the C-8 position by ascorbic acid and other reducing agents. *Nucleic Acids Res.*, **12**, 2137–2145
- Kasai, H., Yamaizumi, Z., Berger, M. & Cadet, J. (1992) Photosensitized formation of 7,8-dihydro-8-oxo-2'-deoxyguanosine (8-hydroxy-2'-deoxyguanosine) in DNA by riboflavin: A non singlet oxygen mediated reaction. *J. Am. chem. Soc.*, **114**, 9692–9694
- Kashiwada, E., Kuroda, K. & Endo, G. (1998) Aneuploidy induced by dimethylarsinic acid in mouse bone marrow cells. *Mutat. Res.*, **413**, 33–38
- Kato, K., Yamanaka, K., Nakano, M., Hasegawa, A., Oku, N. & Okada, S. (1997) Cell-nuclear accumulation of 72-kDa stress protein induced by dimethylated arsenics. *Biol. pharm. Bull.*, **20**, 364–369
- Kato, K., Yamanaka, K., Hasegawa, A. & Okada, S. (1999) Dimethylarsinic acid exposure causes accumulation of Hsp72 in cell nuclei and suppresses apoptosis in human alveolar cultured (L-132) cells. *Biol. pharm. Bull.*, **22**, 1185–1188
- Kato, K., Yamanaka, K., Nakano, M., Hasegawa, A. & Okada, S. (2000) 72-kDA stress protein (Hsp72) induced by administration of dimethylarsinic acid to mice accumulates in alveolar flat cells of lung, a target organ for arsenic carcinogenesis. *Biol. pharm. Bull.*, **23**, 1212–1215
- Katsnelson, B.A., Neizvestinova, Y.M. & Blokhin, V.A. (1986) [Stomach carcinogenesis induction by chronic treatment with arsenic.] *Vopr. Onkol.*, **32**, 68–73 (in Russian)
- Kenyon, E.M. & Hughes, M.F. (2001) A concise review of the toxicity and carcinogenicity of dimethylarsinic acid. *Toxicology*, **160**, 227–236
- Keyse, S.M. & Tyrrell, R.M. (1989) Heme oxygenase is the major 32-kDa stress protein induced in human skin fibroblasts by UVA radiation, hydrogen peroxide, and sodium arsenite. *Proc. natl Acad. Sci. USA*, **86**, 99–103
- Kilburn, K.H. (1997) Neurobehavioral impairment from long-term residential arsenic exposure. In: Abernathy, C.O., Calderon, R.L. & Chappell, W.R., eds, *Arsenic Exposure and Health Effects*, London, Chapman & Hall, pp. 159–175
- Kingsley, G.R. & Schaffert, R.R. (1951) Microdetermination of arsenic and its application to biological material. *Anal. Chem.*, **23**, 914–919
- Kinniburgh, D.G. & Smedley, P.L., eds (2001) *Arsenic Contamination of Groundwater in Bangladesh* (British Geological Survey Technical Report WC/00/19), Keyworth, British Geological Survey
- Kitchin, K.T. (2001) Recent advances in arsenic carcinogenesis: Modes of action, animal model systems, and methylated arsenic metabolites. *Toxicol. appl. Pharmacol.*, **172**, 249–261

- Kitchin, K.T. & Ahmad, S. (2003) Oxidative stress as a possible mode of action for arsenic carcinogenesis. *Toxicol. Lett.*, **137**, 3–13
- Klaassen, C.D. (1974) Biliary excretion of arsenic in rats, rabbits, and dogs. *Toxicol. appl. Pharmacol.*, **29**, 447–457
- Klaassen, C.D. & Cagen, S.Z. (1981) Metallothionein as a trap for reactive organic intermediates. *Adv. exp. Med. Biol.*, **136**, 633–646
- Koch, I., Feldmann, J., Wang, L., Andrewes, P., Reimer, K.J. & Cullen, W.R. (1999) Arsenic in the Meager Creek hot springs environment, British Columbia, Canada. *Sci. total Environ.*, **236**, 101–117
- Koljonen, T. (1992) *Geochemical Atlas of Finland*, Espoo, Geological Survey of Finland
- Kondo, H., Ishiguro, Y., Ohno, K., Nagase, M., Toba, M. & Takagi, M. (1999) Naturally occurring arsenic in the groundwaters in the southern region of Fukuoka Prefecture, Japan. *Water Res.*, **33**, 1967–1972
- Korte, N.E. & Fernando, Q. (1991) A review of arsenic (III) in groundwater. *Crit. Rev. environ. Control*, **21**, 1–39
- Kreppel, H., Bauman, J.W., Liu, J., McKim, J.M., Jr & Klaassen, C.D. (1993) Induction of metallothionein by arsenicals in mice. *Fundam. appl. Toxicol.*, **20**, 184–189
- Kuo, T.L. (1968) Arsenic content of artesian well water in endemic area of chronic arsenic poisoning. *Rep. Inst. Pathol. natl Taiwan Univ.*, **20**, 7–13
- Kurokawa, M., Ogata, K., Idemori, M., Tsumori, S., Miyaguni, H., Inoue, S. & Hotta, N. (2001) Investigation of skin manifestations of arsenicism due to intake of arsenic-contaminated groundwater in residents of Samta, Jessore, Bangladesh. *Arch. Dermatol.*, **137**, 102–103
- Kurttio, P., Komulainen, H., Hakala, E., Kahelin, H. & Pekkanen, J. (1998) Urinary excretion of arsenic species after exposure to arsenic present in drinking water. *Arch. environ. Contam. Toxicol.*, **34**, 297–305
- Kurttio, P., Pukkala, E., Kahelin, H., Auvinen, A. & Pekkanen, J. (1999) Arsenic concentrations in well water and risk of bladder and kidney cancer in Finland. *Environ. Health Perspect.*, **107**, 705–710
- Lacayo, M.L., Cruz, A., Calero, S., Lacayo, J. & Fomsgaard, I. (1992) Total arsenic in water, fish and sediments from Lake Xolotlán, Managua, Nicaragua. *Bull. environ. Contam. Toxicol.*, **49**, 463–470
- Lahermo, P., Alftthan, G. & Wang, D. (1998) Selenium and arsenic in the environment in Finland. *J. environ. Pathol. Toxicol. Oncol.*, **17**, 205–216
- Lai, M.-S., Hsueh, Y.-M., Chen, C.-J., Shyu, M.-P., Chen, S.-Y., Kuo, T.-L., Wu, M.-M. & Tai, T.-Y. (1994) Ingested inorganic arsenic and prevalence of diabetes mellitus. *Am. J. Epidemiol.*, **139**, 484–492
- Lalor, G., Rattray, R., Simpson, P. & Vutchkov, M.K. (1999) Geochemistry of an arsenic anomaly in St. Elizabeth, Jamaica. *Environ. Geochem. Health*, **21**, 3–11
- Lamble, K.J. & Hill, S.J. (1996) Arsenic speciation in biological samples by on-line high-performance liquid chromatography–microwave digestion–hydride generation–atomic absorption spectrometry. *Anal. chim. Acta*, **344**, 261–270
- Langner, H.W., Jackson, C.R., McDermott, T.R. & Inskeep, W.P. (2001) Rapid oxidation of arsenite in a hot spring ecosystem, Yellowstone National Park. *Environ. Sci. Technol.*, **35**, 3302–3309

- Lantzsch, H. & Gebel, T. (1997) Genotoxicity of selected metal compounds in the SOS chromotest. *Mutat. Res.*, **389**, 191–197
- Larochette, N., Decaudin, D., Jacotot, E., Brenner, C., Marzo, I., Susin, S.A., Zamzami, N., Xie, Z., Reed, J. & Kroemer, G. (1999) Arsenite induces apoptosis via a direct effect on the mitochondrial permeability transition pore. *Exp. Cell Res.*, **249**, 413–421
- Larsen, N.A., Nielsen, B., Pakkenberg, H., Christoffersen, P., Damogarrd, E. & Heydorn, K. (1974) The concentrations of arsenic, manganese and selenium in organs from normal and uremic persons determined by activation analysis. *Ugeskr. Laeger*, **136**, 2586–2590
- Le, X.C. (2002) Arsenic speciation in the environment and humans. In: Frankenberger, W.T., Jr, ed., *Environmental Chemistry of Arsenic*, New York, Marcel Dekker, pp. 95–116
- Le, X.C. & Ma, M. (1997) Speciation of arsenic compounds by using ion-pair chromatography with atomic spectrometry and mass spectrometry detection. *J. Chromatogr.*, **A764**, 55–64
- Lee, T.-C., Oshimura, M. & Barrett, J.C. (1985a) Comparison of arsenic-induced cell transformation, cytotoxicity, mutation and cytogenetic effects in Syrian hamster embryo cells in culture. *Carcinogenesis*, **6**, 1421–1426
- Lee, T.-C., Huang, R.-Y. & Jan, K.-Y. (1985b) Sodium arsenite enhances the cytotoxicity, clastogenicity, and 6-thioguanine-resistant mutagenicity of ultraviolet light in Chinese hamster ovary cells. *Mutat. Res.*, **148**, 83–89
- Lee, T.-C., Wang-Wuu, S., Huang, R.Y., Lee, K.C.C. & Jan, K.Y. (1986a) Differential effects of pre- and posttreatment of sodium arsenite on the genotoxicity of methyl methanesulfonate in Chinese hamster ovary cells. *Cancer Res.*, **46**, 1854–1857
- Lee, T.-C., Lee, K.C., Tzeng, Y.J., Huang, R.Y. & Jan, K.Y. (1986b) Sodium arsenite potentiates the clastogenicity and mutagenicity of DNA crosslinking agents. *Environ. Mutag.*, **8**, 119–128
- Lee, T.-C., Tanaka, N., Lamb, P.W., Gilmer, T.M. & Barrett, J.C. (1988) Induction of gene amplification by arsenic. *Science*, **241**, 79–81
- Le, X.-C., Cullen, W.R. & Reimer, K.J. (1994a) Effect of cysteine on the speciation of arsenic by using hydride generation atomic absorption spectrometry. *Anal. chim. Acta*, **285**, 277–285
- Le, X.-C., Cullen, W.R. & Reimer, K.J. (1994b) Human urinary arsenic excretion after one-time ingestion of seaweed, crab, and shrimp. *Clin. Chem.*, **40**, 617–624
- Le, X.C., Cullen, W.R. & Reimer, K.J. (1994c) Speciation of arsenic compounds in some marine organisms. *Environ. Sci. Technol.*, **28**, 1598–1604
- Le, X.C., Li, X.-F., Lai, V., Ma, M., Yalcin, S. & Feldmann, J. (1998) Simultaneous speciation of selenium and arsenic using elevated temperature liquid chromatography separation with inductively coupled plasma mass spectrometry detection. *Spectrochim. Acta*, **B53**, 899–909
- Le, X.C., Yalcin, S. & Ma, M. (2000a) Speciation of submicrogram per liter levels of arsenic in water: On-site species separation integrated with sample collection. *Environ. Sci. Technol.*, **34**, 2342–2347
- Le, X.C., Ma, M., Cullen, W.R., Aposhian, H.V., Lu, X. & Zheng, B. (2000b) Determination of monomethylarsonous acid, key arsenic methylation intermediate, in human urine. *Environ. Health Perspect.*, **108**, 1015–1018
- Lee-Chen, S.F., Yu, C.T. & Jan, K.Y. (1992) Effect of arsenite on the DNA repair of UV-irradiated Chinese hamster ovary cells. *Mutagenesis*, **7**, 51–55
- Lerda, D. (1994) Sister-chromatid exchange (SCE) among individuals chronically exposed to arsenic in drinking water. *Mutat. Res.*, **312**, 111–120

- Lerda, D.E. & Prosperi, C.H. (1996) Water mutagenicity and toxicology in Rio Tercero (Cordoba, Argentina). *Water Res.*, **30**, 819–824
- Lewis, D.R., Southwick, J.W., Ouellet-Hellstrom, R., Rench, J. & Calderon, R.L. (1999) Drinking water arsenic in Utah: A cohort mortality study. *Environ. Health Perspect.*, **107**, 359–365
- Li, J.-H. & Rossman, T.G. (1989) Inhibition of DNA ligase activity by arsenite: A possible mechanism of its comutagenesis. *Mol. Toxicol.*, **2**, 1–9
- Li, W., Wanibuchi, H., Salim, E.I., Yamamoto, S., Yoshida, K., Endo, G. & Fukushima, S. (1998) Promotion of NCI-Black-Reiter male rat bladder carcinogenesis by dimethylarsinic acid an organic arsenic compound. *Cancer Lett.*, **134**, 29–36
- Liebscher, K. & Smith, H. (1968) Essential and nonessential trace elements. A method of determining whether an element is essential or nonessential in human tissue. *Arch. environ. Health*, **17**, 881–890
- Lin, T.-H., Huang, Y.-L. & Wang, M.-Y. (1998) Arsenic species in drinking water, hair, fingernails, and urine of patients with blackfoot disease. *J. Toxicol. environ. Health*, **A53**, 85–93
- Lin S., Shi, Q., Nix, F.B., Styblo, M., Beck, M.A., Herbin-Davis, K.M., Hall, L.L., Simeonsson, J.B. & Thomas, D.J. (2002) A novel S-adenosyl-L-methionine:arsenic(III) methyltransferase from rat liver cytosol. *J. biol. Chem.*, **277**, 10795–10803
- Lindgren, A., Vahter, M. & Dencker, L. (1982) Autoradiographic studies on the distribution of arsenic in mice and hamster administered ^{74}As -arsenite or -arsenate. *Acta pharmacol. toxicol.*, **51**, 253–265
- Lindgren, A., Danielsson, B.R.G., Dencker, L. & Vahter, M. (1984) Embryotoxicity of arsenite and arsenate: Distribution in pregnant mice and monkeys and effects on embryonic cells *in vitro*. *Acta pharmacol. toxicol.*, **54**, 311–320
- Liou, S.-H., Lung, J.-C., Chen, Y.-H., Yang, T., Hsieh, L.-L., Chen, C.-J. & Wu, T.-N. (1999) Increased chromosome-type chromosome aberration frequencies as biomarkers of cancer risk in a blackfoot endemic area. *Cancer Res.*, **59**, 1481–1484
- Liu, J., Liu, Y., Goyer, R.A., Achanzar, W. & Waalkes, M.P. (2000) Metallothionein-I/II null mice are more sensitive than wild-type mice to the hepatotoxic and nephrotoxic effects of chronic oral or injected inorganic arsenicals. *Toxicol. Sci.*, **55**, 460–467
- Liu, J., Kadiiska, M.B., Liu, Y., Lu, T., Qu, W. & Waalkes, M.P. (2001) Stress-related gene expression in mice treated with inorganic arsenicals. *Toxicol. Sci.*, **61**, 314–320
- Liu, S.X., Athar, M., Lippai, I., Waldren, C. & Hei, T.K. (2001) Induction of oxyradicals by arsenic: Implication for mechanism of genotoxicity. *Proc. natl Acad. Sci. USA*, **98**, 1643–1648
- Lo, M.C. (1975) *Report on the Investigation of Arsenic Content of Well Water in the Province of Taiwan*, Nan-Tour, Taiwan Provincial Institute of Sanitary Department
- Londesborough, S., Mattusch, J. & Wennrich, R. (1999) Separation of organic and inorganic arsenic species by HPLC-ICP-MS. *Fresenius J. anal. Chem.*, **363**, 577–581
- Lopez, S., Miyashita, Y. & Simons, S.S., Jr (1990) Structurally based, selective interaction of arsenite with steroid receptors. *J. biol. Chem.*, **265**, 16039–16042
- Lu, F.J., Shih, S.R., Liu, T.M. & Shown, S.H. (1990) The effect of fluorescent humic substances existing in the well water of blackfoot disease endemic areas in Taiwan on prothrombin time and activated partial thromboplastin time in vitro. *Thromb. Res.*, **57**, 747–753
- Luo, Z.D., Zhang, Y.M., Ma, L., Zhang, G.Y., He, X., Wilson, R., Byrd, D.M., Griffiths, J.G., Lai, S., He, L., Grumski, K. & Lamm, S.H. (1997) Chronic arsenicism and cancer in Inner Mongolia — Consequences of well-water arsenic levels greater than 50 $\mu\text{g/L}$. In: Abernathy, C.O., Calderon,

- R.L. & Chappell, W.R., eds, *Arsenic Exposure and Health Effects*, London, Chapman & Hall, pp. 55–68
- Lynn, S., Gurr, J.-R., Lai, H.-T. & Jan, K.-Y. (2000) NADH oxidase activation is involved in arsenite-induced oxidative DNA damage in human vascular smooth muscle cells. *Circ. Res.*, **86**, 514–519
- Ma, L., Luo, Z., Zhang, Y., Zhang, G., Tai, S., Liang, S., Ren, S. & Zhang, M. (1996) [Current status of endemic arsenic poisoning in Inner Mongolia.] *Chinese J. public Health*, **15** (Suppl. 3), 15–39 (in Chinese)
- Ma, H.Z., Xia, Y.J., Wu, K.G., Sun, T.Z. & Mumford, J.L. (1999) Human exposure to arsenic and health effects in Bayingnornen, Inner Mongolia. In: Chappell, W.R., Abernathy, C.O. & Calderon, R.L., eds, *Arsenic Exposure and Health Effects*, Amsterdam, Elsevier Science, pp. 127–131
- Ma, L.Q., Komar, K.M., Tu, C., Zhang, W., Cai, Y. & Kannelley, E.D. (2001) A fern that hyper-accumulates arsenic. *Nature*, **409**, 579
- Mahieu, P., Buchet, J.P., Roels, H.A. & Lauwerys, R. (1981) The metabolism of arsenic in humans acutely intoxicated by As₂O₃. Its significance for the duration of BAL therapy. *Clin. Toxicol.*, **18**, 1067–1075
- Maitani, T., Saito, N., Abe, M., Uchiyama, S. & Saito, Y. (1987) Chemical form-dependent induction of hepatic zinc-thionein by arsenic administration and effect of co-administered selenium in mice. *Toxicol. Lett.*, **39**, 63–70
- Maiti, S. & Chatterjee, A.K. (2001) Effects on levels of glutathione and some related enzymes in tissues after an acute arsenic exposure in rats and their relationship to dietary protein deficiency. *Arch. Toxicol.*, **75**, 531–537
- Mäki-Paakkanen, J., Kurttio, P., Paldy, A. & Pekkanen, J. (1998) Association between the clastogenic effect in peripheral lymphocytes and human exposure to arsenic through drinking water. *Environ. mol. Mutag.*, **32**, 301–313
- Mallick, S. & Rajagopal, N.R. (1995) The mischief of oxygen on groundwater. In: *Post Conference Report: Experts' Opinions, Recommendations and Future Planning for Groundwater Problem of West Bengal*, Calcutta, School of Environmental Studies, Jadavpur University, pp. 71–73
- Mandal, B.K. & Suzuki, K.T. (2002) Arsenic round the world: A review. *Talanta*, **58**, 201–235
- Mandal, B.K., Roy Chowdhury, T., Samanta, G., Basu, G.K., Chowdhury, P.P., Chanda, C.R., Lodh, D., Karan, N.K., Dhar, R.K., Tamil, D.K., Das, D., Saha, K.C. & Chakraborti, D. (1996) Arsenic in groundwater in seven districts of West Bengal, India — The biggest arsenic calamity in the world. *Current Sci.*, **70**, 976–986
- Mandal, B.K., Roy Chowdhury, T., Samanta, G., Basu, G.K., Chowdhury, P.P., Chanda, C.R., Lodh, D., Karan, N.K., Dhar, R.K., Tamil, D.K., Das, D., Saha, K.C. & Chakraborti, D. (1997) Chronic arsenic toxicity in West Bengal (Letter). *Current Sci.*, **72**, 114–117
- Mandal, B.K., Chowdhury, T.R., Samanta, G., Mukherjee, D.P., Chanda, C.R., Saha, K.C. & Chakraborti, D. (1998) Impact of safe water for drinking and cooking on five arsenic-affected families for 2 years in West Bengal, India. *Sci. total Environ.*, **218**, 185–201
- Mandal, B.K., Biswas, B.K., Dhar, R.K., Roy Chowdhury, T., Samanta, G., Basu, G.K., Chanda, C.R., Saha, K.C., Chakraborti, D., Kabir, S. & Roy, S. (1999) Groundwater arsenic contamination and sufferings of people in West Bengal, India and Bangladesh. Status report up to March, 1998. In: Sarkar, B., eds, *Metals and Genetics*, New York, Kluwer Academic/Plenum Publishers, pp. 41–65

- Mandal, B.K., Ogra, Y. & Suzuki, K.T. (2001) Identification of dimethylarsinous and monomethylarsonous acids in human urine of the arsenic-affected areas in West Bengal, India. *Chem. Res. Toxicol.*, **14**, 371–378
- Mandal, B.K., Ogra, Y. & Suzuki, K.T. (2003) Speciation of arsenic in human nail and hair from arsenic-affected area by HPLC-inductively coupled argon plasma mass spectrometry. *Toxicol. appl. Pharmacol.*, **189**, 73–83
- Marafante, E., Bertolero, F., Edel, J., Pietra, R. & Sabbioni, E. (1982) Intracellular interaction and biotransformation of arsenite in rats and rabbits. *Sci. total Environ.*, **24**, 27–39
- Marafante, E., Vahter, M. & Envall, J. (1985) The role of the methylation in the detoxication of arsenate in the rabbit. *Chem.-biol. Interact.*, **56**, 225–238
- Marafante, E., Vahter, M., Norin, H., Envall, J., Sandström, M., Christakopoulos, A. & Ryhage, R. (1987) Biotransformation of dimethylarsinic acid in mouse, hamster and man. *J. appl. Toxicol.*, **7**, 111–117
- Mass, M.J. & Wang, L. (1997) Arsenic alters cytosine methylation patterns of the promoter of the tumor suppressor gene *p53* in human lung cells: A model for a mechanism of carcinogenesis. *Mutat. Res.*, **386**, 263–277
- Mass, M.J., Tennant, A., Roop, B.C., Cullen, W.R., Styblo, M., Thomas, D.J. & Kligerman, A.D. (2001) Methylated trivalent arsenic species are genotoxic. *Chem. Res. Toxicol.*, **14**, 355–361
- Matisoff, G., Khourej, C.J., Hall, J.F., Varnes, A.W. & Strain, W.H. (1982) The nature and source of arsenic in Northeastern Ohio ground water. *Groundwater*, **20**, 446–456
- Matschullat, J. (2000) Arsenic in the geosphere — A review. *Sci. total Environ.*, **249**, 297–312
- Matschullat, J., Borba, R.P., Deschamps, E., Figueireo, B.R., Gabrio, T. & Schwenk, M. (2000) Human and environmental contamination in the Iron Quadrangle, Brazil. *Appl. Geochem.*, **15**, 193–202
- Matsui, M., Nishigori, C., Toyokuni, S., Takada, J., Akaboshi, M., Ishikawa, M., Imamura, S. & Miyachi, Y. (1999) The role of oxidative DNA damage in human arsenic carcinogenesis: Detection of 8-hydroxy-2'-deoxyguanosine in arsenic-related Bowen's disease. *J. invest. Dermatol.*, **113**, 26–31
- McKenzie, E.J., Brown, K.L., Cady, S.L. & Campbell, K.A. (2001) Trace metal chemistry and silification of microorganisms in geothermal sinter, Taupo Volcanic Zone, New Zealand. *Geothermics*, **30**, 483–502
- McLaren, S.J. & Kim, N.D. (1995) Evidence for a seasonal fluctuation of arsenic in New Zealand's longest river and the effect of treatment on concentrations in drinking water. *Environ. Pollut.*, **90**, 67–73
- Mealey J., Brownell, G.L. & Sweet, W.H. (1959) Radioarsenic in plasma, urine, normal tissue, and intracranial neoplasms. *Arch. Neurol. Psychiatr.*, **81**, 310–320
- Meija, J., Carrizales, L., Rodriguez, V.M., Jiménez-Capdeville, M.E. & Díaz-Barriga, F. (1999) [A method for health risk assessment of mining sites.] *Salud publica Méx.*, **41** (Suppl. 2), S132–S140
- Meranger, J.C., Subramanian, K.S. & McCurdy, R.F. (1984) Arsenic in Nova Scotian groundwater. *Sci. total Environ.*, **39**, 49–55
- Milton, A.H. & Rahman, M. (1999) Environmental pollution and skin involvement pattern of chronic arsenicosis in Bangladesh. *J. occup. Health*, **41**, 207–208
- Milton, A.H., Hasan, Z., Rahman, A. & Rahman, M. (2001) Chronic arsenic poisoning and respiratory effects in Bangladesh. *J. occup. Health*, **43**, 136–140

- Ministerio de Salud de la República de Chile (1986) *Primera Jornada Sobre Arsenicismo Laboral y Ambiental II Región* (Departamento de Programas del Ambiente Informe Técnico), Santiago, Servicio de Salud Antofagasta
- Mirkes, P.E. & Cornel, L. (1992) A comparison of sodium arsenite-hyperthermia-induced stress responses and abnormal development in cultured postimplantation rat embryos. *Teratology*, **46**, 251–259
- Mirkes, P.E., Doggett, B. & Cornel, L. (1994) Induction of a heat shock response (HSP 72) in rat embryos exposed to selected chemical teratogens. *Teratology*, **49**, 135–142
- Moore, L.E., Warner, M.L., Smith, A.H., Kalman, D. & Smith, M.T. (1996) Use of the fluorescent micronucleus assay to detect the genotoxic effects of radiation and arsenic exposure in exfoliated human epithelial cells. *Environ. mol. Mutag.*, **27**, 176–184
- Moore, L.E., Smith, A.H., Hopenhayn-Rich, C., Biggs, M.L., Kalman, D.A. & Smith, M.T. (1997a) Micronuclei in exfoliate bladder cells among individuals chronically exposed to arsenic in drinking water. *Cancer Epidemiol. Biomarkers Prev.*, **6**, 31–36
- Moore, L.E., Smith, A.H., Hopenhayn-Rich, C., Biggs, M.L., Kalman, D.A. & Smith, M.T. (1997b) Decrease in bladder cell micronucleus prevalence after intervention to lower the concentration of arsenic in drinking water. *Cancer Epidemiol. Biomarkers Prev.*, **6**, 1051–1056
- Moore, M.M., Harrington-Brock, K. & Doerr, C.L. (1997) Relative genotoxic potency of arsenic and its methylated metabolites. *Mutat. Res.*, **386**, 279–290
- Morikawa, T., Wanibuchi, H., Morimura, K., Ogawa, M. & Fukushima, S. (2000) Promotion of skin carcinogenesis by dimethylarsinic acid in keratin (K6)/ODC transgenic mice. *Jpn. J. Cancer Res.*, **91**, 579–581
- Morris, J.S., Schmid, M., Newman, S., Scheuer, P.J. & Sherlock, S. (1974) Arsenic and noncirrhotic portal hypertension. *Gastroenterology*, **66**, 86–94
- Morrissey, R.E. & Mottet, N.K. (1983) Arsenic-induced exencephaly in the mouse and associated lesions occurring during neurulation. *Teratology*, **28**, 399–411
- Morton, W., Starr, G., Pohl, D., Stoner, J., Wagner, S. & Weswig, P. (1976) Skin cancer and water arsenic in Lane County, Oregon. *Cancer*, **37**, 2523–2532
- Mukherjee, S.C., Rahman, M.M., Chowdhury, U.K., Sengupta, M.K., Lodh, D., Chanda, C.R., Saha, K.C. & Chakraborti, D. (2003) Neuropathy in arsenic toxicity from groundwater arsenic contamination in West Bengal, India. *J. environ. Sci. Health*, **A38**, 165–183
- Muller, W.U., Streffer, C. & Fisher-Lahdo, C. (1986) Toxicity of sodium arsenite in mouse embryos in vitro and its influence on radiation risk. *Arch. Toxicol.*, **59**, 172–175
- Nakadaira, H., Endoh, K., Katagiri, M. & Yamamoto, M. (2002) Elevated mortality from lung cancer associated with arsenic exposure for a limited duration. *J. occup. environ. Med.*, **44**, 291–299
- Nakamuro, K. & Sayato, Y. (1981) Comparative studies of chromosomal aberration induced by trivalent and pentavalent arsenic. *Mutat. Res.*, **88**, 73–80
- Nakano, M., Yamanaka, K., Hasegawa, A., Sawamura, R. & Okada, S. (1992) Preferential increase of heterochromatin in venular endothelium of lung in mice after administration of dimethylarsinic acid, a major metabolite of inorganic arsenics. *Carcinogenesis*, **13**, 391–393
- National Health and Medical Research Council and Agriculture and Resource Management Council of Australia and New Zealand (1996) *Australian Drinking Water Guidelines Summary*, Canberra
- National Research Council (1999) *Arsenic in Drinking Water*, Washington DC, National Academy Press, pp. 27–82

- National Research Council (2001) *Arsenic in Drinking Water: 2001 Update*, Washington DC, National Academy of Sciences, National Academy Press
- Nemec, M.D., Holson, J.F., Farr, C.H. & Hood, R.D. (1998) Developmental toxicity assessment of arsenic acid in mice and rabbits. *Reprod. Toxicol.*, **12**, 647–658
- Nesnow, S., Roop, B.C., Lambert, G., Kadiiska, M., Mason, R.P., Cullen, W.R. & Mass, M.J. (2002) DNA damage induced by methylated trivalent arsenicals is mediated by reactive oxygen species. *Chem. Res. Toxicol.*, **15**, 1627–1634
- Neubauer, O. (1947) Arsenical cancer: A review. *Br. J. Cancer*, **i**, 192–251
- Neumann, E. & Schwank, R. (1960) Multiple malignant and benign epidermal and dermal tumours following arsenic. *Acta derm.-venereol.*, **40**, 400–409
- Nevens, F., Fevery, J., Van Steenbergen, W., Sciot, R., Desmet, V. & De Groote, J. (1990) Arsenic and non-cirrhotic portal hypertension. A report of eight cases. *J. Hepatol.*, **11**, 80–85
- Ng, J.C., Johnson, D., Imray, P., Chiswell, B. & Moore, M.R. (1998) Speciation of arsenic metabolites in the urine of occupational workers and experimental rats using an optimised hydride cold-trapping method. *Analyst*, **123**, 929–933
- Ng, J.C., Seawright, A.A., Qi, L., Garnett, C.M., Chiswell, B. & Moore, M.R. (1999) Tumours in mice induced by exposure to sodium arsenite in drinking water. In: Chappell, W.R., Abernathy, C.O. & Calderon, R.L., eds, *Arsenic Exposure and Health Effects*, Amsterdam, Elsevier Science, pp. 217–223
- Ng, J.C., Qi, L., Wang, J.-P., Xiao, X., Shahin, M., Moore, M.R. & Prakash, A.S. (2001) Mutations in C57Bl/6J and metallothionein knock-out mice induced by chronic exposure to sodium arsenite in drinking-water. In: Chappell, W.R., Abernathy, C.O. & Calderon, R.L., eds, *Arsenic Exposure and Health Effects IV*, Amsterdam, Elsevier Science, pp. 231–242
- Nichols, T.A., Morris, J.S., Mason, M.M., Spate, V.L., Baskett, C.K., Cheng, T.P., Tharp, C.J., Scott, J.A., Horsman, T.L., Colbert, J.W., Rawson, A.E., Karagas, M.R. & Stannard, V. (1998) The study of human nails as an intake monitor for arsenic using neutron activation analysis. *J. radioanal. nucl. Chem.*, **236**, 51–56
- Nickson, R., McArthur, J., Burgess, W., Ahmed, K.M., Ravenscroft, P. & Rahman, M. (1998) Arsenic poisoning of Bangladesh groundwater. *Nature*, **395**, 338
- Nickson, R.T., McArthur, J.M., Ravenscroft, P., Burgess, W.G. & Ahmed, K.M. (2000) Mechanism of arsenic release to groundwater, Bangladesh and West Bengal. *Appl. Geochem.*, **15**, 403–413
- Nimick, D.A., Moore, J.N., Dalby, C.E. & Savka, M.W. (1998) The fate of geothermal arsenic in the Madison and Missouri Rivers, Montana and Wyoming. *Water Resource Res.*, **34**, 3051–3067
- Nishikawa, T., Wanibuchi, H., Ogawa, M., Kinoshita, A., Morimura, K., Hiroi, T., Funae, Y., Kishida, H., Nakae, D. & Fukushima, S. (2002) Promoting effects of monomethylarsonic acid, dimethylarsinic acid and trimethylarsine oxide on induction of rat liver preneoplastic glutathione S-transferase placental form positive foci: A possible reactive oxygen species mechanism. *Int. J. Cancer*, **100**, 136–139
- Noda, Y., Suzuki, T., Kohara, A., Hasegawa, A., Yotsuyanagi, T., Hayashi, M., Sofuni, T., Yamanaka, K. & Okada, S. (2002) In vivo genotoxicity evaluation of dimethylarsinic acid in MutaTM Mouse. *Mutat. Res.*, **513**, 205–212
- Nordenson, I. & Beckman, L. (1982) Occupational and environmental risks in and around a smelter in northern Sweden. VII. Reanalysis and follow-up of chromosomal aberrations in workers exposed to arsenic. *Hereditas*, **96**, 175–181

- Nordenson, I., Sweins, A. & Beckman, L. (1981) Chromosome aberrations in cultured human lymphocytes exposed to trivalent and pentavalent arsenic. *Scand. J. Work Environ. Health*, **7**, 277–281
- Nordstrom, D.K. (2002) Worldwide occurrences of arsenic in ground water. *Science*, **296**, 2143–2145
- O’Neil, M.J., ed. (2001) *The Merck Index*, 13th Ed., Whitehouse Station, NJ, Merck & Co., pp. 135–138
- Okoji, R.S., Yu, R.C., Maronpot, R.R. & Froines, J.R. (2002) Sodium arsenite administration via drinking water increases genome-wide and Ha-ras DNA hypomethylation in methyl-deficient C57BL/6J mice. *Carcinogenesis*, **23**, 777–785
- Ostrosky-Wegman, P., Gonsebatt, M.E., Montero, R., Vega, L., Barba, H., Espinosa, J., Palao, A., Cortinas, C., García-Vargas, G., Del Razo, L.M. & Cebrián, M. (1991) Lymphocyte proliferation kinetics and genotoxic findings in a pilot study on individuals chronically exposed to arsenic in Mexico. *Mutat. Res.*, **250**, 477–482
- Oya-Ohta, Y., Kaise, T. & Ochi, T. (1996) Induction of chromosomal aberrations in cultured human fibroblasts by inorganic and organic arsenic compounds and the different roles of glutathione in such induction. *Mutat. Res.*, **357**, 123–129
- Page, G.W. (1981) Comparison of groundwater and surface water for patterns and levels of contamination by toxic substances. *Environ. Sci. Technol.*, **15**, 1475–1481
- Pan, T.C., Lin, T.H., Tseng, C.L., Yang, M.H. & Huang, C.W. (1993) Trace elements in hair of Blackfoot disease. *Biol. trace Elem. Res.*, **39**, 117–128
- Pande, S.P., Deshpande, L.S. & Kaul, S.N. (2001) Laboratory and field assessment of arsenic testing field kits in Bangladesh and West Bengal, India. *Environ. Monit. Assess.*, **68**, 1–18
- Pandey, P.K., Khare, R.N., Sharma, R., Sar, S.K., Pandey, M. & Binayake, P. (1999) Arsenicosis and deteriorating groundwater quality: Unfolding crisis in central-east Indian region. *Current Sci.*, **77**, 686–693
- Pandey, P.K., Yadav, S., Nair, S. & Bhui, A. (2002) Arsenic contamination of the environment. A new perspective from central-east India. *Environ. int.*, **28**, 235–245
- Pazirandeh, A., Brati, A.H. & Marageh, M.G. (1998) Determination of arsenic in hair using neutron activation. *Appl. Radiat. Isot.*, **49**, 753–759
- Peña, L., Jamett, A., Santander, M., Gras, N. & Muñoz, L. (1992) [Concentration of trace elements in children in northern Chile.] *Rev. med. Chile*, **120**, 20–24 (in Spanish)
- Penedo, M. & Zigarán, A. (2002) *Hidroarsenicismo en la Provincia de Córdoba. Actualización del Mapa de Riesgo e Incidencia*, Córdoba, CEPROCOR y Ministerio de Salud y Seguridad Social de la Provincia de Córdoba
- Peng, B., Sharma, R., Mass, M.J. & Kligerman, A.D. (2002) Induction of genotoxic damage is not correlated with the ability to methylate arsenite in vitro in the leukocytes of four mammalian species. *Environ. mol. Mutag.*, **39**, 323–332
- Pershagen, G. & Björklund, N.E. (1985) On the pulmonary tumorigenicity of arsenic trisulfide and calcium arsenate in hamsters. *Cancer Lett.*, **27**, 99–104
- Pershagen, G., Nordberg, G. & Björklund, N.E. (1984) Carcinomas of the respiratory tract in hamsters given arsenic trioxide and/or benzo[a]pyrene by pulmonary route. *Environ. Res.*, **34**, 227–241
- Peters, S.C., Blum, J.D., Klaue, B. & Karagas, M.R. (1999) Arsenic occurrence in New Hampshire drinking water. *Environ. Sci. Technol.*, **33**, 1328–1333

- Petrick, J.S., Jagadish, B., Mash, E.A. & Aposhian, H.V. (2001) Monomethylarsonous acid (MMA^{III}) and arsenite: LD₅₀ in hamsters and in vitro inhibition of pyruvate dehydrogenase. *Chem. Res. Toxicol.*, **14**, 651–656
- Pfeifer, H.-R. & Zobrist, J. (2002) Arsenic in drinking water — Also a problem in Switzerland? *EAWAG News*, **53**, 15–17
- Pillai, A., Sunita, G. & Gupta, V.K. (2000) A new system for the spectrophotometric determination of arsenic in environmental and biological samples. *Anal. chim. Acta*, **408**, 111–115
- Pomroy, C., Charbonneau, S.M., McCullough, R.S. & Tam, G.K.H. (1980) Human retention studies with ⁷⁴As. *Toxicol. appl. Pharmacol.*, **53**, 550–556
- Pongratz, R. (1998) Arsenic speciation in environmental samples of contaminated soils. *Sci. total Environ.*, **224**, 133–141
- Quamruzzaman, Q., Roy, S., Rahman, M., Mia, S. & Arif, A.I. (1999) Rapid action programme: Emergency arsenic mitigation programme in two hundred villages in Bangladesh. In: Chappell, W., Abernathy, C.O. & Calderon, R.L., eds, *Arsenic Exposure and Health Effects*, Oxford, Elsevier Science, pp. 363–366
- Queirolo, F., Stegen, S., Mondaca, J., Cortés, R., Rojas, R., Contreras, C., Munoz, L., Schwuger, M.J. & Ostapczuk, P. (2000a) Total arsenic, lead, cadmium, copper, and zinc in some salt rivers in the northern Andes of Antofagasta, Chile. *Sci. total Environ.*, **255**, 85–95
- Queirolo, F., Stegen, S., Restovic, M., Paz, M., Ostapczuk, P., Schwuger, M.J. & Muñoz, L. (2000b) Total arsenic, lead and cadmium levels in vegetables cultivated at the Andean villages of northern Chile. *Sci. total Environ.*, **255**, 75–84
- Radabaugh, T.R. & Aposhian, H.V. (2000) Enzymatic reduction of arsenic compounds in mammalian systems: Reduction of arsenate to arsenite by human liver arsenate reductase. *Chem. Res. Toxicol.*, **13**, 26–30
- Rahman, M. (2002) Arsenic and hypertension in Bangladesh. *Bull. World Health Org.*, **80**, 173
- Rahman, M. & Axelson, O. (2001) Arsenic ingestion and health effects in Bangladesh: Epidemiological observations. In: Chappell, W.R., Abernathy, C.O. & Calderon, R.L., eds, *Arsenic Exposure and Health Effects IV*, Amsterdam, Elsevier, pp. 193–199
- Rahman, M.S., Hall, L.L. & Hughes, M.F. (1994) *In vitro* percutaneous absorption of sodium arsenite in B6C3F₁ mice. *Toxicol. in Vitro*, **8**, 441–448
- Rahman, M., Tondel, M., Ahmad, S.K. & Axelson, O. (1998) Diabetes mellitus associated with arsenic exposure in Bangladesh. *Am. J. Epidemiol.*, **148**, 198–203
- Rahman, M., Tondel, M., Chowdhury, I.A. & Axelson, O. (1999a) Relations between exposure to arsenic, skin lesions, and glucosuria. *Occup. environ. Med.*, **56**, 277–281
- Rahman, M., Tondel, M., Ahmad, S.A., Chowdhury, I.A., Faruquee, M.H. & Axelson, O. (1999b) Hypertension and arsenic exposure in Bangladesh. *Hypertension*, **33**, 74–78
- Rahman, M.M., Chowdhury, U.K., Mukherjee, S.C., Mondal, B.K., Paul, K., Lodh, D., Biswas, B.K., Chanda, C.R., Basu, G.K., Saha, K.C., Roy, S., Das, R., Palit, S.K., Quamruzzaman, Q. & Chakraborti, D. (2001) Chronic arsenic toxicity in Bangladesh and West Bengal, India — A review and commentary. *Clin. Toxicol.*, **39**, 683–700
- Rahman, M.M., Mukherjee, D., Sengupta, M.K., Chowdhury, U.K., Lodh, D., Chanda, C.R., Roy, S., Selim, M., Quamruzzaman, Q., Milton, A.H., Shahidullah, S.M., Rahman, M.T. & Chakraborti, D. (2002) Effectiveness and reliability of arsenic field kits: Are the million dollar screening projects effective or not? *Environ. Sci. Technol.*, **36**, 5385–5394

- Rahman, M.M., Mandal, B.K., Roy Chowdhury, T., Sengupta, M.K., Chowdhury, U.K., Lodh, D., Chanda, C.R., Basu, G.K., Mukherjee, S.C., Saha, K.C. & Chakraborti, D. (2003) Arsenic groundwater contamination and sufferings of people in North 24-Parganas, one of the nine arsenic affected districts of West Bengal, India: The seven years study report. *J. environ. Sci. Health*, **A38**, 25–59
- Ramírez, P., Eastmond, D.A., Laclette, J.P. & Ostrosky-Wegman, P. (1997) Disruption of microtubule assembly and spindle formation as a mechanism for the induction of aneuploid cells by sodium arsenite and vanadium pentoxide. *Mutat. Res.*, **386**, 291–298
- Rasmussen, R.E. & Menzel, D.B. (1997) Variation in arsenic-induced sister chromatid exchange in human lymphocytes and lymphoblastoid cell lines. *Mutat. Res.*, **386**, 299–306
- Rice, C.M., Ahcroft, W.A., Batten, D.J., Boyce, A.J., Caulfield, J.B.D., Fallick, A.E., Hole, M.J., Jones, E., Pearson, M.J., Rogers, G., Saxton, J.M., Stuart, F.M., Trewin, N.H. & Turner, G. (1995) A Devonian auriferous hot-spring system, Rhynie, Scotland. *J. geol. Soc.*, **152**, 229–250
- Rivara, M.I., Cebrián, M., Corey, G., Hernández, M. & Romieu, I. (1997) Cancer risk in an arsenic-contaminated area of Chile. *Toxicol. ind. Health*, **13**, 321–338
- Rogers, E.H., Chernoff, N. & Kavlock, R.J. (1981) The teratogenic potential of cacodylic acid in the rat and mouse. *Drug chem. Toxicol.*, **4**, 49–61
- Romo-Kröger, C.M. & Llona, F. (1993) A case of atmospheric contamination at the slopes of the Los Andes mountain range. *Atmos. Environ.*, **27A**, 401–404
- Romo-Kröger, C.M., Morales, J.R., Dinator, M.I. & Llona, F. (1994) Heavy metals in the atmosphere coming from a copper smelter in Chile. *Atmos. Environ.*, **28**, 705–711
- Rosenberg, H.G. (1974) Systemic arterial disease and chronic arsenicism in infants. *Arch. Pathol.*, **97**, 360–365
- Rossmann, T.G., Stone, D., Molina, M. & Troll, W. (1980) Absence of arsenite mutagenicity in *E. coli* and Chinese hamster cells. *Environ. Mutag.*, **2**, 371–379
- Rossmann, T.G., Uddin, A.N., Burns, F.J. & Bosland, M.C. (2001) Arsenite is a cocarcinogen with solar ultraviolet radiation for mouse skin: An animal model for arsenic carcinogenesis. *Toxicol. appl. Pharmacol.*, **176**, 64–71
- Roth, F. (1957) After-effects of chronic arsenism in Moselle wine-makers. *Dtsch. med. Wochenschr.*, **82**, 211–217
- Roussel, R.R. & Barchowsky, A. (2000) Arsenic inhibits NF-κB-mediated gene transcription by blocking IκB kinase activity and IκBα phosphorylation and degradation. *Arch. Biochem. Biophys.*, **377**, 204–212
- RoyChoudhury, A., Das, T., Sharma, A. & Talukder, G. (1996) Dietary garlic extract in modifying clastogenic effects of inorganic arsenic in mice: Two-generation studies. *Mutat. Res.*, **359**, 165–170
- Roychowdhury, T., Uchino, T., Tokunaga, H. & Ando, M. (2002) Survey of arsenic in food composites from an arsenic-affected area of West Bengal, India. *Food chem. Toxicol.*, **40**, 1611–1621
- Roychowdhury, T., Tokunaga, H. & Ando, M. (2003) Survey of arsenic and other heavy metals in food composites and drinking water and estimation of dietary intake by the villagers from an arsenic-affected area of West Bengal, India. *Sci. total Environ.*, **308**, 15–35
- Rudnay, P. & Börzsönyi, M. (1981) [The tumorigenic effect of treatment with arsenic trioxide.] *Magyar Onkol.*, **25**, 73–77 (in Hungarian)
- Rutishauser, U., Acheson, A., Hall, A.K., Mann, D.M. & Sunshine, J. (1988) The neural cell adhesion molecule (NCAM) as a regulator of cell-cell interactions. *Science*, **240**, 53–57

- Ryabukhin, Y.S. (1978) *Activation Analysis of Hair as an Indicator of Contamination of Man by Environmental Trace Element Pollutants* (IAEA Report 50), Vienna, International Atomic Energy Agency
- Saad, A. & Hassanien, M.A. (2001) Assessment of arsenic level in the hair of the nonoccupational Egyptian population: Pilot study. *Environ. int.*, **27**, 471–478
- Sabbioni, E., Fischbach, M., Pozzi, G., Pietra, R., Gallorini, M. & Piette, J.L. (1991) Cellular retention, toxicity and carcinogenic potential of seafood arsenic. I. Lack of cytotoxicity and transforming activity of arsenobetaine in the BALB/3T3 cell line. *Carcinogenesis*, **12**, 1287–1291
- Saha, K.C. (1984) Melanokeratosis from arsenic contaminated tubewell water. *Indian J. Dermatol.*, **29**, 37–46
- Saha, K.C. (1995) Chronic arsenical dermatoses from tube-well water in West Bengal during 1983–87. *Indian J. Dermatol.*, **40**, 1–12
- Saha, K.C. (2001) Cutaneous malignancy in arsenicosis. *Br. J. Dermatol.*, **145**, 185
- Saha, K.C. & Chakraborti, D. (2001) Seventeen years experience of arsenicosis in West Bengal, India. In: Chappell, W.R., Abernathy, C.O. & Calderon, R.L., eds, *Arsenic Exposure and Health Effects IV*, New York, Elsevier, pp. 387–395
- Saha, K.C. & Poddar, D. (1986) Further studies on chronic arsenical dermatosis. *Indian J. Dermatol.*, **31**, 29–33
- Saleha Banu, B., Danadevi, K., Jamil, K., Ahuja, Y.R., Visweswara, R.K. & Ishaq, M. (2001) In vivo genotoxic effect of arsenic trioxide in mice using comet assay. *Toxicology*, **162**, 171–177
- Salim, E.I., Wanibuchi, H., Morimura, K., Wei, M., Mitsuhashi, M., Yoshida, K., Endo, G. & Fukushima, S. (2003) Carcinogenicity of dimethylarsinic acid in p53^{+/−}-heterozygous knockout and wild type C57BL/6J mice. *Carcinogenesis*, **24**, 335–342
- Sampayo-Reyes, A., Zakharyan, R.A., Healy, S.M. & Aposhian, H.V. (2000) Monomethylarsonic acid reductase and monomethylarsonous acid in hamster tissue. *Chem. Res. Toxicol.*, **13**, 1181–1186
- Sancha, A.M. (1997) *Determinación de Línea Base de Arsénico ambiental* (Proyecto FONDEF 2 – 24), Santiago, Facultad de Ciencias Físicas y Matemáticas de la Universidad de Chile
- Sandoval, H. & Venturino, H. (1987) [Environmental contamination with arsenic in Chile.] *Cuad. méd. Soc.*, **28**, 30–37 (in Spanish)
- Santolaya, B.R., Slazar, L., Santolaya, C.R., Sandoval, M. & Alfaro, R. (1995) *Arsénico Impacto Sobre el Hombre y su Entorno. II Región de Chile (Antofagasta)* (Programa Ambiente 02 (1992–1993)), Chuquicamata, Centro de Investigaciones Ecobiológicas y Médicas de Altura, División Chuquicamata Codelco Chile
- Santra, A., Das Gupta, J., De, B.K., Roy, B. & Guha Mazumder, D.N. (1999) Hepatic manifestations in chronic arsenic toxicity. *Indian J. Gastroenterol.*, **18**, 152–155
- Santra, A., Maiti, A., Das, S., Lahiri, S., Charkaborty, S.K. & Guha Mazumder, D.N. (2000) Hepatic damage caused by chronic arsenic toxicity in experimental animals. *Clin. Toxicol.*, **38**, 395–405
- Sarin, S.K., Sharma, G., Banerjee, S., Kathayat, R. & Malhotra, V. (1999) Hepatic fibrogenesis using chronic arsenic ingestion: Studies in a murine model. *Indian J. exp. Biol.*, **37**, 147–151
- de Sastre, M.S.R., Varillas, A. & Kirschbaum, P. (1992) Arsenic content in water in the northwest area of Argentina. In: *International Seminar Proceedings (91–99) on Arsenic in the Environment and its Incidence on Health*, Santiago, Universidad de Chile, pp. 123–130
- Sato, M. & Bremner, I. (1993) Oxygen free radicals and metallothionein. *Free Radic. Biol. Med.*, **14**, 325–337

- Schaumlöffel, N. & Gebel, T. (1998) Heterogeneity of the DNA damage provoked by antimony and arsenic. *Mutagenesis*, **13**, 281–286
- Schiller, C.M., Fowler, B.A. & Woods, J.S. (1977) Effects of arsenic on pyruvate dehydrogenase activation. *Environ. Health Perspect.*, **19**, 205–207
- Scott, N., Hatlelid, K.M., MacKenzie, N.E. & Carter, D.E. (1993) Reactions of arsenic(III) and arsenic(V) species with glutathione. *Chem. Res. Toxicol.*, **6**, 102–106
- Sekhar, K.C., Chary, N.S., Kamala, C.T., Rao, V.R., Balaram, V. & Anjaneyulu, Y. (2003) Risk assessment and pathway study of arsenic in industrially contaminated sites of Hyderabad: A case study. *Environ. int.*, **29**, 601–611
- Shibata, Y. & Morita, M. (1989) Speciation of arsenic by reversed-phase high performance liquid chromatography–inductively coupled plasma mass spectrometry. *Anal. Sci.*, **5**, 107–109
- Shibutani, S., Takeshita, M. & Grollman, A.P. (1991) Insertion of specific bases during DNA synthesis past the oxidation-damaged base 8-oxodG. *Nature*, **349**, 431–434
- Shiobara, Y., Ogra, Y. & Suzuki, K.T. (2001) Animal species differences in the uptake of dimethyl-arsinous acid (DMA^{III}) by rat blood cells. *Chem. Res. Toxicol.*, **14**, 1446–1452
- Shirachi, D.Y., Johansen, M.G., McGowan, J.P. & Tu, S.-H. (1983) Tumorigenic effect of sodium arsenite in rat kidney. *Proc. West. pharmacol. Soc.*, **26**, 413–415
- Shotyk, W., Cheburkin, A.K., Appleby, P.G., Fankhauser, A. & Kramers, J.D. (1996) Two thousand years of atmospheric arsenic, antimony, and lead deposition recorded in an ombrotrophic peat bog profile, Jura Mountains, Switzerland. *Earth planet. Sci. Lett.*, **145**, E1–E7
- Shraim, A., Chiswell, B. & Olszowy, H. (1999) Speciation of arsenic by hydride generation–atomic absorption spectrometry (HG–AAS) in hydrochloric reaction medium. *Talanta*, **50**, 1109–1127
- Shraim, A., Chiswell, B. & Olszowy, H. (2000) Use of perchloric acid as a reaction medium for speciation of arsenic by hydride generation–atomic absorption spectrometry. *Analyst*, **125**, 949–953
- Shraim, A., Hirano, S. & Yamauchi, H. (2001) Extraction and speciation of arsenic in hair using HPLC-ICPMS. *Anal. Sci.*, **17** (Suppl.), i1729–i1732
- Shrestha, R.R., Maskey, A. & Khadka, P.K. (2002) Groundwater arsenic contamination in Nepal: A new challenge for water supply sector. In: *Fifth International Conference on Arsenic Exposure and Health — Speakers' Abstracts*, Denver, CO, University of Colorado
- Silva, R.A., Muñoz, S.E., Perez, C.A. & Eynard, A.R. (2000) Effects of dietary fat on benz-a-pyrene-induced forestomach tumorigenesis in mice chronically exposed to arsenic. *Exp. Toxicol. Pathol.*, **52**, 11–16
- Simeonova, P.P. & Luster, M.I. (2000) Mechanisms of arsenic carcinogenicity: Genetic or epigenetic mechanisms? *J. environ. Pathol. Toxicol. Oncol.*, **19**, 281–286
- Simeonova, P.P., Wang, S., Toriuma, W., Kommineni, V., Matheson, J., Unimye, N., Kayama, F., Harki, D., Vallyathan, V. & Luster, M.I. (2000) Arsenic mediates cell proliferation and gene expression in the bladder epithelium: Association with activating protein-1 transactivation. *Cancer Res.*, **60**, 3445–3453
- Siripitayakunkit, U., Visudhiphan, P., Pradipasen, M. & Vorapongsathron, T. (1999) Association between chronic arsenic exposure and children's intelligence in Thailand. In: Chappell, W.R., Abernathy, C.O. & Calderon, R.L., eds, *Arsenic Exposure and Health Effects*, Amsterdam, Elsevier Science, pp. 141–149
- SM 3113 (1999) *Standard Methods for the Examination of Water and Wastewater. Metals by Electrothermal Atomic Absorption Spectrometry*, American Water Works Association

- SM 3114 (1999) *Standard Methods for the Examination of Water and Wastewater: Arsenic and Selenium Hydride by Hydride Generation/Atomic Absorption Spectrometry*, American Water Works Association
- SM 3120 (1999) *Standard Methods for the Examination of Water and Wastewater: Metals by Plasma Emission Spectrometry*, American Water Works Association
- Smedley, P.L. (1996) Arsenic in rural groundwater in Ghana. *J. Afr. Earth Sci.*, **22**, 459–470
- Smedley, P.L. & Kinniburgh, D.G. (2002) A review of the source, behaviour and distribution of arsenic in natural waters. *Appl. Geochem.*, **17**, 517–568
- Smedley, P.L., Nicolli, H.B., Macdonald, D.M.J., Barros, A.J. & Tullio, J.O. (2002) Hydrochemistry of arsenic and other inorganic constituents in groundwaters from La Pampa, Argentina. *Appl. Geochem.*, **17**, 259–284
- Smith, A.H., Hopenhayn-Rich, C., Bates, M.N., Goeden, H.M., Hertz-Pannier, I., Duggan, H.M., Wood, R., Kosnett, M.J. & Smith, M.T. (1992) Cancer risks from arsenic in drinking water. *Environ. Health Perspect.*, **97**, 259–267
- Smith, A.H., Goycolea, M., Haque, R. & Biggs, M.L. (1998) Marked increase in bladder and lung cancer mortality in a region of northern Chile due to arsenic in drinking water. *Am. J. Epidemiol.*, **147**, 660–669
- Smith, A.H., Lingas, E.O. & Rahman, M. (2000a) Contamination of drinking water by arsenic in Bangladesh: A public health emergency. *Bull. World Health Org.*, **78**, 1093–1103
- Smith, A.H., Arroyo, A.P., Guha Mazumder, D.N., Kosnett, M.J., Hernandez, A.L., Beeris, M., Smith, M.M. & Moore, L.E. (2000b) Arsenic-induced skin lesions among the Atacameño people in northern Chile despite good nutrition and centuries of exposure. *Environ. Health Perspect.*, **108**, 617–620
- Smith, A.H., Lopipero, P.A., Bates, M.N. & Steinmaus, C.M. (2002) Arsenic epidemiology and drinking water standards. *Science*, **296**, 2145–2146
- Sommers, S.G. & McManus, R.G. (1953) Multiple arsenical cancers of skin and internal organs. *Cancer*, **6**, 347–359
- Southwick, J.W., Western, A.E. & Beck, M.M. (1983) An epidemiological study of arsenic in drinking water in Millard County, Utah. In: Lederer, W. & Fensterheim, R., eds, *Arsenic: Industrial, Biomedical, Environmental Perspectives*, New York, Van Nostrand Reinhold, pp. 210–225
- Sriwana, T., van Bergen, M.J., Sumarti, S., de Hoog, J.C.M., van Os, B.J.H., Wahyuningsih, R. & Dam, M.A.C. (1998) Volcanogenic pollution by acid water discharges along Ciwidey River, West Java (Indonesia). *J. geochem. Explor.*, **62**, 161–182
- Steering Committee Arsenic Investigation Project (1991) *National Drinking Water Mission Submission Project on Arsenic Pollution in Groundwater in West Bengal* (Final Report), Kalkota, Public Health and Environment Department, Government of West Bengal
- Sternowsky, H.-J., Moser, B. & Szadkowsky, D. (2002) Arsenic in breast milk during the first 3 months of lactation. *Int. J. Hyg. environ. Health*, **205**, 405–409
- Stocker, J., Balluch, D., Gsell, M., Harms, H., Feliciano, J., Daunert, S., Malik, K.A. & van der Meer, J.R. (2003) Development of a set of simple bacterial biosensors for quantitative and rapid measurements of arsenite and arsenate in potable water. *Environ. Sci. Technol.*, **37**, 4743–4750
- Stoica, A., Pentecost, E. & Martin, M.B. (2000) Effects of arsenite on estrogen receptor- α expression and activity in MCF-7 breast cancer cells. *Endocrinology*, **141**, 3595–3602

- Styblo, M., Yamauchi, H. & Thomas, D.J. (1995) Comparative *in vitro* methylation of trivalent and pentavalent arsenicals. *Toxicol. appl. Pharmacol.*, **135**, 172–178
- Styblo, M., Delnomdedieu, M. & Thomas, D.J. (1996) Mono- and dimethylation of arsenic in rat liver cytosol *in vitro*. *Chem.-biol. Interact.*, **99**, 147–164
- Styblo, M., Del Razo, L.M., LeCluyse, E.L., Hamilton, G.A., Wang, C., Cullen, W.R. & Thomas, D.J. (1999) Metabolism of arsenic in primary cultures of human and rat hepatocytes. *Chem. Res. Toxicol.*, **12**, 560–565
- Styblo, M., Del Razo, L.M., Vega, L., Germolec, D.R., LeCluyse, E.L., Hamilton, G.A., Reed, W., Wang, C., Cullen, W.R. & Thomas, D.J. (2000) Comparative toxicity of trivalent and pentavalent inorganic and methylated arsenicals in rat and human cells. *Arch. Toxicol.*, **74**, 289–299
- Sun, G., Pi, J., Li, B., Guo, X., Yamauchi, H. & Yoshida, T. (2001) Progresses on researches of endemic arsenism in China: Population at risk, intervention actions, and related scientific issues. In: Chappell, W.R., Abernathy, C.O. & Calderon, R.L., eds, *Arsenic Exposure and Health Effects IV*, Amsterdam, Elsevier, pp. 79–85
- Swart, D.J. & Simeonsson, J.B. (1999) Development of an electrothermal atomization laser-excited atomic fluorescence spectrometry procedure for direct measurements of arsenic in diluted serum. *Anal. Chem.*, **71**, 4951–4955
- Szuler, I.M., Williams, C.N., Hindmarsh, J.T. & Park-Dincsoy, H. (1979) Massive variceal hemorrhage secondary to presinusoidal portal hypertension due to arsenic poisoning. *Can. med. Assoc. J.*, **120**, 168–171
- Tabacova, S., Hunter E.S., III & Gladen, B.C. (1996) Developmental toxicity of inorganic arsenic in whole embryo culture: Oxidation state, dose, time, and gestational age dependence. *Toxicol. appl. Pharmacol.*, **138**, 298–307
- Taiwan Environmental Protection Agency (2000) [*Standards for Drinking Water Quality*], Taipei (in Chinese)
- Takatsu, A. & Uchiumi, A. (1998) Abnormal arsenic accumulation by fish living in a naturally acidified lake. *Analyst*, **123**, 73–75
- Takeuchi, X. (1979) Embryotoxicity of arsenic acid: Light and electron microscopy of its effect on neuroulation-stage rat embryo. *J. toxicol. Sci.*, **4**, 405–416
- Tam, G.K.H., Charbonneau, S.M., Bryce, F., Pomroy, C. & Sandi, E. (1979) Metabolism of inorganic arsenic (^{74}As) in humans following oral ingestion. *Toxicol. appl. Pharmacol.*, **50**, 319–322
- Tamaki, S. & Frankenberger, W.T. (1992) Environmental biochemistry of arsenic. *Rev. environ. Contam. Toxicol.*, **124**, 79–110
- Tandukar, N., Bhattacharya, P. & Mukherjee, A.B. (2001) Preliminary assessment of arsenic contamination in groundwater in Nepal. In: *Proceedings of the International Conference on Arsenic in the Asia-Pacific Region: Managing Arsenic for our Future, Adelaide, Australia, November 2001*, Collingwood, CSIRO-Land and Water, p. 103
- Tay, C.H. (1974) Cutaneous manifestations of arsenic poisoning due to certain Chinese herbal medicine. *Austr. J. Dermatol.*, **15**, 121–131
- Thomas, D.J., Styblo, M. & Lin, S. (2001) The cellular metabolism and systemic toxicity of arsenic. *Toxicol. appl. Pharmacol.*, **176**, 127–144
- Thompson, T.S., Le, M.D., Kasick, A.R. & Macaulay, T.J. (1999) Arsenic in well water supplies in Saskatchewan. *Bull. environ. Contam. Toxicol.*, **63**, 478–483

- Thornalley, P.J. & Vašák, M. (1985) Possible role for metallothionein in protection against radiation-induced oxidative stress. Kinetics and mechanism of its reaction with superoxide and hydroxyl radicals. *Biochim. biophys. Acta*, **827**, 36–44
- Tian, D., Ma, H., Feng, Z., Xia, Y., Le, X.C., Ni, Z., Allen, J., Collins, B., Schreinemachers, D. & Mumford, J.L. (2001) Analyses of micronuclei in exfoliated epithelial cells from individuals chronically exposed to arsenic via drinking water in Inner Mongolia, China. *J. Toxicol. environ. Health*, **A64**, 473–484
- Tice, R.R., Yager, J.W., Andrews, P. & Crecelius, E. (1997) Effect of hepatic methyl donor status on urinary excretion and DNA damage in B6C3F1 mice treated with sodium arsenite. *Mutat. Res.*, **386**, 315–334
- Tinwell, H., Stephens, S.C. & Ashby, J. (1991) Arsenite as the probable active species in the human carcinogenicity of arsenic: Mouse micronucleus assays on Na and K arsenite, orpiment, and Fowler's solution. *Environ. Health Perspect.*, **95**, 205–210
- Tondel, M., Rahman, M., Magnuson, A., Chowdhury, I.A., Faruquee, M.H. & Ahmad, S.A. (1999) The relationship of arsenic levels in drinking water and the prevalence rate of skin lesions in Bangladesh. *Environ. Health Perspect.*, **107**, 727–729
- Tsai, S.-M., Wang, T.-N. & Ko, Y.-C. (1999) Mortality for certain diseases in areas with high levels of arsenic in drinking water. *Arch. environ. Health*, **54**, 186–193
- Tseng, W.-P. (1977) Effects and dose-response relationships of skin cancer and blackfoot disease with arsenic. *Environ. Health Perspect.*, **19**, 109–119
- Tseng, W.P., Chu, H.M., How, S.W., Fong, J.M., Lin, C.S. & Yeh, S. (1968) Prevalence of skin cancer in an endemic area of chronic arsenicism in Taiwan. *J. natl Cancer Inst.*, **40**, 453–463
- Tseng, C.-H., Chong, C.-K., Chen, C.-J. & Tai, T.-Y. (1996) Dose-response relationship between peripheral vascular disease and ingested inorganic arsenic among residents in blackfoot disease endemic villages in Taiwan. *Atherosclerosis*, **120**, 125–133
- Tseng, C.-H., Tai, T.-Y., Chong, C.-K., Tseng, C.-P., Lai, M.-S., Lin, B.J., Chiou, H.-Y., Hsueh, Y.-M., Hsu, K.-H. & Chen, C.-J. (2000) Long-term arsenic exposure and incidence of non-insulin-dependent diabetes mellitus: A cohort study in arseniasis-hyperendemic villages in Taiwan. *Environ. Health Perspect.*, **108**, 847–851
- Tsuda, T., Nagira, T., Yamamoto, M., Kurumatani, N., Hotta, N., Harada, M. & Aoyama, H. (1989) Malignant neoplasms among residents who drank well water contaminated by arsenic from a King's Yellow factory. *Sangyo Ika Daigaku Zasshi*, **11** (Suppl.), 289–301
- Tsuda, T., Babazono, A., Yamamoto, E., Kurumatani, N., Mino, Y., Ogawa, T., Kishi, Y. & Aoyama, H. (1995) Ingested arsenic and internal cancer: A historical cohort study followed for 33 years. *Am. J. Epidemiol.*, **141**, 198–209
- Turpeinen, R., Pantsar-Kallio, M., Häggblom, M. & Kairesalo, T. (1999) Influence of microbes on the mobilization, toxicity and biomethylation of arsenic in soil. *Sci. total Environ.*, **236**, 173–180
- Turpeinen, R., Pantsar-Kallio, M. & Kairesalo, T. (2002) Role of microbes in controlling the speciation of arsenic and production of arsines in contaminated soils. *Sci. total Environ.*, **285**, 133–145
- UNESCAP-UNICEF-WHO (2001) *Meeting on Geology and Health: Solving the Arsenic Crisis in the Asia-Pacific Region, 2–4 May 2001, Bangkok*
- UNIDO (2001) *Study Report under the Project Concerted Action on Elimination/Reduction of Arsenic in Groundwater, West Bengal, India* (Project NC/IND/99/967), Vols I and II, New Delhi, United Nations Industrial Development Organization

- US Environmental Protection Agency (1994a) *Method 200.7. Methods for the Determination of Metals in Environmental Samples*, Washington DC
- US Environmental Protection Agency (1994b) *Method 200.8. Methods for the Determination of Metals in Environmental Samples*, Washington DC
- US Environmental Protection Agency (1996a) *Method 1638. Determination of Trace Elements in Ambient Waters by Inductively Coupled Plasma–Mass Spectrometry*, Washington DC
- US Environmental Protection Agency (1996b) *Method 7063. Arsenic in Aqueous Samples and Extracts by Anodic Stripping Voltammetry (AVS)*, Washington DC
- US Environmental Protection Agency (1996c) *Method 1632. Inorganic Arsenic in Water by Hydride Generation Quartz Furnace Atomic Absorption*, Washington DC
- US Environmental Protection Agency (2001) National primary drinking water regulations; arsenic and clarifications to compliance and new source contaminants monitoring; final rule. *Fed. Regist.*, **66**, 6976–7066
- US Environmental Protection Agency (2002) Drinking water regulations for arsenic and classifications to compliance and new source contaminants monitoring. In: *Implementation Guidance for Arsenic Rules*, Washington DC
- US Environmental Protection Agency-Battelle (2002a) *The Environmental Technology Verification Program, EPA/ETV Joint Verification Statement, Arsenic Test Kit, Quick™*, Washington DC
- US Environmental Protection Agency-Battelle (2002b) *The Environmental Technology Verification Program, EPA/ETV Joint Verification Statement, Arsenic Test Kit, AS 75*, Washington DC
- Vahter, M. (1999a) Variation in human metabolism of arsenic. In: Chappell, W.R., Abernathy, C.O. & Calderon, R.L., eds, *Arsenic Exposure and Health Effects*, Oxford, Elsevier Science, pp. 267–279
- Vahter, M. (1999b) Methylation of inorganic arsenic in different mammalian species and population groups. *Sci. Prog.*, **82**, 69–88
- Vahter, M. (2002) Mechanism of arsenic biotransformation. *Toxicology*, **181–182**, 211–217
- Vahter, M. & Concha, G. (2001) Role of metabolism in arsenic toxicity. *Pharmacol. Toxicol.*, **89**, 1–5
- Vahter, M. & Marafante, E. (1987) Effects of low dietary intake of methionine, choline or proteins on the biotransformation of arsenite in the rabbit. *Toxicol. Lett.*, **37**, 41–46
- Vahter, M. & Marafante, E. (1989) Intracellular distribution and chemical forms of arsenic in rabbits exposed to arsenate. *Biol. trace Elem. Res.*, **21**, 233–239
- Vahter, M. & Norin, H. (1980) Metabolism of ^{74}As -labeled trivalent and pentavalent inorganic arsenic in mice. *Environ. Res.*, **21**, 446–457
- Vahter, M., Marafante, E., Lindgren, A. & Dencker, L. (1982) Tissue distribution and subcellular binding of arsenic in marmoset monkeys after injection of ^{74}As -arsenite. *Arch. Toxicol.*, **51**, 65–77
- Vahter, M., Marafante, E. & Dencker, L. (1984) Tissue distribution and retention of ^{74}As -dimethylarsinic acid in mice and rats. *Arch. environ. Contam. Toxicol.*, **13**, 259–264
- Vahter, M., Couch, R., Nermell, B. & Nilsson, R. (1995a) Lack of methylation of inorganic arsenic in the chimpanzee. *Toxicol. appl. Pharmacol.*, **133**, 262–268
- Vahter, M., Concha, G., Nermell, B., Nilsson, R., Dulout, F. & Natarajan, A.T. (1995b) A unique metabolism of inorganic arsenic in native Andean women. *Eur. J. Pharmacol.*, **293**, 455–462
- Van Duuren, B.L., Melchionne, S., Seidman, I. & Pereira, M.A. (1986) Chronic bioassays of chlorinated humic acids in B6C3F1 mice. *Environ. Health Perspect.*, **69**, 109–117

- Venturino, H. (1987) [Determination of urinary arsenic concentration in different regions of Chile. Epidemiological study] *Cuad. méd. Soc.*, **28**, 38–40 (in Spanish)
- Vig, B.K., Figueroa, M.L., Cornforth, M.N. & Jenkins, S.H. (1984) Chromosome studies in human subjects chronically exposed to arsenic in drinking water. *Am. J. ind. Med.*, **6**, 325–338
- Vogel, A.E. (1954) Special tests for small amounts of arsenic. In: Vogel, A.E., ed., *A Text-book of Macro and Semimicro Qualitative Inorganic Analysis*, London, Longmans, pp. 242–247
- Waalkes, M.P., Ward, J.M., Liu, J. & Diwan, B.A. (2003) Transplacental carcinogenicity of inorganic arsenic in the drinking water: Induction of hepatic, ovarian, pulmonary and adrenal tumors in mice. *Toxicol. appl. Pharmacol.*, **186**, 7–17
- Wagner, S.L., Maliner, J.S., Morton, W.E. & Braman, R.S. (1979) Skin cancer and arsenical intoxication from well water. *Arch. Dermatol.*, **115**, 1205–1207
- Wang, L. (1996) Current status of arsenic-related health hazards in Xinjiang. *Chinese J. public Health*, **15** (Suppl. 3), 53–58
- Wang, C. & Lazarides, E. (1984) Arsenite-induced changes in methylation of the 70,000 Dalton heat shock proteins in chicken embryo fibroblasts. *Biochem. biophys. Res. Commun.*, **119**, 735–743
- Wang, T.-S., Kuo, C.-F., Jan, K.-Y. & Huang, H. (1996) Arsenite induces apoptosis in Chinese hamster ovary cells by generation of reactive oxygen species. *J. cell. Physiol.*, **169**, 256–268
- Wang, T.S., Shu, Y.F., Liu, Y.C., Jan, K.Y. & Huang, H. (1997) Glutathione peroxidase and catalase modulate the genotoxicity of arsenite. *Toxicology*, **121**, 229–237
- Wang, C.-H., Jeng, J.-S., Yip, P.-K., Chen, C.-L., Hsu, L.-I., Hsueh, Y.-M., Chiou, H.-Y., Wu, M.-M. & Chen, C.-J. (2002) Biological gradient between long-term arsenic exposure and carotid atherosclerosis. *Circulation*, **105**, 1804–1809
- Wanibuchi, H., Yamamoto, S., Chen, H., Yoshida, K., Endo, G., Hori, T. & Fukushima, S. (1996) Promoting effects of dimethylarsinic acid on *N*-butyl-*N*-(4-hydroxybutyl)nitrosamine-induced urinary bladder carcinogenesis in rats. *Carcinogenesis*, **17**, 2435–2439
- Wanibuchi, H., Hori, T., Meenakshi, V., Ichihara, T., Yamamoto, S., Yano, Y., Otani, S., Nakae, D., Konishi, Y. & Fukushima, S. (1997) Promotion of rat hepatocarcinogenesis by dimethylarsinic acid: Association with elevated ornithine decarboxylase activity and formation of 8-hydroxy-deoxyguanosine in the liver. *Jpn. J. Cancer Res.*, **88**, 1149–1154
- Warner, K.L. (2001) Arsenic in shallow and deep glacial drift aquifers — Illinois. In: *Proceedings of the 2001 USGS Workshop on Arsenic in the Environment, 21–22 February 2001, Denver, Colorado*, Denver, CO, USGS Arsenic Studies Group, US Geological Survey
- Warner, M.L., Moore, L.E., Smith, M.T., Kalman, D.A., Fanning, E. & Smith, A.H. (1994) Increased micronuclei in exfoliated bladder cells of individuals who chronically ingest arsenic-contaminated water in Nevada. *Cancer Epidemiol. Biomarkers Prev.*, **3**, 583–590
- Wei, M., Wanibuchi, H., Yamamoto, S., Li, W. & Fukushima, S. (1999) Urinary bladder carcinogenicity of dimethylarsinic acid in male F344 rats. *Carcinogenesis*, **20**, 1873–1876
- Wei, M., Wanibuchi, H., Morimura, K., Iwai, S., Yoshida, K., Endo, G., Nakae, D. & Fukushima, S. (2002) Carcinogenicity of dimethylarsinic acid in male F344 rats and genetic alterations in induced urinary bladder tumors. *Carcinogenesis*, **23**, 1387–1397
- Welch, A.H., Lico, M.S. & Hughes, J.L. (1988) Arsenic in ground water of the western United States. *Ground Water*, **26**, 333–347

- Welch, A.H., Helsel, D.R., Focazio, M.J. & Watkins, S.A. (1999) Arsenic in ground water supplies of the United States. In: Chappell, W.R., Abernathy, C.O. & Calderon, R.L., eds., *Arsenic Exposure and Health Effects*, Oxford, Elsevier Science, pp. 9–17
- Welch, A.H., Westjohn, D.B., Helsel, D.R. & Wanty, R.B. (2000) Arsenic in ground water of the United States: Occurrence and geochemistry. *Ground Water*, **38**, 589–604
- Wester, R.C., Maibach, H.I., Sedik, L., Melendres, J. & Wade, M. (1993) In vivo and in vitro percutaneous absorption and skin decontamination of arsenic from water and soil. *Fundam. appl. Toxicol.*, **20**, 336–340
- WHO (1981) *Arsenic* (Environmental Health Criteria 18), Geneva, International Programme on Chemical Safety
- WHO (1998) *Guidelines for Drinking-water Quality*, 2nd Ed., Vol. 2, *Health Criteria and Other Supporting Information*, Geneva
- WHO (2000) *Guidelines for Drinking-water Quality Training Pack* [http://www.who.int/water_sanitation_health/Training_mat/GDWQtraining.htm]
- WHO (2001) *Arsenic and Arsenic Compounds* (Environmental Health Criteria 224), 2nd Ed., Geneva, International Programme on Chemical Safety
- Wijeweera, J.B., Gandolfi, A.J., Parrish, A. & Lantz, R.C. (2001) Sodium arsenite enhances AP-1 and NFκB DNA binding and induces stress protein expression in precision-cut rat lung slices. *Toxicol. Sci.*, **61**, 283–294
- van Wijk, R., Welters, M., Souren, J.E.M., Ovelgonne, H. & Wiegant, F.A.C. (1993) Serum-stimulated cell cycle progression and stress protein synthesis in C3H10T1/2 fibroblasts treated with sodium arsenite. *J. cell. Physiol.*, **155**, 265–272
- Wildfang, E., Zakharyan, R.A. & Aposhian, H.V. (1998) Enzymatic methylation of arsenic compounds. VI. Characterization of hamster liver arsenite and methylarsonic acid methyltransferase activities *in vitro*. *Toxicol. appl. Pharmacol.*, **152**, 366–375
- Wildfang, E., Radabaugh, T.R. & Aposhian, H.V. (2001) Enzymatic methylation of arsenic compounds. IX. Liver arsenite methyltransferase and arsenate reductase activities in primates. *Toxicology*, **168**, 213–221
- Willhite, C.C. (1981) Arsenic-induced axial skeletal (dysraphic) disorders. *Exp. mol. Pathol.*, **34**, 145–158
- Williams, M., Fordyce, F., Paijitprapapon, A. & Charoenchaisri, P. (1996) Arsenic contamination in surface drainage and groundwater in part of the southeast Asian tin belt, Nakhon Si Thammarat Province, southern Thailand. *Environ. Geol.*, **27**, 16–33
- Winski, S.L. & Carter, D.E. (1995) Interactions of rat red blood cell sulphhydryls with arsenate and arsenite. *J. Toxicol. environ. Health.*, **46**, 379–397
- Winski, S.L. & Carter, D.E. (1998) Arsenate toxicity in human erythrocytes: Characterization of morphologic changes and determination of the mechanism of damage. *J. Toxicol. environ. Health*, **A53**, 345–355
- Wlodarczyk, B., Bennett, G.D., Calvin, J.A., Craig, J.C. & Finnell, R.H. (1996) Arsenic-induced alterations in embryonic transcription factor gene expression: Implications for abnormal neural development. *Develop. Genet.*, **18**, 306–315
- Wong, O., Whorton, M.D., Foliart, D.E. & Lowengart, R. (1992) An ecologic study of skin cancer and environmental arsenic exposure. *Int. Arch. occup. environ. Health*, **64**, 235–241

- Woods, J.S. & Fowler, B.A. (1978) Altered regulation of mammalian hepatic heme biosynthesis and urinary porphyrin excretion during prolonged exposure to sodium arsenite. *Toxicol. appl. Pharmacol.*, **43**, 361–371
- Woolson, E.A. (1977) Generation of alkylarsines from soil. *Weed Sci.*, **25**, 412–416
- Wu, W. & Welsh, M.J. (1996) Expression of the 25-kDa heat-shock protein (HSP27) correlates with resistance to the toxicity of cadmium chloride, mercuric chloride, *cis*-platinum(II)-diammine dichloride, or sodium arsenite in mouse embryonic stem cells transfected with sense or antisense HSP27 cDNA. *Toxicol. appl. Pharmacol.*, **141**, 330–339
- Wu, M.-M., Kuo, T.-L., Hwang, Y.-H. & Chen, C.-J. (1989) Dose-response relation between arsenic concentration in well water and mortality from cancers and vascular diseases. *Am. J. Epidemiol.*, **130**, 1123–1132
- Wu, M.-M., Chiou, H.-Y., Wang, T.-W., Hsueh, Y.-M., Wang, I.-H., Chen, C.-J. & Lee, T.-C. (2001) Association of blood arsenic levels with increased reactive oxidants and decreased anti-oxidant capacity in human population of northeastern Taiwan. *Environ. Health Perspect.*, **109**, 1011–1017
- Wyatt, C.J., Lopez Quiroga, V., Olivas Acosta, R.T. & Méndez, R.O. (1998a) Excretion of arsenic (As) in urine of children, 7–11 years, exposed to elevated levels of As in the city water supply in Hermosillo, Sonora, Mexico. *Environ. Res.*, **A78**, 19–24
- Wyatt, C.J., Fimbres, C., Romo, L., Méndez, R.O. & Grimalva, M. (1998b) Incidence of heavy metal contamination in water supplies in northern Mexico. *Environ. Res.*, **76**, 114–119
- Yager, J.W. & Wiencke, J.K. (1997) Inhibition of poly(ADP-ribose) polymerase by arsenite. *Mutat. Res.*, **386**, 345–351
- Yalçın, S. & Le, X.C. (2001) Speciation of arsenic using solid phase extraction cartridges. *J. environ. Monit.*, **3**, 81–85
- Yamamoto, A., Hisanaga, A. & Ishinishi, L.N. (1987) Tumorigenicity of inorganic arsenic compounds following intratracheal instillations to the lungs of hamsters. *Int. J. Cancer*, **40**, 220–223
- Yamamoto, S., Konishi, Y., Matsuda, T., Murai, T., Shibata, M.-A., Matsui-Yuasa, I., Otani, S., Kuroda, K., Endo, G. & Fukushima, S. (1995) Cancer induction by an organic arsenic compound, dimethylarsinic acid (cacodylic acid), in F344/DuCrj rats after pretreatment with five carcinogens. *Cancer Res.*, **55**, 1271–1276
- Yamanaka, K. & Okada, S. (1994) Induction of lung-specific DNA damage by metabolically methylated arsenics via the production of free radicals. *Environ. Health Perspect.*, **102** (Suppl. 3), 37–40
- Yamanaka, K., Hasegawa, A., Sawamura, R. & Okada, S. (1989) Dimethylated arsenics induce DNA strand breaks in lung *via* the production of active oxygen in mice. *Biochem. biophys. Res. Commun.*, **165**, 43–50
- Yamanaka, K., Hoshino, M., Okamoto, M., Sawamura, R., Hasegawa, A. & Okada, S. (1990) Induction of DNA damage by dimethylarsine, a metabolite of inorganic arsenics, is for the major part likely due to its peroxy radical. *Biochem. biophys. Res. Commun.*, **168**, 58–64
- Yamanaka, K., Hasegawa, A., Sawamura, R. & Okada, S. (1991) Cellular response to oxidative damage in lung induced by the administration of dimethylarsinic acid, a major metabolite of inorganic arsenics, in mice. *Toxicol. appl. Pharmacol.*, **108**, 205–213
- Yamanaka, K., Ohtsubo, K., Hasegawa, A., Hayashi, H., Ohji, H., Kanisawa, M. & Okada, S. (1996) Exposure to dimethylarsinic acid, a main metabolite of inorganic arsenics, strongly

- promotes tumorigenesis initiated by 4-nitroquinoline 1-oxide in the lungs of mice. *Carcinogenesis*, **17**, 767–770
- Yamanaka, K., Katsumata, K., Ikuma, K., Hasegawa, A., Nakano, M. & Okada, S. (2000) The role of orally administered dimethylarsinic acid, a main metabolite of inorganic arsenics, in the promotion and progression of UVB-induced skin tumorigenesis in hairless mice. *Cancer Lett.*, **152**, 79–85
- Yamanaka, K., Mizoi, M., Kato, K., Hasegawa, A., Nakano, M. & Okada, S. (2001a) Oral administration of dimethylarsinic acid, a main metabolite of inorganic arsenic, in mice promotes skin tumorigenesis initiated by dimethylbenz(a)anthracene with or without ultraviolet B as a promoter. *Biol. pharm. Bull.*, **24**, 510–514
- Yamanaka, K., Takabayashi, F., Mizoi, M., An, Y., Hasegawa, A. & Okada, S. (2001b) Oral exposure of dimethylarsinic acid, a main metabolite of inorganic arsenics, in mice leads to an increase in 8-oxo-2'-deoxyguanosine level, specifically in the target organs for arsenic carcinogenesis. *Biochem. biophys. Res. Commun.*, **287**, 66–70
- Yamauchi, H. & Yamamura, Y. (1979) Urinary inorganic arsenic and methylarsenic excretion following arsenate-rich seaweed ingestion (author's transl). *Sangyo Igaku*, **21**, 47–54 (in Japanese)
- Yamauchi, H. & Yamamura, Y. (1984) Metabolism and excretion of orally administered dimethylarsinic acid in the hamster. *Toxicol. appl. Pharmacol.*, **74**, 134–140
- Yamauchi, H. & Yamamura, Y. (1985) Metabolism and excretion of orally administrated arsenic trioxide in the hamster. *Toxicology*, **34**, 113–121
- Yamauchi, H., Yamato, N. & Yamamura, Y. (1988) Metabolism and excretion of orally and intraperitoneally administered methylarsonic acid in the hamster. *Bull. environ. Contam. Toxicol.*, **40**, 280–286
- Yeh, S. (1963) Studies on endemic chronic arsenism in southwest coast of Taiwan. *Rep. Inst. Pathol. natl Taiwan Univ.*, **14**, 1–23 (in Chinese)
- Yeh, S. (1973) Skin cancer in chronic arsenicism. *Hum. Pathol.*, **4**, 469–485
- Yeh, S., How, S.W. & Lin, C.S. (1968) Arsenical cancer of skin. Histologic study with special reference to Bowen's disease. *Cancer*, **21**, 312–339
- Yoshida, T., Shimamura, T. & Shigeta, S. (1986) Immunological effects of arsenic compounds on mouse spleen cells *in vitro*. *Tokai J. exp. clin. Med.*, **11**, 353–359
- Yoshida, T., Shimamura, T. & Shigeta, S. (1987) Enhancement of the immune response *in vitro* by arsenic. *Int. J. Immunopharmacol.*, **9**, 411–415
- Yoshida, K., Chen, H., Inoue, Y., Wanibuchi, H., Fukushima, S., Kuroda, K. & Endo, G. (1997) The urinary excretion of arsenic metabolites after a single oral administration of dimethylarsinic acid to rats. *Arch. environ. Contam. Toxicol.*, **32**, 416–421
- Yu, R.C., Hsu, K.-H., Chen, C.-J. & Froines, J.R. (2000) Arsenic methylation capacity and skin cancer. *Cancer Epidemiol. Biomarkers Prev.*, **9**, 1259–1262
- Zakharova, T., Tatano, F. & Menshikov, V. (2002) Health cancer risk assessment for arsenic exposure in potentially contaminated areas by fertilizer plants: A possible regulatory approach applied to a case study in Moscow Region, Russia. *Regul. Toxicol. Pharmacol.*, **36**, 22–33
- Zakharyan, R.A. & Aposhian, H.V. (1999) Enzymatic reduction of arsenic compounds in mammalian systems: The rate-limiting enzyme of rabbit liver arsenic biotransformation is MMA^v reductase. *Chem. Res. Toxicol.*, **12**, 1278–1283

- Zakharyan, R., Wu, Y., Bogdan, G.M. & Aposhian, H.V. (1995) Enzymatic methylation of arsenic compounds: Assay, partial purification, and properties of arsenite methyltransferase and monomethylarsonic acid methyltransferase of rabbit liver. *Chem. Res. Toxicol.*, **8**, 1029–1038
- Zakharyan, R.A., Wildfang, E. & Aposhian, H.V. (1996) Enzymatic methylation of arsenic compounds. III. The marmoset and tamarin, but not the rhesus, monkeys are deficient in methyltransferases that methylate inorganic arsenic. *Toxicol. appl. Pharmacol.*, **140**, 77–84
- Zakharyan, R.A., Sampayo-Reyes, A., Healy, S.M., Tsaprailis, G., Board, P.G., Liebler, D.C. & Aposhian, H.V. (2001) Human monomethylarsonic acid (MMA^V) reductase is a member of the glutathione-S-transferase superfamily. *Chem. Res. Toxicol.*, **14**, 1051–1057
- Zaldívar, R. (1974) Arsenic contamination of drinking water and foodstuffs causing endemic chronic poisoning. *Beitr. Pathol.*, **151**, 384–400
- Zaldívar, R. & Guillier, A. (1977) Environmental and clinical investigations on endemic chronic arsenic poisoning in infants and children. *Zbl. Bakt. Hyg. I. Abt. Orig. B*, **165**, 226–234
- Zaldívar, R., Villar, I., Robinson, H., Wetterstrand, W.H., Ghai, G.L. & Brain, C. (1978) [Chronic arsenic poisoning. Epidemiological, clinical, pathological, toxicological and nutritional data.] *Rev. méd. Chile*, **106**, 1027–1030 (in Spanish)
- Zaldívar, R., Prunés, L. & Ghai, G.L. (1981) Arsenic dose in patients with cutaneous carcinomata and hepatic haemangio-endothelioma after environmental and occupational exposure. *Arch. Toxicol.*, **47**, 145–154
- Zhang, X., Cornelis, R., De Kimpe, J., Mees, L. & Lameire, N. (1997) Speciation of arsenic in serum, urine, and dialysate of patients on continuous ambulatory peritoneal dialysis. *Clin. Chem.*, **43**, 406–408
- Zhang, X., Cornelis, R., De Kimpe, J., Mees, L. & Lameire, N. (1998a) Study of arsenic-protein binding in serum of patients of continuous ambulatory peritoneal dialysis. *Clin. Chem.*, **44**, 141–147
- Zhang, X., Cornelis, R., Mees, L. Vanholder, R. & Lameire, N. (1998b) Chemical speciation of arsenic in serum of uraemic patients. *Analyst*, **123**, 13–17
- Zhao, C.Q., Young, M.R., Diwan, B.A., Coogan, T.P. & Waalkes, M.P. (1997) Association of arsenic-induced malignant transformation with DNA hypomethylation and aberrant gene expression. *Proc. natl Acad. Sci. USA*, **94**, 10907–10912
- Zhong, C.X. & Mass, M.J. (2001) Both hypomethylation and hypermethylation of DNA associated with arsenite exposure in cultures of human cells identified by methylation-sensitive arbitrarily-primed PCR. *Toxicol. Lett.*, **122**, 223–234
- Zierler, S., Theodore, M., Cohen, A. & Rothman, K.J. (1988) Chemical quality of maternal drinking water and congenital heart disease. *Int. J. Epidemiol.*, **17**, 589–594