

Solar and UV Radiation

References to Supplementary Web Tables, Section 2

- Acquavella J, Olsen G, Cole P *et al.* (1998). Cancer among farmers: a meta-analysis. *Ann Epidemiol*, 8:64–74.[doi:10.1016/S1047-2797\(97\)00120-8](https://doi.org/10.1016/S1047-2797(97)00120-8) PMID:9465996
- Adami J, Gridley G, Nyrén O *et al.* (1999). Sunlight and non-Hodgkin's lymphoma: a population-based cohort study in Sweden. *Int J Cancer*, 80:641–645.[doi:10.1002/\(SICI\)1097-0215\(19990301\)80:5<641::AID-IJC1>3.0.CO;2-Z](https://doi.org/10.1002/(SICI)1097-0215(19990301)80:5<641::AID-IJC1>3.0.CO;2-Z) PMID:10048959
- Bodiwala D, Luscombe CJ, Liu S *et al.* (2003). Prostate cancer risk and exposure to ultraviolet radiation: further support for the protective effect of sunlight. *Cancer Lett*, 192:145–149.[doi:10.1016/S0304-3835\(02\)00710-3](https://doi.org/10.1016/S0304-3835(02)00710-3) PMID:12668278
- Boffetta P, van der Hel O, Krickler A *et al.* (2008). Exposure to ultraviolet radiation and risk of malignant lymphoma and multiple myeloma—a multicentre European case-control study. *Int J Epidemiol*, 37:1080–1094.[doi:10.1093/ije/dyn092](https://doi.org/10.1093/ije/dyn092) PMID:18511490
- Chang YM, Barrett JH, Bishop DT *et al.* (2009). Sun exposure and melanoma risk at different latitudes: a pooled analysis of 5700 cases and 7216 controls. *Int J Epidemiol*, 38:814–830.[doi:10.1093/ije/dyp166](https://doi.org/10.1093/ije/dyp166) PMID:19359257
- Chen YT, Dubrow R, Holford TR *et al.* (1996). Malignant melanoma risk factors by anatomic site: a case-control study and polychotomous logistic regression analysis. *Int J Cancer*, 67:636–643.[doi:10.1002/\(SICI\)1097-0215\(19960904\)67:5<636::AID-IJC8>3.0.CO;2-V](https://doi.org/10.1002/(SICI)1097-0215(19960904)67:5<636::AID-IJC8>3.0.CO;2-V) PMID:8782651
- Chiu BC, Kolar C, Gapstur SM *et al.* (2005). Association of NAT and GST polymorphisms with non-Hodgkin's lymphoma: a population-based case-control study. *Br J Haematol*, 128:610–615.[doi:10.1111/j.1365-2141.2004.05358.x](https://doi.org/10.1111/j.1365-2141.2004.05358.x) PMID:15725081
- Cho E, Rosner BA, Colditz GA (2005). Risk factors for melanoma by body site. *Cancer Epidemiol Biomarkers Prev*, 14:1241–1244.[doi:10.1158/1055-9965.EPI-04-0632](https://doi.org/10.1158/1055-9965.EPI-04-0632) PMID:15894679
- Corona R, Dogliotti E, D'Errico M *et al.* (2001). Risk factors for basal cell carcinoma in a Mediterranean population: role of recreational sun exposure early in life. *Arch Dermatol*, 137:1162–1168. PMID:11559211
- Dardanoni L, Gafà L, Paternò R, Pavone G (1984). A case-control study on lip cancer risk factors in Ragusa (Sicily). *Int J Cancer*, 34:335–337.[doi:10.1002/ijc.2910340309](https://doi.org/10.1002/ijc.2910340309) PMID:6480154
- de Sanjosé S, Benavente Y, Nieters A *et al.* (2006). Association between personal use of hair dyes and lymphoid neoplasms in Europe. *Am J Epidemiol*, 164:47–55.[doi:10.1093/aje/kwj187](https://doi.org/10.1093/aje/kwj187) PMID:16731576
- Dennis LK, Beane Freeman LE, VanBeek MJ (2003). Sunscreen use and the risk for melanoma: a quantitative review. *Ann Intern Med*, 139:966–978. PMID:14678916
- Dennis LK, Lowe JB, Lynch CF, Alavanja MC (2008). Cutaneous melanoma and obesity in the Agricultural Health Study. *Ann Epidemiol*, 18:214–221.[doi:10.1016/j.annepidem.2007.09.003](https://doi.org/10.1016/j.annepidem.2007.09.003) PMID:18280921
- Elwood JM, Jopson J (1997). Melanoma and sun exposure: an overview of published studies. *Int J Cancer*, 73:198–203.[doi:10.1002/\(SICI\)1097-0215\(19971009\)73:2<198::AID-IJC6>3.0.CO;2-R](https://doi.org/10.1002/(SICI)1097-0215(19971009)73:2<198::AID-IJC6>3.0.CO;2-R) PMID:9335442
- Freedman DM, Dosemeci M, McGlynn K (2002). Sunlight and mortality from breast, ovarian, colon, prostate, and non-melanoma skin cancer: a composite death certificate based case-control study. *Occup Environ Med*, 59:257–262.[doi:10.1136/oem.59.4.257](https://doi.org/10.1136/oem.59.4.257) PMID:11934953
- Freedman DM, Zahm SH, Dosemeci M (1997). Residential and occupational exposure to sunlight and mortality from non-Hodgkin's lymphoma: composite (threefold) case-control study. *BMJ*, 314:1451–1455. PMID:9167561
- Gallagher RP, Elwood JM, Rootman J *et al.* (1985). Risk factors for ocular melanoma: Western Canada Melanoma Study. *J Natl Cancer Inst*, 74:775–778. PMID:3857374
- Gallagher RP, Hill GB, Bajdik CD *et al.* (1995a). Sunlight exposure, pigmentary factors, and risk of nonmelanocytic skin cancer. I. Basal cell carcinoma. *Arch Dermatol*, 131:157–163.[doi:10.1001/archderm.131.2.157](https://doi.org/10.1001/archderm.131.2.157) PMID:7857111
- Gandini S, Sera F, Cattaruzza MS *et al.* (2005a). Meta-analysis of risk factors for cutaneous melanoma: II. Sun exposure. *Eur J Cancer*, 41:45–60.[doi:10.1016/j.ejca.2004.10.016](https://doi.org/10.1016/j.ejca.2004.10.016) PMID:15617990
- Gandini S, Sera F, Cattaruzza MS *et al.* (2005b). Meta-analysis of risk factors for cutaneous melanoma: III. Family history, actinic damage and phenotypic factors. *Eur J Cancer*, 41:2040–2059.[doi:10.1016/j.ejca.2005.03.034](https://doi.org/10.1016/j.ejca.2005.03.034) PMID:16125929
- Grandin L, Orsi L, Troussard X *et al.* (2008). UV radiation exposure, skin type and lymphoid malignancies: results of a French case-control study. *Cancer Causes Control*, 19:305–315.[doi:10.1007/s10552-007-9093-6](https://doi.org/10.1007/s10552-007-9093-6) PMID:18040875

- Green A, Battistutta D, Hart V *et al.*; The Nambour Study Group (1996). Skin cancer in a subtropical Australian population: incidence and lack of association with occupation. *Am J Epidemiol*, 144:1034–1040. [PMID:8942434](#)
- Grodstein F, Speizer FE, Hunter DJ (1995). A prospective study of incident squamous cell carcinoma of the skin in the nurses' health study. *J Natl Cancer Inst*, 87:1061–1066. [doi:10.1093/jnci/87.14.1061](#) [PMID:7616597](#)
- Guech-Ongey M, Engels EA, Goedert JJ *et al.* (2008). Elevated risk for squamous cell carcinoma of the conjunctiva among adults with AIDS in the United States. *Int J Cancer*, 122:2590–2593. [doi:10.1002/ijc.23384](#) [PMID:18224690](#)
- Guénel P, Laforest L, Cyr D *et al.* (2001). Occupational risk factors, ultraviolet radiation, and ocular melanoma: a case-control study in France. *Cancer Causes Control*, 12:451–459. [doi:10.1023/A:1011271420974](#) [PMID:11545460](#)
- Håkansson N, Floderus B, Gustavsson P *et al.* (2001). Occupational sunlight exposure and cancer incidence among Swedish construction workers. *Epidemiology*, 12:552–557. [doi:10.1097/00001648-200109000-00015](#) [PMID:11505175](#)
- Han J, Colditz GA, Hunter DJ (2006). Risk factors for skin cancers: a nested case-control study within the Nurses' Health Study. *Int J Epidemiol*, 35:1514–1521. [doi:10.1093/ije/dyl197](#) [PMID:16943234](#)
- Hartge P, Lim U, Freedman DM *et al.* (2006). Ultraviolet radiation, dietary vitamin D, and risk of non-Hodgkin lymphoma (United States). *Cancer Causes Control*, 17:1045–1052. [doi:10.1007/s10552-006-0040-8](#) [PMID:16933055](#)
- Holly EA, Aston DA, Ahn DK, Smith AH (1996). Intraocular melanoma linked to occupations and chemical exposures. *Epidemiology*, 7:55–61. [doi:10.1097/00001648-199601000-00010](#) [PMID:8664402](#)
- Holly EA, Aston DA, Char DH *et al.* (1990). Uveal melanoma in relation to ultraviolet light exposure and host factors. *Cancer Res*, 50:5773–5777. [PMID:2393851](#)
- Hughes AM, Armstrong BK, Vajdic CM *et al.* (2004). Sun exposure may protect against non-Hodgkin lymphoma: a case-control study. *Int J Cancer*, 112:865–871. [doi:10.1002/ijc.20470](#) [PMID:15386383](#)
- IARC (2007). The association of use of sunbeds with cutaneous malignant melanoma and other skin cancers: A systematic review. *Int J Cancer*, 120:1116–1122. [doi:10.1002/ijc.22453](#) [PMID:17131335](#)
- John EM, Dreon DM, Koo J, Schwartz GG (2004). Residential sunlight exposure is associated with a decreased risk of prostate cancer. *J Steroid Biochem Mol Biol*, 89-90:549–552. [doi:10.1016/j.jsbmb.2004.03.067](#) [PMID:15225836](#)
- John EM, Koo J, Schwartz GG (2007). Sun exposure and prostate cancer risk: evidence for a protective effect of early-life exposure. *Cancer Epidemiol Biomarkers Prev*, 16:1283–1286. [doi:10.1158/1055-9965.EPI-06-1053](#) [PMID:17548698](#)
- John EM, Schwartz GG, Dreon DM, Koo J (1999). Vitamin D and breast cancer risk: the NHANES I Epidemiologic follow-up study, 1971–1975 to 1992. National Health and Nutrition Examination Survey. *Cancer Epidemiol Biomarkers Prev*, 8:399–406. [PMID:10350434](#)
- John EM, Schwartz GG, Koo J *et al.* (2005). Sun exposure, vitamin D receptor gene polymorphisms, and risk of advanced prostate cancer. *Cancer Res*, 65:5470–5479. [doi:10.1158/0008-5472.CAN-04-3134](#) [PMID:15958597](#)
- Kampman E, Slattery ML, Caan B, Potter JD (2000). Calcium, vitamin D, sunshine exposure, dairy products and colon cancer risk (United States). *Cancer Causes Control*, 11:459–466. [doi:10.1023/A:1008914108739](#) [PMID:10877339](#)
- Karipidis KK, Benke G, Sim MR *et al.* (2007). Occupational exposure to ionizing and non-ionizing radiation and risk of non-Hodgkin lymphoma. *Int Arch Occup Environ Health*, 80:663–670. [doi:10.1007/s00420-007-0177-0](#) [PMID:17334774](#)
- Keller AZ (1970). Cellular types, survival, race, nativity, occupations, habits and associated diseases in the pathogenesis of lip cancers. *Am J Epidemiol*, 91:486–499. [PMID:5438996](#)
- Kennedy C, Bajdik CD, Willemze R *et al.*; Leiden Skin Cancer Study (2003). The influence of painful sunburns and lifetime sun exposure on the risk of actinic keratoses, seborrheic warts, melanocytic nevi, atypical nevi, and skin cancer. *J Invest Dermatol*, 120:1087–1093. [doi:10.1046/j.1523-1747.2003.12246.x](#) [PMID:12787139](#)
- Khuder SA (1999). Etiologic clues to lip cancer from epidemiologic studies on farmers. *Scand J Work Environ Health*, 25:125–130. [PMID:10360467](#)
- Knight JA, Lesosky M, Barnett H *et al.* (2007). Vitamin D and reduced risk of breast cancer: a population-based case-control study. *Cancer Epidemiol Biomarkers Prev*, 16:422–429. [doi:10.1158/1055-9965.EPI-06-0865](#) [PMID:17372236](#)
- Kricker A, Armstrong BK, English DR, Heenan PJ (1995a). A dose-response curve for sun exposure and basal cell carcinoma. *Int J Cancer*, 60:482–488. [doi:10.1002/ijc.2910600410](#) [PMID:7829261](#)
- Kricker A, Armstrong BK, English DR, Heenan PJ (1995b). Does intermittent sun exposure cause basal cell carcinoma? a case-control study in Western Australia. *Int J Cancer*, 60:489–494. [doi:10.1002/ijc.2910600411](#) [PMID:7829262](#)

- Kricker A, Armstrong BK, Hughes AM *et al.*; Interlymph Consortium (2008). Personal sun exposure and risk of non Hodgkin lymphoma: a pooled analysis from the Interlymph Consortium. *Int J Cancer*, 122:144–154.[doi:10.1002/ijc.23003](https://doi.org/10.1002/ijc.23003) [PMID:17708556](https://pubmed.ncbi.nlm.nih.gov/17708556/)
- Laden F, Spiegelman D, Neas LM *et al.* (1997). Geographic variation in breast cancer incidence rates in a cohort of U.S. women. *J Natl Cancer Inst*, 89:1373–1378.[doi:10.1093/jnci/89.18.1373](https://doi.org/10.1093/jnci/89.18.1373) [PMID:9308708](https://pubmed.ncbi.nlm.nih.gov/9308708/)
- Lee GA, Williams G, Hirst LW, Green AC (1994). Risk factors in the development of ocular surface epithelial dysplasia. *Ophthalmology*, 101:360–364. [PMID:8115157](https://pubmed.ncbi.nlm.nih.gov/8115157/)
- Luscombe CJ, Fryer AA, French ME *et al.* (2001). Exposure to ultraviolet radiation: association with susceptibility and age at presentation with prostate cancer. *Lancet*, 358:641–642.[doi:10.1016/S0140-6736\(01\)05788-9](https://doi.org/10.1016/S0140-6736(01)05788-9) [PMID:11530156](https://pubmed.ncbi.nlm.nih.gov/11530156/)
- Lutz JM, Cree I, Sabroe S *et al.* (2005). Occupational risks for uveal melanoma results from a case-control study in nine European countries. *Cancer Causes Control*, 16:437–447.[doi:10.1007/s10552-004-5029-6](https://doi.org/10.1007/s10552-004-5029-6) [PMID:15953986](https://pubmed.ncbi.nlm.nih.gov/15953986/)
- Morales-Suárez-Varela MM, Olsen J, Johansen P *et al.* (2006). Occupational sun exposure and mycosis fungoides: a European multicenter case-control study. *J Occup Environ Med*, 48:390–393.[doi:10.1097/01.jom.0000194160.95468.20](https://doi.org/10.1097/01.jom.0000194160.95468.20) [PMID:16607193](https://pubmed.ncbi.nlm.nih.gov/16607193/)
- Naldi L, Altieri A, Imberti GL *et al.*; Oncology Study Group of the Italian Group for Epidemiologic Research in Dermatology (2005). Sun exposure, phenotypic characteristics, and cutaneous malignant melanoma. An analysis according to different clinico-pathological variants and anatomic locations (Italy). *Cancer Causes Control*, 16:893–899.[doi:10.1007/s10552-005-2300-4](https://doi.org/10.1007/s10552-005-2300-4) [PMID:16132799](https://pubmed.ncbi.nlm.nih.gov/16132799/)
- Naldi L, DiLandro A, D’Avanzo B, Parazzini F (2000). Host-related and environmental risk factors for cutaneous basal cell carcinoma: evidence from an Italian case-control study. *J Am Acad Dermatol*, 42:446–452.[doi:10.1016/S0190-9622\(00\)90217-2](https://doi.org/10.1016/S0190-9622(00)90217-2) [PMID:10688715](https://pubmed.ncbi.nlm.nih.gov/10688715/)
- Napora C, Cohen EJ, Genvert GI *et al.* (1990). Factors associated with conjunctival intraepithelial neoplasia: a case control study. *Ophthalmic Surg*, 21:27–30. [PMID:2325992](https://pubmed.ncbi.nlm.nih.gov/2325992/)
- Neale RE, Davis M, Pandeya N *et al.* (2007). Basal cell carcinoma on the trunk is associated with excessive sun exposure. *J Am Acad Dermatol*, 56:380–386.[doi:10.1016/j.jaad.2006.08.039](https://doi.org/10.1016/j.jaad.2006.08.039) [PMID:17097387](https://pubmed.ncbi.nlm.nih.gov/17097387/)
- Nelemans PJ, Rampen FH, Ruiter DJ, Verbeek AL (1995). An addition to the controversy on sunlight exposure and melanoma risk: a meta-analytical approach. *J Clin Epidemiol*, 48:1331–1342.[doi:10.1016/0895-4356\(95\)00032-1](https://doi.org/10.1016/0895-4356(95)00032-1) [PMID:7490596](https://pubmed.ncbi.nlm.nih.gov/7490596/)
- Newton R, Ziegler J, Ateenyi-Agaba C *et al.*; Uganda Kaposi’s Sarcoma Study Group (2002). The epidemiology of conjunctival squamous cell carcinoma in Uganda. *Br J Cancer*, 87:301–308.[doi:10.1038/sj.bjc.6600451](https://doi.org/10.1038/sj.bjc.6600451) [PMID:12177799](https://pubmed.ncbi.nlm.nih.gov/12177799/)
- Pane AR, Hirst LW (2000). Ultraviolet light exposure as a risk factor for ocular melanoma in Queensland, Australia. *Ophthalmic Epidemiol*, 7:159–167. [PMID:11035552](https://pubmed.ncbi.nlm.nih.gov/11035552/)
- Pelucchi C, Di Landro A, Naldi L, La Vecchia C; Oncology Study Group of the Italian Group for Epidemiologic Research in Dermatology (GISED) (2007). Risk factors for histological types and anatomic sites of cutaneous basal-cell carcinoma: an Italian case-control study. *J Invest Dermatol*, 127:935–944.[doi:10.1038/sj.jid.5700598](https://doi.org/10.1038/sj.jid.5700598) [PMID:17068478](https://pubmed.ncbi.nlm.nih.gov/17068478/)
- Perea-Milla López E, Miñarro-Del Moral RM, Martínez-García C *et al.* (2003). Lifestyles, environmental and phenotypic factors associated with lip cancer: a case-control study in southern Spain. *Br J Cancer*, 88:1702–1707.[doi:10.1038/sj.bjc.6600975](https://doi.org/10.1038/sj.bjc.6600975) [PMID:12771984](https://pubmed.ncbi.nlm.nih.gov/12771984/)
- Petridou ET, Dikaloti SK, Skalkidou A *et al.*; Childhood Hematology-Oncology Group (2007). Sun exposure, birth weight, and childhood lymphomas: a case control study in Greece. *Cancer Causes Control*, 18:1031–1037.[doi:10.1007/s10552-007-9044-2](https://doi.org/10.1007/s10552-007-9044-2) [PMID:17653828](https://pubmed.ncbi.nlm.nih.gov/17653828/)
- Pogoda JM, Preston-Martin S (1996). Solar radiation, lip protection, and lip cancer risk in Los Angeles County women (California, United States). *Cancer Causes Control*, 7:458–463.[doi:10.1007/BF00052672](https://doi.org/10.1007/BF00052672) [PMID:8813434](https://pubmed.ncbi.nlm.nih.gov/8813434/)
- Rosso S, Joris F, Zanetti R (1999). Risk of basal and squamous cell carcinomas of the skin in Sion, Switzerland: a case-control study. *Tumori*, 85:435–442. [PMID:10774562](https://pubmed.ncbi.nlm.nih.gov/10774562/)
- Rosso S, Zanetti R, Martinez C *et al.* (1996). The multicentre south European study ‘Helios’. II: Different sun exposure patterns in the aetiology of basal cell and squamous cell carcinomas of the skin. *Br J Cancer*, 73:1447–1454. [PMID:8645596](https://pubmed.ncbi.nlm.nih.gov/8645596/)
- Rosso S, Zanetti R, Pippione M *et al.* (1998). Parallel risk assessment of melanoma and basal cell carcinoma: skin characteristics and sun exposure. *Melanoma Res*, 8:573–583. [PMID:9918420](https://pubmed.ncbi.nlm.nih.gov/9918420/)

- Schmidt-Pokrzywniak A, Jöckel KH, Bornfeld N *et al.* (2009). Positive interaction between light iris color and ultraviolet radiation in relation to the risk of uveal melanoma: a case-control study. *Ophthalmology*, 116:340–348. [doi:10.1016/j.ophtha.2008.09.040](https://doi.org/10.1016/j.ophtha.2008.09.040) PMID:19091418
- Seddon JM, Gragoudas ES, Glynn RJ *et al.* (1990). Host factors, UV radiation, and risk of uveal melanoma. A case-control study. *Arch Ophthalmol*, 108:1274–1280. [PMID:2400347](https://pubmed.ncbi.nlm.nih.gov/2400347/)
- Shah CP, Weis E, Lajous M *et al.* (2005). Intermittent and chronic ultraviolet light exposure and uveal melanoma: a meta-analysis. *Ophthalmology*, 112:1599–1607. [doi:10.1016/j.ophtha.2005.04.020](https://doi.org/10.1016/j.ophtha.2005.04.020) PMID:16051363
- Smedby KE, Hjalgrim H, Melbye M *et al.* (2005). Ultraviolet radiation exposure and risk of malignant lymphomas. *J Natl Cancer Inst*, 97:199–209. [doi:10.1093/jnci/dji022](https://doi.org/10.1093/jnci/dji022) PMID:15687363
- Soni LK, Hou L, Gapstur SM *et al.* (2007). Sun exposure and non-Hodgkin lymphoma: a population-based, case-control study. *Eur J Cancer*, 43:2388–2395. [doi:10.1016/j.ejca.2007.06.018](https://doi.org/10.1016/j.ejca.2007.06.018) PMID:17686627
- Spitzer WO, Hill GB, Chambers LW *et al.* (1975). The occupation of fishing as a risk factor in cancer of the lip. *N Engl J Med*, 293:419–424. [PMID:1152953](https://pubmed.ncbi.nlm.nih.gov/1152953/)
- Tavani A, Bosetti C, Franceschi S *et al.* (2006). Occupational exposure to ultraviolet radiation and risk of non-Hodgkin lymphoma. *Eur J Cancer Prev*, 15:453–457. [doi:10.1097/00008469-200610000-00011](https://doi.org/10.1097/00008469-200610000-00011) PMID:16912575
- Tucker MA, Shields JA, Hartge P *et al.* (1985). Sunlight exposure as risk factor for intraocular malignant melanoma. *N Engl J Med*, 313:789–792. [PMID:4033707](https://pubmed.ncbi.nlm.nih.gov/4033707/)
- Tulvatana W, Bhattarakosol P, Sansopha L *et al.* (2003). Risk factors for conjunctival squamous cell neoplasia: a matched case-control study. *Br J Ophthalmol*, 87:396–398. [doi:10.1136/bjo.87.4.396](https://doi.org/10.1136/bjo.87.4.396) PMID:12642297
- Vajdic CM, Krickler A, Giblin M *et al.* (2002). Sun exposure predicts risk of ocular melanoma in Australia. *Int J Cancer*, 101:175–182. [doi:10.1002/ijc.10579](https://doi.org/10.1002/ijc.10579) PMID:12209995
- Vajdic CM, Krickler A, Giblin M *et al.* (2004). Artificial ultraviolet radiation and ocular melanoma in Australia. *Int J Cancer*, 112:896–900. [doi:10.1002/ijc.20476](https://doi.org/10.1002/ijc.20476) PMID:15386378
- van Dam RM, Huang Z, Rimm EB *et al.* (1999). Risk factors for basal cell carcinoma of the skin in men: results from the health professionals follow-up study. *Am J Epidemiol*, 150:459–468. [PMID:10472945](https://pubmed.ncbi.nlm.nih.gov/10472945/)
- van Hees CL, de Boer A, Jager MJ *et al.* (1994). Are atypical nevi a risk factor for uveal melanoma? A case-control study. *J Invest Dermatol*, 103:202–205. [doi:10.1111/1523-1747.ep12392754](https://doi.org/10.1111/1523-1747.ep12392754) PMID:8040610
- van Wijngaarden E, Savitz DA (2001). Occupational sunlight exposure and mortality from non-Hodgkin lymphoma among electric utility workers. *J Occup Environ Med*, 43:548–553. [doi:10.1097/00043764-200106000-00008](https://doi.org/10.1097/00043764-200106000-00008) PMID:11411327
- Vlajinac HD, Adanja BJ, Lazar ZF *et al.* (2000). Risk factors for basal cell carcinoma. *Acta Oncol*, 39:611–616. [doi:10.1080/028418600750013294](https://doi.org/10.1080/028418600750013294) PMID:11093369
- Walther U, Kron M, Sander S *et al.* (2004). Risk and protective factors for sporadic basal cell carcinoma: results of a two-centre case-control study in southern Germany. Clinical actinic elastosis may be a protective factor. *Br J Dermatol*, 151:170–178. [doi:10.1111/j.1365-2133.2004.06030.x](https://doi.org/10.1111/j.1365-2133.2004.06030.x) PMID:15270887
- Weihkopf T, Becker N, Nieters A *et al.* (2007). Sun exposure and malignant lymphoma: a population-based case-control study in Germany. *Int J Cancer*, 120:2445–2451. [doi:10.1002/ijc.22492](https://doi.org/10.1002/ijc.22492) PMID:17311289
- Willett EV, Smith AG, Dovey GJ *et al.* (2004). Tobacco and alcohol consumption and the risk of non-Hodgkin lymphoma. *Cancer Causes Control*, 15:771–780. [doi:10.1023/B:CACO.0000043427.77739.60](https://doi.org/10.1023/B:CACO.0000043427.77739.60) PMID:15456990
- Zanetti R, Rosso S, Martinez C *et al.* (2006). Comparison of risk patterns in carcinoma and melanoma of the skin in men: a multi-centre case-control study. *Br J Cancer*, 94:743–751. [PMID:16495934](https://pubmed.ncbi.nlm.nih.gov/16495934/)
- Zhang Y, Holford TR, Leaderer B *et al.* (2007). Ultraviolet radiation exposure and risk of non-Hodgkin's lymphoma. *Am J Epidemiol*, 165:1255–1264. [doi:10.1093/aje/kwm020](https://doi.org/10.1093/aje/kwm020) PMID:17327216