

## T A B L E O F C O N T E N T S

**Table of contents**

Introduction	1
Executive Summary	5
<b>Epidemiological guidelines for quality assurance in breast cancer screening</b>	<b>15</b>
1.1 Introduction	17
1.2 Local conditions governing the screening process at the beginning of a breast screening programme	19
1.3 Invitation scheme	22
1.4 Screening process and further assessment	25
1.5 Primary treatment of screen-detected cancers	30
1.6 Disease stage of screen-detected cancers	32
1.7 Post-surgical treatment of screen-detected cancers	34
1.8 Follow up of the target population and ascertainment of interval cancers	35
1.9 Evaluation and interpretation of screening outcomes	42
1.9.1 Performance indicators	42
1.9.2 Impact indicators	44
1.9.3 Cost-effectiveness	47
1.10 References	48
1.11 Glossary of terms	49
<b>European protocol for the quality control of the physical and technical aspects of mammography screening</b>	<b>57</b>
Executive summary	59
<b>2a Screen-film mammography</b>	<b>61</b>
2a.1 Introduction to the measurements	63
2a.1.1 Staff and equipment	64
2a.1.2 Definition of terms	64
2a.2 Description of the measurements	69
2a.2.1 X-ray generation	69
2a.2.1.1 X-ray source	69
2a.2.1.2 Tube voltage and beam quality	73
2a.2.1.3 AEC-system	74
2a.2.1.4 Compression	76
2a.2.2 Bucky and image receptor	77
2a.2.2.1 Anti scatter grid	77
2a.2.2.2 Screen-film	78
2a.2.3 Film processing	79
2a.2.3.1 Baseline performance of the processor	79
2a.2.3.2 Film and processor	79
2a.2.3.3 Darkroom	80
2a.2.4 Viewing conditions	81
2a.2.4.1 Viewing box	82
2a.2.4.2 Ambient light	82
2a.2.5 System properties	83
2a.2.5.1 Dosimetry	83
2a.2.5.2 Image quality	83
2a.3 Daily and weekly QC tests	85

## T A B L E O F C O N T E N T S

2a.4 Tables	86
2a.5 Bibliography	89
2a.6 Completion forms for QC reporting	93
<b>2b Digital mammography</b>	<b>105</b>
2b Foreword	107
2b.1 Introduction to the measurements	108
2b.1.1 Staff and equipment	110
2b.1.2 System demands	111
2b.1.3 Order of the measurements	112
2b.1.4 Philosophy	113
2b.1.4.1 Methods of testing	114
2b.1.4.2 Limiting values	114
2b.1.4.3 Image acquisition	114
2b.1.4.4 Image quality evaluation	115
2b.1.4.5 Glandular dose	116
2b.1.4.6 Exposure time	117
2b.1.4.7 Image receptor	118
2b.1.4.8 Image presentation	119
2b.1.5 Definition of terms	120
2b.2 Image acquisition	123
2b.2.1 X-ray generation	123
2b.2.1.1 X-ray source	123
2b.2.1.2 Tube voltage and beam quality	124
2b.2.1.3 AEC-system	124
2b.2.1.4 Compression	126
2b.2.1.5 Anti scatter grid	126
2b.2.2 Image receptor	127
2b.2.2.1 Image receptor response	127
2b.2.2.2 Missed tissue at chest wall side	128
2b.2.2.3 Image receptor homogeneity and stability	128
2b.2.2.4 Inter plate sensitivity variations (CR systems)	130
2b.2.2.5 Influence of other sources of radiation (CR systems)	130
2b.2.2.6 Fading of latent image (CR systems)	130
2b.2.3 Dosimetry	130
2b.2.4 Image Quality	130
2b.2.4.1 Threshold contrast visibility	130
2b.2.4.2 Modulation Transfer Function (MTF) and Noise Power Spectrum (NPS) [optional]	132
2b.2.4.3 Exposure time	132
2b.2.4.4 Geometric distortion and artefact evaluation	132
2b.2.4.5 Ghost image / erasure thoroughness	133
2b.3 Image processing	134
2b.4 Image presentation	134
2b.4.1 Monitors	134
2b.4.1.1 Ambient light	134
2b.4.1.2 Geometrical distortion (CRT displays)	135
2b.4.1.3 Contrast visibility	135
2b.4.1.4 Resolution	136
2b.4.1.5 Display artefacts	137
2b.4.1.6 Luminance range	137
2b.4.1.7 Greyscale Display Function	137
2b.4.1.8 Luminance uniformity	137
2b.4.2 Printers	139
2b.4.2.1 Geometrical distortion	139
2b.4.2.2 Contrast visibility	139
2b.4.2.3 Resolution	139
2b.4.2.4 Printer artefacts	140
2b.4.2.5 Optical Density Range (optional)	140

## T A B L E O F C O N T E N T S

2b.4.2.6 Greyscale Display Function	140
2b.4.2.7 Density uniformity	140
2b.4.3 Viewing boxes	141
2b.5 CAD software	141
2b.6 References and Bibliography	141
2b.6.1 References	141
2b.6.2 Bibliography	142
Table 2b.1: Frequencies of Quality Control	145
Table 2b.2: Limiting values	148
<b>2a + 2b Appendices and Notes</b>	<b>151</b>
Appendix 1 Mechanical and electrical safety checks	151
Appendix 2 Film-parameters	153
Appendix 3 A method to discriminate between processing and exposure variations by correction for the film-curve	155
Appendix 4 Typical spectra per PMMA thickness in screen-film mammography	156
Appendix 5 Procedure for determination of average glandular dose	157
A5.1 Dose to typical breasts simulated with PMMA	157
A5.2 Clinical breast doses	157
Appendix 6 Calculation of contrast for details in a contrast-detail test object	162
Appendix 7 Computed Radiography screen processing modes	163
Notes	165
<b>Radiographical guidelines</b>	<b>167</b>
3.1 Introduction	169
3.2 Technical quality control	169
3.3 Ergonomic design of the machine	171
3.4 Mammographic examination	171
3.4.1 Introduction to the examination	171
3.4.2 Starting the examination	171
3.4.3 Compression	172
3.4.4 Positioning	172
3.4.5 Standard views	172
3.4.5.1 Cranio-caudal view	173
3.4.5.2 Mediolateral oblique view	174
3.4.6 Other additional views	175
3.5 Social skills	175
3.6 Consent	175
3.7 Teamwork	175
3.8 Radiographic quality standards	176
3.9 Training	176
3.9.1 Academic component	176
3.9.2 Clinical component	177
3.9.3 Certification	177
3.9.4 Continuing education	177
3.10 Staffing levels and working practices	177
3.11 Digital Mammography	178
3.12 Summary	179
3.12.1 Skills	179
3.12.2 Technical quality control	179
3.12.3 Multidisciplinary teamwork	179
3.12.4 Training	179
3.13 Conclusion	179
3.14 Bibliography	180

## T A B L E O F C O N T E N T S

<b>Radiological guidelines</b>	<b>181</b>
4.1 Introduction	183
4.2 Image quality	184
4.3 Full Field Digital Mammography (FFDM) with Soft Copy Reading	184
4.4 Radiologist performance issues	185
4.4.1 Advancement of the time of diagnosis	185
4.4.2 Reduction of adverse effects	186
4.5 Operating procedures	188
4.5.1 Viewing conditions	188
4.5.2 Single/double reading	189
4.5.3 Assessment of screen-detected abnormalities	189
4.5.4 Quality assurance organisation	190
4.5.5 Number of views	190
4.5.6 Localisation of non-palpable lesions	191
4.5.7 Multidisciplinary meetings	191
4.6 Interval cancers	191
4.7 Professional requirements	193
4.8 Screening women at high risk	194
4.9 Bibliography	194
<b>Multi-disciplinary aspects of quality assurance in the diagnosis of breast disease</b>	<b>197</b>
5.1 Introduction	199
5.2 Training and Quality Assurance	200
5.3 Imaging Procedures	200
5.4 Diagnostic Breast Imaging Unit	202
5.4.1 Mammography Equipment	202
5.4.1.1 Targets	203
5.4.2 Ultrasound equipment	203
5.4.3 Radiographic staff	203
5.4.3.1 Targets	204
5.4.3.2 Basic quality control	204
5.4.4 Radiological staff	204
5.4.5 Basic Requirements of a Diagnostic Mammography Unit	205
5.5 Breast Assessment Unit	206
5.5.1 Diagnostic classification	207
5.5.2 Targets	207
5.5.3 Cytology/histology quality assurance	208
5.5.4 Audit	208
5.5.5 Cytology/core biopsy reporting standards	208
5.5.6 Basic requirements for a Breast Assessment Unit	209
5.6 Multidisciplinary Activity	209
5.7 Staging and Follow-up	209
5.8 Surgical Aspects	211
5.8.1 Pre-operative localisation	212
5.8.2 Targets	213
5.9 Anxiety and Delays	213
5.9.1 Rapid diagnostic / one stop clinics	214
5.10 Pathology QA Aspects	214
5.11 The Place of Magnetic Resonance Imaging in Breast Diagnosis	215
5.12 Sentinel Lymph Node Biopsy Procedures	215
5.13 References	216

## T A B L E O F C O N T E N T S

<b>Quality assurance guidelines for pathology</b>	<b>219</b>
<b>6a Cytological and histological non-operative procedures</b>	<b>221</b>
6a.1 Introduction	223
6a.2 Use of non-operative diagnostic techniques	223
6a.3 Choice of sampling technique	224
6a.4 Indications	226
6a.5 Complications and changes secondary to FNAC, NCB and VANCB	227
6a.6 NCB and VANCB reporting guidelines	228
6a.6.1 Specimen information & handling	228
6a.6.2 Recording basic information	230
6a.6.3 Reporting categories	232
6a.6.4 Problems and pitfalls in diagnosis	235
6a.6.5 Rare lesions	237
6a.6.6 Assessment of prognostic information	238
6a.6.7 Oestrogen receptor (ER) assessment	238
6a.7 FNAC reporting guidelines	238
6a.7.1 Using the cytology reporting form	239
6a.7.2 Recording basic information	241
6a.7.3 Reporting categories	242
6a.7.4 Diagnostic pitfalls in interpretation of breast FNAC	243
6a.7.5 Prognostic information	248
6a.8 References	249
Appendix 1 Quality assurance	252
A1.1 Definitions	252
A1.2 How to calculate these figures	253
A1.3 Suggested thresholds where therapy is partially based on FNAC/needle core biopsy	254
A1.4 How to interpret the results	255
<b>6b Open biopsy and resection specimens</b>	<b>257</b>
6b.1 Introduction	259
6b.2 Macroscopic examination of biopsy and resection specimens	259
6b.2.1 Introduction	259
6b.2.2 Surgical handling	259
6b.2.3 Laboratory handling	260
6b.3 Guidance for pathological examination of lymph nodes	264
6b.3.1 Background	264
6b.3.2 Lymph node sample specimens	264
6b.3.3 Axillary clearance specimens	264
6b.3.4 Sentinel lymph nodes (SN)	265
6b.4 Using the histopathology reporting form	268
6b.4.1 Introduction	268
6b.4.2 Recording basic information	268
6b.4.3 Classifying benign lesions	269
6b.4.4 Classifying epithelial proliferation	273
6b.4.5 Classifying malignant non invasive lesions	278
6b.4.6 Microinvasive carcinoma	280
6b.4.7 Classifying invasive carcinoma	282
6b.4.8 Recording prognostic data	284
6b.4.8.1 Tumour size	284
6b.4.8.2 Disease extent	286
6b.4.8.3 Histological grade	287
6b.4.8.4 Lymph node stage	290
6b.4.8.5 Reporting and definitions of micrometastatic disease and isolated tumour cells	290
6b.4.8.6 Vascular invasion	291
6b.4.8.7 Excision margins	291

## T A B L E O F C O N T E N T S

6b.4.9 Steroid receptors	292
6b.4.9.1 Recommendations for steroid receptor testing	292
6b.4.9.2 Principles	293
6b.4.9.3 Ductal carcinoma in situ	294
6b.4.10 Comments/additional information	294
6b.4.11 Histological diagnosis	294
6b.5 Quality assurance	294
6b.6 References	295
Appendix 2 Index for screening office pathology system	298
Appendix 3 Immunohistochemical detection of steroid receptors in breast cancer	303
Appendix 4 Recommendations for HER2 testing	304
A4.1 Introduction	304
A4.2 General principles	304
A4.2.1 Suitable samples	304
A4.2.2 Caseload	304
A4.2.3 Appropriate laboratory assay methods	304
A4.2.4 Controls	305
A4.2.5 Evaluation	305
A4.2.5.1 Immunohistochemistry	305
A4.2.5.2 Fluorescence in situ hybridisation (FISH)	306
A4.3 References	308
Appendix 5 Definitions of the pTNM categories	309
<b>Quality assurance guidelines for surgery</b>	<b>313</b>
<b>7a European guidelines for quality assurance in the surgical management of mammographically detected lesions</b>	<b>315</b>
7a.1 Introduction	317
7a.2 General performance of a breast screening unit	317
7a.3 Surgical diagnosis	318
7a.4 Management	319
7a.5 Follow up	320
7a.6 Training	320
7a.7 Bibliography	320
<b>7b Quality control in the locoregional treatment of breast cancer</b>	<b>323</b>
7b.1 Introduction	325
7b.2 Diagnosis of the primary lesion	325
7b.3 Diagnosis of distant disease	326
7b.4 Surgery of the breast	326
7b.5 Breast conserving treatment	327
7b.6 Mastectomy	327
7b.7 Preoperative chemotherapy (for tumours too large for breast conserving treatment)	328
7b.8 Locally advanced breast cancer (LABC)	329
7b.9 Lymphatic dissemination	329
7b.10 Ductal carcinoma in situ	331
7b.11 Follow-up	332
7b.12 Participants	332
7b.13 References	332

## T A B L E O F C O N T E N T S

<b>Data collection and monitoring in breast cancer screening and care</b>	<b>335</b>
8.1 Background and aims	337
8.2 Definitions	337
8.3 Data reporting and audit systems	338
8.3.1 The European Screening Evaluation Database (SEED)	339
8.3.2 Audit system on Quality of breast cancer diagnosis and Treatment (QT)	339
8.4 The quality cycle	340
8.5 References	341
<b>The requirements of a specialist Breast Unit</b>	<b>343</b>
9.1 Introduction	345
9.2 Objectives	345
9.3 Background	345
9.4 General recommendations	346
9.5 Mandatory requirements	347
9.6 Equipment	349
9.7 Facilities/Services	349
9.8 Associated Services and non-core personnel	352
9.9 Research	352
9.10 Teaching	353
9.11 Additional points	353
9.12 References	354
<b>Guidelines for training</b>	<b>355</b>
10.1 Introduction	357
10.2 General requirements	357
10.3 Epidemiologist	358
10.4 Physicist	358
10.5 Breast Radiographer	359
10.6 Breast Radiologist	360
10.7 Breast Pathologist	361
10.8 Breast Surgeon	362
10.9 Breast Care Nurse	363
10.10 Medical Oncologist / Radiotherapist	363
10.11 Bibliography	364
<b>Certification protocol for breast screening and breast diagnostic services</b>	<b>367</b>
11.1 Executive Summary	369
11.2 Introduction	370
11.3 Breast screening versus diagnostic breast imaging activity	371
11.4 Certification categories and visits	371
11.4.1 Certification protocol of a diagnostic breast imaging unit	372
11.4.2 Certification protocol of a diagnostic breast assessment unit	373
11.4.3 Certification protocol of a loco-regional breast screening programme	373
11.4.4 Certification protocol of a European reference centre for breast screening	375
11.4.5 Specialised visits	377
11.4.6 Sources and criteria	377
11.4.7 Methodology	377
11.4.8 Frequency of certification	378
11.5 References	378

## T A B L E O F C O N T E N T S

<b>Guidance on breast screening communication</b>	<b>379</b>
Introduction	381
<b>First part</b>	
12.1 Communicating information to enable decision-making	382
12.1.1 Ethical principles	382
12.1.2 Population heterogeneity and informed choice	382
12.1.3 The role of the media	383
12.2 Problems related to effective communication in screening	383
12.2.1 Access to the information about breast screening	383
12.2.2 Lack of clarity of health professionals involved in the screening programme	384
12.2.3 Communication skills of primary care and health professionals	384
12.2.4 Consumers' health literacy skills	384
12.2.5 The communication paradox	385
12.2.6 Developing client-centred information	385
<b>Second part</b>	
12.3 Improving the quality of breast screening communications	386
12.4 Recommendations on the contents of written information (invitation letter/leaflet)	388
12.5 Other issues to consider when developing communication strategies for breast screening	390
12.5.1 Relationship between information provision and participation in breast cancer screening	390
12.5.2 The role of advocacy groups	391
12.5.3 The Internet	391
12.5.4 Communication quality indicators	391
12.6 Developing a communication strategy for breast cancer screening – a summary	392
12.7 References	393

**Annexes**

Council Recommendation of 2 December 2003 on cancer screening (2003/878/EC)	395
European Parliament resolution on breast cancer in the European Union (2002/2279(INI))	401
Recommendation R (94) 11 of the committee of ministers to Member States on screening as a tool of preventive medicine	409

**Summary document**

Summary document	Supplement page 3
Summary table of key performance indicators	Supplement page 16